

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Elimination Status

Item ID: M1600_UTI	2
Item ID: M1610_UR_INCONT	5
Item ID: M1620_BWL_INCONT	9
Item ID: M1630_OSTOMY	13

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

Item ID: M1600_UTI

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treated for urinary tract infection past 14 days	Asmt		Code	2	864-865

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Patient on prophylactic treatment
UK		Unknown

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4320	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Elimination Status

M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

Item ID: M1610_UR_INCONT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary incontinence or urinary catheter present	Asmt		Code	2	866-867

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		No incontinence or catheter (includes anuria or ostomy for urinary drainage)
01		Patient is incontinent
02		Patient requires a urinary catheter (specifically: external, indwelling, intermittent, suprapubic)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4330	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4340	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Changes for Version

Type	ID	Description
Item	M1610_UR_INCONT	[V2.30.0]-Item removed from RFA 09.
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN, M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Elimination Status

Skip pattern	-4330	[V2.30.0]-This edit was deleted because M1615_INCNTNT_TIMING was deleted.
Skip pattern	-4340	[V2.30.0]-This edit was deleted because M1615_INCNTNT_TIMING was deleted.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

Item ID: M1620_BWL_INCONT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bowel incontinence frequency	Asmt		Code	2	870-871

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Very rarely or never has bowel incontinence
01		Less than once weekly
02		One to three times weekly
03		Four to six times weekly
04		On a daily basis
05		More often than once daily
NA		Patient has ostomy for bowel elimination
UK		Unknown

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4350	Consistency	Fatal	If M0100_ASSMT_REASON=[04,05,09], then if M1620_BWL_INCONT is active it cannot equal [UK].
-4360	Consistency	Fatal	If M1620_BWL_INCONT=[00-05,UK], then if M1630_OSTOMY is active it must equal [00].
-4370	Consistency	Fatal	If M1620_BWL_INCONT=[NA], then if M1630_OSTOMY is active it must equal [01,02].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS, M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Elimination Status

M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

Item ID: M1630_OSTOMY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ostomy for bowel elimination	Asmt		Code	2	872-873

Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Patient does not have an ostomy for bowel elimination.
01		Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.
02		The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4360	Consistency	Fatal	If M1620_BWL_INCONT=[00-05,UK], then if M1630_OSTOMY is active it must equal [00].
-4370	Consistency	Fatal	If M1620_BWL_INCONT=[NA], then if M1630_OSTOMY is active it must equal [01,02].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Elimination Status

M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN