

04/19/04  
**MDS**  
**2000**

**MEDICARE CURRENT BENEFICIARY SURVEY**  
 Minimum Data Set

RIC: MD  
 Page: 1  
 Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8					C Unique SP Identification Number
AA2	12	2	GEND				N ID; gender
				4,220			1 Male
				11,070			2 Female
AA3	14	10					N ID; birthdate
AA4	24	2	RACEETH				N ID; race/ethnicity
				7			. Missing
				22			-1 Unable to determine
				98			1 Amer Indian/Alaskan Native
				104			2 Asian/Pacific Islander
				1,737			3 Black, not of Hispanic origin
				323			4 Hispanic
				12,999			5 White, not of Hispanic origin
AA6A	26	15					C ID; facility provider number, state
AA6B	41	12					C ID, facility provider number, federal
AA8A	53	2	\$PASSESS				C ID; primary reason for assessment
				1,895			00 None of above
				1,317			01 Admission assessment
				1,482			02 Annual assessment
				876			03 Signif change in status assessment
				18			04 Signif correction of prior full
				6,000			05 Quarterly review assessment
				1,260			06 Discharged; return not anticipated
				1,189			07 Discharged; return anticipated
				240			08 Discharged; prior to initial assessment
				1,000			09 Re-entry
				13			10 Signif correction of prior quarterly
AA8B	55	1	\$CASSESS				C ID; codes for assessments required
				11,961			Missing
				1,348			1 Medicare 5 day assessment
				420			2 Medicare 30 day assessment
				142			3 Medicare 60 day assessment
				111			4 Medicare 90 day assessment
				83			5 Medicare readmission/return assessment
				244			6 Other state required assessment
				875			7 Medicare 14 day assessment
				106			8 Other Medicare required assessment
AB1	56	10					N Residential; date of entry

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB2	66	2	ADMITFRM				N Residential; admitted from
				5,451			. Missing
				3,461			-2 Item was left blank
				7			-1 Unable to determine
				864			1 Private home w/ no home health services
				307			2 Private home w/ home health services
				268			3 Board and care/assist living/group home
				693			4 Nursing home
				3,989			5 Acute care hospital
				100			6 Psychiatric hospital, MR/DD facility
				87			7 Rehabilitation hospital
				63			8 Other
AB3	68	2	YESNOALO				N Residential; lived alone
				5,557			. Missing
				3,694			-2 Item was left blank
				48			-1 Unable to determine
				3,279			0 No
				1,836			1 Yes
				876			2 In other facility
AB4	70	5					C Residential; zip code, prior primary res
AB5A	75	2	INDIC				N Residential; prior stay in nursing home
				5,556			. Missing
				3,692			-2 Item was left blank
				45			-1 Unable to determine
				5,076			0 Not indicated
				921			1 Indicated
AB5B	77	2	INDIC				N Residential; stay in other nursing home
				5,556			. Missing
				3,692			-2 Item was left blank
				45			-1 Unable to determine
				4,813			0 Not indicated
				1,184			1 Indicated
AB5C	79	2	INDIC				N Residential; other residential facility
				5,556			. Missing
				3,692			-2 Item was left blank
				45			-1 Unable to determine
				5,320			0 Not indicated
				677			1 Indicated
AB5D	81	2	INDIC				N Residential; MH/psychiatric setting
				5,556			. Missing
				3,692			-2 Item was left blank
				45			-1 Unable to determine
				5,817			0 Not indicated
				180			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB5E	83	2	INDIC				N Residential; MR/DD setting
				5,556			. Missing
				3,692			-2 Item was left blank
				45			-1 Unable to determine
				5,995			0 Not indicated
				2			1 Indicated
AB5F	85	2	INDIC				N Residential; none of above
				5,569			. Missing
				3,689			-2 Item was left blank
				45			-1 Unable to determine
				2,610			0 Not indicated
				3,377			1 Indicated
AB6	87	21					C Demo; lifetime occupation(s)
AB7	108	2	HIEDUCAT				N Demo; highest of education complete
				5,578			. Missing
				3,691			-2 Item was left blank
				173			-1 Unable to determine
				132			1 No schooling
				1,584			2 8th grade/less
				912			3 9-11 grades
				1,861			4 High school
				233			5 Technical or trade school
				596			6 Some college
				396			7 Bachelors degree
				134			8 Graduate degree
AB8A	110	2	PRIMLANG				N Demo; primary language
				5,557			. Missing
				3,690			-2 Item was left blank
				36			-1 Unable to determine
				5,736			0 English
				124			1 Spanish
				36			2 French
				111			3 Other
AB8B	112	9					C Demo; other primary language
AB9	121	2	YESNO				N Mental; indication of MR/MI/DD history
				5,557			. Missing
				3,702			-2 Item was left blank
				42			-1 Unable to determine
				5,524			0 No
				465			1 Yes
Note: See MENTAL in Ric2F							
AB10A	123	2	INDIC				N Mental; status, no MR/DD
				5,557			. Missing
				3,712			-2 Item was left blank
				19			-1 Unable to determine
				178			0 Not indicated
				5,824			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB10B	125	2	INDIC				N Mental; status, downs syndrome
				5,563			. Missing
				9,508			-2 Item was left blank
				20			-1 Unable to determine
				198			0 Not indicated
				1			1 Indicated
AB10C	127	2	INDIC				N Mental; status, autism
				5,563			. Missing
				9,508			-2 Item was left blank
				20			-1 Unable to determine
				198			0 Not indicated
				1			1 Indicated
AB10D	129	2	INDIC				N Mental; status, epilepsy
				5,563			. Missing
				9,508			-2 Item was left blank
				20			-1 Unable to determine
				174			0 Not indicated
				25			1 Indicated
AB10E	131	2	INDIC				N Mental; status, other organic condition
				5,563			. Missing
				9,508			-2 Item was left blank
				20			-1 Unable to determine
				115			0 Not indicated
				84			1 Indicated
AB10F	133	2	INDIC				N Mental; status, MR/DD w/ no organic cond
				5,563			. Missing
				9,508			-2 Item was left blank
				20			-1 Unable to determine
				135			0 Not indicated
				64			1 Indicated
AB11	135	10					N Date background information completed
AC1A	145	2	INDIC				N Routine; event, stays up late at night
				5,557			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				3,848			0 Not indicated
				1,917			1 Indicated
AC1B	147	2	INDIC				N Routine; event, naps regularly
				5,557			. Missing
				3,909			-2 Item was left blank
				62			-1 Unable to determine
				2,444			0 Not indicated
				3,318			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1C	149	2	INDIC				N Routine; event, goes out 1+ days
				5,557			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				3,498			0 Not indicated
				2,267			1 Indicated
AC1D	151	2	INDIC				N Routine; event, stays busy
				5,557			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				2,966			0 Not indicated
				2,799			1 Indicated
AC1E	153	2	INDIC				N Routine; event, most of time spent alone
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				3,292			0 Not indicated
				2,474			1 Indicated
AC1F	155	2	INDIC				N Routine; event, moves independent indoor
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				2,110			0 Not indicated
				3,656			1 Indicated
AC1G	157	2	INDIC				N Routine; event, use of tobacco products
				5,557			. Missing
				3,908			-2 Item was left blank
				62			-1 Unable to determine
				5,356			0 Not indicated
				407			1 Indicated
AC1H	159	2	INDIC				N Routine; event, none of above
				5,569			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				5,252			0 Not indicated
				502			1 Indicated
AC1I	161	2	INDIC				N Routine; eating, distinct food pref
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				4,657			0 Not indicated
				1,109			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1J	163	2	INDIC				N Routine; eating, eats between meals
				5,557			. Missing
				3,908			-2 Item was left blank
				72			-1 Unable to determine
				3,990			0 Not indicated
				1,763			1 Indicated
AC1K	165	2	INDIC				N Routine; eating, use of alcoholic bev
				5,557			. Missing
				3,908			-2 Item was left blank
				62			-1 Unable to determine
				5,530			0 Not indicated
				233			1 Indicated
AC1L	167	2	INDIC				N Routine; eating, none of above
				5,569			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				2,581			0 Not indicated
				3,173			1 Indicated
AC1M	169	2	INDIC				N Routine; ADL, bedclothes most of day
				5,557			. Missing
				3,909			-2 Item was left blank
				62			-1 Unable to determine
				5,204			0 Not indicated
				558			1 Indicated
AC1N	171	2	INDIC				N Routine; ADL, wakens to toilet
				5,557			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				2,820			0 Not indicated
				2,945			1 Indicated
AC1O	173	2	INDIC				N Routine; ADL, irregular bowel movement
				5,557			. Missing
				3,909			-2 Item was left blank
				62			-1 Unable to determine
				4,765			0 Not indicated
				997			1 Indicated
AC1P	175	2	INDIC				N Routine; ADL, showers for bathing
				5,557			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				2,901			0 Not indicated
				2,864			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1Q	177	2	INDIC				N Routine; ADL, bathing in PM
				5,557			. Missing
				3,909			-2 Item was left blank
				63			-1 Unable to determine
				5,133			0 Not indicated
				628			1 Indicated
AC1R	179	2	INDIC				N Routine; ADL, none of above
				5,569			. Missing
				3,909			-2 Item was left blank
				59			-1 Unable to determine
				4,506			0 Not indicated
				1,247			1 Indicated
AC1S	181	2	INDIC				N Routine; involve, daily contact family
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				1,634			0 Not indicated
				4,132			1 Indicated
AC1T	183	2	INDIC				N Routine; involve, attends church
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				3,972			0 Not indicated
				1,794			1 Indicated
AC1U	185	2	INDIC				N Routine; involve, strength in faith
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				2,964			0 Not indicated
				2,802			1 Indicated
AC1V	187	2	INDIC				N Routine; involve, animal companion
				5,557			. Missing
				3,908			-2 Item was left blank
				62			-1 Unable to determine
				5,119			0 Not indicated
				644			1 Indicated
AC1W	189	2	INDIC				N Routine; involve, group activities
				5,557			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				4,356			0 Not indicated
				1,410			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1X	191	2	INDIC				N Routine; involve, none of above
				5,569			. Missing
				3,908			-2 Item was left blank
				59			-1 Unable to determine
				4,939			0 Not indicated
				815			1 Indicated
AC1Y	193	2	INDIC				N Routine; unknown routines
				5,557			. Missing
				3,707			-2 Item was left blank
				5,763			0 Not indicated
				263			1 Indicated
A2	195	5					C Background; room number
A3A	200	10					N Background; assessment reference date
A4B	210	2					N Background; original or copy number
A4A	212	10					N Background; date of reentry
A5	222	2	MARITAL				N Background; marital status
				8,900			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				679			1 Never married
				1,218			2 Married
				3,955			3 Widowed
				60			4 Separated
				463			5 Divorced
A6	224	12					C Background; medical record number
A7A	236	2	INDIC				N Payment; Medicaid per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				3,814			0 Not indicated
				2,557			1 Indicated
A7B	238	2	INDIC				N Payment; Medicare per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				3,789			0 Not indicated
				2,582			1 Indicated
A7C	240	2	INDIC				N Payment; Medicare ancillary part A
				8,914			. Missing
				5			-3 Does not apply to this assessment
				4,752			0 Not indicated
				1,619			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A7D	242	2	INDIC				N Payment; Medicare ancillary part B
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,625			0 Not indicated
				746			1 Indicated
A7E	244	2	INDIC				N Payment; CHAMPUS per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,367			0 Not indicated
				4			1 Indicated
A7F	246	2	INDIC				N Payment; VA per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,348			0 Not indicated
				23			1 Indicated
A7G	248	2	INDIC				N Payment; self/family pays full per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,436			0 Not indicated
				935			1 Indicated
A7H	250	2	INDIC				N Payment; Mcaid res liab/Mcare co-payment
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,474			0 Not indicated
				897			1 Indicated
A7I	252	2	INDIC				N Payment; private insurance per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,577			0 Not indicated
				794			1 Indicated
A7J	254	2	INDIC				N Payment; other per diem
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,250			0 Not indicated
				121			1 Indicated
A9A	256	2	INDIC				N Decisions; legal guardian
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,044			0 Not indicated
				327			1 Indicated
A9B	258	2	INDIC				N Decisions; other legal oversight
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,206			0 Not indicated
				165			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A9C	260	2	INDIC	8,914 5 4,513 1,858			N Decisions; dur power attorney/health . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
A9D	262	2	INDIC	8,914 5 5,019 1,352			N Decisions; dur power attorney/financial . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
A9E	264	2	INDIC	8,914 5 3 2,150 4,218			N Decisions; family member responsible . Missing -3 Does not apply to this assessment -1 Unable to determine 0 Not indicated 1 Indicated
A9F	266	2	INDIC	8,914 5 4,326 2,045			N Decisions; patient responsible for self . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
A9G	268	2	INDIC	8,932 4 6,146 208			N Decisions; none of the above . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
A10A	270	2	INDIC	8,914 5 5,036 1,335			N Adv directives; living will . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
Note: See ADLIVWIL in Ric2F							
A10B	272	2	INDIC	8,895 5 3,248 3,142			N Adv directives; do not resuscitate . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
Note: See ADDNRES in Ric2F							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A10C	274	2	INDIC				N Adv directives; do not hospitalize
				8,895			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,236			0 Not indicated
				153			1 Indicated
Note: See ADDNHOSP in Ric2F							
A10D	276	2	INDIC				N Adv directives; organ donation
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,361			0 Not indicated
				10			1 Indicated
A10E	278	2	INDIC				N Adv directives; autopsy request
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,363			0 Not indicated
				8			1 Indicated
A10F	280	2	INDIC				N Adv directives; feeding restrict
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,799			0 Not indicated
				572			1 Indicated
A10G	282	2	INDIC				N Adv directives; medication restrict
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,201			0 Not indicated
				169			1 Indicated
A10H	284	2	INDIC				N Adv directives; other treatment restrict
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,896			0 Not indicated
				475			1 Indicated
A10I	286	2	INDIC				N Adv directives; none of above
				8,932			. Missing
				4			-3 Does not apply to this assessment
				3,769			0 Not indicated
				2,585			1 Indicated
B1	288	2	YESNO				N Cognitive; comatose
				3,689			. Missing
				2			-1 Unable to determine
				11,562			0 No
				37			1 Yes

Note: See COMATOSE in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B2A	290	2	MEMORY				N Cognitive; short-term memory OK
				3,689			. Missing
				37			-2 Item was left blank
				11			-1 Unable to determine
				3,383			0 Memory OK
				8,170			1 Memory problem
				Note: See CSMEMST in Ric2F			
B2B	292	2	MEMORY				N Cognitive; long-term memory OK
				3,689			. Missing
				37			-2 Item was left blank
				11			-1 Unable to determine
				5,038			0 Memory OK
				6,515			1 Memory problem
				Note: See CSMEMLT in Ric2F			
B3A	294	2	INDIC				N Cognitive; recall; current season
				6,099			. Missing
				14			-3 Does not apply to this assessment
				26			-2 Item was left blank
				3			-1 Unable to determine
				5,141			0 Not indicated
				4,007			1 Indicated
				Note: See CSCURSEA in Ric2F			
B3B	296	2	INDIC				N Cognitive; recall; location of own room
				6,099			. Missing
				14			-3 Does not apply to this assessment
				26			-2 Item was left blank
				3			-1 Unable to determine
				4,085			0 Not indicated
				5,063			1 Indicated
				Note: See CSLOCROM in Ric2F			
B3C	298	2	INDIC				N Cognitive; recall; staff names/faces
				6,099			. Missing
				14			-3 Does not apply to this assessment
				26			-2 Item was left blank
				3			-1 Unable to determine
				3,367			0 Not indicated
				5,781			1 Indicated
				Note: See CSNAMFAC in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B3D	300	2	INDIC				N Cognitive; recall; lives in nursing home
				6,078			. Missing
				29			-3 Does not apply to this assessment
				26			-2 Item was left blank
				3			-1 Unable to determine
				3,848			0 Not indicated
				5,306			1 Indicated
				Note: See CSINNH in Ric2F			
B3E	302	2	INDIC				N Cognitive; recall; none of the above
				6,096			. Missing
				28			-3 Does not apply to this assessment
				26			-2 Item was left blank
				3			-1 Unable to determine
				6,769			0 Not indicated
				2,368			1 Indicated
B4	304	2	COGNITIV				N Cognitive; daily decision making skills
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				2,318			0 Independent
				2,467			1 Modified independence
				4,266			2 Moderately impaired
				2,512			3 Severely impaired
				Note: See CSDECIS in Ric2F			
B5A	306	2	COGNITIV				N Cognitive; delirium, easily distracted
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,207			0 Independent
				2,284			1 Modified independence
				72			2 Moderately impaired
				0			3 Severely impaired
B5B	308	2	COGNITIV				N Cognitive; delirium, altered perception
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,571			0 Independent
				1,882			1 Modified independence
				110			2 Moderately impaired
				0			3 Severely impaired
B5C	310	2	COGNITIV				N Cognitive; delirium, disorganized speech
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,413			0 Independent
				2,058			1 Modified independence
				92			2 Moderately impaired
				0			3 Severely impaired

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B5D	312	2	COGNITIV				N Cognitive; delirium, restlessness
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,517			0 Independent
				1,909			1 Modified independence
				137			2 Moderately impaired
				0			3 Severely impaired
B5E	314	2	COGNITIV				N Cognitive; delirium, lethargy
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,194			0 Independent
				1,197			1 Modified independence
				172			2 Moderately impaired
				0			3 Severely impaired
B5F	316	2	COGNITIV				N Cognitive; delirium, varied function
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				8,645			0 Independent
				2,766			1 Modified independence
				152			2 Moderately impaired
				0			3 Severely impaired
B6	318	2	CHANGE				N Cognitive; change in last 90 days
				8,892			. Missing
				21			-3 Does not apply to this assessment
				20			-2 Item was left blank
				7			-1 Unable to determine
				5,494			0 No change
				192			1 Improved
				664			2 Deteriorated
C1	320	2	HEAR				N Comm; hearing ability
				8,913			. Missing
				3			-3 Does not apply to this assessment
				15			-2 Item was left blank
				8			-1 Unable to determine
				3,980			0 Hears adequately
				1,444			1 Minimal difficulty
				803			2 Hears in special situations only
				124			3 Highly impaired

Note: See HCHECOND in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C2A	322	2	INDIC				N Comm; hearing aid, present and used
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				5,799			0 Not indicated
				561			1 Indicated
				Note: See HCHEAID in Ric2F			
C2B	324	2	INDIC				N Comm; hearing aid, present and not used
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,179			0 Not indicated
				181			1 Indicated
C2C	326	2	INDIC				N Comm; other receptive used
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,310			0 Not indicated
				50			1 Indicated
C2D	328	2	INDIC				N Comm; none of above comm methods used
				8,931			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				763			0 Not indicated
				5,580			1 Indicated
C3A	330	2	INDIC				N Comm; modes, speech
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				346			0 Not indicated
				6,014			1 Indicated
C3B	332	2	INDIC				N Comm; modes, writing messages to clarify
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,268			0 Not indicated
				92			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C3C	334	2	INDIC				N Comm; modes, ASL or braille
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,353			0 Not indicated
				7			1 Indicated
C3D	336	2	INDIC				N Comm; modes, signs, gestures, or sounds
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				5,191			0 Not indicated
				1,169			1 Indicated
C3E	338	2	INDIC				N Comm; modes, communication board
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,294			0 Not indicated
				66			1 Indicated
C3F	340	2	INDIC				N Comm; modes, other
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,332			0 Not indicated
				28			1 Indicated
C3G	342	2	INDIC				N Comm; modes, none of above
				8,931			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				1			-1 Unable to determine
				6,215			0 Not indicated
				128			1 Indicated
C4	344	2	UNDERSTO				N Comm; ability to make self understood
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				5,902			0 Understood
				2,529			1 Usually understood
				1,852			2 Sometimes understood
				1,280			3 Rarely/Never understood

Note: See HCUNCOND in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C5	346	2	CLEAR				N Comm, speech clarity
				8,913			. Missing
				3			-3 Does not apply to this assessment
				16			-2 Item was left blank
				1			-1 Unable to determine
				4,779			0 clear speech
				1,302			1 unclear speech
				276			2 no speech
C6	348	2	UNDERSTA				N Comm; ability to understand others
				3,689			. Missing
				37			-2 Item was left blank
				4			-1 Unable to determine
				5,270			0 Understands
				3,054			1 Usually understands
				2,245			2 Sometimes understands
				991			3 Rarely/Never understands
				Note: See HCUNDOTH in Ric2F			
C7	350	2	CHANGE				N Comm; change in last 90 days
				8,913			. Missing
				3			-3 Does not apply to this assessment
				16			-2 Item was left blank
				5			-1 Unable to determine
				5,763			0 No change
				120			1 Improved
				470			2 Deteriorated
D1	352	2	ADEQUATE				N Vision
				8,909			. Missing
				3			-3 Does not apply to this assessment
				17			-2 Item was left blank
				12			-1 Unable to determine
				3,685			0 Adequate
				1,458			1 Impaired
				508			2 Moderately impaired
				533			3 Highly impaired
				165			4 Severely impaired
				Note: See VISION in Ric2F			
D2A	354	2	INDIC				N Vision; limitation, side vision problems
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,115			0 Not indicated
				229			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D2B	356	2	INDIC				N Vision; limitation, halos/rings/flashes
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,296			0 Not indicated
				48			1 Indicated
D2C	358	2	INDIC				N Vision; limitation, none of above
				8,946			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				269			0 Not indicated
				6,058			1 Indicated
D3	360	2	YESNO				N Vision; corrective eyewear, etc.
				8,928			. Missing
				3			-3 Does not apply to this assessment
				16			-2 Item was left blank
				6			-1 Unable to determine
				1,999			0 No
				4,338			1 Yes
Note: See VISAPPL in Ric2F							
E1A	362	2	INDICTH				N Mood; negative statements
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				11,010			0 Not exhibited in last 30 days
				446			1 Exhibited up to 5 days week
				107			2 Exhibited 6 to 7 days week
E1B	364	2	INDICTH				N Mood; repetitive questions
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,928			0 Not exhibited in last 30 days
				410			1 Exhibited up to 5 days week
				225			2 Exhibited 6 to 7 days week
E1C	366	2	INDICTH				N Mood; repetitive verbalizations
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,707			0 Not exhibited in last 30 days
				520			1 Exhibited up to 5 days week
				336			2 Exhibited 6 to 7 days week

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1D	368	2	INDICTH				N Mood; persistent anger w/ self or others
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,999			0 Not exhibited in last 30 days
				1,148			1 Exhibited up to 5 days week
				416			2 Exhibited 6 to 7 days week
E1E	370	2	INDICTH				N Mood; self deprecation
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				11,359			0 Not exhibited in last 30 days
				171			1 Exhibited up to 5 days week
				33			2 Exhibited 6 to 7 days week
E1F	372	2	INDICTH				N Mood; unrealistic fears
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				11,172			0 Not exhibited in last 30 days
				322			1 Exhibited up to 5 days week
				69			2 Exhibited 6 to 7 days week
E1G	374	2	INDICTH				N Mood; belief terrible going to happen
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				11,409			0 Not exhibited in last 30 days
				135			1 Exhibited up to 5 days week
				19			2 Exhibited 6 to 7 days week
E1H	376	2	INDICTH				N Mood; repetitive health complaints
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,543			0 Not exhibited in last 30 days
				743			1 Exhibited up to 5 days week
				277			2 Exhibited 6 to 7 days week
E1I	378	2	INDICTH				N Mood; repetitive anxious complaints
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,427			0 Not exhibited in last 30 days
				779			1 Exhibited up to 5 days week
				357			2 Exhibited 6 to 7 days week
E1J	380	2	INDICTH				N Mood; unpleasant mood in AM
				3,689			. Missing
				39			-2 Item was left blank
				1			-1 Unable to determine
				11,051			0 Not exhibited in last 30 days
				387			1 Exhibited up to 5 days week
				123			2 Exhibited 6 to 7 days week

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1K	382	2	INDICTH				N Mood; insomnia/change in sleep pattern
				3,689			. Missing
				39			-2 Item was left blank
				1			-1 Unable to determine
				11,057			0 Not exhibited in last 30 days
				423			1 Exhibited up to 5 days week
				81			2 Exhibited 6 to 7 days week
E1L	384	2	INDICTH				N Mood; sad/worried facial expressions
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				8,942			0 Not exhibited in last 30 days
				1,835			1 Exhibited up to 5 days week
				786			2 Exhibited 6 to 7 days week
E1M	386	2	INDICTH				N Mood; crying/tearfulness
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,700			0 Not exhibited in last 30 days
				721			1 Exhibited up to 5 days week
				142			2 Exhibited 6 to 7 days week
E1N	388	2	INDICTH				N Mood; repetitive physical movements
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				10,174			0 Not exhibited in last 30 days
				777			1 Exhibited up to 5 days week
				612			2 Exhibited 6 to 7 days week
E1O	390	2	INDICTH				N Mood; withdrawal from activ of interest
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,777			0 Not exhibited in last 30 days
				456			1 Exhibited up to 5 days week
				329			2 Exhibited 6 to 7 days week
E1P	392	2	INDICTH				N Mood; reduced social interaction
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,537			0 Not exhibited in last 30 days
				652			1 Exhibited up to 5 days week
				373			2 Exhibited 6 to 7 days week
E2	394	2	MODINDIC				N Mood; persistence
				3,689			. Missing
				37			-2 Item was left blank
				3			-1 Unable to determine
				6,889			0 No mood indicators
				2,576			1 Indicators present, easily altered
				2,096			2 Indicators present, not easily altered

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E3	396	2	CHANGE				N Mood; change in last 90 days
				8,913			. Missing
				3			-3 Does not apply to this assessment
				15			-2 Item was left blank
				7			-1 Unable to determine
				5,462			0 No change
				303			1 Improved
				587			2 Deteriorated
E4AA	398	2	BEHAV				N Behavior; wandering frequency
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,631			0 Behavior not exhibited
				337			1 1 to 3 days
				175			2 4 to 6 days
				419			3 Behavior exhibited daily
				Note: See BSWANDER in Ric2F			
E4AB	400	2	BEHAV				N Behavior; wandering alterability
				3,689			. Missing
				37			-2 Item was left blank
				4			-1 Unable to determine
				11,034			0 Behavior not present or easily altered
				526			1 Behavior not easily altered
E4BA	402	2	BEHAV				N Behavior; verbally abusive frequency
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,325			0 Behavior not exhibited
				785			1 1 to 3 days
				261			2 4 to 6 days
				191			3 Behavior exhibited daily
				Note: See BSVERBAB in Ric2F			
E4BB	404	2	BEHAV				N Behavior; verbally abusive alterability
				3,689			. Missing
				37			-2 Item was left blank
				4			-1 Unable to determine
				10,821			0 Behavior not present or easily altered
				739			1 Behavior not easily altered
E4CA	406	2	BEHAV				N Behavior; physical abusive frequency
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,777			0 Behavior not exhibited
				512			1 1 to 3 days
				186			2 4 to 6 days
				87			3 Behavior exhibited daily
				Note: See BSPHYSAB in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E4CB	408	2	BEHAVB				N Behavior; physical abusive alterability
				3,689			. Missing
				37			-2 Item was left blank
				4			-1 Unable to determine
				11,011			0 Behavior not present or easily altered
				549			1 Behavior not easily altered
E4DA	410	2	BEHAVA				N Behavior; soc inappropriate frequency
				3,689			. Missing
				37			-2 Item was left blank
				2			-1 Unable to determine
				10,151			0 Behavior not exhibited
				715			1 1 to 3 days
				316			2 4 to 6 days
				380			3 Behavior exhibited daily
Note: See BSDISRPT in Ric2F							
E4DB	412	2	BEHAVB				N Behavior; soc inappropriate alterability
				3,689			. Missing
				37			-2 Item was left blank
				3			-1 Unable to determine
				10,612			0 Behavior not present or easily altered
				949			1 Behavior not easily altered
E4EA	414	2	BEHAVA				N Behavior; resists care frequency
				3,689			. Missing
				37			-2 Item was left blank
				1			-1 Unable to determine
				9,310			0 Behavior not exhibited
				1,257			1 1 to 3 days
				528			2 4 to 6 days
				468			3 Behavior exhibited daily
Note: See BSRESIST in Ric2F							
E4EB	416	2	BEHAVB				N Behavior; resists care alterability
				3,689			. Missing
				37			-2 Item was left blank
				3			-1 Unable to determine
				9,877			0 Behavior not present or easily altered
				1,684			1 Behavior not easily altered
E5	418	2	CHANGE				N Behavior; change in last 90 days
				8,913			. Missing
				3			-3 Does not apply to this assessment
				17			-2 Item was left blank
				10			-1 Unable to determine
				5,633			0 No change
				250			1 Improved
				464			2 Deteriorated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F1A	420	2	INDIC				N Social; at ease interacting with others
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				1,471			0 Not indicated
				4,873			1 Indicated
				Note: See PWINTOTH in Ric2F			
F1B	422	2	INDIC				N Social; at ease in structured activities
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				3,574			0 Not indicated
				2,770			1 Indicated
				Note: See PWSTRACT in Ric2F			
F1C	424	2	INDIC				N Social; at ease in self-init activities
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				3,691			0 Not indicated
				2,653			1 Indicated
				Note: See PWSLFACT in Ric2F			
F1D	426	2	INDIC				N Social; establishes own goals
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				5,063			0 Not indicated
				1,281			1 Indicated
				Note: See PWGOALS in Ric2F			
F1E	428	2	INDIC				N Social; involvement in life of facility
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				3			-1 Unable to determine
				5,565			0 Not indicated
				778			1 Indicated
				Note: See PWFACLIF in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F1F	430	2	INDIC				N Social; accepts invitations group activ
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				3			-1 Unable to determine
				5,171			0 Not indicated
				1,172			1 Indicated
Note: See PWGRPACT in Ric2F							
F1G	432	2	INDIC				N Social; none of above
				8,946			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				5,215			0 Not indicated
				1,112			1 Indicated
F2A	434	2	INDIC				N Social; open conflict with staff
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,113			0 Not indicated
				231			1 Indicated
F2B	436	2	INDIC				N Social; unhappy with roommate
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,257			0 Not indicated
				87			1 Indicated
F2C	438	2	INDIC				N Social; unhappy with other residents
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,241			0 Not indicated
				103			1 Indicated
F2D	440	2	INDIC				N Social; open conflict w/ fam/friend
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,240			0 Not indicated
				104			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F2E	442	2	INDIC				N Social; absence of contact w/ fam/friend
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,167			0 Not indicated
				177			1 Indicated
				Note: See PWNOFC in Ric2F			
F2F	444	2	INDIC				N Social; recent loss of close fam/friend
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				6,261			0 Not indicated
				83			1 Indicated
F2G	446	2	INDIC				N Social; does not adjust to routine chang
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				5,804			0 Not indicated
				540			1 Indicated
F2H	448	2	INDIC				N Social; none of above
				8,946			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				2			-1 Unable to determine
				997			0 Not indicated
				5,330			1 Indicated
F3A	450	2	INDIC				N Social; strong identity in past role
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				6			-1 Unable to determine
				5,659			0 Not indicated
				681			1 Indicated
F3B	452	2	INDIC				N Social; sadness/anger at loss of role
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				6,078			0 Not indicated
				263			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F3C	454	2	INDIC				N Social; routine diff than prior pattern
				8,928			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				6,000			0 Not indicated
				341			1 Indicated
F3D	456	2	INDIC				N Social; none of above
				8,946			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				6			-1 Unable to determine
				920			0 Not indicated
				5,403			1 Indicated
G1AA	458	2	ADLA				N ADL; bed mobility, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				3,647			0 Independent
				737			1 Supervision
				2,299			2 Limited assistance
				2,485			3 Extensive assistance
				2,428			4 Total dependence
				4			8 Activity did not occur
G1AB	460	2	ADLB				N ADL; bed mobility, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,579			0 No setup or physical help from staff
				514			1 Setup help only
				4,480			2 One person physical assist
				1,560			3 Two+ persons physical assist
				4			8 Activity did not occur
G1BA	462	2	ADLA				N ADL; transfer, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				2,323			0 Independent
				768			1 Supervision
				2,402			2 Limited assistance
				2,846			3 Extensive assistance
				3,124			4 Total dependence
				137			8 Activity did not occur

Note: See PFTRNSFR in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1BB	464	2	ADLB				N ADL; transfer, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,590			0 No setup or physical help from staff
				442			1 Setup help only
				4,174			2 One person physical assist
				2,809			3 Two+ persons physical assist
				122			8 Activity did not occur
G1CA	466	2	ADLA				N ADL; walk in room, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				2,334			0 Independent
				833			1 Supervision
				1,766			2 Limited assistance
				1,083			3 Extensive assistance
				177			4 Total dependence
				5,407			8 Activity did not occur
G1CB	468	2	ADLB				N ADL; walk in room, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,674			0 No setup or physical help from staff
				434			1 Setup help only
				2,366			2 One person physical assist
				351			3 Two+ persons physical assist
				4,312			8 Activity did not occur
G1DA	470	2	ADLA				N ADL; walk in corridor, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				1,860			0 Independent
				1,028			1 Supervision
				1,693			2 Limited assistance
				917			3 Extensive assistance
				152			4 Total dependence
				5,950			8 Activity did not occur
G1DB	472	2	ADLB				N ADL; walk in corridor, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,376			0 No setup or physical help from staff
				481			1 Setup help only
				2,187			2 One person physical assist
				304			3 Two+ persons physical assist
				4,789			8 Activity did not occur

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1EA	474	2	ADLA				N ADL; locomotion on unit, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				3,157			0 Independent
				1,160			1 Supervision
				1,792			2 Limited assistance
				1,291			3 Extensive assistance
				3,755			4 Total dependence
				445			8 Activity did not occur
Note: See PFLOCOMO in Ric2F							
G1EB	476	2	ADLB				N ADL; locomotion on unit, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,148			0 No setup or physical help from staff
				805			1 Setup help only
				5,712			2 One person physical assist
				108			3 Two+ persons physical assist
				364			8 Activity did not occur
G1FA	478	2	ADLA				N ADL; locomotion off unit, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				2,289			0 Independent
				1,169			1 Supervision
				1,534			2 Limited assistance
				1,222			3 Extensive assistance
				4,360			4 Total dependence
				1,026			8 Activity did not occur
G1FB	480	2	ADLB				N ADL; locomotion off unit, supported
				6,141			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,694			0 No setup or physical help from staff
				615			1 Setup help only
				5,896			2 One person physical assist
				76			3 Two+ persons physical assist
				854			8 Activity did not occur
G1GA	482	2	ADLA				N ADL; dressing, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				1,064			0 Independent
				718			1 Supervision
				2,399			2 Limited assistance
				3,523			3 Extensive assistance
				3,691			4 Total dependence
				205			8 Activity did not occur

Note: See PFDRSSNG in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1GB	484	2	ADLB				N ADL; dressing, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				617			0 No setup or physical help from staff
				554			1 Setup help only
				7,402			2 One person physical assist
				388			3 Two+ persons physical assist
				176			8 Activity did not occur
G1HA	486	2	ADLA				N ADL; eating, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				4,614			0 Independent
				2,455			1 Supervision
				1,190			2 Limited assistance
				853			3 Extensive assistance
				2,471			4 Total dependence
				17			8 Activity did not occur
Note: See PFEATING in Ric2F							
G1HB	488	2	ADLB				N ADL; eating, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,462			0 No setup or physical help from staff
				3,996			1 Setup help only
				3,656			2 One person physical assist
				7			3 Two+ persons physical assist
				16			8 Activity did not occur
G1IA	490	2	ADLA				N ADL; toilet use, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				1,746			0 Independent
				658			1 Supervision
				1,967			2 Limited assistance
				2,627			3 Extensive assistance
				4,432			4 Total dependence
				170			8 Activity did not occur
Note: See PFTOILET in Ric2F							
G1IB	492	2	ADLB				N ADL; toilet use, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,209			0 No setup or physical help from staff
				387			1 Setup help only
				5,915			2 One person physical assist
				1,508			3 Two+ persons physical assist
				118			8 Activity did not occur

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1JA	494	2	ADLA				N ADL; personal hygiene, self-perform
				3,689			. Missing
				1			-1 Unable to determine
				1,181			0 Independent
				896			1 Supervision
				2,418			2 Limited assistance
				2,906			3 Extensive assistance
				4,196			4 Total dependence
				3			8 Activity did not occur
G1JB	496	2	ADLB				N ADL; personal hygiene, supported
				6,139			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				658			0 No setup or physical help from staff
				785			1 Setup help only
				7,392			2 One person physical assist
				299			3 Two+ persons physical assist
				3			8 Activity did not occur
G2A	498	2	BATHING				N ADL; bathing, self perform
				3,689			. Missing
				1			-1 Unable to determine
				179			0 Independent
				500			1 Supervision
				799			2 Phys help limited to transfer only
				4,971			3 Phys help in part of bathing activity
				5,112			4 Total dependence
				39			8 Activity did not occur
Note: See PFBATHNG in Ric2F							
G2B	500	2	ADLB				N ADL; bathing, supported
				8,915			. Missing
				5			-3 Does not apply to this assessment
				9			-1 Unable to determine
				62			0 No setup or physical help from staff
				237			1 Setup help only
				5,161			2 One person physical assist
				866			3 Two+ persons physical assist
				35			8 Activity did not occur
G3A	502	2	BALANCE				N ADL; balance while standing
				6,098			. Missing
				14			-3 Does not apply to this assessment
				38			-1 Unable to determine
				753			0 Maintained position
				1,092			1 Unsteady
				1,931			2 Partial physical support
				5,364			3 Not able to attempt test

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G3B	504	2	BALANCE				N ADL; balance while sitting
				6,099			. Missing
				14			-3 Does not apply to this assessment
				20			-1 Unable to determine
				4,534			0 Maintained position
				846			1 Unsteady
				1,613			2 Partial physical support
				2,164			3 Not able to attempt test
G4AA	506	2	RANGE				N ADL; neck, range of motion
				3,689			. Missing
				16			-1 Unable to determine
				10,258			0 No limitation
				208			1 Limitation on one side
				1,119			2 Limitation on both sides
G4AB	508	2	VOL				N ADL; neck, voluntary motion
				3,689			. Missing
				17			-1 Unable to determine
				10,260			0 No loss
				1,157			1 Partial loss
				167			2 Full loss
G4BA	510	2	RANGE				N ADL; arm, range of motion
				3,689			. Missing
				10			-1 Unable to determine
				7,900			0 No limitation
				1,674			1 Limitation on one side
				2,017			2 Limitation on both sides
G4BB	512	2	VOL				N ADL; arm, voluntary motion
				3,689			. Missing
				10			-1 Unable to determine
				8,071			0 No loss
				2,931			1 Partial loss
				589			2 Full loss
G4CA	514	2	RANGE				N ADL; hand, range of motion
				3,689			. Missing
				10			-1 Unable to determine
				8,764			0 No limitation
				1,470			1 Limitation on one side
				1,357			2 Limitation on both sides
G4CB	516	2	VOL				N ADL; hand, voluntary motion
				3,689			. Missing
				11			-1 Unable to determine
				8,649			0 No loss
				2,297			1 Partial loss
				644			2 Full loss

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G4DA	518	2	RANGE				N ADL; leg, range of motion
				3,689			. Missing
				10			-1 Unable to determine
				6,630			0 No limitation
				2,098			1 Limitation on one side
				2,863			2 Limitation on both sides
G4DB	520	2	VOL				N ADL; leg, voluntary motion
				3,689			. Missing
				10			-1 Unable to determine
				6,748			0 No loss
				3,970			1 Partial loss
				873			2 Full loss
G4EA	522	2	RANGE				N ADL; foot, range of motion
				3,689			. Missing
				10			-1 Unable to determine
				8,158			0 No limitation
				1,344			1 Limitation on one side
				2,089			2 Limitation on both sides
G4EB	524	2	VOL				N ADL; foot, voluntary motion
				3,689			. Missing
				10			-1 Unable to determine
				8,041			0 No loss
				2,650			1 Partial loss
				900			2 Full loss
G4FA	526	2	RANGE				N ADL; other, range of motion
				3,689			. Missing
				44			-1 Unable to determine
				10,867			0 No limitation
				159			1 Limitation on one side
				531			2 Limitation on both sides
G4FB	528	2	VOL				N ADL; other, voluntary motion
				3,689			. Missing
				44			-1 Unable to determine
				10,801			0 No loss
				629			1 Partial loss
				127			2 Full loss
G5A	530	2	INDIC				N ADL; used cane
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,930			0 Not indicated
				2,439			1 Indicated

Note: See MLCANE in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G5B	532	2	INDIC				N ADL; wheeled self
				8,895			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,311			0 Not indicated
				2,077			1 Indicated
				Note: See MLWHLSLF in Ric2F			
G5C	534	2	INDIC				N ADL; other person wheeled
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				2,329			0 Not indicated
				4,040			1 Indicated
				Note: See MLWHLOTH in Ric2F			
G5D	536	2	INDIC				N ADL; wheelchair primary mode
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				2,458			0 Not indicated
				3,911			1 Indicated
G5E	538	2	INDIC				N ADL; none of above
				8,932			. Missing
				4			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,404			0 Not indicated
				948			1 Indicated
G6A	540	2	INDIC				N ADL; transfer, bedfast
				3,689			. Missing
				1			-1 Unable to determine
				10,778			0 Not indicated
				822			1 Indicated
G6B	542	2	INDIC				N ADL; transfer, bed rails used
				3,689			. Missing
				1			-1 Unable to determine
				5,839			0 Not indicated
				5,761			1 Indicated
G6C	544	2	INDIC				N ADL; transfer, lifted manually
				8,901			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,922			0 Not indicated
				1,452			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G6D	546	2	INDIC				N ADL; transfer, lifted mechanically
				8,901			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,819			0 Not indicated
				554			1 Indicated
G6E	548	2	INDIC				N ADL; transfer, transfer aid
				8,901			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,645			0 Not indicated
				1,729			1 Indicated
G6F	550	2	INDIC				N ADL; transfer, none of above
				3,726			. Missing
				1			-1 Unable to determine
				7,569			0 Not indicated
				3,994			1 Indicated
G7	552	2	YESNO				N ADL; task segmentation
				6,101			. Missing
				14			-3 Does not apply to this assessment
				9			-1 Unable to determine
				5,921			0 No
				3,245			1 Yes
G8A	554	2	INDIC				N ADL; rehab potential, resident believes
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,817			0 Not indicated
				1,552			1 Indicated
G8B	556	2	INDIC				N ADL; rehab potential, staff believes
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,289			0 Not indicated
				2,080			1 Indicated
G8C	558	2	INDIC				N ADL; rehab potential, slow
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,528			0 Not indicated
				841			1 Indicated
G8D	560	2	INDIC				N ADL; rehab potential, diff in AM and PM
				8,914			. Missing
				5			-3 Does not apply to this assessment
				3			-1 Unable to determine
				6,089			0 Not indicated
				279			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G8E	562	2	INDIC				N ADL; rehab potential, none of above
				8,932			. Missing
				4			-3 Does not apply to this assessment
				2			-1 Unable to determine
				2,717			0 Not indicated
				3,635			1 Indicated
G9	564	2	CHANGE				N ADL; change in last 90 days
				8,916			. Missing
				5			-3 Does not apply to this assessment
				8			-1 Unable to determine
				3,718			0 No change
				798			1 Improved
				1,845			2 Deteriorated
H1A	566	2	CONTINEN				N Continence; bowel
				3,689			. Missing
				7			-1 Unable to determine
				4,870			0 Continent
				833			1 Usually continent
				626			2 Occasionally incontinent
				1,030			3 Frequently incontinent
				4,235			4 Incontinent
Note: See CTBOWEC in Ric2F							
H1B	568	2	CONTINEN				N Continence; bladder
				3,689			. Missing
				4			-1 Unable to determine
				3,970			0 Continent
				747			1 Usually continent
				877			2 Occasionally incontinent
				1,800			3 Frequently incontinent
				4,203			4 Incontinent
Note: See CTBADDC in Ric2F							
H2A	570	2	INDIC				N Continence; bowel regular
				8,914			. Missing
				5			-3 Does not apply to this assessment
				3			-1 Unable to determine
				1,561			0 Not indicated
				4,807			1 Indicated
H2B	572	2	INDIC				N Continence; bowel constipation
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,514			0 Not indicated
				855			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H2C	574	2	INDIC				N Continence; bowel diarrhea
				6,100			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,898			0 Not indicated
				276			1 Indicated
H2D	576	2	INDIC				N Continence; bowel fecal impaction
				3,689			. Missing
				2			-1 Unable to determine
				11,521			0 Not indicated
				78			1 Indicated
H2E	578	2	INDIC				N Continence; scheduled plan
				3,728			. Missing
				3			-1 Unable to determine
				5,611			0 Not indicated
				5,948			1 Indicated
H3A	580	2	INDIC				N Continence; none of above
				3,689			. Missing
				1			-1 Unable to determine
				8,587			0 Not indicated
				3,013			1 Indicated
H3B	582	2	INDIC				N Continence; bladder retaining plan
				3,689			. Missing
				1			-1 Unable to determine
				11,477			0 Not indicated
				123			1 Indicated
H3C	584	2	INDIC				N Continence; external condom catheter
				3,689			. Missing
				1			-1 Unable to determine
				11,545			0 Not indicated
				55			1 Indicated
H3D	586	2	INDIC				N Continence; indwelling catheter
				3,689			. Missing
				1			-1 Unable to determine
				10,515			0 Not indicated
				1,085			1 Indicated
H3E	588	2	INDIC				N Continence; intermittent catheter
				8,901			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,335			0 Not indicated
				39			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H3F	590	2	INDIC				N Continence; did not use commode/urinal
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,536			0 Not indicated
				834			1 Indicated
H3G	592	2	INDIC				N Continence; pads/briefs used
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,551			0 Not indicated
				3,819			1 Indicated
H3H	594	2	INDIC				N Continence; enemas/irrigation
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,277			0 Not indicated
				93			1 Indicated
H3I	596	2	INDIC				N Continence; ostomy present
				3,689			. Missing
				1			-1 Unable to determine
				11,164			0 Not indicated
				436			1 Indicated
H3J	598	2	INDIC				N Continence; none of above
				3,726			. Missing
				1			-1 Unable to determine
				6,454			0 Not indicated
				5,109			1 Indicated
H4	600	2	CHANGE				N Continence; change in last 90 days
				8,916			. Missing
				5			-3 Does not apply to this assessment
				11			-1 Unable to determine
				5,311			0 No change
				266			1 Improved
				781			2 Deteriorated
I1A	602	2	INDIC				N Diag; diabetes mellitus
				6,120			. Missing
				41			-3 Does not apply to this assessment
				7			-1 Unable to determine
				7,113			0 Not indicated
				2,009			1 Indicated

Note: See DIABMEL in Ric2F

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1B	604	2	INDIC				N Diag; hyperthyroidism
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,322			0 Not indicated
				47			1 Indicated
				Note: See HYPETHYR in Ric2F			
I1C	606	2	INDIC				N Diag; hypothyroidism
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,410			0 Not indicated
				959			1 Indicated
				Note: See HYPOTHYR in Ric2F			
I1D	608	2	INDIC				N Diag; arteriosclerotic heart disease
				8,895			. Missing
				5			-3 Does not apply to this assessment
				5,482			0 Not indicated
				908			1 Indicated
				Note: See ASHD in Ric2F			
I1E	610	2	INDIC				N Diag; cardiac dysrhythmias
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,349			0 Not indicated
				1,022			1 Indicated
				Note: See CARDDYSR in Ric2F			
I1F	612	2	INDIC				N Diag; congestive heart failure
				8,895			. Missing
				5			-3 Does not apply to this assessment
				4,666			0 Not indicated
				1,724			1 Indicated
				Note: See HRTFAIL in Ric2F			
I1G	614	2	INDIC				N Diag; deep vein thrombosis
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,244			0 Not indicated
				127			1 Indicated
				Note: See VEINTHR in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1H	616	2	INDIC				N Diag; hypertension
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2,880			0 Not indicated
				3,491			1 Indicated
				Note: See HYPETENS in Ric2F			
I1I	618	2	INDIC				N Diag; hypotension
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,277			0 Not indicated
				94			1 Indicated
				Note: See HYPOTENS in Ric2F			
I1J	620	2	INDIC				N Diag; peripheral vascular disease
				8,895			. Missing
				5			-3 Does not apply to this assessment
				5,618			0 Not indicated
				772			1 Indicated
				Note: See VASCULAR in Ric2F			
I1K	622	2	INDIC				N Diag; other cardiovascular disease
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,015			0 Not indicated
				1,356			1 Indicated
				Note: See CARDIOV in Ric2F			
I1L	624	2	INDIC				N Diag; arthritis
				8,914			. Missing
				5			-3 Does not apply to this assessment
				4,579			0 Not indicated
				1,792			1 Indicated
				Note: See ARTHRIT in Ric2F			
I1M	626	2	INDIC				N Diag; hip fracture
				6,095			. Missing
				14			-3 Does not apply to this assessment
				5			-1 Unable to determine
				8,502			0 Not indicated
				674			1 Indicated
				Note: See HIPFRACT in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1N	628	2	INDIC				N Diag; missing limb (e.g., amputation)
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,205			0 Not indicated
				166			1 Indicated
				Note: See MISSLIMB in Ric2F			
I1O	630	2	INDIC				N Diag; osteoporosis
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,372			0 Not indicated
				999			1 Indicated
				Note: See OSTEOP in Ric2F			
I1P	632	2	INDIC				N Diag; pathological bone fracture
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,332			0 Not indicated
				39			1 Indicated
				Note: See BONEFRAC in Ric2F			
I1Q	634	2	INDIC				N Diag; alzheimers disease
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,442			0 Not indicated
				927			1 Indicated
				Note: See ALZHMR in Ric2F			
I1R	636	2	INDIC				N Diag; aphasia
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				8,589			0 Not indicated
				586			1 Indicated
				Note: See APHASIA in Ric2F			
I1S	638	2	INDIC				N Diag; cerebral palsy
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				9,082			0 Not indicated
				93			1 Indicated
				Note: See CERPALSY in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1T	640	2	INDIC				N Diag; cerebrovascular accident (stroke)
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				7,389			0 Not indicated
				1,786			1 Indicated
				Note: See STROKE in Ric2F			
I1U	642	2	INDIC				N Diag; dementia other than alzheimers
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,310			0 Not indicated
				2,059			1 Indicated
				Note: See DEMENT in Ric2F			
I1V	644	2	INDIC				N Diag; hemiplegia/hemiparesis
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				8,288			0 Not indicated
				887			1 Indicated
				Note: See HEMIPLPA in Ric2F			
I1W	646	2	INDIC				N Diag; multiple sclerosis
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				9,055			0 Not indicated
				120			1 Indicated
				Note: See SCLEROS in Ric2F			
I1X	648	2	INDIC				N Diag; paraplegia
				8,895			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,349			0 Not indicated
				39			1 Indicated
				Note: See PARAPLEG in Ric2F			
I1Y	650	2	INDIC				N Diag; parkinsons disease
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,966			0 Not indicated
				403			1 Indicated
				Note: See PARKNSON in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1Z	652	2	INDIC				N Diag; quadriplegia
				6,095			. Missing
				13			-3 Does not apply to this assessment
				7			-1 Unable to determine
				9,092			0 Not indicated
				83			1 Indicated
				Note: See QUADPLEG in Ric2F			
I1AA	654	2	INDIC				N Diag; seizure disorder
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,823			0 Not indicated
				546			1 Indicated
				Note: See SEIZURE in Ric2F			
I1BB	656	2	INDIC				N Diag; transient ischemic attack (TIA)
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,065			0 Not indicated
				304			1 Indicated
				Note: See TIA in Ric2F			
I1CC	658	2	INDIC				N Diag; traumatic brain injury
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,306			0 Not indicated
				63			1 Indicated
				Note: See BRAININJ in Ric2F			
I1DD	660	2	INDIC				N Diag; anxiety disorder
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,695			0 Not indicated
				676			1 Indicated
				Note: See ANXIETY in Ric2F			
I1EE	662	2	INDIC				N Diag; depression
				6,099			. Missing
				13			-3 Does not apply to this assessment
				5			-1 Unable to determine
				6,111			0 Not indicated
				3,062			1 Indicated
				Note: See DEPRESS in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1FF	664	2	INDIC				N Diag; manic depression (bipolar disease)
				6,099			. Missing
				13			-3 Does not apply to this assessment
				5			-1 Unable to determine
				9,046			0 Not indicated
				127			1 Indicated
				Note: See MANICDEP in Ric2F			
I1GG	666	2	INDIC				N Diag; schizophrenia
				8,895			. Missing
				5			-3 Does not apply to this assessment
				6,219			0 Not indicated
				171			1 Indicated
				Note: See SCHIZOPH in Ric2F			
I1HH	668	2	INDIC				N Diag; asthma
				8,895			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,223			0 Not indicated
				165			1 Indicated
				Note: See ASTHMA in Ric2F			
I1II	670	2	INDIC				N Diag; emphysema/COPD
				8,895			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,204			0 Not indicated
				1,184			1 Indicated
				Note: See EMP COPD in Ric2F			
I1JJ	672	2	INDIC				N Diag; cataracts
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,769			0 Not indicated
				600			1 Indicated
				Note: See CATARCT in Ric2F			
I1KK	674	2	INDIC				N Diag; diabetic retinopathy
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,327			0 Not indicated
				42			1 Indicated
				Note: See DIABRET in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1LL	676	2	INDIC				N Diag; glaucoma
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,892			0 Not indicated
				477			1 Indicated
				Note: See GLAUCOMA in Ric2F			
I1MM	678	2	INDIC				N Diag; macular degeneration
				8,914			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,134			0 Not indicated
				235			1 Indicated
				Note: See MACDEGEN in Ric2F			
I1NN	680	2	INDIC				N Diag; allergies
				8,914			. Missing
				5			-3 Does not apply to this assessment
				4,661			0 Not indicated
				1,710			1 Indicated
				Note: See ALLERGY in Ric2F			
I1OO	682	2	INDIC				N Diag; anemia
				8,914			. Missing
				5			-3 Does not apply to this assessment
				4,856			0 Not indicated
				1,515			1 Indicated
				Note: See ANEMIA in Ric2F			
I1PP	684	2	INDIC				N Diag; cancer
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,778			0 Not indicated
				593			1 Indicated
				Note: See CANCER in Ric2F			
I1QQ	686	2	INDIC				N Diag; renal failure
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,973			0 Not indicated
				398			1 Indicated
				Note: See RENTFAIL in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1RR	688	2	INDIC				N Diag; none of above
				6,139			. Missing
				12			-3 Does not apply to this assessment
				5			-1 Unable to determine
				8,014			0 Not indicated
				1,120			1 Indicated
I2A	690	2	INDIC				N Diag; antibiotic resistant infection
				6,099			. Missing
				21			-3 Does not apply to this assessment
				8,984			0 Not indicated
				186			1 Indicated
				Note: See INFMRSA in Ric2F			
I2B	692	2	INDIC				N Diag; clostridium difficile (c. diff.)
				6,103			. Missing
				21			-3 Does not apply to this assessment
				9,105			0 Not indicated
				61			1 Indicated
				Note: See INFCDIFF in Ric2F			
I2C	694	2	INDIC				N Diag; conjunctivitis
				6,099			. Missing
				21			-3 Does not apply to this assessment
				9,112			0 Not indicated
				58			1 Indicated
				Note: See INFCONJ in Ric2F			
I2D	696	2	INDIC				N Diag; HIV infection
				6,091			. Missing
				172			-3 Does not apply to this assessment
				2,787			-1 Unable to determine
				6,224			0 Not indicated
				16			1 Indicated
				Note: See INFHIV in Ric2F			
I2E	698	2	INDIC				N Diag; pneumonia
				6,099			. Missing
				18			-3 Does not apply to this assessment
				8,709			0 Not indicated
				464			1 Indicated
				Note: See INFPNEU in Ric2F			
I2F	700	2	INDIC				N Diag; respiratory infection
				6,099			. Missing
				21			-3 Does not apply to this assessment
				8,858			0 Not indicated
				312			1 Indicated
				Note: See INFRESP in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2G	702	2	INDIC				N Diag; septicemia
				6,099			. Missing
				18			-3 Does not apply to this assessment
				9,111			0 Not indicated
				62			1 Indicated
				Note: See INFSEPT in Ric2F			
I2H	704	2	INDIC				N Diag; sexually transmitted diseases
				6,092			. Missing
				167			-3 Does not apply to this assessment
				2,447			-1 Unable to determine
				6,581			0 Not indicated
				3			1 Indicated
				Note: See INFSEXTR in Ric2F			
I2I	706	2	INDIC				N Diag; tuberculosis
				6,099			. Missing
				21			-3 Does not apply to this assessment
				9,160			0 Not indicated
				10			1 Indicated
				Note: See INFTBRC in Ric2F			
I2J	708	2	INDIC				N Diag; urinary tract infection, 30 days
				3,721			. Missing
				6			-1 Unable to determine
				10,329			0 Not indicated
				1,234			1 Indicated
				Note: See INFURNRY in Ric2F			
I2K	710	2	INDIC				N Diag; viral hepatitis
				6,099			. Missing
				21			-3 Does not apply to this assessment
				9,163			0 Not indicated
				7			1 Indicated
				Note: See INFHPPTS in Ric2F			
I2L	712	2	INDIC				N Diag; wound infection
				6,099			. Missing
				21			-3 Does not apply to this assessment
				8,937			0 Not indicated
				233			1 Indicated
				Note: See INFWOUND in Ric2F			
I2M	714	2	INDIC				N Diag; none of above
				3,733			. Missing
				2,763			-1 Unable to determine
				2,169			0 Not indicated
				6,625			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I3A	716	7					C Diag; other diagnosis A
I3B	723	7					C Diag; other diagnosis B
I3C	730	7					C Diag; other diagnosis C
I3D	737	7					C Diag; other diagnosis D
I3E	744	7					C Diag; other diagnosis E
J1A	751	2	INDIC				N Health; weight gain/loss
				6,099			. Missing
				15			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,893			0 Not indicated
				280			1 Indicated
J1B	753	2	INDIC				N Health; not able lie flat, short breath
				6,098			. Missing
				15			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,736			0 Not indicated
				439			1 Indicated
J1C	755	2	INDIC				N Health; dehydrated
				3,689			. Missing
				2			-1 Unable to determine
				11,518			0 Not indicated
				81			1 Indicated
				Note: See DEHYD in Ric2F			
J1D	757	2	INDIC				N Health; insufficient fluid
				6,098			. Missing
				15			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,881			0 Not indicated
				294			1 Indicated
J1E	759	2	INDIC				N Health; delusions
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,886			0 Not indicated
				290			1 Indicated
				Note: See DELUS in Ric2F			
J1F	761	2	INDIC				N Health; dizziness/vertigo
				8,907			. Missing
				12			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,213			0 Not indicated
				156			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1G	763	2	INDIC				N Health; edema
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				7,364			0 Not indicated
				1,812			1 Indicated
J1H	765	2	INDIC				N Health; fever
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,911			0 Not indicated
				265			1 Indicated
J1I	767	2	INDIC				N Health; hallucinations
				3,689			. Missing
				1			-1 Unable to determine
				11,340			0 Not indicated
				260			1 Indicated
Note: See HALLUC in Ric2F							
J1J	769	2	INDIC				N Health; internal bleeding
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				9,125			0 Not indicated
				51			1 Indicated
J1K	771	2	INDIC				N Health; recurrent lung aspirations
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				9,092			0 Not indicated
				84			1 Indicated
J1L	773	2	INDIC				N Health; shortness of breath
				6,098			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,221			0 Not indicated
				955			1 Indicated
J1M	775	2	INDIC				N Health; syncope (fainting)
				8,907			. Missing
				12			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,347			0 Not indicated
				22			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1N	777	2	INDIC				N Health; unsteady gate
				6,102			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,100			0 Not indicated
				3,072			1 Indicated
J1O	779	2	INDIC				N Health; vomiting
				6,102			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				9,002			0 Not indicated
				170			1 Indicated
J1P	781	2	INDIC				N Health; none of above
				3,726			. Missing
				2			-1 Unable to determine
				5,138			0 Not indicated
				6,424			1 Indicated
J2A	783	2	PAINA				N Health; pain symptoms, frequency
				3,689			. Missing
				1			-1 Unable to determine
				7,143			0 No pain
				2,344			1 Pain less than daily
				2,113			2 Pain daily
J2B	785	2	PAINB				N Health; pain symptoms, intensity
				3,689			. Missing
				7,142			-2 Item was left blank
				2			-1 Unable to determine
				1,799			1 Mild pain
				2,365			2 Moderate pain
				293			3 Horrible/Excruciating pain
J3A	787	2	INDIC				N Health; pain site, back
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				21			-1 Unable to determine
				2,257			0 Not indicated
				586			1 Indicated
J3B	789	2	INDIC				N Health; pain site, bone
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				22			-1 Unable to determine
				2,626			0 Not indicated
				216			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3C	791	2	INDIC				N Health; pain site, chest
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				24			-1 Unable to determine
				2,792			0 Not indicated
				48			1 Indicated
J3D	793	2	INDIC				N Health; pain site, headache
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				23			-1 Unable to determine
				2,559			0 Not indicated
				282			1 Indicated
J3E	795	2	INDIC				N Health; pain site, hip
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				21			-1 Unable to determine
				2,343			0 Not indicated
				500			1 Indicated
J3F	797	2	INDIC				N Health; pain site, incisional
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				23			-1 Unable to determine
				2,579			0 Not indicated
				262			1 Indicated
J3G	799	2	INDIC				N Health; pain site, joint, other than hip
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				12			-1 Unable to determine
				1,845			0 Not indicated
				1,007			1 Indicated
J3H	801	2	INDIC				N Health; pain site, soft tissue
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				23			-1 Unable to determine
				2,372			0 Not indicated
				469			1 Indicated
J3I	803	2	INDIC				N Health; pain site, stomach pain
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				18			-1 Unable to determine
				2,708			0 Not indicated
				138			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3J	805	2	INDIC				N Health; pain site, other
				8,913			. Missing
				5			-3 Does not apply to this assessment
				3,508			-2 Item was left blank
				20			-1 Unable to determine
				1,966			0 Not indicated
				878			1 Indicated
J4A	807	2	INDIC				N Health; fell in last 30 days
				3,689			. Missing
				11			-1 Unable to determine
				9,649			0 Not indicated
				1,941			1 Indicated
J4B	809	2	INDIC				N Health; fell in last 31-180 days
				3,689			. Missing
				11			-1 Unable to determine
				8,761			0 Not indicated
				2,829			1 Indicated
J4C	811	2	INDIC				N Health; hip fracture in last 180 days
				3,689			. Missing
				11			-1 Unable to determine
				11,165			0 Not indicated
				425			1 Indicated
J4D	813	2	INDIC				N Health; other fracture in last 180 days
				3,703			. Missing
				11			-1 Unable to determine
				11,245			0 Not indicated
				331			1 Indicated
J4E	815	2	INDIC				N Health; none of above
				3,689			. Missing
				11			-1 Unable to determine
				4,192			0 Not indicated
				7,398			1 Indicated
J5A	817	2	INDIC				N Health; diseases make patterns unstable
				3,689			. Missing
				1			-1 Unable to determine
				7,486			0 Not indicated
				4,114			1 Indicated
J5B	819	2	INDIC				N Health; episode of recurrent problem
				3,689			. Missing
				1			-1 Unable to determine
				10,352			0 Not indicated
				1,248			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J5C	821	2	INDIC				N Health; end-stage disease, 6 mo. to live
				3,689			. Missing
				1			-1 Unable to determine
				11,448			0 Not indicated
				152			1 Indicated
J5D	823	2	INDIC				N Health; none of above
				3,689			. Missing
				1			-1 Unable to determine
				4,668			0 Not indicated
				6,932			1 Indicated
K1A	825	2	INDIC				N Nutri; chewing problem
				6,095			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,884			0 Not indicated
				2,296			1 Indicated
				Note: See ONCHEW in Ric2F			
K1B	827	2	INDIC				N Nutri; swallowing problem
				6,095			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				7,415			0 Not indicated
				1,765			1 Indicated
				Note: See ONSWALL in Ric2F			
K1C	829	2	INDIC				N Nutri; mouth pain
				8,912			. Missing
				8			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,330			0 Not indicated
				39			1 Indicated
				Note: See ONMOUTH in Ric2F			
K1D	831	2	INDIC				N Nutri; none of above
				6,133			. Missing
				13			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,244			0 Not indicated
				5,899			1 Indicated
K2A	833	2					N Nutri; height
				Note: See HEIGHT in Ric2F			
K2B	835	3					N Nutri; weight
				Note: See WEIGHT in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K3A	838	2	YESNO				N Nutri; weight loss, 5% in last 30
				3,689			. Missing
				55			-1 Unable to determine
				10,196			0 No
				1,350			1 Yes
K3B	840	2	YESNO				N Nutri; weight gain, 5% in last 30
				3,690			. Missing
				55			-1 Unable to determine
				10,804			0 No
				741			1 Yes
K4A	842	2	INDIC				N Nutri; complains about taste of food
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,303			0 Not indicated
				67			1 Indicated
K4B	844	2	INDIC				N Nutri; regular complaints of hunger
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,352			0 Not indicated
				18			1 Indicated
K4C	846	2	INDIC				N Nutri; leaves 25% food left uneaten
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,677			0 Not indicated
				2,693			1 Indicated
K4D	848	2	INDIC				N Nutri; none of above
				8,932			. Missing
				4			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,721			0 Not indicated
				3,632			1 Indicated
K5A	850	2	INDIC				N Nutri; parenteral/IV
				6,110			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,987			0 Not indicated
				178			1 Indicated
K5B	852	2	INDIC				N Nutri; feeding tube
				3,689			. Missing
				1			-1 Unable to determine
				10,557			0 Not indicated
				1,043			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K5C	854	2	INDIC				N Nutri; mechanically altered diet
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,944			0 Not indicated
				2,426			1 Indicated
K5D	856	2	INDIC				N Nutri; syringe, oral feeding
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,362			0 Not indicated
				8			1 Indicated
K5E	858	2	INDIC				N Nutri; therapeutic diet
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,441			0 Not indicated
				2,929			1 Indicated
K5F	860	2	INDIC				N Nutri; dietary supplement before meals
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,469			0 Not indicated
				1,901			1 Indicated
K5G	862	2	INDIC				N Nutri; plate guard, built-up utensil,...
				8,914			. Missing
				5			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,102			0 Not indicated
				268			1 Indicated
K5H	864	2	INDIC				N Nutri; planned weight change program
				3,689			. Missing
				1			-1 Unable to determine
				9,723			0 Not indicated
				1,877			1 Indicated
K5I	866	2	INDIC				N Nutri; none of above
				3,726			. Missing
				1			-1 Unable to determine
				6,738			0 Not indicated
				4,825			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K6A	868	2	CALORIES				N Nutri; parenteral, total calories
				6,103			. Missing
				75			-3 Does not apply to this assessment
				8,119			-2 Item was left blank
				1			-1 Unable to determine
				141			0 None
				50			1 1% - 25%
				29			2 26% - 50%
				59			3 51% - 75%
				713			4 76% - 100%
K6B	870	2	FLUID				N Nutri; parenteral, fluid intake
				6,102			. Missing
				75			-3 Does not apply to this assessment
				8,117			-2 Item was left blank
				1			-1 Unable to determine
				19			0 None
				84			1 1 to 500cc/day
				86			2 501 to 1000cc/day
				141			3 1001 to 1500cc/day
				372			4 1501 to 2000cc/day
				293			5 2001 or more cc/day
L1A	872	2	INDIC				N Dental; debris present prior to bed
				8,929			. Missing
				5			-3 Does not apply to this assessment
				6,321			0 Not indicated
				35			1 Indicated
				Note: See DHDEBRIS in Ric2F			
L1B	874	2	INDIC				N Dental; dentures or removable bridge
				8,929			. Missing
				5			-3 Does not apply to this assessment
				3,425			0 Not indicated
				2,931			1 Indicated
				Note: See DHBRIDGE in Ric2F			
L1C	876	2	INDIC				N Dental; some/all natural teeth lost
				8,929			. Missing
				5			-3 Does not apply to this assessment
				4,435			0 Not indicated
				1,921			1 Indicated
				Note: See DHTEELOS in Ric2F			
L1D	878	2	INDIC				N Dental; broken or loose teeth
				8,929			. Missing
				5			-3 Does not apply to this assessment
				6,096			0 Not indicated
				260			1 Indicated
				Note: See DHBROKEN in Ric2F			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
L1E	880	2	INDIC				N Dental; inflamed gums
				8,929			. Missing
				5			-3 Does not apply to this assessment
				6,324			0 Not indicated
				32			1 Indicated
				Note: See DHINFGUM in Ric2F			
L1F	882	2	INDIC				N Dental; daily cleaning of teeth/dentures
				8,929			. Missing
				5			-3 Does not apply to this assessment
				78			0 Not indicated
				6,278			1 Indicated
L1G	884	2	INDIC				N Dental; none of above
				8,947			. Missing
				4			-3 Does not apply to this assessment
				6,321			0 Not indicated
				18			1 Indicated
M1A	886	2					N Skin; number of stage 1 ulcers
M1B	888	2					N Skin; number of stage 2 ulcers
M1C	890	2					N Skin; number of stage 3 ulcers
M1D	892	2					N Skin; number of stage 4 ulcers
M2A	894	2	ULCERSTA				N Skin; highest stage, pressure ulcer
				3,689			. Missing
				10,180			0 None
				322			1 Stage one
				697			2 Stage two
				174			3 Stage three
				228			4 Stage four
M2B	896	2	ULCERSTA				N Skin; highest stage, stasis ulcer
				3,689			. Missing
				2			-1 Unable to determine
				11,392			0 None
				16			1 Stage one
				116			2 Stage two
				36			3 Stage three
				39			4 Stage four
M3	898	2	YESNO				N Skin; ulcer resolved in last 90 days
				8,897			. Missing
				4			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,665			0 No
				719			1 Yes

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M4A	900	2	INDIC				N Skin; abrasions, bruises
				6,107			. Missing
				15			-3 Does not apply to this assessment
				7,093			0 Not indicated
				2,075			1 Indicated
M4B	902	2	INDIC				N Skin; burns, 2nd or 3rd degree
				6,107			. Missing
				15			-3 Does not apply to this assessment
				9,158			0 Not indicated
				10			1 Indicated
M4C	904	2	INDIC				N Skin; open lesions, not ulcer/rash/cut
				6,107			. Missing
				15			-3 Does not apply to this assessment
				8,970			0 Not indicated
				198			1 Indicated
M4D	906	2	INDIC				N Skin; rashes
				6,107			. Missing
				15			-3 Does not apply to this assessment
				8,113			0 Not indicated
				1,055			1 Indicated
M4E	908	2	INDIC				N Skin; desensitized to pain or pressure
				6,107			. Missing
				15			-3 Does not apply to this assessment
				8,560			0 Not indicated
				608			1 Indicated
M4F	910	2	INDIC				N Skin; tears or cuts, other than surgery
				6,107			. Missing
				15			-3 Does not apply to this assessment
				8,537			0 Not indicated
				631			1 Indicated
M4G	912	2	INDIC				N Skin; surgical wounds
				6,107			. Missing
				15			-3 Does not apply to this assessment
				4			-1 Unable to determine
				8,284			0 Not indicated
				880			1 Indicated
M4H	914	2	INDIC				N Skin; none of above
				6,127			. Missing
				14			-3 Does not apply to this assessment
				4,011			0 Not indicated
				5,138			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M5A	916	2	INDIC				N Skin; pressure rel device for chair
				6,095			. Missing
				16			-3 Does not apply to this assessment
				5,887			0 Not indicated
				3,292			1 Indicated
M5B	918	2	INDIC				N Skin; pressure rel device for bed
				6,095			. Missing
				16			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,038			0 Not indicated
				5,140			1 Indicated
M5C	920	2	INDIC				N Skin; turning/repositioning program
				6,095			. Missing
				16			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,210			0 Not indicated
				3,968			1 Indicated
M5D	922	2	INDIC				N Skin; nutrition to manage skin prob
				6,095			. Missing
				16			-3 Does not apply to this assessment
				7,597			0 Not indicated
				1,582			1 Indicated
M5E	924	2	INDIC				N Skin; ulcer care
				6,095			. Missing
				16			-3 Does not apply to this assessment
				8,067			0 Not indicated
				1,112			1 Indicated
M5F	926	2	INDIC				N Skin; surgical wound care
				6,095			. Missing
				16			-3 Does not apply to this assessment
				8,481			0 Not indicated
				698			1 Indicated
M5G	928	2	INDIC				N Skin; applic. of dressings, not feet
				6,095			. Missing
				16			-3 Does not apply to this assessment
				7,514			0 Not indicated
				1,665			1 Indicated
M5H	930	2	INDIC				N Skin; applic. of ointment/med, not feet
				6,095			. Missing
				16			-3 Does not apply to this assessment
				6,394			0 Not indicated
				2,785			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M5I	932	2	INDIC				N Skin; other preventative care, not feet
				6,095			. Missing
				16			-3 Does not apply to this assessment
				4,706			0 Not indicated
				4,473			1 Indicated
M5J	934	2	INDIC				N Skin; none of above
				6,113			. Missing
				15			-3 Does not apply to this assessment
				7,944			0 Not indicated
				1,218			1 Indicated
M6A	936	2	INDIC				N Skin; foot, one or more problems
				6,095			. Missing
				16			-3 Does not apply to this assessment
				7,566			0 Not indicated
				1,613			1 Indicated
M6B	938	2	INDIC				N Skin; foot, infections
				6,095			. Missing
				16			-3 Does not apply to this assessment
				9,098			0 Not indicated
				81			1 Indicated
M6C	940	2	INDIC				N Skin; foot, open lesions
				6,095			. Missing
				16			-3 Does not apply to this assessment
				8,957			0 Not indicated
				222			1 Indicated
M6D	942	2	INDIC				N Skin; foot, nails/calluses trimmed
				6,095			. Missing
				16			-3 Does not apply to this assessment
				4,311			0 Not indicated
				4,868			1 Indicated
M6E	944	2	INDIC				N Skin; foot, preventative care
				6,095			. Missing
				16			-3 Does not apply to this assessment
				7,291			0 Not indicated
				1,888			1 Indicated
M6F	946	2	INDIC				N Skin; foot, application of dressings
				6,095			. Missing
				16			-3 Does not apply to this assessment
				8,705			0 Not indicated
				474			1 Indicated
M6G	948	2	INDIC				N Skin; none of above
				6,113			. Missing
				15			-3 Does not apply to this assessment
				6,284			0 Not indicated
				2,878			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N1A	950	2	INDIC				N Act; awake in morning
				3,689			. Missing
				8			-1 Unable to determine
				1,410			0 Not indicated
				10,183			1 Indicated
N1B	952	2	INDIC				N Act; awake in afternoon
				3,689			. Missing
				8			-1 Unable to determine
				2,247			0 Not indicated
				9,346			1 Indicated
N1C	954	2	INDIC				N Act; awake in evening
				3,690			. Missing
				9			-1 Unable to determine
				4,716			0 Not indicated
				6,875			1 Indicated
N1D	956	2	INDIC				N Act; none of above
				3,689			. Missing
				8			-1 Unable to determine
				10,985			0 Not indicated
				608			1 Indicated
N2	958	2	AVRGTIME				N Act; average time involved
				3,689			. Missing
				38			-2 Item was left blank
				5			-1 Unable to determine
				432			0 Most - more than 2/3 time
				8,673			1 Some - from 1/3 to 2/3 time
				2,258			2 Little - less than 1/3 time
				195			3 None
N3A	960	2	INDIC				N Act; settings, own room
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				575			0 Not indicated
				5,781			1 Indicated
N3B	962	2	INDIC				N Act; settings, day room
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				6			-1 Unable to determine
				1,817			0 Not indicated
				4,538			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N3C	964	2	INDIC				N Act; settings, inside NH, off unit
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				3,329			0 Not indicated
				3,027			1 Indicated
N3D	966	2	INDIC				N Act; settings, outside facility
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				4,911			0 Not indicated
				1,445			1 Indicated
N3E	968	2	INDIC				N Act; settings, none of above
				8,931			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				6,285			0 Not indicated
				54			1 Indicated
N4A	970	2	INDIC				N Act; pref, cards, other games
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				3,732			0 Not indicated
				2,622			1 Indicated
N4B	972	2	INDIC				N Act; pref, crafts/arts
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				4,944			0 Not indicated
				1,410			1 Indicated
N4C	974	2	INDIC				N Act; pref, exercise/sports
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				3,610			0 Not indicated
				2,746			1 Indicated
N4D	976	2	INDIC				N Act; pref, music
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				765			0 Not indicated
				5,589			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4E	978	2	INDIC				N Act; pref, reading/writing
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				3,400			0 Not indicated
				2,954			1 Indicated
N4F	980	2	INDIC				N Act; pref, spiritual/religious activitie
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				8			-1 Unable to determine
				2,168			0 Not indicated
				4,185			1 Indicated
N4G	982	2	INDIC				N Act; pref, trips/shopping
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				5,074			0 Not indicated
				1,280			1 Indicated
N4H	984	2	INDIC				N Act; pref, walking/wheelchair outdoors
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				3,877			0 Not indicated
				2,477			1 Indicated
N4I	986	2	INDIC				N Act; pref, watching TV
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				1,405			0 Not indicated
				4,951			1 Indicated
N4J	988	2	INDIC				N Act; pref, gardening or plants
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				5,383			0 Not indicated
				971			1 Indicated
N4K	990	2	INDIC				N Act; pref, talking or conversing
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				1,269			0 Not indicated
				5,085			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4L	992	2	INDIC				N Act; pref, helping others
				8,913			. Missing
				3			-3 Does not apply to this assessment
				13			-2 Item was left blank
				7			-1 Unable to determine
				5,577			0 Not indicated
				777			1 Indicated
N4M	994	2	INDIC				N Act; pref, none of above
				8,931			. Missing
				2			-3 Does not apply to this assessment
				13			-2 Item was left blank
				5			-1 Unable to determine
				6,268			0 Not indicated
				71			1 Indicated
N5A	996	2	ROUTINCH				N Act; pref, change in type activities
				8,913			. Missing
				3			-3 Does not apply to this assessment
				17			-2 Item was left blank
				17			-1 Unable to determine
				5,969			0 No change
				279			1 Slight change
				92			2 Major change
N5B	998	2	ROUTINCH				N Act; pref, change in extent involvement
				8,913			. Missing
				3			-3 Does not apply to this assessment
				17			-2 Item was left blank
				17			-1 Unable to determine
				5,957			0 No change
				292			1 Slight change
				91			2 Major change
O1	1000	2					N Rx; # of different med rec last 7
O2	1002	2	YESNO				N Rx; receiving med initiated, last 90
				8,916			. Missing
				3			-3 Does not apply to this assessment
				6			-1 Unable to determine
				2,093			0 No
				4,272			1 Yes
O3	1004	2	NUMDAY				N Rx; # of days injections rec, last 7
				6,117			. Missing
				13			-3 Does not apply to this assessment
				3			-1 Unable to determine
				9,157			0-7 Number of days
O4A	1006	2	NUMDAY				N Rx; # of days antipsychotic rec, last 7
				3,689			. Missing
				5			-1 Unable to determine
				11,596			0-7 Number of days

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
O4B	1008	2	NUMDAY	3,689 5 11,596			N Rx; # of days antianxiety rec, last 7  . Missing -1 Unable to determine 0-7 Number of days
O4C	1010	2	NUMDAY	3,689 1 11,600			N Rx; # of days antidepressant rec, last 7  . Missing -1 Unable to determine 0-7 Number of days
O4D	1012	2	NUMDAY	3,689 5 11,596			N Rx; # of days hypnotic rec, last 7  . Missing -1 Unable to determine 0-7 Number of days
O4E	1014	2	NUMDAY	3,689 1 11,600			N Rx; # of days diuretic rec, last 7  . Missing -1 Unable to determine 0-7 Number of days
P1AA	1016	2	INDIC	6,099 14 9,140 37			N Special; chemotherapy  . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
P1AB	1018	2	INDIC	6,099 14 9,082 95			N Special; dialysis  . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
P1AC	1020	2	INDIC	6,101 14 8,151 1,024			N Special; IV medication  . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
P1AD	1022	2	INDIC	6,099 14 6,665 2,512			N Special; intake/output  . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
P1AE	1024	2	INDIC	6,099 14 6,869 2,308			N Special; monitoring acute med condition  . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AF	1026	2	INDIC				N Special; ostomy care
				6,099			. Missing
				14			-3 Does not apply to this assessment
				8,636			0 Not indicated
				541			1 Indicated
P1AG	1028	2	INDIC				N Special; oxygen therapy
				6,099			. Missing
				14			-3 Does not apply to this assessment
				7,941			0 Not indicated
				1,236			1 Indicated
P1AH	1030	2	INDIC				N Special; radiation
				6,099			. Missing
				14			-3 Does not apply to this assessment
				9,154			0 Not indicated
				23			1 Indicated
P1AI	1032	2	INDIC				N Special; suctioning
				6,099			. Missing
				14			-3 Does not apply to this assessment
				9,061			0 Not indicated
				116			1 Indicated
P1AJ	1034	2	INDIC				N Special; tracheostomy
				6,099			. Missing
				14			-3 Does not apply to this assessment
				9,119			0 Not indicated
				58			1 Indicated
P1AK	1036	2	INDIC				N Special; transfusions
				6,099			. Missing
				14			-3 Does not apply to this assessment
				9,042			0 Not indicated
				135			1 Indicated
P1AL	1038	2	INDIC				N Special; ventilator or respirator
				6,099			. Missing
				14			-3 Does not apply to this assessment
				9,155			0 Not indicated
				22			1 Indicated
P1AM	1040	2	INDIC				N Special; alcoholic/drug treatment
				6,099			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				9,174			0 Not indicated
				1			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AN	1042	2	INDIC				N Special; alzheimers/dementia spec care
				6,099			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,726			0 Not indicated
				449			1 Indicated
P1AO	1044	2	INDIC				N Special; hospice care
				6,099			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				9,082			0 Not indicated
				93			1 Indicated
P1AP	1046	2	INDIC				N Special; pediatric unite
				6,101			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				9,172			0 Not indicated
				1			1 Indicated
P1AQ	1048	2	INDIC				N Special; respite care
				6,099			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				9,169			0 Not indicated
				6			1 Indicated
P1AR	1050	2	INDIC				N Special; community skill training
				6,099			. Missing
				14			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,286			0 Not indicated
				889			1 Indicated
P1AS	1052	2	INDIC				N Special; none of above
				6,117			. Missing
				13			-3 Does not apply to this assessment
				4,705			0 Not indicated
				4,455			1 Indicated
P1BAA	1054	2	NUMDAY				N Special; speech therapy days
				6,232			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				9,046			0-7 Number of days
P1BAB	1056	4	NUMMINS				N Special; speech therapy minutes
				6,096			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				9,179			0-9999 Number of minutes

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1BBA	1060	2	NUMDAY	6,096			N Special; occupational therapy days . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
				14			
				4			
				9,176			
P1BBB	1062	4	NUMMINS	6,096			N Special; occupational therapy minutes . Missing -3 Does not apply to this assessment -1 Unable to determine 0-9999 Number of minutes
				14			
				2			
				9,178			
P1BCA	1066	2	NUMDAY	6,096			N Special; physical therapy days . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
				14			
				4			
				9,176			
P1BCB	1068	4	NUMMINS	6,096			N Special; physical therapy minutes . Missing -3 Does not apply to this assessment -1 Unable to determine 0-9999 Number of minutes
				14			
				2			
				9,178			
P1BDA	1072	2	NUMDAY	6,096			N Special; respiratory therapy days . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
				14			
				2			
				9,178			
P1BDB	1074	4	NUMMINS	6,096			N Special; respiratory therapy minutes . Missing -3 Does not apply to this assessment -1 Unable to determine 0-9999 Number of minutes
				14			
				1			
				9,179			
P1BEA	1078	2	NUMDAY	6,096			N Special; psychological therapy days . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
				14			
				2			
				9,178			
P1BEB	1080	4	NUMMINS	6,096			N Special; psychological therapy minutes . Missing -3 Does not apply to this assessment -1 Unable to determine 0-9999 Number of minutes
				14			
				1			
				9,179			
P2A	1084	2	INDIC	8,914			N Special; behavior symptom eval program . Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated
				5			
				6,023			
				348			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P2B	1086	2	INDIC				N Special; mental health specialist eval
				8,914			. Missing
				5			-3 Does not apply to this assessment
				5,640			0 Not indicated
				731			1 Indicated
P2C	1088	2	INDIC				N Special; group therapy
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,335			0 Not indicated
				36			1 Indicated
P2D	1090	2	INDIC				N Special; deliberate environment changes
				8,914			. Missing
				5			-3 Does not apply to this assessment
				6,243			0 Not indicated
				128			1 Indicated
P2E	1092	2	INDIC				N Special; reorientation
				8,914			. Missing
				5			-3 Does not apply to this assessment
				3,637			0 Not indicated
				2,734			1 Indicated
P2F	1094	2	INDIC				N Special; none of above
				8,932			. Missing
				4			-3 Does not apply to this assessment
				3,219			0 Not indicated
				3,135			1 Indicated
P3A	1096	2	NUMDAY				N Special; rehab, passive range of motion
				6,096			. Missing
				14			-3 Does not apply to this assessment
				3			-1 Unable to determine
				9,177			0-7 Number of days
P3B	1098	2	NUMDAY				N Special; rehab, active range of motion
				6,096			. Missing
				14			-3 Does not apply to this assessment
				3			-1 Unable to determine
				9,177			0-7 Number of days
P3C	1100	2	NUMDAY				N Special; rehab, splint or brace
				6,096			. Missing
				14			-3 Does not apply to this assessment
				11			-1 Unable to determine
				9,169			0-7 Number of days
P3D	1102	2	NUMDAY				N Special; practice, bed mobility
				6,096			. Missing
				14			-3 Does not apply to this assessment
				3			-1 Unable to determine
				9,177			0-7 Number of days

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P3E	1104	2	NUMDAY	6,096 14 3 9,177			N Special; practice, transfer . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3F	1106	2	NUMDAY	6,096 14 3 9,177			N Special; practice, walking . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3G	1108	2	NUMDAY	6,096 14 1 9,179			N Special; practice, dressing or grooming . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3H	1110	2	NUMDAY	6,096 14 3 9,177			N Special; practice, eating or swallowing . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3I	1112	2	NUMDAY	6,096 14 12 9,168			N Special; practice, ampu/prosthesis care . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3J	1114	2	NUMDAY	6,096 14 3 9,177			N Special; practice, communication . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P3K	1116	2	NUMDAY	6,096 14 13 9,167			N Special; practice, other . Missing -3 Does not apply to this assessment -1 Unable to determine 0-7 Number of days
P4A	1118	2	USED	3,689 7,927 107 3,567			N Special; devices, full bed rails . Missing 0 Not used 1 Used less than daily 2 Used daily

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P4B	1120	2	USED				N Special; devices, other types of rails
				3,689			. Missing
				2			-1 Unable to determine
				7,761			0 Not used
				184			1 Used less than daily
				3,654			2 Used daily
P4C	1122	2	USED				N Special; devices, trunk restraint
				3,689			. Missing
				4			-1 Unable to determine
				11,036			0 Not used
				33			1 Used less than daily
				528			2 Used daily
P4D	1124	2	USED				N Special; devices, limb restraint
				3,689			. Missing
				4			-1 Unable to determine
				11,543			0 Not used
				9			1 Used less than daily
				45			2 Used daily
P4E	1126	2	USED				N Special; devices, chair prevents rising
				3,689			. Missing
				4			-1 Unable to determine
				10,828			0 Not used
				99			1 Used less than daily
				670			2 Used daily
P5	1128	2	NUMDAY2X				N Special; # overnight hospital stays
				8,915			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,371			0-15 Number of days
P6	1130	2	NUMDAY2X				N Special; # emergency room visits
				8,795			. Missing
				7			-3 Does not apply to this assessment
				14			-1 Unable to determine
				6,474			0-15 Number of days
P7	1132	2	NUMDAY2X				N Special; # days physician examined
				6,101			. Missing
				14			-3 Does not apply to this assessment
				9,175			0-15 Number of days
P8	1134	2	NUMDAY2X				N Special; # days physician changed orders
				6,097			. Missing
				14			-3 Does not apply to this assessment
				9,179			0-15 Number of days

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P9	1136	2	YESNO				N Special; abnormal lab value last 90 days
				8,916			. Missing
				3			-3 Does not apply to this assessment
				4			-1 Unable to determine
				1,889			0 No
				4,478			1 Yes
Q1A	1138	2	YESNO				N Status; expresses pref of discharge
				8,898			. Missing
				3			-3 Does not apply to this assessment
				9			-1 Unable to determine
				4,528			0 No
				1,852			1 Yes
Q1B	1140	2	YESNO				N Status; support person pos to discharge
				8,917			. Missing
				3			-3 Does not apply to this assessment
				10			-1 Unable to determine
				4,733			0 No
				1,627			1 Yes
Q1C	1142	2	DISCHARG				N Status; discharge projected
				8,898			. Missing
				3			-3 Does not apply to this assessment
				6			-1 Unable to determine
				4,454			0 No
				813			1 Within 30 days
				298			2 Within 31-90 days
				818			3 Discharge status uncertain
Q2	1144	2	CHANGE				N Status; overall care change last 90 days
				3,690			. Missing
				4			-1 Unable to determine
				8,870			0 No change
				662			1 Improved
				2,064			2 Deteriorated
R1A	1146	2	YESNO				N Discharge; assess resident particip
				8,916			. Missing
				2			-3 Does not apply to this assessment
				6			-1 Unable to determine
				722			0 No
				5,644			1 Yes
R1B	1148	2	YESNOFAM				N Discharge; assess, family particip
				8,916			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				3,316			0 No
				2,959			1 Yes
				92			2 No family

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
R1C	1150	2	YESNONON				N Discharge; assess, signif other particip
				8,916			. Missing
				2			-3 Does not apply to this assessment
				13			-1 Unable to determine
				3,909			0 No
				474			1 Yes
				1,976			2 None
R2B	1152	10					N Discharge; date RN assess complete
R3A	1162	2					N Discharge; code for resident disposition
R3B	1164	2					N Discharge; optional state code
R4	1166	10					N Discharge; date of discharge
T1AA	1176	2	NUMDAY				N Supp; recreation therapy days
				10,233			. Missing
				14			-3 Does not apply to this assessment
				133			-2 Item was left blank
				100			-1 Unable to determine
				4,810			0-7 Number of days
T1AB	1178	4	NUMMINS				N Supp; recreation therapy minutes
				10,215			. Missing
				24			-3 Does not apply to this assessment
				133			-2 Item was left blank
				100			-1 Unable to determine
				4,818			0-9999 Number of minutes
T1B	1182	2	YESNO				N Supp; PT, OT, ST ordered first 14 days
				9,666			. Missing
				10			-3 Does not apply to this assessment
				4,161			-2 Item was left blank
				24			-1 Unable to determine
				307			0 No
				1,122			1 Yes
T1C	1184	2	NUMDAY2X				N Supp; therapy days through day 15
				9,667			. Missing
				12			-3 Does not apply to this assessment
				4,453			-2 Item was left blank
				24			-1 Unable to determine
				1,134			0-15 Number of days
T1D	1186	4	NUMMINS				N Supp; total min therapy through day 15
				9,667			. Missing
				12			-3 Does not apply to this assessment
				4,451			-2 Item was left blank
				24			-1 Unable to determine
				1,136			0-9999 Number of minutes

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
T2A	1190	2	WALKDIST				N Supp; furthest distance walked
				9,686			. Missing
				14			-3 Does not apply to this assessment
				3,073			-2 Item was left blank
				201			-1 Unable to determine
				733			0 150+ feet
				671			1 51-149 feet
				334			2 26-50 feet
				325			3 10-25 feet
				253			4 Less than 25 feet
T2B	1192	2	WALKTIME				N Supp; time walked without sitting
				9,686			. Missing
				14			-3 Does not apply to this assessment
				3,073			-2 Item was left blank
				205			-1 Unable to determine
				651			0 1-2 minutes
				796			1 3-4 minutes
				682			2 5-10 minutes
				147			3 11-15 minutes
				31			4 16-30 minutes
				5			5 31+ minutes
T2C	1194	2	WALKASSI				N Supp; self-performance in walking
				9,686			. Missing
				14			-3 Does not apply to this assessment
				3,079			-2 Item was left blank
				200			-1 Unable to determine
				359			0 Independent
				516			1 Supervision
				962			2 Limited assistance
				474			3 Extensive assistance
T2D	1196	2	WALKSUPP				N Supp; walking support provided
				9,686			. Missing
				14			-3 Does not apply to this assessment
				3,076			-2 Item was left blank
				200			-1 Unable to determine
				431			0 No setup or physical help from staff
				414			1 Setup help only
				1,262			2 One person physical assist
				207			3 Two+ persons physical assist
T2E	1198	2	YESNO				N Supp; parallel bars used
				9,686			. Missing
				14			-3 Does not apply to this assessment
				3,058			-2 Item was left blank
				157			-1 Unable to determine
				2,201			0 No
				174			1 Yes
T3MDCR	1200	5					C Case mix group Medicare
T3STATE	1205	5					C Case mix group State

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01RA	1210	2	ROUTE				N Drug 1; route of administration
				13,004			. Missing
				9			-3 Does not apply to this assessment
				674			-2 Item was left blank
				2			-1 Unable to determine
				1,293			1 By mouth (PO)
				0			2 Sub lingual (SL)
				6			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				22			5 Subcutaneous (SQ)
				17			6 Rectal (R)
				70			7 Topical
				49			8 Inhalation
				105			9 Enteral tube
				34			10 Other
U01FR	1212	2	\$FREQU				C Drug 1; frequency
				13,558			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				3			C Continuous
				15			O Other
				99			PR (PRN) As necessary
				30			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				2			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				917			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				9			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				355			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				6			2W Two times each week
				0			21 Invalid entry, 21
				93			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				44			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				3			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				5			6H (Q6H) Every 6 hours
				1			6W Six times each week
				11			8H (Q8H) Every 8 hours
U01AA	1214	5	\$AMOUNT				C Drug 1; amount administered
				15,290			LOW-HIGH Amount administered

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01PR	1219	2	PRNN				N Drug 1; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,171			-2 Item was left blank
				106			0-99 Number of doses
U01NDC	1221	9	\$NDCDRUG				C Drug 1; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U02RA	1230	2	ROUTE				N Drug 2; route of administration
				13,004			. Missing
				9			-3 Does not apply to this assessment
				696			-2 Item was left blank
				1			-1 Unable to determine
				1,263			1 By mouth (PO)
				0			2 Sub lingual (SL)
				7			3 Intramuscular (IM)
				9			4 Intravenous (IV)
				29			5 Subcutaneous (SQ)
				27			6 Rectal (R)
				64			7 Topical
				24			8 Inhalation
				107			9 Enteral tube
				50			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U02FR	1232	2	\$FREQU				C Drug 2; frequency
				13,581			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				1			C Continuous
				7			O Other
				78			PR (PRN) As necessary
				37			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				2			OO Invalid entry, OO
				0			1 Invalid entry, One
				930			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				11			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				303			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				15			2W Two times each week
				0			21 Invalid entry, 21
				121			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				48			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				3			4W Four times each week
				2			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				5			6H (Q6H) Every 6 hours
				0			6W Six times each week
				7			8H (Q8H) Every 8 hours
U02AA	1234	5	\$AMOUNT				C Drug 2; amount administered
				15,290			LOW-HIGH Amount administered
U02PR	1239	2	PRNN				N Drug 2; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,191			-2 Item was left blank
				86			0-99 Number of doses
U02NDC	1241	9	\$NDCDRUG				C Drug 2; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03RA	1250	2	ROUTE				N Drug 3; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				732			-2 Item was left blank
				1			-1 Unable to determine
				1,278			1 By mouth (PO)
				0			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				6			4 Intravenous (IV)
				35			5 Subcutaneous (SQ)
				5			6 Rectal (R)
				56			7 Topical
				29			8 Inhalation
				89			9 Enteral tube
				40			10 Other
U03FR	1252	2	\$FREQU				C Drug 3; frequency
				13,617			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				9			O Other
				67			PR (PRN) As necessary
				9			QO Every other day
				1			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				2			00 Invalid entry, 00
				0			1 Invalid entry, One
				923			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				349			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				14			2W Two times each week
				0			21 Invalid entry, 21
				86			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				54			4D (QID) Four times daily
				3			4H (Q4H) Every 4 hours
				8			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				0			6W Six times each week
				8			8H (Q8H) Every 8 hours
U03AA	1254	5	\$AMOUNT				C Drug 3; amount administered
				15,290			LOW-HIGH Amount administered

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03PR	1259	2	PRNN				N Drug 3; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,204			-2 Item was left blank
				73			0-99 Number of doses
U03NDC	1261	9	\$NDCDRUG				C Drug 3; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U04RA	1270	2	ROUTE				N Drug 4; route of administration
				13,004			. Missing
				9			-3 Does not apply to this assessment
				780			-2 Item was left blank
				2			-1 Unable to determine
				1,176			1 By mouth (PO)
				1			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				9			4 Intravenous (IV)
				32			5 Subcutaneous (SQ)
				14			6 Rectal (R)
				94			7 Topical
				26			8 Inhalation
				95			9 Enteral tube
				43			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U04FR	1272	2	\$FREQU				C Drug 4; frequency
				13,665			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				0			C Continuous
				13			O Other
				89			PR (PRN) As necessary
				22			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				2			OO Invalid entry, OO
				0			1 Invalid entry, One
				844			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				306			2D (BID) Two times daily
				3			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				119			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				16			3W Three times each week
				45			4D (QID) Four times daily
				4			4H (Q4H) Every 4 hours
				3			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				7			6H (Q6H) Every 6 hours
				1			6W Six times each week
				14			8H (Q8H) Every 8 hours
U04AA	1274	5	\$AMOUNT				C Drug 4; amount administered
				15,290			LOW-HIGH Amount administered
U04PR	1279	2	PRNN				N Drug 4; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,182			-2 Item was left blank
				95			0-99 Number of doses
U04NDC	1281	9	\$NDCDRUG				C Drug 4; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05RA	1290	2	ROUTE				N Drug 5; route of administration
				13,004			. Missing
				9			-3 Does not apply to this assessment
				850			-2 Item was left blank
				1,104			1 By mouth (PO)
				1			2 Sub lingual (SL)
				17			3 Intramuscular (IM)
				7			4 Intravenous (IV)
				36			5 Subcutaneous (SQ)
				8			6 Rectal (R)
				99			7 Topical
				19			8 Inhalation
				84			9 Enteral tube
				52			10 Other
U05FR	1292	2	\$FREQU				C Drug 5; frequency
				13,735			Missing
				129			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				15			O Other
				94			PR (PRN) As necessary
				22			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				2			00 Invalid entry, 00
				0			1 Invalid entry, One
				782			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				5			1M (Q mo) Once each month
				12			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				298			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				2			2M Twice each month
				7			2W Two times each week
				0			21 Invalid entry, 21
				111			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				17			3W Three times each week
				44			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				0			6W Six times each week
				8			8H (Q8H) Every 8 hours
U05AA	1294	5	\$AMOUNT				C Drug 5; amount administered
				15,290			LOW-HIGH Amount administered

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05PR	1299	2	PRNN				N Drug 5; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,179			-2 Item was left blank
				98			0-99 Number of doses
U05NDC	1301	9	\$NDCDRUG				C Drug 5; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U06RA	1310	2	ROUTE				N Drug 6; route of administration
				13,007			. Missing
				9			-3 Does not apply to this assessment
				978			-2 Item was left blank
				1,013			1 By mouth (PO)
				1			2 Sub lingual (SL)
				12			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				34			5 Subcutaneous (SQ)
				15			6 Rectal (R)
				74			7 Topical
				51			8 Inhalation
				71			9 Enteral tube
				21			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U06FR	1312	2	\$FREQU				C Drug 6; frequency
				13,863			Missing
				129			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				10			O Other
				128			PR (PRN) As necessary
				18			QO Every other day
				0			QO Invalid entry, QO
				1			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				2			OO Invalid entry, OO
				0			1 Invalid entry, One
				725			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				6			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				2			1X Invalid entry, 1X
				1			12 Invalid entry, 12
				253			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				8			2W Two times each week
				0			21 Invalid entry, 21
				68			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				6			3W Three times each week
				51			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				3			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				1			6W Six times each week
				5			8H (Q8H) Every 8 hours
U06AA	1314	5	\$AMOUNT				C Drug 6; amount administered
				15,290			LOW-HIGH Amount administered
U06PR	1319	2	PRNN				N Drug 6; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,146			-2 Item was left blank
				131			0-99 Number of doses
U06NDC	1321	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07RA	1330	2	ROUTE				N Drug 7; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,170			-2 Item was left blank
				828			1 By mouth (PO)
				0			2 Sub lingual (SL)
				13			3 Intramuscular (IM)
				6			4 Intravenous (IV)
				48			5 Subcutaneous (SQ)
				13			6 Rectal (R)
				69			7 Topical
				36			8 Inhalation
				58			9 Enteral tube
				35			10 Other
U07FR	1332	2	\$FREQU				C Drug 7; frequency
				14,056			Missing
				129			&& Invalid entry, &&
				0			-- Invalid entry, --
				2			C Continuous
				11			O Other
				118			PR (PRN) As necessary
				6			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				554			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				3			1M (Q mo) Once each month
				2			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				257			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				1			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				74			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				10			3W Three times each week
				36			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				4			4W Four times each week
				0			5D Five times daily
				4			5W Five times each week
				0			6D Invalid entry, 6D
				10			6H (Q6H) Every 6 hours
				1			6W Six times each week
				9			8H (Q8H) Every 8 hours
U07AA	1334	5	\$AMOUNT				C Drug 7; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 84  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07PR	1339	2	PRNN				N Drug 7; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,154			-2 Item was left blank
				123			0-99 Number of doses
U07NDC	1341	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U08RA	1350	2	ROUTE				N Drug 8; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,330			-2 Item was left blank
				2			-1 Unable to determine
				690			1 By mouth (PO)
				0			2 Sub lingual (SL)
				3			3 Intramuscular (IM)
				9			4 Intravenous (IV)
				38			5 Subcutaneous (SQ)
				13			6 Rectal (R)
				78			7 Topical
				37			8 Inhalation
				50			9 Enteral tube
				26			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U08FR	1352	2	\$FREQU				C Drug 8; frequency
				14,215			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				3			C Continuous
				12			O Other
				141			PR (PRN) As necessary
				2			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				450			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				4			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				219			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				8			2W Two times each week
				0			21 Invalid entry, 21
				60			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				4			3W Three times each week
				23			4D (QID) Four times daily
				5			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				7			6H (Q6H) Every 6 hours
				0			6W Six times each week
				4			8H (Q8H) Every 8 hours
U08AA	1354	5	\$AMOUNT				C Drug 8; amount administered
				15,290			LOW-HIGH Amount administered
U08PR	1359	2	PRNN				N Drug 8; PRN-number of doses
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,132			-2 Item was left blank
				144			0-99 Number of doses
U08NDC	1361	9	\$NDCDRUG				C Drug 8; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09RA	1370	2	ROUTE				N Drug 9; route of administration
				13,006			. Missing
				9			-3 Does not apply to this assessment
				1,502			-2 Item was left blank
				2			-1 Unable to determine
				551			1 By mouth (PO)
				0			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				9			4 Intravenous (IV)
				27			5 Subcutaneous (SQ)
				8			6 Rectal (R)
				67			7 Topical
				28			8 Inhalation
				34			9 Enteral tube
				42			10 Other
U09FR	1372	2	\$FREQU				C Drug 9; frequency
				14,387			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				1			C Continuous
				14			O Other
				117			PR (PRN) As necessary
				14			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				358			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				1			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				148			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				1			21 Invalid entry, 21
				48			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				1			3P Invalid entry, 3P
				4			3W Three times each week
				35			4D (QID) Four times daily
				4			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				7			6H (Q6H) Every 6 hours
				2			6W Six times each week
				11			8H (Q8H) Every 8 hours
U09AA	1374	5	\$AMOUNT				C Drug 9; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 87  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09PR	1379	2	PRNN				N Drug 9; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,154			-2 Item was left blank
				123			0-99 Number of doses
U09NDC	1381	9	\$NDCDRUG				C Drug 9; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U10RA	1390	2	ROUTE				N Drug 10; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,644			-2 Item was left blank
				1			-1 Unable to determine
				439			1 By mouth (PO)
				1			2 Sub lingual (SL)
				6			3 Intramuscular (IM)
				8			4 Intravenous (IV)
				18			5 Subcutaneous (SQ)
				9			6 Rectal (R)
				83			7 Topical
				22			8 Inhalation
				20			9 Enteral tube
				25			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U10FR	1392	2	\$FREQU				C Drug 10; frequency
				14,529			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				1			C Continuous
				5			O Other
				108			PR (PRN) As necessary
				24			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				1			1 Invalid entry, One
				261			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				1			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				129			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				10			2W Two times each week
				0			21 Invalid entry, 21
				48			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				27			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				2			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				7			8H (Q8H) Every 8 hours
U10AA	1394	5	\$AMOUNT				C Drug 10; amount administered
				15,290			LOW-HIGH Amount administered
U10PR	1399	2	PRNN				N Drug 10; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,165			-2 Item was left blank
				112			0-99 Number of doses
U10NDC	1401	9	\$NDCDRUG				C Drug 10; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11RA	1410	2	ROUTE				N Drug 11; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,776			-2 Item was left blank
				2			-1 Unable to determine
				359			1 By mouth (PO)
				1			2 Sub lingual (SL)
				3			3 Intramuscular (IM)
				8			4 Intravenous (IV)
				18			5 Subcutaneous (SQ)
				10			6 Rectal (R)
				49			7 Topical
				17			8 Inhalation
				17			9 Enteral tube
				16			10 Other
U11FR	1412	2	\$FREQU				C Drug 11; frequency
				14,661			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				0			C Continuous
				9			O Other
				99			PR (PRN) As necessary
				6			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				223			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				81			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				6			2W Two times each week
				0			21 Invalid entry, 21
				26			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				31			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				1			6W Six times each week
				3			8H (Q8H) Every 8 hours
U11AA	1414	5	\$AMOUNT				C Drug 11; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 90  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11PR	1419	2	PRNN				N Drug 11; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,174			-2 Item was left blank
				103			0-99 Number of doses
U11NDC	1421	9	\$NDCDRUG				C Drug 11; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U12RA	1430	2	ROUTE				N Drug 12; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,891			-2 Item was left blank
				2			-1 Unable to determine
				271			1 By mouth (PO)
				0			2 Sub lingual (SL)
				4			3 Intramuscular (IM)
				7			4 Intravenous (IV)
				18			5 Subcutaneous (SQ)
				4			6 Rectal (R)
				39			7 Topical
				16			8 Inhalation
				12			9 Enteral tube
				12			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U12FR	1432	2	\$FREQU				C Drug 12; frequency
				14,776			Missing
				129			&& Invalid entry, &&
				2			-- Invalid entry, --
				0			C Continuous
				8			O Other
				61			PR (PRN) As necessary
				6			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				153			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				0			1M (Q mo) Once each month
				7			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				91			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				6			2W Two times each week
				0			21 Invalid entry, 21
				27			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				16			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				1			6W Six times each week
				1			8H (Q8H) Every 8 hours
U12AA	1434	5	\$AMOUNT				C Drug 12; amount administered
				15,290			LOW-HIGH Amount administered
U12PR	1439	2	PRNN				N Drug 12; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,211			-2 Item was left blank
				66			0-99 Number of doses
U12NDC	1441	9	\$NDCDRUG				C Drug 12; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13RA	1450	2	ROUTE				N Drug 13; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				1,992			-2 Item was left blank
				1			-1 Unable to determine
				207			1 By mouth (PO)
				3			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				10			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				27			7 Topical
				14			8 Inhalation
				6			9 Enteral tube
				10			10 Other
U13FR	1452	2	\$FREQU				C Drug 13; frequency
				14,877			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				4			O Other
				67			PR (PRN) As necessary
				2			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				125			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				2			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				56			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				9			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				10			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U13AA	1454	5	\$AMOUNT				C Drug 13; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 93  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13PR	1459	2	PRNN				N Drug 13; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,206			-2 Item was left blank
				71			0-99 Number of doses
U13NDC	1461	9	\$NDCDRUG				C Drug 13; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U14RA	1470	2	ROUTE				N Drug 14; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,047			-2 Item was left blank
				1			-1 Unable to determine
				173			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				7			5 Subcutaneous (SQ)
				3			6 Rectal (R)
				23			7 Topical
				5			8 Inhalation
				6			9 Enteral tube
				6			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U14FR	1472	2	\$FREQU				C Drug 14; frequency
				14,932			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				4			O Other
				41			PR (PRN) As necessary
				3			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				101			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				1			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				46			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				14			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				6			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				0			6W Six times each week
				6			8H (Q8H) Every 8 hours
U14AA	1474	5	\$AMOUNT				C Drug 14; amount administered
				15,290			LOW-HIGH Amount administered
U14PR	1479	2	PRNN				N Drug 14; PRN-number of doses
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,232			-2 Item was left blank
				44			0-99 Number of doses
U14NDC	1481	9	\$NDCDRUG				C Drug 14; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15RA	1490	2	ROUTE				N Drug 15; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,106			-2 Item was left blank
				1			-1 Unable to determine
				112			1 By mouth (PO)
				0			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				3			5 Subcutaneous (SQ)
				3			6 Rectal (R)
				19			7 Topical
				13			8 Inhalation
				6			9 Enteral tube
				7			10 Other
U15FR	1492	2	\$FREQU				C Drug 15; frequency
				14,991			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				2			O Other
				38			PR (PRN) As necessary
				3			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				65			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				2			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				33			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				7			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				9			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				0			6W Six times each week
				1			8H (Q8H) Every 8 hours
U15AA	1494	5	\$AMOUNT				C Drug 15; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 96  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15PR	1499	2	PRNN				N Drug 15; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,237			-2 Item was left blank
				40			0-99 Number of doses
U15NDC	1501	9	\$NDCDRUG				C Drug 15; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U16RA	1510	2	ROUTE				N Drug 16; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,151			-2 Item was left blank
				1			-1 Unable to determine
				84			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				7			5 Subcutaneous (SQ)
				7			6 Rectal (R)
				13			7 Topical
				3			8 Inhalation
				3			9 Enteral tube
				3			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U16FR	1512	2	\$FREQU				C Drug 16; frequency
				15,036			Missing
				129			&& Invalid entry, &&
				1			-- Invalid entry, --
				1			C Continuous
				3			O Other
				43			PR (PRN) As necessary
				1			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				40			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				22			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				3			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				2			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U16AA	1514	5	\$AMOUNT				C Drug 16; amount administered
				15,290			LOW-HIGH Amount administered
U16PR	1519	2	PRNN				N Drug 16; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,230			-2 Item was left blank
				47			0-99 Number of doses
U16NDC	1521	9	\$NDCDRUG				C Drug 16; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17RA	1530	2	ROUTE				N Drug 17; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,189			-2 Item was left blank
				49			1 By mouth (PO)
				1			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				8			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				7			7 Topical
				14			8 Inhalation
				4			9 Enteral tube
				0			10 Other
U17FR	1532	2	\$FREQU				C Drug 17; frequency
				15,074			Missing
				129			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				4			O Other
				23			PR (PRN) As necessary
				1			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				24			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				24			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				7			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				2			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U17AA	1534	5	\$AMOUNT				C Drug 17; amount administered
				15,290			LOW-HIGH Amount administered

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 99  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17PR	1539	2	PRNN				N Drug 17; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,250			-2 Item was left blank
				27			0-99 Number of doses
U17NDC	1541	9	\$NDCDRUG				C Drug 17; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
U18RA	1550	2	ROUTE				N Drug 18; route of administration
				13,005			. Missing
				9			-3 Does not apply to this assessment
				2,210			-2 Item was left blank
				41			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				1			4 Intravenous (IV)
				7			5 Subcutaneous (SQ)
				1			6 Rectal (R)
				11			7 Topical
				2			8 Inhalation
				2			9 Enteral tube
				0			10 Other

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U18FR	1552	2	\$FREQU				C Drug 18; frequency
				15,095			Missing
				129			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				3			O Other
				11			PR (PRN) As necessary
				0			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				2			1 Invalid entry, One
				17			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				5			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				16			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				6			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U18AA	1554	5	\$AMOUNT				C Drug 18; amount administered
				15,290			LOW-HIGH Amount administered
U18PR	1559	2	PRNN				N Drug 18; PRN-number of doses
				13,004			. Missing
				9			-3 Does not apply to this assessment
				2,262			-2 Item was left blank
				15			0-99 Number of doses
U18NDC	1561	9	\$NDCDRUG				C Drug 18; National Drug Code (NDC)
				15,290			LOW-HIGH National Drug Code
VA01A	1570	2	INDIC				N Delirium, triggered
				10,833			. Missing
				561			-3 Does not apply to this assessment
				52			-2 Item was left blank
				13			-1 Unable to determine
				2,998			0 Not indicated
				833			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA01B	1572	2	INDIC				N Delirium, care planning
				10,832			. Missing
				561			-3 Does not apply to this assessment
				52			-2 Item was left blank
				315			-1 Unable to determine
				3,189			0 Not indicated
				341			1 Indicated
VA02A	1574	2	INDIC				N Cognitive loss, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				780			0 Not indicated
				3,057			1 Indicated
VA02B	1576	2	INDIC				N Cognitive loss, care planning
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				104			-1 Unable to determine
				1,444			0 Not indicated
				2,301			1 Indicated
VA03A	1578	2	INDIC				N Visual function, triggered
				10,829			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				15			-1 Unable to determine
				2,144			0 Not indicated
				1,689			1 Indicated
VA03B	1580	2	INDIC				N Visual function, care planning
				10,832			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				231			-1 Unable to determine
				2,558			0 Not indicated
				1,056			1 Indicated
VA04A	1582	2	INDIC				N Communication, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				1,325			0 Not indicated
				2,512			1 Indicated
VA04B	1584	2	INDIC				N Communication, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				158			-1 Unable to determine
				1,931			0 Not indicated
				1,758			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA05A	1586	2	INDIC				N ADL funct/Rehab potential, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				104			0 Not indicated
				3,733			1 Indicated
VA05B	1588	2	INDIC				N ADL funct/Rehab potential, care planning
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				45			-1 Unable to determine
				687			0 Not indicated
				3,117			1 Indicated
VA06A	1590	2	INDIC				N Urinary incontinence, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				1,135			0 Not indicated
				2,702			1 Indicated
VA06B	1592	2	INDIC				N Urinary incontinence, care planning
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				145			-1 Unable to determine
				1,589			0 Not indicated
				2,115			1 Indicated
VA07A	1594	2	INDIC				N Psychosocial well-being, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				14			-1 Unable to determine
				2,571			0 Not indicated
				1,265			1 Indicated
VA07B	1596	2	INDIC				N Psychosocial well-being, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				283			-1 Unable to determine
				2,671			0 Not indicated
				893			1 Indicated
VA08A	1598	2	INDIC				N Mood state, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				2,111			0 Not indicated
				1,726			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA08B	1600	2	INDIC				N Mood state, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				229			-1 Unable to determine
				2,252			0 Not indicated
				1,366			1 Indicated
VA09A	1602	2	INDIC				N Behavioral symptoms, triggered
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				2,628			0 Not indicated
				1,206			1 Indicated
VA09B	1604	2	INDIC				N Behavioral symptoms, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				281			-1 Unable to determine
				2,585			0 Not indicated
				981			1 Indicated
VA10A	1606	2	INDIC				N Activities, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				16			-1 Unable to determine
				2,712			0 Not indicated
				1,122			1 Indicated
VA10B	1608	2	INDIC				N Activities, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				268			-1 Unable to determine
				2,666			0 Not indicated
				913			1 Indicated
VA11A	1610	2	INDIC				N Falls, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				1,372			0 Not indicated
				2,465			1 Indicated
VA11B	1612	2	INDIC				N Falls, care planning
				10,830			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				152			-1 Unable to determine
				1,658			0 Not indicated
				2,037			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA12A	1614	2	INDIC				N Nutritional status, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				16			-1 Unable to determine
				698			0 Not indicated
				3,136			1 Indicated
VA12B	1616	2	INDIC				N Nutritional status, care planning
				10,828			. Missing
				572			-3 Does not apply to this assessment
				43			-2 Item was left blank
				105			-1 Unable to determine
				1,268			0 Not indicated
				2,474			1 Indicated
VA13A	1618	2	INDIC				N Feeding tubes, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				3,511			0 Not indicated
				326			1 Indicated
VA13B	1620	2	INDIC				N Feeding tubes, care planning
				10,832			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				374			-1 Unable to determine
				3,195			0 Not indicated
				276			1 Indicated
VA14A	1622	2	INDIC				N Dehydration/Fluid mainten, triggered
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				1,813			0 Not indicated
				2,023			1 Indicated
VA14B	1624	2	INDIC				N Dehydration/Fluid mainten, care planning
				10,832			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				178			-1 Unable to determine
				2,251			0 Not indicated
				1,416			1 Indicated
VA15A	1626	2	INDIC				N Dental care, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				2,568			0 Not indicated
				1,269			1 Indicated

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA15B	1628	2	INDIC				N Dental care, care planning
				10,832			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				262			-1 Unable to determine
				2,835			0 Not indicated
				748			1 Indicated
VA16A	1630	2	INDIC				N Pressure ulcers, triggered
				10,827			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				903			0 Not indicated
				2,934			1 Indicated
VA16B	1632	2	INDIC				N Pressure ulcers, care planning
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				123			-1 Unable to determine
				1,445			0 Not indicated
				2,281			1 Indicated
VA17A	1634	2	INDIC				N Psychotropic drug use, triggered
				10,829			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				2,087			0 Not indicated
				1,748			1 Indicated
VA17B	1636	2	INDIC				N Psychotropic drug use, care planning
				10,832			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				223			-1 Unable to determine
				2,207			0 Not indicated
				1,415			1 Indicated
VA18A	1638	2	INDIC				N Physical restraints, triggered
				10,828			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				13			-1 Unable to determine
				3,444			0 Not indicated
				392			1 Indicated
VA18B	1640	2	INDIC				N Physical restraints, care planning
				10,831			. Missing
				572			-3 Does not apply to this assessment
				41			-2 Item was left blank
				365			-1 Unable to determine
				3,148			0 Not indicated
				333			1 Indicated

04/19/04  
**MDS**  
**2000**

**MEDICARE CURRENT BENEFICIARY SURVEY**  
 Minimum Data Set

RIC: MD  
 Page: 106  
 Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VB2	16	42	10				N Signature date, RAP assessment
VB4	16	52	10				N Signature date, care planning
STATE_CD	16	62	2				C FU-STATE-ID
RESIDENT	16	64	7				N FU-RES-INT-ID
ASMNT_IN	16	71	7				N FU-MDS-ASMT-INT-ID
FACILITY	16	78	7				N FU-FAC-INT-ID
SUBMISSO	16	85	10				N FU-SUBMISSION-DATE
SUBMISSI	16	95	6				N FU-MDS-SUBM-SEQ-NBR
EFFECTIV	17	01	10				N FU-EFFECTIVE-DATE
TARGET_D	17	11	10				N FU-TARGET-DATE
ORIG_ASM	17	21	7				N FU-ORIG-ASMT-INT-ID
ASMNT_MO	17	28	1				C FU-AST-MOD-IND
ASMNT_CO	17	29	2				N FU-AST-CORR-VER
ASMNT_BE	17	31	10				N FU-AST-BEG-VER-DT
ASMNT_EN	17	41	10				N FU-AST-END-VER-DT
CARE_LCK	17	51	10				N FU-CARE-LOCK
P_REC_DT	17	61	10				N FU-P-REC-DT
VCODE1	17	71	5				C FU-VCODE1
VCODE2	17	76	5				C FU-VCODE2
SFTW_ID	17	81	9				C FU-SFTW-ID
SFT_VER	17	90	5				C FU-SFT-VER
RES_MATC	17	95	2				N FU-RES-MATCH-CRITERIA
MCR_GP	17	97	3				C FU-MCR-GP
CREATED_	18	00	10				N FU-CREATED-DATE
UPDATED_	18	10	10				N FU-UPDATED-DATE
MCR_VR	18	20	2				C FU-MCR-VR
MCR_CMI	18	22	12				N FU-MCR-CMI
RES_CHG_	18	34	10				N FU-RES-CHG-YIMESTAMP
MCR_SET_	18	44	3				C FU-MCR-SET-CODE
MCD_GP	18	47	3				C FU-MCD-GP
MCD_VR	18	50	2				C FU-MCD-VR

04/19/04  
MDS  
2000

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 107  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MCD_CMI	1852	12					N FU-MCD-CMI
MCD_SET_	1864	3					C FU-MCD-SET-CODE
SUBREQ	1867	1					C FU-SUBMISSION-REQUIREMENT
PREPARDT	1868	10					N FU-STATE-PREPARED-DATE
CPS	1878	1					C FU-COGNITIVE-PERFORMACE-SCALE
BARTHEL	1879	2					N FU-BARTHEL-INDEX
SORTFLAG	1881	2					C FU-SORT-FLAG
CRITERIA	1883	1					C FU-CRITERIA
DOB	1884	10					N FU-DOB
GENDER	1894	2					N FU-GENDER
DEATH_DA	1896	10					N FU-DEATH-DA
MAT_RES	1906	1					C FU-MAT-RES
COUNTY	1907	3					C FU-COUNTY
MAT_FAC	1910	1					C FU-MAT-FAC
R_TARGET	1911	10					N FU-R-TARGET
ABLIMP	1921	10					N FU-ABLIMP
RSRTFLAG	1931	1					C FU-RSRTFLAG
LSTTRANS	1932	1					C FU-LSTTRANS
LSTFULL	1933	1					C FU-LSTFULL
FACCHG	1934	1					C FU-FACCHG
LSTTRNDT	1935	10					N FU-LSTTRNDT
LSTDISDT	1945	10					N FU-LSTDISDT