

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 1
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8	\$BSIDFMT				C Unique SP Identification Number

14,732 LOW-HIGH BASEID Count

MAMNNEED	12	2	IND1FMT	HFF5			N Wasn't needed/no need/nothing wrong
					10,828		. Inapplicable
					13		-8 Don't know
					1,083		1 Indicated
					2,808		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNANUL	14	2	IND1FMT	HFF5			N Not recommended annually/diff schedule
					10,828		. Inapplicable
					13		-8 Don't know
					506		1 Indicated
					3,385		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNGET	16	2	IND1FMT	HFF5			N Could get cancer anyway/test useless
					10,828		. Inapplicable
					13		-8 Don't know
					138		1 Indicated
					3,753		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNRISK	18	2	IND1FMT	HFF5			N Not at risk for breast cancer
					10,828		. Inapplicable
					13		-8 Don't know
					75		1 Indicated
					3,816		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNPRES	20	2	IND1FMT	HFF5			N Dr. did not prescribe or recommend it
					10,828		. Inapplicable
					13		-8 Don't know
					728		1 Indicated
					3,163		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 2
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNREC	22	2	IND1FMT		HFF5		N Dr. recommended against getting it
				10,828			. Inapplicable
				13			-8 Don't know
				56			1 Indicated
				3,835			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLIKE	24	2	IND1FMT		HFF5		N Don't like mammograms/pain/reactions to
				10,828			. Inapplicable
				13			-8 Don't know
				375			1 Indicated
				3,516			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLOCA	26	2	IND1FMT		HFF5		N Inconvenient/unable to get to location
				10,828			. Inapplicable
				13			-8 Don't know
				131			1 Indicated
				3,760			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNMISS	28	2	IND1FMT		HFF5		N Forgot/missed it/procrastinated
				10,828			. Inapplicable
				13			-8 Don't know
				503			1 Indicated
				3,388			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNCOST	30	2	IND1FMT		HFF5		N Cost of mammogram/not covered by ins
				10,828			. Inapplicable
				13			-8 Don't know
				81			1 Indicated
				3,810			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNFEAR	32	2	IND1FMT		HFF5		N Afraid of results/don't want to know
				10,828			. Inapplicable
				13			-8 Don't know
				57			1 Indicated
				3,834			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 3
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNRADI	34	2	IND1FMT		HFF5		N Mammogram radiation could cause cancer
				10,828			. Inapplicable
				13			-8 Don't know
				24			1 Indicated
				3,867			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNHEAR	36	2	IND1FMT		HFF5		N Never heard of mammogram
				10,828			. Inapplicable
				13			-8 Don't know
				11			1 Indicated
				3,880			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNAPPT	38	2	IND1FMT		HFF5		N Appointment is scheduled/due soon
				10,828			. Inapplicable
				13			-8 Don't know
				452			1 Indicated
				3,439			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNMASC	40	2	IND1FMT		HFF5		N SP had a mastectomy
				10,828			. Inapplicable
				13			-8 Don't know
				57			1 Indicated
				3,834			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNILL	42	2	IND1FMT		HFF5		N SP was too ill, physically or mentally
				10,828			. Inapplicable
				13			-8 Don't know
				108			1 Indicated
				3,783			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2001			
MAMNOTHR	44	2	IND1FMT		HFF5		N Reason not had mammogram - other
				10,828			. Inapplicable
				13			-8 Don't know
				58			1 Indicated
				3,833			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 5
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNLIKE	58	2	IND1FMT	HFF8			N Don't like Pap smears/pain/discomfort
				9,476			. Inapplicable
				18			-8 Don't know
				261			1 Indicated
				4,977			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNLOCA	60	2	IND1FMT	HFF8			N Inconvenient/unable to get to location
				9,476			. Inapplicable
				18			-8 Don't know
				86			1 Indicated
				5,152			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNMISS	62	2	IND1FMT	HFF8			N Forgot/missed it/procrastinated
				9,476			. Inapplicable
				18			-8 Don't know
				426			1 Indicated
				4,812			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNCOST	64	2	IND1FMT	HFF8			N Cost of Pap smear/not covered by ins
				9,476			. Inapplicable
				18			-8 Don't know
				100			1 Indicated
				5,138			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNFEAR	66	2	IND1FMT	HFF8			N Afraid of results/don't want to know
				9,476			. Inapplicable
				18			-8 Don't know
				28			1 Indicated
				5,210			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNAPPT	68	2	IND1FMT	HFF8			N Appointment is scheduled/due soon
				9,476			. Inapplicable
				18			-8 Don't know
				287			1 Indicated
				4,951			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 6
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNHYST	70	2	IND1FMT		HFF8		N Had hysterectomy; no uterus or ovaries
				9,476			. Inapplicable
				18			-8 Don't know
				1,096			1 Indicated
				4,142			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000			
PAPNHEAR	72	2	IND1FMT		HFF8		N Never heard of Pap smear
				9,476			. Inapplicable
				18			-8 Don't know
				8			1 Indicated
				5,230			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000			
PAPNILL	74	2	IND1FMT		HFF8		N SP was too ill, physically or mentally
				9,476			. Inapplicable
				18			-8 Don't know
				99			1 Indicated
				5,139			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2001			
PAPNOTHR	76	2	IND1FMT		HFF8		N Reason not had Pap smear - other
				9,476			. Inapplicable
				18			-8 Don't know
				53			1 Indicated
				5,185			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000			
PRONNEED	78	2	IND1FMT		HFF14		N Wasn't needed/no need/nothing wrong
				12,741			. Inapplicable
				19			-8 Don't know
				2			-7 Refused
				922			1 Indicated
				1,048			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONANUL	80	2	IND1FMT		HFF14		N Not recommended annually/diff schedule
				12,741			. Inapplicable
				19			-8 Don't know
				2			-7 Refused
				205			1 Indicated
				1,765			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, BLOODTST = 2
First available in 2000

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, BLOODTST = 2
First available in 2000

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, FLUSHOT = 2
First available in 1996

ACCESS
2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, FLUSHOT = 2
First available in 1996

02/20/08

ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 11
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLUMISS	126	2	IND1FMT		HFF17		N No flu shot b/c missed, forgot, etc.
				9,836			. Inapplicable
				16			-8 Don't know
				403			1 Indicated
				4,477			2 Not indicated
				Notes: Applies only if RIC2, FLUSHOT = 2			
				First available in 1996			
FLUCOST	128	2	IND1FMT		HFF17		N No flu shot b/c shot not worth cost
				9,836			. Inapplicable
				16			-8 Don't know
				50			1 Indicated
				4,830			2 Not indicated
				Notes: Applies only if RIC2, FLUSHOT = 2			
				First available in 1996			
FLUBEFOR	130	2	IND1FMT		HFF17		N No flu shot b/c had before/no need again
				9,836			. Inapplicable
				16			-8 Don't know
				8			1 Indicated
				4,872			2 Not indicated
				Notes: Applies only if RIC2, FLUSHOT = 2			
				First available in 1996			
FLUVAC	132	2	IND1FMT		HFF17		N Vaccine unavailable/vaccine shortage
				9,838			. Inapplicable
				16			-8 Don't know
				589			1 Indicated
				4,289			2 Not indicated
				Notes: Applies only if RIC2, FLUSHOT = 2			
				First available in 2001			
FLUOTHER	134	2	IND1FMT		HFF17		N No flu shot b/c other reason
				9,836			. Inapplicable
				16			-8 Don't know
				167			1 Indicated
				4,713			2 Not indicated
				Notes: Applies only if RIC2, FLUSHOT = 2			
				First available in 1996			
D_VACSUP	136	2	IND2FMT		HFF20,21		N Flu vaccine in short supply/unavailable
				708			. Missing
				21			-8 Don't know
				1,401			1 Indicated
				12,602			2 Not indicated
				Note: First available in 2001			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 12
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUNEEED	138	2	IND1FMT	HFF23			N No pneu shot b/c didn't know was needed
				10,068			. Inapplicable
				16			-8 Don't know
				2,858			1 Indicated
				1,790			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUCAUSE	140	2	IND1FMT	HFF23			N No pneu shot b/c could cause pneumonia
				10,068			. Inapplicable
				16			-8 Don't know
				226			1 Indicated
				4,422			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUSIDE	142	2	IND1FMT	HFF23			N No pneu shot b/c could have side effects
				10,068			. Inapplicable
				16			-8 Don't know
				195			1 Indicated
				4,453			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUPRVNT	144	2	IND1FMT	HFF23			N No pneu shot b/c no think prevent pneu.
				10,068			. Inapplicable
				16			-8 Don't know
				239			1 Indicated
				4,409			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNURISK	146	2	IND1FMT	HFF23			N No pneu shot b/c not at risk of catching
				10,068			. Inapplicable
				16			-8 Don't know
				159			1 Indicated
				4,489			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUDOCNO	148	2	IND1FMT	HFF23			N No pneu shot b/c Dr didn't recommend it
				10,068			. Inapplicable
				16			-8 Don't know
				870			1 Indicated
				3,778			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if PNEUSHOT = 2
First available in 1996

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if EDOCLAST = 1, 3, or 4
First available in 2002

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if EDOCLAST = 1, 3, or 4
First available in 2002

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, OCBETES (prev OCDIABTS) = 1
First available in 2000

2006

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)
First available in 2000

ACCESS
2006

Health Status & Functioning -- Prevention

Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIASORES	211	2	YES1FMT		HFP4f		N SP checks for sores on feet
				11,498			. Inapplicable
				4			-8 Don't know
				2,497			1 Yes
				733			2 No
				Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2000			
DIAASPRN	213	2	YES1FMT		HFP4g		N SP takes aspirin regularly for diabetes
				11,498			. Inapplicable
				8			-8 Don't know
				1,294			1 Yes
				1,932			2 No
				Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2000			
DIAPRESS	215	2	YES1FMT		HFP4h		N Measure blood pressure at home
				11,498			. Inapplicable
				3			-8 Don't know
				1,435			1 Yes
				1,796			2 No
				Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2002			
INSUTAKE	217	2	TAKEFMT		HFP5		N How often SP takes insulin
				13,957			. Inapplicable
				10			-8 Don't know
				725			1 Every day
				25			2 Every week
				15			3 Use insulin pump
				Notes: Applies only if DIAINSUL = 1 First available in 2000			
INSUDAY	219	3	NUM2FMT		HFP5		N Insulin - times per day
				14,007			. Missing
				725			Number
				Notes: Applies only if INSUTAKE = 1 First available in 2000			
INSUWEEK	222	4	NUM2FMT		HFP5		N Insulin - times per week
				14,707			. Missing
				25			Number
				Notes: Applies only if INSUTAKE = 2 First available in 2000			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 19
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MEDSTAKE	226	2	OFTENFMT		HFP6		N How often takes meds/pill for diabetes
				12,500			. Inapplicable
				10			-8 Don't know
				2,175			1 Every day
				40			2 Every week
				7			3 Every month
				0			4 Every year
			Notes: Applies only if DIAMEDS = 1 First available in 2000				
MEDDAY	228	3	NUM2FMT		HFP6		N Diabetes medicine - per day
				12,557			. Missing
				2,175			Number
			Notes: Applies only if MEDSTAKE = 1 First available in 2000				
MEDWEEK	231	4	NUM2FMT		HFP6		N Diabetes medicine - per week
				14,692			. Missing
				40			Number
			Notes: Applies only if MEDSTAKE = 2 First available in 2000				
MEDMONTH	235	4	NUM2FMT		HFP6		N Diabetes medicine - per month
				14,725			. Missing
				7			Number
			Notes: Applies only if MEDSTAKE = 3 First available in 2000				
TESTTAKE	239	2	OFTENFMT		HFP7		N How often tests own blood for sugar/gluc
				12,132			. Inapplicable
				13			-8 Don't know
				1,804			1 Every day
				607			2 Every week
				133			3 Every month
				43			4 Every year
			Notes: Applies only if DIATEST = 1 First available in 2000				
TESTDAY	241	3	NUM2FMT		HFP7		N Blood test - times per day
				12,928			. Missing
				1,804			Number
			Notes: Applies only if TESTTAKE = 1 First available in 2000				

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 20
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
TESTWEEK	244	4	NUM2FMT		HFP7		N Blood test - times per week
				14,125			. Missing
				607			Number
				Notes: Applies only if TESTTAKE = 2			
				First available in 2000			
TESTMNTN	248	4	NUM2FMT		HFP7		N Blood test - times per month
				14,599			. Missing
				133			Number
				Notes: Applies only if TESTTAKE = 3			
				First available in 2000			
TESTYEAR	252	5	NUM2FMT		HFP7		N Diabetes blood test - per year
				14,689			. Missing
				43			Number
				Notes: Applies only if TESTTAKE = 4			
				First available in 2000			
SORECHEK	257	2	OFTENFMT		HFP8		N How often checks feet for sores{diabetes}
				12,235			. Inapplicable
				26			-8 Don't know
				1,742			1 Every day
				544			2 Every week
				146			3 Every month
				39			4 Every year
				Notes: Applies only if DIASORES = 1			
				First available in 2000			
SOREDAY	259	3	NUM2FMT		HFP8		N Check sores - times per day
				12,990			. Missing
				1,742			Number
				Notes: Applies only if SORECHEK = 1			
				First available in 2000			
SOREWEEK	262	4	NUM2FMT		HFP8		N Check sores - times per week
				14,188			. Missing
				544			Number
				Notes: Applies only if SORECHEK = 2			
				First available in 2000			
SOREMNTN	266	4	NUM2FMT		HFP8		N Check sores - times per month
				14,586			. Missing
				146			Number
				Notes: Applies only if SORECHEK = 3			
				First available in 2000			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 21
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
SOREYEAR	270	5	NUM2FMT	HFP8			N Check sores - times per year
				14,693			. Missing
				39			Number
			Notes: Applies only if SORECHEK = 4				
			First available in 2000				
DIAFEET	275	2	YES1FMT	HFP9			N Problems with feet from diabetes
				11,498			. Inapplicable
				23			-8 Don't know
				615			1 Yes
				2,596			2 No
			Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)				
			First available in 2002				
DIATENYR	277	2	YES1FMT	HFP10			N In past year has dr. examined feet
				11,498			. Inapplicable
				10			-8 Don't know
				2,194			1 Yes
				1,030			2 No
			Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)				
			First available in 2002				
DIADRSAW	279	3	NUM3FMT	HFP11			N # of times saw Dr. last yr. for diabetes
				11,498			. Missing
				122			-8 Don't know
				214			0 None
				2,898			Number
			Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)				
			First available in 2000				
DIATREAT	282	2	YES1FMT	HFP12			N Dr. talked about treatment for diabetes?
				11,498			. Inapplicable
				5			-8 Don't know
				2,389			1 Yes
				840			2 No
			Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)				
			First available in 2000				
DIAHEMOC	284	3	NUM3FMT	HFP13			N # times checked {hemoglobin a} last year
				11,498			. Missing
				475			-8 Don't know
				263			0 None
				2,496			Number
			Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.)				
			First available in 2000				

2006

Health Status & Functioning -- Prevention

Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIACTRL	287	2	TIME2FMT		HFP14		N Is blood sugar controlled
				11,498			. Inapplicable
				95			-8 Don't know
				814			1 All of the time
				1,747			2 Most of the time
				460			3 Some of the time
				87			4 A little of the time
				31			5 None of the time
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2002
DIAEYPRB	289	2	YES1FMT		HFP15		N Probs. w/ eyes because of diabetes
				11,498			. Inapplicable
				98			-8 Don't know
				637			1 Yes
				2,499			2 No
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2002
DIKDPRB	291	2	YES1FMT		HFP16		N Probs. w/ kidney because of diabetes
				11,498			. Inapplicable
				55			-8 Don't know
				296			1 Yes
				2,883			2 No
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2002
DIAMNGE	293	2	YES1FMT		HFP17		N Had diabetes self management course
				11,498			. Inapplicable
				6			-8 Don't know
				1,093			1 Yes
				2,135			2 No
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) First available in 2000
DIATRAIN	295	2	RECFMT		HFP18		N Last time SP had diabetes mgmnt training
				13,639			. Inapplicable
				6			-8 Don't Know
				254			1 Less than 1 year ago
				199			2 Between 1-2 years ago
				142			3 Between 2-3 years ago
				151			4 Between 3-5 years ago
				341			5 5 or more years ago
							Notes: Applies only if DIAMNGE = 1 First available in 2000

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 23
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIACKNOW	297	2	KNOWFMT		HFP19		N How much knows about managing diabetes
				11,614			. Missing
				13			-8 Don't know
				847			1 Just about everything necessary
				1,346			2 Most of what is necessary
				597			3 Some of what is necessary
				237			4 A little of what is necessary
				78			5 Almost none of what is necessary
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) SP R First available in 2000
DIASUPPS	299	2	YES1FMT		HFP20		N Know Medicare helps pay for supplies
				11,614			. Inapplicable
				1			-9 Not ascertained
				18			-8 Don't know
				2,271			1 Yes
				828			2 No
							Notes: Applies only if OCDTYPE /= to . or 5. (prev DIATYPES /= to . or 3.) SP R First available in 2000
DIAEVERT	301	2	YNDIAFMT		HFP21		N Ever had blood test for diabetes
				3,235			. Inapplicable
				556			-8 Don't know
				18			-7 Refused
				8,639			1 Yes
				2,284			2 No
				0			3 SP has diabetes
							Notes: Applies only if OCDIABTS /= 1, DIAAGE = 997, DIAPRGNT /= 2 or DIATYP First available in 2000
DIARECNT	303	2	RECFMT		HFP22		N Most recent time tested for diabetes
				6,093			. Inapplicable
				228			-8 Don't Know
				1			-7 Refused
				5,695			1 Less than 1 year ago
				1,640			2 Between 1-2 years ago
				472			3 Between 2-3 years ago
				244			4 Between 3-5 years ago
				359			5 5 or more years ago
							Notes: Applies only if DIAEVERT = 1 First available in 2000
DIAAWARE	305	2	YES1FMT		HFP23		N SP aware of diabetes test before today
				11,444			. Inapplicable
				39			-8 Don't know
				23			-7 Refused
				1,891			1 Yes
				1,335			2 No
							Notes: Applies only if DIAEVERT = 2, -7, or -8 and SP is respondent First available in 2000

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 24
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIARISK	307	2	YES1FMT		HFP24		N Ever told at high risk for diabetes
				3,234			. Inapplicable
				55			-8 Don't know
				17			-7 Refused
				699			1 Yes
				10,727			2 No
				Notes: Applies only if DIAEVERT is not equal to . or 3 First available in 2000			
DIASIGNS	309	2	YES1FMT		HFP25		N Received info about signs of diabetes
				3,234			. Inapplicable
				99			-8 Don't know
				17			-7 Refused
				2,606			1 Yes
				8,776			2 No
				Notes: Applies only if DIAEVERT is not equal to . or 3 First available in 2000			
OSTEVERT	311	2	YES1FMT		HFS1		N Ever talked to Dr. about osteoporosis
				2,883			. Inapplicable
				128			-8 Don't know
				19			-7 Refused
				2,699			1 Yes
				9,003			2 No
				Notes: Applies only if RIC2, OCOSTEOP is not equal to 1 First available in 2000			
OSTHRISK	313	2	YES1FMT		HFS2		N SP told at high risk for osteoporosis
				12,033			. Inapplicable
				22			-8 Don't know
				534			1 Yes
				2,143			2 No
				Notes: Applies only if OSTEVERT = 1 First available in 2000			
OSTTEST	315	2	YES1FMT		HFS3		N Ever had bone mass/measurement test
				389			-8 Don't know
				28			-7 Refused
				5,429			1 Yes
				8,886			2 No
				Note: First available in 2000			

02/20/08
ACCESS
2006

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 25
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

OSTHEAR	317	2	YES1FMT			HFS4	N Heard of bone mass test before today
				5,429			. Inapplicable
				1			-9 Not ascertained
				53			-8 Don't know
				28			-7 Refused
				6,022			1 Yes
				3,199			2 No

Notes: Applies only if OSTTEST is not equal to 1
First available in 2000

OSTRECNT	319	2	RECFMT			HFS5	N Most recent time had bone mass test
				9,303			. Inapplicable
				113			-8 Don't Know
				1,613			1 Less than 1 year ago
				1,626			2 Between 1-2 years ago
				923			3 Between 2-3 years ago
				591			4 Between 3-5 years ago
				563			5 5 or more years ago

Notes: Applies only if OSTTEST = 1
First available in 2000

OSTMASS	321	2	YES1FMT			HFS6	N Know Medicare pays for bone mass test
				3,281			. Inapplicable
				84			-8 Don't know
				5,070			1 Yes
				6,297			2 No

Notes: Applies only if OSTTEST = 1 or OSTHEAR = 1
First available in 2000