

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through email at ORDI_508_Compliance@cms.hhs.gov.

Medicare Current Beneficiary Survey

Section Specifications for OPQ R55 2009

OUTPATIENT HOSPITAL UTILIZATION AND EVENTS

Created on 10/1/2010 3:30:47 PM

OP1

Yes/No

QUESTION TEXT

[Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], [have you gone/has (SP) gone/did (SP) go] to the outpatient department or the outpatient clinic at any hospital for medical care?

FIELD 1: OP7

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP2 - PROVIDER_OP
2	NO	BOX OP7
3	INDICATED YES BY DATAPREP	DO NOT DISPLAY. DATA EDITING ONLY.
	Don't Know	BOX OP7
	Refused	BOX OP7

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
HRND.OP7	1

OP2

Roster

QUESTION TEXT

Where did [you/(SP)] go (to which hospital)?

SELECT OR ADD ONLY ONE HOSPITAL.

FIELD 1: PROVIDER OP

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX OP1

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PROV.PROVNAME	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all Providers except for Providers where PROV.PROVNUM=01 and 02, which are reserved for PM and OM events.

Display in order of entry.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Provider Name	Display PROV.PROVNAME.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PROV:

PROV key = PROV.PROVBASE + PROV.PROVNUM

PROV.PROVNUM = Number of Provider selected at OP2.

If Provider added at Provider Roster, see PROVIDER ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Provider Roster Pop-Up Window:

PROV.PROVNUM Provider number
PROV.PROVRNDC Round number
PROV.PROVNAME Provider name

If Provider added, set provider type as instructed below:

Variable Name	Assignment Instructions
PROVTYPE	PROV.PROVTYPE = 4/OutpatientHospital.

DESIGN NOTES

Begin Loop 1: Probe for one provider, collect all event dates for this provider.

BOX OP1

BOX INSTRUCTIONS

IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH V.A. IS UNKNOWN), GO TO OP3 - VAPLACE.

ELSE GO TO BOX OP1B.

OP3

Yes/No

QUESTION TEXT

Is (HOSPITAL NAME) a Department of Veterans Affairs, or V.A., facility?

FIELD 1: VAPLACE**FIELD 1 ROUTING**

Value	Label	Route
1	YES	BOX OP1B
2	NO	BOX OP1B
	Don't Know	BOX OP1B
	Refused	BOX OP1B

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PROV.VAPLACE	1

BOX OP1B

BOX INSTRUCTIONS

IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH A MANAGED CARE PLAN IS UNKNOWN), GO TO OP3A - HMOASSOC.

ELSE IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (THIS PROVIDER IS NOT ASSOCIATED WITH A MANAGED CARE PLAN), GO TO OP3B - HMOREFER.

ELSE GO TO OP4 - EVENT_OP.

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

If the SP belongs to a managed care plan (HMO), we ask each provider selected/added if the provider is associated with an HMO. This question, which is asked throughout utilization and cost series, is only asked once in the study for each provider. The response is never updated. (this design may change in the future).

If the SP belongs to an HMO, and we have not asked this question for this provider, HMOASSOC=empty, BOX OP1B is routed to OP3A - HMOASSOC. If we have already asked this question about this provider, and the provider responded to HMOASSOC=No, DK or RF, BOX OP1B is routed to OP3B, skipping OP3A, to determine if the SP was referred to this provider by their HMO.

If SP does not belong to an HMO or this provider already reported being associated with the HMO, BOX OP1B routes directly to OP4, collects outpatient stays, skipping OP3A and OP3B.

OP3A

Yes/No

QUESTION TEXT

Is (HOSPITAL NAME) associated with [your/(SP's)] [READ MANAGED CARE PLAN NAME(S) BELOW] plan?

FIELD 1: HMOASSOC

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP4 - EVENT_OP
2	NO	OP3B - HMOREFER
	Don't Know	OP3B - HMOREFER
	Refused	OP3B - HMOREFER

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PROV.HMOASSOC	1

OTHER PROGRAMMING INSTRUCTIONS

REPORT DISPLAY

Display all managed care plans SP was covered by anytime during the current round.

Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".

Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan".

Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

OP3B

Yes/No

QUESTION TEXT

[Were you/Was (SP)] referred to (HOSPITAL NAME) by [READ MANAGED CARE PLAN NAME(S) BELOW]?

FIELD 1: HMOREFER

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP4 - EVENT_OP
2	NO	OP3D - NOGOHMO
	Don't Know	OP4 - EVENT_OP
	Refused	OP4 - EVENT_OP

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.HMOREFER	1

OTHER PROGRAMMING INSTRUCTIONS

REPORT DISPLAY

Display all managed care plans SP was covered by anytime during the current round.

Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".

Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan".

Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

BACKGROUND VARIABLE ASSIGNMENTS

OP3B - HMOREFER is an EVENT level detail. The response to OP3B - HMOREFER needs to be copied to EVNT.HMOREFER for each OP Event added at OP4.

OP3D

Code 1

QUESTION TEXT

What is the most important reason [you/(SP)] did not go to a hospital outpatient department associated with [READ MANAGED CARE PLAN NAME(S) BELOW] or a hospital outpatient department that [READ MANAGED CARE PLAN NAME(S) BELOW] would refer [you/(SP)] to?

SCROLL DOWN TO SEE RESPONSE CATEGORIES.

FIELD 1: NOGOHMO

FIELD 1 ROUTING

Value	Label	Route
1	PLAN DOES NOT COVER THE SERVICE SP WANTED	OP4 - EVENT_OP
2	DIFFICULTY OR DELAY IN GETTING SERVICES	OP4 - EVENT_OP
3	SP PROVIDER PREFERENCE	OP4 - EVENT_OP
4	THIS SERVICE WAS COVERED BY OTHER INSURANCE SP HAS	OP4 - EVENT_OP
5	NOT IN A MANAGED CARE PLAN AT TIME OF EVENT	OP4 - EVENT_OP
6	NO CHOICE - MEDICAL EMERGENCY OR OUT OF SERVICE AREA	OP4 - EVENT_OP
91	OTHER	OP3D - NOGOHMOS
	Don't Know	OP4 - EVENT_OP
	Refused	OP4 - EVENT_OP

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.NOGOHMO	1

FIELD 2: NOGOHMOS

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	OP4 - EVENT_OP

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.NOGOHHMO	1

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".

Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

BACKGROUND VARIABLE ASSIGNMENTS

OP3D - NOGOHHMO and NOGOHHMOS are EVENT level details. The response to OP3D - NOGOHHMO and NOGOHHMOS needs to be copied to EVNT.NOGOHHMO and EVNT.NOGOHHMOS for each OP Event added at OP4.

OP4

Roster

QUESTION TEXT

When did [you/(SP)] go to an outpatient department at (HOSPITAL NAME)? Please tell me all the dates [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)].

ENTER ALL DATES.

FIELD 1: EVENT_OP

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	OP4_IN - NAVIGATOR

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.EVBEGMM	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all Outpatient Hospital Events for this provider that have been added in the current round where:

EVNT.EVNTDFLG ^= 1/Yes, and
 EVNT.EVNTRNDC = current round, and
 EVNT.EVNTTYPE = 'OP', and
 EVNT.EVNTPROV=PROV.PROVNUM for the provider selected at OP2.

Display all loaded events as protected rows.
 Display in order of entry.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Event Date	Display EVENT DATE in "Mon DD YYYY" format.
2	Repeat Visit	If VISTTYPE=2/RepeatVisit, display "RV". Else do not display.
3	Times Per Month	If VISTTYPE=2/RepeatVisit, display EVNT.RVTIMES. Else do not display.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of event selected at OP4.

For Event(s) added, see EVENT ROSTER BEGIN DATE RV POP-UP specifications for pop-up window programming instructions.

Variables populated in Event Roster Begin Date RV:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round
EVNT.EVBEGMM	Visit Month
EVNT.EVBEGDD	Visit Day
EVNT.EVBEGYY	Visit Year
EVNT.VISTTYPE	Type of Visit
EVNT.RVTIMES	# of visits for Repeat Visit
BASE.LASTEVT	Highest EVNT.EVNTNUM

For each event added at OP4, set Event type, Statement Event type, Event provider number, and Event details collected at OP3B and OP3D. See detailed instructions below.

Variable Name	Assignment Instructions
EVNTTYPE	EVNT.EVNTTYPE = 'OP'.
STEVTTYPE	EVNT.STEVTTYPE = 6/OP.

Variable Name	Assignment Instructions
EVNTPROV	EVNT.EVNTPROV=PROV.PROVNUM of hospital selected at OP2.
HMOREFER	EVNT.HMOREFER = Response to OP3B - HMOREFER.
NOGOHMO	EVNT.NOGOHMO = Response to OP3D - NOGOHMO.
NOGOHMOS	EVNT.NOGOHMOS = Response to OP3D - NOGOHMOS.

DESIGN NOTES

Begin Loop 2: Collect all event dates for this provider, loop through details for each event added at OP4.

OP allows you to select a provider more than once at OP2. If this provider has already been selected and visits added at OP4 in an earlier loop, the visits will be displayed at OP4 as protected rows.

OP4_IN

Instance Navigator

FIELD 1: NAVIGATOR**FIELD 1 ROUTING**

Value	Label	Route
1	ITEM SELECTED IN INSTANCE NAVIGATOR	OP5 - ANYOPERS
2	CONTINUE INTERVIEW SELECTED	OP15 - OPMORE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
N/A	1

OP5

Yes/No

QUESTION TEXT

Were any operations or other surgical procedures performed on [you/(SP)] during (any of the/the) [VISIT ON EVENT DATE]?

[Operations include surgery and other surgical procedures like setting bones, stitching or removing growths, or any cutting of the skin.]

FIELD 1: ANYOPERS

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP9 - CONDITION_OP
2	NO	OP8 - SPECCOND
	Don't Know	OP8 - SPECCOND
	Refused	OP8 - SPECCOND

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.ANYOPERS	1

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

OP5 is called by BOX ST22A or BOX NS22A when an Outpatient Hospital visit has been added. OP collects the event details and returns to the ST or NS at BOX OP2A.

OP8

Yes/No

QUESTION TEXT

(Was this visit/Were any of these visits) to the outpatient department for any specific condition?

FIELD 1: SPECCOND

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP9 - CONDITION_OP
2	NO	BOX OP2A
	Don't Know	BOX OP2A
	Refused	BOX OP2A

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.SPECCOND	1

OP9

Roster

QUESTION TEXT

(What condition required the surgery/What was the condition)?

SELECT OR ADD ALL CONDITIONS.

FIELD 1: CONDITION OP

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX OP2A

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all Conditions.

Display in alphabetical order.

BACKGROUND VARIABLE ASSIGNMENTS

Conditions will be collected on COND:

COND key = COND.CONDBASE + COND.CONDNUM

COND.CONDNUM = Number of condition selected at OP9.

If adding a new condition, see CONDITION ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Condition Roster:

COND.CONDNUM

COND.CONDRNDC

COND.CONDTION

All Conditions selected at OP9 should be linked to the Outpatient Department visit being asked about. Link Conditions to OP visit on XCON.

XCON key = XCON.XCONBASE + XCON.XCONEVNT + XCON.XCONBAS2 + XCON.XCONCOND.

For each condition selected at OP9, create an XCON where XCONEVNT= EVNT.EVNTNUM of Outpatient Department visit and XCONCOND = COND.CONDNUM of Condition. XCONBASE and XCONBAS2 both equal the Cheshire BASE.BASEID. Set additional XCON variables as specified below.

Variable Name	Assignment Instructions
XCONEVNT	XCON.XCONEVNT = EVNT.EVNTNUM of Outpatient Department visit being asked about.
XCONCOND	XCON.XCONCOND = COND.CONDNUM of condition selected at OP9.
XCONRNDC	XCON.XCONRNDC = current round.

BOX OP2A

BOX INSTRUCTIONS

IF CURRENTLY ADMINISTERING ST, GO TO BOX ST23B.

ELSE IF CURRENTLY ADMINISTERING NS, GO TO BOX NS23A.

ELSE GO TO OP10 - PRESMDCN.

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

If administering ST or NS, return to BOX ST23A or BOX NS23A.

OP10

Yes/No

QUESTION TEXT

During (this visit/any of these visits) to the outpatient department, were any medicines prescribed for [you/(SP)]?

FIELD 1: PRESMDCN**FIELD 1 ROUTING**

Value	Label	Route
1	YES	OP11 - PRESFILL
2	NO	BOX OP3
	Don't Know	BOX OP3
	Refused	BOX OP3

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.PRESMDCN	1

OP11

Yes/No

QUESTION TEXT

Were any of the prescriptions filled?

FIELD 1: PRESFILL**FIELD 1 ROUTING**

Value	Label	Route
1	YES	BOX OP2B
2	NO	BOX OP3
	Don't Know	BOX OP3
	Refused	BOX OP3

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
EVNT.PRESFILL	1

BOX OP2B

BOX INSTRUCTIONS

IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO OP11A - OPPMMEDS.

ELSE GO TO OP12 - MEDICINE_OP.

OP11A

No Entry

QUESTION TEXT

It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

FIELD 1: OPPMMEDS

FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	OP12 - MEDICINE_OP
	Empty	OP12 - MEDICINE_OP

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at OP11A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If OP11A - OPPMMEDS is asked, set flag as instructed below:

Variable Name	Assignment Instructions
GETPMMEDS	Set GETPMMEDS = 1/Yes.

OP12

Roster

QUESTION TEXT

Please tell me the names of these medicines.

ENTER ALL MEDICINES.

CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.

INCLUDE STRENGTH WITH NAME.

FIELD 1: MEDICINE_OP

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX OP3

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and

EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.

Column #	Header	Instructions
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected at OP12.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected at OP12, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

Create PMRO where PMRO.PMROEVNT = EVNT.EVNTNUM for prescription medicine selected and PMRO.PMRORND = current round. Set additional PMRO variable as instructed below.

All prescription medicines selected at OP12 should be linked to the Outpatient Department visit being asked about. Prescription medicine events are linked to other events on XMED.

XMED key = XMED.XMEDBASE + XMED.XMEDEVNT + XMED.XMEDBAS2 + XMED.XMEDEVNT2.

For each medicine selected at OP12, create an XMED where XMEDEVNT = EVNT.EVNTNUM

of Outpatient Department visit being asked about and XMEDEVT2 = EVNT.EVNTNUM of Prescription Medicine selected at OP12. XMEDBASE and XMEDBAS2 both equal the Cheshire BASE.BASEID. Set additional XMED variables as specified below.

Set the following PMRO and XMED variables for each prescription medicine selected at OP12:

Variable Name	Assignment Instructions
PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected at OP12.
PMRORND	PMRO.PMRORND = current round.
PMROTYPE	PMRO.PMROTYPE = PM.
XMEDEVNT	XMED.XMEDEVNT = EVNT.EVNTNUM of Outpatient Department visit being asked about.
XMEDEVT2	XMED.XMEDEVT2 = EVNT.EVNTNUM of prescription medicine selected at OP12.
XMEDRNDC	XMED.XMEDRNDC = current round.

BOX OP3

BOX INSTRUCTIONS

GO TO OP4_IN - NAVIGATOR.

OP15

Yes/No

QUESTION TEXT

[Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to the outpatient department at this or any other hospital for services?

FIELD 1: OPMORE

FIELD 1 ROUTING

Value	Label	Route
1	YES	OP2 - PROVIDER_OP
2	NO	BOX OP6
	Don't Know	BOX OP6
	Refused	BOX OP6

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

End loop 1: OP15 - OPMORE probes for additional Outpatient Department visits. OP visits can be for a new provider or a provider already selected and asked about. If OPMORE=1/Yes, go to OP2 to select the next provider.

BOX OP6

BOX INSTRUCTIONS

IF FALL ROUND AND ((SP REPORTED AN OUTPATIENT DEPARTMENT VISIT AT OP4)
AND (SP IS ALIVE AND NOT INSTITUTIONALIZED)), GO TO AC9 - OPDREAS.

ELSE GO TO BOX OP7.

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

Call AC9 if OP event reported.

AC returns at BOX OP7.

BOX OP7

BOX INSTRUCTIONS

GO TO NEXT SECTION