Medicare Current Beneficiary Survey

Section Specifications for END

END OF INTERVIEW

ROUND 70

Created on 4/29/2015

END1   Code 1

QUESTION TEXT

WAS THIS INTERVIEW CONDUCTED MOSTLY IN ENGLISH OR SPANISH?

FIELD 1: INTLANG

FIELD 1 ROUTING

Value	Label	Route
2	ENGLISH	END2 - SAVECASE
3	SPANISH	END2 - SAVECASE
91	OTHER	DO NOT DISPLAY.

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
MRES.INTLANG	1

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

DISABLE BREAKOFF

END2 No Entry

QUESTION TEXT

(Someone from the home office may be calling to verify that I was here to conduct this interview.)

THIS CASE IS CODED (CASE RESULT CODE) (CASE DISPOSITION) (CASE EXPLAINATION).

PRESS ENTER TO COMPLETE THE INTERVIEW.

FIELD 1: SAVECASE
FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX END
	Empty	BOX END

OTHER PROGRAMMING INSTRUCTIONS
BACKGROUND VARIABLE ASSIGNMENTS

Code frame for case disposition with instrument:

NotWorked   00   Not Worked
Breakoff   10   Breakoff
InstitutedNow   12   SP Institutionalized
InstitutedPrior 14   SP Instituted Prior
Complete   40   Complete
DeceasedPrior   44   SP Deceased Prior
DeceasedNow   50   SP Deceased Now
InstituteAfter 60   SP Instututed After

Setting Admin.CaseDisp and sCaseExpln:
IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType = SupSmp1sttimeUtilSkipped)
AND Admin.SPLiving = No AND tDeadInstDate < tStartYearDate THEN
    Admin.CaseDisp := DeceasedPrior /* 44 */
    sCaseExpln := 'BECAUSE THE SP DIED {' + sDecsInstDate + '} PRIOR TO ' + sStartYearDate

ELSE IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType =

SupSmp1sttimeUtilSkipped)   AND
Admin.SPInstitute = Yes AND tDeadInstDate < tStartYearDate THEN
    Admin.CaseDisp := InstitutedPrior   /* 14 */
    sCaseExpln := 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + '}
PRIOR TO ' + sStartYearDate

ELSE IF Preload.IntType = NewFromSupplement AND (SPIsInstitute in Intro.INMres.Whyproxy)
THEN
    Admin.CaseDisp := InstitutedPrior /* 14 */
    sCaseExpln := 'BECAUSE THE SP IS INSTITUTIONALIZED'

ELSE IF Preload.IntType = NewFromSupplement AND
(SPIsDeceased in Intro.INMRes.Whyproxy) THEN
    Admin.CaseDisp := DeceasedPrior /* 44 */
    sCaseExpln := 'BECAUSE THE SP IS DECEASED'

ELSE IF (Preload.CurrentRound + 2 = Base.ExitRnd OR Preload.CurrentRound +1 =
Base.ExitRnd) AND Admin.SPInstitute = Yes AND tDeadInstDate > tStartYearDate THEN
    Admin.CaseDisp = InstituteAfter /* 60 */
    sCaseExpln = 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate +} +
                        AFTER ' + sStartYearDate

ELSE IF Admin.SPInstitute = Yes THEN
    Admin.CaseDisp := InstitutedNow /* 12 */
    sCaseExpln := 'BECAUSE THE SP WAS INSITITUTIONALIZED {' + sDescInstDate + '}'

ELSE IF Admin.SPLiving = No THEN
    Admin.CaseDisp := DeceasedNow /* 50 */
    sCaseExpln := 'BECAUSE THE SP DIED {' + sDecsInstDate + '}'

ELSE
    Admin.CaseDisp := Complete
    sCaseExpln := ''
END IF

Admin.DeceasInstDate:
Populated from branching to INS2 (institutionalized date) or INS3 (deceased date).

    SPLiving and SPInstitute:
Derive from INS1 (SPAIStatus).

Setting MResRslt, BFOSDisp and sCaseDisp:
IF Admin.CaseDisp = NotWorked THEN
    MResRslt := '00'

```
        BFOSDisp:= '00'
        sCaseDisp := 'NOT WORKED'


ELSE IF Admin.CaseDisp = InstitutedNow THEN
        MResRslt := '40'
        BFOSDisp:= '12'
        sCaseDisp := 'INSTITUTIONALIZED'


ELSE IF Admin.CaseDisp = InstitutedPrior THEN
        MResRslt := '14'
        BFOSDisp:= '14'
        sCaseDisp := 'INSTITUTIONALIZED PRIOR'


ELSE IF Admin.CaseDisp = Complete THEN
        MResRslt := '40'
        BFOSDisp:= '40'
        sCaseDisp := 'COMPLETE'


ELSE IF Admin.CaseDisp = DeceasedPrior THEN
        MResRslt := '44'
        BFOSDisp:= '44'
        sCaseDisp := 'DECEASED PRIOR'


ELSE IF Admin.CaseDisp = DeceaesdNow THEN
        MResRslt := '50'
        BFOSDisp:= '50'
        sCaseDisp := 'DECEASED'


ELSE If Admin.CaseDisp = InstituteAfter THEN
        MResRslt := '40'
        BFOSDisp:= '60'
        sCaseDisp := 'INSTITUTIONALIZED'

ELSE
        MResRslt := '10' /* everything else assumed Breakoff -- in progress */
        BFOSDisp:= '10'
        sCaseDisp := 'BREAKOFF'
END IF
```

Variable Name	Assignment Instructions
BFOSDisp	Set MRES.BFOSDisp = Admin.CaseDisp as specified above in the Background Assignment specifications.

Variable Name	Assignment Instructions
MRESRSLT	Set MRES.MRESRSLT = Admin.CaseDisp as specified above in the Background Assignment specifications.
MRESEDAT	Set MRES.MRESEDAT = today's date in YYMMDD format.
MENDDATE	If Admin.CaseDisp = Complete then MRES.MendDate = MRES.MResEdat. Else if (Admin.CaseDisp = InstitutedNow or DeceasedNow or InstituteAfter) then MRES.MendDate = tDeadInstDate in YYMMDD format.

DESIGN NOTES

DISABLE BREAKOFF.

BOX END

BOX INSTRUCTIONS

CASE IS COMPLETE. RETURN TO CM-FIELD.