



Prescription Drug Diversion



**Use of Legal Drugs
for Illegal Purposes**

Module 1

Perspective

Drug-Related Emergency Department (ED) Visits, by Type of Visit: 2010		
Type of Visit	Number of ED Visits	Percent
Total Drug-Related ED Visits	4,916,328	100.0%
Drug Misuse or Abuse	2,301,050	46.8%
Pharmaceuticals	1,345,645	27.4%
Illicit Drugs	1,171,024	23.8%
Alcohol	687,574	14.0%

Centers for Medicare & Medicaid Services 2

Objectives

At the conclusion of this presentation, you will be able to:

- Differentiate between the various methods of drug diversion
- Recognize the signs and symptoms of drug abuse

Centers for Medicare & Medicaid Services 3

Fraud and Abuse

Fraud

- Intentional deception or misrepresentation

Abuse

- Practices that are inconsistent with sound fiscal, business, or medical practices
- Beneficiary practices that result in unnecessary cost to the Medicaid program

Centers for Medicare & Medicaid Services 4

Common Types of Health Care Fraud and Abuse

- Inappropriate billing
 - Services not rendered
 - Upcoding
 - Duplicate claims
 - Non-covered services
 - Quantity discrepancies
- Submitting false claims
- Card sharing by beneficiaries
- Accepting or giving kickbacks
- Diverting prescription drugs



Centers for Medicare & Medicaid Services 5

What Is Drug Diversion?

Deflection of prescription drugs from medical sources into the illegal market.

May occur at any point in the distribution process:

- Manufacturers
- Wholesale distributors
- Doctors
- Pharmacists
- Nurses
- Other health care personnel
- Ancillary staff
- Burglars
- Patients
- Others

Centers for Medicare & Medicaid Services 6

Drug Abuse in the Media

- Pill mills
 - Prescriber identity theft
 - Celebrity involvement
- Health, social, legal, and financial consequences



Centers for Medicare & Medicaid Services

7

Consequences of Prescription Drug Diversion and Abuse

Health consequences

- Medical problems
 - 1.3 million emergency department (ED) visits
- Disability
- Death

Social consequences



Centers for Medicare & Medicaid Services

8

Consequences of Prescription Drug Diversion and Abuse

Legal consequences

- Criminal record
- Employment

Financial consequences

- Individual
- Employer
- Taxpayer



Centers for Medicare & Medicaid Services

9

Fraud and Abuse

Q: Inappropriate billing may include all of the following except:

- Services not rendered
- Quantity discrepancies
- Properly coded diagnoses
- Duplicate claims

A:

Centers for Medicare & Medicaid Services 10

Methods of Drug Diversion

- Doctor shopping
- Theft
- Forgery
- Illicit prescribing
- Illegal sales
- Counterfeiting



Centers for Medicare & Medicaid Services 11

Methods of Drug Diversion

Doctor shopping

- Seek services from multiple health care professionals to obtain a prescription

Theft

- Commit robbery
- Steal
- Report on Form-106
<https://www.deadiversion.usdoj.gov/webforms/dtlLogin.jsp>

Forgery

- Write a new prescription
- Alter an existing prescription
- Pose as a provider and call in a prescription

Centers for Medicare & Medicaid Services 12

Methods of Drug Diversion

Illicit prescribing

Illegal sales

- Drug dealers
- Friends or relatives
- Illegal Internet pharmacies

Counterfeiting



Centers for Medicare & Medicaid Services

13

Why Are Prescription Drugs Diverted or Abused?

- For dependence and addiction
- To self-medicate
- To alleviate withdrawal symptoms
- For monetary gain



Centers for Medicare & Medicaid Services

14

Reasons for Abuse or Diversion

Dependence: Occurs because of normal adaptations to chronic exposure to a drug, which leads to tolerance and the potential for withdrawal when the drug is abruptly discontinued or the dosage is reduced

Addiction: Compulsive drug use despite harmful consequences—characterized by an inability to stop using a drug, and failure to meet work, social, or family obligations; usually includes dependence (tolerance and withdrawal)

- Legitimate use
- Recreation

Centers for Medicare & Medicaid Services

15

Reasons for Abuse or Diversion

Self-medicating: Administering medication to treat one's own ailments without the knowledge, direction or supervision of a medical professional.

Examples include:

- Increasing the dosage
- Treating an undiagnosed problem
- Feigning nonexistent disorders
- Underlying mental issues



Centers for Medicare & Medicaid Services

16

Reasons for Abuse or Diversion

Alleviation of withdrawal symptoms.

Withdrawal symptoms occur with:

- Abrupt discontinuation
- Rapid dose reduction



Centers for Medicare & Medicaid Services

17

Reasons for Abuse or Diversion

Monetary gain

- Pill mills
- Black market



Centers for Medicare & Medicaid Services

18

What Prescription Drugs Are Being Diverted?



Centers for Medicare & Medicaid Services

19

Prescription Drugs of Abuse

Opioids

- Relieve pain and dull the senses
- Increase dopamine levels in the brain
- Are administered by unintended routes



Centers for Medicare & Medicaid Services

20

Prescription Drugs of Abuse

CNS depressants

- Enhance gamma-aminobutyric acid (GABA) activity
- Produce a calming effect
- Are used in combination with other drugs or alcohol



Centers for Medicare & Medicaid Services

21

Prescription Drugs of Abuse

Stimulants

- Enhance the effect of norepinephrine and dopamine
- Produce euphoria
- Used for cognitive improvement



Centers for Medicare & Medicaid Services 22

Prescription Drugs of Abuse

Anabolic steroids

- Improve athletic performance
- Increase the risk of infection



Centers for Medicare & Medicaid Services 23

Over-the-Counter Drugs of Abuse

Dextromethorphan (DXM)

- Easily obtained
- Causes euphoria and dissociative experiences



Centers for Medicare & Medicaid Services 24

Addiction or Dependence?

Read the following phrases. Decide if the phrase is an indication of dependence or addiction.

- Compulsive drug use despite harmful consequences
 - Addiction
- Normal adaptation to chronic exposure to a drug
 - Dependence
- Failure to meet work, family, or social obligations
 - Addiction

Centers for Medicare & Medicaid Services

25

Persons Responsible for Diverting Prescription Drugs

- Individuals
- Health care professionals
- Manufacturers and wholesale distributors
- Illegal Internet pharmacies



Centers for Medicare & Medicaid Services

26

Persons Responsible for Diverting Prescription Drugs

Individuals

- Doctor shopping
- Theft
- Forgery
- Illegal sales



Centers for Medicare & Medicaid Services

27

Persons Responsible for Diverting Prescription Drugs

Health care professionals

- Theft
- Forgery
- Illicit prescribing
- Illegal sales
- Counterfeiting



Centers for Medicare & Medicaid Services 28

Persons Responsible for Diverting Prescription Drugs

Manufacturers and wholesale distributors

- Illegal sales
- Counterfeiting



Centers for Medicare & Medicaid Services 29

Persons Responsible for Diverting Prescription Drugs

Illegal Internet pharmacies

- BeSafeRx campaign
<http://www.fda.gov/besaferrx>
- DEA Office of Diversion Control
<https://www.deadiversion.usdoj.gov/webforms/isp/umpire/umpireForm.jsp>



Centers for Medicare & Medicaid Services 30

Drug Diversion Methods

Review the following case study. Decide if this is an example of forgery, doctor shopping, illicit prescribing, illegal purchasing, counterfeiting, or theft.



A male patient at a rehabilitation facility has progressed quite well over the last month, but has started to complain of severe pain with physical therapy (PT) in the last week. The patient's chart states he has an order for oxycodone 10 mg 30 minutes prior to PT. The medication administration record (MAR) shows he has been receiving the medication. Upon review, you notice that the dates of the PT notes when the patient has complained of severe pain are the same days a new nurse has been administering the medication. When you examine the patient, he asks why he is not getting the pain medicine anymore before PT.

Centers for Medicare & Medicaid Services

31

Drug Diversion Methods

Read the following case study. Decide if this is an example of forgery, doctor shopping, illicit prescribing, illegal purchasing, counterfeiting, or theft.



A pharmaceutical sales representative notices a discrepancy between the amount of the cancer drug a local pharmacist bought and the amount he sold. He mentions the matter to a nurse in the office of an oncologist who contracts with the pharmacy for oncology medications. The oncologist has the medication supplied by the pharmacist tested. The results show the prescriptions were diluted.

Centers for Medicare & Medicaid Services

32

Detection of Prescription Drug Diversion and Abuse

- Recognize drug-seeking behavior
- Recognize drug abuse
- Recognize red flags



Centers for Medicare & Medicaid Services

33

Detection
Recognize Drug-Seeking Behavior

<p>“Classic” behaviors</p> <ul style="list-style-type: none"> • Complain of pain • Request specific medications • Request IV administration • Say they ran out of medication • Report medication was stolen 	<p>Other typical behaviors</p> <ul style="list-style-type: none"> • Request early refills • Demand to be seen immediately • Threaten staff • Refuse tests • Volunteer to pay cash
--	--

Centers for Medicare & Medicaid Services 34

Detection
Recognize Drug-Seeking Behavior

Health care professionals

- Volunteering to administer medications
- Forgetting to have waste witnessed
- Over-exaggerating patient symptoms
- Spending excess time by the drug supply
- Requesting prescriptions from co-workers
- Keeping blank prescription pads close
- Prescribing for family members

Centers for Medicare & Medicaid Services 35

Detection
Recognize Drug Abuse

Signs and symptoms of drug abuse

- Behavior
- Appearance

Symptoms of withdrawal

- Neurologic
- Cardiac
- Gastrointestinal



Centers for Medicare & Medicaid Services 36

Detection Recognize "Red Flags"

- Observe behavior and physical appearance on exam
- Review patient records
- Verify information



Centers for Medicare & Medicaid Services

37

Detection

Review the following bullets. Decide if each one is an example of physical signs, drug abuse behavior, or clinical withdrawal symptoms.

- Complaining of pain greater than 10 out of 10 and requesting larger quantities of controlled substances
- Red or glassy eyes and slowed reflexes
- Delirium tremens and hyperhidrosis

Centers for Medicare & Medicaid Services

38

Questions



Centers for Medicare & Medicaid Services

39

Disclaimer

This presentation was current at the time it was published or uploaded onto the web. Medicaid and Medicare policies change frequently so links to the source documents have been provided within the document for your reference.

This presentation was prepared as a service to the public and is not intended to grant rights or impose obligations. This presentation may contain references or links to statutes, regulations, or other policy materials. The information provided is only intended to be a general summary. Use of this material is voluntary. Inclusion of a link does not constitute CMS endorsement of the material. We encourage readers to review the specific statutes, regulations, and other interpretive materials for a full and accurate statement of their contents.

June 2014
