

---

# **Medicare- Medicaid Enrollee State Profile**

---

Virginia - 2008

---

Centers for Medicare &  
Medicaid Services

---

---

## Table of Contents

<b>I. Introduction .....</b>	<b>1</b>
<b>II. Results .....</b>	<b>2</b>
A. Population Overview .....	2
B. Demographic Characteristics .....	3
C. Physical, Mental Health and Disability Related Conditions among Fee-for-Service Enrollees .....	5
<i>Conditions Prevalence</i> .....	5
D. Utilization of Services among Fee-For-Service Enrollees .....	9
E. Medicare and Medicaid Expenditures among Fee-for-Service Enrollees .....	11
1. <i>Medicare Expenditures</i> .....	13
2. <i>Medicaid Expenditures</i> .....	14
<b>III. Acronym List.....</b>	<b>15</b>
<b>Appendix A: Representativeness of Study Population, CY 2008 .....</b>	<b>16</b>
<b>Appendix B: Methodology.....</b>	<b>17</b>
<b>Appendix C: Claim Types Included in Medicare Services.....</b>	<b>23</b>
<b>Appendix D: Claim Types Included in Medicaid Services .....</b>	<b>24</b>
<b>Appendix E: Medicare Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicare Expenditure Analysis, Virginia, CY 2008.....</b>	<b>25</b>
<b>Appendix F: Medicaid Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicaid Expenditure Analysis, Virginia, CY 2008 .....</b>	<b>26</b>

---

## I. Introduction

This report focuses on the State of Virginia and is based on Medicare-Medicaid enrollee data from 2008.

In 2008, more than 60 million people in the U.S. were covered by Medicaid or the Children's Health Insurance Program (CHIP).<sup>1</sup> Medicaid is a state-administered program with shared funding and oversight from the federal government (Title XIX of Social Security Act). Each state must provide the minimum federally mandated services and coverage for federally mandated eligibility groups; however, states may also cover a wide range of optional benefits across different benefit designs and optional eligibility groups that vary from state to state. Depending on each state, these may include coverage for long term services and supports (LTSS), behavioral health, dental services and/or vision services. Many groups of people are covered by Medicaid, depending on the state's requirements (e.g., age; whether pregnant, disabled, blind, or age 65+; income level and resources; U.S. citizenship or lawful immigration status).

Medicare is the primary health insurance program for individuals age 65 and older, people under age 65 with disabilities, and persons of all ages with end-stage renal disease (ESRD).<sup>2</sup> Medicare is comprised of Parts A, B, C, and D types of coverage. Nearly all individuals enrolled in Medicare have Part A coverage, which includes inpatient hospital care, skilled nursing facility stays, home health services, and hospice care. The majority of Medicare enrollees also have Part B fee-for-service (FFS) coverage of physician services, hospital outpatient care, durable medical equipment (DME) and some home health care. Alternatively, those Medicare enrollees who are not enrolled in fee-for-service Parts A and B are typically enrolled in a Medicare Part C managed care plan, called "Medicare Advantage." Lastly, as of 2006, the Medicare Part D program made available federally-sponsored prescription drug coverage to Medicare enrollees, including Medicare-Medicaid enrollees who have transitioned under this program.

At the national level, approximately 9 million qualified for both programs at the same time. These Medicare-Medicaid enrollees (dual eligible) are the core of the study. This report provides basic counts and demographic information on the approximately 173,000 Medicare-Medicaid enrollees in the State of Virginia. In addition, for a smaller FFS sample of Medicare-Medicaid enrollees in Virginia, this report also provides information on physical, mental, and disability-related health condition prevalence rates as well as Medicare and Medicaid services utilization and associated expenditures. The Medicare-Medicaid enrollees include three main segments: Full Benefit (Qualified Medicare Beneficiary-Plus (QMB-Plus), Specified Low-Income Medicare Beneficiaries Plus (SLMB-Plus) and Other Full Benefit), QMB-only and Partial Benefit (Specified Low-Income Medicare Beneficiaries (SLMB-only), Qualified Disabled Working Individuals (QDWI), and Qualifying Individuals (QI)). The study adds a new focus on those under 65 versus 65 and over, to illuminate areas in which their experiences differ, and compares them, respectively, to persons enrolled in Medicare but not Medicaid (i.e., "Medicare-only"), as well as those enrolled in Medicaid, qualifying due to disability, but not Medicare (i.e., "Medicaid-only").

---

<sup>1</sup> <http://www.cwdata.org/web/guest/medicare-tables-reports>

<sup>2</sup> Ibid.

## II. Results

### A. Population Overview

**Table 1** shows the number of Medicare-Medicaid enrollees and the proportion by type of Medicare-Medicaid eligibility, in 2008. Full Benefit enrollees represent the largest segment in Virginia (approximately 70%), a smaller proportion than at the national level (77%). QMB-only enrollees (14%) and Partial Benefit enrollees (16%) make up a significantly higher proportion of the total Medicare-Medicaid enrollees in Virginia than at the national level (11% and 12% respectively).

**Table 1: Overview of Medicare-Medicaid Eligibility Type in Virginia as Compared to the Nation as a Whole: Number and Relative Distribution of Medicare-Medicaid Enrollees, CY 2008**

	State of Virginia		National	
	Number of Enrollees (In State)	Relative Distribution of Medicare-Medicaid enrollee types	Number of Enrollees (National)	Relative Distribution of Medicare-Medicaid enrollee types
Full Benefit Medicare-Medicaid Enrollee	120,847	69.9%	6,984,789	76.8%
QMB-only Medicare-Medicaid Enrollee	24,737	14.2%	984,558	10.8%
Partial Benefit Medicare-Medicaid Enrollee	27,255	15.9%	1,126,647	12.4%
<b>TOTAL Medicare-Medicaid Dual Enrollees</b>	<b>172,839</b>	<b>100%</b>	<b>9,095,994</b>	<b>100%</b>

Source: CY 2008 MMLEADS data


Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

The focus of the analysis is within the different segments of the Medicare-Medicaid enrollee population. As mentioned, the study also provides, when appropriate, comparisons of the Medicare-Medicaid enrollees to Medicaid-only enrollees with disabilities and the Medicare-only enrollees.

## B. Demographic Characteristics

Age and race characteristics were examined within the study cohorts. An analysis of age patterns shows that Medicare-Medicaid enrollees are predominantly in the 40-64 and 65-84 age groups (73% to 89% of the cohorts' populations). We also find that the Full Benefit group has over 11% of the population in the under 40 segment. As expected, the majority of Medicare-only enrollees are 65 and over, while Medicaid-only enrollees with disabilities are nearly all under 65 (almost 99%). **Figure 1** shows the age distribution by the study groups.

**Figure 1: Age Distribution by Medicare-Medicaid Eligibility Type in Virginia, CY 2008**




Source: CY 2008 MMLEADS data

Note: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMB-only is presented separately from "Partial Benefit," with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

An analysis of ethnicity and race shows that White beneficiaries comprise the largest Medicare-Medicaid enrollee group (between 54% and 66%) followed by African American beneficiaries (Figure 2). Across all Medicare-Medicaid dually enrolled groups, African American beneficiaries represent a larger percentage (over 30%) when compared to the Medicare-only population where they represent just over 14%. Among Medicaid-only with disability enrollees, African American beneficiaries make up 45%.

Figure 2: Ethnicity/Race Distribution by Medicare-Medicaid Eligibility Type in Virginia, CY 2008



Source: CY 2008 MMLEADS data

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all other types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

---

## C. Physical, Mental Health and Disability Related Conditions among Fee-for-Service Enrollees

This section analyzes enrollees in each cohort along a number of selected chronic conditions.

For analyses in all subsequent sections, in order to ensure complete claims data, the study only includes individuals enrolled in Medicare FFS and/or Medicaid FFS during the entire calendar year. Readers should also note that the Medicaid-only enrollees with disability (under 65) cohort in this state includes only 14% of the cohort's population (see **Appendix A**). This is important because this FFS study population may differ from the managed care population in important ways, such as health status and institutional status. Therefore, because the study sample may not be a true representation of all FFS and managed care enrollees in the state, this report provides information for this low-FFS subgroup in the tables and figures but refrains from providing conclusions in the text. See **Appendix A** for an analysis of representativeness of the study population.

### *Conditions Prevalence:*

This section presents the prevalence of certain conditions for FFS enrollees across each Medicare-Medicaid enrollee eligibility/age subgroup.

To determine the health status of the study population, we utilized the Chronic Conditions Data Warehouse (CCW) which includes a series of algorithms that generate indicators for select physical, mental and disability related conditions. **Appendix B** details the wider set of conditions that were examined individually to determine prevalence in the study population as well as a smaller subset that were utilized in analysis of condition counts.


We analyzed the physical, mental and disability related conditions among the different cohorts to identify prevailing conditions as well as differences between the groups. We also looked at both the number of enrollees with specific conditions and the number of comorbidities.

As shown in **Figure 3**, our analysis indicates that a significant percentage of Medicare-Medicaid enrollees present with at least one condition with figures ranging from 69% for Partial Benefits 65 and over to 90% for Full Benefit 65 and over. This is higher than the Medicare-only 65 and over population in which 67% of individuals have at least one condition.

Among Medicare-Medicaid enrollees that are under 65, Full Benefit enrollees have higher rates of co-morbidities with three or more conditions (39%) compared to QMB-only enrollees (33%) and Partial Benefit enrollees (26%). Full Benefit enrollees under age 65 also have much higher rates of five or more conditions (close to 13%) than do other Medicare-Medicaid enrollee in the under 65 cohorts (ranging from 6% to 8%).

Those who are Full Benefit enrollees 65 and over have a different pattern than the other cohorts with much higher rates, with over 24% presenting with five or more conditions and 57% with three or more conditions. Full Benefit beneficiaries have rates of five or more conditions that are 2.7 to 3.3 times higher than the rates for the QMB-only enrollees (9%) and Partial Benefit enrollees (7%), and close to five times higher rates than Medicare-only enrollees (5%). When considering three or more conditions, Full Benefit enrollees 65 and over have rates approximately 1.6 to 2 times higher than the other Medicare-Medicaid enrollees 65 and over and 2.4 times those of the Medicare-only beneficiaries (24%).

**Figure 3: Number of Physical and Mental Health Conditions among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Virginia, CY 2008**



**Source:** CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

**Note:** While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

**Note:** No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort’s population.

**Table 2** shows prevalence rates for a wider set of physical, mental health, and disability related conditions among enrollees by eligibility type. In general, we find higher prevalence rates for mental health conditions (except Alzheimer’s) among beneficiaries under age 65 and higher prevalence of Alzheimer’s and physical health conditions among those age 65 and older.

Overall, hypertension is the most prevalent condition across cohorts, with important differences between the under 65 and 65 and older groups. This condition has significantly higher prevalence among Full Benefit enrollees 65 and older (nearly 73%) than any other age/enrollee cohort, though over 55% of individuals in every segment 65 and over has a hypertension diagnosis. Beyond hypertension, there are a number of conditions that affect at least 25% of individuals in a given segment. These include diabetes and hyperlipidemia (across all age/enrollee segments) as well as ischemic heart disease and rheumatoid osteo-arthritis (in almost all 65 and older cohorts). Several other conditions are particularly prevalent in the Full Benefit 65 and older cohort, including Alzheimer’s and related disorders, anemia, chronic kidney disease, chronic obstructive pulmonary disease, depression, and heart failure among others.

**Table 2: Rate of Physical and Mental Health Conditions, and Conditions Related to Intellectual, Development and Physical Disabilities among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Virginia, CY 2008**

Condition	Full Benefit (<65)	QMB-only (<65)	Partial Benefit (<65)	Medicaid -only (<65)	Full Benefit (65+)	QMB-only (65+)	Partial Benefit (65+)	Medicare-only (65+)
Acquired hypothyroidism	7.0%	6.4%	4.8%	3.2%	11.2%	8.0%	6.4%	7.4%
Acute myocardial infarction	0.6%	0.7%	0.7%	0.2%	1.8%	1.5%	1.2%	1.0%
Alzheimer’s disease and Alzheimer’s related disorders	5.8%	1.8%	1.7%	3.5%	37.7%	7.9%	8.3%	10.0%
Anemia	21.5%	18.2%	16.2%	11.2%	38.0%	24.8%	21.0%	20.2%
Anxiety	21.0%	21.4%	16.1%	9.3%	12.2%	9.6%	7.4%	5.3%
Asthma	12.0%	11.3%	7.0%	4.8%	7.4%	7.6%	4.8%	3.8%
Atrial fibrillation	1.5%	1.7%	1.8%	0.8%	9.4%	6.9%	6.7%	8.7%
Attention deficit hyperactivity disorder (ADHD)	3.6%	1.4%	1.1%	10.8%	0.6%	0.0%	0.1%	0.1%
Autism	1.5%	0.2%	0.1%	8.8%	0.0%	0.0%	0.0%	0.0%
Benign prostatic hyperplasia	1.2%	1.5%	1.3%	0.4%	4.2%	3.2%	3.0%	5.9%
Bipolar disorder	14.8%	13.6%	10.1%	10.5%	2.7%	1.2%	1.0%	0.7%
Brain injury	1.1%	0.6%	0.4%	1.0%	0.6%	0.2%	0.2%	0.3%
Breast cancer (Female)	0.4%	0.6%	0.7%	5.0%	0.7%	1.2%	1.3%	2.8%
Breast cancer (Male)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cataract	5.0%	4.7%	4.0%	2.3%	14.7%	16.8%	13.4%	24.8%
Cerebral palsy	3.4%	0.6%	0.4%	13.2%	0.3%	0.0%	0.1%	0.0%
Chronic kidney disease	13.0%	12.2%	11.2%	6.1%	24.8%	17.1%	14.5%	11.7%
Chronic obstructive pulmonary disease (COPD)	14.5%	16.1%	11.7%	5.0%	21.9%	19.9%	14.9%	9.6%
Colorectal cancer (Female)	0.1%	0.2%	0.2%	0.3%	0.3%	0.4%	0.5%	0.7%
Colorectal cancer (Male)	0.1%	0.2%	0.2%	0.3%	0.4%	0.4%	0.5%	0.8%

Condition	Full Benefit (<65)	QMB-only (<65)	Partial Benefit (<65)	Medicaid -only (<65)	Full Benefit (65+)	QMB-only (65+)	Partial Benefit (65+)	Medicare-only (65+)
Cystic fibrosis	0.7%	0.5%	0.4%	0.6%	0.5%	0.4%	0.3%	0.3%
Deafness or hearing impairment	2.1%	1.8%	1.3%	1.9%	3.3%	3.0%	2.0%	3.5%
Depression	29.7%	29.6%	26.1%	8.8%	20.6%	10.2%	10.2%	9.1%
Diabetes	27.6%	30.0%	28.5%	11.8%	41.7%	37.2%	32.1%	25.0%
Endometrial cancer (Female)	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%
Epilepsy	10.9%	5.6%	4.4%	13.6%	4.3%	1.5%	1.3%	1.0%
Glaucoma	3.8%	4.0%	3.2%	1.7%	9.5%	10.2%	8.0%	12.6%
Heart failure	11.2%	11.4%	11.1%	5.4%	31.2%	19.8%	18.6%	13.6%
Hip fracture	0.4%	0.2%	0.1%	0.3%	3.1%	0.6%	0.7%	0.9%
Hyperlipidemia	28.0%	34.7%	29.7%	7.4%	40.0%	45.1%	36.0%	47.4%
Hypertension	42.7%	48.8%	42.5%	15.9%	73.1%	66.8%	55.1%	59.2%
Intellectual disability	18.6%	2.2%	1.4%	36.6%	2.2%	0.2%	0.1%	0.0%
Ischemic heart disease	15.6%	18.8%	18.9%	5.5%	36.6%	31.6%	29.9%	28.1%
Learning disability	0.3%	0.1%	0.0%	4.8%	0.2%	0.0%	0.0%	0.0%
Lung cancer (Female)	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%	0.4%	0.5%
Lung cancer (Male)	0.1%	0.2%	0.2%	0.2%	0.4%	0.6%	0.7%	0.7%
Mobility disability	7.0%	2.4%	2.2%	8.0%	9.0%	2.0%	1.9%	1.8%
Multiple sclerosis	1.9%	1.2%	1.0%	1.2%	0.4%	0.2%	0.1%	0.2%
Muscular dystrophy	0.4%	0.2%	0.2%	1.1%	0.1%	0.0%	0.0%	0.0%
Osteoporosis	3.0%	2.5%	1.6%	1.0%	11.1%	7.0%	5.2%	7.3%
Other developmental disorder	0.4%	0.1%	0.1%	3.0%	0.0%	0.0%	0.0%	0.0%
Personality disorder	4.2%	4.0%	2.7%	1.4%	0.6%	0.2%	0.2%	0.1%
Post-traumatic stress disorder (PTSD)	2.2%	2.4%	1.7%	1.7%	0.1%	0.1%	0.1%	0.1%
Prostate cancer (Male)	0.1%	0.2%	0.2%	0.3%	1.4%	1.6%	1.6%	4.5%
Rheumatoid osteo-arthritis	18.4%	23.4%	20.4%	5.0%	34.5%	27.6%	23.5%	26.9%
Schizophrenia	18.4%	12.3%	9.2%	8.9%	9.8%	2.1%	1.9%	1.3%
Spina bifida	1.2%	0.4%	0.3%	3.4%	0.3%	0.1%	0.1%	0.1%
Spinal injury	1.1%	0.3%	0.4%	1.2%	0.4%	0.1%	0.1%	0.2%
Stroke	4.1%	2.9%	2.2%	2.9%	11.7%	4.1%	3.9%	3.9%
Tobacco use	24.6%	29.0%	19.6%	4.9%	7.3%	10.8%	7.0%	3.2%
Visual impairment	1.2%	0.6%	0.4%	0.8%	1.8%	0.6%	0.6%	0.4%

Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).


Note: No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort’s population.

Note: Sex-specific cancer prevalence rates are presented.

## D. Utilization of Services among Fee-For-Service Enrollees

**Figure 4** shows the relative distribution of FFS service utilization among those Medicare-Medicaid enrollees under age 65. The three cohorts of Medicare-Medicaid enrollees under 65 tend to have similar utilization levels across the most utilized categories.

**Figure 4: Fee-for-Service Utilization Rates by Medicare-Medicaid Eligibility Type and Age (<65) in Virginia, CY 2008**




**Source:** CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

**Note:** While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

**Note:** No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort’s population.

As shown in **Figure 5**, Medicare-Medicaid enrollees in the 65 and over cohort utilize services at higher rates than Medicare-only beneficiaries with the exception of physician visits. Among Medicare-Medicaid enrollee cohorts, Full Benefit enrollees have higher utilization rates across all categories.

**Figure 5: Fee-for-Service Utilization Rates by Medicare-Medicaid Eligibility Type and Age (65+) in Virginia, CY 2008**



Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

## E. Medicare and Medicaid Expenditures among Fee-for-Service Enrollees

**Table 3** and **Figure 6** show the per capita expenditures for each of the eligibility/age subgroups. Full-Benefit Medicare-Medicaid enrollees 65 and over incur close to \$30,000 in per capita expenditures, close to three times the per capita expenditures of QMB-only enrollees 65 and over and Partial Benefits beneficiaries 65 and over (approximately \$10,000 each cohort). These Full Benefit enrollee expenditures are also four times higher than those of Medicare-only beneficiaries (approximately \$7,000). Combined Medicare and Medicaid per capita expenditures for Full Benefit Medicare-Medicaid enrollees under 65 are also significantly higher (\$30,000) than the other groups under 65, over twice the per capita expenditures of QMB-only enrollees (approximately \$14,000) and 2.5 times those of Partial Benefit enrollees (approximately \$12,000).

**Table 3: Total Fee-for-Service Medicaid and Medicare Expenditures by Medicare-Medicaid Eligibility Type and Age Category in Virginia, CY 2008**

	Number of Medicare FFS Enrollees	Medicare Per Capita Expenditures	Number of Medicaid FFS Enrollees	Medicaid Per Capita Expenditures	Total Per Capita Expenditures
<b>Full Benefit (&lt;65)</b>	40,125	\$15,332	39,052	\$15,046	<b>\$30,378</b>
<b>QMB-only (&lt;65)</b>	9,988	\$12,622	8,890	\$927	<b>\$13,549</b>
<b>Partial Benefit (&lt;65)</b>	8,995	\$11,734	8,501	\$203	<b>\$11,937</b>
<b>Medicaid-only with disability (&lt;65)</b>			12,819	\$42,045	<b>\$42,045</b>
<b>Full Benefit (65+)</b>	58,302	\$16,463	60,778	\$13,198	<b>\$29,661</b>
<b>QMB-only (65+)</b>	9,538	\$9,632	10,052	\$609	<b>\$10,241</b>
<b>Partial Benefit (65+)</b>	9,887	\$9,479	11,244	\$53	<b>\$9,532</b>
<b>Medicare-only (65+)</b>	638,039	\$7,351			<b>\$7,351</b>


Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

Note: No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort’s population.

**Figure 6** shows total per capita expenditures among FFS enrollees by eligibility type and age category. Full Benefit enrollees have significantly higher expenditures than all other Medicare-Medicaid cohorts with Medicare expenditures responsible for just over 50% of the total spend.

**Figure 6: Per Capita Annual Expenditures among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Virginia, CY 2008**



Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).

Note: No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort’s population.


## 1. Medicare Expenditures

Total Medicare expenditures among FFS Medicare enrollees were examined by setting of care (**Figure 7**). The numbers of enrollees by eligibility type and age category are found in **Appendix E**. Examples of Medicare service types are found in **Appendix C**.

Medicare-Medicaid enrollees that are 65 and over have a higher percentage of their total Medicare expenditures that are comprised of Part A claims (42% to 55%) than those under 65 (32% to 38%). In the under 65 segment, Part D makes up a higher proportion of total Medicare expenditures (30% to 32%) compared to Medicare-Medicaid enrollees 65 and over (19% to 24%).

Among Medicare-Medicaid enrollees 65 and over, Medicare Part B comprises a smaller proportion of Medicare expenditures, particularly for Full Benefit enrollees where this category is just over 17% of total expenditures, much lower than Medicare-only enrollees (approximately 31%). By contrast, Medicare Part D expenditures comprise a higher proportion of Medicare-Medicaid enrollees 65 and over expenditures (19% to 24%) compared to Part D expenditures for Medicare-only enrollees, which account for just over 6%

**Figure 7: Medicare Expenditure Distribution among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Virginia, CY 2008**



Source: CY 2008 MMLEADS data for FFS enrollees in Medicare


Note: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMB-only is presented separately from "Partial Benefit," with the latter referring only to all other types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

## 2. Medicaid Expenditures

The distribution of Medicaid expenditures by service type was examined among FFS enrollees (Figure 8). The numbers of enrollees examined for each eligibility type and age category are found in Appendix F. The Medicaid service types and examples are found in Appendix D.

For most Medicare-Medicaid cohorts, acute services are responsible for the majority of the Medicaid expenditures. In some cases (QMB-only enrollees), they represent over 90% of total expenditures. The sole exception is for Full Benefit 65 and over in which acute services represent just 14%, while long-term institutional care accounts for close to 70% of Medicaid expenditures.

Figure 8: Medicaid Expenditure Distribution among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Virginia, CY 2008



Source: CY 2008 MMLEADS data for FFS enrollees in Medicaid

Note: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMB-only is presented separately from "Partial Benefit," with the latter referring only to all other types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

Note: No conclusions are made based on the Medicaid-only enrollees with disability cohort as it includes only 14% of the cohort's population.

---

### III. Acronym List

Acronym	Definition
ADHD	Attention Deficit hyperactivity Disorder
AMI	Acute Myocardial Infarction
ASC	Ambulatory Surgery Center
CCW	Chronic Condition Data Warehouse
CMS	Centers for Medicare & Medicaid Services
COPD	Chronic Obstructive Pulmonary Disease
DME	Durable Medical Equipment
ESRD	End-Stage Renal Disease
FFS	Fee-for-Service
HH	Home Health
HMO	Health Maintenance Organization
MAX	Medicaid Analytic Extract
MDS	Minimum Data Set
MMLEADS	Medicare-Medicaid Linked Enrollee Analytic Data Source
PTSD	Post-Traumatic Stress Disorder
QMB	Qualified Medicare Beneficiary

## Appendix A: Representativeness of Study Population, CY 2008

		Conditions Prevalence Analyses	Medicare Expenditure and Utilization Analyses	Medicaid Expenditure and Utilization Analyses
<b>Managed care exclusion criteria</b>		Excludes enrollees with Medicare OR Medicaid managed care	Excludes enrollees with Medicare managed care	Excludes enrollees with Medicaid managed care
<b>Other exclusion criteria</b>		Excludes Medicaid-only enrollees eligible due to disability and ages 65+, excludes Medicare-only enrollees under age 65; excludes enrollees only eligible for part of the year	Excludes Medicaid-only enrollees eligible due to disability and ages 65+; excludes enrollees only eligible for part of the year	Excludes Medicare-only enrollees under age 65; excludes enrollees only eligible for part of the year
Cohorts	Study Population as Percent of all Enrollees by Enrollee Type			
<b>Full Benefit (&lt;65)</b>	48,371	90.8%	83.0%	80.7%
<b>QMB-only (&lt;65)</b>	12,343	90.3%	80.9%	72.0%
<b>Partial Benefit (&lt;65)</b>	12,425	87.4%	72.4%	68.4%
<b>Medicaid-only with Disability (&lt;65)</b>	92,633	13.8%		13.8%
<b>Full Benefit (65+)</b>	72,476	94.3%	80.4%	83.9%
<b>QMB-only (65+)</b>	12,394	92.7%	77.0%	81.1%
<b>Partial Benefit (65+)</b>	14,830	89.7%	66.7%	75.8%
<b>Medicare-only (65+)</b>	842,559	75.7%	75.7%	

Source: CY 2008 MMLEADS data

Note: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMB-only is presented separately from "Partial Benefit," with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

---

## Appendix B: Methodology

### Data sources

Profiles were created for each state as well as for the nation as a whole using the 2008 CMS Medicare-Medicaid Linked Enrollee Analytic Data Source (MMLEADS). Across five linked files, MMLEADS combines person-level enrollment and claims summary data from Medicare and Medicaid thereby making possible a comprehensive examination of demographic characteristics, condition prevalence, and service-level utilization and payments for dually enrolled Medicare-Medicaid enrollees, as well as Medicare-only enrollees and Medicaid-only enrollees with disabilities. The MMLEADS Medicare Beneficiary File contains enrollment information obtained from the Medicare Enrollment Database (EDB). The MMLEADS Medicaid Beneficiary File consists of demographic information from the Medicaid Analytic eXtract (MAX) Person Summary (PS) file. MMLEADS also contains two service level files specific to Medicare and Medicaid, as well as one aggregated health conditions file.

The percentage of the overall Medicare and Medicaid population comprised of Medicare-Medicaid eligible enrollees (Partial Benefit, QMB-only and Full Benefit Medicare-Medicaid enrollees) was examined by state and compared to national totals.

A listing of all the source data files appears in **Table B-1**.

**Table B-1: Description of Data Sources**

Data Source	Input to Research File
MMLEADS Medicare Beneficiary File 2008	Cohort identification, demographics, and monthly Medicare enrollment for all Medicare-Medicaid enrollees and Medicare-only enrollees
MMLEADS Medicaid Beneficiary File 2008	Cohort identification, demographics, and monthly Medicaid enrollment for all Medicare-Medicaid enrollees and Medicaid-only enrollees with disability
MMLEADS Condition File 2008	Prevalence of conditions of interest
MMLEADS Medicare Service-level File 2008	Medicare setting specific utilization and expenditure
MMLEADS Medicaid Service-level File 2008	Medicaid setting specific expenditure and utilization

### Sample Identification and Data File Construction

#### 1. Demographic characteristics

Because individuals may reside in more than one state in a given year, algorithms were necessary to assign each individual to only one state. Therefore, in our study population, Medicare-Medicaid eligible and Medicaid-only enrollees with disabilities were assigned to states based on state submitted Medicaid Statistical Information System (MSIS) data available in the MAX Personal Summary (PS) file. Medicare-only enrollees were assigned a single state based on the billing address of the individual at the end of 2008 as reported in the Medicare Enrollment Database (EDB).

Age was categorized into four groups: under 40, 40-64, 65-84, and 85+ years. Age category assignments were determined using an enrollee's age as of December 31, 2008 or the age at death if an individual died during 2008. Race/ethnicity characteristics for Medicare-only and Medicare-

---

Medicaid eligible enrollees were from the RTI race code. Race for Medicaid-only with disability enrollees was based on the state reported race code available in the MAX PS file. The race values for each eligibility group are similar, but the RTI race code available for Medicare enrollees uses additional logic for assignment of race based on surname. The RTI race code was not available for Medicaid enrollees since the MAX file does not contain surname. Race was categorized as Non-Hispanic White, African American, Hispanic, Asian/Pacific Islander, American Indian/Alaskan Native, and Other Races.

## *2. Exclusion of Managed Care Enrollees*

Statistics related to condition prevalence, utilization and annual expenditures were limited to full FFS enrollees. Specifically, analyses of condition prevalence were limited to enrollees with FFS Medicare or Medicaid since complete administrative claims would be available through one program for identification of conditions. Analyses of Medicare payment and utilization statistics were limited to FFS Medicare enrollees, and Medicaid payment and utilization statistics were limited to FFS Medicaid enrollees. Please see **Appendix A** for a detailed analysis of the representativeness of the study populations.

There are multiple reasons for this method of sample identification. The encounter claims for Medicare managed care were not available for 2008 data, as Medicare did not begin collecting them until 2012. In addition, while the CCW data include complete FFS claims for Medicaid and Medicare (as provider reimbursement is conditional upon submission of accurate and complete claims for FFS enrollees), the completeness of Medicaid encounter data is known to vary by state. We chose to structure our analysis in a fashion that would ensure a consistent methodological approach for each state analyzed.

Medicare full FFS enrollees were defined as those with Medicare Part A and Part B coverage and no Medicare Advantage coverage for all months alive during the reference year. Medicaid full FFS enrollees were defined as those without eligible pre-paid plan coverage of comprehensive managed care, long term care managed care, program of all-inclusive care for the elderly (PACE), primary care case management (PCCM), behavioral managed care, or prenatal managed care.

To allow for suitable comparisons, the FFS populations were categorized into eight groups by Medicare-Medicaid eligibility type and age category (<65 or 65+ years) for analyses of condition prevalence, utilization, and expenditures:

1. Full Benefit Medicare-Medicaid enrollees (<65)
2. QMB-only Medicare-Medicaid enrollees (<65)
3. Partial Benefit Medicare-Medicaid enrollees (<65)
4. Medicaid-only with a disability (<65)  
and
5. Full Benefit Medicare-Medicaid enrollees (65+)
6. QMB-only Medicare-Medicaid enrollees (65+)
7. Partial Benefit Medicare-Medicaid enrollees (65+)
8. Medicare-only (65+)

### 3. Health, Mental Health and Disability-related Conditions

Prevalence rates for a wide set of physical, mental health, and disability-related conditions were examined by Medicare-Medicaid eligibility type and age category.

A subset of these conditions, based on algorithms created for analysis of Medicare and/or Medicaid enrollees, were utilized to determine the total count of conditions per individual by Medicare-Medicaid eligibility and age group. **Table B-2** lists conditions evaluated in the study populations and indicates which of these were included in a count of conditions per enrollee. Some conditions were grouped into categories to reduce duplication while others were excluded as they were not accurate indicators of ongoing comorbidities in the population. Details of groupings and logic for inclusion or exclusion are included in **Table B-2**.

Table B-2: Inclusion of Conditions in Condition Count

Condition	Category used in Condition Count	Comments
Acquired hypothyroidism	--	Excluded since the condition is easily maintained with medication
Acute myocardial infarction (AMI)	Heart disease/failure	Counted as part of Heart disease/failure condition including AMI, IHD, and Heart failure
Alzheimer's disease and Alzheimer's related disorders	Alzheimer's disease and Alzheimer's related disorders	
Anemia	--	Excluded as it may be a symptom of another condition
Anxiety	Anxiety & PTSD	Counted as part of a condition including anxiety and PTSD
Asthma	Asthma & COPD	Counted as part of a condition including COPD and asthma
Atrial fibrillation	--	Excluded as it may be a symptom of another condition and has low prevalence
Attention deficit hyperactivity disorder (ADHD)	--	Excluded since it has less relevance for the Medicare-Medicaid population
Autism	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Benign prostatic hyperplasia	--	Excluded as it is a benign condition, common in men over 50, that is not related to cancer risk
Bipolar disorder	Bipolar disorder	
Brain injury	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impairments, spinal cord injury, and brain injury
Breast cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Breast cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Cataract	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment
Cerebral palsy	Cerebral palsy	
Chronic kidney disease	Chronic kidney disease	

Condition	Category used in Condition Count	Comments
Chronic obstructive pulmonary disease (COPD)	Asthma & COPD	Counted as part of a condition including COPD and asthma
Colorectal cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Colorectal cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Cystic fibrosis	Cystic fibrosis	
Deafness or hearing impairment	Deafness & hearing impairment	
Depression	Depression	
Diabetes	Diabetes	
Endometrial cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Epilepsy	Epilepsy	
Glaucoma	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment
Heart failure	Heart disease/failure	Counted as part of Heart Disease/failure condition including AMI, IHD, and Heart failure
Hip fracture	--	Excluded as this is a distinct event occurring at one point in time rather than an ongoing condition
Hyperlipidemia	--	Excluded as it may be a symptom of a more serious condition
Hypertension	--	Excluded as it may be a symptom of a more serious condition
Intellectual disability	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Ischemic heart disease (IHD)	Heart disease/failure	Counted as part of Heart Disease/failure condition including AMI, IHD, and Heart failure
Learning disability	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Lung cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Lung cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Mobility disability	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impariments, spinal cord injury, and brain injury
Multiple sclerosis	Multiple sclerosis	
Muscular dystrophy	Muscular dystrophy	
Osteoporosis	Osteoporosis	
Other developmental disorder	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays

Condition	Category used in Condition Count	Comments
Personality disorder	Personality disorder	
Post-traumatic stress disorder (PTSD)	Anxiety & PTSD	Counted as part of a condition including anxiety and PTSD
Prostate cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Rheumatoid osteo-arthritis	Rheumatoid osteo-arthritis	
Schizophrenia	Schizophrenia	
Spina bifida	Spina bifida	
Spinal injury	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impariments, spinal cord injury, and brain injury
Stroke	Stroke	
Tobacco use	--	Excluded since this is a behavior that is a risk factor for developing other conditions
Visual impairment	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment

Five individual cancer conditions (breast, endometrial, prostate, colorectal, and lung) were combined to create an overall cancer condition, and other similar diagnoses were grouped together and counted once for each condition. The final list of conditions included in the condition count include the following: Alzheimer’s disease and Alzheimer’s related disorders, asthma & chronic obstructive pulmonary disease (COPD), anxiety & PTSD, bipolar disorder, cancer, cerebral palsy, chronic kidney disease, cystic fibrosis, deafness & hearing impairment, depression, diabetes, epilepsy, heart disease/failure, intellectual & developmental disabilities, mobility-related impairments & spine/brain injury, multiple sclerosis, muscular dystrophy, osteoporosis, personality disorder, rheumatoid osteo-arthritis, schizophrenia, spina bifida, stroke, and visual impairment.

Proportions of Medicare-Medicaid, Medicare-only, and Medicaid-only enrollees with disability populations in the following categories were examined: enrollees with none of the included conditions, one to two conditions, three to four conditions, and five or more conditions.

#### **4. Medicare and Medicaid Utilization**

The services covered by Medicare and Medicaid differ. Medicare utilization statistics included the following: hospital outpatient services, skilled nursing facilities (SNF), and Medicare Part D prescription fills. Medicaid utilization statistics included the following: Medicaid drug prescriptions, personal care services, and nursing facility claims. The services covered by Medicare and Medicaid, including emergency room, inpatient stays, and home health visits were examined across programs. Per capita utilization rates of these services were examined for full FFS enrollees.

---

## 5. Medicare and Medicaid Expenditures

The percentage of total expenditures by Medicare-Medicaid eligibility type was calculated, including the mean per capita Medicare and Medicaid expenditures and the proportion of Medicare expenditures attributed to Medicare Parts A, Part B (non-institutional), Hospital Outpatient (Part B Institutional) and Part D claims. The distribution of Medicaid expenditures are presented by service type based on circumstances of care. Medicare and Medicaid service types are listed in **Appendix C** and **Appendix D** respectively.

### Study Limitations

The condition, utilization, and expenditure analyses necessarily excluded enrollees who received services under Medicare and Medicaid managed care programs since, in 2008, managed care encounter claims were not reported to Medicare and were not reliably reported to Medicaid. As a result, statistics presented may not be entirely generalizable to the entire enrolled populations. This warrants concern given that state Medicaid programs are heading in the direction of managed care programs instead of FFS, and Medicare eligible individuals enrolled in managed care programs may not have as high a rate of chronic conditions as FFS Medicare enrollees.

Approximately thirty-seven percent of the Virginia cohort in the MMLEADS data did not receive benefits under FFS in either Medicare or Medicaid programs and were excluded from the condition analysis. Refer to **Appendix E** and **Appendix F** for more information about managed care enrollment and population sizes.

## Appendix C: Claim Types Included in Medicare Services

Medicare Service Type	Included Services
<b>Hospital Outpatient</b>	Community Mental Health Center
	End Stage Renal Disease
	Other Hospital Outpatient
	Other Skilled Nursing Facility
	Outpatient Clinic
	Outpatient Prospective Payment Schedule
	Outpatient Therapy
<b>Part A</b>	Home Health
	Hospice
	Inpatient
	Other Inpatient (Inpatient Psychiatric Facility)
	Other Post Acture Care (Long Term Care, Inpatient Rehabilitation Facility)
	Skilled Nursing Facility
<b>Part B</b>	Ambulatory Surgical Center
	Durable Medical Equipment
	Imaging
	Laboratory and Testing
	Part B Drug
	Physician Evaluation and Management
	Procedure
<b>Part D</b>	Prescription Drug

## Appendix D: Claim Types Included in Medicaid Services

Medicaid Service Type	Included Services (Medicaid Type of Service)
<b>Acute</b>	01 - Inpatient hospital
	11 - Outpatient hospital
	08 - Physician
	15 - Lab X-ray
	09 - Dental
	10 - Other practitioners
	12 - Clinic
	19 - Other services
	24 - Sterilizations
	25 - Abortions
	34 - PT, OT, Speech, Hearing services
	36 - Nurse midwife services
	37 - Nurse practitioner services
	39 - Religious non-medical health care institutions
	53 - Psychiatric services
99 - Unknown	
<b>Drug</b>	16 - Prescribed drugs
<b>Long Term Care Institutional</b>	02 - Mental hospital services for the aged
	04 - Inpatient psychiatric facility for individuals under the age of 21
	05 - Intermediate care facility (ICF) for individuals with intellectual disabilities
	07 - Nursing facility services (NFS) - all other
<b>Long Term Care Non-Institutional</b>	33 - Rehabilitative services, waiver
	13 - Home health
	35 - Hospice benefits
	51 - Durable medical equipment (DME) and supplies (including emergency response systems and home modifications)
	30 - Personal care services
	52 - Residential care
	54 - Adult day care
	26 - Transportation services
	31 - Targeted case management
	38 - Private duty nursing
<b>Managed Care</b>	20 - Capitated payments to HMO or HIO plan
	21 - Capitated payments to prepaid health plans (PHPs)
	22 - Capitated payments for primary care case management (PCCM)
<b>Other</b>	Charges but Type of Service was not populated

Appendix E: Medicare Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicare Expenditure Analysis, Virginia, CY 2008

	Medicare Managed Care		Medicare Fee-for-Service		Not all Months Alive Medicare Fee-for-Service		Total Medicare Denominator
	Number	Percent	Number	Percent	Number	Percent	
<b>Full Benefit (&lt;65)</b>	3,803	7.9%	40,125	83.0%	4,443	9.2%	48,371
<b>QMB-only (&lt;65)</b>	1,610	13.0%	9,988	80.9%	745	6.0%	12,343
<b>Partial Benefit (&lt;65)</b>	2,611	21.0%	8,995	72.4%	819	6.6%	12,425
<b>Full Benefit (65+)</b>	7,876	10.9%	58,302	80.4%	6,298	8.7%	72,476
<b>QMB-only (65+)</b>	2,629	21.2%	9,538	77.0%	227	1.8%	12,394
<b>Partial Benefit (65+)</b>	4,622	31.2%	9,887	66.7%	321	2.2%	14,830
<b>Medicare-only (65+)</b>	103,660	12.3%	638,039	75.7%	100,860	12.0%	842,559

Note: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMB-only is presented separately from "Partial Benefit," with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

Appendix F: Medicaid Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicaid Expenditure Analysis, Virginia, CY 2008

	Medicaid Managed Care		Medicaid Fee-for-Service		Not all Months Alive Medicaid Fee-for-Service		Total Medicaid Denominator
	Number	Percent	Number	Percent	Number	Percent	
<b>Full Benefit (&lt;65)</b>	2,827	5.8%	39,052	80.7%	6,492	13.4%	48,371
<b>QMB-only (&lt;65)</b>	116	0.9%	8,890	72.0%	3,337	27.0%	12,343
<b>Partial Benefit (&lt;65)</b>	103	0.8%	8,501	68.4%	3,821	30.8%	12,425
<b>Medicaid-only with disability (&lt;65)</b>	69,687	75.2%	12,819	13.8%	10,127	10.9%	92,633
<b>Full Benefit (65+)</b>	1,186	1.6%	60,778	83.9%	10,512	14.5%	72,476
<b>QMB-only (65+)</b>	12	0.1%	10,052	81.1%	2,330	18.8%	12,394
<b>Partial Benefit (65+)</b>	11	0.1%	11,244	75.8%	3,575	24.1%	14,830

Note: While “QMB-only” Medicare-Medicaid enrollees are technically considered “Partial Benefit,” in this Report QMB-only is presented separately from “Partial Benefit,” with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., “SLMB-only”), Qualified Disabled Working Individuals (i.e., “QDWI”), and Qualifying Individuals (i.e., “QI”).