
Version 2.8



MEDICARE AND MEDICAID PLANS
**A TECHNICAL GUIDE TO ELIGIBILITY
AND ENROLLMENT TRANSACTION
PROCESSING**

CONTENTS

MEDICARE AND MEDICAID PLANS A TECHNICAL GUIDE TO ELIGIBILITY AND ENROLLMENT TRANSACTION PROCESSING	1
CONTENTS	2
Revision History	3
General Description	19
1. Medicare Eligibility Inquiry	19
IMPORTANT NOTES:.....	23
2. Medicare Transaction Processing	38
2.1 Medicare Transaction Processing – All transaction types except “76” and “90”.....	39
2.2 Medicare Transaction Processing – “76” residential address change	49
2.3 Medicare Transaction Processing – “90” reporting identified drug overutilizers	52
2.4 Medicare Transaction Response.....	55
2.5 Transaction Error Codes	58
2.6 Medicare Transaction matrix of required and optional fields by Contract type	65
3. Web Service	72
3.1 Medicare Eligibility – eligibilityQuery method	73
3.2 Web Service Errors	77
4. CMS Submission.....	79
4.1 Transmission schedule.....	79
4.2 Blackout dates.....	79
4.3 Response from CMS	79
4.4 CMS Transaction Transmission Data File Layout	80
5. Eligibility+	83
5.1 Eligibility+ Plan Enrollment (from CMS MBD extract) Layout	83
5.2 Eligibility+ Member Data Changes (between prior and current CMS MBD extract) Layout	97
6. Enrollment Reconciliation Extract.....	98
6.1 Enrollment Reconciliation Extract Layout.....	98
7. Batch Completion Status Summary of Failed Transactions	100
8. PROSPECTIVE DUAL FILE.....	101
9. HICN-MBI Cross-reference. Batch Processing	119
10. HICN-MBI Cross-reference. Web Service	122
10.1 HICN-MBI Cross-reference – XRefQuery method.....	123
10.2 HICN-MBI Cross-reference Web Service Errors	124
11. Help Desk Support	125

REVISION HISTORY

06/22/2017 – Version 2.8

The MMP technical guide has been updated with version 2.8 to reflect changes that will be implemented in preparation for the Social Security Number Removal Initiative (SSNRI) project.

Infocrossing will be implementing new tools to assist all MMP and state agencies with the ability to better manage their task of transitioning to the MBI field from the current HICN during the CMS April 2018 through December 2019 transition period. New sections 9 and 10 of this document describe HICN to MBI cross-reference tools that will be implemented and made available beginning in February 2018. MMP users will have the ability to submit batch files asking to convert their HICNs to MBI or vice-versa. This new tool is described in section 9, beginning on page 112 of this document. Another real- time cross-reference inquiry web service tool will also be made available, allowing users to submit similar HICN to MBI cross-reference requests via a SOAP Web based query process. Section 10 beginning on page 115 of this document describes this new process.

Additionally, a new Standalone User Interface cross-reference inquiry screen will be implemented on the Infocrossing Web Portal www.medicare-solution.com. MMP users will have the ability to submit either an HICN or MBI and corresponding Last name or DOB to receive the matching MBI or HICN related data.

The data repository for these new cross-reference tools will be continuously updated from the CMS Medicare eligibility bi-monthly file updates and the new CMS monthly crosswalk files.

Please contact the Infocrossing help desk if you desire to sign up for these services.

Details of version 2.8 changes have been highlighted in red throughout this document. Please reach out to the help desk by submitting an email query at McareSupport@Wipro.com or calling 877-833-3499 if you require additional clarifications.

CMS has indicated that the MBD eligibility file feed will be updated to include two new fields: A new “Current MBI” field and a prior “Inactive MBI” field. The “Current MBI” field will represent the latest, valid MBI for the beneficiary. The Prior “Inactive MBI” field will only be present if a previously issued MBI for the beneficiary was compromised. These two new data values will be provided on the MBD (Medicare beneficiary Database) file feed from CMS beginning in February 2018.

Infocrossing will implement the addition of these two new fields in its internal application systems on Sunday, September 24, 2017, at 10:00 P.M. CST.

- The Medicare Eligibility Inquiry section of this document has been updated to add the current and inactive MBI fields to the output response file. Wherever applicable, the existing HICN field name has been renamed to "Medicare ID" for the purpose of clarity and allowing MMP users to submit either an HICN or the new MBI when submitting Beneficiary Eligibility requests. As already published by CMS, during the SSNRI "transition period" from April 2018 to December 2019, while MAOs and Part D sponsors will be transitioning to the MBI, they will have the option of submitting data using either the HICN or MBI on all input transaction types. The Current and Inactive MBI fields have been added at the end of the Eligibility response file layout. Since these two new fields occupy existing unused "filler" at the end of the record layout, MMP users have the option of delaying the implementation of this change and start interpreting these two new fields at a time later than September 24, 2017, at their own discretion. Please refer to relevant changes beginning on page 22 of this document for details.
- The Medicare Transaction Processing section of this document has been changed to add only the "MBI" reference in addition to the existing HICN definitions whenever applicable. Please note that Marx transaction processing will not be ready to accept MBI data values until CMS provides the necessary MBI data values in February 2018 and provides an exact date when MMPs can start submitting the MBI data values on any Marx input transaction type. Relevant changes begin on page 42.
- The web service section of this document has been changed to rename the existing "HicNbr" field to "MedID". Either a valid HICN# or an MBI number can be used in this field when submitting an eligibility query request. The "requestHicNbr" and "foundHicNbr" names have been changed to "requestMedID" and "foundMedID". Please refer to page 71 of this document for details.
- The **eligibility+** section of this document has been changed to add the new "Current MBI" and prior "Inactive MBI" fields. Please refer to page 79 for details.
- The **Prospective Dual file** section of this document has been changed to add the two new MBI data fields. Please refer to page 96 for details.
- The HICN name reference in all other sections of this document describing various file reporting processes has been changed to the new field name of "MEDICARE ID". This field name change is transparent and has no impact to the processes MMPs have in place today.

- CMS has announced in its May 2017 HPMS software release dated April 11, 2017 that a new TRC 350 will be generated during the SSNRI transition period. This TRC will be generated every time a Marx transaction is sent to CMS with a beneficiary HICN to notify you that an MBI is available for the beneficiary. Please refer to the HPMS document for further details.

10/10/2016 – Version 2.7

The MMP Technical Guide has been updated with version 2.7 to reflect the CMS November 2016 Software changes, as documented in the final CMS HPMS notice, dated September 9, 2016.

CMS will implement the November software changes on the November CPM cutoff date of Friday, November 11, 2016. The Infocrossing MBD eligibility updates, however, will not occur until after CMS provides an updated MBD eligibility file which is expected to occur on Tuesday, November 15, 2016.

Version 2.7 addresses the addition of the new fields pertaining to the beneficiaries' prior historical enrollments as well as the addition of the Enrollment Source code for the beneficiaries' current enrollment.

1. Section 1 (Medicare Eligibility Inquiry) of this document has been updated to include the new fields on the batch eligibility response file. These changes are highlighted in red beginning on page 28.
2. The web service layout has changed to accommodate the new plan enrollment fields. Refer to section 3 of this document for details beginning on page 71.
3. The Eligibility+ response file has been modified to include the new plan enrollment fields. Changes are described in section 5, beginning on page 82.
4. The PDF (Prospective Dual File) layout as described in section 8 has changed. Plan enrollment end dates have been added to the two prior historical occurrences. Changes are described beginning on page 98.
5. The PDF beneficiary selection criteria from the MBD eligibility file has changed. As of November 15, the PDF file selection of potential dual eligible beneficiaries will include people that show a current plan membership in a Medicare Advantage or Part D prescription plan than have any of the enrollment source code values of:
 - B** – Beneficiary election
 - D** – System-generated enrollment (Rollover)
 - G** – Point of sale (POS) submitted enrollments
 - I** – Assigned to plan submitted transactions with enrollment source other than any of the following: B, E, F, G, H, and blank

N – Plan-submitted rollover enrollments

6. The new MBD field additions will also be reflected on the Eligibility tab of the www.medicare-solution.com website.

06/16/2016 – Version 2.6

The MMP technical guide has been updated with version 2.6 to introduce a new service and an enhancement to the MBD eligibility batch process. The document has also been updated to address the CMS May 2016 Software release. These updates are described as follows:

List of Prospective Dual-Eligible individuals (Medicare-Medicaid) also known as Prospective Dual file

A new list of potential dual-eligible individuals (Prospective Dual File) is now available to State organizations and their enrollment brokers to assist with the on-going MMP passive enrollment efforts. This new file feed will automatically be available to all State organizations participating in the capitated financial alignment initiative (also known as the MMP demonstration) on a twice per month basis.

CMS updates the Medicare Eligibility database that is maintained in the Infocrossing data center twice per month, on the 1st and 15th of each calendar month. Soon after this update is completed, Infocrossing will automatically generate a new data file that will list potential dual-eligible individuals that may become eligible for passive enrollment into a Medicare-Medicaid Plan (MMP). The main benefit of this new service is that it will search and provide the individuals' Medicare start dates as far out as six months from the actual date the file is generated. For example, when the file is generated on June 1st, 2016, the system will look ahead up until November 2016 to find potential dual-eligible individuals that have Medicare Part A and B entitlements and who have been deemed for Federal Low Income subsidy (LIS).

The full list of selection criteria is as follows:

1. Beneficiary must be a resident of the State.
2. Beneficiary must be entitled to Medicare Part A and B.
3. Beneficiary must have a Deemed/Low Income subsidy status.
4. Beneficiary must be alive.
5. Beneficiary must not be incarcerated.

6. Beneficiary must be lawfully present in the United States.

When reviewing this Prospective Dual file, State organizations or their enrollment brokers must further validate the eligibility of all the beneficiaries for MMP passive enrollment by ensuring they have Medicaid eligibility and meet all State-specific MMP enrollment eligibility requirements.

The Prospective Dual File follows the similar layout as the Medicare eligibility response file that has been available for State organizations since the beginning of the MMP demonstration but there are new data field additions and the file length is 1700 bytes (detailed layout is available in section 8, pages 89-102 of this document). The Prospective Dual file will automatically be made available on the Infocrossing Web portal every time it gets created and State users can find the Prospective Dual file under the "MMP – Prospective Dual File Feed" section of the "File Transfer" tab. State organizations can also request to have this new file feed automatically forwarded to their own internal FTP server. Please contact the Infocrossing help desk if you wish to have this batch functionality enabled.

For the population who has Medicare-first (current Medicare beneficiaries who recently qualified for Medicaid), CMS is currently making system enhancements to include previous Medicare Advantage (Part C) and Prescription Drug (Part D) enrollment periods and the enrollment source code information into the Prospective Dual File which is scheduled for November 2016. With this system enhancement, this will save a step for States from excluding dual-eligible individuals who are currently in Medicare Advantage or Part D prescription drug plans that were enrolled by CMS-initiated auto-enrollment or reassignment in the current calendar year. The following are the acceptable values of the enrollment source code for States to select newly dual-eligible individuals for MMP passive enrollment who currently have Medicare Advantage or Part D prescription drug coverage:

- **B** – Beneficiary election
- **D** – System-generated enrollment (Rollover)
- **G** – Point of sale (POS) submitted enrollments
- **I** – Assigned to plan submitted transactions with enrollment source other than any of the following: B, E, F, G, H, and blank
- **N** – Plan-submitted rollover enrollments

Starting early December 2016, the Prospective Dual File will include a list of Medicare-first population that only show the above enrollment source code information. Until then, the files will only include individuals that do not show any membership in a current Medicare Advantage or Prescription Drug plan.

Enhancement to the MBD Batch Eligibility query process

The Medicare eligibility query process has been enhanced to incorporate an automatic BEQ request to CMS for those instances when a beneficiary match cannot be obtained on the Infocrossing MBD eligibility database.

Currently, when a plan sponsor sends a batch MBD eligibility file request to Infocrossing for processing, any beneficiary record that cannot be matched against the MBD eligibility database gets returned on the eligibility response file as unmatched, with the HICN Found/Not found field set with the value of "N" (HICN not found). No Medicare eligibility information is returned. A new optional service is now available to all Plan sponsors to automatically have all such unmatched records sent to the CMS Marx system in a BEQ file request.

Should a plan sponsor choose to have this service turned "on", Infocrossing will enable the following functionalities:

1. All HICN requests that cannot be matched against the MBD eligibility database will be returned on the eligibility response file with the value of "B" (BEQ Request initiated) in the HICN Found/Not Found field in position 26 of the response file. Section 1, page 22 of this document has been changed to reflect this new value.
2. Infocrossing will keep track of all BEQ pending requests and sweep its database three times per day at 08:00 A.M., 12:00 Noon and 04:00 P.M. PST. At the designated times and as needed, any pending unmatched HICN requests will be written into a CMS formatted BEQ file and sent to the CMS Marx system for processing.
3. Once BEQ response files are received from CMS, Infocrossing will automatically reformat the files into an MBD response file and make them available to Plans on the Infocrossing Web folder.

A new section named "Exception BEQ" on the Infocrossing Web portal under "File Transfer" will contain a new link named "BEQ Response File". This link can be used by plan sponsors to review the history of all BEQ exception file submissions to CMS. These files will have the name "MBDE.RESPONSE.Dyymmdd.Thhmmsss".

The format of the MBDE.RESPONSE files will be exactly the same as the MBD response file as described in section 1 of this document, beginning on page 20.

You also have the option of having these new files automatically sent to your designated FTP file folder. Please contact the Infocrossing help desk to have this functionality enabled.

4. Plan sponsors currently have the option of using a field named "sequence number" on an MBD input request file to keep track of HICN query submissions (please refer to the MBD input file request layout on page 19 on this document for further details). This field is currently returned on MBD response files and will also be carried through on all unmatched eligibility requests that will be sent to CMS as a BEQ query. This data field along with the HICN field can be used by Plans to reconcile all outstanding MBD requests against the original input file submissions.

State and MMP organizations are encouraged to contact the infocrossing help desk to obtain additional information regarding both of these valuable service enhancements.

CMS May 2016 Software Release

The MMP technical guide has been updated to reflect the CMS May 2016 Software changes, as documented in the final CMS HPMS notice, dated February 29, 2016. The corresponding Infocrossing edit changes were implemented on the May 2016 CMS Plan Data Due date which occurred on Friday May 13th, 2016.

The Creditable Coverage Flag value of “R” or “U” on a “61” enrollment transaction or “73” NUNCMO transaction will no longer be allowed. The remarks section for the Creditable Coverage Flag field on page 40 has been changed accordingly.

12/10/2015 – Version 2.5

The MMP technical guide has been updated with version 2.5 to reflect the CMS February 2016 Software changes, as documented in the final CMS HPMS notice, dated December 1, 2015.

Important notes:

CMS will implement the February software changes on the February 2016 CMS Plan Data Due date which will occur on Friday, February 5th, 2016. The Infocrossing MBD eligibility updates, however, will not occur until after CMS provides an updated MBD eligibility file on Monday February 15, 2016.

The CMS changes that are applicable to this interface document are as follows:

- CMS has added up to 10 occurrences of Medicare Plan Ineligibility start and end dates due to unlawful presence. These dates, along with a Medicare Plan ineligibility data occurrence field, have been added to the MBD response file layout as described in section 1, beginning on page 28 of this document.
- Take note that although CMS is also adding 10 occurrences of incarceration start and end dates to the CMS BEQ response file, these same updates will not be reflected on the Infocrossing MBD eligibility response file. CMS will add these data elements to the MBD eligibility file at a later date.

The exact date will be communicated to MMP and State organizations as soon as the information is made available by CMS.

- The addition of the Medicare ineligibility start and end dates will not increase the MBD response record size. It remains at 1,300 bytes. All new data fields have been added at the end of the layout by using existing filler. This will allow ample time for MMP and State organizations to prepare for the new Medicare

ineligibility data. However, please take note that the next MBD response layout change that CMS will implement to reflect the Medicare ineligibility due to incarceration will require an increase in record layout size in the MBD response file. Please plan accordingly for this impact on a future software change implementation.

- A new error code 76 will be generated on a new enrollment transaction if the effective date of the enrollment falls during a Medicare Plan Ineligibility period. Section 2.5, page 55 of this document has been changed to reflect this new error code.
- The web service layout has changed to accommodate the Medicare ineligibility start and end dates due to unlawful presence. Refer to section 3 of this document for details.
- The ELIGIBILITY+ response file has been modified to include the unlawful presence Medicare Ineligibility data. Changes are described in section 5, beginning on page 80.
- States and MMP sponsors must be prepared to accept and process new Transaction Reply Codes (TRCs) as described in Attachment C, figure 1 of the CMS February Software release document. CMS will also generate a new disenrollment reason code of 71 on involuntary disenrollments due to a not lawfully present period (refer to Attachment C, figure 2 of the CMS February 2016 Software release). The newly introduced TRCs are:
 - o TRC 348 (Enrollment Rejected – Not Lawfully Present Period)
 - o TRC 349 (Disenrollment due to Not Lawfully Present Period)

Direct access to the CMS memo publication can be obtained by following this link:

<https://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/maphelpdesk/Downloads/Announcement-of-the-February-2016-Software-Release.pdf>

08/31/2015 – Version 2.4

The MMP technical guide has been updated with version 2.4 to reflect the CMS November 2015 Software changes, as documented in the final CMS HPMS notice, dated August 28, 2015. The Infocrossing edit changes will be implemented on the November 2015 CMS Plan Data Due date which will occur on Friday November 6th, 2015. The actual implementation time will be right after 08:00 P.M. Eastern Time.

As part of the November software changes, CMS will require the PBP# field on “51” disenrollment and “81” disenrollment cancellation transactions.

- Section 2.1 (Medicare Transaction Processing) and section 2.6 (Medicare Transaction matrix) of this document have been changed as follows:

The PBP# field on the batch enrollment/disenrollment/cancellation record on page 31 has been updated to indicate that it is a required field on “51” and “81” transaction types. Section 2.6 (Medicare Transaction matrix) has been modified on pages 53 and 54 to indicate that the PBP# is required on “51” and “81” transactions.
- Infocrossing edits will reject “51” and “81” transactions that do not include the PBP# field when required with existing error code: “51 - PBP# REQUIRED. VALUE MUST BE NUMERIC”
- MMP organizations will be able to test this new CMS requirement with the Infocrossing application system beginning on Monday, September 14, 2015.

Another small change that is unrelated to the CMS November software changes will be implemented to improve consistency and clarity: the text description for error code “48” will be changed from the existing message of “*Signature Date Invalid*” to the new message: “*Application Receipt Date Invalid*”. Section 2.5 - *Transaction Error Codes* on page 49 has been changed accordingly.

With August 2015 CMS software release, MMPs and States can now request CMS address data on a batch basis using the MARx Batch Eligibility Query (BEQ) file exchange process. The August 27, 2015 CMS HPMS memo entitled “*Batch Eligibility Query (BEQ) Enhancement – Mailing and Residence Address Data Available Through MARx BEQ Response File*” explains the new capability and introduces the newly formatted BEQ response file layout. For more details about the BEQ request file/response file layouts, please see section F.6 and F.7 (pages F-47 thru F-59) in the PCUG Appendices located under the Download section in this webpage:
https://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/mapdhelpdesk/Plan_Communications_User_Guide.html

06/08/2015 – Version 2.3

Involuntary Disenrollment Due to Confirmed Incarceration Status – New Transaction Reply Codes and Disenrollment Reason Code

CMS has recently published the August 2015 Software Release document. Section 5 of the document, which is titled “*Eligibility for Enrollment and Involuntary Disenrollment due to incarceration Status*” is of primary concern for the MMP program. States and MMP sponsors must be prepared to accept and process new Transaction Reply Codes (TRCs):

- TRC 345 (Enrollment Rejected – Confirmed Incarceration)

- TRC 346 (Disenrollment due to Confirmed Incarceration)
- TRC 347 (Reenrollment due to Closed Incarceration Period)

CMS will start producing these new TRCs on the daily TRR files once the August Software changes are implemented on the week-end of Friday, August 7, 2015.

Direct access to the CMS memo publication can be obtained by following this link:

<http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/mapdhelpdesk/Downloads/Announcement-of-the-August-2015-Software-Release.pdf>

System Enhancements to Batch Eligibility Query (BEQ) Response File and MARx eligibility screen (M232)

On May 10, 2015, CMS has expanded the record length of the BEQ response file from 750 to 1500 positions and added four extra data elements:

- **Plan Benefit Package (PBP) Number,**
- **Plan Type Code,**
- **Employer Group Health Plan (EGHP) Indicator, and**
- **End Stage Renal Disease (ESRD) Indicator.**

These new data fields allow states to select the right dual-eligible individuals and determine anyone who are found ineligible prior to submitting MMP passive enrollment transactions to CMS. This will help state's passive notice mailings go to the targeted passive enrollment population. In addition to MMA/TBQ file exchanges, States are highly encouraged to use this batch eligible query/file exchange process since it provides more real-time Medicare eligibility information.

Also, with the May 10th 2015 CMS system release, State Medicaid Agency staffs and their brokers may notice the new **Plan Type Code and Description** to the MARx eligibility screen (M232). This was added for the state users and enrollment brokers to better determine MMP enrollment eligibility of the dual-eligible individual.

See Section 1 of the CMS May 2015 Software Release document for more information:
<http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/mapdhelpdesk/Downloads/Announcement-of-the-May-2015-Software-Release.pdf>

Section 6 of the MMP technical guide documents an enrollment reconciliation tool that is available to all State and MMP organizations.

The enrollment reconciliation tool can be used to research any Medicare transaction for a given MMP contract within a specific time frame. You can validate the date and time of any Medicare transaction that was sent to CMS and match it against all the CMS Transaction Reply responses. This information can be used to identify any potential discrepancies and help determine the necessary corrective actions.

There are two ways to access this tool from the www.medicare-solution.com website:

1. From the Main Menu – choose “Enroll Recon” tab. This allows you to research Medicare transactions within a limited time period of three months at a time. The information displayed is high level and meant to serve as a first validation step on a case by case scenario. For a more in-depth reconciliation process involving a much larger time period and volume of data, you can choose the second available option as described below.
2. From the Main Menu – choose “File Transfer” tab. Locate the following section:

Enrollment - Enrollment Reconciliation Report
Enrollment Recon Extract Request
Enrollment Recon Report Download
Enrollment Recon Data Download

To place a request, click on the “Enrollment Recon Extract Request” link. Choose any date range that could span over several months or years for a given contract.

Once your selection is submitted, the system will provide the results in two formats:

1. A detail report with summary statistic totals can be retrieved under the “*Enrollment Recon Report Download*” link.
2. A data file can be retrieved under the “*Enrollment Recon Data Download*” link. This file can be loaded into your internal application systems. The layout of the reconciliation file is described in section 6 of this document.

The Infocrossing MBD File response layout and Web service will be modified and implemented on Saturday, August the 15th, 2015 to incorporate the CMS BEQ changes that were implemented on May 10, 2015.

1. The MBD eligibility file response layout is now being updated with the same changes. Section 1 of this document has been updated as follows (all changes are highlighted in red within this document for ease of reference):

- Note that the MBD file response layout size (as described in section 1 of this document) does not change and remains at 1,300 bytes. However, the EGHP indicator value in position 213 and the plan enrollment related fields (positions 478 to 525) have changed as follows:

Position 213 of the MBD response file is now defined as FILLER. This change occurs on page 17. The EGHP indicator is now defined for each one of the two plan membership occurrences for the beneficiary as follows:

Two occurrences of plan enrollment information now include the PBP ID, the EGHP INDICATOR and the PLAN TYPE CODE. Please reference the MBD response file layout in section 1 of this document, beginning on page 20.

- Note that the ESRD STATUS indicator continues to be reported on the MBD response layout with no changes.

2. The MBD eligibility file+ response layout is also being updated with the same changes as described above for section 1. Section 5 of this document, beginning on page 67 has also been updated accordingly.

3. The web service section (section 3, beginning on page 59) of this document has been changed to accommodate the new field additions and changes as follows:

- The eghplnd field has been removed from the “Eligibility Query Return Data” portion and added to the “Enrollment Data” section.
- The pbpld and planType fields have been added to the “Enrollment Data” section.

4. These MBD field additions and changes will also be reflected on the Eligibility tab of the www.medicare-solution.com website

01/30/2015 – Version 2.2

These software changes will be implemented on Monday March 2nd, 2015.

- Version 2.2 reflects changes that are meant to improve the processing and turnaround of both enrollment and eligibility files. Currently, when MMP Plan Sponsors and State organizations submit data files containing invalid or missing header record information, the Infocrossing edits abort the process and the help desk notifies the end-user that the file must be corrected and resubmitted. As of March the 2nd, both automated FTP and manual Web upload file submissions will

automatically reject all detail transactions when invalid header record information is submitted.

1. For eligibility files, the HICN Found/Not Found field in position of 26 of the eligibility response file will have a new value of "F" (Failed) populated for all detail transactions. No eligibility match will be attempted against the Medicare beneficiary database.
2. For enrollment file submissions, all detail transactions will be rejected with a new error code of "60". The file must be corrected to contain a valid header record and resubmitted for processing.
- The edit requirement for the TC 90 Implementation date to be at least 30 days after the Notification date has been removed. The corresponding error code "3A" has been disabled.

The editing of a 4RX TC 72 effective date has been improved by ensuring that the date falls within valid enrollment periods for the given contract. The historical CMS TRRs will be reviewed as necessary to accomplish this and help ensure that CMS does not generate a TRC "209" rejection response. Infocrossing will reject 72 transactions that do not show a valid enrollment period with a new error code of "59".

05/03/2014 – Version 2.1

The Remarks section for the Application Receipt date field in Section 2.1 Medicare Transaction Processing – All transaction types except "76" and "90" has changed.

For passive MMP enrollments, the old description of: "The Application Receipt date field is the 1st day of the 2nd month prior to the actual month of enrollment. For example, if the enrollment month is June 1, 2013, the application receipt date is April 1, 2013." has been removed and replaced with: "The Application Receipt date field is the date the transaction is submitted to CMS (which must be no later than 60 days before the effective date).

01/06/2014 – Version 2.0

- This document has been updated to reflect the CMS February 2014 Software changes. All relevant changes will be implemented on the February 2014 CMS Plan Data Due date which will be on Friday February the 7th, 2014. The actual implementation will occur after 08:00 P.M. Eastern Time.

1. Section 2.3. Medicare Transaction Processing – "90" Reporting Identified Drug Overutilizers on page 37 has been added to document the record layout and field definitions for the new Transaction Code 90.

2. Section 2.4 Medicare Transaction response has been modified to accommodate the new Tran code 90 data fields. It is important to note that positions 214 through 245 of the response file are shared by both Tran code 76 residential address change and the new Tran Code 90 data fields. You must keep track of the Transaction Code value shown in positions 14 through 15 (data values "76" or "90") of the response record to determine whether Tran Code 90 or Tran Code 76 data field values are reported.
3. The new Transaction Code "90" requires the addition of new transaction batch response error codes. As a result, we are now producing alphanumeric error codes (Errors "1A" through "9A"). See section 2.5 Transaction Error Codes to review the new error codes. It is important to adjust your internal application systems to accommodate an alphanumeric data type.
4. Section 2.6 – Matrix of Required/Optional fields – has been updated to add the new Tran Code 90.
5. Section 4.4 CMS Transaction Transmission Data File Layout has been changed to accommodate the new Tran Code 90 data fields.
6. A batch processing edit enhancement will be implemented alongside the Tran Code 90 changes. Currently the entire batch enrollment file is rejected if it contains any blank records. As of February 7, 2014, blank records will be rejected with error code "78 - Invalid Record Type. Record Bypassed". This will allow for the entire file to process and have all its valid records accepted and sent to CMS as quickly as possible.
7. Section 2.5 Transaction Error Codes, has been changed to update error code 98. This error is not applicable to MMP processing and has been changed from "MEMBER MUST BE ENROLLED IN PART B WITH NO PART A ENTITLEMENT" to: "RESERVED FOR FUTURE USE".
8. Section 2.1 has been updated to allow the submission of an EGHP or Employer subsidy Enrollment Override flag. Refer to the remarks section of each data field for instructions.

09/09/2013 – Version 1.4

The allowable value for the Premium Payment Option/ Part C-D field in position 77 of the Medicare input transaction layout has changed. The previous guidance provided for this field was to initialize the field to spaces. The correct value should be "N" (No Premium Applicable). Please see page 27 of the document for details.

06/24/2013 – Version 1.3

Version 1.3 changes reflect the latest CMS directive to remove the Part D Opt-Out Transaction code 79. This document has been updated to remove all references to the "79" transaction code.

05/06/2013 – Version 1.2

Version 1.2 changes will be implemented on Monday, May the 27th, 2013.

The Transaction tracking ID is now a required field for all MMP transaction processing. State or MMP submitted Medicare transactions (enrollments, disenrollments or changes) must contain the Infocrossing assigned account# in the first 7 positions of the 15 digit Transaction tracking ID. Positions 8 through 15 are free form and optional. Infocrossing edits will automatically populate your account number on the transaction if positions 1 through 7 are blank. The transaction will reject with a new error code of "73" if invalid data is found. The remarks section of the Transaction Tracking ID field has been updated accordingly on page 29 and 32 of this document.

- The Part D Opt Out transaction code 79 has been added. The Part D Opt Out flag has also been modified to now optionally allow beneficiaries to opt out of Part D if they already have a third party insurance that covers drugs. Please refer to the CMS MMP Enrollment and Disenrollment guidance document, section 30.1.4, Passive Enrollment, section E. Opt-Out for further guidance.
- This document contains some errors which are not relevant to MMP transaction processing. These errors have been identified with the description "(CAN BE IGNORED BY MMP PROCESSING)". The errors in question are Errors 24, 33, 34, 37, 39, 41, 45, 53, 82, 86, 87 and 88 as documented in section 2.4 - Transaction Error codes beginning on page 36.
- The previously defined MMP enrollment source code of "M" has been removed from the remarks section of the Enrollment Source code field on page 28.
- New error codes are now in effect. Some existing errors previously labeled as "Reserved for future use" will now be generated based on conditions found as shown below (note that error codes 24 and 82 are new but not relevant to MMP processing):

03 – *Trans type not applicable to MMP* (this error is generated if an MMP or State organization submits any of the 74 EGHP, 75 Payment Option, 77 Segment ID and 80 cancellation transactions which are not applicable to MMP processing).

73 – *MMP Tracking-ID must begin with HCF#* (error is generated when an MMP or State organization populates the first 7 positions of the transaction tracking ID field with the wrong value)

84 – *EGHP flag not applicable to MMP* (error is generated when an MMP or State organization submits a 61 enrollment with the EGHP flag populated).

91 – *Premium Pymt Opt not applicable to MMP* (error is generated when an MMP or State organization submits a 61 enrollment with a value in the premium payment option field.

12/10/2012 – Version 1.1

- Section 2.4 (Transaction Error Codes) of this document has been revised to provide additional information. Each error code is now mapped to the relevant transaction type and input data field.

Two unused errors have been retired and their descriptions have been changed to “Reserved for future use”. These errors used to be defined as:

03 – Middle Init MBD membership Mismatch

24 – Member currently enrolled

GENERAL DESCRIPTION

This document describes the interface to the Infocrossing applications for Medicare Eligibility verification and Enrollment submission to the CMS MARx systems. There are 3 ways to interface with the Infocrossing systems: 1) manually upload a batch file via the Infocrossing secure web site 2) automated file transfer of a Pretty Good Privacy (PGP) encrypted input file or 3) a programmatic call of a Web service.

1. Manual upload of a batch file via the Infocrossing secure web site where the user logs in and selects the menu option to transfer a file. Users will be able to select a file from their workstation to upload to the Infocrossing server. Refer to the Batch Eligibility Layout and Batch Enrollment Layout as described in this document for more information.
2. File Transfer (FTP - File transfer Protocol) of a PGP encrypted input file. Infocrossing and the client will need to exchange public keys for the encryption. This process can use either a customer's FTP site or the Infocrossing FTP site. Files are processed at a predetermined frequency specified by the customer. The File transfer process can be fully automated. Refer to the Batch Eligibility Layout and Batch Enrollment Layout as described in this document.
3. A Web Service is provided for doing real time Medicare Eligibility inquiry. This Simple Object Access Protocol (SOAP) based interface allows for programmable access to the Infocrossing Eligibility Inquiry service. Eligibility Information is queried using the Medicare HICN (Health Insurance Claim Number) and the first 6 characters of a beneficiary's last name. Alternatively, the HICN and the beneficiary Date of Birth can be used as key fields to retrieve Medicare eligibility entitlement information. A Web Service Descriptor Language (WSDL) file containing the web service description is available. The Web Service section (Section 3) of this document provides you with more detailed information regarding this process.

1. MEDICARE ELIGIBILITY INQUIRY

The Medicare Eligibility query service can be used when States or Medicare/Medicaid Plan personnel have selected a beneficiary for Medicare enrollment and there is a need to ensure that the person meets all Medicare eligibility criteria. This query eligibility verification process must be completed before any enrollment activity occurs and applies whether a given beneficiary has elected to enroll or whether the State agency has made the selection as a passive enrollment.

The eligibility response that is provided will help verify and confirm Medicare Eligibility entitlements and other related information.

INPUT RECORD LAYOUT FOR BATCH ELIGIBILITY INQUIRY

RECORD FORMAT = FB (Fixed Block) RECORD LENGTH = 80

HEADER RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 –1	Char	'H' – Required field used to uniquely identify the record as a header. Value must always be set to 'H'.
ACCOUNT	08	2 – 9	Char	Account number Assigned by Infocrossing – Required field
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
FILLER	63	18 – 80	Char	Spaces

DETAIL INPUT RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	'D' – Required field. Each detail record in the file must have the value of "D" in position 1.
MEDICARE ID	12	2 – 13	Char	Required field – Use either the Beneficiary's HICN or the MBI.
LAST NAME	12	14 – 25	Char	Required field – Beneficiary's Last Name
SEQUENCE NUMBER	32	26 – 57	Char	Optional – Free form custom field that can be used to track HICN query submissions.
FILLER	13	58 – 70	Char	Spaces
DATE OF BIRTH *	08	71 – 78	Char	Optional – Beneficiary's Date of Birth in CCYYMMDD format (See additional information supplied below).
FILLER	02	79 – 80	Char	Spaces

* The eligibility process will first attempt to find a match by using the HICN **or MBI** and the last name provided. If no match is obtained and the optional Date of Birth field is provided, a second attempt will be made by using the HICN **or MBI** and the Date of Birth fields.

If prior match attempts using the HICN are unsuccessful, one more attempt will be made to match the HICN and last name fields against the Medicare Beneficiary Database XREF (Cross Reference) HICN field. The XREF HICN represents any prior HICN number that might have been assigned to a beneficiary in the past. **If a prior attempt using the MBI as a provided value in the Medicare ID input field is unsuccessful, an attempt will be made to match against the MBD "Inactive MBI" field.**

OUTPUT RECORD LAYOUT FOR BATCH ELIGIBILITY INQUIRY

RECORD FORMAT = FB (Fixed Block)

LENGTH = 1300

HEADER RECORD

The output header record is in the same format as the input header record except for the addition of two MBD (Medicare Beneficiary Database) related data fields and an expanded record layout to 1,300 bytes.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 –1	Char	'H' (copied from input header record)
ACCOUNT	08	2 – 9	Char	Infocrossing supplied Account number (copied from input header record)
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
MBD (Medicare beneficiary Database) LOAD EFF DATE	08	18 – 25	Numeric	CCYYMMDD – Date MBD data is refreshed by CMS and loaded on Infocrossing database
POTENTIAL UNCOV MONTHS EFF DATE	06	26 – 31	Numeric	CCYYMM – Payment month MBD data is received from CMS
FILLER	1269	32 – 1300	Char	Spaces

DETAIL OUTPUT RECORD

For a successful match, the full user supplied HICN **or MBI** must be found on the Eligibility database and the first 6 bytes of the user supplied last name must match the first 6 bytes of the beneficiary last name as found on the Eligibility database. Note that the Date of Birth could also be supplied and used to match the Eligibility database beneficiary record. The Date of Birth will be used as a second match attempt only if a last name match is unsuccessful.

IMPORTANT NOTES:

Once an HICN **or MBI** match is found, the MBD response data will be categorized as follows:

1. Eligibility response Inquiry Type field in position 476 of the output file is set to 'E': in such cases, the beneficiary does not show membership in the requesting Medicare contract or Plan ID (For purposes of clarification, the terms "Contract" and "Plan ID" are interchangeable). Note that each Infocrossing account number is assigned to its authorized Medicare contract number(s). The response record is considered to be an eligibility inquiry and the Inquiry Type field value is set to "E".
2. Membership response Inquiry Type field in position 476 of the output file is set to 'M': beneficiary is enrolled in the requesting plan. The beneficiary shows active enrollment in one of two Plan ID response fields supplied in positions 478 and 492. The response record is considered to be a membership inquiry and the Inquiry Type field value is set to "M".
3. MBD Eligibility data is released when both the HICN **or MBI** found and Name/DOB found fields are set to "Y" or a match is obtained against the CMS XREF Claim Number field and the HICN found flag is set to "X".

When a successful match is obtained, all applicable response data fields starting from position 28 are populated with MBD data.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	1	1 – 1	Char	'D' – User supplied, copied from input file
HICN CLAIM NUMBER or MBI	12	2 – 13	Char	User supplied HICN or MBI – copied from input file
LAST NAME	12	14 – 25	Char	User supplied Last Name – copied from input file
HICN or MBI FOUND/NOT FOUND	01	26 – 26	Char	Y= found, N= not found X= Match on XREF HICN found B= Not found on MBD, BEQ requested F= Failed – Cannot process records
NAME or BIRTHDATE FOUND/NOT FOUND	01	27 – 27	Char	Y= found, N= not found
Medicare Eligibility and entitlement data follows:				
LAST NAME	40	28 – 67	Char	
FIRST NAME	30	68 – 97	Char	
MIDDLE INIT	01	98 – 98	Char	
GENDER	01	99 – 99	Char	Gender ('F' or 'M')
BIRTHDATE	08	100 – 107	Numeric	CCYYMMDD
PART A ENTITLEMENT DATE	08	108 – 115	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART A ENTITLEMENT END DATE	08	116 – 123	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART B ENTITLEMENT DATE	08	124 – 131	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part B entitlement period.
PART B ENTITLEMENT END DATE	08	132 – 139	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part B entitlement period.
STATE CODE	02	140 – 141	Numeric	
COUNTY CODE	03	142 – 144	Numeric	
HOSPICE STATUS	01	145 – 145	Char	Y/spaces
HOSPICE START DATE	08	146 – 153	Numeric	CCYYMMDD
HOSPICE END DATE	08	154 – 161	Numeric	CCYYMMDD
INSTITUTIONAL STATUS	01	162 – 162	Char	Y/spaces

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
INSTITUTIONAL START DATE	08	163 – 170	Numeric	CCYYMMDD
INSTITUTIONAL END DATE	08	171 – 178	Numeric	CCYYMMDD
ESRD STATUS	01	179 – 179	Char	Y/spaces
ESRD START DATE	08	180 – 187	Numeric	CCYYMMDD
ESRD END DATE	08	188 – 195	Numeric	CCYYMMDD
MEDICAID STATUS	01	196 – 196	Char	Y/spaces
MEDICAID START DATE	08	197 – 204	Numeric	CCYYMMDD
MEDICAID END DATE	08	205 – 212	Numeric	CCYYMMDD
FILLER	01	213 – 213	Char	
LIVING STATUS	01	214 – 214	Char	'A' or 'D' ("Alive" or "Deceased")
DEATH DATE	08	215 – 222	Numeric	CCYYMMDD
XREF CLAIM NUMBER	12	223 – 234	Char	Previously known HICN number as supplied by CMS on the MBD
RACE CODE	01	235 – 235	Char	Values as supplied by CMS are: '0' or blank = unknown, '1' = White, '2' = Black, '3' = other, '4' = Asian, '5' = Hispanic, '6' = North American Native
FILLER	07	236 – 242		
Part D – LIS Info				
PARTD ELIGIBLE START DATE	08	243 – 250	Numeric	CCYYMMDD. This field identifies the date the beneficiary became eligible for Part D Benefits.
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 1)	08	251 – 258	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (most recent or presently active).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 1)	08	259 – 266	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (most recent or presently active).
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 1)	01	267 – 267	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 1)	03	268 – 270	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 2)	08	271 – 278	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (second most recent).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 2)	08	279 – 286	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (second most recent).
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 2)	01	287 – 287	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 2)	03	288 – 290	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
FILLER	10	291 – 300		
PARTD OCCURRENCES	02	301 – 302	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 1)	08	303 – 310	Char	CCYYMMDD. Effective start date of the Part D plan for the beneficiary (most recent or presently active).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 1)	08	311 – 318	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (most recent).
FILLER	01	319 – 319	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 2)	08	320 – 327	Char	CCYYMMDD. Effective start date of the Part D plan (second most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 2)	08	328 – 335	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (second most recent).
FILLER	01	336 – 336	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 3)	08	337 – 344	Char	CCYYMMDD. Effective start date of the Part D plan (third most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 3)	08	345 – 352	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (third most recent).
FILLER	01	353 – 353	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 4)	08	354 – 361	Char	CCYYMMDD. Effective start date of the Part D plan (fourth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 4)	08	362 – 369	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fourth most recent).
FILLER	01	370 – 370	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 5)	08	371 – 378	Char	CCYYMMDD. Effective start date of the Part D plan (fifth most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 5)	08	379 – 386	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fifth most recent).
FILLER	01	387 – 387	Char	
PARTD ENROLLMENT EFFECTIVEDATE (OCCURRENCE 6)	08	388 – 395	Char	CCYYMMDD. Effective start date of the Part D plan (sixth most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 6)	08	396 – 403	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (sixth most recent).
FILLER	01	404 – 404	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 7)	08	405 – 412	Char	CCYYMMDD. Effective start date of the Part D plan (seventh most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 7)	08	413 – 420	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (seventh most recent).
FILLER	01	421 – 421	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 8)	08	422 – 429	Char	CCYYMMDD. Effective start date of the Part D plan (eighth most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 8)	08	430 – 437	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (eighth most recent).
FILLER	01	438 – 438	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 9)	08	439 – 446	Char	CCYYMMDD. Effective start date of the Part D plan (ninth most recent).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 9)	08	447 – 454	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (ninth most recent).
FILLER	01	455 – 455	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 10)	08	456 – 463	Char	CCYYMMDD. Effective start date of the Part D plan (tenth and oldest).
PARTD DIS-ENROLLMENT DATE (OCCURRENCE 10)	08	464 – 471	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (tenth and oldest date).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
FILLER	01	472 – 472	Char	
POTENTIAL UNCOVERED MONTHS**	03	473 – 475	Char	<p>1. '000' = No uncovered months</p> <p>2. Any value higher than zero (with leading zeroes) represents the number of potential uncovered months.</p> <p>3. 'N/A' = Unable to calculate due to following reasons:</p> <ul style="list-style-type: none"> - Part D end date is greater than Part D start date. - Beneficiary is deceased - Beneficiary does not have entitlement dates - Invalid Part D dates
INQUIRY TYPE	01	476 – 476	Char	<p>'E' = Eligibility</p> <p>'M' = Membership</p> <p>' ' (space) = No HICN match</p>
ENROLLMENT INFO OCCURRENCES	01	477 – 477	Char	0 to maximum of 2
Enrollment Info 1				
PLAN ID	05	478 – 482	Char	
PBP ID	03	483 – 485	Char	
EGHP INDICATOR	01	486 – 486	Char	Y/Spaces
PLAN-TYPE-CODE	02	487 – 488	Char	
PLAN ENROLLMENT DATE	08	489 – 496	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	497 – 497	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	498 – 498	Char	
Enrollment Info 2				
PLAN ID	05	499 – 503	Char	
PBP ID	03	504 – 506	Char	
EGHP INDICATOR	01	507 – 507	Char	
PLAN-TYPE-CODE	02	508 – 509	Char	
PLAN ENROLLMENT DATE	08	510 – 517	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	518 – 518	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	519 – 519	Char	
PRIOR ENROLLMENT INFO OCCURRENCES	01	520 – 520	Char	0 to maximum of 2

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
Prior Enrollment Info 1				
PLAN ID	05	521 – 525	Char	
PBP ID	03	526 – 528	Char	
EGHP INDICATOR	01	529 – 529	Char	
PLAN-TYPE-CODE	02	530 – 531	Char	
PLAN ENROLLMENT DATE	08	532 – 539	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	540 – 547	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	548 – 548	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	549 – 549	Char	
Prior Enrollment Info 2				
PLAN ID	05	550 – 554	Char	
PBP ID	03	555 – 557	Char	
EGHP INDICATOR	01	558 – 558	Char	
PLAN-TYPE-CODE	02	559 – 560	Char	
PLAN ENROLLMENT DATE	08	561 – 568	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	569 – 576	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	577 – 577	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	578 – 578	Char	
NUMBER OF UNCOVERED MONTHS (NUNCMO) OCCURENCES	02	579 – 580	Numeric	0 to a maximum of 20
UNCOVERED MONTHS START DATE1	08	581 – 588	Numeric	CCYYMMDD
UNCOV MONTHS1	03	589 – 591	Numeric	
NUNCMO INDICATOR1	01	592 – 592	Char	
TOTAL UNCOVERED MONTHS1	03	593 – 595	Numeric	
UNCOVERED MONTHS START DATE2	08	596 – 603	Numeric	CCYYMMDD
UNCOV MONTHS2	03	604 – 606	Numeric	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
NUNCMO INDICATOR2	01	607 – 607	Char	
TOTAL UNCOVERED MONTHS2	03	608 – 610	Numeric	
UNCOVERED MONTHS START DATE3	08	611 – 618	Numeric	CCYYMMDD
UNCOV MONTHS3	03	619 – 621	Numeric	
NUNCMO INDICATOR3	01	622 – 622	Char	
TOTAL UNCOVERED MONTHS3	03	623 – 625	Numeric	
UNCOVERED MONTHS START DATE4	08	626 – 633	Numeric	CCYYMMDD
UNCOV MONTHS4	03	634 – 636	Numeric	
NUNCMO INDICATOR4	01	637 – 637	Char	
TOTAL UNCOVERED MONTHS4	03	638 – 640	Numeric	
UNCOVERED MONTHS START DATE5	08	641 – 648	Numeric	CCYYMMDD
UNCOV MONTHS5	03	649 – 651	Numeric	
NUNCMO INDICATOR5	01	652 – 652	Char	
TOTAL UNCOVERED MONTHS5	03	653 – 655	Numeric	
UNCOVERED MONTHS START DATE6	08	656 – 663	Numeric	CCYYMMDD
UNCOV MONTHS6	03	664 – 666	Numeric	
NUNCMO INDICATOR6	01	667 – 667	Char	
TOTAL UNCOVERED MONTHS6	03	668 – 670	Numeric	
UNCOVERED MONTHS START DATE7	08	671 – 678	Numeric	CCYYMMDD
UNCOV MONTHS7	03	679 – 681	Numeric	
NUNCMO INDICATOR7	01	682 – 682	Char	
TOTAL UNCOVERED MONTHS7	03	683 – 685	Numeric	
UNCOVERED MONTHS START DATE8	08	686 – 693	Numeric	CCYYMMDD
UNCOV MONTHS8	03	694 – 696	Numeric	
NUNCMO INDICATOR8	01	697 – 697	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
TOTAL UNCOVERED MONTHS8	03	698 – 700	Numeric	
UNCOVERED MONTHS START DATE9	08	701 – 708	Numeric	CCYYMMDD
UNCOV MONTHS9	03	709 – 711	Numeric	
NUNCMO INDICATOR9	01	712 – 712	Char	
TOTAL UNCOVERED MONTHS9	03	713 – 715	Numeric	
UNCOVERED MONTHS START DATE10	08	716 – 723	Numeric	CCYYMMDD
UNCOV MONTHS10	03	724 – 726	Numeric	
NUNCMO INDICATOR10	01	727 – 727	Char	
TOTAL UNCOVERED MONTHS10	03	728 – 730	Numeric	
UNCOVERED MONTHS START DATE11	08	731 – 738	Numeric	CCYYMMDD
UNCOV MONTHS11	03	739 – 741	Numeric	
NUNCMO INDICATOR11	01	742 – 742	Char	
TOTAL UNCOVERED MONTHS11	03	743 – 745	Numeric	
UNCOVERED MONTHS START DATE12	08	746 – 753	Numeric	CCYYMMDD
UNCOV MONTHS12	03	754 – 756	Numeric	
NUNCMO INDICATOR12	01	757 – 757	Char	
TOTAL UNCOVERED MONTHS12	03	758 – 760	Numeric	
UNCOVERED MONTHS START DATE13	08	761 – 768	Numeric	CCYYMMDD
UNCOV MONTHS13	03	769 – 771	Numeric	
NUNCMO INDICATOR13	01	772 – 772	Char	
TOTAL UNCOVERED MONTHS13	03	773 – 775	Numeric	
UNCOVERED MONTHS START DATE14	08	776 – 783	Numeric	CCYYMMDD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
UNCOV MONTHS14	03	784 – 786	Numeric	
NUNCMO INDICATOR14	01	787 – 787	Char	
TOTAL UNCOVERED MONTHS14	03	788 – 790	Numeric	
UNCOVERED MONTHS START DATE15	08	791– 798	Numeric	CCYYMMDD
UNCOV MONTHS15	03	799 – 801	Numeric	
NUNCMO INDICATOR15	01	802 – 802	Char	
TOTAL UNCOVERED MONTHS15	03	803 – 805	Numeric	
UNCOVERED MONTHS START DATE16	08	806 – 813	Numeric	CCYYMMDD
UNCOV MONTHS16	03	814 – 816	Numeric	
NUNCMO INDICATOR16	01	817 – 817	Char	
TOTAL UNCOVERED MONTHS16	03	818 – 820	Numeric	
UNCOVERED MONTHS START DATE17	08	821 – 828	Numeric	CCYYMMDD
UNCOV MONTHS17	03	829 – 831	Numeric	
NUNCMO INDICATOR17	01	832 – 832	Char	
TOTAL UNCOVERED MONTHS17	03	833 – 835	Numeric	
UNCOVERED MONTHS START DATE18	08	836 – 843	Numeric	CCYYMMDD
UNCOV MONTHS18	03	844 – 846	Numeric	
NUNCMO INDICATOR18	01	847 – 847	Char	
TOTAL UNCOVERED MONTHS18	03	848 – 850	Numeric	
UNCOVERED MONTHS START DATE19	08	851 – 858	Numeric	CCYYMMDD
UNCOV MONTHS19	03	859 – 861	Numeric	
NUNCMO INDICATOR19	01	862 – 862	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
TOTAL UNCOVERED MONTHS19	03	863 – 865	Numeric	
UNCOVERED MONTHS START DATE20	08	866 – 873	Numeric	CCYYMMDD
UNCOV MONTHS20	03	874 – 876	Numeric	
NUNCMO INDICATOR20	01	877 – 877	Char	
TOTAL UNCOVERED MONTHS20	03	878 – 880	Numeric	
RDS OCCURRENCES	02	881 – 882	Char	Number of RDS occurrences
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 1)	08	883 – 890	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (most recent or presently active).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 1)	08	891 – 898	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 2)	08	899 – 906	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (second most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 2)	08	907 – 914	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (second most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 3)	08	915 – 922	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (third most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 3)	08	923 – 930	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (third most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 4)	08	931 – 938	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fourth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 4)	08	939 – 946	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fourth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 5)	08	947 – 954	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fifth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 5)	08	955 – 962	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fifth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 6)	08	963 – 970	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (sixth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 6)	08	971 – 978	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (sixth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 7)	08	979 – 986	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (seventh most).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 7)	08	987 – 994	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (seventh most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 8)	08	995 - 1002	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (eighth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 8)	08	1003 - 1010	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (eighth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 9)	08	1011 - 1018	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (ninth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 9)	08	1019 - 1026	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (ninth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 10)	08	1027 - 1034	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (tenth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 10)	08	1035 - 1042	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (tenth most recent)
SEQUENCE NUMBER	32	1043 - 1074	Char	Sequence number provided on the input transaction -Optional
MBD HICN CLAIM NUMBER	12	1075 - 1086	Char	MBD claim number is returned when the HIC Found/Not Found flag is set to "X"

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE PLAN INELIGIBILITY DATA OCCURRENCES	02	1087 –1088	Char	Number of Medicare Plan Ineligibility Data occurrences. 10 occurrences maximum.
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 1)	08	1089 - 1096	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 1)	08	1097 - 1104	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 2)	08	1105 - 1112	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 2)	08	1113 - 1120	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 3)	08	1121 - 1128	Char	CCYYMMDD. Medicare Plan Ineligibility due to Not Lawful Presence Start Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 3)	08	1129 - 1136	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 4)	08	1137 - 1144	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fourth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 4)	08	1145 - 1152	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fourth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 5)	08	1153 - 1160	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fifth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 5)	08	1161 - 1168	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fifth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 6)	08	1169 - 1176	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 6)	08	1177 - 1184	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 7)	08	1185 - 1192	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 7)	08	1193 - 1200	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 8)	08	1201 - 1208	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 8)	08	1209 - 1216	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 9)	08	1217 - 1224	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 9)	08	1225 - 1232	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 10)	08	1233 - 1240	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (tenth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 10)	08	1241 - 1248	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (tenth occurrence)
MBI	11	1249 - 1259	Char	Medicare Beneficiary Identifier
INACTIVE MBI	11	1260 - 1270	Char	Prior Medicare Beneficiary Identifier
FILLER	30	1271 - 1300		

****Potential Uncovered Months**

Important Note: The Number of Uncovered months (number of months in which a Medicare eligible beneficiary did not have creditable drug coverage for a continuous period of 63 days or more) is an important rule of the Medicare Prescription Drug program. Although the Medicare & Medicaid Plan enrollment (MMP) program is subject to the Medicare Prescription Drug rules, beneficiaries that become eligible to enroll in the MMP program will get any prior number of uncovered months reset as soon as their low income subsidy eligibility status is established. As such, while this field should not be considered in the initial enrollment of beneficiaries in the demonstration program, it could have a potential use in identifying payment reconciliation issues.

** As of November 9, 2007, when applicable, CMS requires plans to submit the latest incremental number of uncovered months, rather than the cumulative process that used to be in place.

The Infocrossing new potential incremental uncovered months is reported as follows: The Potential Uncovered Months field represents the latest calculated incremental number of months for which the beneficiary was NOT enrolled in a Part D or Retiree Drug Subsidy plan. We subtracted the latest Part D end date from the uncovered months effective date. If there are no Part D dates, then, the end of the beneficiary's Part D ICP date, or May, 2006, whichever is later, is used.

Example 1:

If the beneficiary is currently enrolled in a Part D plan, then the potential incremental uncovered months is zero. If the latest Part D end date is zeros, then uncovered months is zero.

Example 2:

If the beneficiary terminated membership in a Part D plan on October 31, 2007 and the uncovered months effective date is December 1, 2008, then this is less than 63 days from the calculation date and the uncovered months is set to zero.

Example 3:

If the beneficiary terminated membership in Part D plan August 31, 2007 and uncovered months effective date is December 1, 2008, which is greater than 63 days, the number of uncovered months is 3 months.

2. MEDICARE TRANSACTION PROCESSING

BATCH TRANSACTION PROCESSING

Clients that wish to do batch transaction processing should contact an Infocrossing customer service representative at Infocrossing by calling 1-877-833-3499. The Infocrossing help desk personnel can assist you in assigning an account number which is needed to submit both Eligibility and Enrollment files and assist with any questions that you might have.

A batch job will be implemented to automatically process client submitted Medicare transaction files. Infocrossing will process the transactions within 5 to 15 minutes of upload.

Whether a batch job is run after-hours or during the day, the system will generate error/response data in report and/or data formats, ready for downloading. The client's input data file will be deleted by the batch job.

The transaction file supplied by the customer must contain one header record followed by Medicare transactions. The following pages explain the format of the data and individual field positions. The record length is 300 bytes. All applicable fields are validated against the MBD eligibility database.

2.1 MEDICARE TRANSACTION PROCESSING – ALL TRANSACTION TYPES EXCEPT “76” AND “90”

This document is intended for readers to use as a supplement to the CMS literature and should primarily be used as a guide to build the Infocrossing required record layout.

Batch Enrollment/Disenrollment/Change/Cancellation transactions Header Record

Data Element	Size	Format	Position	Remarks
Record type	1	Num	1	‘1’ Header record
Account	7	Char	2-8	Account number assigned by Infocrossing.
Filler	1	Char	9	Space
Planid	5	Char	10-14	Plan id (contract) supplied by CMS
Filler	1	Char	15	Space
Batch-Number	6	Num	16-21	Any Numeric Value identifying the group of transactions
Trans-Count	8	Num	22-29	Numeric Value specifying the number of type 3 detail records sent
Batch File Type **	5	Char	30-34	<p><u>Note:</u> “RETRO, POVER and SVIEW” submissions are special file submissions that are <u>initiated only with specific guidance from CMS</u>.</p> <p>“spaces” = Normal transaction which conforms to CMS CCM processing rules.</p> <p>“RETRO” = Retroactive Transaction Submission.</p> <p>“POVER” = Plan Rollover Transaction Submission</p> <p>“SVIEW” = Special Organizational Review Transaction Submission</p>
CMS Approval Request ID ***	10	Char	35-44	Leave as spaces when Batch File Type is “spaces”. Otherwise, obtain the appropriate value from the CMS MARx UI screens when Batch File Type is “RETRO, POVER or SVIEW”.
Filler	256	Char	45-300	Spaces

** If “RETRO” “POVER” or “SVIEW” is populated, only one Header record must be included in the file submission to Infocrossing.

*** Obtain the appropriate value for the CMS Approval Request ID from the CMS MARX screens when you need to submit a RETRO, POVER or SVIEW file to Infocrossing. Note: This value must be populated when Batch File Type is populated. Your file submission will be rejected if multiple header records are sent with the Batch File Type field populated or an invalid value is supplied in the Batch File Type.

**Batch Enrollment/Disenrollment/Change/Cancellation transactions
Detail Record**

** The remarks section can be used to build your transaction records. The CMS Plan Communication User Guide document should be used primarily.

Note: For ease of reference, the "76" residential Address Change transaction layout has been defined in a separate section. Please keep in mind that all transaction types can be submitted together in one batch file to Infocrossing for processing.

Additional important notes:

- All references to Medicare and Medicaid Plans are used with the acronym: "MMP"
- The CMS MARx system input file layout requirement allows for many different types of organizations to submit data to CMS. While this document contains references to these organizations, Medicare and Medicaid Plan personnel should strictly concern themselves with data specific to MMP processing requirements. Some example acronyms of such organizations are: *MAs* (Medicare Advantage Plans), *MAPDs* (Medicare Advantage Prescription Drug Plans) and *PDPs* (Prescription Drug Plans)
- While the CMS MARx system processes several different types of transactions for various organizations concerned with the MARx processing interface, only the transactions that are applicable to MMPs are described in this document. Transaction types "74" (Employer Group Health Plan Change), "75" (Premium Payment Option Change) and "77" (Segment ID change) are excluded from this document and are not applicable to MMPs.

Data Element	Size	Format	Position	Remarks
Record-Type	1	Num	1	'3'-transaction record.
Health Insurance Claim-Number (HICN) or MBI	12	Char	2-13	Valid Health insurance Claim Number. Must exist in CMS Eligibility for enrollments. Required on all transactions (Note: MBI uses only the first 11 bytes)
Surname	12	Char	14-25	Last name. No blank or spaces. Required on all transactions.
First Name	7	Char	26-32	First name. No blank or spaces. Required on all transactions.
Middle Initial	1	Char	33	Middle Initial. Can be a blank or space. Optional on all transactions.
Gender	1	Char	34	1 = male, 2 = female, 0 = unknown. Required on all transactions.
Birth Date	8	Num	35-42	Birth date in CCYYMMDD format. Required on all transactions.
EGHP Flag	1	Char	43	To identify Employer Group Health Plan (EGHP). Values are 'Y' or blank as applicable. Used on '61' transactions. Report 'Y' for type "61" transactions if EGHP, otherwise leave blank. Leave blank for all other transactions.
PBP #	3	Char	44-46	Plan Benefit Package. Required on transactions '61', '51', '72', '73', '78', '81', '82', '83' if plan has PBPs. Leave field blank only if not applicable for the contract. Otherwise, PBP is required for all organizations to report a 3 character numeric number (zero-padded, 001-999).

Data Element	Size	Format	Position	Remarks
Election Type	1	Char	47	<p>While all election type values as explained below are valid in the CMS MARx system for many organizations, as far as the MMP plans are concerned, the appropriate election type value for all transactions is "U – LIS/Duals, Special Enrollment Period".</p> <p>Required on '61' and '51' transactions. Leave as space if not applicable.</p> <p>'A' – (AEP)Annual Enrollment: Oct 15 – Dec 07</p> <p>'D' – (MADP) 45-Day MA Disenrollment Period between January 1 and February 14 of each year with February 1 or March 1 effective dates.</p> <p>'E' – (IEP) Initial Enrollment Period is 3 months prior and 3 months after the 65th birthday.</p> <p>'F' – (IEP 2) Second Initial Enrollment Period for Part D.</p> <p>'I' – (ICEP) Initial Coverage Enrollment Period: 3 months prior to Eligibility Part A and Part B date</p> <p>'S' – (SEP) Special Election Period</p> <p>'T' – (OEPI) Open Enrollment for Institutionalized. First 3 months of the year.</p> <p>Additional Special Election types:</p> <p>'U' – SEP for Dual-eligible individuals or individuals who lose their Dual-Eligibility and SEP for Non-Dual Eligible individuals with LIS and individuals who lose LIS</p> <p>'V' – SEP for changes in Residence</p> <p>'W' – SEP EGHP</p> <p>'X' – Administrative Action SEP</p> <p>'Y' – Casework exceptional condition</p> <p>'Z' – MA Auto-Enrollment Period</p> <p>'R' – SEP enrollment into a 5-Star rated Plan.</p>
Plan-ID (Contract #)	5	Char	48-52	<p>Contract Number</p> <p>Required on all transactions: '61', '51', '72', '73', '78', '81', '82' and '83'</p> <p>***** = identifies MMP plans (All asterisks must be replaced by valid CMS assigned numeric values)</p>

Data Element	Size	Format	Position	Remarks
Application Receipt Date	8	Num	53-60	<p>CCYYMMDD format. Required on 61 transactions.</p> <p><u>For Passive MMP enrollments:</u> The Application Receipt date field is the date the transaction is submitted to CMS (which must be no later than 60 days before the effective date). For passive enrollments effective January 1, the application date is the actual date the passive enrollment transaction is submitted to the CMS MARx system.</p> <p>Use an enrollment Source Code value of 'J' – State submitted passive enrollment (see Enrollment Source Code in position 193).</p> <p><u>For Beneficiary Elected MMP enrollments:</u> Application date is the date the Plan received the beneficiary's enrollment request. Refer to the CMS Enrollment guidance for additional detailed explanation.</p> <p>Use an enrollment Source Code value of 'L' – MMP beneficiary election.</p> <p>Not applicable on transactions 72 through 78, 81, 82, 83 and 51.</p>
Transaction Code	2	Num	61-62	<p>Enrollments: '61' Disenrollments: '51' 4rx Change: '72' Uncovered Months Change: '73' Part C Premium Change: '78' Disenrollment Cancellation: '81' MMP Enrollment Cancellation: "82" MMP Opt-Out Update: "83"</p>
Disenrollment reason	2	Num	63-64	<p>MMP disenrollment reasons: '11' – Voluntary disenrollment '63' – MMP Opt-Out After Enrolled '64' – Loss of Demonstration Eligibility '92' – Involuntary disenrollment for a move out of plan's service area Blank Valid only on transaction 51. Leave blank on all other transactions. Required for Involuntary Disenrollments</p>
Effective Date	8	Num	65-72	Effective date in CCYYMMDD format. Required on all transactions. Day field must always contain the first of the month.

Data Element	Size	Format	Position	Remarks
Segment ID	3	Char	73-75	This field is not applicable to Medicare & Medicaid Plans (MMPs). Leave it initialized to blank on all transactions.
ESRD Override (Prior Commercial Override)	1	Char	76	Applicable to '61' transactions only. The override field is required if beneficiary has ESRD and wants to enroll in an MMP Plan. Not required if plan is special-needs-plan (SNP). Use Alpha-numeric, 1-9 and A-F to report ESRD override condition. Zero (0) and blank = no override to report.
Premium Payment Option / Parts C-D	1	Char	77	This field is not applicable to Medicare & Medicaid Plans (MMPs). Populate this field with a value of "N" (No Premium Applicable)
Part Premium Amount	C 6	Num	78-83	For MMP Plans, initialize this field with zeroes during initial enrollment. The total Part C premium owed by the member; including amounts related to optional supplemental benefits. CMS collects the premiums from SSA/RRB/OPM and forwards them to the plan for members that elect to have them withheld from their benefit checks. 6-digits with leading zeroes, or blank if premium does not apply. Decimal point assumed 2-digits from right, XXXXvXX. A value of '000000' is an acceptable change-to value meaning \$0.00. A value of '003700' is \$37 and \$125 is 012500. Required on 61 and 78 transactions. Not applicable on all other transactions.
Creditable Coverage Flag	1	Char	84	Note for MMP enrollments: the creditable coverage field is always set to "Y" since uncovered months is not reported. Used in determining the higher premium charge for late enrollment. For 61 transactions, valid values are Y, N and blank. For 73 transactions, valid values are Y and N. Y - if covered N - if not covered.

Data Element	Size	Format	Position	Remarks
Number of Uncovered Months	3	Num	85-87	<p>Note for MMP enrollments: The NUNCMO field is always set to "000".</p> <p>Count of total months without drug coverage.</p> <p>If a beneficiary fails to enroll in a Part D plan timely, a higher premium is assessed based on the number of months that the individual lacked drug coverage. This is used in determining the higher premium amount.</p> <p>Format 999 with leading zeroes, i.e. 3 is 003.</p> <p>When Creditable Coverage flag is "Y" or blank, value should be zero. Value should be greater than 0 if Creditable Coverage Flag is "N".</p> <p>Required on 61 and 73 transactions.</p>
Employer Subsidy Enrollment Override Flag	1	Char	88	<p>To allow enrollment into an MMP plan by an individual that is already covered by an employer subsidized by CMS to provide drug coverage. If the beneficiary is in a plan receiving an employer subsidy, but still wants to enroll, submit the enrollment with the override flag set to "Y"; otherwise, leave blank.</p> <p>Used on "61" transactions if beneficiary has Employer Subsidy status; otherwise leave blank. Not applicable on all other transactions.</p>
Part D Opt-Out Flag	1	Char	89	<p>Optional Field on a 51 transaction.</p> <p>Y = Beneficiary already has a third Party insurance that covers drugs and does not wish to be auto-enrolled in part D.</p> <p>Blank = leave field blank if beneficiary has not opted-out of Part D.</p>
Part D Rx ID	20	Char	90-109	<p>Not Required on Passive MMP enrollments.</p> <p>The member ID assigned to the Beneficiary.</p> <p>Required for all MAPD and Part D plans.</p> <p>Left-justified with trailing spaces. Uppercase alpha A-Z and/or numeric 0-9 only.</p> <p>Required for all part D plans on 61 and 72 transactions. Required on 72 transactions when changing primary Rx insurance.</p>

Data Element	Size	Format	Position	Remarks
Part D Rx Group	15	Char	110-124	<p>Not Required on Passive MMP demonstration enrollments.</p> <p>The identifying number assigned to the cardholder group or employer group. Optional field. Change-to-value (used by all MAPD and Part D plans). Left-justified with trailing spaces. Uppercase alpha A-Z and/or numeric 0-9 only.</p> <p>Applicable to 61 and 72 transactions. Not applicable on all other transactions.</p>
Secondary Drug Insurance Flag	1	Char	125	<p>To support coordination of benefits.</p> <p>Optional field on 61 and 72 transactions.</p> <p>Y = beneficiary has secondary drug insurance</p> <p>N = beneficiary does not have secondary drug insurance available.</p> <p>blank = do not know whether beneficiary has secondary drug insurance.</p> <p>Change-to-value on 72 transactions.</p>
Secondary Rx ID	20	Char	126-145	<p>The ID # assigned to the member by the secondary insurer. It supports coordination of benefits.</p> <p>Secondary insurance plan's ID number for beneficiary. Alphanumeric, upper case when alpha; left justified. Upper case printable characters and default value of spaces.</p> <p>Optional field used on 61 and 72 transactions for if there is secondary insurance.</p>
Secondary Rx Group	15	Char	146-160	<p>The Group # assigned to the member by the secondary insurer. It supports coordination of benefits.</p> <p>Secondary insurance plan's group ID number for beneficiary. Alphanumeric, upper case when alpha; left justified. Upper case printable characters and default value of spaces.</p> <p>Optional field used on 61 and 72 transactions if there is secondary insurance.</p>
Part D Rx BIN	6	Char	161-166	<p>Not Required on Passive MMP enrollments.</p> <p>The card issuer identifier or a Bank Identifying Number used for network routing. Required for all MAPD and PDP plans</p> <p>Right justified, zero filled. Numeric 0-9 only.</p> <p>Applicable for transaction types 61 and 72.</p>

Data Element	Size	Format	Position	Remarks
Part D Rx PCN	10	Char	167-176	Not Required on Passive MMP enrollments. The number assigned by the processor. Optional field. Change-to-value (used by all MAPD and Part D plans). Left-justified with trailing spaces. Uppercase alpha A-Z and/or numeric 0-9 only. Applicable for transaction types 61 and 72.
Secondary Drug BIN	6	Char	177-182	Applicable on 61 and 72 transactions for MA-PD and PDP if there is secondary insurance. If specified, field must be right justified, zero filled, numeric 0-9 only. Change if secondary Drug Insurance Flag change-to value is "Y".
Secondary Drug PCN	10	Char	183-192	Optional field used for MA-PD and PDP if there is secondary insurance. If specified, must be alphanumeric, uppercase when alpha and left justified. Applicable on 61 and 72 transactions for MA-PD and PDP if there is secondary insurance.
Enrollment Source	1	Char	193	‘A’ – Auto-enrolled by CMS ‘B’ – Beneficiary election ‘C’ – Facilitated enrollment by CMS ‘D’ – CMS annual rollover ‘E’ – Plan-submitted auto-enrollment ‘F’ – Plan-submitted facilitated enrollment ‘G’ – Point of Sale (POS) submitted enrollment ‘H’ – CMS submitted reassignment enrollment ‘J’ – State submitted passive enrollment ‘K’ – CMS submitted passive enrollment ‘L’ – MMP beneficiary election Blank Valid on 61 enrollment transactions.
State *	2	Char	194-195	Numeric State code i.e. 05 for CA – *Use Optionally on 61 enrollments only.
County *	3	Char	196-198	Numeric County code – *Use Optionally on 61 enrollments only.
State/County Validation Flag *	1	Char	199	State and County validation indicator ‘Y’ – Validate State/County against CMS data blank or ‘N’ – Do not validate State/County – *Use Optionally on 61 enrollments only.
SNP ESRD override Flag	1	Char	200	‘S’ for SNP plan to bypass Prior-Commercial-Override edit.

Data Element	Size	Format	Position	Remarks
PBP Change Flag	1	Char	201	Enter a value of 'Y' to indicate the "61" single enrollment transaction is a PBP change. Value of "Y" is required when submitting a PBP change with an election type of "Z" and an enrollment source code of "E".
MMP Opt-Out Flag	1	Char	202	Valid on 51, 82 and 83 transactions. Optional on 51 and 82 transactions, required on an 83 transaction. "Y" = Opted out of passive enrollment into MMP Plan "N"=Not opted out of passive enrollment into MMP plan. Spaces = Not Applicable
Filler	81	Char	203- 283	Spaces
Transaction Maintenance-Flag	1	Char	284	'D' to delete transaction record 'U' to modify transaction record or else leave blank
Override-Flag	1	Char	285	Valid 'Y' to bypass edit or ' ' (space).
Transaction Tracking ID	15	Char	286-300	Must use the Infocrossing supplied account# (ex: HCF**** where the asterisks represent a unique Infocrossing assigned number) in the first 7 bytes. Positions 8 through 15 are optional and free-form.

* Used if you wish to have state and county codes checked against the MBD eligibility database. Please contact the Infocrossing Help desk for further explanation.

2.2 MEDICARE TRANSACTION PROCESSING – “76” RESIDENTIAL ADDRESS CHANGE

The Interface to Medicare-solution document is intended for plans to use as a supplement to the CMS literature and should primarily be used as a guide to build the Infocrossing required record layout.

Batch Residential Address Change transaction Header Record

Data Element	Size	Format	Position	Remarks
Record type	1	Num	1	'1' Header record
Account	7	Char	2-8	Account number assigned by Infocrossing.
Filler	1	Char	9	Space
Planid (contract#)	5	Char	10-14	Plan id supplied by CMS
Filler	1	Char	15	Space
Batch-Number	6	Num	16-21	Any Numeric Value identifying the group of transactions
Trans-Count	8	Num	22-29	Numeric Value specifying the number of type 3 detail records sent
Filler	271	Char	30-300	Spaces

Batch Residential Address Change transaction
Detail Record

** The remarks section can be used to build your transaction record. The CMS Plan Communication User Guide document should be used primarily.

Data Element	Size	Format	Position	Remarks
Record-Type	1	Num	1	'3'-transaction record.
Health Insurance Claim-Number (HICN) or MBI	12	Char	2-13	Valid MBI or Claim Number. Must exist in CMS Eligibility for enrollments. Required on all transactions. (Note: MBI field uses only the first 11bytes).
Surname	12	Char	14-25	Last name. No blank or spaces. Required on all transactions.
First Name	7	Char	26-32	First name. No blank or spaces. Required on all transactions
Middle Initial	1	Char	33	Middle Initial. Can be a blank or space. Optional on all transactions.
Gender	1	Char	34	1 = male, 2 = female, 0 = unknown. Required on all transactions.
Birth Date	8	Num	35-42	Birth date in CCYYMMDD format. Required on all transactions.
Filler	5	Char	43-47	Leave blank on '76' transaction.
Plan-ID (Contract #)	5	Char	48-52	Contract Number Required on '76' transaction. H**** = identifies MMP plans. (All asterisks must be replaced by valid CMS assigned numeric values)
Filler	8	Char	53-60	Leave blank on '76' transaction.
Transaction Code	2	Num	61-62	Required: Residence Address Change code: '76'
Filler	2	Char	63-64	Leave blank on '76' transaction.
Effective Date	8	Num	65-72	Effective date in CCYYMMDD format. Required on all transactions. Day field must always contain the first of the month.
Filler	3	Char	73-75	Leave blank on '76' transaction
Residence Address Line1	65	Char	76-140	Street Address. Required when Address Update/Delete Flag is "Update"
Residence Address Line2	65	Char	141-205	Optional. Apartment or Suite number

Data Element	Size	Format	Position	Remarks
Address Update/Delete Flag	1	Char	206	Required. 'U' = Adding a new address or modifying an existing address. 'D' = Deleting an existing address
Residence City	57	Char	207-263	City Name. Required when Address Update/Delete Flag is "Update".
Residence State	2	Char	264-265	USPS two-character state abbreviation. Required when Address Update/Delete Flag is "Update".
Residence Zip Code	5	Num	266-270	USPS five-character numeric Zip Code. Required when Address Update/Delete Flag is "Update".
Residence Zip Code+4	4	Num	271-274	USPS four-character numeric Zip Code+4. Optional field.
End Date	8	Num	275-282	Optional. CCYYMMDD format. Last day of the month in which the specific residence address was active.
Filler	1	Char	283	Spaces
Transaction Maintenance-Flag	1	Char	284	'D' to delete transaction record 'U' to modify transaction record or else leave blank
Override-Flag	1	Char	285	Valid 'Y' to bypass edit or ' ' (space).
Transaction Tracking ID	15	Char	286-300	Must use the Infocrossing supplied account# (ex: HCF**** where the asterisks represent a unique Infocrossing assigned number) in the first 7 bytes. Positions 8 through 15 are optional and free-form.

2.3 MEDICARE TRANSACTION PROCESSING – “90” REPORTING IDENTIFIED DRUG OVERUTILIZERS

The Interface to Medicare-solution document is intended for plans to use as a supplement to the CMS literature and should primarily be used as a guide to build the Infocrossing required record layout.

Transaction Code 90 – Reporting Drug Overutilizers Header Record

Data Element	Size	Format	Position	Remarks
Record type	1	Num	1	‘1’ Header record
Account	7	Char	2-8	Account number assigned by Infocrossing.
Filler	1	Char	9	Space
Planid (contract#)	5	Char	10-14	Plan id supplied by CMS
Filler	1	Char	15	Space
Batch-Number	6	Num	16-21	Any Numeric Value identifying the group of transactions
Trans-Count	8	Num	22-29	Numeric Value specifying the number of type 3 detail records sent
Filler	271	Char	30-300	Spaces

Transaction Code 90 – Reporting Drug Overutilizers
Detail Record

** The remarks section can be used to build your transaction record. The CMS Plan Communication User Guide document should be used primarily.

Data Element	Size	Format	Position	Remarks
Record-Type	1	Num	1	'3'-transaction record.
Health Insurance Claim-Number (HICN) or MBI	12	Char	2-13	Valid MBI or Claim Number. Must exist in CMS Eligibility for enrollments. Required on all transactions (Note: MBI uses only the first 11 bytes).
Surname	12	Char	14-25	Last name. No blank or spaces. Required.
First Name	7	Char	26-32	First name. No blank or spaces. Required.
Middle Initial	1	Char	33	Middle Initial. Can be a blank or space. Optional.
Gender	1	Char	34	1 = male, 2 = female, 0 = unknown. Required.
Birth Date	8	Num	35-42	Birth date in CCYYMMDD format. Required.
Filler	5	Char	43-47	Leave blank.
Plan-ID (Contract #)	5	Char	48-52	Contract Number. Required. H**** = identifies MMP plans. (All asterisks must be replaced by valid CMS assigned numeric values)
Filler	8	Char	53-60	Leave blank.
Transaction Code	2	Num	61-62	Required: '90'
Filler	13	Char	63-75	Leave blank
Update/Delete Flag	1	Char	76	Required. Values are: "U" update "D" delete
POS Drug Edit Status	1	Char	77	Required. Valid values are: "N" – Notification "I" – Implementation "T" – Termination
POS Drug Edit Class	3	Char	78-80	Required – Value of "OPI"
POS Drug Edit Code	3	Char	81-83	Required – Valid values are "PS1" or "PS2"
Notification Date	8	Num	84-91	Required. CCYYMMDD format.
Implementation Date	8	Num	92-99	Required when POS Drug Edit Status is "I". CCYYMMDD format.
Termination Date	8	Num	100-107	Required when POS Drug Edit Status is "T". CCYYMMDD format.
Filler	176	Char	108-283	Leave blank.

Data Element	Size	Format	Position	Remarks
Transaction Maintenance-Flag	1	Char	284	'D' to delete transaction record 'U' to modify transaction record or else leave blank
Override-Flag	1	Char	285	Valid 'Y' to bypass edit or ' ' (space).
Transaction Tracking ID	15	Char	286-300	Must use the Infocrossing supplied account# (ex: HCF**** where the asterisks represent a unique Infocrossing assigned number) in the first 7 bytes. Positions 8-15 are optional.

2.4 MEDICARE TRANSACTION RESPONSE

Header Record

Header record: record length = 470

DATA ELEMENT	SIZE	STARTING POSITION	REMARKS
Record Type	1	1	Value '1' - copied from input
Account#	7	2-8	Account number assigned by Infocrossing – as submitted in the input file header
Filler	1	9	Space
Planid (Contract)	5	10-14	Plan id – as submitted in the input file header
Filler	1	15	Space
Batch-Number	6	16-21	Numeric value – as submitted in the input file header
Trans-Count	8	22-29	Numeric value – as submitted in the input file header
Batch File Type	5	30-34	File type value as submitted in the input file header
CMS Approval Request ID	10	35-44	CMS request ID as submitted in the input file header (if applicable)
Filler	426	45-470	Space

Detail Record

File attributes: record length = 470

DATA ELEMENT	SIZE	STARTING POSITION	REMARKS
Record Type	1	1	Value '3'. Copied from input
Claim Number (HICN#) or MBI	12	2	Note: MBI field uses only the first 11 bytes
Transaction Code	2	14	Values: 51, 61, 72 through 78, 81, 82, 83, '90'.
Last Name	12	16	
First Name	7	28	
Middle Initial	1	35	
Gender	1	36	
Birth Date	8	37	CCYYMMDD
EGHP flag	1	45	
PBP #	3	46	
Election Type	1	49	
Plan ID (contract#)	5	50	
Application Receipt Date	8	55	
Disenrollment Reason	2	63	
Effective Date	8	65	
Segment ID	3	73	
Plan Designation	4	76	'MMP' - MMP program will have an Infocrossing designation of "MMP". Note that this is only an Infocrossing assigned value.
Filler	1	80	
ESRD Override/Prior Commercial	1	81	
Premium Withhold Option C-D	1	82	
Part C premium Amt	6	83	
Filler	6	89	
Creditable Coverage Flag	1	95	
Number of Uncovered Months	3	96	
Employer subsidy Enr override flag	1	99	
Part D opt-out flag	1	100	

DATA ELEMENT	SIZE	STARTING POSITION	REMARKS
Part D Rx ID	20	101	
Part D Rx Group	15	121	
2ndry Drug Ins. Flag	1	136	
2ndry RX ID	20	137	
2ndry RX Group	15	157	
Part D Rx BIN	6	172	
Part D Rx PCN	10	178	
2ndry Rx BIN	6	188	
2ndry Rx PCN	10	194	
Enrollment Source Code	1	204	
Tran record delete or update flag	1	205	Value 'D' 'U' or blank
State and county codes	5	206	
PBP change Flag	1	211	
MMP Opt-Out Flag	1	212	
Filler	1	213	
Note: Data grouping below is reused/redefined depending on transaction types "76" and "90"			
Tran Code 90 Data Elements:			
TC 90 Update/Delete Flag	1	214	
TC 90 POS Drug Edit Status	1	215	
TC 90 POS Drug Edit Class	3	216	
TC 90 POS Drug Edit Code	3	219	
TC 90 Notification Date	8	222	
TC 90 Implementation Date	8	230	
TC 90 Termination Date	8	238	
Tran Code 76 Data Elements:			
Residence Address Line1	65	214	
Residence Address Line2	65	279	
Address Update/Delete Flag	1	344	
Residence City	57	345	
Residence State	2	402	
Residence Zip Code	5	404	
Residence Zip Code+4	4	409	
Residence End Date	8	413	
Transaction Tracking ID	15	421	

DATA ELEMENT	SIZE	STARTING POSITION	REMARKS
Filler	15	436	
Error Codes	20	451	Up to 10 occurrences of 2 position error codes

Notes:

The information in each field (HICN, Last Name, etc.) is the same value sent on the input record.

Record Type: The value of '1' is used for the header record. This is the same header record sent to Infocrossing in the batch upload file. Some customers use the header for auditing and/or balancing purposes.

Transaction Code: The value in this field corresponds to the type of CMS transaction record: '51' = disenrollment, '61' = enrollment, '72' = 4Rx Change, '73' = Uncovered Months Change, '76' = Residence Address Change, '78' = Part C premium Change, '81' = Disenrollment Cancellation, '82' = MMP Enrollment Cancellation, '83' = MMP Opt-OUT Update, '90' = Reporting Identified Drug Overutilizers.

2.5 TRANSACTION ERROR CODES

These error codes represent a list of all the possible error code values that Infocrossing generates when processing input transactions received from various organizations including but not limited to MMP plans. Only some of these error codes will apply to MMP concerned organizations (those that do not apply, have the designation "Can be ignored by MMP processing").

Transactions that are returned to you with a "00" or "99" code (records accepted or accepted with an override) are automatically sent to CMS for processing. All others must be addressed for correction and re-sent to Infocrossing for eventual acceptance and submission to the CMS MARx system.

Error Code and Message		Data Element Name	Transaction Code
00	RECORD ACCEPTED	does not map	All Transactions
99	RECORD ACCEPTED – OVERRIDE	does not map	All Transactions
01	LAST NAME MBD DATABASE MISMATCH	Surname	61
02	FIRST NAME MBD DATABASE MISMATCH	First Name	61
03	TRANS TYPE NOT APPLICABLE TO MMP	does not map	73, 74, 75, 77, 78, 80, 81
04	GENDER MBD DATABASE MISMATCH	Gender	61

Error Code and Message		Data Element Name	Transaction Code
05	LAST NAME MBD MEMBERSHIP MISMATCH	Surname	51, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 90
06	FIRST NAME MBD MEMBERSHIP MISMATCH	First Name	51, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 90
07	NO DAILY TRR MATCH FOUND FOR TRAN CODE 80 CANCELLATION	does not map	80
08	GENDER MBD MEMBERSHIP MISMATCH	Gender	51, 72, 73, 74, 75, 76, 77, 78, 79, 82, 83, 90
09	PLAN NUMBER MBD DATABASE MISMATCH	Plan-ID (Contract #)	51
10	CLAIM OR MBI NUMBER INVALID	Claim-Number (HICN#) or MBI	All Transactions
11	LAST NAME INVALID	Surname	All Transactions
12	FIRST NAME INVALID	First Name	All Transactions
13	NO DAILY TRR MATCH FOUND FOR TRAN CODE 81 CANCELLATION	does not map	81
14	GENDER CODE INVALID	Gender	All Transactions
15	PLAN NUMBER INVALID	Plan-ID (Contract #)	All Transactions
16	EFFECTIVE DATE INVALID	Effective Date	All Transactions
17	TRANSACTION CODE REQUIRED OR INVALID	Transaction Code	All Transactions
18	CLAIM OR MBI # NOT FOUND ON MBD DATABASE	Claim-Number (HICN#) or MBI	All transactions
19	ADDRESS CHG UPDATE FLAG MUST BE U OR D	Address Update/Delete Flag	76
20	ADDRESS CHG END DATE MUST BE IN CCYYMMDD FORMAT	End Date	76
21	TRANSACTION RECORD ALREADY EXISTS	does not map	51, 61, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 90
22	MEDICARE CONTRACT CANNOT BE VALIDATED	Plan-ID (Contract #)	All transactions
23	MEMBERSHIP CLAIM or MBI # NOT FOUND ON MBD DB	Claim-Number (HICN#) or MBI	51
24	TRANS TYPE APPLICABLE ONLY TO MMP (CAN BE IGNORED BY MMP PROCESSING)	does not map	82, 83

Error Code and Message		Data Element Name	Transaction Code
25	ADDRESS/CITY/ST/ZIP REQUIRED WHEN UPDATE FLAG IS U	Residence Address Line1 Residence City Residence State Residence Zip Code	76
26	BENEFICIARY IS DECEASED	does not map	61
27	INVALID STATE OR ZIP CODE SPECIFIED ON 76 TRANSACTION	Residence State Residence Zip Code	76
28	72 REC MUST CONTAIN DATA SPECIFIC TO 4RX CHANGE	any data element which is not pertinent to the 72 transaction	72
29	73 REC MUST CONTAIN DATA SPECIFIC TO NUNCMO CHANGE	any data element which is not pertinent to the 73 transaction	73
30	NOT ENROLLED IN PART B	does not map	61
31	EFFECTIVE DATE LESS THAN PART B EFFECTIVE DATE	Effective Date	61
32	ESRD OVERRIDE/AGED-IN INDICATOR INVALID	ESRD Override (Prior Commercial Override)	61
33	74 REC MUST CONTAIN DATA SPECIFIC TO EGHP CHANGE (CAN BE IGNORED BY MMP PROCESSING)	any data element which is not pertinent to the 74 transaction	74
34	EGHP EFFECTIVE DATE RANGE IS: CCM-3 THRU CCM+3 (CAN BE IGNORED BY MMP PROCESSING)	Effective Date	61
35	BIRTH DATE NOT NUMERIC	Birth Date	All Transactions
36	BIRTH DATE MBD DATABASE MISMATCH	Birth Date	61, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 90
37	INVALID EGHP FLAG	EGHP Flag	61
38	PROCESSING EFFECTIVE DATE RANGE IS: CCM -1 THRU CCM+3	Effective Date	61

Error Code and Message		Data Element Name	Transaction Code
39	75 REC MUST CONTAIN DATA SPECIFIC TO PAYMENT OPTION CHANGE (CAN BE IGNORED BY MMP PROCESSING)	any data element which is not pertinent to the 75 transaction	75
40	76 REC MUST CONTAIN DATA SPECIFIC TO ADDRESS CHANGE	any data element which is not pertinent to the 76 transaction	76
41	77 REC MUST CONTAIN DATA SPECIFIC TO SEGMENT CHANGE (CAN BE IGNORED BY MMP PROCESSING)	any data element which is not pertinent to the 77 transaction	77
42	NOT ENROLLED IN PART A	does not map	61
43	78 REC MUST CONTAIN DATA SPECIFIC TO PREMIUM CHANGE	any data element which is not pertinent to the 78 transaction	78
44	ESRD OR HOSPICE INDICATOR FOUND	does not map	61
45	79 REC MUST CONTAIN DATA SPECIFIC TO OPT-OUT CHANGE (CAN BE IGNORED BY MMP PROCESSING)	any data element which is not pertinent to the 79 transaction	79
46	EFFECTIVE DATE LESS THAN PART A DATE	Effective Date	61
47	INVALID DISENROLLMENT REASON CODE	Disenrollment reason	51, 82
48	APPLICATION RECEIPT DATE INVALID	Application Receipt Date	61
49	RECORD TO MODIFY / DELETE NOT FOUND	does not map	All Transactions
50	STATE/COUNTY MBD DATABASE MISMATCH	State County	61
51	PBP# REQUIRED. VALUE MUST BE NUMERIC	PBP #	51, 61, 72, 73, 74, 75, 76, 77, 78, 79, 81
52	PBP CHANGE FLAG IS INVALID	PBP Change Flag	61
53	SEGMENT ID MUST BE NUMERIC (CAN BE IGNORED BY MMP PROCESSING)	Segment ID	77
54	INVALID ELECTION TYPE	Election Type	51, 61

Error Code and Message		Data Element Name	Transaction Code
55	INVALID AEP EFFECTIVE DATE	Effective Date	61
56	INVALID ICEP/IEP EFF DATE	Effective Date	61
57	MADP INVALID FOR CALENDAR PERIOD	Election Type	51
58	RX INFO APPLICABLE TO DRUG PLAN ONLY	Plan-ID (Contract #) and PBP # Relates to how the plan-id and PBP specified in transaction are defined on the M/CARE system.	72
59	EFF DATE DOES NOT MATCH ENROLLMENT	Effective Date	72
60	FILE REJECTED-MISSING/INVALID HEADER	File level Rejection	All
61	INVALID PREMIUM WITHOLD OPTION	Premium Payment Option / Parts C-D	61, 75
62	INVALID PART C PREMIUM AMOUNT	Part C Premium Amount	61, 78
63	RESERVED FOR FUTURE USE	N/A	N/A
64	INVALID CREDITABLE COVERAGE FLAG	Creditable Coverage Flag	61, 73
65	INVALID NUMBER OF UNCOVERED MONTHS	Number of Uncovered Months	61, 73
66	EMPLOYER SUBSIDY FLAG MUST BE Y/BLANK	Employer Subsidy Enrollment Override Flag	61
67	PART D OPT-OUT FLAG MUST BE N, Y OR BLANK	Part D Opt-Out Flag	51, 61, 79
68	RX-ID BLANK OR INVALID	Part D Rx ID	61, 72
69	RX GROUP INVALID	Part D Rx Group	61, 72
70	SECONDARY DRUG INS FLAG INVALID	Secondary Drug Insurance Flag	61, 72
71	2ND RX-ID BLANK OR INVALID	Secondary Rx ID	61, 72
72	2ND RX-GRP INVALID	Secondary Rx Group	61, 72
73	MMP TRACKING-ID MUST BEGIN WITH HCF#	does not map	All transactions

Error Code and Message		Data Element Name	Transaction Code
74	“82” CANCELLATION CANNOT BE MATCHED TO PREVIOUS ENROLLMENT	does not map	82
75	MMP OPT-OUT FLAG VALUE MUST BE “Y”, “N” OR BLANK	MMP Opt-Out Flag	51, 83
76	UNLAWFUL PRESENCE INELIGIBILITY	N/A	61
77	PLAN ENROLLMENT NOT MEDICAID ELIGIBLE	does not map	61
78	INVALID RECORD TYPE. RECORD BYPASSED	Record-Type	All Transactions
79	PLAN DESIGNATION INVALID NOT = MA, MA-PD or PDP	Plan-ID (Contract #) and PBP # Relates to how the plan-id and PBP specified in transaction are defined on the M/CARE system	61
80	RESERVED FOR FUTURE USE	N/A	N/A
81	DUPLICATE ACCEPTED TXN FOUND ON TRR	does not map	51, 61
82	MMP OPT OUT ONLY APPLICABLE TO MMP (CAN BE IGNORED BY MMP PROCESSING)	N/A	N/A
83	ON AEP, THE APPLICATION RECEIPT DATE MUST BE FROM 10/15 THRU 12/07	Application Receipt Date	61
84	EGHP FLAG NOT APPLICABLE TO MMP	EGHP Flag	61
85	RESERVED FOR FUTURE USE	N/A	N/A
86	PACE PLANS: AGE MUST BE AT LEAST 55 (CAN BE IGNORED BY MMP PROCESSING)	does not map	61
87	PACE PLANS: MBD HOSPICE IND. IS ON (CAN BE IGNORED BY MMP PROCESSING)	does not map	61
88	PACE PLANS: ELECTION TYPE MUST BE "S" (CAN BE IGNORED BY MMP PROCESSING)	Election Type	61
89	2ND RX-BIN BLANK OR INVALID	Secondary Drug BIN	61, 72
90	2ND RX-PCN INVALID	Secondary Drug PCN	61, 72

Error Code and Message				Data Element Name	Transaction Code
91	PREMIUM PYMT OPT NOT APPLICABLE TO MMP			Premium Payment Option	61
92	RESERVED FOR FUTURE USE			N/A	N/A
93	RX-BIN BLANK OR INVALID			Part D Rx BIN	61, 72
94	RX-PCN INVALID			Part D Rx PCN	61, 72
95	INVALID ENROLLMENT SOURCE CODE			Enrollment Source	61
96	NUNCMO – INVALID EFFECTIVE DATE			Effective Date	73
97	NUNCMO VALUE MUST BE ZERO WHEN CC FLAG IS R OR U			Number of Uncovered Months	61, 73
98	RESERVED FOR FUTURE USE			N/A	N/A
1A	NOTIFICATION, IMPLEMENTATION OR TERMINNATION DATE IS OUTSIDE OF CONTRACT ENROLLMENT PERIOD			Notification, Termination or Implementation dates	90
2A	DATA VALUE INCONSISTENCY BETWEEN POS STATUS FIELD AND NOTIFICATION, IMPLEMENTATION OR TERMINATION DATE FIELDS			POS Drug Edit Status, Notification, Termination or Implementation dates	90
3A	RESERVED FOR FUTURE USE			N/A	N/A
4A	NOTIFICATION, IMPLEMENTATION OR TERMINATION DATE EXCEEDS CCM+1			Notification, Termination or Implementation dates	90
5A	INVALID NOTIFICATION, IMPLEMENTATION OR TERMINATION DATE			Notification, Termination or Implementation dates	90
6A	INVALID POS DRUG EDIT STATUS FIELD			POS Drug Edit Status	90
7A	INVALID POS DRUG EDIT CLASS FIELD			POS Drug Edit Class	90
8A	INVALID POS DRUG EDIT CODE FIELD			POS Drug Edit Code	90
9A	INVALID POS DRUG EDIT UPDATE/DELETE FLAG			POS Drug Update/Delete Flag	90

2.6 MEDICARE TRANSACTION MATRIX OF REQUIRED AND OPTIONAL FIELDS BY CONTRACT TYPE

Enrollment and Disenrollment transactions Matrix of Required/Optional fields

Transactions 61 and 51:

R: Required field

O: Optional – Field can be left blank

N/A: Not Applicable – Field should be filled with spaces

Field Name	Enrollment (61)	Disenrollment (51)
HICN or MBI	R	R
Surname	R	R
First Name	R	R
Middle Initial	O	O
Gender	R	R
Birth Date	R	R
EGHP Flag	Blank – N/A	Blank – N/A
PBP #	R	R
Election Type	R	R
Contract Number	R	R
Application Receipt Date	R	N/A
Transaction Code	R	R
Disenrollment reason	N/A	Required for Disenrollments
Effective Date	R	R
Segment ID	Blank – N/A	Blank – N/A
Prior Commercial - ESRD Override	R If applies	N/A
Premium Withhold Option/ Part C-D	Blank – N/A	N/A
Part C Premium Amt	Initialize with Zeroes	N/A
Creditable Cov Flag	Set to “Y”	N/A
Number of Uncovered Months	Set to “000”	N/A
Employer Subsidy Enrollment Override	Blank – N/A	N/A
Part D Opt-Out Flag	Blank – N/A	N/A
Part D Rx ID	Not required on Passive enrollments	N/A
Part D Rx Group	Not required on Passive enrollments	N/A
Secondary Drug Insurance Flag	O	N/A

Field Name	Enrollment (61)	Disenrollment (51)
Secondary Rx ID	O	N/A
Secondary Rx Group	O	N/A
Rx BIN	Not required on Passive enrollments	N/A
Rx PCN	Not required on Passive enrollments	N/A
Secondary Drug BIN	O	N/A
Secondary Drug PCN	O	N/A
Enrollment Source	R	N/A
MMP Opt-Out	N/A	O
Trans Tracking ID	R	R

Cancellation transactions
Matrix of Required/Optional fields

Transactions 82 and 81:

R: Required field

O: Optional – Field can be left blank

N/A: Not Applicable – Field should be filled with spaces

Field Name	Cancel Enrollment Transaction (82)	Cancel Disenrollment Transaction (81)
HICN or MBI	R	R
Surname	R	R
First Name	R	R
Middle Initial	O	O
Gender	R	R
Birth Date	R	R
EGHP Flag	N/A	N/A
PBP #	R	R
Election Type	N/A	N/A
Contract Number	R	R
Application Receipt Date	N/A	N/A
Transaction Code	R	R
Disenrollment reason	N/A	N/A
Effective Date	R	R
Segment ID	N/A	N/A
Prior Commercial - ESRD Override	N/A	N/A

Field Name	Cancel Enrollment Transaction (82)	Cancel Disenrollment Transaction (81)
Premium Withhold Option/ Part C-D	N/A	N/A
Part C Premium Amt	N/A	N/A
Creditable Cov Flag	N/A	N/A
Number of Uncovered Months	N/A	N/A
Employer Subsidy Enrollment Override	N/A	N/A
Part D Opt-Out Flag	N/A	N/A
Part D Rx ID	N/A	N/A
Part D Rx Group	N/A	N/A
Secondary Drug Insurance Flag	N/A	N/A
Secondary Rx ID	N/A	N/A
Secondary Rx Group	N/A	N/A
Rx BIN	N/A	N/A
Rx PCN	N/A	N/A
Secondary Drug BIN	N/A	N/A
Secondary Drug PCN	N/A	N/A
Enrollment Source	N/A	N/A
MMP Opt out	O	N/A
Trans Tracking ID	R	R

Miscellaneous Change transactions Matrix of Required/Optional fields

Transactions 72, 73, 78 and 83:

R: Required field

O: Optional – Field can be left blank

N/A: Not Applicable – Field should be filled with spaces

Field Name	4RX Data Change (72)	NUNCMO Change (73)	Part C premium (78)	MMP opt-out (83)
Claim or MBI Number	R	R	R	R
Surname	R	R	R	R
First Name	R	R	R	R
Middle Initial	O	O	O	O
Gender	R	R	R	R
Birth Date	R	R	R	R
EGHP Flag	N/A	N/A	N/A	N/A

Field Name	4RX Data Change (72)	NUNCMO Change (73)	Part C premium (78)	MMP opt-out (83)
PBP #	R	R	R	R
Election Type	N/A	N/A	N/A	N/A
Contract Number	R	R	R	R
Application Receipt Date	N/A	N/A	N/A	N/A
Transaction Code	R	R	R	R
Disenrollment reason	N/A	N/A	N/A	N/A
Effective Date	R	R	R	R
Segment ID	N/A	N/A	N/A	N/A
Prior Commercial -ESRD Override	N/A	N/A	N/A	N/A
Premium Withhold Option / Part C-D	N/A	N/A	N/A	N/A
Part C Premium Amt	N/A	N/A	R	N/A
Creditable Cov Flag	N/A	R	N/A	N/A
Number of Uncovered Months	N/A	R Blank = Zero	N/A	N/A
Employer-Subsidy Enrollment Override	N/A	N/A	N/A	N/A
Part D Opt-Out Flag	N/A	N/A	N/A	N/A
Part D Rx ID	R if applies	N/A	N/A	N/A
Part D Rx Group	Blank /change to value	N/A	N/A	N/A
Secondary Drug Insurance flag	Blank or change to value	N/A	N/A	N/A
Secondary Rx ID	R if applies	N/A	N/A	N/A
Secondary Rx Group	R if applies	N/A	N/A	N/A
Rx BIN	R	N/A	N/A	N/A
Rx PCN	Blank or change to value	N/A	N/A	N/A
Secondary Drug BIN	N/A	N/A	N/A	N/A
Secondary Drug PCN	N/A	N/A	N/A	N/A
Enrollment Source	N/A	N/A	N/A	N/A
MMP Opt Out	N/A	N/A	N/A	R
Trans Tracking ID	R	R	R	R

Miscellaneous Change transactions
Matrix of Required/Optional fields

Transaction 76:

R: Required field

O: Optional – Field can be left blank

N/A: Not Applicable – Field should be filled with spaces

Field Name	Residence Address Change(76)
Claim or MBI Number	R
Surname	R
First Name	R
Middle Initial	O
Gender	R
Birth Date	R
EGHP Flag	N/A
PBP #	N/A
Election Type	N/A
Contract Number	R
Application Receipt Date	N/A
Transaction Code	R
Disenrollment reason	N/A
Effective Date	R
Segment ID	N/A
Prior Commercial - ESRD Override	N/A
Premium Withhold Option/ Part C-D	N/A
Part C Premium Amt	N/A
Creditable Cov Flag	N/A
Number of Uncovered Months	N/A
Employer Subsidy Enrollment Override	N/A
Part D Opt-Out Flag	N/A
Part D Rx ID	N/A
Part D Rx Group	N/A
Secondary Drug Insurance Flag	N/A
Secondary Rx ID	N/A
Secondary Rx Group	N/A
Rx BIN	N/A

Field Name	Residence Address Change(76)
Rx PCN	N/A
Secondary Drug BIN	N/A
Secondary Drug PCN	N/A
Enrollment Source	N/A
Trans Tracking ID	R
Address Update/Delete Flag	R
Residence Address Line1	R if flag = 'Update'
Residence Address Line2	O
Residence City	R if flag = 'Update'
Residence State	R if flag = 'Update'
Residence Zip Code	R if flag = 'Update'
Residence Zip Code+4	O
Residence End Date	R

**Tran Code 90 Drug Overutilization Transaction
Matrix of Required/Optional fields**

Transaction 90:

R: Required field

O: Optional – Field can be left blank

C: Conditional

Only Tran Code 90 applicable fields are shown

Field Name	POS Drug Edit (90)
Claim or MBI Number	R
Surname	R
First Name	R
Middle Initial	O
Gender	R
Birth Date	R
Contract Number	R
Transaction Code	R
Update/Delete Flag	R
POS Drug Edit Status	R
POS Drug Edit Class	R
POS Drug Edit Code	R
Notification Date	R

Field Name	POS Drug Edit (90)
Implementation Date	C
Termination Date	C
Trans Tracking ID	O

3. WEB SERVICE

The real time eligibility inquiry web service is a SOAP based interface. The following method is provided for eligibility verification. Web Service calls are secured by using the HTTPS protocol, authentication is performed on the User Id and Password included on the Web Service call.

3.1 MEDICARE ELIGIBILITY – ELIGIBILITYQUERY METHOD

Eligibility Query Input Data

Field	Description
userID	Web Service User Id
Password	Web Service Password
MedID	Medicare ID (HICN# or MBI#)
lastName	First 6 characters of member last name
birthDate *	Birth Date (CCYYMMDD)

* The eligibility process will first attempt to find a match by using the **MedID (either a HIC# or and MBI# can be used)** and the last name provided. If no match is obtained and the optional Date of Birth field is provided, a second attempt will be made by using the **MedID** and the Date of Birth.

If prior match attempts using the HICN are unsuccessful, one more attempt will be made to match the plan provided HICN and last name against the MBD XREF claim number. **If a prior attempt using the MBI as a provided value in the MedID input field is unsuccessful, an attempt will be made to match against the MBD “Inactive MBI” field.**

** The BENEFICIARY NOT FOUND condition should be determined by looking at the **foundMedID** and **foundNameorDOB** fields. Fields other than **txnDate**, **mbdLoadDate**, **requestMedID**, and **requestLastName** will only be populated if **foundMedID** is set to 'Y' or 'X' and **foundNameorDOB** is set to 'Y'.

Eligibility Query Return Data

Field	Description
txnDate	Date the transaction was made Current Date/Time formatted as CCYYMMDDHHMMSS
mbdLoadEffDate	Date of the MBD load (CCYYMMDD) **
requestMedID	The Hic Nbr or MBI from the request
requestLastName	The Last Name from the request
requestDOB	The Date of Birth from the request
foundMedID	Y= found, X=Match on XRef Hic Nbr or Inactive MBI , N= not found **
foundNameorDOB	Y= found, N= not found **
inquiryResponse	'M' = Membership, 'E' = Eligibility

Field	Description
MedID	Current Medicare ID of the member (HICN or MBI), may be different than the requested Hic Number if match is found on the XRef Hic Number or the Inactive MBI
lastName	Member Last Name
firstName	Member First Name
middleInitial	Member Middle Initial
genderCd	Gender Code 1 – Male 2 – Female
raceCd	Values as supplied by CMS are: '0' or blank = unknown, '1' = White, '2' = Black, '3' = other, '4' = Asian, '5' = Hispanic, '6' = North American Native
birthDate	Birth Date (CCYYMMDD)
prtAEntitlementDate	Part A Entitlement Date (CCYYMMDD)
prtAEntitleEndDate	Part A Entitlement End Date (CCYYMMDD)
prtBEntitlementDate	Part B Entitlement Date (CCYYMMDD)
prtBEntitleEndDate	Part B Entitlement End Date (CCYYMMDD)
stateCd	State Code – 2 digit postal code
countyCd	County Code – 3 digit postal code
hospiceStatus	Hospice Status Y/spaces
hospiceStartDate	Hospice Start date (CCYYMMDD)
hospiceEndDate	Hospice End date (CCYYMMDD)
instStatus	Institutionalized Status Y/spaces
instStartDate	Institutionalized Start date (CCYYMMDD)
instEndDate	Institutionalized End date (CCYYMMDD)
esrdStatus	ESRD Status Y/spaces
esrdStartDate	ESRD Start date (CCYYMMDD)
esrdEndDate	ESRD End date (CCYYMMDD)
medicaidStatus	Medicaid Status Y/spaces
medicaidStartDate	Medicaid Start date (CCYYMMDD)
medicaidEndDate	Medicaid End date (CCYYMMDD)
livingStatus	Living Status (A/D)
deathDate	Death Date (CCYYMMDD)
xrefHicNbr	Previously Known Claim Number as supplied by CMS
enrollmentInfo	0 to 2 occurrences of Enrollment Data
priorenrollmentInfo	0 to 2 occurrences of Prior Enrollment Data
potentialUncrvdMths	Potential number of uncovered Months
potentialUncrvdMthsEffDate	Date for which the potential uncovered month field applies to (CCYYMM)

Field	Description
prtDEligibleDate	Part D Eligible Start Date
lisInfo	2 occurrences of LIS Data
prtDHistInfo	0 to 10 occurrences of Part D History
nuncMoInfo	0 to 20 occurrences of nuncMo Data
rdsHistInfo	0 to 10 occurrences of RDS History
MedicareIneligibilityInfo	0 to 10 occurrences of Unlawful presence History

LIS Data

Field	Description
subsidyStartDate	Subsidy Start Date
subsidyEndDate	Subsidy End Date
copayLevel	Copay Level
prtDPremSubPct	Part D Premium Subsidy Percent

Current Enrollment Data

Field	Description
planId	Plan Id
pblId	Plan Benefit Package
eghplnd	Employer Group Health Plan Indicator (Y/space)
planType	Plan Type
planEnrollmentDate	Plan Enrollment Date (CCYYMMDD)
drugPlanInd	Y / N
enrollSourceCode	Enrollment Source Code

Prior Enrollment Data

Field	Description
priorPlanId	Plan Id
priorPbpld	Plan Benefit Package
priorEghplnd	Employer Group Health Plan Indicator (Y/space)
priorPlanType	Plan Type
priorPlanEnrollmentDate	Plan Enrollment Date (CCYYMMDD)
priorPlanEnrollmentEndDate	Plan Enrollment End Date (CCYYMMDD)
priorDrugPlanInd	Y / N
priorEnrollSourceCode	Enrollment Source Code

Part D History

Field	Description
prtDStartDate	Part D Start Date (CCYYMMDD)
prtDEndDate	Part D End Date (CCYYMMDD)

RDS History

Field	Description
rdsStartDate	Retiree Subsidy Start Date (CCYYMMDD)
rdsEndDate	Retiree Subsidy End Date (CCYYMMDD)

NUNCMO Data
(Number of Uncovered Months)

Field	Description
uncovMthsStartDate	Uncovered months start date (CCYYMMDD)
uncovMths	Number of uncovered months
nuncmoInd	Number of uncovered months indicator
totUncovMths	Total number of uncovered months

Medicare Ineligibility due to Unlawful Presence

Field	Description
MedicareIneligibilityStartDate	Medicare Ineligibility Start Date (CCYYMMDD)
MedicareIneligibilityEndDate	Medicare ineligibility End Date (CCYYMMDD)

Current and Inactive Medicare Beneficiary Identifiers

Field	Description
CurrentMBI	Current Medicare Beneficiary Identifier for the member
InactiveMBI	Inactive Medicare Beneficiary Identifier for the member

3.2 WEB SERVICE ERRORS

Errors can be detected by checking the faultcode and faultstring objects in the soap return envelope.

Errors occurring in the Eligibility Service will have a fault code from the table listed below. Fault codes of SOAP-ENV:Server or SOAP-ENV:Client are internal SOAP messaging errors. The fault string will contain the description of the fault. The variety of possible messages prevents listing in the table. Fault codes from the Eligibility Service will have a format “MSS-nnnnn”

Eligibility Inquiry Error Code Table

SOAP Fault Code	SOAP Fault Message
SOAP-ENV:Server	
SOAP-ENV:Client	
MSS-00090	System In Maintenance Mode
MSS-00100	Invalid Logon Id / Password
MSS-00105	User id is not active
MSS-00110	Password Expired
MSS-00115	Configuration Error
MSS-00120	Internal Processing Error
MSS-00125	Internal Processing Error

4. CMS SUBMISSION

4.1 TRANSMISSION SCHEDULE

- Infocrossing submits all received and accepted Medicare transactions in the required CMS MARx format three times per day, seven days per week. The transmission times occur at 07:00 A.M., 04:00 P.M. and 08:00 P.M., all times are PST.
- Calendar month-end submission. This schedule will occur on the last day of each calendar month to accommodate the CMS MARx system CCM rules (Current Calendar Month):There will be one morning transmission and a second 02:00 P.M. PST transmission.

4.2 BLACKOUT DATES

There will be no data file transmission to CMS on scheduled CMS blackout dates. The data will be accumulated and transmitted to CMS on the next non-blackout day.

4.3 RESPONSE FROM CMS

- CMS performs a preliminary validation of Marx transaction data files and returns any potential failed transactions in a “batch completion status summary file”. This file will be available to download in the rare instance where a file submission does not pass the initial CMS validation.
- CMS generates the “Daily Transaction Reply Report” (DTRR) data file on a nightly basis, detailing all accepted and rejected records. This file will be available to download on the Infocrossing web portal and designated FTP servers.
- CMS generates many monthly files that are made available on the Infocrossing web portal. Additional information on these files can be obtained from the CMS Plan Communications User Guide document (PCUG) in the appendices section.

4.4 CMS TRANSACTION TRANSMISSION DATA FILE LAYOUT

This service provides you with a detail of all Medicare transactions that were submitted to CMS. This data file complements the report file version and gets generated every time Medicare transactions are sent to CMS. This file does not contain a header record.

CMS Transmission Layout

RECORD FORMAT = FB LENGTH = 600

DETAIL RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE ID (HICN or MBI)	12	1 – 12	Char	
SURNAME	12	13 – 24	Char	
FIRST NAME	07	25 – 31	Char	
MIDDLE INITIAL	01	32 – 32	Char	
GENDER	01	33 – 33	Char	Values “0”, “1” and “2” when applicable
BIRTH DATE	08	34 – 41	Char	CCYYMMDD format when applicable
EGHP FLAG	01	42 – 42	Char	N/A
PBP #	03	43 – 45	Char	
ELECTION TYPE	01	46 – 46	Char	
PLAN ID (CONTRACT#)	05	47 – 51	Char	
APPLICATION RECEIPT DATE	08	52 – 59	Char	CCYYMMDD format when applicable
TRANSACTION CODE	02	60 – 61	Num	
DISENROLLMENT REASON	02	62 – 63	Char	
EFFECTIVE DATE	08	64 – 71	Char	CCYYMMDD format
SEGMENT ID	03	72 – 74	Char	N/A
ESRD OVERRIDE	01	75 – 75	Char	
PREMIUM WITHHOLD OPTION	01	76 – 76	Char	N/A
PART C PREMIUM AMOUNT	06	77 – 82	Char	Numeric when applicable
FILLER	06	83 – 88	Char	Spaces
CREDITABLE COVERAGE FLAG	01	89 – 89	Char	
NUMBER OF UNCOVERED MONTHS	03	90 – 92	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
EMPLOYEE SUBSIDY ENROLLMENT OVERRIDE FLAG	01	93 – 93	Char	N/A
PART D OPT-OUT FLAG	01	94 – 94	Char	N/A
PART D Rx ID	20	95 – 114	Char	
PART D Rx GROUP	15	115 – 129	Char	
SECONDARY DRUG INSURANCE FLAG	01	130 – 130	Char	
SECONDAY Rx ID	20	131 – 150	Char	
SECONDARY Rx GROUP	15	151 – 165	Char	
ENROLLMENT SOURCE	01	166 – 166	Char	
FILLER	01	167 – 167	Char	
TC 90 UPDATE/DELETE	01	168 – 168	Char	
POS DRUG EDIT STATUS	01	169 – 169	Char	
POS DRUG EDIT CLASS	03	170 – 172	Char	
POS DRUG EDIT CODE	03	173 – 175	Char	
NOTIFICATION DATE	08	176 – 183	Char	
IMPLEMENTATION DATE	08	184 – 191	Char	
TERMINATION DATE	08	192 – 199	Char	
FILLER	03	200 – 202	Char	
PARTD Rx BIN	06	203 – 208	Char	
PARTD Rx PCN	10	209 – 218	Char	
SECONDAY Rx BIN	06	219 – 224	Char	
SECONDAY Rx PCN	10	225 – 234	Char	
MMP OPT-OUT FLAG	01	235 – 235	Char	
ADDRESS DELETE/UPD FLAG	01	236 – 236	Char	
RESIDENCE ADDRESS LINE1	65	237 – 301	Char	
RESIDENCE ADDRESS LINE2	65	302 – 366	Char	
RESIDENCE CITY	57	367 – 423	Char	
RESIDENCE STATE	02	424 – 425	Char	
RESIDENCE ZIP CODE	05	426 – 430	Char	
RESIDENCE ZIP CODE+4	04	431 – 434	Char	
RESIDENCE END DATE	08	435 – 442	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
TRANSACTION TRACKING ID	15	443 – 457	Char	
Filler	143	458 – 600	Char	

5. ELIGIBILITY+

5.1 ELIGIBILITY+ PLAN ENROLLMENT (FROM CMS MBD EXTRACT) LAYOUT

This service provides you with a Medicare membership roster of all your contracted Medicare plans in your organization. Two separate files are produced. The first file, a 1300 byte file as shown below, will report all the beneficiaries that are enrolled in your organization according to the CMS MBD extract. The second file, as shown in section 5.2, will report the changes for each beneficiary in your PLAN between the prior CMS MBD extract and current MBD extract.

Eligibility+ Plan Enrollment Layout

RECORD FORMAT = FB LENGTH = 1300

HEADER RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	'H'
ACCOUNT	08	2 – 9	Char	Account number
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
MBD LOAD EFF DATE	08	18 – 25	Numeric	CCYYMMDD Date MBD data is loaded
POTENTIAL UNCOV MONTHS EFF DATE	06	26 – 31	Numeric	CCYYMM Payment month MBD data is received from CMS
FILLER	1069	32 – 1300	Char	Spaces

DETAIL RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	1	1 – 1	Char	'D'
CURRENT PLANID	5	2 – 6	Char	Primary Contract ID
CURRENT COPLANID	5	7 – 11	Char	Secondary Contract ID
MBD MEDICARE ID	12	12 – 23	Char	
FILLER	04	24 – 27	Char	
MBD LAST NAME	40	28 – 67	Char	
FIRST NAME	30	68 – 97	Char	
MIDDLE INIT	01	98 – 98	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
GENDER	01	99 – 99	Char	Gender ('F' or 'M')
BIRTHDATE	08	100 – 107	Numeric	CCYYMMDD
PART A ENTITLEMENT DATE	08	108 – 115	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART A ENTITLEMENT END DATE	08	116 – 123	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART B ENTITLEMENT DATE	08	124 – 131	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part B entitlement period.
PART B ENTITLEMENT END DATE	08	132 – 139	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part B entitlement period.
STATE CODE	02	140 – 141	Numeric	
COUNTY CODE	03	142 – 144	Numeric	
HOSPICE STATUS	01	145 – 145	Char	Y/spaces
HOSPICE START DATE	08	146 – 153	Numeric	CCYYMMDD
HOSPICE END DATE	08	154 – 161	Numeric	CCYYMMDD
INSTITUTIONAL STATUS	01	162 – 162	Char	Y/spaces
INSTITUTIONAL START DATE	08	163 – 170	Numeric	CCYYMMDD
INSTITUTIONAL END DATE	08	171 – 178	Numeric	CCYYMMDD
ESRD STATUS	01	179 – 179	Char	Y/spaces
ESRD START DATE	08	180 – 187	Numeric	CCYYMMDD
ESRD END DATE	08	188 – 195	Numeric	CCYYMMDD
MEDICAID STATUS	01	196 – 196	Char	Y/spaces
MEDICAID START DATE	08	197 – 204	Numeric	CCYYMMDD
MEDICAID END DATE	08	205 – 212	Numeric	CCYYMMDD
FILLER	01	213 – 213	Char	
LIVING STATUS	01	214 – 214	Char	'A' or 'D' ("Alive" or "Deceased")
DEATH DATE	08	215 – 222	Numeric	CCYYMMDD
XREF INSURANCE NUMBER	12	223 – 234	Char	Previously known claim number as supplied by CMS on the MBD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RACE CODE	01	235 – 235	Char	Values as supplied by CMS are: '0' or blank = unknown, '1' = White, '2' = Black, '3' = other, '4' = Asian, '5' = Hispanic, '6' = North American Native
FILLER	07	236 – 242		
Part D – LIS Info				
PARTD ELIGIBLE START DATE	08	243 – 250	Numeric	CCYYMMDD. This field identifies the date the beneficiary became eligible for Part D Benefits.
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 1)	08	251 – 258	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (most recent or presently active).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 1)	08	259 – 266	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (most recent or presently active).
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 1)	01	267 – 267	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 1)	03	268 – 270	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 2)	08	271 – 278	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (second most recent).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 2)	08	279 – 286	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (second most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 2)	01	287 – 287	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 2)	03	288 – 290	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
FILLER	10	291 – 300		
PARTD OCCURRENCES	02	301 – 302	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 1)	08	303 – 310	Char	CCYYMMDD. Effective start date of the Part D plan for the beneficiary (most recent or presently active).
PARTD DISENROLLMENT DATE (OCCURRENCE 1)	08	311 – 318	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (most recent).
FILLER	01	319 – 319	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 2)	08	320 – 327	Char	CCYYMMDD. Effective start date of the Part D plan (second most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 2)	08	328 – 335	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (second most recent).
FILLER	01	336 – 336	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 3)	08	337 – 344	Char	CCYYMMDD. Effective start date of the Part D plan (third most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 3)	08	345 – 352	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (third most recent).
FILLER	01	353 – 353	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 4)	08	354 – 361	Char	CCYYMMDD. Effective start date of the Part D plan (fourth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 4)	08	362 – 369	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fourth most recent).
FILLER	01	370 – 370	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 5)	08	371 – 378	Char	CCYYMMDD. Effective start date of the Part D plan (fifth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PARTD DISENROLLMENT DATE (OCCURRENCE 5)	08	379 – 386	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fifth most recent).
FILLER	01	387 – 387	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 6)	08	388 – 395	Char	CCYYMMDD. Effective start date of the Part D plan (sixth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 6)	08	396 – 403	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (sixth most recent).
FILLER	01	404 – 404	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 7)	08	405 – 412	Char	CCYYMMDD. Effective start date of the Part D plan (seventh most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 7)	08	413 – 420	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (seventh most recent).
FILLER	01	421 – 421	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 8)	08	422 – 429	Char	CCYYMMDD. Effective start date of the Part D plan (eighth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 8)	08	430 – 437	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (eighth most recent).
FILLER	01	438 – 438	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 9)	08	439 – 446	Char	CCYYMMDD. Effective start date of the Part D plan (ninth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 9)	08	447 – 454	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (ninth most recent).
FILLER	01	455 – 455	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 10)	08	456 – 463	Char	CCYYMMDD. Effective start date of the Part D plan (tenth and oldest).
PARTD DISENROLLMENT DATE (OCCURRENCE 10)	08	464 – 471	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (tenth and oldest date).
FILLER	01	472 – 472	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
POTENTIAL UNCOVERED MONTHS**	03	473 – 475	Char	<p>1. '000' = No uncovered months</p> <p>2. Any value higher than zero (with leading zeroes) represents the number of potential uncovered months.</p> <p>3. 'N/A' = Unable to calculate due to following reasons:</p> <ul style="list-style-type: none"> - Part D end date is greater than Part D start date. - Beneficiary is deceased - Beneficiary does not have entitlement dates - Invalid Part D dates
INQUIRY TYPE	01	476 – 476	Char	Value is always 'M' (Membership)
ENROLLMENT INFO OCCURRENCES	01	477 – 477	Char	0 to maximum of 2
Enrollment Info 1				
PLAN ID	05	478 – 482	Char	
PBP ID	03	483 – 485	Char	
EGHP INDICATOR	01	486 – 486	Char	
PLAN-TYPE-CODE	02	487 – 488	Char	
PLAN ENROLLMENT DATE	08	489 – 496	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	497 – 497		'Y' or 'N'
ENROLLMENT SOURCE CODE	01	498 – 498	Char	
Enrollment Info 2				
PLAN ID	05	499 – 503	Char	
PBP ID	03	504 – 506	Char	
EGHP INDICATOR	01	507 – 507	Char	
PLAN-TYPE-CODE	02	508 – 509	Char	
PLAN ENROLLMENT DATE	08	510 – 517	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	518 – 518		'Y' or 'N'
ENROLLMENT SOURCE CODE	01	519 – 519		
PRIOR ENROLLMENT INFO OCCURRENCES	01	520 – 520	Char	0 to maximum of 2
Prior Enrollment Info 1				
PLAN ID	05	521 – 525	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PBP ID	03	526 – 528	Char	
EGHP INDICATOR	01	529 – 529	Char	
PLAN-TYPE-CODE	02	530 – 531	Char	
PLAN ENROLLMENT DATE	08	532 – 539	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	540 – 547	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	548 – 548	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	549 – 549	Char	
Prior Enrollment Info 2				
PLAN ID	05	550 – 554	Char	
PBP ID	03	555 – 557	Char	
EGHP INDICATOR	01	558 – 558	Char	
PLAN-TYPE-CODE	02	559 – 560	Char	
PLAN ENROLLMENT DATE	08	561 – 568	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	569 – 576	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	577 – 577	Char	'Y' 'N'
ENROLLMENT SOURCE CODE	01	578 – 578	Char	
NUMBER OF UNCOVERED MONTHS (NUNCMO) OCCURENCES	02	579 – 580	Numeric	0 to a maximum of 20
UNCOVERED MONTHS START DATE1	08	581 – 588	Numeric	CCYYMMDD
UNCOV MONTHS1	03	589 – 591	Numeric	
NUNCMO INDICATOR1	01	592 – 592	Char	
TOTAL UNCOVERED MONTHS1	03	593 – 595	Numeric	
UNCOVERED MONTHS START DATE2	08	596 – 603	Numeric	CCYYMMDD
UNCOV MONTHS2	03	604 – 606	Numeric	
NUNCMO INDICATOR2	01	607 – 607	Char	
TOTAL UNCOVERED MONTHS2	03	608 – 610	Numeric	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
UNCOVERED MONTHS START DATE3	08	611 – 618	Numeric	CCYYMMDD
UNCOV MONTHS3	03	619 – 621	Numeric	
NUNCMO INDICATOR3	01	622 – 622	Char	
TOTAL UNCOVERED MONTHS3	03	623 – 625	Numeric	
UNCOVERED MONTHS START DATE4	08	626 – 633	Numeric	CCYYMMDD
UNCOV MONTHS4	03	634 – 636	Numeric	
NUNCMO INDICATOR4	01	637 – 637	Char	
TOTAL UNCOVERED MONTHS4	03	638 – 640	Numeric	
UNCOVERED MONTHS START DATE5	08	641 – 648	Numeric	CCYYMMDD
UNCOV MONTHS5	03	649 – 651	Numeric	
NUNCMO INDICATOR5	01	652 – 652	Char	
TOTAL UNCOVERED MONTHS5	03	653 – 655	Numeric	
UNCOVERED MONTHS START DATE6	08	656 – 663	Numeric	CCYYMMDD
UNCOV MONTHS6	03	664 – 666	Numeric	
NUNCMO INDICATOR6	01	667 – 667	Char	
TOTAL UNCOVERED MONTHS6	03	668 – 670	Numeric	
UNCOVERED MONTHS START DATE7	08	671 – 678	Numeric	CCYYMMDD
UNCOV MONTHS7	03	679 – 681	Numeric	
NUNCMO INDICATOR7	01	682 – 682	Char	
TOTAL UNCOVERED MONTHS7	03	683 – 685	Numeric	
UNCOVERED MONTHS START DATE8	08	686 – 693	Numeric	CCYYMMDD
UNCOV MONTHS8	03	694 – 696	Numeric	
NUNCMO INDICATOR8	01	697 – 697	Char	
TOTAL UNCOVERED MONTHS8	03	698 – 700	Numeric	
UNCOVERED MONTHS START DATE9	08	701 – 708	Numeric	CCYYMMDD
UNCOV MONTHS9	03	709 – 711	Numeric	
NUNCMO INDICATOR9	01	712 – 712	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
TOTAL UNCOVERED MONTHS9	03	713 – 715	Numeric	
UNCOVERED MONTHS START DATE10	08	716 – 723	Numeric	CCYYMMDD
UNCOV MONTHS10	03	724 – 726	Numeric	
NUNCMO INDICATOR10	01	727 – 727	Char	
TOTAL UNCOVERED MONTHS10	03	728 – 730	Numeric	
UNCOVERED MONTHS START DATE11	08	731 – 738	Numeric	CCYYMMDD
UNCOV MONTHS11	03	739 – 741	Numeric	
NUNCMO INDICATOR11	01	742 – 742	Char	
TOTAL UNCOVERED MONTHS11	03	743 – 745	Numeric	
UNCOVERED MONTHS START DATE12	08	746 – 753	Numeric	CCYYMMDD
UNCOV MONTHS12	03	754 – 756	Numeric	
NUNCMO INDICATOR12	01	757 – 757	Char	
TOTAL UNCOVERED MONTHS12	03	758 – 760	Numeric	
UNCOVERED MONTHS START DATE13	08	761 – 768	Numeric	CCYYMMDD
UNCOV MONTHS13	03	769 – 771	Numeric	
NUNCMO INDICATOR13	01	772 – 772	Char	
TOTAL UNCOVERED MONTHS13	03	773 – 775	Numeric	
UNCOVERED MONTHS START DATE14	08	776 – 783	Numeric	CCYYMMDD
UNCOV MONTHS14	03	784 – 786	Numeric	
NUNCMO INDICATOR14	01	787 – 787	Char	
TOTAL UNCOVERED MONTHS14	03	788 – 790	Numeric	
UNCOVERED MONTHS START DATE15	08	791 – 798	Numeric	CCYYMMDD
UNCOV MONTHS15	03	799 – 801	Numeric	
NUNCMO INDICATOR15	01	802 – 802	Char	
TOTAL UNCOVERED MONTHS15	03	803 – 805	Numeric	
UNCOVERED MONTHS START DATE16	08	806 – 813	Numeric	CCYYMMDD
UNCOV MONTHS16	03	814 – 816	Numeric	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
NUNCMO INDICATOR16	01	817 – 817	Char	
TOTAL UNCOVERED MONTHS16	03	818 – 820	Numeric	
UNCOVERED MONTHS START DATE17	08	821 – 828	Numeric	CCYYMMDD
UNCOV MONTHS17	03	829 – 831	Numeric	
NUNCMO INDICATOR17	01	832 – 832	Char	
TOTAL UNCOVERED MONTHS17	03	833 – 835	Numeric	
UNCOVERED MONTHS START DATE18	08	836 – 843	Numeric	CCYYMMDD
UNCOV MONTHS18	03	844 – 846	Numeric	
NUNCMO INDICATOR18	01	847 – 847	Char	
TOTAL UNCOVERED MONTHS18	03	848 – 850	Numeric	
UNCOVERED MONTHS START DATE19	08	851 – 858	Numeric	CCYYMMDD
UNCOV MONTHS19	03	859 – 861	Numeric	
NUNCMO INDICATOR19	01	862 – 862	Char	
TOTAL UNCOVERED MONTHS19	03	863 – 865	Numeric	
UNCOVERED MONTHS START DATE20	08	866 – 873	Numeric	CCYYMMDD
UNCOV MONTHS20	03	874 – 876	Numeric	
NUNCMO INDICATOR20	01	877 – 877	Char	
TOTAL UNCOVERED MONTHS20	03	878 – 880	Numeric	
RDS OCCURRENCES	02	881 – 882	Char	Number of RDS occurrences
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 1)	08	883 – 890	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (most recent or presently active).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 1)	08	891 – 898	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 2)	08	899 – 906	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (second most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 2)	08	907 – 914	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (second most recent)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 3)	08	915 – 922	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (third most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 3)	08	923 – 930	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (third most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 4)	08	931 – 938	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fourth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 4)	08	939 – 946	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fourth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 5)	08	947 – 954	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fifth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 5)	08	955 – 962	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fifth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 6)	08	963 – 970	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (sixth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 6)	08	971 – 978	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (sixth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 7)	08	979 – 986	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (seventh most).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 7)	08	987 – 994	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (seventh most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 8)	08	995 - 1002	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (eighth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 8)	08	1003 - 1010	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (eighth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 9)	08	1011 - 1018	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (ninth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 9)	08	1019 - 1026	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (ninth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 10)	08	1027 - 1034	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (tenth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 10)	08	1035 - 1042	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (tenth most recent)
FILLER	12	1043 - 1054	Char	
MEDICARE PLAN INELIGIBILITY DATA OCCURRENCES	02	1055 - 1056	Char	Number of Medicare Plan Ineligibility Data occurrences. 10 occurrences maximum.
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 1)	08	1057 - 1064	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 1)	08	1065 - 1072	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 2)	08	1073 - 1080	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 2)	08	1081 - 1088	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 3)	08	1089 - 1096	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 3)	08	1097 - 1104	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 4)	08	1105 - 1112	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fourth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 4)	08	1113 -1120	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fourth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 5)	08	1121 - 1128	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fifth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 5)	08	1129 - 1136	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fifth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 6)	08	1137 - 1144	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 6)	08	1145 - 1152	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 7)	08	1153 - 1160	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 7)	08	1161 - 1168	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 8)	08	1169 - 1176	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 8)	08	1177 -1184	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 9)	08	1185 - 1192	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 9)	08	1193 - 1200	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 10)	08	1201 - 1208	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (tenth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 10)	08	1209 -1216	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (tenth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MBI	11	1217 - 1227	Char	Medicare Beneficiary Identifier
INACTIVE MBI	11	1228 - 1238	Char	Prior Medicare Beneficiary Identifier
FILLER	62	1239 -1300		

5.2 ELIGIBILITY+ MEMBER DATA CHANGES (BETWEEN PRIOR AND CURRENT CMS MBD EXTRACT) LAYOUT

Eligibility+ Member Data Changes Layout

RECORD FORMAT = FB LENGTH = 200

Data Element	Size	Format	Position	Remarks
Current Plan Id	5	Char	1-5	Primary Contract Id
Current CoPlan ID	5	Char	6-10	Secondary Contract Id
Medicare ID	12	Char	11-22	Medicare ID
Name of field being changed	40	Char	23-62	Name of Field where change is detected
Previous value	50	Char	63-112	Value of changed field in prior MBD extract
Current value	50	Char	113-162	Value of changed field in current MBD extract
Current time stamp	26	Char	163-188	Time stamp of latest value
Filler	12	Char	189-200	Blank

6. ENROLLMENT RECONCILIATION EXTRACT

6.1 ENROLLMENT RECONCILIATION EXTRACT LAYOUT

This process can be requested on an ADHOC basis to get a listing of all the transactions that were sent to CMS based on a desired date range. Any matching TRR transactions that are returned from CMS are also reported on.

Enrollment Reconciliation Extract Layout

RECORD FORMAT = FB LENGTH = 402

Data Element	Size	Format	Position	Remarks
Source code	1	Char	1	'T' – Enrollment transaction sent to CMS 'C' – CMS TRR sent back
PlanID (Contract#)	5	Char	2-6	Contract ID
Effective date	8	Char	7-14	Enrollment Effective date
Medicare ID	12	Char	15-26	Beneficiary Medicare ID
Transaction code	2	Char	27-28	'01' – MCO Correction '41' – Update to Opt-Out Flag Submitted by CMS '42' – MMP Opt-Out Update (1-800-Medicare) '61' – Enrollment '51' – Disenrollment '54' – Disenrollment (1-800-Medicare) '72' – 4Rx Record Change '73' – Uncovered Months Change '76' – Residential Address Change '78' – Part C premium Change '81' – Disenrollment Cancellation '82' – MMP Enrollment Cancellation '83' – MMP Opt Out Update '90' – POS Drug Edit
Filler	1	Char	29	Spaces
Application Receipt date	8	Char	30-37	
Election type	1	Char	38	
PBP #	3	Char	39-41	Plan Benefit Package
PBP Segment ID	3	Char	42-44	

Data Element	Size	Format	Position	Remarks
Transaction Reply Code	3	Char	45-47	If source code is 'C' (CMS TRR record) then the TRC code is the actual value from the TRR record. If source code is 'T' (Enrollment transaction sent to CMS) then this field will be blank.
Last name	12	Char	48-59	
First name	7	Char	60-66	
Middle Initial	1	Char	67	
Gender	1	Char	68	'1' – Male '2' – Female
Birth date	8	Char	69-76	
Source ID	5	Char	77-81	
Trans Tracking ID	15	Char	82-96	
Residence Address 1	65	Char	97-161	
Residence Address 2	65	Char	162-226	
Residence City	57	Char	227-283	
Residence State	2	Char	284-285	
Residence Zip	5	Char	286-290	
Residence Zip4	4	Char	291-294	
Residence UPD Flag	1	Char	295	
Residence End Date	8	Char	296-303	CCYYMMDD
MMP Opt Out Flag	1	Char	304	
DRC	2	Char	305-306	Disenrollment Reason Code
POS-UPD-DEL-FLG	1	Char	307	
POS-STATUS	1	Char	308	
POS-CLASS	3	Char	309-311	
POS-CODE	3	Char	312-314	
POS-NOTIFICATION	8	Char	315-322	
POS-IMPLEMENTATION	8	Char	323-330	
POS-TERMINATION	8	Char	331-338	
NOTIFICATION-POS-EDIT-CD	3	Char	339-341	
END-DATE	8	Char	342-349	
SUBMITTED-UNCOV-MONTHS	3	Char	350-352	
FILLER	31		353-383	
Timestamp	19	Char	384-402	

7. BATCH COMPLETION STATUS SUMMARY OF FAILED TRANSACTIONS

FAILED HEADER RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
Record Description	12	1 – 12	Char	Constant: "#BATCHDSPSTN"
BATCHID	12	13 – 24	Char	MARx System Assigned
Batch Run Start Date	10	25 – 34	Char	Format: YYYY-MM-DD
Batch Run Start Time	08	35 – 42	Char	Format: HH-MM-SS
FILLER	24	43 – 66	Char	Spaces
Failed Transaction Count	08	67 – 74	Char	Failed Count: ZZZZZZZ9
FILLER	16	75 – 90	Char	Spaces
Submitter ID	08	91 – 98	Char	Infocrossing Submitter ID
Date Stamp of transaction file	10	99 – 108	Char	Format: YYYY-MM-DD
Time Stamp of transaction file	08	109 – 116	Char	Format: HH-MM-SS
FILLER	225	117 – 341	Char	Spaces
End of Failed header Transaction Record	01	342	Char	Constant: ";"

FAILED DETAIL RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
Record Header	12	1 – 12	Char	Constant: "#FAILEDTRANS"
Transaction Record Counter	08	13 – 20	Char	Sequential count, ZZZZZZZ9 of failed records
Failed Transaction Input Record Text	300	21 – 320	Numeric	From input transaction
FILLER	5	321 – 325	Char	Spaces
Transaction Reply Codes	15	326 – 340	Char	Up to 5 three character reason for failure reply codes
End of Failed Detail Transaction Record	2	341 – 342	Char	Constant: ";"

8. PROSPECTIVE DUAL FILE

RECORD LAYOUT FOR PROSPECTIVE DUAL FILE

RECORD FORMAT = FB (Fixed Block) LENGTH = 1700

HEADER RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	Static value of 'H'
ACCOUNT	08	2 – 9	Char	Infocrossing supplied Account number
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
MBD (Medicare beneficiary Database) LOAD EFF DATE	08	18 – 25	Numeric	CCYYMMDD – Date MBD data is refreshed by CMS and loaded on Infocrossing database
POTENTIAL UNCOV MONTHS EFF DATE	06	26 – 31	Numeric	CCYYMM – Payment month MBD data is received from CMS
FILLER	1269	32 – 1700	Char	Spaces

DETAIL RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	1	1 – 1	Char	Static value of 'D'
MEDICARE ID	12	2 – 13	Char	Beneficiary HICN number
LAST NAME	12	14 – 25	Char	Beneficiary Last Name (first 12 bytes)
MEDICARE ID FOUND/NOT FOUND	01	26 – 26	Char	Static value of "Y"
NAME or BIRTHDATE FOUND/NOT FOUND	01	27 – 27	Char	Static value of "Y"
LAST NAME	40	28 – 67	Char	
FIRST NAME	30	68 – 97	Char	
MIDDLE INIT	01	98 – 98	Char	
GENDER	01	99 – 99	Char	Gender ('F' or 'M')
BIRTHDATE	08	100 – 107	Numeric	CCYYMMDD
PART A ENTITLEMENT DATE	08	108 – 115	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART A ENTITLEMENT END DATE	08	116 – 123	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part A entitlement period.
PART B ENTITLEMENT DATE	08	124 – 131	Numeric	CCYYMMDD. The Entitlement Start Date of the beneficiary's most recent or active Medicare Part B entitlement period.
PART B ENTITLEMENT END DATE	08	132 – 139	Numeric	CCYYMMDD. The Entitlement End Date of the beneficiary's most recent or active Medicare Part B entitlement period.
STATE CODE	02	140 – 141	Numeric	
COUNTY CODE	03	142 – 144	Numeric	
HOSPICE STATUS	01	145 – 145	Char	Y/spaces
HOSPICE START DATE	08	146 – 153	Numeric	CCYYMMDD
HOSPICE END DATE	08	154 – 161	Numeric	CCYYMMDD
INSTITUTIONAL STATUS	01	162 – 162	Char	Y/spaces
INSTITUTIONAL START DATE	08	163 – 170	Numeric	CCYYMMDD
INSTITUTIONAL END DATE	08	171 – 178	Numeric	CCYYMMDD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
ESRD STATUS	01	179 – 179	Char	Y/spaces
ESRD START DATE	08	180 – 187	Numeric	CCYYMMDD
ESRD END DATE	08	188 – 195	Numeric	CCYYMMDD
MEDICAID STATUS	01	196 – 196	Char	Always set to "Y"
MEDICAID START DATE	08	197 – 204	Numeric	CCYYMMDD
MEDICAID END DATE	08	205 – 212	Numeric	CCYYMMDD
FILLER	01	213 – 213	Char	
LIVING STATUS	01	214 – 214	Char	Always set to "A" (Alive)
DEATH DATE	08	215 – 222	Numeric	CCYYMMDD (will always be blank)
XREF CLAIM NUMBER	12	223 – 234	Char	Previously known HICN number as supplied by CMS on the MBD
RACE CODE	01	235 – 235	Char	Values as supplied by CMS are: '0' or blank = unknown, '1' = White, '2' = Black, '3' = other, '4' = Asian, '5' = Hispanic, '6' = North American Native
FILLER	07	236 – 242		
Part D – LIS Info				
PARTD ELIGIBLE START DATE	08	243 – 250	Numeric	CCYYMMDD. This field identifies the date the beneficiary became eligible for Part D Benefits.
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 1)	08	251 – 258	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (most recent or presently active).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 1)	08	259 – 266	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (most recent or presently active).
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 1)	01	267 – 267	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 1)	03	268 – 270	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
DEEMED/LOW INCOME SUBSIDY START DATE (OCCURRENCE 2)	08	271 – 278	Numeric	CCYYMMDD. Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (second most recent).
DEEMED/LOW INCOME SUBSIDY END DATE (OCCURRENCE 2)	08	279 – 286	Numeric	CCYYMMDD. The end date of the Deemed period or Low Income Subsidy (second most recent).
CO-PAYMENT LEVEL IDENTIFIER (OCCURRENCE 2)	01	287 – 287	Char	This field indicates the Co-Payment level for the beneficiary.
PRTD PREMIUM SUBSIDY PERCENT (OCCURRENCE 2)	03	288 – 290	Char	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
FILLER	10	291 – 300	Char	
PARTD OCCURRENCES	02	301 – 302	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 1)	08	303 – 310	Char	CCYYMMDD. Effective start date of the Part D plan for the beneficiary (most recent or presently active).
PARTD DISENROLLMENT DATE (OCCURRENCE 1)	08	311 – 318	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (most recent).
FILLER	01	319 – 319	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 2)	08	320 – 327	Char	CCYYMMDD. Effective start date of the Part D plan (second most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 2)	08	328 – 335	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (second most recent).
FILLER	01	336 – 336	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 3)	08	337 – 344	Char	CCYYMMDD. Effective start date of the Part D plan (third most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 3)	08	345 – 352	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (third most recent).
FILLER	01	353 – 353	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 4)	08	354 – 361	Char	CCYYMMDD. Effective start date of the Part D plan (fourth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 4)	08	362 – 369	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fourth most recent).
FILLER	01	370 – 370	Char	.
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 5)	08	371 – 378	Char	CCYYMMDD. Effective start date of the Part D plan (fifth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 5)	08	379 – 386	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (fifth most recent).
FILLER	01	387 – 387	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 6)	08	388 – 395	Char	CCYYMMDD. Effective start date of the Part D plan (sixth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 6)	08	396 – 403	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (sixth most recent).
FILLER	01	404 – 404	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 7)	08	405 – 412	Char	CCYYMMDD. Effective start date of the Part D plan (seventh most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 7)	08	413 – 420	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (seventh most recent).
FILLER	01	421 – 421	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 8)	08	422 – 429	Char	CCYYMMDD. Effective start date of the Part D plan (eighth most recent).
PARTD DISENROLLMENT DATE (OCCURRENCE 8)	08	430 – 437	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (eighth most recent).
FILLER	01	438 – 438	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 9)	08	439 – 446	Char	CCYYMMDD. Effective start date of the Part D plan (ninth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PARTD DISENROLLMENT DATE (OCCURRENCE 9)	08	447 – 454	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (ninth most recent).
FILLER	01	455 – 455	Char	
PARTD ENROLLMENT EFFECTIVE DATE (OCCURRENCE 10)	08	456 – 463	Char	CCYYMMDD. Effective start date of the Part D plan (tenth and oldest).
PARTD DISENROLLMENT DATE (OCCURRENCE 10)	08	464 – 471	Char	CCYYMMDD. Effective disenrollment date of the Part D plan (tenth and oldest date).
FILLER	01	472 – 472	Char	
POTENTIAL UNCOVERED MONTHS**	03	473 – 475	Char	<ol style="list-style-type: none"> ‘000’ = No uncovered months Any value higher than zero (with leading zeroes) represents the number of potential uncovered months. ‘N/A’ = Unable to calculate due to following reasons: <ul style="list-style-type: none"> Part D end date is greater than Part D start date. Beneficiary is deceased Beneficiary does not have entitlement dates Invalid Part D dates
INQUIRY TYPE	01	476 – 476	Char	Value will always be ‘E’ = Eligibility
ENROLLMENT INFO OCCURRENCES	01	477 – 477	Char	Value will be ‘0’ to ‘2’ depending on current enrollment info occurrence
Enrollment Info 1				
PLAN ID	05	478 – 482	Char	Contract Number
PBP ID	03	483 – 485	Char	Plan Benefit Package Number
EGHP INDICATOR	01	486 – 486	Char	Y/Spaces
PLAN-TYPE-CODE	02	487 – 488	Char	** see list of potential plan-type-code values at the bottom of this PDF layout under the <u>“Plan Type Code List of Values”</u> section
PLAN ENROLLMENT DATE	08	489 – 496	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	497 – 497	Char	‘Y’ or ‘N’

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
ENROLLMENT SOURCE CODE	01	498 – 498	Char	*** see list of possible values at the bottom of this PDF layout under the <u>“Enrollment Source Code values”</u> section. Note: only values of “B,D,G,I or N” will be shown
Enrollment Info 2				
PLAN ID	05	499 – 503	Char	Contract Number
PBP ID	03	504 – 506	Char	Plan Benefit Package Number
EGHP INDICATOR	01	507 – 507	Char	Y/Spaces
PLAN-TYPE-CODE	02	508 – 509	Char	** see list of potential values at the bottom of this layout
PLAN ENROLLMENT DATE	08	510 – 517	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	518 – 518	Char	‘Y’ or ‘N’
ENROLLMENT SOURCE CODE	01	519 – 519	Char	*** see list of possible values at the bottom of this PDF layout under the <u>“Enrollment Source Code values”</u> section. Note: only values of “B,D,G,I or N” will be shown
ENROLLMENT HISTORY INFO OCCURRENCES	01	520 – 520	Char	Value will be ‘0’ to ‘2’ depending on historical info occurrence
Enrollment History Info 1				
PLAN ID	05	521 – 525	Char	Contract Number
PBP ID	03	526 – 528	Char	Plan Benefit Package Number
EGHP INDICATOR	01	529 – 529	Char	Y/Spaces
PLAN-TYPE-CODE	02	530 – 531	Char	** see list of potential values at the bottom of this layout
PLAN ENROLLMENT DATE	08	532 – 539	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	540 – 547	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	548 – 548	Char	‘Y’ or ‘N’
ENROLLMENT SOURCE CODE	01	549 – 549	Char	*** see list of possible values at the bottom of this PDF layout under the <u>“Enrollment Source Code values”</u> section.
Enrollment History Info 2				
PLAN ID	05	550 – 554	Char	Contract Number

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
PBP ID	03	555 – 557	Char	Plan Benefit Package Number
EGHP INDICATOR	01	558 – 558	Char	Y/Spaces
PLAN-TYPE-CODE	02	559 – 560	Char	** see list of potential values at the bottom of this layout
PLAN ENROLLMENT DATE	08	561 – 568	Numeric	CCYYMMDD
PLAN ENROLLMENT END DATE	08	569 – 576	Numeric	CCYYMMDD
DRUG PLAN INDICATOR	01	577 – 577	Char	'Y' or 'N'
ENROLLMENT SOURCE CODE	01	578 – 578	Char	*** see list of possible values at the bottom of this PDF layout under the " <u>Enrollment Source Code values</u> " section.
NUMBER OF UNCOVERED MONTHS (NUNCMO) OCCURENCES	02	579 – 580	Numeric	0 to a maximum of 20
UNCOVERED MONTHS START DATE1	08	581 – 588	Numeric	CCYYMMDD
UNCOV MONTHS1	03	589 – 591	Numeric	
NUNCMO INDICATOR1	01	592 – 592	Char	
TOTAL UNCOVERED MONTHS1	03	593 – 595	Numeric	
UNCOVERED MONTHS START DATE2	08	596 – 603	Numeric	CCYYMMDD
UNCOV MONTHS2	03	604 – 606	Numeric	
NUNCMO INDICATOR2	01	607 – 607	Char	
TOTAL UNCOVERED MONTHS2	03	608 – 610	Numeric	
UNCOVERED MONTHS START DATE3	08	611 – 618	Numeric	CCYYMMDD
UNCOV MONTHS3	03	619 – 621	Numeric	
NUNCMO INDICATOR3	01	622 – 622	Char	
TOTAL UNCOVERED MONTHS3	03	623 – 625	Numeric	
UNCOVERED MONTHS START DATE4	08	626 – 633	Numeric	CCYYMMDD
UNCOV MONTHS4	03	634 – 636	Numeric	
NUNCMO INDICATOR4	01	637 – 637	Char	
TOTAL UNCOVERED MONTHS4	03	638 – 640	Numeric	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
UNCOVERED MONTHS START DATE5	08	641 – 648	Numeric	CCYYMMDD
UNCOV MONTHS5	03	649 – 651	Numeric	
NUNCMO INDICATOR5	01	652 – 652	Char	
TOTAL UNCOVERED MONTHS5	03	653 – 655	Numeric	
UNCOVERED MONTHS START DATE6	08	656 – 663	Numeric	CCYYMMDD
UNCOV MONTHS6	03	664 – 666	Numeric	
NUNCMO INDICATOR6	01	667 – 667	Char	
TOTAL UNCOVERED MONTHS6	03	668 – 670	Numeric	
UNCOVERED MONTHS START DATE7	08	671 – 678	Numeric	CCYYMMDD
UNCOV MONTHS7	03	679 – 681	Numeric	
NUNCMO INDICATOR7	01	682 – 682	Char	
TOTAL UNCOVERED MONTHS7	03	683 – 685	Numeric	
UNCOVERED MONTHS START DATE8	08	686 – 693	Numeric	CCYYMMDD
UNCOV MONTHS8	03	694 – 696	Numeric	
NUNCMO INDICATOR8	01	697 – 697	Char	
TOTAL UNCOVERED MONTHS8	03	698 – 700	Numeric	
UNCOVERED MONTHS START DATE9	08	701 – 708	Numeric	CCYYMMDD
UNCOV MONTHS9	03	709 – 711	Numeric	
NUNCMO INDICATOR9	01	712 – 712	Char	
TOTAL UNCOVERED MONTHS9	03	713 – 715	Numeric	
UNCOVERED MONTHS START DATE10	08	716 – 723	Numeric	CCYYMMDD
UNCOV MONTHS10	03	724 – 726	Numeric	
NUNCMO INDICATOR10	01	727 – 727	Char	
TOTAL UNCOVERED MONTHS10	03	728 – 730	Numeric	
UNCOVERED MONTHS START DATE11	08	731 – 738	Numeric	CCYYMMDD
UNCOV MONTHS11	03	739 – 741	Numeric	
NUNCMO INDICATOR11	01	742 – 742	Char	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
TOTAL UNCOVERED MONTHS11	03	743– 745	Numeric	
UNCOVERED MONTHS START DATE12	08	746 – 753	Numeric	CCYYMMDD
UNCOV MONTHS12	03	754 – 756	Numeric	
NUNCMO INDICATOR12	01	757 – 757	Char	
TOTAL UNCOVERED MONTHS12	03	758 – 760	Numeric	
UNCOVERED MONTHS START DATE13	08	761 – 768	Numeric	CCYYMMDD
UNCOV MONTHS13	03	769– 771	Numeric	
NUNCMO INDICATOR13	01	772 – 772	Char	
TOTAL UNCOVERED MONTHS13	03	773 – 775	Numeric	
UNCOVERED MONTHS START DATE14	08	776 – 783	Numeric	CCYYMMDD
UNCOV MONTHS14	03	784 – 786	Numeric	
NUNCMO INDICATOR14	01	787 – 787	Char	
TOTAL UNCOVERED MONTHS14	03	788 – 790	Numeric	
UNCOVERED MONTHS START DATE15	08	791 – 798	Numeric	CCYYMMDD
UNCOV MONTHS15	03	799 – 801	Numeric	
NUNCMO INDICATOR15	01	802 – 802	Char	
TOTAL UNCOVERED MONTHS15	03	803 – 805	Numeric	
UNCOVERED MONTHS START DATE16	08	806 – 813	Numeric	CCYYMMDD
UNCOV MONTHS16	03	814 – 816	Numeric	
NUNCMO INDICATOR16	01	817 – 817	Char	
TOTAL UNCOVERED MONTHS16	03	818 – 820	Numeric	
UNCOVERED MONTHS START DATE17	08	821 – 828	Numeric	CCYYMMDD
UNCOV MONTHS17	03	829 – 831	Numeric	
NUNCMO INDICATOR17	01	832 – 832	Char	
TOTAL UNCOVERED MONTHS17	03	833 – 835	Numeric	
UNCOVERED MONTHS START DATE18	08	836 – 843	Numeric	CCYYMMDD
UNCOV MONTHS18	03	844 – 846	Numeric	

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
NUNCMO INDICATOR18	01	847 – 847	Char	
TOTAL UNCOVERED MONTHS18	03	848 – 850	Numeric	
UNCOVERED MONTHS START DATE19	08	851 – 858	Numeric	CCYYMMDD
UNCOV MONTHS19	03	859 – 861	Numeric	
NUNCMO INDICATOR19	01	862 – 862	Char	
TOTAL UNCOVERED MONTHS19	03	863 – 865	Numeric	
UNCOVERED MONTHS START DATE20	08	866 – 873	Numeric	CCYYMMDD
UNCOV MONTHS20	03	874 – 876	Numeric	
NUNCMO INDICATOR20	01	877 – 877	Char	
TOTAL UNCOVERED MONTHS20	03	878 – 880	Numeric	
RDS OCCURRENCES	02	881 – 882	Char	Number of RDS occurrences
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 1)	08	883 – 890	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (most recent or presently active).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 1)	08	891 – 898	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 2)	08	899 – 906	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (second most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 2)	08	907 – 914	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (second most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 3)	08	915 – 922	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (third most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 3)	08	923 – 930	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (third most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 4)	08	931 – 938	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fourth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 4)	08	939 – 946	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fourth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 5)	08	947 – 954	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (fifth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 5)	08	955 – 962	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (fifth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 6)	08	963 – 970	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (sixth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 6)	08	971 – 978	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (sixth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 7)	08	979 – 986	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (seventh most).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 7)	08	987 – 994	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (seventh most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 8)	08	995 – 1002	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (eighth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 8)	08	1003 – 1010	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (eighth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 9)	08	1011 – 1018	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (ninth most recent).
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 9)	08	1019 – 1026	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (ninth most recent)
RETIREE SUBSIDY EFFECTIVE DATE (OCCURRENCE 10)	08	1027 – 1034	Char	CCYYMMDD. Effective start date of the Retiree Drug Subsidy (tenth most recent).

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RETIREE SUBSIDY DISENROLLMENT DATE (OCCURRENCE 10)	08	1035 – 1042	Char	CCYYMMDD. Effective end date of the Retiree Drug Subsidy (tenth most recent)
SEQUENCE NUMBER	32	1043 – 1074	Char	Will always be blank
MBD HICN CLAIM NUMBER	12	1075 – 1086	Char	Will always be blank
MEDICARE PLAN INELIGIBILITY DATA OCCURRENCES	02	1087 – 1088	Char	Number of Medicare Plan Ineligibility Data occurrences. 10 occurrences maximum.
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 1)	08	1089– 1096	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 1)	08	1097 – 1104	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (first occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 2)	08	1105 – 1112	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 2)	08	1113 – 1120	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (second occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 3)	08	1121– 1128	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 3)	08	1129 – 1136	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (third occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 4)	08	1137 – 1144	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fourth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 4)	08	1145 – 1152	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fourth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 5)	08	1153 – 1160	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (fifth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 5)	08	1161 – 1168	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (fifth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 6)	08	1169 – 1176	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 6)	08	1177 – 1184	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (sixth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 7)	08	1185 – 1192	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 7)	08	1193 – 1200	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (seventh occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 8)	08	1201 – 1208	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 8)	08	1209 – 1216	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (eighth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 9)	08	1217 – 1224	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 9)	08	1225 – 1232	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (ninth occurrence)
MEDICARE PLAN INELIGIBILITY START DATE (OCCURRENCE 10)	08	1233 – 1240	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence Start Date. (tenth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
MEDICARE PLAN INELIGIBILITY END DATE (OCCURRENCE 10)	08	1241 – 1248	Char	CCYYMMDD. Medicare Plan Ineligibility due to Unlawful Presence End Date. (tenth occurrence)
INCARCERATION DATA OCCURRENCES	02	1249 – 1250	Char	Number of INCARCERATION Data occurrences. 10 occurrences maximum.
INCARCERATION START DATE (OCCURRENCE 1)	08	1251 – 1258	Char	CCYYMMDD. Incarceration Start Date. (first occurrence)
INCARCERATION END DATE (OCCURRENCE 1)	08	1259 – 1266	Char	CCYYMMDD. Incarceration End Date. (first occurrence)
INCARCERATION START DATE (OCCURRENCE 2)	08	1267 – 1274	Char	CCYYMMDD. Incarceration Start Date. (second occurrence)
INCARCERATION END DATE (OCCURRENCE 2)	08	1275 – 1282	Char	CCYYMMDD. Incarceration End Date. (second occurrence)
INCARCERATION START DATE (OCCURRENCE 3)	08	1283 – 1290	Char	CCYYMMDD. Incarceration Start Date. (third occurrence)
INCARCERATION END DATE (OCCURRENCE 3)	08	1291 – 1298	Char	CCYYMMDD. Incarceration End Date. (third occurrence)
INCARCERATION START DATE (OCCURRENCE 4)	08	1299 – 1306	Char	CCYYMMDD. Incarceration Start Date. (fourth occurrence)
INCARCERATION END DATE (OCCURRENCE 4)	08	1307 – 1314	Char	CCYYMMDD. Incarceration End Date. (fourth occurrence)
INCARCERATION START DATE (OCCURRENCE 5)	08	1315 – 1322	Char	CCYYMMDD. Incarceration Start Date. (fifth occurrence)
INCARCERATION END DATE (OCCURRENCE 5)	08	1323 – 1330	Char	CCYYMMDD. Incarceration End Date. (fifth occurrence)
INCARCERATION START DATE (OCCURRENCE 6)	08	1331 – 1338	Char	CCYYMMDD. Incarceration Start Date. (sixth occurrence)
INCARCERATION END DATE (OCCURRENCE 6)	08	1339 – 1346	Char	CCYYMMDD. Incarceration End Date. (sixth occurrence)

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
INCARCERATION START DATE (OCCURRENCE 7)	08	1347 – 1354	Char	CCYYMMDD. Incarceration Start Date. (seventh occurrence)
INCARCERATION END DATE (OCCURRENCE 7)	08	1355 – 1362	Char	CCYYMMDD. Incarceration Date. (seventh occurrence)
INCARCERATION START DATE (OCCURRENCE 8)	08	1363 – 1370	Char	CCYYMMDD. Incarceration Start Date. (eighth occurrence)
INCARCERATION END DATE (OCCURRENCE 8)	08	1371 – 1378	Char	CCYYMMDD. Incarceration End Date. (eighth occurrence)
INCARCERATION START DATE (OCCURRENCE 9)	08	1379 – 1386	Char	CCYYMMDD. Incarceration Start Date. (ninth occurrence)
INCARCERATION END DATE (OCCURRENCE 9)	08	1387 – 1394	Char	CCYYMMDD. Incarceration End Date. (ninth occurrence)
INCARCERATION START DATE (OCCURRENCE 10)	08	1395 – 1402	Char	CCYYMMDD. Incarceration Start Date. (tenth occurrence)
INCARCERATION END DATE (OCCURRENCE 10)	08	1403 – 1410	Char	CCYYMMDD. Incarceration End Date. (tenth occurrence)
MBI	11	1411 - 1421	Char	Medicare Beneficiary Identifier
INACTIVE MBI	11	1422 - 1432	Char	Prior Medicare Beneficiary Identifier
FILLER	268	1433 – 1700		

**** Plan Type code values:**

<u>Plan Type</u>	<u>Plan Type Description</u>
01	HMO
02	HMOPOS
03	CCOTH
04	Local PPO
05	PSO (State License)
06	PSO (Federal Waiver of State License)
07	MSA
08	RFB
08	RFB - PFFS
09	PFFS
10	SHMO
11	TriCare
12	PACE
13	CHOICES
14	Evercare
15	Competitive Pricing
16	ORDI
17	Other
18	1876 Cost
19	HCPP - 1833 Cost
20	National PACE
21	Employer-Only Demo
22	HMO Alternative Pay Demo
23	PPO Alternative Pay Demo
24	PFFS Alternative Pay Demo
25	HMOPOS Alternative Pay Demo
26	PPO Demo
27	Capitated Disease Management Demo
28	Chronic Care
29	Medicare Prescription Drug Plan
30	Employer/Union Only Direct Contract PDP
31	Regional PPO

<u>Plan Type</u>	<u>Plan Type Description</u>
32	Fallback
33	MN Disability Health Options
34	MN Senior Health Options
35	WI Partnership Program
36	MA Health Senior Care Options
37	Continuing Care Retirement Community
38	ESRD I
39	ESRD II
40	Employer/Union Only Direct Contract PFFS
41	MSA Demo
42	RFB HMO
43	RFB HMOPOS
44	RFB Local PPO
45	RFB PSO (State License)
46	Point-of-Sale Contractor
47	Employer/Union Only Direct Contract Local PPO
48	Medicare-Medicaid Plan HMO
49	Medicare-Medicaid Plan HMOPOS
50	Medicare-Medicaid Plan PPO
99	Undefined historical data

***** Enrollment source code values:**

'A' = Auto enrolled by CMS;

'B' = **Beneficiary Election**;

'C' = Facilitated enrollment by CMS;

'D' = **CMS Annual Rollover**;

'E' = Plan initiated auto-enrollment;

'F' = Plan initiated facilitated-enrollment;

'G' = **Point-of-sale enrollment**;

'H' = CMS or Plan reassignment;

'I' = **Invalid submitted value (transaction is not rejected)**;

'J' = State-submitted passive enrollment

'K' = CMS-submitted passive enrollment

'L' = MMP beneficiary election

'N' = **Rollover by Plan Transaction**

9. HICN-MBI CROSS-REFERENCE. BATCH PROCESSING

INPUT RECORD LAYOUT FOR BATCH HICN-MBI CROSS-REFERENCE INQUIRY

RECORD FORMAT = FB LENGTH = 80

HEADER RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	'H'
ACCOUNT	08	2 – 9	Char	Account number
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
FILLER	63	18 – 80	Char	Spaces

DETAIL RECORD

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	'D'
MEDICARE ID	12	2 – 13	Char	Required field – Use either the Beneficiary's HICN or the MBI.
LAST NAME	12	14 – 25	Char	Required field
SEQUENCE NUMBER	32	26 – 57	Char	Optional – custom field used by plans to track cross-reference query submissions.
DATE OF BIRTH *	08	58 – 65	Char	Optional (CCYYMMDD)
FILLER	15	66 – 80	Char	Spaces

* The HICN-MBI Cross-reference process will first attempt to find a match by using the HICN or MBI and the last name provided. If no match is obtained and the optional Date of Birth field is provided, a second attempt will be made by using the HICN or MBI and the Date of Birth fields.

OUTPUT RECORD LAYOUT FOR HICN-MBI CROSS-REFERENCE INQUIRY**RECORD FORMAT = FB LENGTH = 200****HEADER RECORD**

Output header record is in the same exact format as the input header record except for the record length.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	01	1 – 1	Char	'H'
ACCOUNT	08	2 – 9	Char	Account number
TRANSACTION DATE	08	10 – 17	Numeric	CCYYMMDD
FILLER	183	18 – 200	Char	Spaces

DETAIL RECORD

For a successful match, the full user supplied HICN or MBI must be found on the Cross-Reference database and the user supplied last name must match the beneficiary last name found on the Cross-reference database. Note that the Date of Birth could also be supplied and used to match the Cross-Reference database record. The Date of Birth will be used as a second match attempt only if a last name match is unsuccessful.

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
RECORD TYPE	1	1 – 1	Char	'D'
MEDICARE ID	12	2 – 13	Char	User supplied HICN or MBI
LAST NAME	12	14 – 25	Char	User supplied Last Name
DOB	08	26 – 33	Char	User supplied Optional DOB
HICN or MBI FOUND/NOT FOUND	01	34 – 34	Char	Y= found, N= not found
NAME or BIRTHDATE FOUND/NOT FOUND	01	35 – 35	Char	Y= found, N= not found
XREF HICN	12	36 – 47	Char	HICN value in Cross-reference Database
XREF MBI	11	48 – 58	Char	MBI value in Cross-reference Database
LAST NAME	30	59 - 88	Char	Last Name value in Cross-reference Database

FIELD NAME	SIZE	POSITION	FORMAT	COMMENT
FIRST NAME	12	89 - 100	Char	First Name value in Cross-reference Database
BIRTHDATE	08	101 – 108	Numeric	Date of Birth value in Cross-reference Database – CCYYMMDD format
GENDER	01	109 – 109	Char	Gender ('F' or 'M') value in Cross-reference Database
SEQUENCE NUMBER	32	110 - 141	Char	Sequence number provided on the input transaction - Optional
FILLER	59	142 - 200		

10. HICN-MBI CROSS-REFERENCE. WEB SERVICE

This real time inquiry web service is a SOAP based interface. The following method is provided for HICN to MBI cross-reference verification purposes. Web Service calls are secured by using the HTTPS protocol, authentication is performed on the User Id and Password included on the Web Service call.

10.1 HICN-MBI CROSS-REFERENCE – XREFQUERY METHOD

XRef Query Input Data

Field	Description
userID	Web Service User Id
Password	Web Service Password
MedID	Medicare ID (HICN# or MBI#)
lastName	Beneficiary's last name
birthDate *	Birth Date (CCYYMMDD)

* The Xref process will first attempt to find a match by using the MedID (either a HIC# or an MBI# can be used) and the last name provided. If no match is obtained and the optional Date of Birth field is provided, a second attempt will be made by using the MedID and the Date of Birth.

** The BENEFICIARY NOT FOUND condition should be determined by looking at the foundMedID and foundNameorDOB fields. Fields other than txnDate, requestMedID, requestLastName and requestDOB will only be populated if foundMedID is set to 'Y' and foundNameorDOB is set to 'Y'.

XRef Query Return Data

Field	Description
txnDate	Date the transaction was made Current Date/Time formatted as CCYYMMDDHHMMSS
requestMedID	The Med ID submitted in the input request
requestLastName	The Last Name from the input request
requestDOB	The Date of Birth from the request
foundMedID	'Y' = found, 'N' = not found **
foundNameorDOB	'Y' = found, 'N' = not found **
xrefHicn	HICN value in cross-reference database
xrefMBI	MBI value in cross-reference database
lastName	Last Name value in cross-reference database
firstName	First Name value in cross-reference database
birthdate	Date of Birth value in cross-reference database (CCYYMMDD)
genderCd	Gender ('F' or 'M') value in cross-reference database

10.2 HICN-MBI CROSS-REFERENCE WEB SERVICE ERRORS

Errors can be detected by checking the faultcode and faultstring objects in the soap return envelope.

Errors occurring in the Xref Service will have a fault code from the table listed below. Fault codes of SOAP-ENV:Server or SOAP-ENV:Client are internal SOAP messaging errors. The fault string will contain the description of the fault. The variety of possible messages prevents listing in the table. Fault codes from the Eligibility Service will have a format "MSS-nnnnn"

Eligibility Inquiry Error Code Table

SOAP Fault Code	SOAP Fault Message
SOAP-ENV:Server	
SOAP-ENV:Client	
MSS-00090	System In Maintenance Mode
MSS-00100	Invalid Logon Id / Password
MSS-00105	User id is not active
MSS-00110	Password Expired
MSS-00115	Configuration Error
MSS-00120	Internal Processing Error
MSS-00125	Internal Processing Error

11. HELP DESK SUPPORT

The Infocrossing support team is available to assist with questions as follows:

All times are Pacific Standard Time.

Toll free 877-833-3499

MCareSupport@Wipro.com

Monday - Friday 5:00 AM – 5:00 PM (Live person)

5:00 PM – 8:00 PM PT (Email or voicemail notification)

Saturday 9:00 AM – 4:00 PM PT (On call personnel)

After Hours, Sunday, and Holidays:

Email or voicemail notification – Next business day response

Observed Holidays are:

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day,

Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.