

Cardiac Pacemakers (#CAG-00063N)

Articles Submitted By Medtronic

B-Blocker Heart Attack Trial Research Group. A randomized trial of propranolol in patients with acute myocardial infarction. JAMA 1982; 247(12):1707-1714.

CIBIS-II Investigators and Committees. The cardiac insufficiency bisoprolol study II (CIBIS-II): a randomized trial. The Lancet 1999; 353: 9-13.

Crockett, Samuel E, Davis, David, Golden, William E, et al.. Quality care alert: beta-blocker prophylaxis after acute myocardial infarction. 2000; <http://www.ama-assn.org/ethnic/quality/qca/qca.htm>.

Dreifus, L, Michelson, E, Kaplinsky, M. Bradyarrhythmias: clinical significance and management. Journal American College of Cardiology 1983; 1(1):327-338.

Forsberg, SA, Juul-Moller, S. Myocardial infarction complicated by heart block - treatment and long-term prognosis. Acta Med Scand 1979; 206:483-487.

Frishman, William H, Furberg, Curt D, Friedewald, William T. Medical intelligence: B-adrenergic blockade for survivors of acute myocardial infarction. The New England Journal of Medicine 1984; :830-837.

Geddes, JS. Beta-sympathetic blockade with chronotropic compensation in the management of heart disease. Acta Med Scand (Suppl) 1982; 660:12-23.

Gregoratos, G, Cheitlin, M, Conill, A, et al. ACC/AHA guidelines for implantation of cardiac pacemakers and antiarrhythmia devices. Journal of the American College of Cardiology 1998; 31(5):1175-209.

Health Care Financing Administration. Acute myocardial infarction national project overview. 1999; HCFA Pub. No. 10156: 3-6.

Hjalmarson, Ake. Effects of beta blockade on sudden cardiac death during acute myocardial infarction and the postinfarction period. The American Journal of Cardiology 1997; 80(9B):35J-39J.

Kusumoto, F, Goldschlager, N. Cardiac pacing. New England

Journal of Medicine 1996; 334(2):89-98.

Lamas, Gervasio A, Orav, E. John, Stambler, Bruce S, et al. Quality of life and clinical outcomes in elderly patients treated with ventricular pacing as compared with dual-chamber pacing. The New England Journal of Medicine 1998; 338(16):1097-1104.

Michihiro, Suwa, Takahide, Ito, Yoshiaki, Otake, et al. Effect of beta-blocker treatment in dilated cardiomyopathy with bradyarrhythmias. Japanese Circulation Journal 1998; 62:765-769.

Olsson, G, Wikstrand, J, Warnold, I, et al. Metoprolol-induced reduction in postinfarction mortality: pooled results from five double-blind randomized trials. European Heart Journal 1992; 13:28-32.

Panidis, Ioannis P, Morganroth, Joel. Initiating events of sudden cardiac death. In: , eds.

Rasmussen, K. Chronic sinus node disease: natural course and indications for pacing. European Heart Journal 1981; 2:455-459.

Rubenstein, J, Schulman, C, Yurchak, P, Desanctis, R. Clinical spectrum of sick sinus syndrome. Circulation 1972; XLVI:5-13.

Ryan, T, Antmann, E, Brooks, N, et al. 1999 Update: ACC/AHA guidelines for patients with acute myocardial infarction: executive summary and recommendations. Circulation 1999; 100:1016-1030.

Shaw, D., Holman, R., Gowers, J. Survival in sinoatrial disorder (sick-sinus syndrome). British Medical Journal 1980; 280:139-141.

The Miami Trial Research Group. Metoprolol in acute myocardial infarction (MIAMI). A randomised placebo-controlled international trial. European Heart Journal 1985; 6:199-226.

Articles Submitted By: HCFA

Gottlieb, Stephen S, McCarter, Robert J, Vogel, Robert A. Effect of beta-blockade on mortality among high-risk and low-risk patients after myocardial infarction. The New England Journal of Medicine 1998; 339(8):489-497.

Krumholz, Harlan M, Radford, Martha J, Wang, Yun MS, et al. National use and effectiveness of [small beta]-blockers for the treatment of elderly patients after acute myocardial infarction: national cooperative cardiovascular project. JAMA: The Journal of

the American Medical Association 1998; 280(7):623-629.

McCormick, Danny, Gurwitz, Jerry H, Lessard, Darleen, MS, et al. Use of aspirin, beta-blockers, and lipid-lowering medications before recurrent acute myocardial infarction: missed opportunities for prevention? Archives of Internal Medicine 1999; 159(6):561-567.

Mehta, Rajendra H, Eagle, Kim A. Fortnightly review: secondary prevention in acute myocardial infarction. British Medical Journal 1998; 316(7134):838-842.

National Cholesterol Education Program Expert Panel. Second report on detection, evaluation and treatment of high blood cholesterol in adults (Adult Treatment Panel II). Circulation 1994; 89(3):1333-1445.

Radford, Martha J, Krumholz, Harlan M. Beta-blockers after myocardial infarction - for few patients, or many?. The New England Journal of Medicine 1998; 339(8):551-552.

Soumerai, Stephen B, McLaughlin, Thomas J, Spiegelman, Donna, et al. Adverse outcomes of underuse of beta-blockers in elderly survivors of acute myocardial infarction. JAMA: Journal of the American Medical Association 1997; 277(2):115-121.

Spargias, KS, Hall, AS, Ball, SG. Ace inhibition in the elderly after acute myocardial infarction: insights from the AIRE study. Heart 1998; 79(5S) Supplement:p47P, abstr.

Squire, Iain B, Barnett, David B. The rationale use of B-adrenoceptor blockers in the treatment of heart failure. The changing face of an old therapy. Blackwell Science Ltd Br J Clin Pharmacol 2000; 49:1-9.

The Norwegian Multicenter Study Group. Timolol-induced reduction in mortality and reinfarction in patients surviving acute myocardial infarction. The New England Journal of Medicine 1981; 304(14):801-807.

Tuman, Kenneth, McCarthy, Robert.. Individualizing beta-adrenergic blocker therapy: patient-specific target-based heart rate control. Anesthesia & Analgesia 1999; 88(3):475-476.

