#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
1.	All	N/A	Version 3.0	Version 4.0	Updated version number.
2.	Admission	9	 9. Race/Ethnicity ↓ (Check all that apply) A. American Indian or Alaska Native B. Asian C. Black or African American D. Hispanic or Latino E. Native Hawaiian or Other Pacific Islander F. White 	Deleted	Item 9. Race/Ethnicity is deleted and replaced with items A1005. Ethnicity and A1010. Race.
3.	Admission	15A	15A. Admit From 01. Home (private home/apt., board/care, assisted living, group home, transitional living) 02. Short-term General Hospital 03. Skilled Nursing Facility (SNF) 04. Intermediate care 06. Home under care of organized home health service organization 50. Hospice (home) 51. Hospice (institutional facility) 61. Swing bed 62. Another Inpatient Rehabilitation Facility 63. Long-Term Care Hospital (LTCH) 64. Medicaid Nursing Facility 65. Inpatient Psychiatric Facility 66. Critical Access Hospital 99. Not Listed	15A. Admit From 01. Home (e.g., private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) 02. Short-term General Hospital 03. Skilled Nursing Facility (SNF) 04. Intermediate care 06. Home under care of organized home health service organization 50. Hospice (home) 51. Hospice (medical facility) 61. Swing Bed 62. Another Inpatient Rehabilitation Facility 63. Long-Term Care Hospital (LTCH) 64. Medicaid Nursing Facility 65. Inpatient Psychiatric Facility 66. Critical Access Hospital (CAH) 99. Not Listed	Revised for PAC alignment.

	Admission/	Item / Text		IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	existing items highlighted in yellow)	Change / Comments
4.	Discharge	44D	44D. Patient's discharge destination/living	44D. Patient's discharge destination/living	Revised for Transfer of Health
			setting, using codes below: (answer only if	setting, using codes below: (answer only if	Information measure
			44C = 1; if 44C = 0, skip to item 46)	44C = 1; if 44C = 0, skip to item 46)	calculation and PAC alignment.
			01. Home (private home/apt., board/care,	01. Home (e.g., private home/apt.,	
			assisted living, group home, transitional	board/care, assisted living, group home,	
			living)	transitional living, other residential care	
			02. Short-term General Hospital	arrangements)	
			03. Skilled Nursing Facility (SNF)	02. Short-term General Hospital	
			04. Intermediate care	03. Skilled Nursing Facility (SNF)	
			06. Home under care of organized home	04. Intermediate care	
			health service organization	06. Home under care of organized home	
			50. Hospice (home)	health service organization	
			51. Hospice (institutional facility)	50. Hospice (home)	
			61. Swing bed	51. Hospice (medical facility)	
			62. Another Inpatient Rehabilitation	61. Swing Bed	
			Facility	62. Another Inpatient Rehabilitation	
			63. Long-Term Care Hospital (LTCH)	Facility	
			64. Medicaid Nursing Facility	63. Long-Term Care Hospital (LTCH)	
			65. Inpatient Psychiatric Facility	64. Medicaid Nursing Facility	
			66. Critical Access Hospital	65. Inpatient Psychiatric Facility	
			99. Not Listed	66. Critical Access Hospital (CAH)	
				99. Not Listed	
5.	Admission	Section	N/A – new section	Section A. Administrative Information	Adding new section to
					accommodate new items.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
6.	Admission	A1005	N/A – new item	A1005. Ethnicity	Item 9. Race/Ethnicity is
				Are you of Hispanic, Latino/a, or Spanish	deleted and replaced with
				origin?	A1005. Ethnicity. Finalized as
				↓ Check all that apply	SPADE in the FY 2020 IRF PPS
				A. No, not of Hispanic, Latino/a, or Spanish origin	final rule. Aligns with 2011 HHS race and ethnicity data
				B. Yes, Mexican, Mexican American,	standards for person-level data
				Chicano/a	collection, while maintaining
				C. Yes, Puerto Rican	the 1997 OMB minimum data
				D. Yes, Cuban	standards for race and
				E. Yes, another Hispanic, Latino, or Spanish origin	ethnicity.
				X. Patient unable to respond	
7.	Admission	A1010	N/A – new item	A1010. Race	Item 9. Race/Ethnicity is
				What is your race?	deleted and replaced with
				↓ Check all that apply	A1010. Race. Finalized as
				A. White	SPADE in the FY 2020 IRF PPS
				B. Black or African American	final rule. Aligns with 2011 HHS
				C. American Indian or Alaska Native	race and ethnicity data
				D. Asian Indian	standards for person-level data
				E. Chinese	collection, while maintaining
				F. Filipino	the 1997 OMB minimum data
				G. Japanese	standards for race and
				H. Korean	ethnicity.
				I. Vietnamese	
				J. Other Asian	
				K. Native Hawaiian	
				L. Guamanian or Chamorro	
				M. Samoan	
				N. Other Pacific Islander	
				X. Patient unable to respond	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
8.	Admission	A1110 A1110A A1110B	N/A – new item	A1110. Language A. What is your preferred language? B. Do you need or want an interpreter to communicate with a doctor or health care staff? O. No 1. Yes 9. Unable to determine	Finalized as SPADE in the FY 2020 IRF PPS final rule.
9.	Admission, Discharge	A1250	N/A – new item	A1250. Transportation Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living? ↓ Check all that apply A. Yes, it has kept me from medical appointments or from getting my medications B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need C. No X. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Consistent with Healthy People 2020 priority to address patients' social determinants of health.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
10.	Discharge	A2121	N/A – new item	 A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to the subsequent provider? No – Current reconciled medication list not provided to the subsequent provider Yes – Current reconciled medication list provided to the subsequent provider 	New data element added for the Transfer of Health Information quality measures.
11.	Discharge	A2122A A2122B A2122C A2122D A2122E	N/A – new item	A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider. ↓ Check all that apply A. Electronic Health Record B. Health Information Exchange Organization C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs)	New data element added for the Transfer of Health Information quality measures.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
12.	Discharge	A2123	N/A – new item	A2123. Provision of Current Reconciled Medication List to Patient at Discharge At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver? O. No — Current reconciled medication list not provided to the patient, family and/or caregiver 1. Yes — Current reconciled medication list provided to the patient, family and/or caregiver	New data element added for the Transfer of Health Information quality measures.
13.	Discharge	A2124A A2124B A2124C A2124D A2124E	N/A – new item	A2124. Route of Current Reconciled Medication List Transmission to Patient Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver. ↓ Check all that apply A. Electronic Health Record (e.g., electronic access to patient portal) B. Health Information Exchange Organization C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs)	New data element added for the Transfer of Health Information quality measures.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
14.	Admission	B0200	N/A – new item	B0200. Hearing Ability to hear (with hearing aid or hearing appliances if normally used) 0. Adequate - no difficulty in normal conversation, social interaction, listening to TV 1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) 2. Moderate difficulty - speaker has to increase volume and speak distinctly 3. Highly impaired - absence of useful hearing	Added to assess Hearing in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.
15.	Admission	B1000	N/A – new item	 B1000. Vision Ability to see in adequate light (with glasses or other visual appliances) O. Adequate - sees fine detail, such as regular print in newspapers/books Impaired - sees large print, but not regular print in newspapers/books Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects Highly impaired - object identification in question, but eyes appear to follow objects Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects 	Added to assess Vision in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
16.	Admission, Discharge	B1300	N/A – new item	B1300. Health Literacy How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 8. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Recommended for inclusion in Medicare data by HHS and the National Academies of Sciences, Engineering and Medicine (NASEM).
17.	Discharge	C0100	N/A – new item	CO100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) Attempt to conduct interview with all patients. 0. No (patient is rarely/never understood) → Skip to XXXX 1. Yes → Continue to C0200, Repetition of Three Words	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
18.	Discharge	C0200	N/A – new item	C0200. Repetition of Three Words	Added BIMS to Cognitive
				•	Patterns section on discharge
				Ask patient: "I am going to say three words	of the IRF-PAI to assess mental
				for you to remember. Please repeat the	status. Most public comments
				words after I have said all three. The words	supportive of including BIMS.
				are: sock, blue and bed. Now tell me the	TEP supported use of BIMS.
				three words."	Testing supports use of MDS
					version of BIMS. National Beta
				Number of words repeated after first	Test data supports cross-
				attempt	setting reliability and
				3. Three	feasibility.
				2. Two	
				1. One	
				0. None	
				After the patient's first attempt, repeat the	
				words using cues ("sock, something to wear;	
				blue, a color; bed, a piece of furniture"). You	
				may repeat the words up to two more	
				times.	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
19.	Discharge	C0300	N/A – new item	C0300. Temporal Orientation (orientation	Added BIMS to Cognitive
		C0300A		to year, month, and day)	Patterns section on discharge
		C0300B			of the IRF-PAI to assess mental
		C0300C		Ask patient: "Please tell me what year it is	status. Most public comments
				right now."	supportive of including BIMS.
				A. Able to report correct year	TEP supported use of BIMS.
				3. Correct	Testing supports use of MDS
				2. Missed by 1 year	version of BIMS. National Beta
				1. Missed by 2 - 5 years	Test data supports cross-
				0. Missed by > 5 years or no answer	setting reliability and
					feasibility.
				Ask patient: "What month are we in right	
				now?"	
				B. Able to report correct month	
				2. Accurate within 5 days	
				1. Missed by 6 days to 1 month	
				0. Missed by > 1 month or no answer	
				Ask patient: "What day of the week is	
				today?"	
				C. Able to report correct day of the week	
				1. Correct	
				0. Incorrect or no answer	

	Admission/	Item / Text		IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	existing items highlighted in yellow)	Change / Comments
20.	Discharge	C0400	N/A – new item	C0400. Recall	Added BIMS to Cognitive
		C0400A			Patterns section on discharge
		C0400B		Ask patient: "Let's go back to an earlier	of the IRF-PAI to assess mental
		C0400C		question. What were those three words that	status. Most public comments
				I asked you to repeat?" If unable to	supportive of including BIMS.
				remember a word, give cue (something to	TEP supported use of BIMS.
				wear; a color; a piece of furniture) for that	Testing supports use of MDS
				word.	version of BIMS. National Beta
					Test data supports cross-
				A. Able to recall "sock"	setting reliability and
				2. Yes, no cue required	feasibility.
				1. Yes, after cueing ("something to	
				wear")	
				0. No - could not recall	
				D. Abla to vessil (blue)	
				B. Able to recall "blue"	
				2. Yes, no cue required	
				1. Yes, after cueing ("a color")	
				0. No - could not recall	
				C. Able to recall "bed"	
				2. Yes, no cue required	
				1. Yes, after cueing ("a piece of	
				furniture")	
				0. No - could not recall	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
21.	Discharge	C0500	N/A – new item	C0500. BIMS Summary Score Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.
22.	Admission	C1310A C1310B C1310C C1310D	N/A – new item	C1310. Signs and Symptoms of Delirium (from CAM©) Code after completing Brief Interview for Mental Status or Staff Assessment and reviewing medical record. A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes Enter Codes in Boxes B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said? C. Disorganized thinking - Was the patient 's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow	TEP supportive of CAM use across settings. National Beta Test data supports crosssetting reliability and feasibility of CAM.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
	Discrim Be	Allected		of ideas, or unpredictable switching from subject to subject)? D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	
23.	Discharge	C1310A C1310B C1310C C1310D	N/A – new item	C1310. Signs and Symptoms of Delirium (from CAM©) Code after completing Brief Interview for Mental Status and reviewing medical record. A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes	TEP supportive of CAM use across settings. National Beta Test data supports crosssetting reliability and feasibility of CAM.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
				Enter Codes in Boxes B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said? C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject). D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates	
				(comes and goes, changes in severity)	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
24.	Admission, Discharge	CAM © Footnote	Adapted with permission from: Inouye SK et al, Clarifying confusion: The Confusion Assessment Method. A new method for detection of delirium. Annals of Internal Medicine. 1990; 113: 941-948. Confusion Assessment Method: Training Manual and Coding Guide, Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.	Confusion Assessment Method. ©1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Used with permission.	TEP supportive of CAM use.
25.	Admission, Discharge	D0150 D0150A1 D0150A2 D0150B1 D0150B2 D0150C1 D0150C2 D0150D1 D0150D2 D0150E1 D0150E2 D0150F1 D0150F2 D0150G1 D0150G2 D0150H1 D0150H2 D0150H2 D0150H2 D0150H1 D0150H2	N/A – new item	D0150. Patient Mood Interview (PHQ-2 to 9) Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?" If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency. 1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank)	Adding PHQ-2 to 9 to IRF-PAI. Stakeholder and expert input, including public comments and the TEP, supportive of using PHQ-2 as gateway to full PHQ-9 depression screening. This approach reduces burden while ensuring that patients with some depressive symptoms are screening with full PHQ-9. Results of the National Beta Test support the PHQ-2 to 9 as feasible and reliable across PAC settings.

	Admission/ Item / Text	IDE DALVarrion 2.0	IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
#	Discharge Affected	IRF-PAI Version 3.0	existing items highlighted in yellow) 2. Symptom Frequency 0. Never or 1 day 1. 2-6 days (several days) 2. 7-11 days (half or more of the days) 3. 12-14 days (nearly every day) Enter scores in boxes. A. Little interest or pleasure in doing things B. Feeling down, depressed, or hopeless If either D0150A2 or D0150B2 is coded 2 or 3, CONTINUE asking the questions below. If not, END the PHQ interview. C. Trouble falling or staying asleep, or sleeping too much D. Feeling tired or having little energy E. Poor appetite or overeating F. Feeling bad about yourself — or that you are a failure or have let yourself or your family down G. Trouble concentrating on things, such as reading the newspaper or watching television H. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	Change / Comments
			 Thoughts that you would be better off dead, or of hurting yourself in some way 	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
26.	Admission, Discharge	D0160	N/A – new item	Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 02 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).	Adding PHQ-2 to 9 to IRF-PAI.
27.	Admission, Discharge	D0700	N/A – new item	D0700. Social Isolation How often do you feel lonely or isolated from those around you? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 8. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Recommended for inclusion in Medicare data by HHS and the NASEM.
28.	Admission, Discharge	J0510	N/A – new item	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" 0. Does not apply − I have not had any pain or hurting in the past 5 days → Skip to XXXX 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports cross-setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
29.	Admission, Discharge	J0520	N/A – new item	J0520. Pain Interference with Therapy Activities Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" 0. Does not apply – I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.
30.	Admission, Discharge	J0530	N/A – new item	J0530. Pain Interference with Day-to-Day Activities Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
31.	Admission	K0110 K0110A K0110B K0110C	 K0110. Swallowing/Nutritional Status (3-day assessment period) Indicate the patient's usual ability to swallow. ↓ Check all that apply. A. Regular food - Solids and liquids swallowed safely without supervision or modified food or liquid consistency. 	Deleted Tryellow)	Replaced with item K0520. Nutritional Approaches to align with MDS' assessment of nutritional status.
			 B. Modified food consistency/supervision - Patient requires modified food or liquid consistency and/or needs supervision during eating for safety. C. Tube/parenteral feeding - Tube/parenteral feeding used wholly or partially as a means of sustenance. 		
32.	Admission	K0520 K0520A1 K0520B1 K0520C1 K0520D1 K0520Z1	N/A – new item	 K0520. Nutritional Approaches Check all of the following nutritional approaches that apply on admission. 1. On Admission	Included to align with MDS' assessment of nutritional status. Item K0520 will mirror the MDS.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
33.	Discharge	K0520	N/A – new item	K0520. Nutritional Approaches	Included to align with MDS'
		K0520A4			assessment of nutritional
		K0520A5		4. Last 7 Days	status. Item K0520 will mirror
		K0520B4		Check all of the nutritional approaches	the MDS.
		K0520B5		that were received in the last 7 days	
		K0520C4		5. At Discharge	
		K0520C5		Check all of the nutritional approaches	
		K0520D4		that were being received at discharge	
		K0520D5			
		K0520Z4		↓ Check all that apply	
		K0520Z5		A. Parenteral/IV feeding	
				B. Feeding tube (e.g., nasogastric or abdominal (PEG))	
				C. Mechanically altered diet – require	
				change in texture of food or liquids	
				(e.g., pureed food, thickened liquids)	
				D. Therapeutic diet (e.g., low salt,	
				diabetic, low cholesterol)	
				Z. None of the above	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
34.	Admission,	N0415	N/A – new item	N0415. High-Risk Drug Classes: Use and	TEP comments and National
	Discharge	N0415A1		Indication	Beta Test data supports cross-
		N0415A2		1. Is taking	setting reliability and
		N0415E1		Check if the patient is taking any	feasibility.
		N0415E2		medications by pharmacological	
		N0415F1		classification, not how it is used, in the	
		N0415F2		following classes	
		N0415H1		2. Indication noted	
		N0415H2 N0415I1		If column 1 is checked, check if there is an indication noted for all medications	
		N041511 N041512		in the drug class	
		N0415J1		in the drug class	
		N0415J2		↓ Check all that apply	
		N0415Z1		A. Antipsychotic	
				E. Anticoagulant	
				F. Antibiotic	
				H. Opioid	
				I. Antiplatelet	
				J. Hypoglycemic (including insulin)	
				Z. None of the above	
35.	Admission	O0100N	O0100. Special Treatments, Procedures,	O0110. Special Treatments, Procedures,	TEP comments and National
		00110	and Programs	and Programs	Beta Test data supports cross-
		O0110a	Check if treatment applies at admission	Check all of the following treatments, procedures, and programs that apply on	setting reliability and
			O0100N. Total Parenteral Nutrition	admission.	feasibility.
				a. On Admission	
				↓ Check all that apply	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
36.	Discharge	O0110c	N/A – new item	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge. c. At Discharge ↓ Check all that apply	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
37.	Admission, Discharge; note: "a" is used for item numbering for admission while "c" is used for item numbering	O0110B1a O0110A1c O0110A2c	N/A – new item	Cancer Treatments A1. Chemotherapy A2. IV A3. Oral A10. Other B1. Radiation	Included to align with the MDS, and public comment and subject matter experts support breaking the parent item "chemotherapy" into type of chemotherapy to distinguish patient complexity/burden of care.

		Admission/	Item / Text		IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
	#	Discharge	Affected	IRF-PAI Version 3.0	existing items highlighted in yellow)	Change / Comments
3	8.	Admission,	O0110C1a	N/A – new item	Respiratory Therapies	Included to align with the MDS,
		Discharge;	O0110C2a			and public comment and
		note: "a" is	O0110C3a		C1. Oxygen Therapy	subject matter experts
		used for item	O0110C4a		C2. Continuous	support: breaking the parent
		numbering	O0110D1a		C3. Intermittent	item "oxygen therapy" into
		for	O0110D2a		C4. High-concentration	continuous vs. intermittent to
		admission	O0110D3a			distinguish patient
		while "c" is	O0110E1a		D1. Suctioning	complexity/burden of care;
		used for item	O0110F1a		D2. Scheduled	breaking the parent item
		numbering	O0110G1a		D3. As needed	"suctioning" into frequency of
		for discharge	O0110G2a			suctioning to distinguish
			O0110G3a		E1. Tracheostomy Care	patient complexity/burden of
						care. In public comment, there
			O0110C1c		F1. Invasive Mechanical Ventilator	was support for breaking the
			O0110C2c		(ventilator or respirator)	parent item into 2 response
			O0110C3c			options (BiPAP and CPAP).
			O0110C4c		G1. Non-invasive Mechanical Ventilator	
			O0110D1c		G2. BiPAP	
			O0110D2c		G3. CPAP	
			O0110D3c			
			O0110E1c			
			O0110F1c			
			O0110G1c			
			O0110G2c			
			O0110G3c			

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
39.	_	O0110H1a	N/A – new item	Other	In public comment, there was
33.	Discharge;	O0110H1a	TYPE TICKETOTT		support for: further delineating
	note: "a" is	O0110H3a		H1. IV Medications	types of IV medications (and
	used for item			H2. Vasoactive medications	the new vasoactive medication
	numbering	O0110H10a		H3. Antibiotics	item, 00110H2, is included in
	for	O011011100		H4. Anticoagulation	the LTCH ventilator liberation
	admission	O0110J1a		H10. Other	quality measures); breaking
	while "c" is	O0110J2a			out the dialysis parent item
	used for item			I1. Transfusions	into type of dialysis; breaking
	numbering	O0110O1a			out the IV access parent item
	for discharge	O0110O2a		J1. Dialysis	(which appears on the MDS)
		O0110O3a		J2. Hemodialysis	into types of IV access.
		O0110O4a		J3. Peritoneal dialysis	
		O0110Z1a		·	
				O1. IV Access	
		O0110H1c		O2. Peripheral IV	
		O0110H2c		O3. Midline	
		O0110H3c		O4. Central line (e.g., PICC,	
		O0110H4c		tunneled, port)	
		O0110H10c			
		O0110I1c		None of the Above	
		O0110J1c			
		O0110J2c		Z1. None of the above	
		O0110J3c			
		O0110O1c			
		O0110O2c			
		O0110O3c			
		O0110O4c			
		O0110Z1c			