

XML Element	Attributes	Description	Data Element	Valid Values	Data Type	Field Size	Data Required
A header is required at the beginning of each XML file as follows: <?xml version="1.0" encoding="UTF-8" ?>							
<submission> Opening tag for submission element Example with data: <submission type="eRx-REGISTRY" version="1.0" xsi:noNamespaceSchemaLocation="eRxSchema.xsd" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">	Type	Describes the setting for which data is being submitted	N/A	eRx-REGISTRY	Character	20	Yes
	Version	The version of the file layout	N/A	1.0	Character	20	Yes
<file-audit-data> Sub-element of the submission element	Opening tag for file audit data	Note: This tag and the entire <file-audit-data> section are required in the XML document. This tag contains no data.					
<create-date> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <create-date>01-23-2010</create-date>						
	None	The month, day, and year the XML file was created.	N/A	MM-DD-YYYY (Must be a valid date)	Date	10	Yes
<create-time> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <create-time>23:01</create-time>						
	None	The hour and minutes representing the time the file was created.	N/A	HH:MM (Military format with or without colon)	Time	5	Yes
<create-by> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <create-by>RegistryA</create-by>						
	None	The entity who created the file.	N/A		Character	50	Yes
<version> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <version>1.0</version>						
	None	The version of the file being submitted.	N/A		Character	20	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Type	Field Size	Data Required
<file-number> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <file-number>1</file-number>						
	None	The number of the file.	N/A		Number	5	Yes
<number-of-files> Sub-element of the file audit data element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <number-of-files>1</number-of-files>						
	None	Total number of files.	N/A		Number	5	Yes
</file-audit-data>	Closing tag for file audit data	Note: This tag and the entire <file-audit-data> section are required in the XML document.					
<registry> Sub-element of the submission element	Opening tag for file registry data	Note: This tag is required in the XML document, however, it contains no data.					
<registry-name> Sub-element of the registry element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <registry-name>Model Registry</registry-name>						
	None	The registry name.	Registry Name	Registry Name	Character	100	Yes
<registry-id> Sub-element of the registry element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <registry-id>125789123</registry-id>						
	None	Used to identify the registry. Use Registry's Corporate TIN.	Registry ID		Character	9	Yes
<submission-type>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <submission-type>1</submission-type>						
	None	Used to identify the type of submission Note: Limit one xml file to a single submission type	Submission Type	1 - Individual eRx Submission 2 - GPRO eRx Submission	Number	1	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Type	Field Size	Data Required
<submission-method> Sub-element of the file registry element		Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <submission-method>AA</submission-method>					
	None	Submission Method: (AA) AA = 12 months	Submission Method	AA (12 month reporting period = January 1, 2010 through December 31, 2010)	Character	2	Yes
</registry>	Closing tag for registry	Note: This tag is required in the XML document, however, it contains no data.					
<provider> Sub-element of the measure-group element	Opening tag for provider	Note: This tag is required in the XML document, however, it contains no data. This element repeats if there are multiple providers					
<npi> Sub-element of the provider element		Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <npi>1257894658</npi> Note: When the npi value is null use <npi xsi:nil="true"/> for this tag.					
	None	National Provider Identifier as assigned by CMS.	National Provider Identifier (NPI)	10 digit NPI Number	Character	10	Conditional; Required if Submission Type = 1
<tin> Sub-element of the provider element		Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <tin>125789465</tin>					
	None	The tax identification number for specific NPI.	Tax Identification Number (TIN)	9 digit Tax Identification Number	Character	9	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Type	Field Size	Data Required
<waiver-signed> Sub-element of the provider element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <waiver-signed>Y</waiver-signed>						
	None	Participation waiver signed? A participation waiver indicates the eligible professional has given the registry permission to submit data on their behalf.	Waiver Signed	Y,y	Character	1	Yes
<collection-method> Sub-element of the provider element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <collection-method>A</collection-method>						
	None	Method Registry collected data from Eligible Professionals.	Collection Method	A = EHR B = Claims C = Practice Mgmt System D = Web Based Tool	Character	4	Yes
<encounter-from-date> Sub-element of the provider element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <encounter-from-date>01-17-2010</encounter-from-date>						
	None	The month, day, and year of the first service encounter of the submission period ("From" date).	N/A	MM-DD-YYYY (Must be a valid date)	Date	10	Yes
<encounter-to-date> Sub-element of the provider element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <encounter-to-date>11-30-2010</encounter-to-date>						
	None	The month, day, and year of the last service encounter of the submission period ("To" date).	N/A	MM-DD-YYYY (Must be a valid date)	Date	10	Yes
<eRx-measure> Sub-element of the provider data element	Opening tag for eRx measure	Note: This tag is required in the XML document, however, it contains no data.					
<eRx-measure-number> Sub-element of the eRx-measure element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Note: Only Registries approved to submit for the eRx measure will be accepted Example with data: <eRx-measure-number>eRx</eRx-measure-number>						
	None	Identifies the eRx measure.	eRx Measure	eRx	Character	4	Yes
<reported-instances> Sub-element of the eRx-measure element	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <reported-instances>70</reported-instances>						
	None	Number of instances eRx measure reported.	Number Instances of Quality Service Reported	Refer to eRx Measure Specifications	Number	10	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Type	Field Size	Data Required
</eRx-measure>	Closing tag for erx-measure	Note: This tag is required in the XML document, however, it contains no data.					
</provider>	Closing tag for provider	Note: This tag is required in the XML document, however, it contains no data.					
</submission>	Closing tag for submission	Note: This tag is required in the XML document, however, it contains no data.					