



Last Revised: November 1, 2017

Rule of Record: Calendar Year (CY) 2017 ESRD Prospective Payment System (PPS) Final Rule

# Infection Monitoring: National Healthcare Safety Network (NHSN) Bloodstream Infection in Hemodialysis Patients Clinical Measure

Lower rate desired

Safety subdomain

SPECIFICATION	DETAIL
Description	The Standardized Infection Ratio (SIR) of Bloodstream Infections (BSI) will be calculated among patients receiving hemodialysis at outpatient hemodialysis centers.  Based on NQF #1460
Numerator	The number of new positive blood culture events based on blood cultures drawn as an outpatient or within 1 calendar day after a hospital admission.
Denominator	Expected number of infections in maintenance in-center hemodialysis patients treated in the outpatient hemodialysis unit on the first 2 working days of the month.
Exclusions	<ol> <li>Facilities that do not offer in-center hemodialysis</li> <li>Facilities with a CCN open date on or after January 1, 2018</li> <li>Facilities that treat fewer than 11 in-center hemodialysis patients during the performance period</li> <li>Facilities with approved Extraordinary Circumstances Exception</li> <li>Patients receiving inpatient hemodialysis</li> <li>Patients receiving only home hemodialysis or peritoneal dialysis</li> </ol>
Minimum Data Reported to NHSN	12 months
Data Source(s)	<ol> <li>NHSN (for Risk-Adjusted Standardized Infection Rates)</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2744 to obtain facility type and certification date)</li> <li>Medicare claims and CROWNWeb (to determine patient-minimum exclusion)</li> </ol>





SPECIFICATION	DETAIL
A 1.1%*1	1 T 11'2' 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Additional	1. Facilities are required to meet enrollment and training requirements,
Information	as specified at <a href="http://www.cdc.gov/nhsn/dialysis/enroll.html">http://www.cdc.gov/nhsn/dialysis/enroll.html</a> and
	http://www.cdc.gov/nhsn/Training/dialysis/index.html.
	2. A positive blood culture is considered a new event and counted only
	if it occurred 21 days or more after a previously reported positive
	blood culture in the same patient.
	3. Facilities that do not submit 12 months of data in accordance with the
	Dialysis Event Protocol receive zero points for the measure.
	4. For more information about the methodology used to calculate risk-
	adjusted standardized infection rates, please see
	http://www.cdc.gov/nhsn/dialysis/.





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# Patient Experience of Care: In-Center Hemodialysis Consumer Assessment of Healthcare Providers and Systems (ICH CAHPS) Survey Clinical Measure

## Higher rate desired

Patient and Family Engagement/Care Coordination subdomain

SPECIFICATION	DETAIL
Description	Percentage of patient responses to multiple testing tools. Composite Score: The proportion of respondents answering each response option by item, summed across all items within a composite. Composites include: Nephrologists' Communication and Caring, Quality of Dialysis Center Care and Operations, and Providing Information to Patients, Overall Rating: a summation of responses to the rating items grouped into 3 levels  NQF #0258
Exclusions	<ol> <li>Facility attests in CROWNWeb that it treated fewer than 30 eligible in-center hemodialysis adult patients during the "eligibility period," which is defined as the year prior to the performance period</li> <li>Facilities that treat 30 or more eligible in-center hemodialysis adult patients during the "eligibility period," but are unable to obtain at least 30 completed surveys during the performance period</li> <li>Facilities with a CCN open date on or after January 1, 2018</li> <li>Facilities not offering In-Center Hemodialysis</li> <li>The following patients are excluded in the count of 30 eligible patients:         <ul> <li>a) Patients less than 18 years on the last day of the sampling window for the semiannual survey</li> <li>b) Patients receiving hemodialysis from their current facility for less than 90 days</li> <li>c) Patients receiving hospice care</li> <li>d) Patients currently residing in an institution, such as a residential nursing home or other long-term care facility, or a jail or prison</li> </ul> </li> </ol>
Data Source(s)	<ol> <li>ICH CAHPS</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2744 to obtain certification date and facility type)</li> </ol>





SPECIFICATION	DETAIL
Additional	1. Facilities are required to register on the <a href="https://ichcahps.org">https://ichcahps.org</a> website
Information	in order to authorize a CMS-approved vendor to administer the
	survey and submit data on their behalf.
	2. Facilities are required to administer the survey twice during the
	performance period, using a CMS-approved vendor.
	3. Facilities are required to ensure that vendors submit survey data to
	CMS by the date specified at <a href="https://ichcahps.org">https://ichcahps.org</a> .
	4. Adult and pediatric facilities that treat fewer than 30 eligible patients
	during the eligibility period must attest to this in CROWNWeb in
	order to not receive a score on the measure; facilities that do not
	attest that they are ineligible will be considered eligible and will
	receive a score on the measure.
	5. Facilities that do not administer two surveys during the performance
	period will receive a score of 0 on the measure.
	6. Facilities that administer two surveys during the performance period
	but receive less than 30 completed surveys will be excluded from the
	measure.
	7. Additional specifications may be found at <a href="https://ichcahps.org">https://ichcahps.org</a> .





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

## Standardized Readmission Ratio (SRR) Clinical Measure

#### Lower rate desired

Patient and Family Engagement/Care Coordination subdomain

SPECIFICATION	DETAIL
Description	Ratio of the number of observed unplanned 30-day hospital readmissions to the number of expected unplanned 30-day hospital readmissions. NQF #2496
Numerator	Number of unplanned 30-day hospital readmissions that are followed by an unplanned hospital readmission within 4-30 days of discharge
Denominator	The expected number hospitalizations followed by an unplanned readmission within 4-30 days in each facility, which is derived from a model that accounts for patient characteristics, the dialysis facility to which the patient is discharged, and the discharging acute care or critical access hospitals involved.
Exclusions	<ol> <li>The measure excludes readmissions in the numerator that:         <ol> <li>Occurred more than 30 days after the index discharge</li> <li>Are considered "planned"</li> <li>Occur within the first three days following discharge from the acute care hospital</li> </ol> </li> <li>The measure excludes index hospital discharges from the denominator that:         <ol> <li>End in death</li> <li>Result in a patient dying within 30 days with no readmission</li> <li>Are against medical advice</li> <li>Include a primary diagnosis for certain types of cancer, mental health conditions or rehabilitation</li> <li>Occur after a patient's 12th admission in the calendar year</li> <li>Are from a PPS-exempt cancer hospital</li> <li>Result in a transfer to another acute care or critical access hospital on the same day, or the day after the discharge date</li> </ol> </li> <li>Result in a readmission occurring within the first three days following discharge from the acute care hospital</li> </ol>





SPECIFICATION	DETAIL
Minimum	Facilities with fewer than 11 index hospital discharges in the calendar year
Data	are not eligible for the measure.
Requirements	
Data	Medicare Claims
Source(s)	2. REMIS, CROWNWeb, Enrollment Data Base (EDB), and other
	CMS ESRD administrative data
Additional	1. A hospitalization is counted as a readmission for an index discharge
Information	if it (a) occurred within 4 to 30 days of the index hospital discharge;
	and (b) is not considered a "planned" readmission
	2. Additional information about the measure can be found in the SRR
	Measure Methodology Report posted at
	[http://www.cms.gov/Medicare/Quality-Initiatives-Patient-
	Assessment-
	Instruments/ESRDQIP/061_TechnicalSpecifications.html].





Last Revised: June 11, 2018

Rule of Record: CY 2017 ESRD PPS Final Rule

## Standardized Transfusion Ratio (STrR) Clinical Measure

#### Lower rate desired

SPECIFICATION	DETAIL
Description	Risk adjusted facility level transfusion ratio (STrR) for all adult Medicare dialysis patients. STrR is a ratio of number of observed eligible red blood cell transfusion events occurring in patients dialyzing at a facility to the number of eligible transfusions that would be expected from a predictive model that accounts for patient characteristics within each facility.
Numerator	Number of observed red blood cell transfusion events (defined as transfer of one or more units of blood or blood products into recipient's blood stream) among patients dialyzing at the facility during the reporting period.
Denominator	Number of eligible red blood cell transfusion events (as defined in the numerator statement) that would be expected among patients at a facility during the reporting period, given the patient mix at the facility.
Exclusions	<ol> <li>Patients less than 18 years old</li> <li>Patients on ESRD treatment for fewer than 90 days</li> <li>Patients treated at the facility for fewer than 60 days</li> <li>Patients are excluded beginning 60 days after they recover renal function or withdraw from dialysis</li> <li>Patients who receive a transplant (Exclusion begins 3 days prior to the date of transplant)</li> <li>Patients who have not been treated by any facility for a year or longer</li> <li>Patients with a Medicare claim for one of the following conditions in the past year: hemolytic and aplastic anemia, solid-organ cancer (breast, prostate, lung, digestive tract and others), lymphoma, carcinoma in situ, coagulation disorders, multiple myeloma, myelodysplastic syndrome and myelofibrosis, leukemia, head and neck cancer, other cancers (connective tissue, skin, and others), metastatic cancer, or sickle cell anemia</li> </ol>
Minimum Data Requirements	Facilities with fewer than 10 patient-years at risk will not be eligible to receive a score on the measure.





SPECIFICATION	DETAIL
Data	1. Medicare Claims
Source(s)	2. REMIS, CROWNWeb, Enrollment Data Base (EDB), Long Term
	Care Minimum Data Set, form 2728 to obtain the dialysis date of
	ESRD, and other CMS ESRD administrative data
Additional	1. Eligible transfusion events are those that do not have any claims
Information	pertaining to the comorbidities identified for exclusion, in the one
	year look back period prior to each observation window.
	2. When a patient transfers from one facility to another, the patient
	continues to be attributed to the original facility for 60 days, at which
	point the patient is attributed to the destination facility.
	3. A patient-month is considered eligible if it is within two months of a
	month in which a patient has \$900 of Medicare-paid dialysis claims
	or at least one Medicare inpatient claim.
	4. Additional information about the measure can be found in the STrR
	Measure Methodology Report posted at
	http://www.cms.gov/Medicare/Quality-Initiatives-Patient-
	Assessment-
	Instruments/ESRDQIP/061_TechnicalSpecifications.html.





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# Standardized Hospitalization Ratio (SHR) Clinical Measure

#### Lower rate desired

Specification	<b>DETAIL</b> Standardized Hospitalization Ratio
Description	Risk-adjusted standardized hospitalization ratio of the number of observed hospitalizations to the number of expected hospitalizations NQF# 1463
Numerator	Number of inpatient hospital admissions among eligible patients at the facility during the reporting period.
Denominator	Number of hospital admissions that would be expected among eligible patients at the facility during the reporting period, given the patient mix at the facility.
Denominator Exclusions	<ol> <li>Patient Time at Risk Exclusions         <ol> <li>First 90 days of ESRD treatment</li> <li>Time during which patient has a kidney transplant (Exclusion begins 3 days prior to the date of transplant)</li> <li>Time at risk once a patient has not been treated by any facility for a year or longer.</li> </ol> </li> <li>Months which are not within or in the two months following a month in which the patient has \$900 of Medicare-paid dialysis claims or at least one Medicare inpatient claim.</li> </ol>
Minimum Claims	Facilities with fewer than 5 patient-years at risk during the performance period are not eligible for the measure.
Data Source(s)	<ol> <li>Medicare Claims</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data</li> </ol>





SPECIFICATION	DETAIL
	Standardized Hospitalization Ratio
Additional Information	<ol> <li>Patients are assigned to a facility only after they have been on dialysis there for the past 60 days.</li> <li>When a patient transfers from one facility to another, the patient</li> </ol>
	continues to be attributed to the original facility for 60 days and then is attributed to the destination facility.
	3. If a period of one year passes with neither paid dialysis claims nor SIMS information to indicate that a patient was receiving dialysis treatment, that patient is considered lost to follow-up and is not included in the analysis. If dialysis claims or other evidence of
	dialysis reappears, the patient is entered into analysis after 60 days of continuous therapy at a single facility.
	4. Patients are removed from facilities three days prior to transplant in order to exclude the transplant hospitalization.
	<ol><li>Additional information about the measure can be found in the SHR Measure Methodology Report posted at</li></ol>
	https://www.cms.gov/Medicare/Quality-Initiatives-Patient- Assessment-Instruments/ESRDQIP/061 TechnicalSpecifications.html.
	6. A patient-month is considered eligible if it is within two months of a month in which a patient has \$900 of Medicare-paid dialysis claims or at least one Medicare inpatient claim.





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# Kt/V Dialysis Adequacy Comprehensive Clinical Measure

Higher rate desired

SPECIFICATION	DETAIL
Description	Percentage of all patient months for patients whose delivered dose of dialysis (either hemodialysis or peritoneal dialysis) met the specified threshold during the reporting period.
Numerator	<ul> <li>Number of patient months in the denominator for patients whose delivered dose of dialysis met the specified thresholds.</li> <li>The thresholds are as follows: <ul> <li>Hemodialysis (all ages): spKt/V ≥ 1.2 (calculated from the last measurement of the month using UKM or Daugirdas II)</li> <li>Peritoneal dialysis (pediatric &lt;18 years): Kt/V ≥ 1.8 (dialytic + residual, measured within the past 6 months)</li> <li>Peritoneal dialysis (adult &gt;= 18 years): Kt/V ≥ 1.7 (dialytic + residual, measured within the past 4 months)</li> </ul> </li> </ul>
Denominator	<ul> <li>All adult hemodialysis patients who received dialysis greater than two and less than four times a week (adults, ≥ 18 years), and all pediatric in –center hemodialysis patients who received dialysis greater than two and less than four times a week (pediatric, &lt;18 years), and did not indicate frequent dialysis.</li> <li>All patients (both HD and PD) who are assigned to the facility for the entire month, and have had ESRD for 90 days or more</li> </ul>





SPECIFICATION	DETAIL
Denominator Exclusions	<ol> <li>For adult HD patients, those receiving dialysis less than or equal to 2 or greater than or equal to 4 times weekly</li> <li>For pediatric in-center HD patients, those receiving dialysis less than or equal to 2 or greater than or equal to 4 times weekly</li> <li>Pediatric home hemodialysis patients</li> <li>All patients indicated as a frequent dialyzer for the reporting month (see additional information below)</li> <li>Patients on ESRD treatment for fewer than 90 days</li> <li>Patient-months where the patient is not assigned to the same</li> </ol>
	<ul> <li>facility for the entire month.</li> <li>7. Patient-months where the patient is assigned to more than one facility</li> <li>8. Patient-months where there is more than one treatment modality. Note: For adult HD patients, a change from in-center to home HD (or vice versa) is not considered a modality change.</li> </ul>
Data Source(s)	<ol> <li>CROWNWeb</li> <li>REMIS, Enrollment Data Base (EDB), and other CMS ESRD administrative data</li> <li>Medicare Claims</li> </ol>





SPECIFICATION	DETAIL
Additional Information	<ol> <li>Hemodialysis Kt/V (all ages) must be calculated from the last measurement of the month using UKM or Daugirdas II method, or the last valid value of the month when using claims.</li> <li>The number of dialysis sessions per week should be determined using the Prescribed Sessions per Week in CROWNWeb. If Kt/V is missing from CROWNWeb, then dialysis sessions per week is calculated using claims, as the number of dialysis sessions in the claim divided by the time period covered by the claim, with no rounding for the number of sessions per week. The calculated sessions per week must be 4 or more for claims greater than 7 days, and total sessions is 4 or more for claims with 7 days or fewer. Frequent dialysis is also defined when Kt/V=8.88 on the claim.</li> <li>For hemodialysis patients, the reported spKt/V should not include residual renal function.</li> <li>Patients with missing Kt/V values in both CROWNWeb and claims, or with missing values in CROWNWeb and Kt/V values in claims=9.99 (Not Reported) are included in the denominator, but not the numerator</li> <li>For peritoneal dialysis patients, if a Kt/V value was not found in CROWNWeb for the patient during the four-month study period (adults) or six-month study period (pediatric), then the last reported non-missing and non-expired value reported on the eligible Medicare claim for the patient during the four-month or six-month study period respectively is selected (when available).</li> <li>For all in-center hemodialysis patients, Kt/V must be reported during the reporting month; if a Kt/V value is not found in CROWNWeb, it will be obtained from the last reported non-missing and non-expired value from eligible Medicare claims (when available). For all home HD patients, if a Kt/V value is not found in CROWNWeb during the reporting month, then Kt/V must be reported within four months prior to the claim through date.</li> </ol>





Last Revised: October 5, 2016

Rule of Record: CY 2017 ESRD PPS Final Rule

# Vascular Access Type (VAT) Measure Topic – Arteriovenous Fistula (AVF) Clinical Measure

# Higher rate desired

SPECIFICATION	DETAIL
Description	Percentage of patient-months on hemodialysis during the last hemodialysis treatment of the month using an autogenous AV fistula with two needles. NQF#0257
Numerator	Patient-months in the denominator where an autogenous AV fistula with two needles was the means of access.
Denominator	Number of Medicare patient-months at the facility during the measurement period.
Denominator Exclusions	<ol> <li>Patients younger than 18</li> <li>Patients not on Hemodialysis</li> <li>Claims with both a fistula and graft reported</li> <li>Claims with fistula, graft, and catheter reported</li> <li>Claims with missing access type</li> <li>Patients not on ESRD treatment as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims</li> </ol>
Minimum Claims	4 months
Data Source(s)	<ol> <li>Medicare Claims</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD and date of birth)</li> </ol>
Additional Information	<ol> <li>If claim indicates fistula and catheter, then only the fistula is counted.</li> <li>Last claim of the month used for calculation.</li> </ol>





Last Revised: October 5, 2016

Rule of Record: CY 2017 ESRD PPS Final Rule

# Vascular Access Type (VAT) Measure Topic – Catheter ≥ 90 Days Clinical Measure

Lower rate desired

SPECIFICATION	DETAIL
Description	Percentage of patient-months for patients on hemodialysis during the last hemodialysis treatment of month with a catheter continuously for 90 days or longer prior to the last hemodialysis session.  NQF#0256
Numerator	Patient-months in the denominator for patients continuously using a catheter for hemodialysis access for 90 days or longer prior to the last hemodialysis treatment during the month.
Denominator	Number of Medicare patient-months at the facility during the measurement period.
Denominator Exclusions	<ol> <li>Patients younger than 18 years and 90 days</li> <li>Patients not on Hemodialysis</li> <li>Claims with both a fistula and graft reported</li> <li>Claims with fistula, graft, and catheter reported</li> <li>Claims with missing access type</li> <li>Patients not on ESRD treatment as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims</li> </ol>
Minimum Claims	4 consecutive months
Data Source(s)	<ol> <li>Medicare Claims</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD and date of birth)</li> </ol>
Additional Information	<ol> <li>If claim indicates fistula and catheter, then only the fistula is counted.</li> <li>If a claim indicates catheter and graft, then only the graft is counted.</li> <li>Measure uses claims data from October, November, and December of the year prior to the performance or comparison period (e.g., October – December 2017 for performance period) to determine catheter history</li> <li>Last claim of the month used for calculation.</li> </ol>





Last Revised: May 2, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# Hypercalcemia Clinical Measure

Lower rate desired

SPECIFICATION	DETAIL
Description	Proportion of patient-months with 3-month rolling average of total uncorrected serum or plasma calcium greater than 10.2 mg/dL. NQF #1454
Numerator	Number of patient-months in the denominator with 3-month rolling average of total uncorrected serum or plasma calcium greater than 10.2 mg/dL.
Denominator	Number of patient-months at the facility during the measurement period.
Denominator Exclusions	<ol> <li>Patients younger than 18</li> <li>Patients present at the facility for fewer than 30 days during the 3-month study period</li> <li>Patients on ESRD treatment for fewer than 90 days as of the first day of the reporting month</li> <li>Patients not on ESRD treatment as defined by a completed 2728 form or a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims</li> <li>Patients who have died or been discharged prior to the end of the reporting month.</li> </ol>
Minimum Data Reported to CROWNWeb	3 months
Data Source(s)	REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (to obtain the diagnosis date of ESRD, time at facility, and date of birth)





SPECIFICATION	DETAIL
Additional Information	<ol> <li>November and December of the previous year will be used in calculating the three-month rolling average for January and February of the baseline and performance period.</li> <li>Includes all patients (i.e., not just those patients on Medicare).</li> <li>The last non-missing value reported in the month is used for calculation.</li> <li>The last non-missing value reported during each of the two months prior to the reporting month will be used to calculate the 3-month rolling average.</li> </ol>
	<ul> <li>5. No interpolation between uncorrected serum or plasma calcium values for peritoneal dialysis patients.</li> <li>6. The uncorrected serum or plasma calcium value reported by the facility is used. The facility may obtain this value from an external source.</li> <li>7. "Uncorrected" indicates albumin is not considered in the calculation.</li> <li>8. Patient-months with missing values in the reporting month and the two months prior are included in the denominator and the numerator to minimize any incentive favoring non-measurement of serum or plasma calcium in the preceding three months.</li> </ul>





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# **Serum Phosphorus Reporting Measure**

SPECIFICATION	DETAIL
SPECIFICATION	Serum Phosphorus Reporting
	Serum Phosphorus Reporting
Description	Percentage of all adult (≥18 years of age) peritoneal dialysis and
	hemodialysis patients included in the sample for analysis with serum or
	plasma phosphorus measured at least once within month. NQF #: 0255
Numerator	Number of adult (>= 18 years of age) dialysis patients included in
Statement	denominator with serum or plasma phosphorus measured at least once within
	month.
Denominator	Number of adult (≥ 18 years of age) dialysis patient-months among in-center
Statement	hemodialysis, home hemodialysis, or peritoneal dialysis patients under the
	care of the dialysis facility during the performance period.
Denominator	1. Facilities with a CCN open date on or after July 1, 2018
Exclusions	2. Patients not at the facility for the entire month ("Admit Date" greater
	than the first day of the month and "Discharge Date" is less than the
	last day of the month)
	3. Home dialysis patients for whom a facility does not submit a claim
	during the claim month
	4. Patients not on ESRD treatment as defined by a completed 2728 form
	or a REMIS/CROWNWeb record, or a sufficient amount of dialysis
	reported on dialysis facility claims  5. Vidney transplant reginients with a functioning graft whose "Primary
	5. Kidney transplant recipients with a functioning graft whose "Primary Type of Treatment" = 'Hemodialysis' 'CAPD' or 'CCPD' on the last
	day of the reporting month
	6. Patients whose age is less than 18 years
	7. Facilities treating fewer than 11 eligible patients during the
	performance period
	portormance period
Data	Medicare Claims
Source(s)	2. REMIS, CROWNWeb, Enrollment Data Base (EDB), and other
2022000)	CMS ESRD administrative data (form 2744 to obtain certification
	date)
l .	/





SPECIFICATION	<b>DETAIL</b> Serum Phosphorus Reporting
Additional Information	<ol> <li>The serum or plasma phosphorus values reported by the facility are used. The facility may obtain these values from an external source.</li> <li>The measure will be scored according to the following formula:</li> </ol>
	$\left[\frac{\text{(\# months successfully reporting data)}}{\text{(\# eligible months)}} \times 12\right] - 2$





Last Revised: October 5, 2016

Rule of Record: CY 2017 ESRD PPS Final Rule

# **Anemia Management Reporting Measure**

SPECIFICATION	DETAIL
<b>Description Exclusions</b>	Number of months for which facility reports ESA dosage (as applicable) and hemoglobin/hematocrit for each Medicare patient at least once per month during the performance period.  1. Facilities with a CCN open date on or after July 1, 2018 2. In-center hemodialysis patients treated at a facility fewer than 7 times during claim month 3. Home dialysis patients for whom a facility does not submit a claim during the claim month 4. Facilities treating fewer than 11 patients during the performance period who are (i) in-center Medicare patients who have been treated at least 7 times by the facility during the reporting month; or (ii) home dialysis Medicare patients for whom the facility submits a
	claim during the reporting month  5. Patients not on ESRD treatment as defined by a completed 2728 form or a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims
Data Source(s)	<ol> <li>Medicare Claims</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2744 to obtain certification date, form 2728 to obtain the diagnosis date of ESRD)</li> </ol>





Specification	DETAIL
Additional Information	<ol> <li>Hemoglobin value of 99.99 is not considered valid for purposes of measure.         Note: we will not penalize facilities for using the default 99.99 value for a patient in his/her first month of treatment at that facility.     </li> <li>The hemoglobin/hematocrit reported by the facility is used. The facility may obtain this value from an external source.</li> <li>No ESA dosage need be recorded if patient is not treated with ESAs.</li> <li>ESA dosage must be reported via HCPCS codes and corresponding units, as applicable.</li> <li>The measure will be scored according to the following formula:</li> </ol>
	$\left[\frac{\text{(\# months successfully reporting data)}}{\text{(\# eligible months)}} \times 12\right] - 2$





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# **Ultrafiltration Reporting Measure**

SPECIFICATION	DETAIL
31 ECHICATION	Ultrafiltration
D	
Description	Percentage of patient-months for which a facility reports required data
	elements for ultrafiltration rate (UFR) for each eligible patient. (Based on NQF# 2701).
Numerator	Number of patient-months in the denominator for which the facility reported
Numerator	the following required data in CROWNWeb for all hemodialysis sessions
	during the week of the monthly Kt/V draw submitted for that clinical month
	for each eligible patient.
	(Note: Not all UFR values need necessarily be from the same clinical month)
	1. HD Kt/V Date
	2. Post-Dialysis Weight
	3. Pre-Dialysis Weight
	4. Delivered Minutes of BUN Hemodialysis
	5. Number of sessions of dialysis delivered by the dialysis unit to the
	patient in the reporting month
	(Note: this element is only reported once per month)
Denominator	Number of patient-months among Medicare and non-Medicare dialysis
	patients under the care of the dialysis facility for the entire reporting month.
Facility-Level	1. Facilities with a CCN open date on or after July 1, 2018
Exclusions	2. Facilities treating fewer than 11 eligible patients during the performance period
Patient-Level Exclusions	Patients less than 18 years of age at the beginning of the reporting month
	2. Patients not assigned to the facility for the entire reporting month
	3. Patients not on in-center hemodialysis during the reporting month
	4. Patients on ESRD treatment (as defined by a completed 2728 form or a REMIS/CROWNWeb record) for less than 90 days at the beginning of the reporting month
Data	1. REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS
Source(s)	ESRD administrative data (form 2744 to obtain certification date)





SPECIFICATION	<b>DETAIL</b> Ultrafiltration
Additional Information	<ol> <li>Includes all patients (i.e., not just those patients on Medicare).</li> <li>A facility is excluded from a reporting month if its certification date falls on or after the 1st day of the reporting month (the scenario can only occur during January 2018 – June 2018).</li> </ol>
	3. Ultrafiltration rate is calculated using data elements for pre-dialysis weight, post-dialysis weight, and delivered minutes of dialysis. The formula for UFR is:  UFR = [(((Δ wt kg) *1000)/ (delivered time/60))/post wt kg]
	<ul> <li>4. As this is a reporting measure, it will not be scored using the UFR formula above, but will be scored according to the following formula:</li> <li>         \[             \left( \frac{\pmonths}{\pmonths} \text{ months successfully reporting data} \right) \times 12  \right] - 2     \] </li> </ul>





Last Revised: June 11, 2018

Rule of Record: CY 2017 ESRD PPS Final Rule

# Pain Assessment and Follow-Up Reporting Measure

SPECIFICATION	DETAIL
Description	Facility reports in CROWNWeb one of the six conditions below for each qualifying patient once before September 1, 2018 and once before March 1, 2019.  Based on NQF #0420
Exclusions	<ol> <li>Patients who are younger than 18 years</li> <li>Patients treated at the facility for fewer than 90 days</li> <li>Facilities with a CCN open date on or after July 1, 2018</li> <li>Facilities treating fewer than 11 eligible patients during the performance period</li> </ol>
Data Source(s)	REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data
Additional Information	<ol> <li>Facilities must report one of the following conditions for each eligible patient:         <ul> <li>a) Pain assessment using a standardized tool is documented as positive and a follow-up plan is documented</li> <li>b) Pain assessment documented as positive, a follow-up plan is not documented, and the facility possesses documentation that the patient is not eligible</li> <li>c) Pain assessment documented as positive using a standardized tool, a follow-up plan is not documented, and no reason is given</li> <li>d) Pain assessment using a standardized tool is documented as negative, and no follow-up plan required</li> <li>e) No documentation of pain assessment, and the facility possesses documentation the patient is not eligible for a pain assessment using a standardized tool</li> <li>f) No documentation of pain assessment, and no reason is given</li> </ul> </li> <li>Conditions covering the first six months of the performance period must be reported in CROWNWeb before the close of the June clinical month (September 1, 2018) and the conditions covering the second six months of the performance period must be reported in CROWNWeb before the close of the December clinical month (March 1, 2019) The listed dates only apply if there are no reporting deadline extensions.</li> </ol>





Last Revised: November 1, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule

# **Clinical Depression Screening and Follow-Up Reporting Measure**

Specification	DETAIL
Description	Facility reports in CROWNWeb one of the six conditions below for each qualifying patient once before March 1, 2019.  Based on NQF #0418
Exclusions	<ol> <li>Patients who are younger than 12 years</li> <li>Patients treated at the facility for fewer than 90 days</li> <li>Facilities with a CCN open date on or after July 1, 2018</li> <li>Facilities treating fewer than 11 eligible patients during the performance period</li> </ol>
Data Source(s)	REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data
Additional Information	<ol> <li>Facilities must report one of the following conditions for each eligible patient before the close of the December clinical month in CROWNWeb (March 1, 2019):         <ul> <li>a) Screening for clinical depression is documented as being positive, and a follow-up plan is documented</li> <li>b) Screening for clinical depression documented as positive, and a follow-up plan not documented, and the facility possess documentation stating the patient is not eligible</li> <li>c) Screening for clinical depression documented as positive, the facility possesses no documentation of a follow-up plan, and no reason is given</li> <li>d) Screening for clinical depression is documented as negative, and a follow-up plan is not required</li> <li>e) Screening for clinical depression not documented, but the facility possesses documentation stating the patient is not eligible</li> <li>f) Clinical depression screening not documented, and no reason is given</li> </ul> </li> </ol>





Last Revised: October 5, 2016

Rule of Record: CY 2017 ESRD PPS Final Rule

# NHSN Healthcare Personnel Influenza Vaccination Reporting Measure

SPECIFICATION	DETAIL
Description	Facility submits Healthcare Personnel Influenza Vaccination Summary Report to CDC's NHSN system, according to the specifications of the Healthcare Personnel Safety Component Protocol, by May 15, 2018 Based on NQF #0431
Exclusions	1. Facilities with a CCN open date on or after January 1, 2018
Data Source(s)	<ol> <li>NHSN</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2744 to obtain facility type and certification date)</li> </ol>
Additional Information	<ol> <li>All outpatient dialysis facilities, including those that offer only home hemodialysis and/or peritoneal dialysis services must report data on this measure</li> <li>A "qualifying healthcare personnel" is defined as an employee, licensed independent practitioner, or adult student/trainee/volunteer who works in a facility for at least one day between October 1, 2017 and March 31, 2018 (designated as the "flu season")</li> <li>NHSN Summary Reports submitted by May 15, 2018 would document actions taken during the flu season that spans October 2017 to April 2018, and would count toward facilities' PY 2020 NHSN Healthcare Personnel Influenza Vaccination reporting measure scores</li> <li>Additional information about the Protocol and Summary Report can be found at: <a href="http://www.cdc.gov/nhsn/PDFs/HPS-manual/vaccination/HPS-flu-vaccine-protocol.pdf">http://www.cdc.gov/nhsn/PDFs/HPS-manual/vaccination/HPS-flu-vaccine-protocol.pdf</a>.</li> </ol>





Last Revised: May 2, 2017

Rule of Record: CY 2017 ESRD PPS Final Rule (2016)

# **NHSN Dialysis Event Reporting Measure**

SPECIFICATION	DETAIL
Description	Number of months for which facility reports National Healthcare Safety Network (NHSN) Dialysis Event data to the Centers for Disease Control and Prevention (CDC).
Exclusions	<ol> <li>Facilities which do not treat at least 11 in-center hemodialysis patients.</li> <li>Facilities with a CMS open date on or after January 1, 2018.</li> <li>Facilities with approved Extraordinary Circumstances Exception (ECE)</li> </ol>
Data Source(s)	<ol> <li>CDC's NHSN</li> <li>REMIS, CROWNWeb, Enrollment Data Base (EDB), and other CMS ESRD administrative data (form 2744 to obtain certification date)</li> </ol>
Additional Information	<ol> <li>Three types of dialysis events are reported by facilities: IV antimicrobial start; positive blood culture; and pus, redness, or increased swelling at the vascular access site.</li> <li>Dialysis Event data are due quarterly; please refer to the following CDC NHSN website link for further details: https://www.cdc.gov/nhsn/dialysis/event/index.html</li> <li>Scoring Distribution for the NHSN Dialysis Event Reporting Measure:         <ul> <li>a) 10 points for reporting 12 months</li> <li>b) 2 points for reporting 6-11 months</li> <li>c) 0 points for reporting 0-5 months</li> </ul> </li> <li>Additional details on the specifications for the NHSN Dialysis Event Reporting measure can be found at the following website: http://www.cdc.gov/nhsn/Training/dialysis/index.html</li> </ol>