

Proposed PY 2019 Clinical Measure: Kt/V Dialysis Adequacy Composite Measure

Minimum Kt/V for All Patients and All Modalities Higher rate desired

| | |
|-------------------------------|---|
| Measure Description | Percentage of all patient months for patients whose average delivered dose of dialysis (either hemodialysis or peritoneal dialysis) met the specified threshold during the reporting period. |
| Numerator | <p>Number of patient months in the denominator for patients whose delivered dose of dialysis met the specified ranges. The ranges are as follows:</p> <ul style="list-style-type: none"> • Hemodialysis (all ages): $spKt/V \geq 1.2$ (calculated from the last measurement of the month) • Peritoneal dialysis (pediatric <18 years): $spKt/V \geq 1.8$ (dialytic + residual, measured within the past 6 months) • Peritoneal dialysis (adult ≥ 18 years): $spKt/V \geq 1.7$ (dialytic + residual, measured within the past 4 months) |
| Denominator | <ul style="list-style-type: none"> • All adult hemodialysis patients who received dialysis greater than two and less than four times a week (adults, ≥ 18 years), and all pediatric in-center hemodialysis patients who received dialysis greater than two and less than five times a week (pediatric, <18 years), and did not indicate frequent dialysis. • All patients (both HD and PD) who are assigned to the facility for the entire month, and have had ESRD for 90 days or more; <p>Exclusions</p> <ol style="list-style-type: none"> 1) For adult HD patients, those receiving dialysis less than or equal to 2 or greater than or equal to 4 times weekly 2) For pediatric HD patients, those receiving dialysis less than or equal to 2 or greater than or equal to 5 times weekly or who are on home hemodialysis 3) Patients on chronic dialysis for fewer than 90 days 4) Patients who were not assigned to the facility for the entire month. 5) Patients not on chronic dialysis as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims |
| Minimum Claims | 1 |
| Data Source(s) | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD and date of birth) |
| Additional Information | <ol style="list-style-type: none"> 1. Must be calculated using UKM or Daugirdas II method. 2. Dialysis sessions per week is calculated as the number of dialysis sessions in the claim divided by the time period covered by the claim, with no rounding for the number of sessions per week. Frequent dialysis is determined by (i) calculated sessions per <u>week is 4 or more</u> for claims greater than 7 days, and total sessions is 4 or more for claims with 7 days;(ii) Kt/V is 8.88 on claim; (iii) Other administrative data (e.g. CROWNWeb) indicates 4 or more sessions per week. 3. The reported $spKt/V$ should not include residual renal function. 4. Patients with missing $spKt/V$ values or $spKt/V=9.99$ (not reported) are included in the denominator. 5. For Peritoneal dialysis patients, if no Kt/V value is reported for a given patient in a claim month, the most recent Kt/V value in the prior 4 months (adult) or 6 months (pediatric) is applied to the calculation for that month. For all in-center Hemodialysis patients, Kt/V must be reported during claim month. For all Home HD patients, Kt/V must be reported within 4 months of claim through date. |

Proposed PY 2019 Clinical Measure

Vascular Access Type: AV Fistula

| Hemodialysis Vascular Access – Maximizing Placement of Arterial Venous Fistula Higher rate desired | |
|---|---|
| Measure Description | Percentage of patient-months on hemodialysis during the last hemodialysis treatment of the month using an autogenous AV fistula with two needles. NQF#0257 |
| Numerator | Patient-months in the denominator where an autogenous AV fistula with two needles was the means of access. |
| Denominator | Number of Medicare patient-months at the facility during the measurement period. Exclusions: <ol style="list-style-type: none"> 1. Patients younger than 18 2. Patients not on Hemodialysis 3. Claims with both a fistula and graft reported 4. Claims with fistula, graft, and catheter reported 5. Claims with missing access type 6. Patients not on chronic dialysis as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims |
| Minimum Claims | 4 months |
| Data Source(s) | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD and date of birth) |
| Additional Information | <ol style="list-style-type: none"> 1. If claim indicates fistula and catheter, then only the fistula is counted. 2. Last claim of the month used for calculation. |

Proposed PY 2019 Clinical Measure

Vascular Access Type: Catheter \geq 90 Days

| Hemodialysis Vascular Access – Minimizing Use of Catheters as Chronic Dialysis Access Lower rate desired | |
|---|---|
| Measure Description | Percentage of patient-months for patients on hemodialysis during the last hemodialysis treatment of month with a catheter continuously for 90 days or longer prior to the last hemodialysis session. NQF#0256 |
| Numerator | Patient-months in the denominator for patients continuously using a catheter for hemodialysis access for 90 days or longer prior to the last hemodialysis treatment during the month. |
| Denominator | Number of Medicare patient-months at the facility during the measurement period. Exclusions: <ol style="list-style-type: none">1. Patients younger than 18 years and 90 days2. Patients not on Hemodialysis3. Claims with both a fistula and graft reported4. Claims with fistula, graft, and catheter reported5. Claims with missing access type6. Patients not on chronic dialysis as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims |
| Minimum Claims | 4 consecutive months |
| Data Source(s) | <ol style="list-style-type: none">1. Medicare Claims2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD and date of birth) |
| Additional Information | <ol style="list-style-type: none">1. If claim indicates fistula and catheter, then only the fistula is counted.2. If a claim indicates catheter and graft, then only the graft is counted.3. Measure uses claims from October, November, and December of the previous year data prior to performance or comparison period (e.g., October – December 2014 for performance period) to determine catheter history4. Last claim of the month used for calculation. |

Proposed PY 2019 Clinical Measure

Hypercalcemia

| Proportion of Patients with Hypercalcemia Lower rate desired | |
|---|--|
| Measure Description | Proportion of patient-months with 3-month rolling average of total uncorrected serum calcium greater than 10.2 mg/dL. NQF #1454 |
| Numerator | Number of patient-months in the denominator with 3-month rolling average of total uncorrected serum calcium greater than 10.2 mg/dL. |
| Denominator | <p>Number of patient-months at the facility during the measurement period.</p> <p>Exclusions:</p> <ol style="list-style-type: none"> 1. Patients younger than 18 2. Patients present at the facility for fewer than 30 days during the 3 month study period 3. Patients on chronic dialysis for fewer than 90 days 4. Patients without at least one uncorrected serum calcium value at the facility during the 3 month study period 5. Patients not on chronic dialysis as defined by a completed 2728 form or a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims 6. Patients who have died or been discharged prior to the end of the reporting month. |
| Minimum Data Reported to CROWNWeb | 3 months |
| Data Source(s) | <ol style="list-style-type: none"> 1. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2728 to obtain the diagnosis date of ESRD, time at facility, and date of birth) |
| Additional Information | <ol style="list-style-type: none"> 1. November and December of the previous year will be used in calculating the three-month rolling average for January and February of the performance period. 2. Includes all patients (i.e., not just those patients on Medicare). 3. The last value reported in the month is used for calculation. 4. A patient need only have an uncorrected serum calcium value for the reporting month to be included in the measure. Any value reported during the two months prior to the reporting month will be used to calculate the 3-month rolling average. 5. No interpolation between uncorrected serum calcium values for peritoneal dialysis patients. 6. The uncorrected serum calcium value reported by the facility is used. The facility may obtain this value from an external source. 7. "Uncorrected" indicates albumin is not considered in the calculation. |

Proposed PY 2019 Clinical Measure

Infection Monitoring: NHSN Bloodstream Infection in Hemodialysis Patients

NHSN Bloodstream Infection in Hemodialysis Outpatients Lower rate desired

| | |
|-------------------------------|--|
| Measure Description | Number of hemodialysis outpatients with positive blood cultures per 100 hemodialysis patient-months. Based on NQF #1460 |
| Numerator | The number of new positive blood culture events based on blood cultures drawn as an outpatient or within 1 calendar day after a hospital admission. |
| Denominator | Number of maintenance in-center hemodialysis patients treated in the outpatient hemodialysis unit on the first 2 working days of the month. Exclusions: <ol style="list-style-type: none">1. Facilities that do not offer in-center hemodialysis2. Facilities with a CCN open date after January 1, 20173. Facilities that treat fewer than 11 patients |
| Data Source(s) | <ol style="list-style-type: none">1. NHSN (for Risk-Adjusted Standardized Infection Rates)2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain facility type and certification date)3. Medicare claims and CROWNWeb (to determine patient-minimum exclusion) |
| Additional Information | <ol style="list-style-type: none">1. Facilities are required to meet enrollment and training requirements, as specified at http://www.cdc.gov/nhsn/dialysis/enroll.html and http://www.cdc.gov/nhsn/Training/dialysis/index.html.2. A positive blood culture is considered a new event and counted only if it occurred 21 days or more after a previously reported positive blood culture in the same patient.3. Patients receiving inpatient hemodialysis are excluded from the measure.4. Patients receiving only home hemodialysis or peritoneal dialysis are excluded from the measure.5. Facilities that do not submit 12 months of accurately reported data receive zero points for the measure.6. For more information about the methodology used to calculate risk-adjusted standardized infection rates, please see http://www.cdc.gov/nhsn/dialysis/. |

Proposed PY 2019 Clinical Measure

Standardized Readmission Ratio

Standardized Readmission Ratio Lower rate desired

| | |
|----------------------------------|--|
| Measure Description | Ratio of the number of observed unplanned 30-day hospital readmissions to the number of expected unplanned 30-day hospital readmissions. |
| Numerator | <p>Number of unplanned 30-day hospital readmissions</p> <p>The measure excludes readmissions that:</p> <ol style="list-style-type: none"> 1. Occurred more than 30 days after the index discharge 2. Are considered “planned” |
| Denominator | <p>The expected number of unplanned 30-day hospital readmissions in each facility, which is derived from a model that accounts for patient characteristics, the dialysis facility to which the patient is discharged and the discharging acute care hospitals involved.</p> <p>The measure excludes index hospital discharges that:</p> <ol style="list-style-type: none"> 1. End in death 2. Result in a patient dying within 30 days with no readmission 3. Are against medical advice 4. Include a primary diagnosis for certain types of cancer, mental health conditions or rehabilitation 5. Occur after a patient’s 12th admission in the calendar year 6. Are from a PPS-exempt cancer hospital 7. Result in a transfer to another hospital on the same day |
| Minimum Data Requirements | Facilities with fewer than 11 index hospital discharges are not eligible for the measure. |
| Data Source(s) | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data |
| Additional Information | <ol style="list-style-type: none"> 1. Hospitalizations are counted as events in the numerator if they (a) occurred within 30 days of a hospital discharge; and (b) are not considered a “planned” readmission. 2. Additional information about the measure can be found in the SRR Measure Methodology Report posted at [http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/ESRDQIP/061_TechnicalSpecifications.html]. |

Proposed PY 2019 Clinical Measure: Standardized Transfusion Ratio

Standardized Transfusion Ratio Lower rate desired

| | |
|----------------------------------|---|
| Measure Description | Risk adjusted facility level transfusion ratio (STrR) for all adult Medicare dialysis patients. STrR is a ratio of number of observed eligible red blood cell transfusion events occurring in patients dialyzing at a facility to the number of eligible transfusions that would be expected from a predictive model that accounts for patient characteristics within each facility. |
| Numerator | Number of observed red blood cell transfusion events (defined as transfer of one or more units of blood or blood products into recipient's blood stream) among patients dialyzing at the facility during the reporting period. |
| Denominator | <p>Number of eligible red blood cell transfusion events (as defined in the numerator statement) that would be expected among patients at a facility during the reporting period, given the patient mix at the facility.</p> <p>Exclusions:</p> <ol style="list-style-type: none"> 1. Patients less than 18 years old 2. Patients on ESRD treatment for fewer than 90 days 3. Patients treated at the facility for fewer than 60 days 4. Patients who receive a transplant 5. Patients who have not been treated by any facility for a year or longer 6. Patients with a Medicare claim for one of the following conditions in the past year: hemolytic and aplastic anemia, solid-organ cancer (breast, prostate, lung, digestive tract and others), lymphoma, carcinoma in situ, coagulation disorders, multiple myeloma, myelodysplastic syndrome and myelofibrosis, leukemia, head and neck cancer, other cancers (connective tissue, skin, and others), metastatic cancer, or sickle cell anemia |
| Minimum Data Requirements | Facilities with fewer than 10 patient-years at risk will not be eligible to receive a score on the measure. |
| Data Source(s) | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data |
| Additional Information | <ol style="list-style-type: none"> 1. Eligible transfusion events are those that do not have any claims pertaining to the comorbidities identified for exclusion, in the one year look back period prior to each observation window. 2. When a patient transfers from one facility to another, the patient continues to be attributed to the original facility for 60 days, at which point the patient is attributed to the destination facility. 3. A patient-month is considered eligible if it is within two months of a month in which a patient has \$900 of Medicare-paid dialysis claims or at least one Medicare-paid inpatient claim. 4. Additional information about the measure can be found in the STrR Measure Methodology Report posted at http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/ESRDQIP/061_TechnicalSpecifications.html. |

Proposed PY 2019 Clinical Measure

Patient Experience of Care: ICH CAHPS Survey

ICH CAHPS Administration Higher rate desired

| | |
|-------------------------------|---|
| Measure Description | <p>Percentage of patient responses to multiple testing tools.</p> <p>Composite Score: The proportion of respondents answering each response option by item, summed across all items within a composite.</p> <p>Composites include: Nephrologists' Communication and Caring, Quality of Dialysis Center Care and Operations, and Providing Information to Patients</p> <p>Overall Rating: a summation of responses to the rating items grouped into 3 levels</p> <p>NQF #0258</p> |
| Exclusions | <ol style="list-style-type: none">1. Facilities treating fewer than 30 eligible in-center hemodialysis adult patients during the "eligibility period," which is defined as the year prior to the performance period2. Facilities that treat 30 or more eligible in-center hemodialysis adult patients during the "eligibility period," but are unable to obtain at least 30 completed surveys during the performance period3. Facilities with a CCN open date on or after January 1, 20174. Facilities not offering In-Center Hemodialysis5. The following patients are excluded in the count of 30 eligible patients:<ol style="list-style-type: none">a) Patients less than 18 years on the last day of the sampling window for the semiannual surveyb) Patients receiving hemodialysis from their current facility for less than 90 daysc) Patients receiving hospice cared) Patients currently residing in an institution, such as a residential nursing home or other long-term care facility, or a jail or prison |
| Data Sources | <ol style="list-style-type: none">1. ICH CAHPS2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain certification date and facility type) |
| Additional Information | <ol style="list-style-type: none">1. Facilities are required to register on the https://ichcahps.org website in order to authorize a CMS-approved vendor to administer the survey and submit data on their behalf.2. Facilities are required to administer the survey twice during the performance period, using a CMS-approved vendor.3. Facilities are required to ensure that vendors submit survey data to CMS by the date specified at https://ichcahps.org.4. Facilities that treat fewer than 30 eligible patients during the eligibility period must attest to this in CROWNWeb in order to not receive a score on the measure; facilities that do not attest that they are ineligible will be considered eligible and will receive a score on the measure.5. Facilities that do not administer two surveys during the performance period will receive a score of 0 on the measure.6. Facilities that administer two surveys during the performance period but receive less than 30 completed surveys will not receive a score on the measure.7. Additional specifications may be found at https://ichcahps.org. |

Proposed PY 2019 Reporting Measure

Mineral Metabolism

| Mineral Metabolism Reporting | |
|-------------------------------|--|
| Measure Description | Number of months for which facility reports serum or plasma phosphorus values for each Medicare patient. |
| Exclusions | <ol style="list-style-type: none"> 1. Facilities with a CCN open date on or after July 1, 2017 2. In-center hemodialysis patients treated at facility fewer than 7 times during claim month 3. Home dialysis patients for whom a facility does not submit a claim during the claim month 4. Facilities treating fewer than 11 patients during the performance period who are (i) in-center Medicare patients who have been treated at least 7 times by the facility during the reporting month; or (ii) home dialysis Medicare patients for whom the facility submits a claim during the reporting month. 5. Patients not on chronic dialysis as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims |
| Data Sources | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain certification date) |
| Additional Information | <ol style="list-style-type: none"> 1. The serum or plasma phosphorus values reported by the facility are used. The facility may obtain these values from an external source. 2. The measure will be scored according to the following formula: $\left(\frac{\text{Number of Months Facility Successfully Reports}}{\text{Number of Months in the Performance Period Facility has CCN}} \times 12 \right) - 2$ |

Proposed PY 2019 Reporting Measure

Anemia Management

| Anemia Management Reporting | |
|-------------------------------|--|
| Measure Description | Number of months for which facility reports ESA dosage (as applicable) and hemoglobin/hematocrit for each Medicare patient at least once per month. |
| Exclusions | <ol style="list-style-type: none"> 1. Facilities with a CCN open date on or after July 1, 2017 2. In-center hemodialysis patients treated at a facility fewer than 7 times during claim month 3. Home dialysis patients for whom a facility does not submit a claim during the claim month 4. Facilities treating fewer than 11 patients during the performance period who are (i) in-center Medicare patients who have been treated at least 7 times by the facility during the reporting month; or (ii) home dialysis Medicare patients for whom the facility submits a claim during the reporting month 5. Patients not on chronic dialysis as defined by a completed 2728 form, a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims |
| Data Sources | <ol style="list-style-type: none"> 1. Medicare Claims 2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain certification date) |
| Additional Information | <ol style="list-style-type: none"> 1. Hemoglobin value of 99.99 is not considered valid for purposes of measure. Note: we will not penalize facilities for using the default 99.99 value for a patient in his/her first month of treatment at that facility. 2. The hemoglobin/hematocrit reported by the facility is used. The facility may obtain this value from an external source. 3. No ESA dosage need be recorded if patient is not treated with ESAs. 4. ESA dosage must be reported via HCPCS codes and corresponding units, as applicable. 5. The measure will be scored according to the following formula: $\left(\frac{\text{Number of Months Facility Successfully Reports}}{\text{Number of Months in the Performance Period Facility has CCN}} \times 12 \right) - 2$ |

Proposed PY 2019 Reporting Measure

Pain Assessment and Follow-Up

| Pain Assessment and Follow-Up Reporting | |
|---|---|
| Measure Description | <p>Facility reports in CROWNWeb one of the six conditions below for each qualifying patient once before August 1, 2017 and once before February 1, 2018.</p> <p>Based on NQF #0420</p> |
| Exclusions | <ol style="list-style-type: none"> 1. Patients who are younger than 18 years 2. Patients treated at the facility for fewer than 90 days 3. Facilities with a CCN open date on or after July 1, 2017 4. Facilities treating fewer than 11 qualifying patients during the performance period |
| Data Sources | <ol style="list-style-type: none"> 1. REMIS, CROWNWeb, and other CMS ESRD administrative data |
| Additional Information | <ol style="list-style-type: none"> 1. Facilities must report one of the following conditions for each eligible patient: <ol style="list-style-type: none"> a) Pain assessment using a standardized tool is documented as positive and a follow-up plan is documented b) Pain assessment documented as positive, a follow-up plan is not documented, and the facility possesses documentation that the patient is not eligible c) Pain assessment documented as positive using a standardized tool, a follow-up plan is not documented, and no reason is given d) Pain assessment using a standardized tool is documented as negative, and no follow-up plan required e) No documentation of pain assessment, and the facility possesses documentation the patient is not eligible for a pain assessment using a standardized tool f) No documentation of pain assessment, and no reason is given 2. Conditions covering the first six months of the performance period must be reported in CROWNWeb before August 1, 2017, and the conditions covering the second six months of the performance period must be reported in CROWNWeb before February 1, 2018. |

Proposed PY 2019 Reporting Measure

Clinical Depression Screening and Follow-Up

| Clinical Depression Screening and Follow-Up Reporting | |
|---|--|
| Measure Description | Facility reports in CROWNWeb one of the six conditions below for each qualifying patient once before February 1, 2018. Based on NQF #0418 |
| Exclusions | <ol style="list-style-type: none"> 1. Patients who are younger than 12 years 2. Patients treated at the facility for fewer than 90 days 3. Facilities with a CCN open date on or after July 1, 2017 4. Facilities treating fewer than 11 qualifying patients during the performance period |
| Data Sources | <ol style="list-style-type: none"> 1. REMIS, CROWNWeb, and other CMS ESRD administrative data |
| Additional Information | <ol style="list-style-type: none"> 1. Facilities must report one of the following conditions for each eligible patient before February 1, 2018: <ol style="list-style-type: none"> a) Screening for clinical depression is documented as being positive, and a follow-up plan is documented b) Screening for clinical depression documented as positive, and a follow-up plan not documented, and the facility possess documentation stating the patient is not eligible c) Screening for clinical depression documented as positive, the facility possesses no documentation of a follow-up plan, and no reason is given d) Screening for clinical depression is documented as negative, and a follow-up plan is not required e) Screening for clinical depression not documented, but the facility possesses documentation stating the patient is not eligible f) Clinical depression screening not documented, and no reason is given |

Proposed PY 2019 Reporting Measure

NHSN Healthcare Personnel Influenza Vaccination

| NHSN Healthcare Personnel Influenza Vaccination Reporting | |
|---|--|
| Measure Description | <p>Facility submits Healthcare Personnel Influenza Vaccination Summary Report to CDC's NHSN system, according to the specifications of the Healthcare Personnel Safety Component Protocol, by May 15, 2017</p> <p>Based on NQF #0431</p> |
| Exclusions | <ol style="list-style-type: none"> 1. Facilities with a CCN open date after January 1, 2017 |
| Data Sources | <ol style="list-style-type: none"> 1. NHSN 2. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain facility type and certification date) |
| Additional Information | <ol style="list-style-type: none"> 1. A "qualifying healthcare personnel" is defined as an employee, licensed independent practitioner, or adult student/trainee/volunteer who works in a facility for at least one day between October 1, 2016 and March 31, 2017 (designated as the "flu season") 2. NHSN Summary Reports submitted by May 15, 2017 would document actions taken during the flu season that spans October 2016 to April 2017, and would count toward facilities' PY 2019 NHSN Healthcare Personnel Influenza Vaccination reporting measure scores 3. Additional information about the Protocol and Summary Report can be found at: http://www.cdc.gov/nhsn/PDFs/HPS-manual/vaccination/HPS-flu-vaccine-protocol.pdf. |

Proposed PY 2019 Reporting Measure

Ultrafiltration

| Ultrafiltration | |
|-------------------------------|--|
| Measure Description | Number of months for which a facility reports ultrafiltration (UFR) rates for each qualifying patient. |
| Exclusions | <ol style="list-style-type: none"> 1. Facilities with a CCN open date on or after July 1, 2017 2. Patients less than 18 years of age at the beginning of the reporting month 3. Patients not on hemodialysis during the reporting month 4. Patients on chronic dialysis (as defined by a completed 2728 form or a REMIS/CROWNWeb record) for less than 90 days at the beginning of the reporting month 5. Patients present at facility for fewer than 30 days 6. Patients who are missing a pre-dialysis weight (in kg) during the reporting month 7. Patients who are missing a post-dialysis weight (in kg) during the reporting month 8. Patients who are missing a delivered time per session during the reporting month 9. Patients with an ultrafiltration value of less than 0 ml/kg/hr or greater than 50 ml/kg/hr 10. Facilities treating fewer than 11 qualifying patients during the performance period |
| Data Sources | <ol style="list-style-type: none"> 1. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain certification date) |
| Additional Information | <ol style="list-style-type: none"> 1. Includes all patients (i.e., not just those patients on Medicare). 2. Ultrafiltration rate is calculated for a single session per month (CROWNWeb generally records data from the last session) using data elements for pre-dialysis weight, post-dialysis weight, and delivered minutes of dialysis. The formula for UFR is: $UFR = [(((\Delta \text{ wt kg}) * 1000) / (\text{delivered time} / 60)) / \text{post wt kg}]$ 3. The measure will be scored according to the following formula: $\left(\frac{\text{Number of Months Successfully Reporting Data}}{\text{Number of Eligible Months}} \times 12 \right) - 2$ |

Proposed PY 2019 Reporting Measure

Full-Season Influenza Vaccination

Full-Season Influenza Vaccination

| | |
|-------------------------------|--|
| Measure Description | Percentage of qualifying patients for whom the facility successfully reports influenza vaccination information. |
| Exclusions | <ol style="list-style-type: none"> 1. Facilities with a CCN open date on or after July 1, 2017 2. Patients who are not alive as of October 1, 2016 3. Patients younger than 6 months old as of October 1, 2016 4. Patients on chronic dialysis (as defined by a completed 2728 form or a REMIS/CROWNWeb record, or a sufficient amount of dialysis reported on dialysis facility claims) for less than 30 days as of March 31, 2017 5. Facilities treating fewer than 11 qualifying patients during the performance period |
| Data Sources | <ol style="list-style-type: none"> 1. REMIS, CROWNWeb, and other CMS ESRD administrative data (form 2744 to obtain certification date) |
| Additional Information | <ol style="list-style-type: none"> 1. Includes all patients (i.e., not just those patients on Medicare). 2. Facilities must report one of the following conditions in CROWNWeb once per performance period, for each qualifying patient: <ol style="list-style-type: none"> 1. If the patient received an influenza vaccination: <ol style="list-style-type: none"> a. Influenza Vaccination Date b. Where Influenza Vaccination Received: <ol style="list-style-type: none"> i. Documented at facility ii. Documented outside facility; or iii. Patient self-reported outside facility 2. If the patient did not receive an influenza vaccination: <ol style="list-style-type: none"> a. Reason: <ol style="list-style-type: none"> i. Already vaccinated this flu season ii. Medical Reason: Allergic or adverse reaction iii. Other medical reason iv. Declined v. Other reason 3. The measure will be scored according to the following formula: $\left(\frac{\text{Number of patients for whom facility reports vaccination status during the performance period}}{\text{Number of qualifying patients during the performance period}} \right)$ |