

## OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

### Key

DC	Discharge from Agency
Death	Death at Home
FU	Follow-up
HH	Home Health
\$HHGM	Home Health Grouper Model
IRF-PAI	Inpatient Rehabilitation Facility-Patient Assessment Instrument
IV	Intravenous
LCDS	Long-term Care Data Set
MDS	Minimum Data Set
OBRA	Omnibus Budget Reconciliation Act
\$PPS	Prospective Payment System
QM	Quality Measure
Risk	Risk factor
ROC	Resumption of Care
SOC	Start of Care
Star	Quality of Patient Care star rating
TRN	Transfer to an Inpatient Facility
VBP	Value-Based Purchasing

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
<b>(M1730)</b> <b>Depression Screening</b> <del>☐ \$PPS</del> <del>☐ \$HHGM</del> <input checked="" type="checkbox"/> Risk <input checked="" type="checkbox"/> QM <del>☐ Star</del> <del>☐ VBP</del>	OASIS-C2 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <del>☐ FU</del> <del>☐ TRN</del> <del>☐ DC</del> <del>☐ Death</del>  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>M1731 Patient Health Questionnaire 2 (PHQ-2 ©)</b>	<ul style="list-style-type: none"> <li>Expectations are that the PHQ-2 will be completed for all SOC/ROC and DC assessments, therefore OASIS-C2 responses 0, 2, and 3 are proposed to be removed</li> <li>Update OASIS “M” numbering</li> </ul>

OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
<p><b>(M1210) Ability to Hear</b></p> <p><input type="checkbox"/> <del>PPS</del></p> <p><input type="checkbox"/> <del>HHGM</del></p> <p><input checked="" type="checkbox"/> Risk</p> <p><input type="checkbox"/> <del>QM</del></p> <p><input type="checkbox"/> <del>Star</del></p> <p><input type="checkbox"/> <del>VBP</del></p>	<p>OASIS-C2</p> <p><input checked="" type="checkbox"/> SOC</p> <p><input checked="" type="checkbox"/> ROC</p> <p><input type="checkbox"/> <del>FU</del></p> <p><input type="checkbox"/> <del>TRN</del></p> <p><input type="checkbox"/> <del>DC</del></p> <p><input type="checkbox"/> <del>Death</del></p> <p>OASIS 2019</p> <p><input checked="" type="checkbox"/> SOC</p> <p><input checked="" type="checkbox"/> ROC</p> <p><input type="checkbox"/> FU</p> <p><input type="checkbox"/> TRN</p> <p><input type="checkbox"/> DC</p> <p><input type="checkbox"/> Death</p>	<p><b>Section B Hearing, Speech and Vision</b></p> <p><b>B0200. Hearing</b></p>	<ul style="list-style-type: none"> <li>• Appears in a new section B: Hearing, Speech, and Vision to align with standardized sections in other PAC instruments</li> <li>• Replaces M1210</li> <li>• Follows standardized data element in LCDS and IRF-PAI and item numbering</li> <li>• HH providers will have 5 days to complete SOC and 2 days to complete ROC as part of the comprehensive assessment</li> </ul>
<p><b>(M1200) Vision</b></p> <p><input type="checkbox"/> <del>PPS</del></p> <p><input type="checkbox"/> <del>HHGM</del></p> <p><input checked="" type="checkbox"/> Risk</p> <p><input type="checkbox"/> <del>QM</del></p> <p><input type="checkbox"/> <del>Star</del></p> <p><input type="checkbox"/> <del>VBP</del></p>	<p>OASIS-C2</p> <p><input checked="" type="checkbox"/> SOC</p> <p><input checked="" type="checkbox"/> ROC</p> <p><input checked="" type="checkbox"/> FU</p> <p><input type="checkbox"/> <del>TRN</del></p> <p><input type="checkbox"/> <del>DC</del></p> <p><input type="checkbox"/> <del>Death</del></p> <p>OASIS 2019</p> <p><input checked="" type="checkbox"/> SOC</p> <p><input checked="" type="checkbox"/> ROC</p> <p><input type="checkbox"/> FU</p> <p><input type="checkbox"/> TRN</p> <p><input type="checkbox"/> DC</p> <p><input type="checkbox"/> Death</p>	<p><b>B1000. Vision</b></p>	<ul style="list-style-type: none"> <li>• Appears in a new section B: Hearing, Speech, and Vision to align with standardized sections in other PAC instruments</li> <li>• Follows standardized data element in LCDS and IRF-PAI and item numbering</li> <li>• HH providers will have 5 days to complete SOC and 2 days to complete ROC as part of the comprehensive assessment.</li> <li>• Removed from FU time point to reduce burden; item not needed for payment</li> </ul>

## OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
NA – New Item	NA  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input type="checkbox"/> DC <input type="checkbox"/> Death	<b>Section C Cognitive Patterns</b>  <b>C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?</b>  <b>Brief Interview for Mental Status (BIMS)</b> <b>C0200. Repetition of Three Words</b> <b>C0300. Temporal Orientation</b> <b>C0400. Recall</b> <b>C0500. Summary Score</b>	<ul style="list-style-type: none"> <li>• Appears in a new Section C: Cognitive Patterns to Align with standardized sections in other PAC instruments</li> <li>• Standardized item with the LCDS</li> <li>• HH providers will have 5 days to complete SOC and 2 days to complete ROC as part of the comprehensive assessment.</li> </ul>
NA – New Item	NA  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>C1310. Signs and Symptoms of Delirium (from CAM®)</b>	<ul style="list-style-type: none"> <li>• Appears in a new Section C: Cognitive Patterns to align with standardized sections in other PAC instruments</li> <li>• SOC/ROC version standardized with LCDS item from admission assessment</li> <li>• DC version standardized with IRF-PAI item from discharge assessment</li> <li>• HH providers have 5 days to complete SOC and 2 days to complete ROC as part of the comprehensive assessment</li> <li>• HH providers have 2 days from the M00906 date to complete at discharge, and data collection will be based on the patient's status within the last 7 days</li> </ul>
N/A – new item	NA  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>Section E Behavioral Symptoms</b>  <b>E0200. Behavioral Symptoms – Presence &amp; Frequency</b>	<ul style="list-style-type: none"> <li>• Adding as a new item</li> <li>• Appears in a new Section E. Behavioral Symptoms to align with standardized sections in other PAC instruments</li> </ul>

## OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
<b>M1900 Prior Function</b>	OASIS-C2 <b>(M1900)</b> <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC OASIS 2019 <b>GG0100</b> <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input type="checkbox"/> DC <input type="checkbox"/> Death	<b>Section GG Functional Abilities and Goals</b>  <b>GG0100 Prior Functioning: Everyday Activities</b>	<ul style="list-style-type: none"> <li>• New item added to OASIS for standardization, including responses A, B, C &amp; D to align with IRF-PAI and MDS</li> <li>• Appears in a new section – Section GG Functional Abilities and Goals, to align with standardized sections in other PAC instruments</li> <li>• Replaces M1900</li> <li>• Utilizes “patient” language, vs “resident”</li> </ul>
NA – New Item	NA OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input type="checkbox"/> DC <input type="checkbox"/> Death	<b>GG0110 Prior Device Use</b>	<ul style="list-style-type: none"> <li>• New item added to OASIS for standardization, including responses A, B, C, D, E &amp; Z to align with IRF-PAI and MDS</li> <li>• Appears in a new section – Section GG Functional Abilities and Goals, to align with standardized sections in other PAC instruments</li> <li>• Utilizes “patient” language, vs “resident”</li> </ul>
NA – New Item	NA OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input checked="" type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>GG0130 Self-Care</b>	<ul style="list-style-type: none"> <li>• New item added to OASIS for standardization</li> <li>• Appears in a new section – Section GG Functional Abilities and Goals, to align with standardized sections in other PAC instruments</li> <li>• Utilizes “patient” language, vs “resident”</li> <li>• Utilizes “SOC/ROC” language, vs “Admission”</li> <li>• Aligning with IRF-PAI and MDS by not including activity “D – Wash Upper Body”(activity D is including in LCDS), since activity E – Shower/bathe self is more comprehensive and relevant for HH</li> <li>• HH providers will have the full assessment time frame to complete assessments/data collection.</li> <li>• Item is added to FU assessment time point; and includes a subset of the SOC/ROC/DC activities – A, B and C.</li> </ul>

OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
NA – New Item	NA  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input checked="" type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>GG0170 Mobility</b>	<ul style="list-style-type: none"> <li>• New item added to OASIS for standardization</li> <li>• Appears in a new section – Section GG Functional Abilities and Goals, to align with standardized sections in other PAC instruments</li> <li>• Utilizes “patient” language, vs “resident”</li> <li>• Utilizes “SOC/ROC” language, vs “Admission”</li> <li>• HH providers will have the full assessment time frame to complete assessments/data collection.</li> <li>• Item added to FU assessment time point; and includes a subset of the SOC/ROC/DC - A, B, C, D, E, F, I, J, L, M, N, R</li> </ul>
<b>(M1028) Active Diagnoses</b>  <input type="checkbox"/> <del>PPS</del> <input type="checkbox"/> <del>HHGM</del> <input checked="" type="checkbox"/> Risk <input type="checkbox"/> <del>QM</del> <input type="checkbox"/> <del>Star</del> <input type="checkbox"/> <del>VBP</del>	OASIS-C2 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> <del>FU</del> <input type="checkbox"/> <del>TRN</del> <input type="checkbox"/> <del>DC</del> <input type="checkbox"/> <del>Death</del>  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input type="checkbox"/> DC <input type="checkbox"/> Death	<b>Section I. Active Diagnoses</b>  <b>I0900</b> <b>I2900</b> <b>I7900</b>	<ul style="list-style-type: none"> <li>• Deleting M1028 identifier and renumbering as I0900, I2900 &amp; I7900</li> <li>• Appears in a new Section I. Active Diagnosis to align with standardized sections in other PAC instruments</li> <li>• Adding a “None of the above” response</li> <li>• Deleting “See OASIS Guidance Manual...” instruction</li> </ul>

## OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
NA – New Item	NA  OASIS 2019 <input type="checkbox"/> SOC <input type="checkbox"/> ROC <input type="checkbox"/> FU <input checked="" type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input checked="" type="checkbox"/> Death	<b>Section J Health Conditions</b>  <b>J1800. Any Falls Since SOC/ROC, whichever is more recent</b>	<ul style="list-style-type: none"> <li>• Appears in a new Section J. Health Conditions to align with standardized sections in other PAC instruments</li> <li>• New item added to OASIS for standardization</li> <li>• Aligning with IRF-PAI and LCDS</li> <li>• Utilizes “patient” language, vs “resident”</li> <li>• Utilizes “SOC/ROC” language, vs “Admission”</li> <li>• Added “whichever is more recent” to align with MDS (w/multiple possible previous timepoints “...Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)”</li> <li>• Skip pattern for J1800.0 updated to “Skip J1900” as the item that follows J1900 will vary depending on the time point for data collection</li> <li>• Data collection required at Transfer and Death in addition to Discharge to support QM calculation</li> </ul>
NA – New item	NA  OASIS 2019 <input type="checkbox"/> SOC <input type="checkbox"/> ROC <input type="checkbox"/> FU <input checked="" type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input checked="" type="checkbox"/> Death	<b>J1900. Number of Falls since SOC/ROC, whichever is more recent</b>	<ul style="list-style-type: none"> <li>• Appears in a new Section J: Health Conditions to align with standardized sections in other PAC instruments</li> <li>• New item added to OASIS for standardization</li> <li>• Aligned with IRF-PAI and LCDS</li> <li>• Utilizes “patient” language, vs “resident”</li> <li>• Utilizes “SOC/ROC” language, vs “Admission”</li> <li>• Added “whichever is more recent” to align with MDS (w/multiple possible previous timepoints “...Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)”</li> <li>• Data collection required at Transfer and Death in addition to Discharge to support QM calculation</li> </ul>
N/A - New item	NA  OASIS 2019 <input checked="" type="checkbox"/> SOC <input checked="" type="checkbox"/> ROC <input type="checkbox"/> FU <input type="checkbox"/> TRN <input checked="" type="checkbox"/> DC <input type="checkbox"/> Death	<b>Section K Swallowing/Nutritional Status</b>  <b>K0520. Nutritional approaches</b>	<ul style="list-style-type: none"> <li>• Appears in a new section, Section K Swallowing/Nutritional Status to align with standardized sections in other PAC instruments</li> <li>• Adopting IRF-PAI item K0520 for SOC/ROC and Discharge.</li> <li>• Utilizes “performed during the first 3 days” as the time period under consideration at SOC/ROC</li> <li>• Utilizes “at SOC/ROC” language, vs “of admission”</li> <li>• Utilizes “performed during the last 7 days” as the time period under consideration at Discharge</li> </ul>

OASIS 2019 Change Table for CY18 HH PPS Notice of Proposed Rule Making

Current Item & uses (#/Title)	Time Points	Proposed Item (#/Title)	Detail
<p><b>(M1410)</b>  <b>Respiratory Treatments</b>                      1-Oxygen                      2-Vent                      3-BiPAP/CPAP                      4-None of the above  <del>☐ \$PPS</del>  <del>☐ \$HHGM</del>  <input checked="" type="checkbox"/> Risk  <del>☐ QM</del>  <del>☐ Star</del>  <del>☐ VBP</del></p>	<p>OASIS-C2  <b>(M1410)</b>  <b>Respiratory Treatments</b>  <input checked="" type="checkbox"/> SOC  <input checked="" type="checkbox"/> ROC  <del>☐ FU</del>  <del>☐ TRN</del>  <del>☐ DC</del>  <del>☐ Death</del>                      OASIS 2019  <b>O0100.</b>  <input checked="" type="checkbox"/> SOC  <input checked="" type="checkbox"/> ROC  <input type="checkbox"/> FU  <input type="checkbox"/> TRN  <input checked="" type="checkbox"/> DC  <input type="checkbox"/> Death</p>	<p><b>Section O Special Treatments, Procedures, Programs</b>  <b>O0100. Special Treatments, Procedures, Programs</b>                      A. Chemotherapy                      B. Radiation                      C. Oxygen Therapy (replace M1410-1)                      D. Suctioning                      E. Tracheostomy Care                      F. Invasive Mechanical Ventilator (<b>replace M1410-2</b>)                      G. Non-invasive Mechanical Ventilator (<b>replace M1410-3</b>)                      H. IV Medications                      I. Transfusions                      J. Dialysis  <b>O. IV Access</b>  <b>Z. None of the above</b></p>	<ul style="list-style-type: none"> <li>• Appears in a new section, Section O. Special Treatments, Procedures, Programs to align with standardized sections in other PAC instruments</li> <li>• Aligned with standardized format in IRF-PAI - Section O</li> <li>• Replaces M1410: option 1 with “C. Oxygen Therapy (C2a, C2b)”; M1410 option 2 with “F. Invasive Mechanical Ventilator”; option 3 with “G. Non-invasive Mechanical Ventilator”</li> <li>• Utilizes “performed during the first 3 days” as the time period under consideration at the SOC/ROC</li> <li>• Utilizes “at SOC/ROC” language, vs “of admission”</li> <li>• Utilizes “performed during the last 14 days” as the time period under consideration at Discharge</li> </ul>