

Changes for OASIS D-1 Effective January 1, 2020 OASIS Data Submission Specification Version 2.31.0

Date	Changes Made
05/02/2019	Issues 01-47 were added.

Issues Added: 05/02/2019

Contents

Changes for OASIS D-1 Effective January 1, 2020	1
Issues Added: 05/02/2019	1
Issues 01-02.....	2
Issues 03-06.....	3
Issues 07-08.....	4
Issues 09-10.....	5
Issues 11-12.....	6
Issue 13.....	7
Issues 14-16.....	8
Issues 17-20.....	9
Issues 21-23.....	10
Issues 24-28.....	11
Issues 29-32.....	12
Issues 33-34.....	13
Issues 35-37.....	14
Issues 38-40.....	15
Issues 41-43.....	16
Issues 44-46.....	17
Issue 47.....	18

Issues 01-02

Issue ID	Problem	Resolution	Status
01	M1800 is required for the Functional Impairment Level Case-Mix Adjustment under PDGM and is not currently active on RFA 04 and 05 for assessments with a M0090 date of 1/1/2020 or greater.	Item M1800_CRNT_GROOMING will be added as active under RFA 04 and 05 in the itm_mstr table of the data specifications database. The data spec report for the Grooming will be updated to show that M1800 is present on those RFAs.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
02	M1033 items are required for the Functional Impairment Level Case-Mix Adjustment under PDGM and is not currently active on RFA 04 and 05 for assessments with a M0090 date of 1/1/2020 or greater	<p>The following items will be added as active under RFA 04 and 05 in the itm_mstr table of the data specifications database and the data spec report for the Patient History for those RFAs.</p> <p>M1033_HOSP_RISK_HSTRY_FALLS M1033_HOSP_RISK_WEIGHT_LOSS M1033_HOSP_RISK_MLTPH_HOSPZTN M1033_HOSP_RISK_MLTPH_ED_VISIT M1033_HOSP_RISK_MNTH_BHV_DCLN M1033_HOSP_RISK_COMPLIANCE M1033_HOSP_RISK_5PLUS_MDCTN M1033_HOSP_RISK_CRNT_EXHSTN M1033_HOSP_RISK_OTHR_RISK M1033_HOSP_RISK_NONE_ABOVE</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 03-06

Issue ID	Problem	Resolution	Status
03	M2401a – Diabetic Foot Care: (M2401_INTRVTN_SMRY_DBTS_FT) is no longer required for RFA 06, 07 or 09 and can optionally be marked as ignored for these RFAs with a M0090 date of 1/1/2020 or greater.	A valid value of [=] will be added to the following items in the itm_mstr table of the data specifications database and the data spec report for the Admission/Discharge report: M2401_INTRVTN_SMRY_DBTS_FT	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
04	M1051 and M1056 are no longer required for RFA 06, 07 or 09 and can optionally be marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	A valid value of [=] will be added in the itm_mstr table of the data specifications database and the data spec report for the Patient History report for the following items: M1051_PVX_RCVD_AGENCY M1056_PVX_RSN_NOT_RCVD_AGENCY	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
05	M1910 is no longer required for RFA 01 or 03 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater	A valid value of [=] will be added in the itm_mstr table of the data specifications database and the data spec report for the ADL/IADL report for the following item: M1910_MLT_FCTR_FALL_RISK_ASMT	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
06	M1610, M1620 and M1630 items are no longer required for RFA 04 or 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Elimination Status report for the following items: M1610_UR_INCONT M1620_BWL_INCONT M1630_OSTOMY	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 07-08

Issue ID	Problem	Resolution	Status
07	M1311, M1322, M1324, M1330, M1332, M1334, M1340 AND M1342 items are no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	<p>A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Integumentary Status report for the following items:</p> <p>M1311_NBR_PRSULC_STG2_A1 M1311_NBR_PRSULC_STG3_B1 M1311_NBR_PRSULC_STG4_C1 M1311_NSTG_DRSG_D1 M1311_NSTG_CVRG_E1 M1311_NSTG_DEEP_TSUE_F1 M1322_NBR_PRSULC_STG1 M1324_STG_PRBLM_ULCER M1330_STAS_ULCR_PRSNT M1332_NBR_STAS_ULCR M1334_STUS_PRBLM_STAS_ULCR M1340_SRGCL_WND_PRSNT M1342_STUS_PRBLM_SRGCL_WND</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
08	M2030 OASIS D item is no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	<p>A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Medications report for the following item:</p> <p>M2030_CRNT_MGMT_INJCTN_MDCTN</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 09-10

Issue ID	Problem	Resolution	Status
09	M1021, M1023 and M1030 items are no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	<p>A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Patient History report for following fields:</p> <p>M1021_PRIMARY_DIAG_ICD M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_ICD M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_ICD M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_ICD M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_ICD M1023_OTH_DIAG5_SEVERITY M1030_THH_IV_INFUSION M1030_THH_PAR_NUTRITION M1030_THH_ENT_NUTRITION M1030_THH_NONE_ABOVE</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
10	M1200 and M1242 items are no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	<p>A valid value of [=] will be added the itm_mstr table of the data specifications database and the data spec report for Sensory report for the following fields</p> <p>M1200_VISION M1242_PAIN_FREQ_ACTVTY_MVMT</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 11-12

Issue ID	Problem	Resolution	Status
11	M2200 items are no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Therapy Need report for the following fields: M2200_THER_NEED_NBR M2200_THER_NEED_NA	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
12	M1400 items are no longer required for RFA 04 and 05 and can be optionally marked as ignored for these RFAs with a M0090 of 1/1/2020 or greater.	A valid value of [=] will be added to the itm_mstr table of the data specifications database and the data spec report for Respiratory Status report for the following field: M1400_WHEN_DYSPNEIC	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issue 13

Issue ID	Problem	Resolution	Status
13	A new valid value of [=] is being added to items effective 1/1/2020. However, this value is only valid for RFA 04 and 05 and will not be valid for RFA 01 or 03. As a result, a new Fatal Error is required.	<p>Fatal Error -5690: If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].</p> <p>This edit will be mapped to:</p> <p>M1630_OSTOMY M1610_UR_INCONT M1322_NBR_PRSULC_STG1 M1332_NBR_STAS_ULCR M2030_CRNT_MGMT_INJCTN_MDCTN M1021_PRIMARY_DIAG_ICD M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_ICD M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_ICD M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_ICD M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_ICD M1023_OTH_DIAG5_SEVERITY M1030_THH_IV_INFUSION M1030_THH_PAR_NUTRITION M1030_THH_ENT_NUTRITION M1030_THH_NONE_ABOVE M1200_VISION M2200_THER_NEED_NBR M2200_THER_NEED_NA</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 14-16

Issue ID	Problem	Resolution	Status
14	A new valid value of [=] is being added to several items effective 1/1/2020. However, this value is only valid for RFA 04 and 05 and will not be valid for RFA 01,03,09. As a result, a new Fatal Error is required.	<p>-5700: If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=].</p> <p>This edit will be mapped to:</p> <p>M1620_BWL_INCONT M1324_NBR_PRSULC_STG1 M1330_STAS_ULCR_PRSNT M1334_STUS_PRBLM_STAS_ULCR M1340_SRGCL_WND_PRSNT M1342_STUS_PRBLM_SRGCL_WND M1400_WHEN_DYSPNEIC M1242_PAIN_FREQ_ACTVTY_MVMT M1311_NBR_PRSULC_STG2_A1 M1311_NBR_PRSULC_STG3_B1 M1311_NBR_PRSULC_STG4_C1 M1311_NBR_NSTG_DRSG_D1 M1311_NBR_NSTG_CVRG_E1 M1311_NBR_NSTG_DEEP_TSUE_F1</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
15	Effective 1/1/2020 Fatal Error -3880 will not apply to RFA 04 or 05.	<p>Edit -3880 will be replaced with Fatal Edit -3881:</p> <p>-3881: If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
16	Effective 1/1/2020 Fatal Error -3890 will not apply to RFA 04 or 05.	<p>Edit -3890 will be replaced with Fatal Edit -3891:</p> <p>-3891: If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NURITION must equal [0].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 17-20

Issue ID	Problem	Resolution	Status
17	Effective 1/1/2020 Fatal Error -4170 will no longer apply to RFA 04 or 05.	Edit -4170 will be replaced with Fatal Edit -4171: -4171: If M0100_ASSMT_REASON = [01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
18	Effective 1/1/2020 Fatal Error -4181 will no longer apply to RFA 04 or 05.	Edit -4181 will be replaced with Fatal Edit -4182: -4182: If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
19	Effective 1/1/2020 Fatal Error -4191 will no longer apply to RFA 04 or 05.	Edit -4191 will be replaced with Fatal Edit -4192: -4192: If M100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
20	Effective 1/1/2020 Fatal Error -4201 will no longer apply to RFA 04 or 05.	Edit -4201 will be replaced with Fatal Edit -4202: -4202: If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 21-23

Issue ID	Problem	Resolution	Status
21	Effective 1/1/2020 Fatal Error -5680 will no longer apply to RFA 04 or 05.	<p>Edit -5680 will be replaced with Fatal Edit -5681:</p> <p>-5681: a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA].</p> <p>b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
22	Effective 1/1/2020 Fatal Error -4220 will no longer apply to RFA 04 or 05.	<p>Edit -4220 will be replaced with Fatal Edit -4221:</p> <p>-4221: If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^]</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
23	Effective 1/1/2020 Fatal Error -4230 will no longer apply to RFA 04 or 05.	<p>Edit -4230 will be replaced with Fatal Edit -4231:</p> <p>-4231: If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSNT = [01,02], then all active items from M1332_NBR_STS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 24-28

Issue ID	Problem	Resolution	Status
24	Effective 1/1/2020 Fatal Error -4240 will no longer apply to RFA 04 or 05.	Edit -4240 will be replaced with Fatal Edit -4241: -4241: If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGCL_WND_PRSENT = [00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
25	Effective 1/1/2020 Fatal Error -4250 will no longer apply to RFA 04 or 05.	Edit -4250 will be replaced with Fatal Edit -4251: -4251: If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGCL_WND_PRSENT = [01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
26	Effective 1/1/2020 Fatal Error -4350 will no longer apply to RFA 04 or 05.	Edit -4350 will be replaced with Fatal Edit -4351: -4351: If M0100_ASSMT_REASON = [09], then if M1620_BWL_INCONT cannot equal [UK].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
27	Effective 1/1/2020 Fatal Error -4360 will no longer apply to RFA 04 or 05.	Edit -4560 will be replaced with Fatal Edit -4361: -4361: If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [00-05,UK], then if M1630_OSTOMY is active it must equal [00].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
28	Effective 1/1/2020 Fatal Error -4370 will no longer apply to RFA 04 or 05.	Edit -4370 will be replaced with Fatal Edit -4371: -4371: If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [NA], then if M1630_OSTOMY is active it must equal [01,02].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 29-32

Issue ID	Problem	Resolution	Status
29	Effective 1/1/2020 Fatal Error -4490 will no longer apply to RFA 04 or 05.	Edit -4490 will be replaced with Fatal Edit -4491: -4491: If M0100_ASSMT_REASON = [09], then M2030_CRNT_MGMT_INJCTN_MDCTN cannot equal [^].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
30	Effective 1/1/2020 Fatal Error -4510 will no longer apply to RFA 04 or 05.	Edit -4510 will be replaced with Fatal Edit – 4511: -4511: If M0100_ASSMT_REASON = [01,03], and M2200_THER_NEED_NA = [0], then if M2200_THER_NEED_NBR is active it must not equal [^]	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
31	Effective 1/1/2020 Fatal Error -4520 will no longer apply to RFA 04 or 05.	Edit -4520 will be replaced with Fatal Edit -4521: -4521: If M00100_ASSMT_REASON = [01,03] and M2200_THER_NEED_NA = [1], then if M2200_THER_NEED_NBR is active it must equal [^].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
32	Effective 1/1/2020 Fatal Error -5111 will no longer apply to RFA 04 or 05.	Edit -5111 will be replaced with Fatal Edit -5112: -5112: If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 33-34

Issue ID	Problem	Resolution	Status
33	Effective 1/1/2020 Fatal Error -5122 will no longer apply to RFA 04 or 05.	Edit -5122 will be replaced with Fatal Edit -5123: -5123: If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG_PRSR_ULCR = [1], then the following items must not equal [^]: M1307_OLDEST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 M1311_NBR_PRSULC_STG4_C1 M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
34	Effective 1/1/2020 Fatal Error -5131 will no longer apply to RFA 04 or 05.	Edit -5131 will be replaced with Fatal Edit -5132: -5132: If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 35-37

Issue ID	Problem	Resolution	Status
35	Effective 1/1/2020 Fatal Error -5660 will no longer apply to RFA 04 or 05.	Edit -5660 will be replaced with Fatal Edit -5661: -5661: If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
36	Fatal Edits -5090 and -5100 will no longer apply to Items M1051 and M1056 where M0090 is 1/1/2019 or greater	Fatal Edits -5090 and -5100 will be removed.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
37	With the transition to PDGM for payment calculation the HIPPS Group Code and HIPPS Version Code are no longer required for submission with an assessment with a M0090 of 1/1/2020 or greater	The following fields will be deleted in itm_mstr table of the data specification database and the data spec report Control and added to the data spec report Filler: SUBM_HIPPS_CODE SUBM_HIPPS_VERSION	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 38-40

Issue ID	Problem	Resolution	Status
38	<p>Following items are removed and will be unmapped from edits -3120 and 3210 for assessments with M0090 of 1/1/2020 or greater</p> <p>SUBM_HIPPS_CODE SUB_HIPPS_VERSION</p>	<p>The following items will be unmapped from Edit -3120 and Edit -3210</p> <p>SUBM_HIPPS_CODE SUBM_HIPPS_VERSION</p>	<p>This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.</p>
39	<p>With the removal of Submission HIPPS Code and Submission HIPPS Version the following edits will be removed from the OASIS Data specs for assessments with M0090 of 1/1/2020 or greater</p>	<p>Following Edits will be removed from the OASIS Data Specs Version 2.31.0:</p> <p>Fatal Edits: -3610 -4810</p> <p>Warning Edit: -4820</p>	<p>This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.</p>
40	<p>Effective 1/1/2020 Fatal Edit -5000 no longer applies to RFA 04 or 05.</p>	<p>Fatal Edit -5000 will be replaced with Fatal Edit -5001:</p> <p>-5001: If M100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p>	<p>This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.</p>

Issues 41-43

Issue ID	Problem	Resolution	Status
41	The transition period of moving from submission of the HICN to submission of the MBI ends on 1/1/2020	<p>Fatal Error -5710 will replace edit -5480.</p> <p>-5710: Incorrect Medicare Number: This item must conform to the format defined below:</p> <ul style="list-style-type: none"> • The Medicare Number shall be eleven characters in length • The first character must be numeric, excluding zero (0) • The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. • The fourth, seventh, tenth and eleventh characters must be numeric. • The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric. 	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
42	Effective 1/1/2020 Fatal Error -5220 will no longer apply to RFA 04 or 05.	<p>Edit -5220 will be replaced by Fatal Edit -5221:</p> <p>-5221: If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
43	Effective 1/1/2020 Warning Error -4990 will no longer apply to RFA 04 or 05.	<p>Edit -4990 will be replaced by Warning Edit -4991:</p> <p>-4991: If M0100_ASSMT_REASON=[01,03], and if M1021_PRIMARY_DIAG_SEVERITY should equal [01-04,^]. A warning will be issued if it is equal to [00].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issues 44-46

Issue ID	Problem	Resolution	Status
44	Effective 1/1/2020 Fatal Error -5210 will no longer apply to RFA 04 or 05.	<p>Edit – 5210 will be replaced by Fatal Edit -5211:</p> <p>-5211: If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
45	Effective 1/1/2020 Fatal Error -5200 will no longer apply to RFA 04 or 05.	<p>Edit -5200 will be replaced by Fatal Edit -5201:</p> <p>-5201: If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.
46	For Control Item ITM_SET_VRSN_CD: Add ending date for D-012019 and add [D1-012020] to value list	<p>Update the following in the Valid Values list:</p> <p>D-012019: Item set OASIS-D: effective for records with M0090_INFO_COMPLETED_DT from 01/01/2019 through 12/31/2019.</p> <p>D1-012020: Item set OASIS-D1: effective for records with M0090_INFO_COMPLETED_DT on or after 01/01/2020.</p>	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.

Issue 47

Issue ID	Problem	Resolution	Status
47	For Control Item SPEC_VRSN_CD: Add ending date for 2.30 and add [2.31] to value list.	Update the following in the Valid Values list: 2.30: Data Specs V2.30: effective for records with M0090_INFO_COMPLETED_DT from 01/01/2019 to 12/31/2019 2.31: Data Specs V2.31: effective for records with M0090_INFO_COMPLETED_DT on or after 01/01/2020.	This change will be made in version 2.31.0 of the OASIS-D1 Data Submission Specs.