

## PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**, Expiration date: 12/31/2021. The time required to complete this information collection is estimated to average **86 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. **\*\*\*CMS Disclaimer\*\*\*Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Kadie Derby at [Kadie.Derby@cms.hhs.gov](mailto:Kadie.Derby@cms.hhs.gov).**

**INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT**

Identification Information	Payer Information																													
<p>1. Facility Information</p> <p>A. Facility Name _____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>B. Facility Medicare Provider Number _____</p> <p>2. Patient Medicare Number _____</p> <p>3. Patient Medicaid Number _____</p> <p>4. Patient First Name _____</p> <p>5A. Patient Last Name _____</p> <p>5B. Patient Identification Number _____</p> <p>6. Birth Date _____/_____/_____ MM / DD / YYYY</p> <p>7. Social Security Number _____</p> <p>8. Gender (1 - Male; 2 - Female) _____</p> <p>9. Race/Ethnicity (Check all that apply)</p> <p style="padding-left: 40px;">American Indian or Alaska Native A. _____</p> <p style="padding-left: 80px;">Asian B. _____</p> <p style="padding-left: 40px;">Black or African American C. _____</p> <p style="padding-left: 40px;">Hispanic or Latino D. _____</p> <p style="padding-left: 40px;">Native Hawaiian or Other Pacific Islander E. _____</p> <p style="padding-left: 40px;">White F. _____</p> <p>10. Marital Status _____ (1 - Never Married; 2 - Married; 3 - Widowed; 4 - Separated; 5 - Divorced)</p> <p>11. Zip Code of Patient's Pre-Hospital Residence _____</p> <p>12. Admission Date _____/_____/_____ MM / DD / YYYY</p> <p>13. Assessment Reference Date _____/_____/_____ MM / DD / YYYY</p> <p>14. Admission Class _____ (1 - Initial Rehab; 2 - Evaluation; 3 - Readmission; 4 - Unplanned Discharge; 5 - Continuing Rehabilitation)</p> <p>15A. Admit From _____ (01 - Home (private home/apt., board/care, assisted living, group home, transitional living); 02 - Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)</p> <p>16A. Pre-hospital Living Setting _____ Use codes from 15A. Admit From</p> <p>17. Pre-hospital Living With _____ (Code only if item 16A is 01 - Home: Code using 01 - Alone; 02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05 - Other)</p> <p>18. DELETED</p> <p>19. DELETED</p>	<p>20. Payment Source _____ (02 - Medicare Fee For Service; 51 - Medicare-Medicare Advantage; 99 - Not Listed)</p> <p>A. Primary Source _____</p> <p>B. Secondary Source _____</p> <tr style="background-color: black; color: white;"> <th colspan="2" style="text-align: center;">Medical Information</th> </tr> <p>21. Impairment Group* _____</p> <p style="text-align: right; padding-right: 20px;">Admission _____ Discharge _____</p> <p>Condition requiring admission to rehabilitation; code according to Appendix A.</p> <p>22. Etiologic Diagnosis _____ A. _____ (Use ICD codes to indicate the etiologic problem B. _____ that led to the condition for which the patient is C. _____ receiving rehabilitation)</p> <p>23. Date of Onset of Impairment _____/_____/_____ MM / DD / YYYY</p> <p>24. Comorbid Conditions _____ Use ICD codes to enter comorbid medical conditions</p> <table style="width: 100%; border: none;"> <tr> <td>A. _____</td> <td>J. _____</td> <td>S. _____</td> </tr> <tr> <td>B. _____</td> <td>K. _____</td> <td>T. _____</td> </tr> <tr> <td>C. _____</td> <td>L. _____</td> <td>U. _____</td> </tr> <tr> <td>D. _____</td> <td>M. _____</td> <td>V. _____</td> </tr> <tr> <td>E. _____</td> <td>N. _____</td> <td>W. _____</td> </tr> <tr> <td>F. _____</td> <td>O. _____</td> <td>X. _____</td> </tr> <tr> <td>G. _____</td> <td>P. _____</td> <td>Y. _____</td> </tr> <tr> <td>H. _____</td> <td>Q. _____</td> <td></td> </tr> <tr> <td>I. _____</td> <td>R. _____</td> <td></td> </tr> </table> <p>24A. Are there any arthritis conditions recorded in items #21, #22, or #24 that meet all of the regulatory requirements for IRF classification (in 42 CFR 412.29(b)(2)(x), (xi), and (xii))? _____ (0 - No; 1 - Yes)</p> <p>25. DELETED</p> <p>26. DELETED</p> <p>Height and Weight _____ (While measuring if the number is X.1-X.4 round down, X.5 or greater round up)</p> <p>25A. Height on admission (in inches) _____</p> <p>26A. Weight on admission (in pounds) _____ Measure weight consistently, according to standard facility practice (e.g., in a.m. after voiding, with shoes off, etc.)</p> <p>27. DELETED</p> <p>28. DELETED</p> <p>29. through 39. DELETED</p>	Medical Information		A. _____	J. _____	S. _____	B. _____	K. _____	T. _____	C. _____	L. _____	U. _____	D. _____	M. _____	V. _____	E. _____	N. _____	W. _____	F. _____	O. _____	X. _____	G. _____	P. _____	Y. _____	H. _____	Q. _____		I. _____	R. _____	
Medical Information																														
A. _____	J. _____	S. _____																												
B. _____	K. _____	T. _____																												
C. _____	L. _____	U. _____																												
D. _____	M. _____	V. _____																												
E. _____	N. _____	W. _____																												
F. _____	O. _____	X. _____																												
G. _____	P. _____	Y. _____																												
H. _____	Q. _____																													
I. _____	R. _____																													

\* The impairment codes incorporated or referenced herein are the property of U B Foundation Activities, Inc. ©1993, 2001 U B Foundation Activities, Inc.

Discharge Information	Therapy Information																																																												
<p>40. Discharge Date <span style="float: right;">____/____/____ MM / DD / YYYY</span></p> <p>41. Patient discharged against medical advice? <span style="float: right;">_____ (0 - No; 1 - Yes)</span></p> <p>42. Program Interruption(s) <span style="float: right;">_____ (0 - No; 1 - Yes)</span></p> <p>43. Program Interruption Dates (Code only if item 42 is 1 - Yes)</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>A. 1<sup>st</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> <td style="width: 50%; vertical-align: top;"> <p>B. 1<sup>st</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> </tr> <tr> <td style="vertical-align: top;"> <p>C. 2<sup>nd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> <td style="vertical-align: top;"> <p>D. 2<sup>nd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> </tr> <tr> <td style="vertical-align: top;"> <p>E. 3<sup>rd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> <td style="vertical-align: top;"> <p>F. 3<sup>rd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p> </td> </tr> </table> <p>44C. Was the patient discharged alive? <span style="float: right;">_____ (0 - No; 1 - Yes)</span></p> <p>44D. Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46)  <span style="float: right;">_____</span></p> <p><i>(01 - Home (private home/apt., board/care, assisted living, group home, transitional living); 02 - Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)</i></p> <p>45. Discharge to Living With <span style="float: right;">_____</span> (Code only if item 44C is 1 - Yes and 44D is 01 - Home; Code using 1 - Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant; 5 - Other)</p> <p>46. Diagnosis for Interruption or Death <span style="float: right;">_____</span> (Code using ICD code)</p> <p>47. Complications during rehabilitation stay (Use ICD codes to specify up to six conditions that began with this rehabilitation stay)</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">A. _____</td> <td style="width: 50%;">B. _____</td> </tr> <tr> <td>C. _____</td> <td>D. _____</td> </tr> <tr> <td>E. _____</td> <td>F. _____</td> </tr> </table>	<p>A. 1<sup>st</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>B. 1<sup>st</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>C. 2<sup>nd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>D. 2<sup>nd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>E. 3<sup>rd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>F. 3<sup>rd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	A. _____	B. _____	C. _____	D. _____	E. _____	F. _____	<p><b>O0401. Week 1: Total Number of Minutes Provided</b></p> <p>O0401A: Physical Therapy</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table> <p>O0401B: Occupational Therapy</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table> <p>O0401C: Speech-Language Pathology</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table> <p><b>O0402. Week 2: Total Number of Minutes Provided</b></p> <p>O0402A: Physical Therapy</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table> <p>O0402B: Occupational Therapy</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table> <p>O0402C: Speech-Language Pathology</p> <table style="width: 100%; border: none;"> <tr><td>a. Total minutes of individual therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>b. Total minutes of concurrent therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>c. Total minutes of group therapy</td><td style="text-align: right;">_____</td></tr> <tr><td>d. Total minutes of co-treatment therapy</td><td style="text-align: right;">_____</td></tr> </table>	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____	a. Total minutes of individual therapy	_____	b. Total minutes of concurrent therapy	_____	c. Total minutes of group therapy	_____	d. Total minutes of co-treatment therapy	_____
<p>A. 1<sup>st</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>B. 1<sup>st</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>																																																												
<p>C. 2<sup>nd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>D. 2<sup>nd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>																																																												
<p>E. 3<sup>rd</sup> Interruption Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>	<p>F. 3<sup>rd</sup> Return Date  <input style="width: 100%; height: 20px;" type="text"/>                      MM / DD / YYYY</p>																																																												
A. _____	B. _____																																																												
C. _____	D. _____																																																												
E. _____	F. _____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												
a. Total minutes of individual therapy	_____																																																												
b. Total minutes of concurrent therapy	_____																																																												
c. Total minutes of group therapy	_____																																																												
d. Total minutes of co-treatment therapy	_____																																																												

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

# INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT QUALITY INDICATORS

## ADMISSION

### Section B      Hearing, Speech, and Vision

#### BB0700. Expression of Ideas and Wants (3-day assessment period)

- |   |  |
|---|--|
| Enter Code<br><input style="width: 40px; height: 20px;" type="text"/> | <p><b>Expression of Ideas and Wants</b> (consider both verbal and non-verbal expression and excluding language barriers)</p> <ol style="list-style-type: none"> <li>4. Expresses complex messages <b>without difficulty</b> and with speech that is clear and easy to understand</li> <li>3. Exhibits some <b>difficulty</b> with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear</li> <li>2. <b>Frequently</b> exhibits difficulty with expressing needs and ideas</li> <li>1. <b>Rarely/Never</b> expresses self or speech is very difficult to understand</li> </ol> |
|---|--|

#### BB0800. Understanding Verbal and Non-Verbal Content (3-day assessment period)

- |   |   |
|---|---|
| Enter Code<br><input style="width: 40px; height: 20px;" type="text"/> | <p><b>Understanding Verbal and Non-Verbal Content</b> (with hearing aid or device, if used, and excluding language barriers)</p> <ol style="list-style-type: none"> <li>4. <b>Understands:</b> Clear comprehension without cues or repetitions</li> <li>3. <b>Usually Understands:</b> Understands most conversations, but misses some part/intent of message. Requires cues at times to understand</li> <li>2. <b>Sometimes Understands:</b> Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand</li> <li>1. <b>Rarely/Never Understands</b></li> </ol> |
|---|---|

### Section C      Cognitive Patterns

#### C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period)

Attempt to conduct interview with all patients.

- |   |  |
|---|--|
| Enter Code<br><input style="width: 40px; height: 20px;" type="text"/> | <ol style="list-style-type: none"> <li>0. <b>No</b> (patient is rarely/never understood) → <i>Skip to C0900, Memory/Recall Ability</i></li> <li>1. <b>Yes</b> → <i>Continue to C0200, Repetition of Three Words</i></li> </ol> |
|---|--|

#### Brief Interview for Mental Status (BIMS)

#### C0200. Repetition of Three Words

- |   |   |
|---|---|
| Enter Code<br><input style="width: 40px; height: 20px;" type="text"/> | <p>Ask patient: <i>"I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: <b>sock, blue and bed.</b> Now tell me the three words."</i></p> <p><b>Number of words repeated after first attempt</b></p> <ol style="list-style-type: none"> <li>3. <b>Three</b></li> <li>2. <b>Two</b></li> <li>1. <b>One</b></li> <li>0. <b>None</b></li> </ol> <p>After the patient's first attempt, repeat the words using cues (<i>"sock, something to wear; blue, a color; bed, a piece of furniture"</i>). You may repeat the words up to two more times.</p> |
|---|---|

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

## ADMISSION

### Section C

### Cognitive Patterns

#### Brief Interview for Mental Status (BIMS) - Continued

#### C0300. Temporal Orientation (orientation to year, month, and day)

Enter Code <input style="width: 30px; height: 20px;" type="text"/>	Ask patient: <i>"Please tell me what year it is right now."</i> <b>A. Able to report correct year</b> 3. <b>Correct</b> 2. <b>Missed by 1 year</b> 1. <b>Missed by 2 - 5 years</b> 0. <b>Missed by &gt; 5 years</b> or no answer
Enter Code <input style="width: 30px; height: 20px;" type="text"/>	Ask patient: <i>"What month are we in right now?"</i> <b>B. Able to report correct month</b> 2. <b>Accurate within 5 days</b> 1. <b>Missed by 6 days to 1 month</b> 0. <b>Missed by &gt; 1 month</b> or no answer
Enter Code <input style="width: 30px; height: 20px;" type="text"/>	Ask patient: <i>"What day of the week is today?"</i> <b>C. Able to report correct day of the week</b> 1. <b>Correct</b> 0. <b>Incorrect</b> or no answer

#### C0400. Recall

Enter Code <input style="width: 30px; height: 20px;" type="text"/>	Ask patient: <i>"Let's go back to an earlier question. What were those three words that I asked you to repeat?"</i> If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. <b>A. Able to recall "sock"</b> 2. <b>Yes, no cue required</b> 1. <b>Yes, after cueing</b> ("something to wear") 0. <b>No</b> - could not recall
Enter Code <input style="width: 30px; height: 20px;" type="text"/>	<b>B. Able to recall "blue"</b> 2. <b>Yes, no cue required</b> 1. <b>Yes, after cueing</b> ("a color") 0. <b>No</b> - could not recall
Enter Code <input style="width: 30px; height: 20px;" type="text"/>	<b>C. Able to recall "bed"</b> 2. <b>Yes, no cue required</b> 1. <b>Yes, after cueing</b> ("a piece of furniture") 0. <b>No</b> - could not recall

#### C0500. BIMS Summary Score

Enter Score <input style="width: 30px; height: 20px;" type="text"/>	<b>Add scores</b> for questions C0200-C0400 and fill in total score (00-15) <b>Enter 99 if the patient was unable to complete the interview</b>
--	--

#### C0600. Should the Staff Assessment for Mental Status (C0900) be Conducted?

Enter Code <input style="width: 30px; height: 20px;" type="text"/>	0. <b>No</b> (patient was able to complete Brief Interview for Mental Status) → <i>Skip to GG0100, Prior Functioning: Everyday Activities</i> 1. <b>Yes</b> (patient was unable to complete Brief Interview for Mental Status) → <i>Continue to C0900, Memory/Recall Ability</i>
---	---

#### Staff Assessment for Mental Status

Do not conduct if Brief Interview for Mental Status (C0200-C0500) was completed.

#### C0900. Memory/Recall Ability (3-day assessment period)

↓ Check all that the patient was normally able to recall

<input type="checkbox"/>	<b>A. Current season</b>
<input type="checkbox"/>	<b>B. Location of own room</b>
<input type="checkbox"/>	<b>C. Staff names and faces</b>
<input type="checkbox"/>	<b>E. That he or she is in a hospital/hospital unit</b>
<input type="checkbox"/>	<b>Z. None of the above</b> were recalled

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

## ADMISSION

### Section GG

### Functional Abilities and Goals

**GG0100. Prior Functioning: Everyday Activities.** Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.

↓ Enter Codes in Boxes	
<b>Coding:</b> 3. <b>Independent</b> - Patient completed the activities by him/herself, with or without an assistive device, with no assistance from a helper. 2. <b>Needed Some Help</b> - Patient needed partial assistance from another person to complete activities. 1. <b>Dependent</b> - A helper completed the activities for the patient. 8. <b>Unknown</b> 9. <b>Not Applicable</b>	<input type="checkbox"/> <b>A. Self-Care:</b> Code the patient's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury. <input type="checkbox"/> <b>B. Indoor Mobility (Ambulation):</b> Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury. <input type="checkbox"/> <b>C. Stairs:</b> Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury. <input type="checkbox"/> <b>D. Functional Cognition:</b> Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.

**GG0110. Prior Device Use.** Indicate devices and aids used by the patient prior to the current illness, exacerbation, or injury.

↓ Check all that apply	
<input type="checkbox"/>	<b>A. Manual wheelchair</b>
<input type="checkbox"/>	<b>B. Motorized wheelchair and/or scooter</b>
<input type="checkbox"/>	<b>C. Mechanical lift</b>
<input type="checkbox"/>	<b>D. Walker</b>
<input type="checkbox"/>	<b>E. Orthotics/Prosthetics</b>
<input type="checkbox"/>	<b>Z. None of the above</b>

Patient \_\_\_\_\_ Identifier \_\_\_\_\_ Date \_\_\_\_\_

# ADMISSION

## Section GG Functional Abilities and Goals

### GG0130. Self-Care (3-day assessment period)

**Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.  
*Activities may be completed with or without assistive devices.*

06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.  
 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.  
 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.  
 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.  
 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.  
 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**  
 07. **Patient refused**  
 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.  
 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)  
 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance	2. Discharge Goal	
↓ Enter Codes in Boxes ↓		
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>A. Eating:</b> The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>B. Oral hygiene:</b> The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>C. Toileting hygiene:</b> The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>E. Shower/bathe self:</b> The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>F. Upper body dressing:</b> The ability to dress and undress above the waist; including fasteners, if applicable.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>G. Lower body dressing:</b> The ability to dress and undress below the waist, including fasteners; does not include footwear.
<input style="width: 40px; height: 20px;" type="text"/>	<input style="width: 40px; height: 20px;" type="text"/>	<b>H. Putting on/taking off footwear:</b> The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

# ADMISSION

## Section GG

## Functional Abilities and Goals

### GG0170. Mobility (3-day assessment period)

**Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance	2. Discharge Goal	
↓ Enter Codes in Boxes ↓		
[ ]	[ ]	<b>A. Roll left and right:</b> The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
[ ]	[ ]	<b>B. Sit to lying:</b> The ability to move from sitting on side of bed to lying flat on the bed.
[ ]	[ ]	<b>C. Lying to sitting on side of bed:</b> The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
[ ]	[ ]	<b>D. Sit to stand:</b> The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
[ ]	[ ]	<b>E. Chair/bed-to-chair transfer:</b> The ability to transfer to and from a bed to a chair (or wheelchair).
[ ]	[ ]	<b>F. Toilet transfer:</b> The ability to get on and off a toilet or commode.
[ ]	[ ]	<b>G. Car transfer:</b> The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
[ ]	[ ]	<b>I. Walk 10 feet:</b> Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. <i>If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)</i>
[ ]	[ ]	<b>J. Walk 50 feet with two turns:</b> Once standing, the ability to walk at least 50 feet and make two turns.
[ ]	[ ]	<b>K. Walk 150 feet:</b> Once standing, the ability to walk at least 150 feet in a corridor or similar space.



# ADMISSION

## Section GG      Functional Abilities and Goals

### GG0170. Mobility (3-day assessment period) - Continued

**Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance	2. Discharge Goal	
↓ Enter Codes in Boxes ↓		
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>L. Walking 10 feet on uneven surfaces:</b> The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>M. 1 step (curb):</b> The ability to go up and down a curb and/or up and down one step. <i>If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>N. 4 steps:</b> The ability to go up and down four steps with or without a rail. <i>If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>O. 12 steps:</b> The ability to go up and down 12 steps with or without a rail.
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>P. Picking up object:</b> The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>Q1. Does the patient use a wheelchair and/or scooter?</b> 0. No → Skip to H0350, Bladder Continence 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>R. Wheel 50 feet with two turns:</b> Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>RR1. Indicate the type of wheelchair or scooter used.</b> 1. Manual 2. Motorized
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>S. Wheel 150 feet:</b> Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
<input style="width: 30px; height: 20px;" type="text"/>	<input style="width: 30px; height: 20px;" type="text"/>	<b>SS1. Indicate the type of wheelchair or scooter used.</b> 1. Manual 2. Motorized

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

## ADMISSION

### Section H Bladder and Bowel

#### H0350. Bladder Continence (3-day assessment period)

Enter Code <input type="checkbox"/>	<p><b>Bladder continence</b> - Select the one category that best describes the patient.</p> <p>0. <b>Always continent</b> (no documented incontinence)</p> <p>1. <b>Stress incontinence only</b></p> <p>2. <b>Incontinent less than daily</b> (e.g., once or twice during the 3-day assessment period)</p> <p>3. <b>Incontinent daily</b> (at least once a day)</p> <p>4. <b>Always incontinent</b></p> <p>5. <b>No urine output</b> (e.g., renal failure)</p> <p>9. <b>Not applicable</b> (e.g., indwelling catheter)</p>
--	--

#### H0400. Bowel Continence (3-day assessment period)

Enter Code <input type="checkbox"/>	<p><b>Bowel continence</b> - Select the one category that best describes the patient.</p> <p>0. <b>Always continent</b></p> <p>1. <b>Occasionally incontinent</b> (one episode of bowel incontinence)</p> <p>2. <b>Frequently incontinent</b> (2 or more episodes of bowel incontinence, but at least one continent bowel movement)</p> <p>3. <b>Always incontinent</b> (no episodes of continent bowel movements)</p> <p>9. <b>Not rated</b>, patient had an ostomy or did not have a bowel movement for the entire 3 days</p>
--	---

### Section I Active Diagnoses

#### Comorbidities and Co-existing Conditions

↓ Check all that apply

- I0900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
- I2900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)
- I7900. None of the above

### Section J Health Conditions

#### J1750. History of Falls

Enter Code <input type="checkbox"/>	<p>Has the patient had two or more falls in the past year or any fall with injury in the past year?</p> <p>0. <b>No</b></p> <p>1. <b>Yes</b></p> <p>8. <b>Unknown</b></p>
--	---

#### J2000. Prior Surgery

Enter Code <input type="checkbox"/>	<p>Did the patient have major surgery during the <b>100 days prior to admission</b>?</p> <p>0. <b>No</b></p> <p>1. <b>Yes</b></p> <p>8. <b>Unknown</b></p>
--	--

### Section K Swallowing/Nutritional Status

#### K0110. Swallowing/Nutritional Status (3-day assessment period) Indicate the patient's usual ability to swallow.

↓ Check all that apply

- A. Regular food** - Solids and liquids swallowed safely without supervision or modified food or liquid consistency.
- B. Modified food consistency/supervision** - Patient requires modified food or liquid consistency and/or needs supervision during eating for safety.
- C. Tube/parenteral feeding** - Tube/parenteral feeding used wholly or partially as a means of sustenance.

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

## ADMISSION

### Section M

### Skin Conditions

**Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage**

#### M0210. Unhealed Pressure Ulcers/Injuries

Enter Code	<p><b>Does this patient have one or more unhealed pressure ulcers/injuries?</b></p> <p>0. <b>No</b> → <i>Skip to N2001, Drug Regimen Review</i></p> <p>1. <b>Yes</b> → <i>Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage</i></p>
------------	--

#### M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

Enter Number	<p><b>A. Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.</p> <p><b>1. Number of Stage 1 pressure injuries</b></p>
Enter Number	<p><b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.</p> <p><b>1. Number of Stage 2 pressure ulcers</b></p>
Enter Number	<p><b>C. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.</p> <p><b>1. Number of Stage 3 pressure ulcers</b></p>
Enter Number	<p><b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.</p> <p><b>1. Number of Stage 4 pressure ulcers</b></p>
Enter Number	<p><b>E. Unstageable - Non-removable dressing/device:</b> Known but not stageable due to non-removable dressing/device</p> <p><b>1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device</b></p>
Enter Number	<p><b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar</p> <p><b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b></p>
Enter Number	<p><b>G. Unstageable - Deep tissue injury</b></p> <p><b>1. Number of unstageable pressure injuries presenting as deep tissue injury</b></p>

### Section N

### Medications

#### N2001. Drug Regimen Review

Enter Code	<p><b>Did a complete drug regimen review identify potential clinically significant medication issues?</b></p> <p>0. <b>No - No issues found during review</b> → <i>Skip to O0100, Special Treatments, Procedures, and Programs</i></p> <p>1. <b>Yes - Issues found during review</b> → <i>Continue to N2003, Medication Follow-up</i></p> <p>9. <b>NA - Patient is not taking any medications</b> → <i>Skip to O0100, Special Treatments, Procedures, and Programs</i></p>
------------	--

#### N2003. Medication Follow-up

Enter Code	<p><b>Did the facility contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues?</b></p> <p>0. <b>No</b></p> <p>1. <b>Yes</b></p>
------------	--

### Section O

### Special Treatments, Procedures, and Programs

#### O0100. Special Treatments, Procedures, and Programs

↓ Check if treatment applies at admission

**N. Total Parenteral Nutrition**

# DISCHARGE

## Section GG

## Functional Abilities and Goals

### GG0130. Self-Care (3-day assessment period)

**Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0130 items.**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance	
Enter Codes in Boxes ↓	
[ ]	<b>A. Eating:</b> The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
[ ]	<b>B. Oral hygiene:</b> The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
[ ]	<b>C. Toileting hygiene:</b> The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
[ ]	<b>E. Shower/bathe self:</b> The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
[ ]	<b>F. Upper body dressing:</b> The ability to dress and undress above the waist; including fasteners, if applicable.
[ ]	<b>G. Lower body dressing:</b> The ability to dress and undress below the waist, including fasteners; does not include footwear.
[ ]	<b>H. Putting on/taking off footwear:</b> The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

## DISCHARGE

### Section GG

### Functional Abilities and Goals

#### GG0170. Mobility (3-day assessment period)

**Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance	
Enter Codes in Boxes ↓	
[ ]	<b>A. Roll left and right:</b> The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
[ ]	<b>B. Sit to lying:</b> The ability to move from sitting on side of bed to lying flat on the bed.
[ ]	<b>C. Lying to sitting on side of bed:</b> The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
[ ]	<b>D. Sit to stand:</b> The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
[ ]	<b>E. Chair/bed-to-chair transfer:</b> The ability to transfer to and from a bed to a chair (or wheelchair).
[ ]	<b>F. Toilet transfer:</b> The ability to get on and off a toilet or commode.
[ ]	<b>G. Car transfer:</b> The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
[ ]	<b>I. Walk 10 feet:</b> Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)</i>
[ ]	<b>J. Walk 50 feet with two turns:</b> Once standing, the ability to walk at least 50 feet and make two turns.
[ ]	<b>K. Walk 150 feet:</b> Once standing, the ability to walk at least 150 feet in a corridor or similar space.

# DISCHARGE

## Section GG      Functional Abilities and Goals

### GG0170. Mobility (3-day assessment period) - Continued

**Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.**

**Coding:**  
**Safety and Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance	
Enter Codes in Boxes ↓	
<input style="width: 40px; height: 20px;" type="text"/>	<b>L. Walking 10 feet on uneven surfaces:</b> The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
<input style="width: 40px; height: 20px;" type="text"/>	<b>M. 1 step (curb):</b> The ability to go up and down a curb and/or up and down one step. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>
<input style="width: 40px; height: 20px;" type="text"/>	<b>N. 4 steps:</b> The ability to go up and down four steps with or without a rail. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>
<input style="width: 40px; height: 20px;" type="text"/>	<b>O. 12 steps:</b> The ability to go up and down 12 steps with or without a rail.
<input style="width: 40px; height: 20px;" type="text"/>	<b>P. Picking up object:</b> The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
<input style="width: 40px; height: 20px;" type="text"/>	<b>Q3. Does the patient use a wheelchair and/or scooter?</b> 0. <b>No</b> → Skip to J1800, Any Falls Since Admission 1. <b>Yes</b> → Continue to GG0170R, Wheel 50 feet with two turns
<input style="width: 40px; height: 20px;" type="text"/>	<b>R. Wheel 50 feet with two turns:</b> Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
<input style="width: 40px; height: 20px;" type="text"/>	<b>RR3. Indicate the type of wheelchair or scooter used.</b> 1. <b>Manual</b> 2. <b>Motorized</b>
<input style="width: 40px; height: 20px;" type="text"/>	<b>S. Wheel 150 feet:</b> Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
<input style="width: 40px; height: 20px;" type="text"/>	<b>SS3. Indicate the type of wheelchair or scooter used.</b> 1. <b>Manual</b> 2. <b>Motorized</b>

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

**DISCHARGE****Section J Health Conditions****J1800. Any Falls Since Admission**

Enter Code  Has the patient **had any falls since admission?**

0. **No** → Skip to M0210, Unhealed Pressure Ulcers/Injuries  
 1. **Yes** → Continue to J1900, Number of Falls Since Admission

**J1900. Number of Falls Since Admission**

Coding:	↓ Enter Codes in Boxes	
0. None	<input type="checkbox"/>	<b>A. No injury:</b> No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall
1. One	<input type="checkbox"/>	<b>B. Injury (except major):</b> Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain
2. Two or more	<input type="checkbox"/>	<b>C. Major injury:</b> Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

**Section M Skin Conditions****Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage****M0210. Unhealed Pressure Ulcers/Injuries**

Enter Code  **Does this patient have one or more unhealed pressure ulcers/injuries?**

0. **No** → Skip to N2005, Medication Intervention  
 1. **Yes** → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

**M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage**

Enter Number <input type="checkbox"/>	<b>A. Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues. <b>1. Number of Stage 1 pressure injuries</b>
Enter Number <input type="checkbox"/>	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. <b>1. Number of Stage 2 pressure ulcers</b> <i>If 0 → Skip to M0300C, Stage 3</i> <b>2. Number of these Stage 2 pressure ulcers that were present upon admission</b> - enter how many were noted at the time of admission
Enter Number <input type="checkbox"/>	
Enter Number <input type="checkbox"/>	<b>C. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. <b>1. Number of Stage 3 pressure ulcers</b> <i>If 0 → Skip to M0300D, Stage 4</i> <b>2. Number of these Stage 3 pressure ulcers that were present upon admission</b> - enter how many were noted at the time of admission
Enter Number <input type="checkbox"/>	
Enter Number <input type="checkbox"/>	<b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. <b>1. Number of Stage 4 pressure ulcers</b> <i>If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device</i> <b>2. Number of these Stage 4 pressure ulcers that were present upon admission</b> - enter how many were noted at the time of admission
Enter Number <input type="checkbox"/>	

Patient \_\_\_\_\_

Identifier \_\_\_\_\_

Date \_\_\_\_\_

**DISCHARGE****Section M****Skin Conditions****Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage****M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued**

Enter Number <input type="text"/>	<p><b>E. Unstageable - Non-removable dressing/device:</b> Known but not stageable due to non-removable dressing/device</p> <p><b>1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device</b> <i>If 0 → Skip to M0300F, Unstageable - Slough and/or eschar</i></p> <p><b>2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present upon admission</b> - enter how many were noted at the time of admission</p>
Enter Number <input type="text"/>	<p><b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar</p> <p><b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> <i>If 0 → Skip to M0300G, Unstageable - Deep tissue injury</i></p> <p><b>2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission</b> - enter how many were noted at the time of admission</p>
Enter Number <input type="text"/>	<p><b>G. Unstageable - Deep tissue injury</b></p> <p><b>1. Number of unstageable pressure injuries presenting as deep tissue injury</b> <i>If 0 → Skip to N2005, Medication Intervention</i></p> <p><b>2. Number of <u>these</u> unstageable pressure injuries that were present upon admission</b> - enter how many were noted at the time of admission</p>

**Section N****Medications****N2005. Medication Intervention**

Enter Code <input type="text"/>	<p><b>Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?</b></p> <p>0. <b>No</b></p> <p>1. <b>Yes</b></p> <p>9. <b>NA - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications.</b></p>
------------------------------------	--



**Item Z0400A. Signature of Persons Completing the Assessment**

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
B.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			