

Data Submission Specifications for the LTCH – CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

Table of Contents

-1000	Format Fatal	4
-1001	Format Fatal	4
-1002	Format Fatal	4
-1003	Format Fatal	4
-1007	Consistency Fatal	4
-1008	Consistency Fatal	4
-1009	Format Fatal	4
-1010	Format Fatal	7
-1011	Format Fatal	7
-1012	Format Fatal	7
-1013	Format Fatal	8
-1014	Consistency Fatal	8
-1015	Consistency Fatal	8
-1016	Format Fatal	8
-1017	Format Fatal	8
-1018	Format Fatal	9
-1019	Format Fatal	9
-1020	Format Fatal	9
-1021	Consistency Fatal	9
-1022	Consistency Warning.....	9
-1025	Consistency Fatal	10
-1026	Consistency Fatal	10
-1027	Format Fatal	10
-1028	Consistency Fatal	10
-1029	Consistency Fatal	10
-1030	Format Fatal	10
-1031	Format Warning	11
-1033	Consistency Fatal	11
-1034	Consistency Fatal	11
-1036	Consistency Fatal	11
-1037	Format Fatal	11
-1038	Format Fatal	11
-3010	Consistency Fatal	12
-3011	Consistency Fatal	12
-3012	Consistency Fatal	12
-3013	Consistency Fatal	12
-3014	Consistency Fatal	12
-3015	Consistency Fatal	12
-3016	Consistency Fatal	12
-3017	Consistency Fatal	12
-3018	Consistency Fatal	12
-3019	Consistency Fatal	13
-3020	Consistency Fatal	13
-3021	Consistency Fatal	13
-3022	Consistency Fatal	13
-3023	Consistency Fatal	13
-3025	Consistency Fatal	13
-3034	Consistency Fatal	13
-3036	Consistency Fatal	13
-3039	Consistency Fatal	14
-3042	Consistency Fatal	14
-3043	Consistency Fatal	14
-3044	Consistency Fatal	14
-3046	Consistency Fatal	14
-3049	Consistency Fatal	15

Data Submission Specifications for the IRF-PAI (V2.01.0)-DRAFT
Unduplicated Edits Report by Edit ID

-3050	Consistency Fatal	15
-3052	Consistency Fatal	15
-3542	Consistency Fatal	15
-3543	Consistency Fatal	15
-3544	Consistency Fatal	15
-3545	Consistency Fatal	15
-3546	Consistency Fatal	15
-3547	Consistency Fatal	16
-3548	Consistency Fatal	16
-3549	Consistency Fatal	16
-3550	Consistency Fatal	16
-3551	Consistency Fatal	16
-3552	Consistency Fatal	16
-3553	Consistency Fatal	16
-3572	Consistency Fatal	16
-3573	Consistency Fatal	16
-3612	Consistency Fatal	17
-3662	Consistency Fatal	17
-3663	Consistency Fatal	17
-3664	Consistency Fatal	17
-3665	Consistency Fatal	17
-3666	Consistency Fatal	17
-3667	Consistency Fatal	17
-3745	Consistency Fatal	18
-3749	Consistency Warning.....	18
-3761	Consistency Fatal	18
-3790	Consistency Fatal	18
-3810	Consistency Warning.....	18
-3852	Format Fatal	19
-3863	Consistency Warning.....	19
-3900	Consistency Warning.....	19
-3910	Consistency Fatal	20
-3911	Consistency Fatal	20
-3912	Consistency Fatal	21
-3922	Consistency Fatal	21
-3923	Consistency Fatal	21
-3924	Format Fatal	21
-3928	Consistency Fatal	21
-3929	Consistency Fatal	21
-3930	Consistency Fatal	21
-3931	Consistency Fatal	21
-3932	Consistency Fatal	21
-3933	Consistency Warning.....	21
-3934	Consistency Fatal	22
-3935	Consistency Fatal	22
-3936	Consistency Fatal	22
-3937	Consistency Fatal	22
-3938	Consistency Fatal	22
-3940	Consistency Fatal	22
-3941	Consistency Fatal	23
-3942	Consistency Fatal	23
-3943	Consistency Fatal	23
-3944	Consistency Fatal	24
-3945	Consistency Fatal	24
-3946	Consistency Fatal	24
-3947	Consistency Fatal	24
-3948	Consistency Fatal	24

Data Submission Specifications for the IRF-PAI (V2.01.0)-DRAFT
Unduplicated Edits Report by Edit ID

-3949	Consistency Fatal	24
-3950	Consistency Fatal	25
-3951	Consistency Fatal	25
-3952	Format Warning	25
-3953	Format Warning	25
-3954	Consistency Warning.....	25
-9001	Information None	25
-9002	Information None	25

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1000	Format	Fatal	<p>If the value is not equal to [^], it must be 9 characters long.</p> <p>Items A0600A Social Security Number</p>
-1001	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p>Items A0600A Social Security Number</p>
-1002	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items A0600A Social Security Number</p>
-1003	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p>Items A0100A Facility National Provider Identifier (NPI)</p>
-1007	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows: Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs. Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX].</p> <p>Items A0200 Type of provider A0250 Reason for Assessment</p>
-1008	Consistency	Fatal	<p>A0900 (Birth Date) cannot be more than 140 years earlier than the current date.</p> <p>Items A0900 Birth Date</p>
-1009	Format	Fatal	<p>Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Items ASMT_SYS_CD Assessment system code ITM_SBST_CD Item subset code STATE_CD Facility's state postal code A0050 Type of record A0200 Type of provider A0250 Reason for Assessment A0800 Gender A1000A Ethnicity: American Indian or Alaska Native A1000B Ethnicity: Asian A1000C Ethnicity: Black or African American A1000D Ethnicity: Hispanic or Latino A1000E Ethnicity: Native Hawaiian/Pacific Islander A1000F Ethnicity: White A1100A Does the patient need or want an interpreter A1200 Marital status A1400A Payer: Medicare (FFS) A1400B Payer: Medicare (managed care/Part C/Mcr Advant.) A1400C Payer: Medicaid (FFS) A1400D Payer: Medicaid (managed care) A1400E Payer: Workers' compensation A1400F Payer: Title programs A1400G Payer: Other Government</p>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items
			A1400H Payer: Private insurance/Medigap
			A1400I Payer: Private managed care
			A1400J Payer: Self-pay
			A1400K Payer: No payer source
			A1400X Payer: Unknown
			A1400Y Payer: Other
			A1802 Admitted from
			A2110 Discharge location
			B0100 Comatose
			BB0700 Expression of Ideas and Wants (3-day asmt period)
			BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)
			C1610A Acute onset
			C1610B Fluctuating Course
			C1610C Inattention
			C1610D Disorganized Thinking
			C1610E1 Altered Consc Lvl - Alert
			C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma
			GG0100B Indoor Mobility (Ambulation)
			GG0110A Manual wheelchair
			GG0110B Motorized wheelchair and/or scooter
			GG0110C Mechanical lift
			GG0110Z None of the above
			GG0130A1 Self-Care (Adm Perf) - Eating
			GG0130A2 Self-Care (Dschg Goal) - Eating
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B1 Self-Care (Adm Perf) - Oral hygiene
			GG0130B2 Self-Care (Dschg Goal) - Oral hygiene
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C1 Self-Care (Adm Perf) - Toileting hygiene
			GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130D1 Self-Care (Adm Perf) - Wash upper body
			GG0130D2 Self-Care (Dschg Goal) - Wash upper body
			GG0130D3 Self-Care (Dschg Perf) - Wash upper body
			GG0170A1 Func Mobil (Adm Perf) - Roll left and right
			GG0170A2 Func Mobil (Dschg Goal) - Roll left and right
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B1 Func Mobil (Adm Perf) - Sit to lying
			GG0170B2 Func Mobil (Dschg Goal) - Sit to lying
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C1 Func Mobil (Adm Perf) - Lying to sit on side
			GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D1 Func Mobil (Adm Perf) - Sit to stand
			GG0170D2 Func Mobil (Dschg Goal) - Sit to stand
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand
			GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans
			GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
			GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			GG0170F1 Func Mobil (Adm Perf) - Toilet transfer
			GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer
			GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer
			GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet
			GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet
			GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items	
		GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
		GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet
		GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet
		GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet
		GG0170Q1	Does the patient use a wheelchair and/or scooter
		GG0170Q3	Does the patient use a wheelchair and/or scooter
		GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
		GG0170R2	Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
		GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
		GG0170RR1	Indicate the type of wheelchair or scooter used
		GG0170RR3	Indicate the type of wheelchair or scooter used
		GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet
		GG0170S2	Func Mobil (Dschg Goal) - Wheel 150 feet
		GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet
		GG0170SS1	Indicate the type of wheelchair or scooter used
		GG0170SS3	Indicate the type of wheelchair or scooter used.
		H0350	Bladder continence
		H0400	Bowel continence
		I0050	Patient primary medical condition
		I0103	Metastatic Cancer
		I0104	Severe Cancer
		I0605	Severe Left Systolic/Ventricular Dysfunction
		I0900	Peripheral vascular disease (PVD) or PAD
		I1501	Chronic Kidney Disease, Stage 5
		I1502	Acute Renal Failure
		I2101	Septicemia, Sepsis, Systemic Inflammatory Response
		I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect
		I2900	Diabetes mellitus (DM)
		I4100	Major Lower Limb Amputation
		I4501	Stroke
		I4801	Dementia
		I4900	Hemiplegia or Hemiparesis
		I5000	Paraplegia
		I5101	Complete Tetraplegia
		I5102	Incomplete Tetraplegia
		I5110	Other Spinal Cord Disorder/Injury
		I5200	Multiple Sclerosis (MS)
		I5250	Huntington's Disease
		I5300	Parkinson's Disease
		I5450	Amyotrophic Lateral Sclerosis
		I5455	Other Progressive Neuromuscular Disease
		I5460	Locked-In State
		I5470	Severe Anoxic Brain Damage, Cerebral Edema
		I5480	Other Severe Neurological Injury-Disease-Dysfunc
		I5601	Malnutrition
		I5602	At Risk for Malnutrition
		I7100	Lung Transplant
		I7101	Heart Transplant
		I7102	Liver Transplant
		I7103	Kidney Transplant
		I7104	Bone Marrow Transplant
		I7900	None of the Above
		J1800	Any Falls Since Admission
		J1900A	Num Falls Since Admission - No injury
		J1900B	Num Falls Since Admission - Injury (except major)
		J1900C	Num Falls Since Admission - Major injury
		M0210	Patient has 1+ unhealed pressure ulcers/injuries

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items	
			N2001	Drug Regimen Review
			N2003	Medication Follow-up
			N2005	Medication Intervention
			O0100G	Non-invasive ventilator (BIPAP, CPAP)
			O0100H	IV Medications
			O0100H2A	Vasoactive medications
			O0100J	Dialysis
			O0100N	Total Parenteral Nutrition
			O0100Z	None of the above
			O0150A	SBT: Invasive Mechanical Ventilation Support
			O0150B	SBT: Assessed for readiness by day 2
			O0150C	SBT: Deemed medically ready by day 2
			O0150D	SBT: Documentation of reason(s) - patient unready
			O0150E	SBT: Performed by day 2
			O0200A	Invasive Mechanical Ventilator - Liberation Status
			O0250A	Was influenza vaccine received
			O0250C	If influenza vaccine not received, state reason
-1010	Format	Fatal	<p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>	
			Items	
			A0210	Assessment reference date
			A0220	Admission date
			A0270	Discharge date
			O0250B	Date influenza vaccine received
			Z0500B	Date assessment signed as complete
-1011	Format	Fatal	<p>This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101". If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901". If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p>	
			Items	
			A0900	Birth Date
-1012	Format	Fatal	<p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are not accepted.</p>	
			Items	
			A0055	Correction number
			K0200A	Height (in inches)
			K0200B	Weight (in pounds)
			M0300A	Stage 1 pressure injuries: number present
			M0300B1	Stage 2 pressure ulcers: number present
			M0300B2	Stage 2 pressure ulcers: number at admit
			M0300C1	Stage 3 pressure ulcers: number present
			M0300C2	Stage 3 pressure ulcers: number at admit

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items	
			M0300D1	Stage 4 pressure ulcers: number present
			M0300D2	Stage 4 pressure ulcers: number at admit
			M0300E1	Unstageable due to dressing/device: number present
			M0300E2	Unstageable due to dressing/device: number at adm
			M0300F1	Unstageable slough/eschar: number present
			M0300F2	Unstageable slough/eschar: number at admit
			M0300G1	Unstageable as deep tissue: num present
			M0300G2	Unstageable as deep tissue: num at adm
-1013	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>	
			Items	
			A0055	Correction number
			K0200A	Height (in inches)
			K0200B	Weight (in pounds)
-1014	Consistency	Fatal	<p>If the SFTWR_VNDR_ID=[^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p>	
			Items	
			SFTWR_VNDR_ID	Software vendor federal employer tax ID
			SFTWR_VNDR_NAME	Software vendor company name
			SFTWR_VNDR_EMAIL_ADR	Software vendor email address
-1015	Consistency	Fatal	<p>If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p>	
			Items	
			SFTWR_VNDR_ID	Software vendor federal employer tax ID
			SFTWR_VNDR_NAME	Software vendor company name
			SFTWR_VNDR_EMAIL_ADR	Software vendor email address
-1016	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p>	
			Items	
			SFTWR_VNDR_ID	Software vendor federal employer tax ID
			A0100A	Facility National Provider Identifier (NPI)
			A0600A	Social Security Number
-1017	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p>	
			Items	
			A0100B	Facility CMS Certification Number (CCN)
			A0100C	State Medicaid provider number
			A0600B	Medicare/railroad insurance number
			A0700	Medicaid number

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1018	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p> [@] (at sign)</p> <p> ['] (single quote)</p> <p> [/] (forward slash)</p> <p> [+] (plus sign)</p> <p> [,] (comma)</p> <p> [.] (period)</p> <p> [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> <p>Items SFTWR_PROD_VRSN_CD Software product version code</p> <p> A0500A Patient first name</p> <p> A0500C Patient last name</p> <p> A0500D Patient name suffix</p> <p> A1100B Preferred language</p>
-1019	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters: If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <p> [@] (at sign)</p> <p> ['] (single quote)</p> <p> [/] (forward slash)</p> <p> [+] (plus sign)</p> <p> [,] (comma)</p> <p> [.] (period)</p> <p> [_] (underscore)</p> <p>Items A0500B Patient middle initial</p>
-1020	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address is accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p> <p>Items SFTWR_VNDR_EMAIL_ADR Software vendor email address</p>
-1021	Consistency	Fatal	<p>The value submitted for FAC_ID is inconsistent with the information stored in QIES ASAP system. It must match the FAC_ID in the QIES ASAP System for the provider. The FAC_ID is the provider's submission ID.</p> <p>Items FAC_ID Assigned facility/provider submission ID</p>
-1022	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.</p> <p>Items A0100B Facility CMS Certification Number (CCN)</p>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																													
-1025	Consistency	Fatal	<p>For the first record that is submitted to correct or inactivate an existing record, A0055 (correction number) must equal "01". If that correction/inactivation is accepted and if a subsequent correction/inactivation is required A0055 must equal "02", and so on.</p> <p>If the value submitted in A0055 is incorrect, a fatal error will result and the submitted record will be rejected.</p> <table><tr><td>Items</td><td>A0055</td><td>Correction number</td></tr></table>	Items	A0055	Correction number																																										
Items	A0055	Correction number																																														
-1026	Consistency	Fatal	<p>If A0050=[1], then A0055 (correction number) must equal [0].</p> <table><tr><td>Items</td><td>A0055</td><td>Correction number</td></tr><tr><td></td><td>A0050</td><td>Type of record</td></tr></table>	Items	A0055	Correction number		A0050	Type of record																																							
Items	A0055	Correction number																																														
	A0050	Type of record																																														
-1027	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.</p> <table><tr><td>Items</td><td>SFTWR_VNDR_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td></td><td>SFTWR_VNDR_NAME</td><td>Software vendor company name</td></tr><tr><td></td><td>SFTWR_VNDR_EMAIL_ADR</td><td>Software vendor email address</td></tr><tr><td></td><td>SFTWR_PROD_NAME</td><td>Software product name</td></tr><tr><td></td><td>SFTWR_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td></td><td>A0100A</td><td>Facility National Provider Identifier (NPI)</td></tr><tr><td></td><td>A0100C</td><td>State Medicaid provider number</td></tr><tr><td></td><td>A0500A</td><td>Patient first name</td></tr><tr><td></td><td>A0500B</td><td>Patient middle initial</td></tr><tr><td></td><td>A0500C</td><td>Patient last name</td></tr><tr><td></td><td>A0500D</td><td>Patient name suffix</td></tr><tr><td></td><td>A0600A</td><td>Social Security Number</td></tr><tr><td></td><td>A0600B</td><td>Medicare/railroad insurance number</td></tr><tr><td></td><td>A0700</td><td>Medicaid number</td></tr><tr><td></td><td>A1100B</td><td>Preferred language</td></tr></table>	Items	SFTWR_VNDR_ID	Software vendor federal employer tax ID		SFTWR_VNDR_NAME	Software vendor company name		SFTWR_VNDR_EMAIL_ADR	Software vendor email address		SFTWR_PROD_NAME	Software product name		SFTWR_PROD_VRSN_CD	Software product version code		A0100A	Facility National Provider Identifier (NPI)		A0100C	State Medicaid provider number		A0500A	Patient first name		A0500B	Patient middle initial		A0500C	Patient last name		A0500D	Patient name suffix		A0600A	Social Security Number		A0600B	Medicare/railroad insurance number		A0700	Medicaid number		A1100B	Preferred language
Items	SFTWR_VNDR_ID	Software vendor federal employer tax ID																																														
	SFTWR_VNDR_NAME	Software vendor company name																																														
	SFTWR_VNDR_EMAIL_ADR	Software vendor email address																																														
	SFTWR_PROD_NAME	Software product name																																														
	SFTWR_PROD_VRSN_CD	Software product version code																																														
	A0100A	Facility National Provider Identifier (NPI)																																														
	A0100C	State Medicaid provider number																																														
	A0500A	Patient first name																																														
	A0500B	Patient middle initial																																														
	A0500C	Patient last name																																														
	A0500D	Patient name suffix																																														
	A0600A	Social Security Number																																														
	A0600B	Medicare/railroad insurance number																																														
	A0700	Medicaid number																																														
	A1100B	Preferred language																																														
-1028	Consistency	Fatal	<p>If SFTWR_PROD_NAME=[^], then SFTWR_PROD_VRSN_CD must be equal to [^].</p> <table><tr><td>Items</td><td>SFTWR_PROD_NAME</td><td>Software product name</td></tr><tr><td></td><td>SFTWR_PROD_VRSN_CD</td><td>Software product version code</td></tr></table>	Items	SFTWR_PROD_NAME	Software product name		SFTWR_PROD_VRSN_CD	Software product version code																																							
Items	SFTWR_PROD_NAME	Software product name																																														
	SFTWR_PROD_VRSN_CD	Software product version code																																														
-1029	Consistency	Fatal	<p>If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> <table><tr><td>Items</td><td>SFTWR_PROD_NAME</td><td>Software product name</td></tr><tr><td></td><td>SFTWR_PROD_VRSN_CD</td><td>Software product version code</td></tr></table>	Items	SFTWR_PROD_NAME	Software product name		SFTWR_PROD_VRSN_CD	Software product version code																																							
Items	SFTWR_PROD_NAME	Software product name																																														
	SFTWR_PROD_VRSN_CD	Software product version code																																														
-1030	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string.</p> <p>This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[&] (ampersand)</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p>																																													

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																					
			[.] (period) [] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.																					
			<table><tr><td>Items</td><td>SFTWR_VNDR_NAME</td><td>Software vendor company name</td></tr><tr><td></td><td>SFTWR_PROD_NAME</td><td>Software product name</td></tr></table>	Items	SFTWR_VNDR_NAME	Software vendor company name		SFTWR_PROD_NAME	Software product name															
Items	SFTWR_VNDR_NAME	Software vendor company name																						
	SFTWR_PROD_NAME	Software product name																						
-1031	Format	Warning	<p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <table><tr><td>Items</td><td>ITM_SET_VRSN_C</td><td>Item set version code</td></tr><tr><td></td><td>SPEC_VRSN_CD</td><td>Specifications version code</td></tr></table>	Items	ITM_SET_VRSN_C	Item set version code		SPEC_VRSN_CD	Specifications version code															
Items	ITM_SET_VRSN_C	Item set version code																						
	SPEC_VRSN_CD	Specifications version code																						
-1033	Consistency	Fatal	<p>A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <table><tr><td>Items</td><td>FAC_ID</td><td>Assigned facility/provider submission ID</td></tr></table>	Items	FAC_ID	Assigned facility/provider submission ID																		
Items	FAC_ID	Assigned facility/provider submission ID																						
-1034	Consistency	Fatal	<p>The ASAP system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <table><tr><td>Items</td><td>ITM_SBST_CD</td><td>Item subset code</td></tr></table>	Items	ITM_SBST_CD	Item subset code																		
Items	ITM_SBST_CD	Item subset code																						
-1036	Consistency	Fatal	<p>If A0050 = [2,3], then A0055 must not be equal to [0].</p> <table><tr><td>Items</td><td>A0055</td><td>Correction number</td></tr><tr><td></td><td>A0050</td><td>Type of record</td></tr></table>	Items	A0055	Correction number		A0050	Type of record															
Items	A0055	Correction number																						
	A0050	Type of record																						
-1037	Format	Fatal	<p>Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): This item must conform to one of two possible formats, as defined below:</p> <p>a) MBI format: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</p> <p>b) Medicare Number format: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p> <table><tr><td>Items</td><td>A0600B</td><td>Medicare/railroad insurance number</td></tr></table>	Items	A0600B	Medicare/railroad insurance number																		
Items	A0600B	Medicare/railroad insurance number																						
-1038	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item.</p> <p>The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> <table><tr><td>Items</td><td>M0300A</td><td>Stage 1 pressure injuries: number present</td></tr><tr><td></td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr><tr><td></td><td>M0300B2</td><td>Stage 2 pressure ulcers: number at admit</td></tr><tr><td></td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300C2</td><td>Stage 3 pressure ulcers: number at admit</td></tr><tr><td></td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D2</td><td>Stage 4 pressure ulcers: number at admit</td></tr></table>	Items	M0300A	Stage 1 pressure injuries: number present		M0300B1	Stage 2 pressure ulcers: number present		M0300B2	Stage 2 pressure ulcers: number at admit		M0300C1	Stage 3 pressure ulcers: number present		M0300C2	Stage 3 pressure ulcers: number at admit		M0300D1	Stage 4 pressure ulcers: number present		M0300D2	Stage 4 pressure ulcers: number at admit
Items	M0300A	Stage 1 pressure injuries: number present																						
	M0300B1	Stage 2 pressure ulcers: number present																						
	M0300B2	Stage 2 pressure ulcers: number at admit																						
	M0300C1	Stage 3 pressure ulcers: number present																						
	M0300C2	Stage 3 pressure ulcers: number at admit																						
	M0300D1	Stage 4 pressure ulcers: number present																						
	M0300D2	Stage 4 pressure ulcers: number at admit																						

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items</div> <div>M0300E1</div> <div>M0300E2</div> <div>M0300F1</div> <div>M0300F2</div> <div>M0300G1</div> <div>M0300G2</div> <div>Unstageable due to dressing/device: number present</div> <div>Unstageable due to dressing/device: number at adm</div> <div>Unstageable slough/eschar: number present</div> <div>Unstageable slough/eschar: number at admit</div> <div>Unstageable as deep tissue: num present</div> <div>Unstageable as deep tissue: num at adm</div>
-3010	Consistency	Fatal	<div>If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].</div> <div>Items</div> <div>A0250</div> <div>M0300B1</div> <div>M0300B2</div> <div>Reason for Assessment</div> <div>Stage 2 pressure ulcers: number present</div> <div>Stage 2 pressure ulcers: number at admit</div>
-3011	Consistency	Fatal	<div>If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].</div> <div>Items</div> <div>A0250</div> <div>M0300B1</div> <div>M0300B2</div> <div>Reason for Assessment</div> <div>Stage 2 pressure ulcers: number present</div> <div>Stage 2 pressure ulcers: number at admit</div>
-3012	Consistency	Fatal	<div>If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].</div> <div>Items</div> <div>A0250</div> <div>M0300C1</div> <div>M0300C2</div> <div>Reason for Assessment</div> <div>Stage 3 pressure ulcers: number present</div> <div>Stage 3 pressure ulcers: number at admit</div>
-3013	Consistency	Fatal	<div>If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].</div> <div>Items</div> <div>A0250</div> <div>M0300C1</div> <div>M0300C2</div> <div>Reason for Assessment</div> <div>Stage 3 pressure ulcers: number present</div> <div>Stage 3 pressure ulcers: number at admit</div>
-3014	Consistency	Fatal	<div>If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].</div> <div>Items</div> <div>A0250</div> <div>M0300D1</div> <div>M0300D2</div> <div>Reason for Assessment</div> <div>Stage 4 pressure ulcers: number present</div> <div>Stage 4 pressure ulcers: number at admit</div>
-3015	Consistency	Fatal	<div>If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].</div> <div>Items</div> <div>A0250</div> <div>M0300D1</div> <div>M0300D2</div> <div>Reason for Assessment</div> <div>Stage 4 pressure ulcers: number present</div> <div>Stage 4 pressure ulcers: number at admit</div>
-3016	Consistency	Fatal	<div>If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].</div> <div>Items</div> <div>A0250</div> <div>M0300E1</div> <div>M0300E2</div> <div>Reason for Assessment</div> <div>Unstageable due to dressing/device: number present</div> <div>Unstageable due to dressing/device: number at adm</div>
-3017	Consistency	Fatal	<div>(a) If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].</div> <div>Items</div> <div>A0250</div> <div>M0300E1</div> <div>M0300E2</div> <div>Reason for Assessment</div> <div>Unstageable due to dressing/device: number present</div> <div>Unstageable due to dressing/device: number at adm</div>
-3018	Consistency	Fatal	<div>If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].</div> <div>Items</div> <div>A0250</div> <div>M0300F1</div> <div>M0300F2</div> <div>Reason for Assessment</div> <div>Unstageable slough/eschar: number present</div> <div>Unstageable slough/eschar: number at admit</div>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3019	Consistency	Fatal	(a) If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].
			Items A0250 Reason for Assessment
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
-3020	Consistency	Fatal	If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].
			Items A0250 Reason for Assessment
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
-3021	Consistency	Fatal	(a) If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].
			Items A0250 Reason for Assessment
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
-3022	Consistency	Fatal	If A1100A=[1], then A1100B must not equal [^].
			Items A1100A Does the patient need or want an interpreter
			A1100B Preferred language
-3023	Consistency	Fatal	If A1100A=[-], then A1100B must equal [-].
			Items A1100A Does the patient need or want an interpreter
			A1100B Preferred language
-3025	Consistency	Fatal	If A0250=[01], then A0270 must equal [^].
			Items A0250 Reason for Assessment
			A0270 Discharge date
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
			Items M0210 Patient has 1+ unhealed pressure ulcers/injuries
			M0300A Stage 1 pressure injuries: number present
			M0300B1 Stage 2 pressure ulcers: number present
			M0300B2 Stage 2 pressure ulcers: number at admit
			M0300C1 Stage 3 pressure ulcers: number present
			M0300C2 Stage 3 pressure ulcers: number at admit
			M0300D1 Stage 4 pressure ulcers: number present
			M0300D2 Stage 4 pressure ulcers: number at admit
			M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
-3036	Consistency	Fatal	a) If B0100=[1], then all active items from BB0700 through C1610E2 must equal [^].
			b) If B0100=[0], then all active items from BB0700 through C1610E2 must not equal [^].
			c) If B0100=[-], then all active items from BB0700 through C1610E2 must equal [-].
			Items B0100 Comatose
			BB0700 Expression of Ideas and Wants (3-day asmt period)
			BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)
			C1610A Acute onset
			C1610B Fluctuating Course

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items	
			C1610C	Inattention
			C1610D	Disorganized Thinking
			C1610E1	Altered Consc Lvl - Alert
			C1610E2	Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma
-3039	Consistency	Fatal	a) If GG0110Z=[1], then all active items from GG0110A through GG0110C must equal [0]. b) If GG0110Z=[0], then at least one active item from GG0110A through GG0110C must not be equal to [0]. c) If GG0110Z=[-], then all active items from GG0110A through GG0110C must equal [0,-].	
			Items	
			GG0110A	Manual wheelchair
			GG0110B	Motorized wheelchair and/or scooter
			GG0110C	Mechanical lift
			GG0110Z	None of the above
-3042	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***	
			Items	
			GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet
			GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet
			GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns
			GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet
			GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet
-3043	Consistency	Fatal	a) If GG0170Q1=[0], then all active items from GG0170R1 through GG0170SS1 must be equal to [^]. b) If GG0170Q1=[1], then all active items from GG0170R1 through GG0170SS1 must not be equal to [^].	
			Items	
			GG0170Q1	Does the patient use a wheelchair and/or scooter
			GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			GG0170R2	Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
			GG0170RR1	Indicate the type of wheelchair or scooter used
			GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet
			GG0170S2	Func Mobil (Dschg Goal) - Wheel 150 feet
			GG0170SS1	Indicate the type of wheelchair or scooter used
-3044	Consistency	Fatal	a) If I0050=[5], then I0050A must not be equal to [^]. b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].	
			Items	
			I0050	Patient primary medical condition
			I0050A	Other medical condition - ICD code
-3046	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***	
			Items	
			I0900	Peripheral vascular disease (PVD) or PAD
			I1501	Chronic Kidney Disease, Stage 5
			I1502	Acute Renal Failure
			I2101	Septicemia, Sepsis, Systemic Inflammatory Response
			I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect
			I2900	Diabetes mellitus (DM)
			I4100	Major Lower Limb Amputation
			I4501	Stroke
			I4801	Dementia
			I4900	Hemiplegia or Hemiparesis
			I5000	Paraplegia
			I5101	Complete Tetraplegia
			I5102	Incomplete Tetraplegia

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items	
			I5110	Other Spinal Cord Disorder/Injury
			I5200	Multiple Sclerosis (MS)
			I5250	Huntington's Disease
			I5300	Parkinson's Disease
			I5450	Amyotrophic Lateral Sclerosis
			I5460	Locked-In State
			I5470	Severe Anoxic Brain Damage, Cerebral Edema
			I5601	Malnutrition
			I5602	At Risk for Malnutrition
			I7900	None of the Above
-3049	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must be equal to [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^], and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must be equal to [-].	
			Items	
			J1800	Any Falls Since Admission
			J1900A	Num Falls Since Admission - No injury
			J1900B	Num Falls Since Admission - Injury (except major)
			J1900C	Num Falls Since Admission - Major injury
-3050	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***	
			Items	
			O0100G	Non-invasive ventilator (BIPAP, CPAP)
			O0100J	Dialysis
			O0100N	Total Parenteral Nutrition
			O0100Z	None of the above
-3052	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***	
			Items	
			GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet
-3542	Consistency	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].	
			Items	
			M0210	Patient has 1+ unhealed pressure ulcers/injuries
			M0300A	Stage 1 pressure injuries: number present
			M0300B1	Stage 2 pressure ulcers: number present
-3543	Consistency	Fatal	If M0210=[1], then M0300C1 must not equal [^].	
			Items	
			M0210	Patient has 1+ unhealed pressure ulcers/injuries
			M0300C1	Stage 3 pressure ulcers: number present
-3544	Consistency	Fatal	If M0210=[1], then M0300D1 must not equal [^].	
			Items	
			M0210	Patient has 1+ unhealed pressure ulcers/injuries
			M0300D1	Stage 4 pressure ulcers: number present
-3545	Consistency	Fatal	If M0210=[1], then M0300E1 must not equal [^].	
			Items	
			M0210	Patient has 1+ unhealed pressure ulcers/injuries
			M0300E1	Unstageable due to dressing/device: number present
-3546	Consistency	Fatal	If M0210=[1], then M0300F1 must not equal [^].	
			Items	
			M0210	Patient has 1+ unhealed pressure ulcers/injuries
			M0300F1	Unstageable slough/eschar: number present

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items									
-3547	Consistency	Fatal	If M0210=[1], then M0300G1 must not equal [^].									
			<table><tr><td>Items</td><td>M0210</td><td>Patient has 1+ unhealed pressure ulcers/injuries</td></tr><tr><td></td><td>M0300G1</td><td>Unstageable as deep tissue: num present</td></tr></table>	Items	M0210	Patient has 1+ unhealed pressure ulcers/injuries		M0300G1	Unstageable as deep tissue: num present			
Items	M0210	Patient has 1+ unhealed pressure ulcers/injuries										
	M0300G1	Unstageable as deep tissue: num present										
-3548	Consistency	Fatal	If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr><tr><td></td><td>M0300B2</td><td>Stage 2 pressure ulcers: number at admit</td></tr></table>	Items	A0250	Reason for Assessment		M0300B1	Stage 2 pressure ulcers: number present		M0300B2	Stage 2 pressure ulcers: number at admit
Items	A0250	Reason for Assessment										
	M0300B1	Stage 2 pressure ulcers: number present										
	M0300B2	Stage 2 pressure ulcers: number at admit										
-3549	Consistency	Fatal	If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300C2</td><td>Stage 3 pressure ulcers: number at admit</td></tr></table>	Items	A0250	Reason for Assessment		M0300C1	Stage 3 pressure ulcers: number present		M0300C2	Stage 3 pressure ulcers: number at admit
Items	A0250	Reason for Assessment										
	M0300C1	Stage 3 pressure ulcers: number present										
	M0300C2	Stage 3 pressure ulcers: number at admit										
-3550	Consistency	Fatal	If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D2</td><td>Stage 4 pressure ulcers: number at admit</td></tr></table>	Items	A0250	Reason for Assessment		M0300D1	Stage 4 pressure ulcers: number present		M0300D2	Stage 4 pressure ulcers: number at admit
Items	A0250	Reason for Assessment										
	M0300D1	Stage 4 pressure ulcers: number present										
	M0300D2	Stage 4 pressure ulcers: number at admit										
-3551	Consistency	Fatal	If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300E1</td><td>Unstageable due to dressing/device: number present</td></tr><tr><td></td><td>M0300E2</td><td>Unstageable due to dressing/device: number at adm</td></tr></table>	Items	A0250	Reason for Assessment		M0300E1	Unstageable due to dressing/device: number present		M0300E2	Unstageable due to dressing/device: number at adm
Items	A0250	Reason for Assessment										
	M0300E1	Unstageable due to dressing/device: number present										
	M0300E2	Unstageable due to dressing/device: number at adm										
-3552	Consistency	Fatal	If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300F1</td><td>Unstageable slough/eschar: number present</td></tr><tr><td></td><td>M0300F2</td><td>Unstageable slough/eschar: number at admit</td></tr></table>	Items	A0250	Reason for Assessment		M0300F1	Unstageable slough/eschar: number present		M0300F2	Unstageable slough/eschar: number at admit
Items	A0250	Reason for Assessment										
	M0300F1	Unstageable slough/eschar: number present										
	M0300F2	Unstageable slough/eschar: number at admit										
-3553	Consistency	Fatal	If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].									
			<table><tr><td>Items</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300G1</td><td>Unstageable as deep tissue: num present</td></tr><tr><td></td><td>M0300G2</td><td>Unstageable as deep tissue: num at adm</td></tr></table>	Items	A0250	Reason for Assessment		M0300G1	Unstageable as deep tissue: num present		M0300G2	Unstageable as deep tissue: num at adm
Items	A0250	Reason for Assessment										
	M0300G1	Unstageable as deep tissue: num present										
	M0300G2	Unstageable as deep tissue: num at adm										
-3572	Consistency	Fatal	If A1100A=[0,9], then A1100B must equal [^].									
			<table><tr><td>Items</td><td>A1100A</td><td>Does the patient need or want an interpreter</td></tr><tr><td></td><td>A1100B</td><td>Preferred language</td></tr></table>	Items	A1100A	Does the patient need or want an interpreter		A1100B	Preferred language			
Items	A1100A	Does the patient need or want an interpreter										
	A1100B	Preferred language										
-3573	Consistency	Fatal	Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birth date) <= A0220 (admission date) <= A0210 (assessment reference date) = A0270 (discharge date) <= Z0500B (date assessment signed as complete) <= current date									
			<table><tr><td>Items</td><td>A0210</td><td>Assessment reference date</td></tr><tr><td></td><td>A0220</td><td>Admission date</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr><tr><td></td><td>A0900</td><td>Birth Date</td></tr></table>	Items	A0210	Assessment reference date		A0220	Admission date		A0270	Discharge date
Items	A0210	Assessment reference date										
	A0220	Admission date										
	A0270	Discharge date										
	A0900	Birth Date										

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items</div> <div>Z0500B</div> <div>Date assessment signed as complete</div>
-3612	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <div>Items</div> <div> M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm </div>
-3662	Consistency	Fatal	<p>If M0300B1=[1-9], then one of the following must be true: a) M0300B2 must be equal to [-] OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <div>Items</div> <div> M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit </div>
-3663	Consistency	Fatal	<p>If M0300C1=[1-9], then one of the following must be true: a) M0300C2 must be equal to [-] OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> <div>Items</div> <div> M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit </div>
-3664	Consistency	Fatal	<p>If M0300D1=[1-9], then one of the following must be true: a) M0300D2 must be equal to [-] OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> <div>Items</div> <div> M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit </div>
-3665	Consistency	Fatal	<p>If M0300E1=[1-9], then one of the following must be true: a) M0300E2 must be equal to [-] OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> <div>Items</div> <div> M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm </div>
-3666	Consistency	Fatal	<p>If M0300F1=[1-9], then one of the following must be true: a) M0300F2 must be equal to [-] OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> <div>Items</div> <div> M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit </div>
-3667	Consistency	Fatal	<p>If M0300G1=[1-9], then one of the following must be true: a) M0300G2 must be equal to [-] OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> <div>Items</div> <div> M0300G1 Unstageable as deep tissue: num present </div>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items</div> <div>M0300G2</div> <div>Unstageable as deep tissue: num at adm</div>
-3745	Consistency	Fatal	<p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record.</p> <p>The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <p>a) A0270 (discharge date) when A0250 = 10, 11, 12</p> <p>b) A0220 (admission date) when A0250 = 01</p> <p>c) A0250 (reason for assessment)</p> <p>d) A0500A (patient first name)</p> <p>e) A0500C (patient last name)</p> <p>f) A0600A (social security number)</p> <p>g) A0800 (gender)</p> <p>h) A0900 (birth date)</p> <div> <div>Items</div> <div> <div>A0220</div> <div>Admission date</div> </div> <div> <div>A0250</div> <div>Reason for Assessment</div> </div> <div> <div>A0270</div> <div>Discharge date</div> </div> <div> <div>A0500A</div> <div>Patient first name</div> </div> <div> <div>A0500C</div> <div>Patient last name</div> </div> <div> <div>A0600A</div> <div>Social Security Number</div> </div> <div> <div>A0800</div> <div>Gender</div> </div> <div> <div>A0900</div> <div>Birth Date</div> </div> </div>
-3749	Consistency	Warning	<p>Record Completion Timing Rule</p> <p>The following rule describes allowable spans between pairs of dates. The rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values).</p> <p>Z0500B (completion date) - A0210 (assessment reference date) <= 5 days.</p> <div> <div>Items</div> <div> <div>A0210</div> <div>Assessment reference date</div> </div> <div> <div>Z0500B</div> <div>Date assessment signed as complete</div> </div> </div>
-3761	Consistency	Fatal	<p>(a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].</p> <div> <div>Items</div> <div> <div>A1000A</div> <div>Ethnicity: American Indian or Alaska Native</div> </div> <div> <div>A1000B</div> <div>Ethnicity: Asian</div> </div> <div> <div>A1000C</div> <div>Ethnicity: Black or African American</div> </div> <div> <div>A1000D</div> <div>Ethnicity: Hispanic or Latino</div> </div> <div> <div>A1000E</div> <div>Ethnicity: Native Hawaiian/Pacific Islander</div> </div> <div> <div>A1000F</div> <div>Ethnicity: White</div> </div> </div>
-3790	Consistency	Fatal	<p>If A0250=[10, 11, 12], then A0270 must not equal [^].</p> <div> <div>Items</div> <div> <div>A0250</div> <div>Reason for Assessment</div> </div> <div> <div>A0270</div> <div>Discharge date</div> </div> </div>
-3810	Consistency	Warning	<p>The record was submitted Late. The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.</p> <div> <div>Items</div> <div> <div>A0050</div> <div>Type of record</div> </div> <div> <div>Z0500B</div> <div>Date assessment signed as complete</div> </div> </div>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> <p>Items I0050A Other medical condition - ICD code</p>
-3863	Consistency	Warning	<p>If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]</p> <p>Items A1400A Payer: Medicare (FFS)</p> <p>A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)</p> <p>A1400C Payer: Medicaid (FFS)</p> <p>A1400D Payer: Medicaid (managed care)</p> <p>A1400E Payer: Workers' compensation</p> <p>A1400F Payer: Title programs</p> <p>A1400G Payer: Other Government</p> <p>A1400H Payer: Private insurance/Medigap</p> <p>A1400I Payer: Private managed care</p> <p>A1400J Payer: Self-pay</p> <p>A1400K Payer: No payer source</p> <p>A1400X Payer: Unknown</p> <p>A1400Y Payer: Other</p>
-3900	Consistency	Warning	<p>A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items B0100 Comatose</p> <p>BB0700 Expression of Ideas and Wants (3-day asmt period)</p> <p>BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)</p> <p>C1610A Acute onset</p> <p>C1610B Fluctuating Course</p> <p>C1610C Inattention</p> <p>C1610D Disorganized Thinking</p> <p>C1610E1 Altered Consc Lvl - Alert</p> <p>C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</p> <p>GG0130A1 Self-Care (Adm Perf) - Eating</p> <p>GG0130A3 Self-Care (Dschg Perf) - Eating</p> <p>GG0130B1 Self-Care (Adm Perf) - Oral hygiene</p> <p>GG0130B3 Self-Care (Dschg Perf) - Oral hygiene</p> <p>GG0130C1 Self-Care (Adm Perf) - Toileting hygiene</p> <p>GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene</p> <p>GG0130D1 Self-Care (Adm Perf) - Wash upper body</p> <p>GG0130D3 Self-Care (Dschg Perf) - Wash upper body</p> <p>GG0170A1 Func Mobil (Adm Perf) - Roll left and right</p> <p>GG0170A3 Func Mobil (Dschg Perf) - Roll left and right</p> <p>GG0170B1 Func Mobil (Adm Perf) - Sit to lying</p> <p>GG0170B3 Func Mobil (Dschg Perf) - Sit to lying</p> <p>GG0170C1 Func Mobil (Adm Perf) - Lying to sit on side</p> <p>GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side</p> <p>GG0170D1 Func Mobil (Adm Perf) - Sit to stand</p> <p>GG0170D3 Func Mobil (Dschg Perf) - Sit to stand</p> <p>GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans</p>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																																																																	
			<table><tr><th>Items</th><td>GG0170E3</td><td>Func Mobil (Dschg Perf) - Chair/bed-to-chair trans</td></tr><tr><td>GG0170F1</td><td>Func Mobil (Adm Perf) - Toilet transfer</td></tr><tr><td>GG0170F3</td><td>Func Mobil (Dschg Perf) - Toilet transfer</td></tr><tr><td>GG0170I1</td><td>Func Mobil (Adm Perf) - Walk 10 feet</td></tr><tr><td>GG0170I3</td><td>Func Mobil (Dschg Perf) - Walk 10 feet</td></tr><tr><td>GG0170J1</td><td>Func Mobil (Adm Perf) - Walk 50 feet w/2 turns</td></tr><tr><td>GG0170J3</td><td>Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns</td></tr><tr><td>GG0170K1</td><td>Func Mobil (Adm Perf) - Walk 150 feet</td></tr><tr><td>GG0170K3</td><td>Func Mobil (Dschg Perf) - Walk 150 feet</td></tr><tr><td>GG0170Q1</td><td>Does the patient use a wheelchair and/or scooter</td></tr><tr><td>GG0170Q3</td><td>Does the patient use a wheelchair and/or scooter</td></tr><tr><td>GG0170R1</td><td>Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns</td></tr><tr><td>GG0170R3</td><td>Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns</td></tr><tr><td>GG0170RR1</td><td>Indicate the type of wheelchair or scooter used</td></tr><tr><td>GG0170RR3</td><td>Indicate the type of wheelchair or scooter used</td></tr><tr><td>GG0170S1</td><td>Func Mobil (Adm Perf) - Wheel 150 feet</td></tr><tr><td>GG0170S3</td><td>Func Mobil (Dschg Perf) - Wheel 150 feet</td></tr><tr><td>GG0170SS1</td><td>Indicate the type of wheelchair or scooter used</td></tr><tr><td>GG0170SS3</td><td>Indicate the type of wheelchair or scooter used.</td></tr><tr><td>H0350</td><td>Bladder continence</td></tr><tr><td>H0400</td><td>Bowel continence</td></tr><tr><td>I0900</td><td>Peripheral vascular disease (PVD) or PAD</td></tr><tr><td>I2900</td><td>Diabetes mellitus (DM)</td></tr><tr><td>I5101</td><td>Complete Tetraplegia</td></tr><tr><td>I5200</td><td>Multiple Sclerosis (MS)</td></tr><tr><td>I5250</td><td>Huntington's Disease</td></tr><tr><td>I5300</td><td>Parkinson's Disease</td></tr><tr><td>I5450</td><td>Amyotrophic Lateral Sclerosis</td></tr><tr><td>I5460</td><td>Locked-In State</td></tr><tr><td>I5470</td><td>Severe Anoxic Brain Damage, Cerebral Edema</td></tr><tr><td>J1900C</td><td>Num Falls Since Admission - Major injury</td></tr><tr><td>K0200A</td><td>Height (in inches)</td></tr><tr><td>K0200B</td><td>Weight (in pounds)</td></tr><tr><td>M0300B2</td><td>Stage 2 pressure ulcers: number at admit</td></tr><tr><td>M0300C2</td><td>Stage 3 pressure ulcers: number at admit</td></tr><tr><td>M0300D2</td><td>Stage 4 pressure ulcers: number at admit</td></tr><tr><td>M0300E2</td><td>Unstageable due to dressing/device: number at adm</td></tr><tr><td>M0300F2</td><td>Unstageable slough/eschar: number at admit</td></tr><tr><td>M0300G2</td><td>Unstageable as deep tissue: num at adm</td></tr><tr><td>N2001</td><td>Drug Regimen Review</td></tr><tr><td>N2003</td><td>Medication Follow-up</td></tr><tr><td>N2005</td><td>Medication Intervention</td></tr><tr><td>O0150A</td><td>SBT: Invasive Mechanical Ventilation Support</td></tr><tr><td>O0150B</td><td>SBT: Assessed for readiness by day 2</td></tr><tr><td>O0150C</td><td>SBT: Deemed medically ready by day 2</td></tr><tr><td>O0150D</td><td>SBT: Documentation of reason(s) - patient unready</td></tr><tr><td>O0150E</td><td>SBT: Performed by day 2</td></tr><tr><td>O0200A</td><td>Invasive Mechanical Ventilator - Liberation Status</td></tr></table>	Items	GG0170E3	Func Mobil (Dschg Perf) - Chair/bed-to-chair trans	GG0170F1	Func Mobil (Adm Perf) - Toilet transfer	GG0170F3	Func Mobil (Dschg Perf) - Toilet transfer	GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet	GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet	GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns	GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns	GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet	GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet	GG0170Q1	Does the patient use a wheelchair and/or scooter	GG0170Q3	Does the patient use a wheelchair and/or scooter	GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns	GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns	GG0170RR1	Indicate the type of wheelchair or scooter used	GG0170RR3	Indicate the type of wheelchair or scooter used	GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet	GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet	GG0170SS1	Indicate the type of wheelchair or scooter used	GG0170SS3	Indicate the type of wheelchair or scooter used.	H0350	Bladder continence	H0400	Bowel continence	I0900	Peripheral vascular disease (PVD) or PAD	I2900	Diabetes mellitus (DM)	I5101	Complete Tetraplegia	I5200	Multiple Sclerosis (MS)	I5250	Huntington's Disease	I5300	Parkinson's Disease	I5450	Amyotrophic Lateral Sclerosis	I5460	Locked-In State	I5470	Severe Anoxic Brain Damage, Cerebral Edema	J1900C	Num Falls Since Admission - Major injury	K0200A	Height (in inches)	K0200B	Weight (in pounds)	M0300B2	Stage 2 pressure ulcers: number at admit	M0300C2	Stage 3 pressure ulcers: number at admit	M0300D2	Stage 4 pressure ulcers: number at admit	M0300E2	Unstageable due to dressing/device: number at adm	M0300F2	Unstageable slough/eschar: number at admit	M0300G2	Unstageable as deep tissue: num at adm	N2001	Drug Regimen Review	N2003	Medication Follow-up	N2005	Medication Intervention	O0150A	SBT: Invasive Mechanical Ventilation Support	O0150B	SBT: Assessed for readiness by day 2	O0150C	SBT: Deemed medically ready by day 2	O0150D	SBT: Documentation of reason(s) - patient unready	O0150E	SBT: Performed by day 2	O0200A	Invasive Mechanical Ventilator - Liberation Status
Items	GG0170E3	Func Mobil (Dschg Perf) - Chair/bed-to-chair trans																																																																																																		
GG0170F1	Func Mobil (Adm Perf) - Toilet transfer																																																																																																			
GG0170F3	Func Mobil (Dschg Perf) - Toilet transfer																																																																																																			
GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet																																																																																																			
GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet																																																																																																			
GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns																																																																																																			
GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns																																																																																																			
GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet																																																																																																			
GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet																																																																																																			
GG0170Q1	Does the patient use a wheelchair and/or scooter																																																																																																			
GG0170Q3	Does the patient use a wheelchair and/or scooter																																																																																																			
GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns																																																																																																			
GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns																																																																																																			
GG0170RR1	Indicate the type of wheelchair or scooter used																																																																																																			
GG0170RR3	Indicate the type of wheelchair or scooter used																																																																																																			
GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet																																																																																																			
GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet																																																																																																			
GG0170SS1	Indicate the type of wheelchair or scooter used																																																																																																			
GG0170SS3	Indicate the type of wheelchair or scooter used.																																																																																																			
H0350	Bladder continence																																																																																																			
H0400	Bowel continence																																																																																																			
I0900	Peripheral vascular disease (PVD) or PAD																																																																																																			
I2900	Diabetes mellitus (DM)																																																																																																			
I5101	Complete Tetraplegia																																																																																																			
I5200	Multiple Sclerosis (MS)																																																																																																			
I5250	Huntington's Disease																																																																																																			
I5300	Parkinson's Disease																																																																																																			
I5450	Amyotrophic Lateral Sclerosis																																																																																																			
I5460	Locked-In State																																																																																																			
I5470	Severe Anoxic Brain Damage, Cerebral Edema																																																																																																			
J1900C	Num Falls Since Admission - Major injury																																																																																																			
K0200A	Height (in inches)																																																																																																			
K0200B	Weight (in pounds)																																																																																																			
M0300B2	Stage 2 pressure ulcers: number at admit																																																																																																			
M0300C2	Stage 3 pressure ulcers: number at admit																																																																																																			
M0300D2	Stage 4 pressure ulcers: number at admit																																																																																																			
M0300E2	Unstageable due to dressing/device: number at adm																																																																																																			
M0300F2	Unstageable slough/eschar: number at admit																																																																																																			
M0300G2	Unstageable as deep tissue: num at adm																																																																																																			
N2001	Drug Regimen Review																																																																																																			
N2003	Medication Follow-up																																																																																																			
N2005	Medication Intervention																																																																																																			
O0150A	SBT: Invasive Mechanical Ventilation Support																																																																																																			
O0150B	SBT: Assessed for readiness by day 2																																																																																																			
O0150C	SBT: Deemed medically ready by day 2																																																																																																			
O0150D	SBT: Documentation of reason(s) - patient unready																																																																																																			
O0150E	SBT: Performed by day 2																																																																																																			
O0200A	Invasive Mechanical Ventilator - Liberation Status																																																																																																			
-3910	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <table><tr><th>Items</th><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr></table>	Items	M0300B1	Stage 2 pressure ulcers: number present																																																																																														
Items	M0300B1	Stage 2 pressure ulcers: number present																																																																																																		
-3911	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <table><tr><th>Items</th><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr></table>	Items	M0300C1	Stage 3 pressure ulcers: number present																																																																																														
Items	M0300C1	Stage 3 pressure ulcers: number present																																																																																																		

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3912	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <p>Items M0300D1 Stage 4 pressure ulcers: number present</p>
-3922	Consistency	Fatal	<p>a) If O0250A=[1], then O0250B must not equal [^]. b) If O0250A=[0], then O0250B must equal [^]. c) If O0250A=[-], then O0250B must equal [-].</p> <p>Items O0250A Was influenza vaccine received O0250B Date influenza vaccine received</p>
-3923	Consistency	Fatal	<p>a) If O0250A=[0], then O0250C must not equal [^]. b) If O0250A=[1], then O0250C must equal [^]. c) If O0250A=[-], then O0250C must equal [-]</p> <p>Items O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason</p>
-3924	Format	Fatal	<p>The CMS Certification Number (CCN) must be exactly 6 characters in length.</p> <p>Items A0100B Facility CMS Certification Number (CCN)</p>
-3928	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <p>Items A0220 Admission date A0270 Discharge date</p>
-3929	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <p>Items M0300E1 Unstageable due to dressing/device: number present</p>
-3930	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <p>Items M0300F1 Unstageable slough/eschar: number present</p>
-3931	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> <p>Items M0300G1 Unstageable as deep tissue: num present</p>
-3932	Consistency	Fatal	<p>b) If B0100=[0], then C1610E1 and C1610E2 cannot BOTH be equal to [-].</p> <p>Items B0100 Comatose C1610E1 Altered Consc Lvl - Alert C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</p>
-3933	Consistency	Warning	<p>Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170I2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88]. Entering the dash [-] as the response to all of the Discharge Goal items may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items GG0130A2 Self-Care (Dschg Goal) - Eating GG0130B2 Self-Care (Dschg Goal) - Oral hygiene GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene GG0130D2 Self-Care (Dschg Goal) - Wash upper body GG0170A2 Func Mobil (Dschg Goal) - Roll left and right GG0170B2 Func Mobil (Dschg Goal) - Sit to lying GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side GG0170D2 Func Mobil (Dschg Goal) - Sit to stand</p>

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
-3934	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.00.0***</p> Items GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet
-3935	Consistency	Fatal	<p>****THIS EDIT WAS DELETED IN V3.00.0****</p> Items GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
-3936	Consistency	Fatal	<p>If GG0170Q1=[-], then all active items from GG0170R1 through GG0170SS1 must be equal to [-].</p> Items GG0170Q1 Does the patient use a wheelchair and/or scooter GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170RR1 Indicate the type of wheelchair or scooter used GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet GG0170SS1 Indicate the type of wheelchair or scooter used
-3937	Consistency	Fatal	<p>a) If GG0170Q3=[0], then all active items from GG0170R3 through GG0170SS3 must be equal to [^]. b) If GG0170Q3=[1], then all active items from GG0170R3 through GG0170SS3 must not be equal to [^]. c) If GG0170Q3=[-], then all active items from GG0170R3 through GG0170SS3 must be equal to [-].</p> Items GG0170Q3 Does the patient use a wheelchair and/or scooter GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns GG0170RR3 Indicate the type of wheelchair or scooter used GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet GG0170SS3 Indicate the type of wheelchair or scooter used.
-3938	Consistency	Fatal	<p>If A0250=[11], then all active items from C1610A through C1610E2 must not be equal to [^].</p> Items A0250 Reason for Assessment C1610A Acute onset C1610B Fluctuating Course C1610C Inattention C1610D Disorganized Thinking C1610E1 Altered Consc Lvl - Alert C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma
-3940	Consistency	Fatal	<p>a) If GG0170I1=[07,09,10,88], then GG0170J1 and GG0170K1 must be equal to [^]. b) If GG0170I1=[01,02,03,04,05,06], then GG0170J1 and GG0170K1 must not be equal to [^]. c) If GG0170I1=[-], then GG0170J1 and GG0170K1 must be equal to [-].</p> Items GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3941	Consistency	Fatal	Items GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet a) If GG0170I3=[07,09,10,88], then GG0170J3 and GG0170K3 must be equal to [^]. b) If GG0170I3=[01,02,03,04,05,06], then GG0170J3 and GG0170K3 must not be equal to [^]. c) If GG0170I3=[-], then GG0170J3 and GG0170K3 must be equal to [-].
			Items GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
-3942	Consistency	Fatal	a) If I7900=[1], then all active items from I0103 through I7104 must be equal to [0]. b) If I7900=[0], then at least one active item from I0103 through I7104 must not be equal to [0]. c) If I7900=[-], then all active items from I0103 through I7104 must be equal to [0,-].
			Items I0103 Metastatic Cancer I0104 Severe Cancer I0605 Severe Left Systolic/Ventricular Dysfunction I0900 Peripheral vascular disease (PVD) or PAD I1501 Chronic Kidney Disease, Stage 5 I1502 Acute Renal Failure I2101 Septicemia, Sepsis, Systemic Inflammatory Response I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect I2900 Diabetes mellitus (DM) I4100 Major Lower Limb Amputation I4501 Stroke I4801 Dementia I4900 Hemiplegia or Hemiparesis I5000 Paraplegia I5101 Complete Tetraplegia I5102 Incomplete Tetraplegia I5110 Other Spinal Cord Disorder/Injury I5200 Multiple Sclerosis (MS) I5250 Huntington's Disease I5300 Parkinson's Disease I5450 Amyotrophic Lateral Sclerosis I5455 Other Progressive Neuromuscular Disease I5460 Locked-In State I5470 Severe Anoxic Brain Damage, Cerebral Edema I5480 Other Severe Neurological Injury-Disease-Dysfunc I5601 Malnutrition I5602 At Risk for Malnutrition I7100 Lung Transplant I7101 Heart Transplant I7102 Liver Transplant I7103 Kidney Transplant I7104 Bone Marrow Transplant I7900 None of the Above
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
			Items M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																		
			<table><tr><td>Items</td><td>M0300E1</td><td>Unstageable due to dressing/device: number present</td></tr><tr><td></td><td>M0300E2</td><td>Unstageable due to dressing/device: number at adm</td></tr><tr><td></td><td>M0300F1</td><td>Unstageable slough/eschar: number present</td></tr><tr><td></td><td>M0300F2</td><td>Unstageable slough/eschar: number at admit</td></tr><tr><td></td><td>M0300G1</td><td>Unstageable as deep tissue: num present</td></tr><tr><td></td><td>M0300G2</td><td>Unstageable as deep tissue: num at adm</td></tr></table>	Items	M0300E1	Unstageable due to dressing/device: number present		M0300E2	Unstageable due to dressing/device: number at adm		M0300F1	Unstageable slough/eschar: number present		M0300F2	Unstageable slough/eschar: number at admit		M0300G1	Unstageable as deep tissue: num present		M0300G2	Unstageable as deep tissue: num at adm
Items	M0300E1	Unstageable due to dressing/device: number present																			
	M0300E2	Unstageable due to dressing/device: number at adm																			
	M0300F1	Unstageable slough/eschar: number present																			
	M0300F2	Unstageable slough/eschar: number at admit																			
	M0300G1	Unstageable as deep tissue: num present																			
	M0300G2	Unstageable as deep tissue: num at adm																			
-3944	Consistency	Fatal	<p>a) If N2001=[0,9], then N2003 must be equal to [^]. b) If N2001=[1], then N2003 must not be equal to [^]. c) If N2001=[-], then N2003 must be equal to [-].</p> <table><tr><td>Items</td><td>N2001</td><td>Drug Regimen Review</td></tr><tr><td></td><td>N2003</td><td>Medication Follow-up</td></tr></table>	Items	N2001	Drug Regimen Review		N2003	Medication Follow-up												
Items	N2001	Drug Regimen Review																			
	N2003	Medication Follow-up																			
-3945	Consistency	Fatal	<p>a) If O0100Z=[1], then items O0100G, O0100H, O0100J and O0100N must be equal to [0]. b) If O0100Z=[0], then at least one of items O0100G, O0100H, O0100J and O0100N must not be equal to [0]. c) If O0100Z=[-], then items O0100G, O0100H, O0100J and O0100N must be equal to [0,-].</p> <table><tr><td>Items</td><td>O0100G</td><td>Non-invasive ventilator (BIPAP, CPAP)</td></tr><tr><td></td><td>O0100H</td><td>IV Medications</td></tr><tr><td></td><td>O0100J</td><td>Dialysis</td></tr><tr><td></td><td>O0100N</td><td>Total Parenteral Nutrition</td></tr><tr><td></td><td>O0100Z</td><td>None of the above</td></tr></table>	Items	O0100G	Non-invasive ventilator (BIPAP, CPAP)		O0100H	IV Medications		O0100J	Dialysis		O0100N	Total Parenteral Nutrition		O0100Z	None of the above			
Items	O0100G	Non-invasive ventilator (BIPAP, CPAP)																			
	O0100H	IV Medications																			
	O0100J	Dialysis																			
	O0100N	Total Parenteral Nutrition																			
	O0100Z	None of the above																			
-3946	Consistency	Fatal	<p>a) If O0100H=[0], then O0100H2A must be equal to [0]. b) If O0100H=[-], then O0100H2A must be equal to [-].</p> <table><tr><td>Items</td><td>O0100H</td><td>IV Medications</td></tr><tr><td></td><td>O0100H2A</td><td>Vasoactive medications</td></tr></table>	Items	O0100H	IV Medications		O0100H2A	Vasoactive medications												
Items	O0100H	IV Medications																			
	O0100H2A	Vasoactive medications																			
-3947	Consistency	Fatal	<p>(a) If O0150A=[0,2], then all active items from O0150B through O0150E must equal [^]. (b) If O0150A=[1], then O0150B must not equal [^]. (c) If O0150A=[-], then all active items from O0150B through O0150E must equal [-].</p> <table><tr><td>Items</td><td>O0150A</td><td>SBT: Invasive Mechanical Ventilation Support</td></tr><tr><td></td><td>O0150B</td><td>SBT: Assessed for readiness by day 2</td></tr><tr><td></td><td>O0150C</td><td>SBT: Deemed medically ready by day 2</td></tr><tr><td></td><td>O0150D</td><td>SBT: Documentation of reason(s) - patient unready</td></tr><tr><td></td><td>O0150E</td><td>SBT: Performed by day 2</td></tr></table>	Items	O0150A	SBT: Invasive Mechanical Ventilation Support		O0150B	SBT: Assessed for readiness by day 2		O0150C	SBT: Deemed medically ready by day 2		O0150D	SBT: Documentation of reason(s) - patient unready		O0150E	SBT: Performed by day 2			
Items	O0150A	SBT: Invasive Mechanical Ventilation Support																			
	O0150B	SBT: Assessed for readiness by day 2																			
	O0150C	SBT: Deemed medically ready by day 2																			
	O0150D	SBT: Documentation of reason(s) - patient unready																			
	O0150E	SBT: Performed by day 2																			
-3948	Consistency	Fatal	<p>(a) If O0150B=[0], then all active items from O0150C through O0150E must equal [^]. (b) If O0150B=[1], then O0150C must not equal [^]. (c) If O0150B=[-], then all active items from O0150C through O0150E must equal [-].</p> <table><tr><td>Items</td><td>O0150B</td><td>SBT: Assessed for readiness by day 2</td></tr><tr><td></td><td>O0150C</td><td>SBT: Deemed medically ready by day 2</td></tr><tr><td></td><td>O0150D</td><td>SBT: Documentation of reason(s) - patient unready</td></tr><tr><td></td><td>O0150E</td><td>SBT: Performed by day 2</td></tr></table>	Items	O0150B	SBT: Assessed for readiness by day 2		O0150C	SBT: Deemed medically ready by day 2		O0150D	SBT: Documentation of reason(s) - patient unready		O0150E	SBT: Performed by day 2						
Items	O0150B	SBT: Assessed for readiness by day 2																			
	O0150C	SBT: Deemed medically ready by day 2																			
	O0150D	SBT: Documentation of reason(s) - patient unready																			
	O0150E	SBT: Performed by day 2																			
-3949	Consistency	Fatal	<p>(a) If O0150C=[0], then O0150D must not equal [^]. (b) If O0150C=[1], then O0150D must equal [^]. (c) If O0150C=[-], then O0150D must equal [-].</p> <table><tr><td>Items</td><td>O0150C</td><td>SBT: Deemed medically ready by day 2</td></tr><tr><td></td><td>O0150D</td><td>SBT: Documentation of reason(s) - patient unready</td></tr></table>	Items	O0150C	SBT: Deemed medically ready by day 2		O0150D	SBT: Documentation of reason(s) - patient unready												
Items	O0150C	SBT: Deemed medically ready by day 2																			
	O0150D	SBT: Documentation of reason(s) - patient unready																			

Data Submission Specifications for the LTCH - CARE Data Set (V3.00.2)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3950	Consistency	Fatal	<p>(a) If O0150D=[0,1], then O0150E must equal [^]. (b) If O0150D=[-], then O0150E must equal [-].</p> <p>Items O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2</p>
-3951	Consistency	Fatal	<p>If C1610E1=[1], then C1610E2 must equal [0].</p> <p>Items C1610E1 Altered Consc Lvl - Alert C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</p>
-3952	Format	Warning	<p>The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.</p> <p>Items K0200A Height (in inches)</p>
-3953	Format	Warning	<p>The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.</p> <p>Items K0200B Weight (in pounds)</p>
-3954	Consistency	Warning	<p>Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300C1 Stage 3 pressure ulcers: number present M0300D1 Stage 4 pressure ulcers: number present M0300E1 Unstageable due to dressing/device: number present M0300F1 Unstageable slough/eschar: number present M0300G1 Unstageable as deep tissue: num present</p>
-9001	Information	None	<p>The target date is defined as follows: a) If A0250=[01], then the target date is equal to A0220 (admission date) b) If A0250=[10,11,12], then the target date is equal to A0270 (discharge date)</p> <p>Items TARGET_DATE Target date</p>
-9002	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows: If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA] If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP] If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU] If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE] If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX] For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p>Items ITM_SBST_CD Item subset code A0050 Type of record A0250 Reason for Assessment</p>