\_\_\_\_\_

## MINIMUM DATA SET (MDS) - Version 3.0 RESIDENT ASSESSMENT AND CARE SCREENING Nursing Home Comprehensive (NC) Item Set

| Section A                |   | Identification Information   |  |  |  |  |
|--------------------------|---|--|--|--|--|--|
| A0050. T                 | 0050. Type of Record  |  |  |  |  |  |
| Enter Code               | 2. Modify exis  | cord → Continue to A0100, Facility Provider Numbers<br>sting record → Continue to A0100, Facility Provider Numbers<br>existing record → Skip to X0150, Type of Provider  |  |  |  |  |
| 40100. F                 | acility Provider Nu   | umbers   |  |  |  |  |
|                          | A. National Provid  | er Identifier (NPI):   |  |  |  |  |
|                          | B. CMS Certificatio   | n Number (CCN):  |  |  |  |  |
|                          | C. State Provider N   | lumber:  |  |  |  |  |
| 40200. T                 | ype of Provider   |  |  |  |  |  |
| Enter Code               | Type of provider<br>1. Nursing hom<br>2. Swing Bed  | ne (SNF/NF)  |  |  |  |  |
| A0310. T                 | ype of Assessmen  | t  |  |  |  |  |
| Enter Code               | 01. Admission<br>02. Quarterly re<br>03. Annual asse<br>04. Significant<br>05. Significant  | change in status assessment<br>correction to prior comprehensive assessment<br>correction to prior quarterly assessment  |  |  |  |  |
| Enter Code               | 01. <b>5-day</b> sched<br>02. <b>14-day</b> sche<br>03. <b>30-day</b> sche<br>04. <b>60-day</b> sche<br>05. <b>90-day</b> sche<br><b>PPS Unschedule</b> | Assessments for a Medicare Part A Stay<br>luled assessment<br>eduled assessment<br>eduled assessment<br>eduled assessment<br>eduled assessment<br>ed Assessments for a Medicare Part A Stay<br>ed Assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment)<br>ment |  |  |  |  |
| Enter Code               | C. PPS Other Medi<br>0. No<br>1. Start of thera<br>2. End of thera<br>3. Both Start an<br>4. Change of th   | care Required Assessment - OMRA<br>apy assessment<br>py assessment<br>ad End of therapy assessment<br>merapy assessment  |  |  |  |  |
| Enter Code<br>Enter Code | 0. No<br>1. Yes   | ted clinical change assessment? Complete only if A0200 = 2<br>Int the first assessment (OBRA, Scheduled PPS, or Discharge) since the most recent admission/entry or reentry?   |  |  |  |  |
|                          | 0. NO<br>1. Yes   |  |  |  |  |  |

| Section A  |  | Identification Information   |                    |  |  |  |
|------------|--|--|--------------------|--|--|--|
| A0310. 1   | Type of Assessment                                     | - Continued  |                    |  |  |  |
| Enter Code | 11. Discharge a<br>12. Death in fac<br>99. None of the | ng record<br>ssessment- <b>return not anticipated</b><br>ssessment- <b>return anticipated</b><br><b>ility</b> tracking record<br><b>above</b>  |                    |  |  |  |
| Enter Code | G. Type of discharg<br>1. Planned<br>2. Unplanned      | e - Complete only if A0310F = 10 or 11   |                    |  |  |  |
| Enter Code | H. Is this a SNF PPS<br>0. No<br>1. Yes                | Part A Discharge (End of Stay) Assessment?   |                    |  |  |  |
| A0410. l   | Jnit Certification o                                   | Licensure Designation  |                    |  |  |  |
| Enter Code | 2. Unit is neithe                                      | r Medicare nor Medicaid certified and MDS data is not required by the Stat<br>r Medicare nor Medicaid certified but MDS data is required by the State<br>are and/or Medicaid certified | e                  |  |  |  |
| A0500. L   | egal Name of Resid                                     | dent   |                    |  |  |  |
|            | A. First name:   |  | B. Middle initial: |  |  |  |
|            | C. Last name:  |  | D. Suffix:         |  |  |  |
| A0600. 3   | Social Security and                                    | Medicare Numbers   |                    |  |  |  |
|            | A. Social Security N                                   |  |                    |  |  |  |
|            | B. Medicare numbe                                      | –<br>er (or comparable railroad insurance number):   |                    |  |  |  |
| A0700. I   | Medicaid Number -                                      | Enter "+" if pending, "N" if not a Medicaid recipient  |                    |  |  |  |
|            |  |  |                    |  |  |  |
| A0800. C   | Gender   |  |                    |  |  |  |
| Enter Code | 1. Male<br>2. Female                                   |  |                    |  |  |  |
| A0900. E   | Birth Date   |  |                    |  |  |  |
|            | _<br>Month   | –<br>Day Year  |                    |  |  |  |
| A1000. F   | Race/Ethnicity   |  |                    |  |  |  |
| ↓ Che      | eck all that apply                                     |  |                    |  |  |  |
|            | A. American Indian                                     | or Alaska Native   |                    |  |  |  |
|            | B. Asian   |  |                    |  |  |  |
|            | C. Black or African                                    | American   |                    |  |  |  |
|            | D. Hispanic or Latii                                   | 10   |                    |  |  |  |
|            | E. Native Hawaiian or Other Pacific Islander           |  |                    |  |  |  |
|            | F. White   |  |                    |  |  |  |
| MDS 3.0 N  | lursing Home Comp                                      | rehensive (NC) Corrected Version 1.14.0 DRAFT  | Page 2 of 4        |  |  |  |

| Sectio     | n A  | Identification Information   |  |  |  |  |
|------------|--|--|--|--|--|--|
| A1100. L   | \1100. Language  |  |  |  |  |  |
| Enter Code | A. Does the resident need or want an interpreter to communicate with a doctor or health care staff?         0. No → Skip to A1200, Marital Status         1. Yes → Specify in A1100B, Preferred language         9. Unable to determine → Skip to A1200, Marital Status         B. Preferred language: |  |  |  |  |  |
| A1200. M   | Marital Status   |  |  |  |  |  |
| Enter Code | <ol> <li>Never marrie</li> <li>Married</li> <li>Widowed</li> <li>Separated</li> <li>Divorced</li> </ol>  | d  |  |  |  |  |
| A1300. C   | Optional Resident I  | tems   |  |  |  |  |
|            | A. Medical record r  | umber:   |  |  |  |  |
|            | <ul><li>B. Room number:</li><li>C. Name by which r</li></ul>   | esident prefers to be addressed:   |  |  |  |  |
|            | D. Lifetime occupat  | ion(s) - put "/" between two occupations:  |  |  |  |  |
| A1500. P   | Preadmission Scree   | ning and Resident Review (PASRR)   |  |  |  |  |
| Complete   | e only if A0310A = 01  |  |  |  |  |  |
| Enter Code | ("mental retardation<br>0. No → Skip<br>1. Yes → Con   | ntly considered by the state level II PASRR process to have serious mental illness and/or intellectual disability<br>n" in federal regulation) or a related condition?<br>to A1550, Conditions Related to ID/DD Status<br>ntinue to A1510, Level II Preadmission Screening and Resident Review (PASRR) Conditions<br>aid-certified unit -> Skip to A1550, Conditions Related to ID/DD Status |  |  |  |  |
| A1510. L   |  | n Screening and Resident Review (PASRR) Conditions   |  |  |  |  |
|            | e only if A0310A = 01  | , 03, 04, or 05  |  |  |  |  |
| ↓ Ch       | neck all that apply  |  |  |  |  |  |
|            | A. Serious mental i  | liness   |  |  |  |  |
|            | B. Intellectual Disa   | bility ("mental retardation" in federal regulation)  |  |  |  |  |
|            | C. Other related co  | nditions   |  |  |  |  |

| Resident   |  |                                    | laentiller                         | Date  |
|------------|--|------------------------------------|------------------------------------|---|
| Sectio     | on A   | Identification Ir                  | nformation                         |   |
| A1550.     | <b>Conditions Related</b>  | to ID/DD Status                    |                                    |   |
|            | -  | ge or older, complete on           |                                    |   |
|            |  |                                    | only if A0310A = 01, 03, 04, o     |   |
| ↓ ci       |  |                                    | atus that were manifested before   | e age 22, and are likely to continue indefinitely |
|            | ID/DD With Organic   | : Condition                        |                                    |   |
|            | A. Down syndrome   | 2                                  |                                    |   |
|            | B. Autism  |                                    |                                    |   |
|            | C. Epilepsy  |                                    |                                    |   |
|            | D. Other organic co  | ondition related to ID/DD          |                                    |   |
|            | ID/DD Without Orga   | anic Condition                     |                                    |   |
|            | E. ID/DD with no o   | rganic condition                   |                                    |   |
|            | No ID/DD   |                                    |                                    |   |
|            | Z. None of the abo   | ve                                 |                                    |   |
| Most Red   | cent Admission/Ent   | try or Reentry into this           | Facility                           |   |
| A1600. I   | Entry Date   |                                    |                                    |   |
|            |  |                                    |                                    |   |
|            | -  | -                                  |                                    |   |
|            | Month  | Day Year                           |                                    |   |
| A1700.     | Type of Entry  |                                    |                                    |   |
| Enter Code | 1. Admission   |                                    |                                    |   |
|            | 2. Reentry   |                                    |                                    |   |
| A1800. I   | Entered From   |                                    |                                    |   |
|            | 01. Community  | / (private home/apt., board/       | /care, assisted living, group home | 2)  |
| Enter Code | 02. Another nu   | rsing home or swing bed            | 5,5,1,1                            | ,   |
|            | 03. Acute hosp   |                                    |                                    |   |
|            | 04. Psychiatric  | hospital<br>Phabilitation facility |                                    |   |
|            | 06. ID/DD facili   | •                                  |                                    |   |
|            | 07. Hospice  |                                    |                                    |   |
|            |  | Care Hospital (LTCH)               |                                    |   |
|            | 99. Other  |                                    |                                    |   |
| A1900.     | A1900. Admission Date (Date this episode of care in this facility began) |                                    |                                    |   |
|            | _  | _                                  |                                    |   |
|            | Month  | Day Year                           |                                    |   |
| A2000 I    | Discharge Date   |                                    |                                    |   |
|            | - istinarye bute   |                                    |                                    |   |

Complete only if A0310F = 10, 11, or 12

– Month Day

– av

Year

| Sectio     | n A  | Identification Information   |  |  |  |  |
|------------|--|--|--|--|--|--|
| A2100. D   | 100. Discharge Status  |  |  |  |  |  |
| Complete   | only if A0310F = 1   | 0, 11, or 12   |  |  |  |  |
| Enter Code | 01. Communit<br>02. Another nu<br>03. Acute hosp<br>04. Psychiatric<br>05. Inpatient r<br>06. ID/DD facil<br>07. Hospice<br>08. Deceased | y (private home/apt., board/care, assisted living, group home)<br>irsing home or swing bed<br>ital<br>hospital<br>ehabilitation facility |  |  |  |  |
| A2200. P   | Previous Assessme  | nt Reference Date for Significant Correction   |  |  |  |  |
| Complete   | only if A0310A = 0   | 5 or 06  |  |  |  |  |
|            | –<br>Month   | –<br>Day Year  |  |  |  |  |
| A2300. A   | Assessment Refere  | nce Date   |  |  |  |  |
|            | Observation end d  | ate:   |  |  |  |  |
|            | _  | -  |  |  |  |  |
|            | Month  | Day Year   |  |  |  |  |
| A2400. N   | Aedicare Stay  |  |  |  |  |  |
| Enter Code | A. Has the residen   | t had a Medicare-covered stay since the most recent entry?   |  |  |  |  |
|            | <ol> <li>No → Skip to B0100, Comatose</li> <li>Yes → Continue to A2400B, Start date of most recent Medicare stay</li> </ol>              |  |  |  |  |  |
|            | B. Start date of most recent Medicare stay:  |  |  |  |  |  |
|            | -  | -  |  |  |  |  |
|            | Month  | Day Year   |  |  |  |  |
|            | C. End date of mo  | <b>st recent Medicare stay</b> - Enter dashes if stay is ongoing:<br>_   |  |  |  |  |
|            | Month  | Day Year   |  |  |  |  |

# Look back period for all items is 7 days unless another time frame is indicated

| Sectio     | n B  | Hearing, Speech, and Vision   |  |  |  |  |
|------------|--|---|--|--|--|--|
| B0100. C   | B0100. Comatose  |   |  |  |  |  |
| Enter Code | Output       Persistent vegetative state/no discernible consciousness         0. No → Continue to B0200, Hearing         1. Yes → Skip to G0110, Activities of Daily Living (ADL) Assistance   |   |  |  |  |  |
| B0200. H   | learing  |   |  |  |  |  |
| Enter Code | 0. Adequate - no<br>1. Minimal diffe<br>2. Moderate dif  | hearing aid or hearing appliances if normally used)<br>o difficulty in normal conversation, social interaction, listening to TV<br><b>culty</b> - difficulty in some environments (e.g., when person speaks softly or setting is noisy)<br><b>ficulty</b> - speaker has to increase volume and speak distinctly<br><b>red</b> - absence of useful hearing |  |  |  |  |
| B0300. H   | learing Aid  |   |  |  |  |  |
| Enter Code | Hearing aid or other<br>0. No<br>1. Yes  | r <b>hearing appliance used</b> in completing B0200, Hearing  |  |  |  |  |
| B0600. S   | Speech Clarity   |   |  |  |  |  |
| Enter Code | de Select best description of speech pattern O. Clear speech - distinct intelligible words I. Unclear speech - slurred or mumbled words 2. No speech - absence of spoken words   |   |  |  |  |  |
| B0700. N   | Makes Self Underst   | ood   |  |  |  |  |
| Enter Code | Ability to express ideas and wants, consider both verbal and non-verbal expression 0. Understood 1. Usually understood - difficulty communicating some words or finishing thoughts but is able if prompted or given time 2. Sometimes understood - ability is limited to making concrete requests 3. Rarely/never understood   |   |  |  |  |  |
| B0800. A   | Ability To Understa  | nd Others   |  |  |  |  |
| Enter Code | <ul> <li>Understanding verbal content, however able (with hearing aid or device if used)</li> <li>0. Understands - clear comprehension</li> <li>1. Usually understands - misses some part/intent of message but comprehends most conversation</li> <li>2. Sometimes understands - responds adequately to simple, direct communication only</li> <li>3. Rarely/never understands</li> </ul>   |   |  |  |  |  |
| B1000. V   | 1000. Vision   |   |  |  |  |  |
| Enter Code | <ul> <li>Ability to see in adequate light (with glasses or other visual appliances)</li> <li>Adequate - sees fine detail, such as regular print in newspapers/books</li> <li>Impaired - sees large print, but not regular print in newspapers/books</li> <li>Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects</li> <li>Highly impaired - object identification in question, but eyes appear to follow objects</li> <li>Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects</li> </ul> |   |  |  |  |  |
| B1200. C   | B1200. Corrective Lenses   |   |  |  |  |  |
| Enter Code | e Corrective lenses (contacts, glasses, or magnifying glass) used in completing B1000, Vision 0. No 1. Yes   |   |  |  |  |  |

| Sectior     | C Cognitive Patterns   |
|-------------|--|
|             | hould Brief Interview for Mental Status (C0200-C0500) be Conducted?  |
| Enter Code  | 0. No (resident is rarely/never understood)> Skip to and complete C0700-C1000, Staff Assessment for Mental Status      |
|             | 1. Yes → Continue to C0200, Repetition of Three Words  |
| Briof Int   | erview for Mental Status (BIMS)  |
|             | Repetition of Three Words  |
|             | Ask resident: "I am going to say three words for you to remember. Please repeat the words after I have said all three. |
|             |  |
| Entor Codo  | The words are: <b>sock, blue, and bed.</b> Now tell me the three words."   |
|             | Number of words repeated after first attempt   |
|             | 0. None  |
|             | 1. One   |
|             | 2. Two   |
|             | 3. Three   |
|             | After the resident's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece |
|             | <i>of furniture</i> "). You may repeat the words up to two more times.   |
| 0300. 1     | emporal Orientation (orientation to year, month, and day)  |
|             | Ask resident: "Please tell me what year it is right now."  |
|             | A. Able to report correct year   |
| Linter code | 0. Missed by > 5 years or no answer  |
|             | 1. Missed by 2-5 years   |
|             | 2. Missed by 1 year  |
|             | 3. Correct   |
|             | Ask resident: "What month are we in right now?"  |
|             | B. Able to report correct month  |
| Enter code  | 0. Missed by > 1 month or no answer  |
|             | 1. Missed by 6 days to 1 month   |
|             | 2. Accurate within 5 days  |
| -           | Ask resident: "What day of the week is today?"   |
|             | C. Able to report correct day of the week  |
| inter coue  | 0. <b>Incorrect</b> or no answer   |
|             | 1. Correct   |
| 50400 5     |  |
| CO400. F    |  |
|             | Ask resident: "Let's go back to an earlier question. What were those three words that I asked you to repeat?"          |
|             | If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.               |
| Enter Code  | A. Able to recall "sock"   |
|             | 0. <b>No</b> - could not recall  |
|             | 1. Yes, after cueing ("something to wear")   |
|             | 2. Yes, no cue required  |
| Enter Code  | B. Able to recall "blue"   |
|             | 0. <b>No</b> - could not recall  |
|             | 1. Yes, after cueing ("a color")   |
|             | 2. Yes, no cue required  |
| Enter Code  | C. Able to recall "bed"  |
|             | 0. <b>No</b> - could not recall  |
|             | 1. Yes, after cueing ("a piece of furniture")  |
|             | 2. Yes, no cue required  |
| 0500 5      | BIMS Summary Score   |
| 1           |  |
| ntor Scoro  | Add scores for questions C0200-C0400 and fill in total score (00-15)   |
|             | Enter 99 if the resident was unable to complete the interview  |

| Section C Cognitive Patterns  |   |  |  |  |  |
|---|---|--|--|--|--|
| C0600. Should the Staff Assessment for Mental Status (C0700 - C1000) be Conducted?  |   |  |  |  |  |
|   | <ul> <li>Enter Code</li> <li>0. No (resident was able to complete Brief Interview for Mental Status ) → Skip to C1310, Signs and Symptoms of Delirium</li> <li>1. Yes (resident was unable to complete Brief Interview for Mental Status) → Continue to C0700, Short-term Memory OK</li> </ul>  |  |  |  |  |
| Staff Assessment  | for Mental Status   |  |  |  |  |
| Do not conduct if Bri   | ef Interview for Mental Status (C0200-C0500) was completed  |  |  |  |  |
| C0700. Short-terr   | m Memory OK   |  |  |  |  |
| 0. <b>M</b>   | r appears to recall after 5 minutes<br>Jemory OK<br>Jemory problem  |  |  |  |  |
| C0800. Long-term  | n Memory OK   |  |  |  |  |
| 0. <b>M</b>   | r appears to recall long past<br>emory OK<br>emory problem  |  |  |  |  |
| C0900. Memory/  | Recall Ability  |  |  |  |  |
| Check all that  | t the resident was normally able to recall  |  |  |  |  |
| A. Curre  | ent season  |  |  |  |  |
| B. Locat  | tion of own room  |  |  |  |  |
| C. Staff  | names and faces   |  |  |  |  |
| D. That   | he or she is in a nursing home/hospital swing bed   |  |  |  |  |
| Z. None   | of the above were recalled  |  |  |  |  |
| C1000. Cognitive  | Skills for Daily Decision Making  |  |  |  |  |
| 0. In<br>1. M<br>2. M   | ecisions regarding tasks of daily life<br>dependent - decisions consistent/reasonable<br>odified independence - some difficulty in new situations only<br>oderately impaired - decisions poor; cues/supervision required<br>everely impaired - never/rarely made decisions  |  |  |  |  |
| Delirium  |   |  |  |  |  |
| C1310. Signs and  | Symptoms of Delirium (from CAM©)  |  |  |  |  |
|   | ng Brief Interview for Mental Status or Staff Assessment, and reviewing medical record  |  |  |  |  |
| A. Acute Onset Men  |   |  |  |  |  |
| 0. No   | Enter Code Is there evidence of an acute change in mental status from the resident's baseline? 0. No 1. Yes   |  |  |  |  |
|   | ↓ Enter Codes in Boxes  |  |  |  |  |
| Coding:       0. Behavior not present         1. Behavior continuously       C. Disorganized thinking - Was the resident's thinking disorganized or incoherent (rambling conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subj |   |  |  |  |  |
| present, does of<br>fluctuate<br>2. Behavior prese<br>fluctuates (con<br>goes, changes i  | <ul> <li>D. Altered level of consciousness - Did the resident have altered level of consciousness as indicated by any of the following criteria?</li> <li>vigilant - startled easily to any sound or touch</li> <li>lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch</li> <li>stuporous - very difficult to arouse and keep aroused for the interview</li> <li>comatose - could not be aroused</li> </ul> |  |  |  |  |
| Confusion Assessment M  | ethod. ©1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Used with permission.   |  |  |  |  |

Resident

Identifier

\_\_\_\_\_

| Section D Mood   |   |                           |                            |  |  |  |  |
|--|---|---------------------------|----------------------------|--|--|--|--|
| D0100. Should Resident Mood Interview be Conducted? - Attempt to conduct interview with all residents  |   |                           |                            |  |  |  |  |
| (PHQ-9-OV)   | is rarely/never understood) —> Skip to and complete D0500-D0600, Staff Assentinue to D0200, Resident Mood Interview (PHQ-9©)  | essment of Resident N     | Nood                       |  |  |  |  |
|  |   |                           |                            |  |  |  |  |
| D0200. Resident Mood   | · · · ·   |                           |                            |  |  |  |  |
| -  | e last 2 weeks, have you been bothered by any of the following  | problems?"                |                            |  |  |  |  |
| If yes in column 1, then ask t   | 1 (yes) in column 1, Symptom Presence.<br>the resident: " <i>About <b>how often</b> have you been bothered by this?</i> "<br>a card with the symptom frequency choices. Indicate response in colu | ımn 2, Symptom Fre        | equency.                   |  |  |  |  |
| 1. Symptom Presence  | 2. Symptom Frequency  | -                         | •                          |  |  |  |  |
| <ol> <li>No (enter 0 in column</li> <li>Yes (enter 0-3 in column</li> <li>No response (leave content)</li> </ol>   | mn 2) 1. <b>2-6 days</b> (several days)   | 1.<br>Symptom<br>Presence | 2.<br>Symptom<br>Frequency |  |  |  |  |
| blank)   | 3. <b>12-14 days</b> (nearly every day)   | Enter Score               |                            |  |  |  |  |
| A. Little interest or pleasu   | re in doing things  |                           |                            |  |  |  |  |
| B. Feeling down, depress   | ed, or hopeless   |                           |                            |  |  |  |  |
| C. Trouble falling or stayi  | ng asleep, or sleeping too much   |                           |                            |  |  |  |  |
| D. Feeling tired or having   | little energy   |                           |                            |  |  |  |  |
| E. Poor appetite or overed   | ating   |                           |                            |  |  |  |  |
| F. Feeling bad about your down   | F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down  |                           |                            |  |  |  |  |
| G. Trouble concentrating   | on things, such as reading the newspaper or watching television   |                           |                            |  |  |  |  |
| H. Moving or speaking so slowly that other people could have noticed. Or the opposite -<br>being so fidgety or restless that you have been moving around a lot more than usual   |   |                           |                            |  |  |  |  |
| I. Thoughts that you would be better off dead, or of hurting yourself in some way  |   |                           |                            |  |  |  |  |
| D0300. Total Severity Score  |   |                           |                            |  |  |  |  |
| Enter ScoreAdd scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27.<br>Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more items). |   |                           |                            |  |  |  |  |
| D0350. Safety Notification   | - Complete only if D020011 = 1 indicating possibility of resident self ha   | ırm                       |                            |  |  |  |  |
| Enter Code Was responsible st<br>0. No<br>1. Yes   | aff or provider informed that there is a potential for resident self harm?  |                           |                            |  |  |  |  |



Resident

Identifier

| Section D   | Mood  |               |               |  |  |  |  |
|---|---|---------------|---------------|--|--|--|--|
|   | D0500. Staff Assessment of Resident Mood (PHQ-9-OV*)<br>Do not conduct if Resident Mood Interview (D0200-D0300) was completed   |               |               |  |  |  |  |
|   | resident have any of the following problems or behaviors?   |               |               |  |  |  |  |
|   | es) in column 1, Symptom Presence.  |               |               |  |  |  |  |
|   | om Frequency, and indicate symptom frequency.   |               |               |  |  |  |  |
| 1. Symptom Presence<br>0. No (enter 0 in column 2)  | ,   | 1.<br>Symptom | 2.<br>Symptom |  |  |  |  |
| 1. <b>Yes</b> (enter 0-3 in column  | 1. 2-6 days (several days)<br>2. 7-11 days (half or more of the days)   | Presence      | Frequency     |  |  |  |  |
|   | 3. <b>12-14 days</b> (nearly every day)   | 🗼 Enter Score | es in Boxes ↓ |  |  |  |  |
| A. Little interest or pleasure  | in doing things   |               |               |  |  |  |  |
| B. Feeling or appearing down  | n, depressed, or hopeless   |               |               |  |  |  |  |
| C. Trouble falling or staying a   | asleep, or sleeping too much  |               |               |  |  |  |  |
| D. Feeling tired or having litt   | D. Feeling tired or having little energy  |               |               |  |  |  |  |
| E. Poor appetite or overeating  |   |               |               |  |  |  |  |
| F. Indicating that s/he feels bad about self, is a failure, or has let self or family down                                |   |               |               |  |  |  |  |
| G. Trouble concentrating on things, such as reading the newspaper or watching television                                  |   |               |               |  |  |  |  |
|   | H. Moving or speaking so slowly that other people have noticed. Or the opposite - being so fidgety or restless that s/he has been moving around a lot more than usual |               |               |  |  |  |  |
| I. States that life isn't worth   | I. States that life isn't worth living, wishes for death, or attempts to harm self  |               |               |  |  |  |  |
| J. Being short-tempered, easily annoyed   |   |               |               |  |  |  |  |
| D0600. Total Severity Score   |   |               |               |  |  |  |  |
| Enter Score Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 30. |   |               |               |  |  |  |  |
| <b>D0650. Safety Notification</b> - Complete only if D0500I1 = 1 indicating possibility of resident self harm             |   |               |               |  |  |  |  |
| Enter Code Was responsible sta<br>0. No   | ff or provider informed that there is a potential for resident self harm?   |               |               |  |  |  |  |

1. Yes

| Section E     |   | Behavior  |              |            |  |
|---------------|---|---|--------------|------------|--|
| E0100. P      | E0100. Potential Indicators of Psychosis  |   |              |            |  |
| 🔶 Che         | eck all that apply  |   |              |            |  |
|               | A. Hallucinations (perceptual experiences in the absence of real external sensory stimuli)  |   |              |            |  |
|               | B. Delusions (misco   | nceptions or beliefs th   | nat are firn | nly h      | eld, contrary to reality)  |
|               | Z. None of the abov   | /e  |              |            |  |
| Behavior      | al Symptoms   |   |              |            |  |
| E0200. B      | ehavioral Symptor   | n - Presence & Frec   | luency       |            |  |
| Note pres     | ence of symptoms an   | d their frequency   |              |            |  |
|               |   | _   | 🗼 Ent        | er Co      | odes in Boxes  |
| Coding:       |   |   |              | A.         | Physical behavioral symptoms directed toward others (e.g., hitting,  |
| 0. <b>Beh</b> | avior not exhibited   |   |              | -          | kicking, pushing, scratching, grabbing, abusing others sexually) Verbal behavioral symptoms directed toward others (e.g., threatening  |
|               | avior of this type occu<br>avior of this type occu  |   |              | B.         | others, screaming at others, cursing at others)  |
| but           | <ol> <li>Behavior of this type occurred 4 to 6 days,<br/>but less than daily</li> <li>Behavior of this type occurred daily</li> </ol>   |   |              | С.         | <b>Other behavioral symptoms not directed toward others</b> (e.g., physical symptoms such as hitting or scratching self, pacing, rummaging, public sexual acts, disrobing in public, throwing or smearing food or bodily wastes, or verbal/vocal symptoms like screaming, disruptive sounds) |
| E0300. C      | <b>Overall Presence of</b>  | Behavioral Sympto   | oms          |            |  |
| Enter Code    | 0. No -> Skip to  | <b>I symptoms in quest</b><br>E0800, Rejection of Ca<br>dering all of E0200, Be | are          |            | <b>ded 1, 2, or 3?</b><br>coms, answer E0500 and E0600 below   |
| E0500. lı     | mpact on Resident   | <b>J</b>  |              | <u>, ,</u> |  |
|               | Did any of the ident  | ified symptom(s):   |              |            |  |
| Enter Code    | <ul> <li>A. Put the resident at significant risk for physical illness or injury?</li> <li>0. No</li> <li>1. Yes</li> </ul>  |   |              |            |  |
| Enter Code    | <ul> <li>B. Significantly interfere with the resident's care?</li> <li>0. No</li> <li>1. Yes</li> </ul>   |   |              |            |  |
| Enter Code    | <ul> <li>C. Significantly interfere with the resident's participation in activities or social interactions?</li> <li>0. No</li> </ul>   |   |              |            |  |
|               | 1. Yes  |   |              |            |  |
| E0600. II     | mpact on Others   |   |              |            |  |
| Enter Code    | Did any of the ident<br>A. Put others at sig  |   | ical injury  | y?         |  |
|               | 0. <b>No</b><br>1. <b>Yes</b>   |   |              |            |  |
| Enter Code    | <ul> <li>B. Significantly intrude on the privacy or activity of others?</li> <li>0. No</li> </ul>   |   |              |            |  |
| Enter Code    | 0. No   |   |              |            |  |
| F0000         | 1. Yes  |   |              |            |  |
| E0800. R      | <ul> <li>Rejection of Care - Presence &amp; Frequency</li> <li>Did the resident reject evaluation or care (e.g., bloodwork, taking medications, ADL assistance) that is necessary to achieve the resident's goals for health and well-being? Do not include behaviors that have already been addressed (e.g., by discussion or care planning with the resident or family), and determined to be consistent with resident values, preferences, or goals.</li> <li>Behavior not exhibited         <ol> <li>Behavior of this type occurred 1 to 3 days</li> <li>Behavior of this type occurred 4 to 6 days, but less than daily</li> <li>Behavior of this type occurred daily</li> </ol> </li> </ul> |   |              |            |  |

Resident

\_\_\_\_\_ Identifier \_\_\_\_\_\_ Date \_\_\_\_\_

| Sectio     | n E  | Behavior   |  |  |  |
|------------|--|--|--|--|--|
| E0900. W   | E0900. Wandering - Presence & Frequency  |  |  |  |  |
| Enter Code | <ol> <li>Behavior of the second s</li></ol> | ndered?<br>exhibited — Skip to E1100, Change in Behavioral or Other Symptoms<br>nis type occurred 1 to 3 days<br>nis type occurred 4 to 6 days, but less than daily<br>nis type occurred daily |  |  |  |
| E1000. W   | /andering - Impact   |  |  |  |  |
| Enter Code | A. Does the wande<br>facility)?<br>0. No<br>1. Yes   | ring place the resident at significant risk of getting to a potentially dangerous place (e.g., stairs, outside of the  |  |  |  |
| Enter Code | <ul><li>B. Does the wande</li><li>0. No</li><li>1. Yes</li></ul>   | ring significantly intrude on the privacy or activities of others?   |  |  |  |
| E1100. C   | hange in Behavior  | or Other Symptoms  |  |  |  |
| Consider a | ll of the symptoms ass   | essed in items E0100 through E1000   |  |  |  |
| Enter Code | How does resident's<br>0. Same<br>1. Improved<br>2. Worse  | current behavior status, care rejection, or wandering <b>compare to prior assessment (OBRA or Scheduled PPS)?</b>  |  |  |  |
|            | 3. N/A because   | no prior MDS assessment  |  |  |  |

| Section F | Preferences for Customary | v Routine and Activities |
|-----------|---------------------------|--------------------------|
|           |                           |                          |

**F0300.** Should Interview for Daily and Activity Preferences be Conducted? - Attempt to interview all residents able to communicate. If resident is unable to complete, attempt to complete interview with family member or significant other

Enter Code

- 0. No (resident is rarely/never understood <u>and</u> family/significant other not available) → Skip to and complete F0800, Staff Assessment of Daily and Activity Preferences
- 1. Yes --> Continue to F0400, Interview for Daily Preferences

### F0400. Interview for Daily Preferences Show resident the response options and say: "While you are in this facility..." Lenter Codes in Boxes A. how important is it to you to choose what clothes to wear? B. how important is it to you to take care of your personal belongings or things? Coding: C. how important is it to you to choose between a tub bath, shower, bed bath, or 1. Very important sponge bath? 2. Somewhat important 3. Not very important D. how important is it to you to have snacks available between meals? 4. Not important at all 5. Important, but can't do or no E. how important is it to you to choose your own bedtime? choice F. how important is it to you to have your family or a close friend involved in 9. No response or non-responsive discussions about your care? G. how important is it to you to be able to use the phone in private? **H.** how important is it to you to have a place to lock your things to keep them safe? F0500. Interview for Activity Preferences Show resident the response options and say: "While you are in this facility..." Lenter Codes in Boxes **A.** how important is it to you to have books, newspapers, and magazines to read? B. how important is it to you to listen to music you like? Coding: 1. Very important **C.** how important is it to you to **be around animals such as pets?** 2. Somewhat important 3. Not very important **D.** how important is it to you to keep up with the news? 4. Not important at all 5. Important, but can't do or no E. how important is it to you to do things with groups of people? choice 9. No response or non-responsive **F.** how important is it to you to **do your favorite activities? G.** how important is it to you to **go outside to get fresh air when the weather is good? H.** how important is it to you to **participate in religious services or practices?**

| roood. Daily and Activity Freierences Frimary Respondent |   |  |  |
|--|---|--|--|
|  | Indicate primary respondent for Daily and Activity Preferences (F0400 and F0500)                                |  |  |
| Enter Code   | 1. Resident   |  |  |
|  | 2. Family or significant other (close friend or other representative)   |  |  |
|  | 9. Interview could not be completed by resident or family/significant other ("No response" to 3 or more items") |  |  |

E0600 Daily and Activity Deafarances Drimany Despendent

| Section F  |   | Preferences for Customary Routine and Activities           |  |  |  |
|------------|---|--|--|--|--|
| F0700.     | F0700. Should the Staff Assessment of Daily and Activity Preferences be Conducted?  |  |  |  |  |
| Enter Code | <ul> <li>Enter Code</li> <li>0. No (because Interview for Daily and Activity Preferences (F0400 and F0500) was completed by resident or family/significant other) → Skip to and complete G0110, Activities of Daily Living (ADL) Assistance</li> <li>1. Yes (because 3 or more items in Interview for Daily and Activity Preferences (F0400 and F0500) were not completed by resident or family/significant other) → Continue to F0800, Staff Assessment of Daily and Activity Preferences</li> </ul> |  |  |  |  |
| F0800. S   | itaff Assessment of   | f Daily and Activity Preferences                           |  |  |  |
| Do not co  | nduct if Interview for [  | Daily and Activity Preferences (F0400-F0500) was completed |  |  |  |
| Resident   | Prefers:  |  |  |  |  |
| ↓ Ch       | neck all that apply   |  |  |  |  |
|            | A. Choosing cloth   | es to wear   |  |  |  |
|            | B. Caring for perso   | onal belongings  |  |  |  |
|            | C. Receiving tub b  | ath  |  |  |  |
|            | D. Receiving show   | /er  |  |  |  |
|            | E. Receiving bed l  | bath   |  |  |  |
|            | F. Receiving spon   | ige bath   |  |  |  |
|            | G. Snacks between   | n meals  |  |  |  |
|            | H. Staying up past  | t 8:00 p.m.  |  |  |  |
|            | I. Family or signif   | ficant other involvement in care discussions               |  |  |  |
|            | J. Use of phone in  | i private  |  |  |  |
|            | K. Place to lock pe   | ersonal belongings   |  |  |  |
|            | L. Reading books  | , newspapers, or magazines                                 |  |  |  |
|            | M. Listening to m   | usic   |  |  |  |
|            | N. Being around a   | nimals such as pets  |  |  |  |
|            | O. Keeping up with the news   |  |  |  |  |
|            | P. Doing things wi  | ith groups of people                                       |  |  |  |
|            | Q. Participating in   | n favorite activities                                      |  |  |  |
|            | R. Spending time  | away from the nursing home                                 |  |  |  |
|            | S. Spending time  | outdoors   |  |  |  |
|            | T. Participating in   | religious activities or practices                          |  |  |  |
|            | Z. None of the abo  | ove  |  |  |  |

## Section G Functional Status

G0110. Activities of Daily Living (ADL) Assistance

Refer to the ADL flow chart in the RAI manual to facilitate accurate coding

#### Instructions for Rule of 3

- When an activity occurs three times at any one given level, code that level.
- When an activity occurs three times at multiple levels, code the most dependent, exceptions are total dependence (4), activity must require full assist every time, and activity did not occur (8), activity must not have occurred at all. Example, three times extensive assistance (3) and three times limited assistance (2), code extensive assistance (3).
- When an activity occurs at various levels, but not three times at any given level, apply the following:
- $^{\circ}$  When there is a combination of full staff performance, and extensive assistance, code extensive assistance.

### If none of the above are met, code supervision.

### 1. ADL Self-Performance

Code for **resident's performance** over all shifts - not including setup. If the ADL activity occurred 3 or more times at various levels of assistance, code the most dependent - except for total dependence, which requires full staff performance every time

#### Coding:

### **Activity Occurred 3 or More Times**

- 0. Independent no help or staff oversight at any time
- 1. Supervision oversight, encouragement or cueing
- 2. Limited assistance resident highly involved in activity; staff provide guided maneuvering of limbs or other non-weight-bearing assistance
- 3. Extensive assistance resident involved in activity, staff provide weight-bearing support
- 4. Total dependence full staff performance every time during entire 7-day period

### **Activity Occurred 2 or Fewer Times**

7. Activity occurred only once or twice - activity did occur but only once or twice

A. Bed mobility - how resident moves to and from lying position, turns side to side, and

- 8. Activity did not occur activity did not occur or family and/or non-facility staff provided care 100% of the time for that activity over the entire 7-day period
- positions body while in bed or alternate sleep furniture **B. Transfer** how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet)
- C. Walk in room how resident walks between locations in his/her room

D. Walk in corridor - how resident walks in corridor on unit

- **E.** Locomotion on unit how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair
- F. Locomotion off unit how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair
- **G. Dressing** how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses
- **H.** Eating how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration)
- I. Toilet use how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag
- J. Personal hygiene how resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face and hands (excludes baths and showers)

### 2. ADL Support Provided

Code for **most support provided** over all shifts; code regardless of resident's self-performance classification

### Coding:

- 0. No setup or physical help from staff
- 1. Setup help only

1.

Self-Performance

- 2. **One** person physical assist
- 3. **Two+** persons physical assist
- 8. ADL activity itself **did not occur** or family and/or non-facility staff provided care 100% of the time for that activity over the entire 7-day period

Enter Codes in Boxes

2.

Support

<sup>•</sup> When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance code limited assistance (2).

| Section G   | ction G Functional Status            |   |  |  |
|---|--------------------------------------|---|--|--|
| G0120. Bathing  |                                      |   |  |  |
| How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower ( <b>excludes</b> washing of back and hair). Code for <b>most</b>   |                                      |   |  |  |
| dependent in self-performance and support         Enter Code       A. Self-performance         0. Independent - no help provided         1. Supervision - oversight help only         2. Physical help limited to transfer only         3. Physical help in part of bathing activity         4. Total dependence         8. Activity itself did not occur or family and/or non-facility staff provided care 100% of the time for that activity over the entire 7-day period |                                      |   |  |  |
| Enter Code B. Support provide<br>(Bathing support   |                                      | 0 column 2, ADL Support Provided, above)                                      |  |  |
| G0300. Balance During Tra   | nsitions and Walking                 |   |  |  |
| After observing the resident, <b>coc</b>  | le the following walking and tra     | nsition items for most dependent  |  |  |
|   | 1                                    | Enter Codes in Boxes  |  |  |
|   |                                      | A. Moving from seated to standing position                                    |  |  |
| Coding:<br>0. Steady at all times<br>1. Not steady, but <u>able</u> to st   | tabilize without staff               | B. Walking (with assistive device if used)                                    |  |  |
| assistance<br>2. Not steady, <u>only able</u> to s<br>assistance  | stabilize with staff                 | C. Turning around and facing the opposite direction while walking             |  |  |
| 8. Activity did not occur   |                                      | D. Moving on and off toilet   |  |  |
|   |                                      | E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) |  |  |
| G0400. Functional Limitati  | on in Range of Motion                |   |  |  |
| Code for limitation that interfer   | red with daily functions or placed r | resident at risk of injury  |  |  |
|   |                                      | Enter Codes in Boxes  |  |  |
| Coding:<br>0. No impairment<br>1. Impairment on one side  |                                      | A. Upper extremity (shoulder, elbow, wrist, hand)                             |  |  |
| 2. Impairment on both side  | S                                    | B. Lower extremity (hip, knee, ankle, foot)                                   |  |  |
| G0600. Mobility Devices   |                                      |   |  |  |
| Check all that were norm  | nally used                           |   |  |  |
| A. Cane/crutch  |                                      |   |  |  |
| B. Walker   |                                      |   |  |  |
| C. Wheelchair (mar  | C. Wheelchair (manual or electric)   |   |  |  |
| D. Limb prosthesis  |                                      |   |  |  |
| Z. None of the above were used  |                                      |   |  |  |
| <b>G0900. Functional Rehabilitation Potential</b><br>Complete only if A0310A = 01   |                                      |   |  |  |
| Enter Code       A. Resident believes he or she is capable of increased independence in at least some ADLs         0. No       1. Yes         9. Unable to determine  |                                      |   |  |  |
| Enter Code B. Direct care staff believe resident is capable of increased independence in at least some ADLs 0. No 1. Yes  |                                      |   |  |  |

| Section GG | Functional Abilities and Goals - Admission (Start of SNF PPS Stay) |
|------------|--|
|            |  |

| <b>GG0130. Self-Care</b> (<br>Complete only if A03 | Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400<br>0B = 01   | В)  |
|--|--|---|
|  | al performance at the start of the SNF PPS stay for each activity using the 6-point<br>5 stay, code the reason. Code the patient's end of SNF PPS stay goal(s) using the 6 |   |
| Coding:  |  |   |
|  | <b>erformance</b> - If helper assistance is required because resident's performance is<br><i>y</i> , score according to amount of assistance provided.                     | If activity was not attempted, code reason:                           |
| Activities may be comple                           | ted with or without assistive devices.   | 07. Resident refused.   |
| 06. Independent -                                  | Resident completes the activity by him/herself with no assistance from a helper.   | 09. Not applicable.   |
|  | <b>up assistance</b> - Helper SETS UP or CLEANS UP; resident completes activity. Helper<br>to or following the activity <b>.</b>   | 88. Not attempted due to <b>medical</b> condition or safety concerns. |
|  | touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING ident completes activity. Assistance may be provided throughout the activity or                    |   |
| 03. Partial/modera                                 | <b>te assistance</b> - Helper does LESS THAN HALF the effort. Helper lifts, holds, or<br>or limbs, but provides less than half the effort.                                 |   |
| 02. Substantial/ma                                 | <b>ximal assistance</b> - Helper does MORE THAN HALF the effort. Helper lifts or holds not provides more than half the effort.   |   |
| -  | per does ALL of the effort. Resident does none of the effort to complete the activity.<br>e of 2 or more helpers is required for the resident to complete the activity.    |   |
| 1.2.AdmissionDischaPerformanceGoa                  |  |   |
| ↓ Enter Codes in Boxe                              | <ul> <li>A. Eating: The ability to use suitable utensils to bring food to the mouth and sw presented on a table/tray. Includes modified food consistency.</li> </ul>       | allow food once the meal is   |
|  | <b>B. Oral hygiene:</b> The ability to use suitable items to clean teeth. [Dentures (if a replace dentures from and to the mouth, and manage equipment for soaking         | · · · · · · · · · · · · · · · · · · ·                                 |
|  | C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes be commode, bedpan, or urinal. If managing an ostomy, include wiping the op                 |   |

07. Resident refused.

88. Not attempted due to **medical** 

condition or safety concerns.

09. Not applicable.

| Section GG                 | Functional Abilities and Goals - Admission (Start of SNF PPS Stay)       |
|----------------------------|--|
| GG0170. Mobility (Assessme | ent period is days 1 through 3 of the SNF PPS Stay starting with A2400B) |

Complete only if A0310B = 01

 Code the resident's usual performance at the start of the SNF PPS stay for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay, code the reason. Code the patient's end of SNF PPS stay goal(s) using the 6-point scale.

 Coding:

 Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or the assistance of 2 or more helpers is required for the resident to complete the activity.

|  | -  |  |  |  |
|--|--|--|--|--|
| 1.   | 2.   |  |  |  |
| Admission  | Discharge  |  |  |  |
| Performance  | Goal   |  |  |  |
| ↓ Enter Code   | s in Boxes ↓                                       |  |  |  |
|  |  | <b>B.</b> Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.                            |  |  |
|  |  | C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed      |  |  |
|  |  | with feet flat on the floor, and with no back support.   |  |  |
|  |  | <b>D.</b> Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed. |  |  |
|  |  | E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).                 |  |  |
|  |  | F. Toilet transfer: The ability to safely get on and off a toilet or commode.  |  |  |
|  |  | H1. Does the resident walk?  |  |  |
|  |  | 0. <b>No</b> , and walking goal is <u>not</u> clinically indicated $\rightarrow$ Skip to GG0170Q1, Does the resident use a   |  |  |
|  | wheelchair/scooter?                                |  |  |  |
|  |  | 1. No, and walking goal is clinically indicated $\rightarrow$ Code the resident's discharge goal(s) for items GG0170J        |  |  |
|  |  | and GG0170K  |  |  |
|  |  | 2. Yes → Continue to GG0170J, Walk 50 feet with two turns  |  |  |
| J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.      |  | J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.                      |  |  |
|  |  | K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.                       |  |  |
|  |  | Q1. Does the resident use a wheelchair/scooter?  |  |  |
|  |  | 0. No> Skip to GG0130, Self Care   |  |  |
|  |  | 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns   |  |  |
|  |  | R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.           |  |  |
|  |  | RR1. Indicate the type of wheelchair/scooter used.   |  |  |
|  |  | 1. Manual  |  |  |
|  |  | 2. Motorized   |  |  |
| S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar s |  | S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.            |  |  |
|  | SS1. Indicate the type of wheelchair/scooter used. |  |  |  |
|  |  | 1. Manual  |  |  |
|  |  | 2. Motorized   |  |  |
|  |  |  |  |  |

| Section GG   | Functional Abilities and Goals - Discharge (End of SNF PPS Stay) |  |  |  |
|--|--|--|--|--|
| CC0120 Salf Care (Accorement pariod is the last 2 days of the SNE DDS Stay anding on A2400C) |  |  |  |  |

|  | ent's usual performance at the end of the SNF PPS stay for each activity using the 6-point<br>he SNF PPS stay, code the reason.  | scale. If an activity was not attempted     |
|--|--|---|
| Coding:  |  |   |
|  | <b>ality of Performance -</b> If helper assistance is required because resident's performance is<br>or quality, score according to amount of assistance provided.                              | If activity was not attempted, code reason: |
| •  | e completed with or without assistive devices.   | 07. Resident refused.                       |
| -  | <b>ndent</b> - Resident completes the activity by him/herself with no assistance from a helper.  | 09. Not applicable.                         |
| <ul> <li>05. Setup or clean-up assistance - Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.</li> <li>04. Supervision or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING</li> </ul> |  |   |
| assista<br>interm  | nce as resident completes activity. Assistance may be provided throughout the activity or ittently.  |   |
|  | / <b>moderate assistance</b> - Helper does LESS THAN HALF the effort. Helper lifts, holds, or<br>ts trunk or limbs, but provides less than half the effort.                                    |   |
| 02. Substa   | ntial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds<br>or limbs and provides more than half the effort.  |   |
|  | <b>dent</b> - Helper does ALL of the effort. Resident does none of the effort to complete the activity. assistance of 2 or more helpers is required for the resident to complete the activity. |   |
| 3.<br>Discharge<br>Performance   |  |   |
| Enter Code   | <b>A. Eating:</b> The ability to use suitable utensils to bring food to the mouth and swallow food on tray. Includes modified food consistency.  | ce the meal is presented on a table/        |
| Enter Code B. Oral hygiene: The ability to use suitable items to clean teeth. [Dentures (if applicable): The ability to remove and replace dentures from and to the mouth, and manage equipment for soaking and rinsing them.]   |  | e ability to remove and replace             |
| Enter Code C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after using the toilet, commode, bedp or urinal. If managing an ostomy, include wiping the opening but not managing equipment.  |  |   |

**Section GG** 

Identifier

Functional Abilities and Goals - Discharge (End of SNF PPS Stay)

|  | <b>ty</b> (Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C)<br>A0310G is not = 2 <b>and</b> A0310H = 1 <b>and</b> A2400C minus A2400B is greater than 2 <b>an</b> | <b>id</b> A2100 is not = 03   |  |
|--|---|---|--|
| Code the resident                                      | 's usual performance at the end of the SNF PPS stay for each activity using the 6-point<br>NF PPS stay, code the reason.  |   |  |
| Coding:  |   |   |  |
| Safety and Qualit                                      | <b>y of Performance -</b> If helper assistance is required because resident's performance is uality, score according to amount of assistance provided.                                      | If activity was not attempted, code reason:                           |  |
| Activities may be co                                   | mpleted with or without assistive devices.  | 07. Resident refused.   |  |
|  | nt - Resident completes the activity by him/herself with no assistance from a helper.   | 09. Not applicable.   |  |
| assists only   | ean-up assistance - Helper SETS UP or CLEANS UP; resident completes activity. Helper prior to or following the activity.  | 88. Not attempted due to <b>medical</b> condition or safety concerns. |  |
|  | n or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING<br>as resident completes activity. Assistance may be provided throughout the activity or<br>utly               |   |  |
| 03. Partial/mo   | <b>derate assistance</b> - Helper does LESS THAN HALF the effort. Helper lifts, holds, or unk or limbs, but provides less than half the effort.   |   |  |
| 02. Substantia   | I/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds has and provides more than half the effort.   |   |  |
| 01. Dependen   | t - Helper does ALL of the effort. Resident does none of the effort to complete the activity.<br>stance of 2 or more helpers is required for the resident to complete the activity.         |   |  |
| 3.<br>Discharge<br>Performance<br>Enter Codes in Boxes |   |   |  |
|  | <b>B.</b> Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.   |   |  |
|  | <b>C. Lying to sitting on side of bed:</b> The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.       |   |  |
|  | <b>D.</b> Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed.  |   |  |
|  | E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).  |   |  |
|  | F. Toilet transfer: The ability to safely get on and off a toilet or commode.   |   |  |
|  | H3. Does the resident walk?   |   |  |
|  | 0. No> Skip to GG0170Q3, Does the resident use a wheelchair/scooter?  |   |  |
|  | 2. Yes → Continue to GG0170J, Walk 50 feet with two turns   |   |  |
|  | J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and ma  | ake two turns.  |  |
|  | <b>K. Walk 150 feet:</b> Once standing, the ability to walk at least 150 feet in a corridor or simil  | ar space.   |  |
|  | Q3. Does the resident use a wheelchair/scooter?         0. No → Skip to H0100, Appliances         1. Yes → Continue to GG0170R, Wheel 50 feet with two turns                                |   |  |
|  | R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.  |   |  |
|  | RR3. Indicate the type of wheelchair/scooter used.<br>1. Manual<br>2. Motorized   |   |  |
|  | S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a co   | prridor or similar space.   |  |
|  | SS3. Indicate the type of wheelchair/scooter used.<br>1. Manual<br>2. Motorized   |   |  |

Identifier \_\_\_\_\_ Date \_\_\_\_\_

| Sectio     | n H Bladder and Bowel   |  |  |  |  |  |  |
|------------|---|--|--|--|--|--|--|
| H0100. A   | Appliances  |  |  |  |  |  |  |
| 🔶 Che      | eck all that apply  |  |  |  |  |  |  |
|            | A. Indwelling catheter (including suprapubic catheter and nephrostomy tube)   |  |  |  |  |  |  |
|            | B. External catheter  |  |  |  |  |  |  |
|            | C. Ostomy (including urostomy, ileostomy, and colostomy)  |  |  |  |  |  |  |
|            | D. Intermittent catheterization   |  |  |  |  |  |  |
|            | Z. None of the above  |  |  |  |  |  |  |
| H0200. l   | Jrinary Toileting Program   |  |  |  |  |  |  |
| Enter Code | <ul> <li>A. Has a trial of a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) been attempted on admission/entry or reentry or since urinary incontinence was noted in this facility?</li> <li>0. No → Skip to H0300, Urinary Continence</li> <li>1. Yes → Continue to H0200B, Response</li> <li>9. Unable to determine → Skip to H0200C, Current toileting program or trial</li> </ul>  |  |  |  |  |  |  |
| Enter Code |   |  |  |  |  |  |  |
| Enter Code | <ul> <li>Current toileting program or trial - Is a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) currently being used to manage the resident's urinary continence?</li> <li>0. No</li> <li>1. Yes</li> </ul>   |  |  |  |  |  |  |
| H0300. U   | Jrinary Continence  |  |  |  |  |  |  |
| Enter Code | <ul> <li>Urinary continence - Select the one category that best describes the resident</li> <li>0. Always continent</li> <li>1. Occasionally incontinent (less than 7 episodes of incontinence)</li> <li>2. Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)</li> <li>3. Always incontinent (no episodes of continent voiding)</li> <li>9. Not rated, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for the entire 7 days</li> </ul> |  |  |  |  |  |  |
| H0400. E   | Bowel Continence  |  |  |  |  |  |  |
| Enter Code | <ul> <li>Bowel continence - Select the one category that best describes the resident</li> <li>0. Always continent</li> <li>1. Occasionally incontinent (one episode of bowel incontinence)</li> <li>2. Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)</li> <li>3. Always incontinent (no episodes of continent bowel movements)</li> <li>9. Not rated, resident had an ostomy or did not have a bowel movement for the entire 7 days</li> </ul>                             |  |  |  |  |  |  |
| H0500. E   | Bowel Toileting Program   |  |  |  |  |  |  |
| Enter Code | Is a toileting program currently being used to manage the resident's bowel continence?<br>0. No<br>1. Yes   |  |  |  |  |  |  |
| H0600. E   | Bowel Patterns  |  |  |  |  |  |  |
| Enter Code | Constipation present?<br>0. No<br>1. Yes  |  |  |  |  |  |  |

Date

| Sect   | tion l   | Active Diagnoses  |
|--------|----------|---|
| Active | e Diagn  | oses in the last 7 days - Check all that apply  |
|        | -        | d in parentheses are provided as examples and should not be considered as all-inclusive lists   |
|        | Cancer   |   |
|        |          | Cancer (with or without metastasis)   |
|        |          |   |
|        |          | Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)   |
|        |          | Atrial Fibrillation or Other Dysrhythmias (e.g., bradycardias and tachycardias)   |
|        |          | Coronary Artery Disease (CAD) (e.g., angina, myocardial infarction, and atherosclerotic heart disease (ASHD))   |
|        | 10500.   | Deep Venous Thrombosis (DVT), Pulmonary Embolus (PE), or Pulmonary Thrombo-Embolism (PTE)   |
|        | 10600.   | Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)  |
|        | 10700.   | Hypertension  |
|        | 10800.   | Orthostatic Hypotension   |
|        | 10900.   | Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)  |
|        | Gastro   | ntestinal   |
|        | 11100.   | Cirrhosis   |
|        | 11200.   | Gastroesophageal Reflux Disease (GERD) or Ulcer (e.g., esophageal, gastric, and peptic ulcers)  |
|        | I1300.   | Ulcerative Colitis, Crohn's Disease, or Inflammatory Bowel Disease  |
|        | Genito   |   |
|        |          | Benign Prostatic Hyperplasia (BPH)  |
|        | 11500.   | Renal Insufficiency, Renal Failure, or End-Stage Renal Disease (ESRD)   |
|        | 11550.   | Neurogenic Bladder  |
|        | l1650.   | Obstructive Uropathy  |
|        | Infectio |   |
|        | 11700.   | Multidrug-Resistant Organism (MDRO)   |
|        | 12000.   | Pneumonia   |
|        | 12100.   | Septicemia  |
|        | 12200.   | Tuberculosis  |
|        | 12300.   | Urinary Tract Infection (UTI) (LAST 30 DAYS)  |
|        | 12400.   | Viral Hepatitis (e.g., Hepatitis A, B, C, D, and E)   |
|        | 12500.   | Wound Infection (other than foot)   |
|        | Metabo   | blic  |
|        | 12900.   | Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)  |
|        | 13100.   | Hyponatremia  |
|        | 13200.   | Hyperkalemia  |
|        | 13300.   | Hyperlipidemia (e.g., hypercholesterolemia)   |
|        | 13400.   | Thyroid Disorder (e.g., hypothyroidism, hyperthyroidism, and Hashimoto's thyroiditis)   |
|        | Muscul   | oskeletal   |
|        | 13700.   | Arthritis (e.g., degenerative joint disease (DJD), osteoarthritis, and rheumatoid arthritis (RA))   |
|        | 13800.   | Osteoporosis  |
|        | 13900.   | Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)   |
|        | 14000.   | Other Fracture  |
|        | Neurol   |   |
|        | 14200.   | Alzheimer's Disease   |
|        | 14300.   | Aphasia   |
|        | 14400.   | Cerebral Palsy  |
|        | 14500.   | Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke  |
|        | 14800.   | Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) |
|        |          |   |

| Sect   | ion l  | Active Diagnoses   |  |  |  |  |  |  |
|--------|--|--|--|--|--|--|--|--|
| Active | Active Diagnoses in the last 7 days - Check all that apply |  |  |  |  |  |  |  |
|        |  | d in parentheses are provided as examples and should not be considered as all-inclusive lists  |  |  |  |  |  |  |
|        | Neurol   | ogical - Continued   |  |  |  |  |  |  |
|        | 14900.   | Hemiplegia or Hemiparesis  |  |  |  |  |  |  |
|        | 15000.   | I5000. Paraplegia  |  |  |  |  |  |  |
|        | I5100. Quadriplegia  |  |  |  |  |  |  |  |
|        | 15200.   | Multiple Sclerosis (MS)  |  |  |  |  |  |  |
|        |  | Huntington's Disease   |  |  |  |  |  |  |
|        |  | Parkinson's Disease  |  |  |  |  |  |  |
|        |  | Tourette's Syndrome  |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        |  | Seizure Disorder or Epilepsy   |  |  |  |  |  |  |
|        |  | Traumatic Brain Injury (TBI)   |  |  |  |  |  |  |
|        | Nutritio   |  |  |  |  |  |  |  |
|        |  | Malnutrition (protein or calorie) or at risk for malnutrition atric/Mood Disorder              |  |  |  |  |  |  |
|        | -  | Anxiety Disorder   |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        |  | Depression (other than bipolar)  |  |  |  |  |  |  |
|        |  | Manic Depression (bipolar disease)   |  |  |  |  |  |  |
|        |  | Psychotic Disorder (other than schizophrenia)  |  |  |  |  |  |  |
|        | 16000.   | Schizophrenia (e.g., schizoaffective and schizophreniform disorders)                           |  |  |  |  |  |  |
|        | l6100.   | Post Traumatic Stress Disorder (PTSD)  |  |  |  |  |  |  |
| _      | Pulmor   |  |  |  |  |  |  |  |
|        | 16200.   | Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease (e.g., ch        | nronic bronchitis and restrictive lung |  |  |  |  |  |
|        |  | diseases such as asbestosis)   |  |  |  |  |  |  |
|        |  | Respiratory Failure  |  |  |  |  |  |  |
|        | Vision   |  |  |  |  |  |  |  |
|        |  | Cataracts, Glaucoma, or Macular Degeneration<br>f Above  |  |  |  |  |  |  |
|        |  | None of the above active diagnoses within the last 7 days                                      |  |  |  |  |  |  |
|        | Other  | None of the above active diagnoses within the last 7 days                                      |  |  |  |  |  |  |
|        |  | Additional active diagnoses  |  |  |  |  |  |  |
|        |  | agnosis on line and ICD code in boxes. Include the decimal for the code in the appropriate box |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        | A  |  |  |  |  |  |  |  |
|        | В.   |  |  |  |  |  |  |  |
|        | в  |  |  |  |  |  |  |  |
|        | c  |  |  |  |  |  |  |  |
|        | C  |  |  |  |  |  |  |  |
|        | D.   |  |  |  |  |  |  |  |
|        |  |  | -                                      |  |  |  |  |  |
|        | E.   |  |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        | F.   |  |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        | G.   |  |  |  |  |  |  |  |
|        |  |  | -                                      |  |  |  |  |  |
|        | Н  |  |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        | I  |  |  |  |  |  |  |  |
|        |  |  |  |  |  |  |  |  |
|        | J  |  |  |  |  |  |  |  |

| Sectio          | n J                          | Health Conditions   |
|-----------------|------------------------------|---|
| J0100. P        | ain Managemen                | <b>t</b> - Complete for all residents, regardless of current pain level |
| At any time     | e in the last <b>5</b> days, | has the resident:   |
| Enter Code      | A. Received sch              | eduled pain medication regimen?   |
|                 | 0. <b>No</b>                 |   |
|                 | 1. Yes                       |   |
| Enter Code      |                              | pain medications OR was offered and declined?                           |
|                 | 0. <b>No</b>                 |   |
|                 | 1. Yes                       |   |
| Enter Code      |                              | -medication intervention for pain?                                      |
|                 | 0. No                        |   |
|                 | 1. <b>Yes</b>                |   |
| _               |                              |   |
| <b>J0200.</b> 3 | Should Pain Ass              | essment Interview be Conducted?   |

| Attempt    | to conduct interview with all residents. If resident is comatose, skip to J1100, Shortness of Breath (dyspnea) |
|------------|--|
| Enter Code | 0. No (resident is rarely/never understood) —> Skip to and complete J0800, Indicators of Pain or Possible Pain |
|            | 1. Yes → Continue to J0300, Pain Presence  |

| Pain As      | ssessment Interview  |
|--------------|--|
| J0300. P     | Pain Presence  |
| Enter Code   | <ul> <li>Ask resident: "Have you had pain or hurting at any time in the last 5 days?"</li> <li>0. No → Skip to J1100, Shortness of Breath</li> <li>1. Yes → Continue to J0400, Pain Frequency</li> <li>9. Unable to answer → Skip to J0800, Indicators of Pain or Possible Pain</li> </ul>   |
| J0400. F     | Pain Frequency   |
| Enter Code   | Ask resident: "How much of the time have you experienced pain or hurting over the last 5 days?" 1. Almost constantly 2. Frequently 3. Occasionally 4. Rarely 9. Unable to answer   |
| J0500. F     | Pain Effect on Function  |
| Enter Code   | <ul> <li>A. Ask resident: "Over the past 5 days, has pain made it hard for you to sleep at night?"</li> <li>0. No</li> <li>1. Yes</li> <li>9. Unable to answer</li> </ul>  |
| Enter Code   | <ul> <li>B. Ask resident: "Over the past 5 days, have you limited your day-to-day activities because of pain?"</li> <li>0. No</li> <li>1. Yes</li> <li>9. Unable to answer</li> </ul>  |
| J0600. F     | Pain Intensity - Administer ONLY ONE of the following pain intensity questions (A or B)  |
| Enter Rating | <ul> <li>A. Numeric Rating Scale (00-10)         Ask resident: "Please rate your worst pain over the last 5 days on a zero to ten scale, with zero being no pain and ten             as the worst pain you can imagine." (Show resident 00 -10 pain scale)             Enter two-digit response. Enter 99 if unable to answer.     </li> </ul> |
| Enter Code   | <ul> <li>B. Verbal Descriptor Scale Ask resident: "Please rate the intensity of your worst pain over the last 5 days." (Show resident verbal scale) <ol> <li>Mild</li> <li>Moderate</li> <li>Severe</li> </ol></li></ul>   |
|              | <ol> <li>Severe</li> <li>Very severe, horrible</li> <li>Unable to answer</li> </ol>  |

### Section J Health Conditions

### J0700. Should the Staff Assessment for Pain be Conducted?

Enter Code

0. No (J0400 = 1 thru 4) - Skip to J1100, Shortness of Breath (dyspnea)

1. Yes (J0400 = 9) → Continue to J0800, Indicators of Pain or Possible Pain

### **Staff Assessment for Pain**

| J0800. Indicators of Pain or Possible Pain in the last 5 days |  |
|---|--|
|---|--|

| 🗼 Ch  | eck all that apply   |  |  |  |  |
|---|--|--|--|--|--|
|   | A. Non-verbal sounds (e.g., crying, whining, gasping, moaning, or groaning)  |  |  |  |  |
|   | B. Vocal complaints of pain (e.g., that hurts, ouch, stop)   |  |  |  |  |
|   | C. Facial expressions (e.g., grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth or jaw)  |  |  |  |  |
|   | <b>D. Protective body movements or postures</b> (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement)   |  |  |  |  |
|   | Z. None of these signs observed or documented → If checked, skip to J1100, Shortness of Breath (dyspnea)   |  |  |  |  |
| J0850. Frequency of Indicator of Pain or Possible Pain in the last 5 days |  |  |  |  |  |
| Enter Code  | <ul> <li>Frequency with which resident complains or shows evidence of pain or possible pain</li> <li>1. Indicators of pain or possible pain observed 1 to 2 days</li> <li>2. Indicators of pain or possible pain observed 3 to 4 days</li> </ul> |  |  |  |  |

3. Indicators of pain or possible pain observed daily

| Other Health Conditions |  |  |  |  |
|-------------------------|--|--|--|--|
| J1100. S                | J1100. Shortness of Breath (dyspnea)   |  |  |  |
| 🔶 Che                   | ck all that apply  |  |  |  |
|                         | A. Shortness of breath or trouble breathing with exertion (e.g., walking, bathing, transferring)   |  |  |  |
|                         | B. Shortness of breath or trouble breathing when sitting at rest   |  |  |  |
|                         | C. Shortness of breath or trouble breathing when lying flat  |  |  |  |
|                         | Z. None of the above   |  |  |  |
| J1300. C                | urrent Tobacco Use   |  |  |  |
| Enter Code              | Tobacco use  |  |  |  |
|                         | 0. No<br>1. Yes  |  |  |  |
| J1400. P                |  |  |  |  |
|                         | Does the resident have a condition or chronic disease that may result in a <b>life expectancy of less than 6 months?</b> (Requires physician |  |  |  |
| Enter Code              | documentation)   |  |  |  |
|                         | 0. No<br>1. Yes  |  |  |  |
| J1550. P                | roblem Conditions  |  |  |  |
| 🔶 Che                   | ck all that apply  |  |  |  |
|                         | A. Fever   |  |  |  |
|                         | B. Vomiting  |  |  |  |
|                         | C. Dehydrated  |  |  |  |
|                         | D. Internal bleeding   |  |  |  |
|                         | Z. None of the above   |  |  |  |
|                         |  |  |  |  |

Resident

Identifier \_\_\_\_\_ Date \_\_\_\_\_

| Sectio   | n J  | Health C    | Conditions   |  |  |
|--|--|-------------|--|--|--|
|  | J1700. Fall History on Admission/Entry or Reentry<br>Complete only if A0310A = 01 or A0310E = 1  |             |  |  |  |
| Enter Code                                     | <ul> <li>A. Did the resident have a fall any time in the last month prior to admission/entry or reentry?</li> <li>0. No</li> <li>1. Yes</li> <li>9. Unable to determine</li> </ul>   |             |  |  |  |
| Enter Code                                     | <ul> <li>B. Did the resident has</li> <li>0. No</li> <li>1. Yes</li> <li>9. Unable to det</li> </ul>   | ·           | ime in the <b>last 2-6 months</b> prior to admission/entry or reentry?   |  |  |
| Enter Code                                     | Enter Code C. Did the resident have any fracture related to a fall in the 6 months prior to admission/entry or reentry? O. No 1. Yes 9. Unable to determine  |             |  |  |  |
| J1800. A                                       | ny Falls Since Admi  | ssion/Entry | or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent   |  |  |
| Enter Code                                     | <ul> <li>Has the resident had any falls since admission/entry or reentry or the prior assessment (OBRA or Scheduled PPS), whichever is more recent?</li> <li>No → Skip to K0100, Swallowing Disorder</li> <li>Yes → Continue to J1900, Number of Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)</li> </ul> |             |  |  |  |
| J1900. N                                       | umber of Falls Sinc  | e Admission | /Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent  |  |  |
|  |  | 🗼 Enter     | Codes in Boxes   |  |  |
| Coding:<br>0. None<br>1. One<br>2. Two or more |  | A.          | <b>No injury</b> - no evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the resident; no change in the resident's behavior is noted after the fall |  |  |
|  |  | B.          | <b>Injury (except major)</b> - skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the resident to complain of pain   |  |  |
|  |  | C.          | <b>Major injury</b> - bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma   |  |  |

| Sectio   | Section K Swallowing/Nutritional Status                               |   |                         |                  |  |  |  |
|--|---|---|-------------------------|------------------|--|--|--|
| K0100.   | Swallowing Disord   | er  |                         |                  |  |  |  |
| Signs and  | d symptoms of poss  | ible swallowing disorder  |                         |                  |  |  |  |
| 🔶 🕇 Ch   | eck all that apply  |   |                         |                  |  |  |  |
|  | A. Loss of liquids/solids from mouth when eating or drinking          |   |                         |                  |  |  |  |
|  | B. Holding food in mouth/cheeks or residual food in mouth after meals |   |                         |                  |  |  |  |
|  | C. Coughing or ch   | oking during meals or when swallowing medications   |                         |                  |  |  |  |
|  | D. Complaints of o  | difficulty or pain with swallowing  |                         |                  |  |  |  |
|  | Z. None of the abo  | ove   |                         |                  |  |  |  |
| K0200.   | Height and Weight   | - While measuring, if the number is X.1 - X.4 round down; X.5 or grea   | iter round up           |                  |  |  |  |
| inches   | A. Height (in   | inches). Record most recent height measure since the most recent admissio   | n/entry or reentry      |                  |  |  |  |
| pounds   |   | pounds). Base weight on most recent measure in last 30 days; measure weight on most recent measure in last 30 days; measure weight ctice (e.g., in a.m. after voiding, before meal, with shoes off, etc.) | ght consistently, accor | ding to standard |  |  |  |
| K0300.   | Weight Loss   |   |                         |                  |  |  |  |
| Enter Code   | 0. No or unkno<br>1. Yes, on phys                                     | e <b>in the last month or loss of 10% or more in last 6 months</b><br>wn<br>.ician-prescribed weight-loss regimen<br>physician-prescribed weight-loss regimen   |                         |                  |  |  |  |
| K0510.   | -   | in the last month or usin of 100/ or more in last 6 months  |                         |                  |  |  |  |
| Enter Code   | 0. No or unkno<br>1. Yes, on phys                                     | e <b>in the last month or gain of 10% or more in last 6 months</b><br>wn<br>iician-prescribed weight-gain regimen<br>physician-prescribed weight-gain regimen   |                         |                  |  |  |  |
| K0510.   | Nutritional Approa  |   |                         |                  |  |  |  |
| Check all  | of the following nutrit   | ional approaches that were performed during the last <b>7 days</b>  |                         |                  |  |  |  |
| 1. While NOT a Resident         Performed while NOT a resident of this facility and within the last 7 days. Only check column 1 if         resident entered (admission or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or more days         ago, leave column 1 blank         2. While a Resident |   |   |                         |                  |  |  |  |
| Perfo  | rmed <b>while a resident</b>  | of this facility and within the <b>last 7 days</b>  | 🗼 Check all 1           | that apply 🜡     |  |  |  |
| A. Paren   | nteral/IV feeding   |   |                         |                  |  |  |  |
| B. Feeding tube - nasogastric or abdominal (PEG)   |   |   |                         |                  |  |  |  |
|  | anically altered diet<br>ened liquids)                                | - require change in texture of food or liquids (e.g., pureed food,  |                         |                  |  |  |  |
| D. Thera   | D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)       |   |                         |                  |  |  |  |
| Z. None  | Z. None of the above  |   |                         |                  |  |  |  |

| Section K   | Swallowing/Nutritional Status  |                               |  |                               |  |
|---|--|-------------------------------|--|-------------------------------|--|
| K0710. Percent Intake by Artificial Route - Complete K0710 only if Column 1 and/or Column 2 are checked for K0510A and/or K0510B          |  |                               |  |                               |  |
| code in column 1 if resider<br>resident last entered 7 or n<br><b>2. While a Resident</b>   | <b>Sident</b> of this facility and within the <b>last 7 days</b> . Only enter a<br>it entered (admission or reentry) IN THE LAST 7 DAYS. If<br>hore days ago, leave column 1 blank<br><b>t</b> of this facility and within the <b>last 7 days</b><br>re <b>last 7 days</b> | 1.<br>While NOT a<br>Resident | 2.<br>While a<br>Resident<br>Enter Codes | 3.<br>During Entire<br>7 Days |  |
| A. Proportion of total calorie<br>1. 25% or less<br>2. 26-50%<br>3. 51% or more<br>B. Average fluid intake per c<br>1. 500 cc/day or less | es the resident received through parenteral or tube feeding<br>lay by IV or tube feeding   |                               |  |                               |  |

2. **501 cc/day or more** 

## Section L Oral/Dental Status

### L0200. Dental

| Check | Check all that apply  |  |
|-------|---|--|
| A     | . Broken or loosely fitting full or partial denture (chipped, cracked, uncleanable, or loose)           |  |
| В     | . No natural teeth or tooth fragment(s) (edentulous)  |  |
| C     | Abnormal mouth tissue (ulcers, masses, oral lesions, including under denture or partial if one is worn) |  |
| D     | . Obvious or likely cavity or broken natural teeth  |  |
| E     | Inflamed or bleeding gums or loose natural teeth  |  |
| F     | Mouth or facial pain, discomfort or difficulty with chewing   |  |
| G     | . Unable to examine   |  |
| Z     | . None of the above were present  |  |

### Section M Skin Conditions

## Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage

| Chec              | k all that apply   |  |  |
|-------------------|--|--|--|
| 1                 | A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device         B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)  |  |  |
| E                 |  |  |  |
| C                 | C. Clinical assessment   |  |  |
| Z                 | 7. None of the above   |  |  |
| 0. Ri             | sk of Pressure Ulcers  |  |  |
| de I              | s this resident at risk of developing pressure ulcers?<br>0. No<br>1. Yes  |  |  |
| 0. UI             | nhealed Pressure Ulcer(s)  |  |  |
| de 🚺              | Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?   |  |  |
|                   | <ol> <li>No → Skip to M0900, Healed Pressure Ulcers</li> <li>Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers at Each Stage</li> </ol>  |  |  |
| 0. Cı             | urrent Number of Unhealed Pressure Ulcers at Each Stage  |  |  |
| ber               | A. Number of Stage 1 pressure ulcers<br>Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may<br>have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues  |  |  |
| ber               | 3. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May als present as an intact or open/ruptured blister  |  |  |
|                   |  |  |  |
| ber               | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note</li> </ul>   |  |  |
| ber               | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note the time of admission/entry or reentry</li> </ul>  |  |  |
| ber               | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note the time of admission/entry or reentry</li> <li>3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:</li> </ul>   |  |  |
| ber               | <ul> <li>present as an intact or open/ruptured blister</li> <li><b>1. Number of Stage 2 pressure ulcers -</b> If 0 → Skip to M0300C, Stage 3</li> <li><b>2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry -</b> enter how many were note the time of admission/entry or reentry</li> <li><b>3. Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown: <ul> <li></li></ul></li></ul>  |  |  |
| ber               | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note the time of admission/entry or reentry</li> <li>3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown: <ul> <li></li></ul></li></ul>   |  |  |
| ber<br>ber        | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note the time of admission/entry or reentry</li> <li>3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown: <ul> <li>Month</li> <li>Day</li> <li>Year</li> </ul> </li> <li>2. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling</li> <li>1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4</li> <li>2. Number of these Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted to M0300D.</li> </ul> |  |  |
| ber<br>ber<br>ber | <ul> <li>present as an intact or open/ruptured blister</li> <li>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</li> <li>2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were note the time of admission/entry or reentry</li> <li>3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown: <ul> <li></li></ul></li></ul>   |  |  |

| Section M Skin Conditions |   |  |  |
|---------------------------|---|--|--|
| M0300.                    | Current N   | umber of Unhealed Pressure Ulcers at Each Stage - Continued  |  |
|                           | E. Unstag   | geable - Non-removable dressing: Known but not stageable due to non-removable dressing/device  |  |
| Enter Number              |   | nber of unstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable:<br>Igh and/or eschar  |  |
| Enter Number              |   | <b>nber of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were<br>ed at the time of admission/entry or reentry                                    |  |
|                           | F. Unstag   | geable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar  |  |
| Enter Number              |   | <b>nber of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> - If 0 —> Skip to M0300G,<br>tageable: Deep tissue   |  |
| Enter Number              |   | <b>nber of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were<br>ed at the time of admission/entry or reentry                                    |  |
|                           | G. Unsta  | geable - Deep tissue: Suspected deep tissue injury in evolution  |  |
| Enter Number              |   | nber of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension<br>nhealed Stage 3 or 4 Pressure Ulcers or Eschar   |  |
| Enter Number              |   | n <b>ber of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were<br>ed at the time of admission/entry or reentry                                   |  |
|                           |   | ns of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar<br>1300C1, M0300D1 or M0300F1 is greater than 0  |  |
| · ·                       |   | or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure  |  |
| ulcer with                | the largest   | surface area (length x width) and record in centimeters:   |  |
|                           | • cm  | A. Pressure ulcer length: Longest length from head to toe  |  |
|                           | • cm  | <b>B.</b> Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  |  |
|                           | • cm  | <b>C. Pressure ulcer depth:</b> Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  |  |
| M0700.                    | A0700. Most Severe Tissue Type for Any Pressure Ulcer   |  |  |
|                           | Select the best description of the most severe type of tissue present in any pressure ulcer bed |  |  |
| Enter Code                | -   | thelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin<br>Inulation tissue - pink or red tissue with shiny, moist, granular appearance |  |
|                           |   | <b>ugh</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous   |  |
|                           |   | <b>har</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding   |  |
|                           | skii  | ne of the Above  |  |
| M0800.                    |   | g in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry   |  |
|                           | e only if A0  |  |  |
| entry. If no              |   | f current pressure ulcers that were <b>not present or were at a lesser stage</b> on prior assessment (OBRA or scheduled PPS) or last<br>essure ulcer at a given stage, enter 0.                                    |  |
| Enter Number              | A. Stage  | 2  |  |
| Enter Number              | B. Stage  | 3  |  |
| Enter Number              | C. Stage  | 4  |  |

| Sectio  | Section M Skin Conditions   |  |  |  |
|---|---|--|--|--|
| M0900. Healed Pressure Ulcers   |   |  |  |  |
| Complete only if A0310E = 0<br>EnterCode A. Were pressure ulcers present on the prior assessment (OBRA or scheduled PPS)? |   |  |  |  |
| Enter Code  | <ol> <li>No → Skip to M1030, Number of Venous and Arterial Ulcers</li> <li>Yes → Continue to M0900B, Stage 2</li> </ol> |  |  |  |
|   |   | of pressure ulcers that were noted on the prior assessment (OBRA or scheduled PPS) that have completely closed<br>helium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA or scheduled PPS), enter 0. |  |  |
| Enter Number  | B. Stage 2  |  |  |  |
| Enter Number  | C. Stage 3  |  |  |  |
| Enter Number  | D. Stage 4  |  |  |  |
| M1030. I  | Number of Venous  | and Arterial Ulcers  |  |  |
| Enter Number  | Enter the total num   | ber of venous and arterial ulcers present  |  |  |
| M1040.  | Other Ulcers, Wour  | nds and Skin Problems  |  |  |
| ↓ Ch  | eck all that apply  |  |  |  |
|   | Foot Problems   |  |  |  |
|   | A. Infection of the   | foot (e.g., cellulitis, purulent drainage)   |  |  |
|   | B. Diabetic foot uld  | cer(s)   |  |  |
|   | C. Other open lesic   | on(s) on the foot  |  |  |
|   | Other Problems  |  |  |  |
|   | D. Open lesion(s) o   | ther than ulcers, rashes, cuts (e.g., cancer lesion)   |  |  |
|   | E. Surgical wound(  | s)   |  |  |
|   | F. Burn(s) (second of   | or third degree)   |  |  |
|   | G. Skin tear(s)   |  |  |  |
|   | H. Moisture Associated Skin Damage (MASD) (e.g., incontinence-associated dermatitis [IAD], perspiration, drainage)      |  |  |  |
|   | None of the Above   |  |  |  |
|   | Z. None of the abo  | <b>ve</b> were present   |  |  |
| M1200. 9  | Skin and Ulcer Trea   | atments  |  |  |
| ↓ Ch  | eck all that apply  |  |  |  |
|   | A. Pressure reduci  | ng device for chair  |  |  |
|   | B. Pressure reducin   | ng device for bed  |  |  |
|   | C. Turning/reposit  | ioning program   |  |  |
|   | D. Nutrition or hyd   | ration intervention to manage skin problems  |  |  |
|   | E. Pressure ulcer ca  | are  |  |  |
|   | F. Surgical wound   | care   |  |  |
|   | G. Application of n   | onsurgical dressings (with or without topical medications) other than to feet  |  |  |
|   |   | ointments/medications other than to feet   |  |  |
|   |   | ressings to feet (with or without topical medications)   |  |  |
|   | Z. None of the abo  |  |  |  |
|   | 2. None of the abo  |  |  |  |

| Section N  |   | Medications  |  |
|------------|---|--|--|
| N0300. I   | N0300. Injections   |  |  |
| Enter Days | Record the number of days that injections of any type were received during the last 7 days or since admission/entry or reentry if less than 7 days. If 0 -> Skip to N0410, Medications Received |  |  |
| N0350. I   | nsulin  |  |  |
| Enter Days | <b>A. Insulin injection</b><br>or reentry if less t   | <b>s - Record the number of days that insulin injections</b> were received during the last 7 days or since admission/entry<br>han 7 days   |  |
| Enter Days |   | <b>n - Record the number of days the physician (or authorized assistant or practitioner) changed the resident's</b><br>uring the last 7 days or since admission/entry or reentry if less than 7 days |  |
| N0410. M   | Medications Receiv  | ed   |  |
|            |   | he resident received the following medications during the last 7 days or since admission/entry or reentry if less<br>ion was not received by the resident during the last 7 days                     |  |
| Enter Days | A. Antipsychotic  |  |  |
| Enter Days | B. Antianxiety  |  |  |
| Enter Days | C. Antidepressant   |  |  |
| Enter Days | ays D. Hypnotic   |  |  |
| Enter Days | E. Anticoagulant (e   | .g., warfarin, heparin, or low-molecular weight heparin)   |  |
| Enter Days | F. Antibiotic   |  |  |
| Enter Days | G. Diuretic   |  |  |

| Section O   | Special Treatments, Procedures, and Program  | าร                            |                           |
|---|--|-------------------------------|---------------------------|
| O0100. Special Treatments, Procedures, and Programs                                     |  |                               |                           |
| Check all of the following treat  | ments, procedures, and programs that were performed during the last 14 day   | S                             |                           |
|   | <b>sident</b> of this facility and within the <b>last 14 days</b> . Only check column 1 if<br>on or reentry) IN THE LAST 14 DAYS. If resident last entered 14 or more days | 1.<br>While NOT a<br>Resident | 2.<br>While a<br>Resident |
| 1   | <b>t</b> of this facility and within the <b>last 14 days</b>   | 🗼 Check all                   | that apply 🜡              |
| Cancer Treatments   |  | •                             |                           |
| A. Chemotherapy   |  |                               |                           |
| B. Radiation  |  |                               |                           |
| Respiratory Treatments  |  |                               |                           |
| C. Oxygen therapy   |  |                               |                           |
| D. Suctioning   |  |                               |                           |
| E. Tracheostomy care  |  |                               |                           |
| F. Ventilator or respirator   |  |                               |                           |
| G. BIPAP/CPAP   |  |                               |                           |
| Other   |  |                               |                           |
| H. IV medications   |  |                               |                           |
| I. Transfusions   |  |                               |                           |
| J. Dialysis   |  |                               |                           |
| K. Hospice care   |  |                               |                           |
| L. Respite care   |  |                               |                           |
| M. Isolation or quarantine for precautions)   | or active infectious disease (does not include standard body/fluid   |                               |                           |
| None of the Above   |  |                               |                           |
| Z. None of the above  |  |                               |                           |
| 00250. Influenza Vaccine  | - Refer to current version of RAI manual for current influenza vaccinati   | on season and repo            | orting period             |
| Enter Code <b>A.</b> Did the <b>resider</b>   | <b>t receive the influenza vaccine</b> in this facility for this year's influenza vaccina  | ation season?                 |                           |
|   | p to O0250C, If influenza vaccine not received, state reason<br>ontinue to O0250B, Date influenza vaccine received   |                               |                           |
| B. Date influenza   | vaccine received   | eumococcal vaccinati          | on up to date?            |
| -   | _  |                               |                           |
| Month   | Day Year   |                               |                           |
| 1. Resident no<br>2. Received of<br>3. Not eligible<br>4. Offered and<br>5. Not offered | l<br><b>obtain influenza vaccine</b> due to a declared shortage  |                               |                           |
| O0300. Pneumococcal Va  | ccine  |                               |                           |
| Linter coure  | s Pneumococcal vaccination up to date?   |                               |                           |
|   | tinue to O0300B, If Pneumococcal vaccine not received, state reason<br>p to O0400, Therapies   |                               |                           |
|   | al vaccine not received, state reason:   |                               |                           |
| 1. Not eligible<br>2. Offered and   | e - medical contraindication<br><b>J declined</b>  |                               |                           |
| 3. Not offered  |  |                               |                           |
| MDS 3.0 Nursing Home Com  | prehensive (NC) Corrected Version 1.14.0 DRAFT   |                               | Page 33 of 45             |

| Section O               | Special Treatments, Procedures, and Programs  |
|-------------------------|---|
| O0400. Therapies        |   |
|                         | A. Speech-Language Pathology and Audiology Services   |
| Enter Number of Minutes | 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days  |
| Enter Number of Minutes | <ol> <li>Concurrent minutes - record the total number of minutes this therapy was administered to the resident<br/>concurrently with one other resident in the last 7 days</li> </ol>   |
| Enter Number of Minutes | 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days  |
|                         | If the sum of individual, concurrent, and group minutes is zero, -> skip to O0400A5, Therapy start date   |
| Enter Number of Minutes | 3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions in the last 7 days   |
| Enter Number of Days    | 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days  |
|                         | <ul> <li>5. Therapy start date - record the date the most recent therapy regimen (since the most recent entry) started</li> <li>6. Therapy end date - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing</li> </ul> |
|                         |   |
|                         | Month Day Year Month Day Year   |
|                         | B. Occupational Therapy   |
| Enter Number of Minutes | 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days  |
| Enter Number of Minutes | <ol> <li>Concurrent minutes - record the total number of minutes this therapy was administered to the resident<br/>concurrently with one other resident in the last 7 days</li> </ol>   |
| Enter Number of Minutes | 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days  |
|                         | If the sum of individual, concurrent, and group minutes is zero,  |
| Enter Number of Minutes | <b>3A.</b> Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions in the last 7 days  |
| Enter Number of Days    | 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days  |
|                         | <ul> <li>5. Therapy start date - record the date the most recent therapy regimen (since the most recent entry) started</li> <li>6. Therapy end date - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing</li> </ul> |
|                         | Month Day Year Month Day Year   |
| O0400 continu           | led on next page  |

. .

| Section O Special Treatments, Procedures, and Programs  |  |  |  |
|---|--|--|--|
| 00400. Therapies - Continued  |  |  |  |
|   | C. Physical Therapy  |  |  |
| Enter Number of Minutes   | 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days   |  |  |
| Enter Number of Minutes   | 2. Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days   |  |  |
| Enter Number of Minutes   | 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days   |  |  |
|   | If the sum of individual, concurrent, and group minutes is zero, → skip to O0400C5, Therapy start date   |  |  |
| Enter Number of Minutes   | <b>3A. Co-treatment minutes</b> - record the total number of minutes this therapy was administered to the resident in <b>co-treatment sessions</b> in the last 7 days  |  |  |
| Enter Number of Days  | 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days   |  |  |
|   | <ul> <li>5. Therapy start date - record the date the most recent therapy regimen (since the most recent entry) started</li> <li>6. Therapy end date - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing</li> </ul>  |  |  |
|   |  |  |  |
|   | Month         Day         Year         Month         Day         Year           D. Respiratory Therapy         Image: Comparison of the state of the |  |  |
| Enter Number of Minutes   |  |  |  |
| Enter Number of Minutes   | 1. Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days   |  |  |
|   | lf zero, → skip to O0400E, Psychological Therapy   |  |  |
| Enter Number of Days  | 2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days   |  |  |
|   | E. Psychological Therapy (by any licensed mental health professional)  |  |  |
| Enter Number of Minutes   | 1. Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days   |  |  |
|   | If zero, → skip to O0400F, Recreational Therapy  |  |  |
| Enter Number of Days  | 2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days   |  |  |
|   | F. Recreational Therapy (includes recreational and music therapy)  |  |  |
| Enter Number of Minutes   | 1. Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days   |  |  |
|   | lf zero, → skip to O0420, Distinct Calendar Days of Therapy  |  |  |
| Enter Number of Days  | 2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days   |  |  |
| O0420. Distinct Calendar Days of Therapy  |  |  |  |
| Enter Number of Days Record the number of calendar days that the resident received Speech-Language Pathology and Audiolog Occupational Therapy, or Physical Therapy for at least 15 minutes in the past 7 days. |  |  |  |
| <b>O0450. Resumption of Therapy</b> - Complete only if A0310C = 2 or 3 and A0310F = 99  |  |  |  |
| Thera<br>0. No<br>1. Ye   | <ul> <li>A. Has a previous rehabilitation therapy regimen (speech, occupational, and/or physical therapy) ended, as reported on this Er Therapy OMRA, and has this regimen now resumed at exactly the same level for each discipline?</li> <li>0. No → Skip to O0500, Restorative Nursing Programs</li> <li>1. Yes</li> <li>B. Date on which therapy regimen resumed:</li> </ul>   |  |  |
| Mar   |  |  |  |
| Mor   | nth Day Year   |  |  |

| Sectio            | ection O Special Treatments, Procedures, and Programs   |  |
|-------------------|---|--|
| 00500. F          | lestorative Nursin  | g Programs   |
|                   | number of days each<br>none or less than 15 r   | ch of the following restorative programs was performed (for at least 15 minutes a day) in the last 7 calendar days<br>ninutes daily) |
| Number<br>of Days | Technique   |  |
|                   | A. Range of motic   | on (passive)   |
|                   | B. Range of motio   | on (active)  |
|                   | C. Splint or brace  | assistance   |
| Number<br>of Days | Training and Skill  | Practice In:   |
|                   | D. Bed mobility   |  |
|                   | E. Transfer   |  |
|                   | F. Walking  |  |
|                   | G. Dressing and/o   | or grooming  |
|                   | H. Eating and/or s  | swallowing   |
|                   | I. Amputation/prostheses care   |  |
|                   | J. Communicatior  | 1  |
| 00600. P          | hysician Examina  | tions  |
| Enter Days        | Over the last 14 day  | rs, on how many days did the physician (or authorized assistant or practitioner) examine the resident?                               |
| 00700. P          | hysician Orders   |  |
| Enter Days        | Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) change the resident's orders? |  |

| Section P   | Restraints  |
|---|---|
| P0100. Physical Restraints                        |   |
|   | al method or physical or mechanical device, material or equipment attached or adjacent to the resident's body that<br>sily which restricts freedom of movement or normal access to one's body |
|   | ↓ Enter Codes in Boxes  |
|   | Used in Bed   |
|   | A. Bed rail   |
|   | B. Trunk restraint  |
|   | C. Limb restraint   |
| Coding:<br>0. Not used<br>1. Used less than daily | D. Other  |
| 2. Used daily                                     | Used in Chair or Out of Bed   |
|   | E. Trunk restraint  |
|   | F. Limb restraint   |
|   | G. Chair prevents rising  |
|   | H. Other  |

| Section Q Participation in Assessment and Goal Setting |  |  |  |
|--|--|--|--|
| Q0100. F   | Q0100. Participation in Assessment   |  |  |
| Enter Code   | A. Resident particip<br>0. No<br>1. Yes  | pated in assessment  |  |
| Enter Code   | 0. No<br>1. Yes  | cant other participated in assessment<br>no family or significant other  |  |
| Enter Code   | 0. No<br>1. Yes  | Illy authorized representative participated in assessment<br>no guardian or legally authorized representative  |  |
|  | Resident's Overall E   | xpectation   |  |
| Complete   | only if A0310E = 1   |  |  |
| Enter Code   | <ol> <li>Expects to be</li> <li>Expects to rer</li> </ol>                          | sident's overall goal established during assessment process<br>discharged to the community<br>nain in this facility<br>discharged to another facility/institution<br>uncertain |  |
| Enter Code   | <ol> <li>Resident</li> <li>If not resident</li> </ol>                              | ation source for Q0300A<br>, then family or significant other<br>, family, or significant other, then guardian or legally authorized representative<br>uncertain               |  |
| Q0400. [   | Q0400. Discharge Plan  |  |  |
| Enter Code   | <ul> <li>A. Is active discharge</li> <li>0. No</li> <li>1. Yes → Skip t</li> </ul> | ge planning already occurring for the resident to return to the community?<br>o Q0600, Referral  |  |

| Section Q  |  | Participation in Assessment and Goal Setting  |
|------------|--|---|
|            | Resident's Prefere<br>only if A0310A = 02,           | nce to Avoid Being Asked Question Q0500B<br>06, or 99   |
| Enter Code | 0. <b>No</b>   | s clinical record document a request that this question be asked only on comprehensive assessments?   |
| Q0500. I   | Return to Commu                                      | nity  |
| Enter Code | respond): <b>"Do y</b>                               | It (or family or significant other or guardian or legally authorized representative if resident is unable to understand or<br>you want to talk to someone about the possibility of leaving this facility and returning to live and<br>ces in the community?"<br>r uncertain   |
| Q0550. I   | Resident's Prefere                                   | nce to Avoid Being Asked Question Q0500B Again  |
| Enter Code | respond) <b>want t</b><br>assessments.)              | ent (or family or significant other or guardian or legally authorized representative if resident is unable to understand or to be asked about returning to the community on <u>all</u> assessments? (Rather than only on comprehensive cument in resident's clinical record and ask again only on the next comprehensive assessment assessment and a vailable |
| Enter Code | <ol> <li>Resident</li> <li>If not resider</li> </ol> | nation source for Q0550A<br>nt, then family or significant other<br>nt, family or significant other, then guardian or legally authorized representative<br>above  |
| Q0600.     | Referral   |   |
| Enter Code | 0. No - referral                                     | is or may be needed (For more information see Appendix C, Care Area Assessment Resources #20)   |

Resident

| Sectio      | n V Care Area Assessment (CAA) Summary   |  |  |  |  |  |
|-------------|--|--|--|--|--|--|
|             | V0100. Items From the Most Recent Prior OBRA or Scheduled PPS Assessment   |  |  |  |  |  |
| Complete    | e only if A0310E = 0 and if the following is true for the <b>prior assessment</b> : A0310A = 01- 06 or A0310B = 01- 05                       |  |  |  |  |  |
| Enter Code  | A. Prior Assessment Federal OBRA Reason for Assessment (A0310A value from prior assessment)<br>01. Admission assessment (required by day 14) |  |  |  |  |  |
|             | 02. Quarterly review assessment  |  |  |  |  |  |
|             | 03. Annual assessment  |  |  |  |  |  |
|             | 04. Significant change in status assessment  |  |  |  |  |  |
|             | 05. Significant correction to prior comprehensive assessment   |  |  |  |  |  |
|             | 06. Significant correction to prior quarterly assessment   |  |  |  |  |  |
|             | 99. None of the above  |  |  |  |  |  |
| Enter Code  | B. Prior Assessment PPS Reason for Assessment (A0310B value from prior assessment)   |  |  |  |  |  |
| EnterCode   | 01. <b>5-day</b> scheduled assessment  |  |  |  |  |  |
|             | 02. 14-day scheduled assessment  |  |  |  |  |  |
|             | 03. <b>30-day</b> scheduled assessment   |  |  |  |  |  |
|             | 04. <b>60-day</b> scheduled assessment   |  |  |  |  |  |
|             | 05. 90-day scheduled assessment  |  |  |  |  |  |
|             | 07. Unscheduled assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment)                         |  |  |  |  |  |
|             | 99. None of the above  |  |  |  |  |  |
|             | C. Prior Assessment Reference Date (A2300 value from prior assessment)   |  |  |  |  |  |
|             |  |  |  |  |  |  |
|             |  |  |  |  |  |  |
|             | Month Day Year   |  |  |  |  |  |
| Enter Score |  |  |  |  |  |  |
|             | D. Prior Assessment Brief Interview for Mental Status (BIMS) Summary Score (C0500 value from prior assessment)                               |  |  |  |  |  |
|             |  |  |  |  |  |  |
| Enter Score | nter Score<br>E. Prior Assessment Resident Mood Interview (PHQ-9©) Total Severity Score (D0300 value from prior assessment)                  |  |  |  |  |  |
|             |  |  |  |  |  |  |
| Enter Score |  |  |  |  |  |  |
| Enter Score | F. Prior Assessment Staff Assessment of Resident Mood (PHQ-9-OV) Total Severity Score (D0600 value from prior assessment)                    |  |  |  |  |  |
|             |  |  |  |  |  |  |
|             |  |  |  |  |  |  |

## Section V Care Area Assessment (CAA) Summary

### V0200. CAAs and Care Planning

- 1. Check column A if Care Area is triggered.
- 2. For each triggered Care Area, indicate whether a new care plan, care plan revision, or continuation of current care plan is necessary to address the problem(s) identified in your assessment of the care area. The <u>Care Planning Decision</u> column must be completed within 7 days of completing the RAI (MDS and CAA(s)). Check column B if the triggered care area is addressed in the care plan.
- 3. Indicate in the Location and Date of CAA Documentation column where information related to the CAA can be found. CAA documentation should include information on the complicating factors, risks, and any referrals for this resident for this care area.

#### A. CAA Results

| Care Area  | A.<br>Care Area<br>Triggered                   | B.<br>Care Planning<br>Decision |            | Location and<br>CAA docume |      |
|--|--|---------------------------------|------------|----------------------------|------|
|  | $\downarrow$ Check all that apply $\downarrow$ |                                 |            |                            |      |
| 01. Delirium   |  |                                 |            |                            |      |
| 02. Cognitive Loss/Dementia  |  |                                 |            |                            |      |
| 03. Visual Function  |  |                                 |            |                            |      |
| 04. Communication  |  |                                 |            |                            |      |
| 05. ADL Functional/Rehabilitation Potential  |  |                                 |            |                            |      |
| 06. Urinary Incontinence and Indwelling<br>Catheter  |  |                                 |            |                            |      |
| 07. Psychosocial Well-Being  |  |                                 |            |                            |      |
| 08. Mood State   |  |                                 |            |                            |      |
| 09. Behavioral Symptoms  |  |                                 |            |                            |      |
| 10. Activities   |  |                                 |            |                            |      |
| 11. Falls  |  |                                 |            |                            |      |
| 12. Nutritional Status   |  |                                 |            |                            |      |
| 13. Feeding Tube   |  |                                 |            |                            |      |
| 14. Dehydration/Fluid Maintenance  |  |                                 |            |                            |      |
| 15. Dental Care  |  |                                 |            |                            |      |
| 16. Pressure Ulcer   |  |                                 |            |                            |      |
| 17. Psychotropic Drug Use  |  |                                 |            |                            |      |
| 18. Physical Restraints  |  |                                 |            |                            |      |
| 19. Pain   |  |                                 |            |                            |      |
| 20. Return to Community Referral   |  |                                 |            |                            |      |
| B. Signature of RN Coordinator for CAA Process and Date Signed   |  |                                 |            |                            |      |
| 1. Signature   |  |                                 | 2. Date    |                            |      |
|  |  |                                 | -<br>Month | - –                        | Year |
| Month     Day     Year       C. Signature of Person Completing Care Plan Decision and Date Signed     Image: Completing Care Plan Decision and Date Signed |  |                                 |            |                            |      |
| 1. Signature     2. Date   |  |                                 |            |                            |      |
| -  |  |                                 | -          |                            |      |
|  |  |                                 | Month      | Day                        | Year |

| Section   | n X  | Correction Request   |  |  |  |  |
|---|--|--|--|--|--|--|
| <b>Complete Section X only if A0050 = 2 or 3</b><br><b>Identification of Record to be Modified/Inactivated</b> - The following items identify the existing assessment record that is in error. In this section, reproduce the information EXACTLY as it appeared on the existing erroneous record, even if the information is incorrect.<br>This information is necessary to locate the existing record in the National MDS Database. |  |  |  |  |  |  |
| X0150. T  | <b>ype of Provider</b> (Ad   | 0200 on existing record to be modified/inactivated)  |  |  |  |  |
| Enter Code  | Type of provider<br>1. Nursing hom<br>2. Swing Bed   | e (SNF/NF)   |  |  |  |  |
| X0200. N  | ame of Resident (A   | 0500 on existing record to be modified/inactivated)  |  |  |  |  |
|   | A. First name:<br>C. Last name:  |  |  |  |  |  |
| X0300. G  | ender (A0800 on ex   | kisting record to be modified/inactivated)   |  |  |  |  |
| Enter Code  | 1. <b>Male</b><br>2. <b>Female</b>   |  |  |  |  |  |
| X0400. B  | irth Date (A0900 or  | n existing record to be modified/inactivated)  |  |  |  |  |
|   | –<br>Month   | –<br>Day Year  |  |  |  |  |
| X0500. S  | ocial Security Num   | nber (A0600A on existing record to be modified/inactivated)  |  |  |  |  |
|   | _  | _  |  |  |  |  |
| X0600. T  | ype of Assessment  | (A0310 on existing record to be modified/inactivated)  |  |  |  |  |
| Enter Code  | 01. Admission a<br>02. Quarterly re<br>03. Annual asse<br>04. Significant o<br>05. Significant o   | ssment<br><b>:hange in status</b> assessment<br><b>:orrection</b> to <b>prior comprehensive</b> assessment<br><b>:orrection</b> to <b>prior quarterly</b> assessment   |  |  |  |  |
| Enter Code  | 01. <b>5-day</b> sched<br>02. <b>14-day</b> sched<br>03. <b>30-day</b> sched<br>04. <b>60-day</b> sched<br>05. <b>90-day</b> sched<br><b>PPS</b> <u>Unschedule</u><br>07. Unschedule<br><u>Not PPS</u> <u>Assessn</u><br>99. None of the | Assessments for a Medicare Part A Stay<br>uled assessment<br>duled assessment<br>duled assessment<br>duled assessment<br>duled assessment<br>duled assessment<br>d Assessments for a Medicare Part A Stay<br>d assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment)<br>ment<br>above |  |  |  |  |
| Enter Code  | <ol> <li>No</li> <li>Start of thera</li> <li>End of thera</li> <li>Both Start an</li> <li>Change of the</li> </ol>   | y assessment<br>d End of therapy assessment<br>erapy assessment  |  |  |  |  |
|   | X0600 continued on next page   |  |  |  |  |  |

Date

| Section X  |   | Correction Request   |  |  |  |  |
|--|---|--|--|--|--|--|
| X0600. Type of Assessment - Continued  |   |  |  |  |  |  |
| Enter Code   | <ul> <li>D. Is this a Swing Bed clinical change assessment? Complete only if X0150 = 2</li> <li>0. No</li> <li>1. Yes</li> </ul>  |  |  |  |  |  |
| Enter Code   | <ul> <li>F. Entry/discharge reporting         <ul> <li>01. Entry tracking record</li> <li>10. Discharge assessment-return not anticipated</li> <li>11. Discharge assessment-return anticipated</li> <li>12. Death in facility tracking record</li> <li>99. None of the above</li> </ul> </li> </ul> |  |  |  |  |  |
| Enter Code   | II. Is this a CNE DDC Dant A Discharge (End of Chau) Assessment?  |  |  |  |  |  |
| X0700. [   |   | ord to be modified/inactivated - Complete one only   |  |  |  |  |
|  | _   | rence Date (A2300 on existing record to be modified/inactivated) - Complete only if X0600F = 99 _ Day Year |  |  |  |  |
|  |   | A2000 on existing record to be modified/inactivated) - Complete only if X0600F = 10, 11, or 12             |  |  |  |  |
|  |   | –<br>Day Year  |  |  |  |  |
|  | C. Entry Date (A1600 on existing record to be modified/inactivated) - Complete only if X0600F = 01  |  |  |  |  |  |
| Correctio  |   | Day Year <b>on</b> - Complete this section to explain and attest to the modification/inactivation request  |  |  |  |  |
|  | Correction Number   |  |  |  |  |  |
| Enter Number Enter the number of correction requests to modify/inactivate the existing record, including the present one |   |  |  |  |  |  |
| X0900. F   | Reasons for Modific   | <b>ation</b> - Complete only if Type of Record is to modify a record in error (A0050 = $2$ )               |  |  |  |  |
| 🔶 Che  | eck all that apply  |  |  |  |  |  |
|  | A. Transcription er   | or   |  |  |  |  |
|  | B. Data entry error   |  |  |  |  |  |
|  | C. Software product error   |  |  |  |  |  |
|  | D. Item coding error  |  |  |  |  |  |
| E. End of Therapy - Resumption (EOT-R) date  |   |  |  |  |  |  |
|  | Z. Other error requi  |  |  |  |  |  |
| <b>X1050.</b> Reasons for Inactivation - Complete only if Type of Record is to inactivate a record in error (A0050 = 3)  |   |  |  |  |  |  |
| 🔶 🕇 Che  | ↓ Check all that apply  |  |  |  |  |  |
|  | A. Event did not oc   |  |  |  |  |  |
|  | Z. Other error requi  |  |  |  |  |  |

| Section X         | Corre  | ection Request |  |  |  |
|-------------------|--|----------------|--|--|--|
| X1100. RN Assessm | X1100. RN Assessment Coordinator Attestation of Completion |                |  |  |  |
| A. Attestir       | A. Attesting individual's first name:                      |                |  |  |  |
| B. Attestir       | ıg individual's last                                       | name:          |  |  |  |
| C. Attestir       | :  |                |  |  |  |
| D. Signatu        | ire  |                |  |  |  |
| E. Attestat       | E. Attestation date  |                |  |  |  |
| Mont              | h Day  | Year           |  |  |  |

Date

| Sectio                   | n Z  | Assessment Administration   |  |  |  |  |
|--------------------------|--|---|--|--|--|--|
| Z0100. M                 | Z0100. Medicare Part A Billing   |   |  |  |  |  |
|                          | A. Medicare Part A HIPPS code (RUG group followed by assessment type indicator): |   |  |  |  |  |
|                          | B. RUG version code:   |   |  |  |  |  |
| Enter Code               |  | e Short Stay assessment?  |  |  |  |  |
|                          | 0. No<br>1. Yes  |   |  |  |  |  |
| Z0150. M                 | Medicare Part A Noi  | n-Therapy Billing   |  |  |  |  |
|                          | A. Medicare Part A   | non-therapy HIPPS code (RUG group followed by assessment type indicator): |  |  |  |  |
|                          | B. RUG version code:   |   |  |  |  |  |
| Z0200. S                 | State Medicaid Billin  | ng (if required by the state)   |  |  |  |  |
|                          | A. RUG Case Mix group:   |   |  |  |  |  |
|                          | B. RUG version code:   |   |  |  |  |  |
| Z0250. A                 | Z0250. Alternate State Medicaid Billing (if required by the state)               |   |  |  |  |  |
|                          | A. RUG Case Mix gr   | oup:  |  |  |  |  |
|                          | B. RUG version code:   |   |  |  |  |  |
| Z0300. Insurance Billing |  |   |  |  |  |  |
|                          | A. RUG billing code  | x   |  |  |  |  |
|                          | B. RUG billing versi   | ion:  |  |  |  |  |

Resident

Identifier

| Section Z Assessment Administration  |  |         |       |           |                           |
|--|--|---------|-------|-----------|---------------------------|
| Z0400. Signature of Persons Completing the Assessment or Entry/Death Reporting |  |         |       |           |                           |
|  | I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf. |         |       |           |                           |
|  | Sig  | gnature | Title | Sections  | Date Section<br>Completed |
|  | Α.   |         |       |           |                           |
|  | В.   |         |       |           |                           |
|  | С.   |         |       |           |                           |
|  | D.   |         |       |           |                           |
|  | Ε.   |         |       |           |                           |
|  | F.   |         |       |           |                           |
|  | G.   |         |       |           |                           |
|  | Н.   |         |       |           |                           |
|  | Ι.   |         |       |           |                           |
|  | J.   |         |       |           |                           |
|  | К.   |         |       |           |                           |
|  | L.   |         |       |           |                           |
| Z0500. Signature of RN Assessment Coordinator Verifying Assessment Completion  |  |         |       |           |                           |
|  | A. Signature: B. Date RN Assessment Coordinator signed<br>assessment as complete:  |         |       |           | or signed                 |
|  |  |         |       | Month Day | Year                      |

**Legal Notice Regarding MDS 3.0** - Copyright 2011 United States of America and InterRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9 and the Annals of Internal Medicine holds the copyright for the CAM. Both Pfizer Inc. and the Annals of Internal Medicine have granted permission to freely use these instruments in association with the MDS 3.0.