

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

Item ID: D0100 .....	3
Item ID: D0200A1 .....	6
Item ID: D0200A2 .....	8
Item ID: D0200B1 .....	10
Item ID: D0200B2 .....	12
Item ID: D0200C1 .....	14
Item ID: D0200C2 .....	16
Item ID: D0200D1 .....	18
Item ID: D0200D2 .....	20
Item ID: D0200E1 .....	22
Item ID: D0200E2 .....	24
Item ID: D0200F1.....	26
Item ID: D0200F2.....	28
Item ID: D0200G1.....	30
Item ID: D0200G2.....	32
Item ID: D0200H1.....	34
Item ID: D0200H2.....	36
Item ID: D0200I1 .....	38
Item ID: D0200I2 .....	40
Item ID: D0300 .....	42
Item ID: D0500A1 .....	45
Item ID: D0500A2 .....	47
Item ID: D0500B1 .....	49

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

Item ID: D0500B2 .....	51
Item ID: D0500C1 .....	53
Item ID: D0500C2 .....	55
Item ID: D0500D1 .....	57
Item ID: D0500D2 .....	59
Item ID: D0500E1 .....	61
Item ID: D0500E2 .....	63
Item ID: D0500F1.....	65
Item ID: D0500F2.....	67
Item ID: D0500G1.....	69
Item ID: D0500G2.....	71
Item ID: D0500H1 .....	73
Item ID: D0500H2 .....	75
Item ID: D0500I1 .....	77
Item ID: D0500I2 .....	79
Item ID: D0500J1 .....	81
Item ID: D0500J2 .....	83
Item ID: D0600 .....	85

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ: should resident mood interview be conducted	Asmt		Code	1	543-543

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (resident is rarely/never understood)
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-,^] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules). d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].

f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3835	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3916	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if D0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if D0100 is active it must equal [-].
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3529	Skip pattern	Fatal	If D0100=[1], then if D0200A1 is active it must not equal [^].
-3619	Skip pattern	Fatal	If D0100=[1], then if D0200B1 is active it must not equal [^].
-3620	Skip pattern	Fatal	If D0100=[1], then if D0200C1 is active it must not equal [^].
-3621	Skip pattern	Fatal	If D0100=[1], then if D0200D1 is active it must not equal [^].
-3622	Skip pattern	Fatal	If D0100=[1], then if D0200E1 is active it must not equal [^].
-3623	Skip pattern	Fatal	If D0100=[1], then if D0200F1 is active it must not equal [^].
-3624	Skip pattern	Fatal	If D0100=[1], then if D0200G1 is active it must not equal [^].
-3625	Skip pattern	Fatal	If D0100=[1], then if D0200H1 is active it must not equal [^].
-3626	Skip pattern	Fatal	If D0100=[1], then if D0200I1 is active it must not equal [^].
-3627	Skip pattern	Fatal	If D0100=[1], then if D0300 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3835	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3916.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3916	[V3.00.0]-New edit. Replaces edit -3835.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200A1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: little interest or pleasure - presence	Asmt		Code	1	544-544

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3708	Consistency	Fatal	a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3529	Skip pattern	Fatal	If D0100=[1], then if D0200A1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200A2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: little interest or pleasure - frequency	Asmt		Code	1	545-545

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3708	Consistency	Fatal	a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

-3587	Consistency	Fatal	<p>D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.</p> <p>The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].</p> <p>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.</p> <p>b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.</p> <p>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].</p> <p>f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].</p> <p>The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.</p>
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	<p>a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^].</p> <p>b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].</p>

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200B1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling down, depressed - presence	Asmt		Code	1	546-546

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3709	Consistency	Fatal	a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3619	Skip pattern	Fatal	If D0100=[1], then if D0200B1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200B2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling down, depressed - frequency	Asmt		Code	1	547-547

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3709	Consistency	Fatal	a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200C1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: trouble with sleep - presence	Asmt		Code	1	548-548

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3710	Consistency	Fatal	a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3620	Skip pattern	Fatal	If D0100=[1], then if D0200C1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200C2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: trouble with sleep - frequency	Asmt		Code	1	549-549

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3710	Consistency	Fatal	a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200D1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling tired/little energy - presence	Asmt		Code	1	550-550

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3711	Consistency	Fatal	a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -]. b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-]. c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]). d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3621	Skip pattern	Fatal	If D0100=[1], then if D0200D1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200D2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling tired/little energy - frequency	Asmt		Code	1	551-551

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3711	Consistency	Fatal	a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -]. b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-]. c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]). d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200E1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: poor appetite or overeating - presence	Asmt		Code	1	552-552

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3712	Consistency	Fatal	a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -]. b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-]. c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]). d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3622	Skip pattern	Fatal	If D0100=[1], then if D0200E1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200E2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: poor appetite or overeating - frequency	Asmt		Code	1	553-553

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3712	Consistency	Fatal	a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -]. b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-]. c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]). d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200F1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling bad about self - presence	Asmt		Code	1	554-554

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3713	Consistency	Fatal	a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -]. b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-]. c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]). d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3623	Skip pattern	Fatal	If D0100=[1], then if D0200F1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200F2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: feeling bad about self - frequency	Asmt		Code	1	555-555

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3713	Consistency	Fatal	a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -]. b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-]. c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]). d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200G1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: trouble concentrating - presence	Asmt		Code	1	556-556

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3714	Consistency	Fatal	a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -]. b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-]. c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]). d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3624	Skip pattern	Fatal	If D0100=[1], then if D0200G1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200G2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: trouble concentrating - frequency	Asmt		Code	1	557-557

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3714	Consistency	Fatal	a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -]. b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-]. c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]). d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200H1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: slow, fidgety, restless - presence	Asmt		Code	1	558-558

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3715	Consistency	Fatal	a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -]. b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-]. c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]). d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3625	Skip pattern	Fatal	If D0100=[1], then if D0200H1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200H2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: slow, fidgety, restless - frequency	Asmt		Code	1	559-559

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3715	Consistency	Fatal	a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -]. b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-]. c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]). d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D020011**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: thoughts better off dead - presence	Asmt		Code	1	560-560

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
9		No response (leave column 2 blank)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3716	Consistency	Fatal	a) If D020011 is equal to [0], then D020012 must be equal to [0, -]. b) If D020011 is equal to [1], then D020012 must be equal to [0,1,2,3,-]. c) If D020011 is equal to [9], then D020012 must be skipped (must be equal to [^]). d) If D020011 is equal to [-], then D020012 must be equal to [-].
-3673	Consistency	Warning	***THIS EDIT WAS DELETED IN V3.00.0***
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3626	Skip pattern	Fatal	If D0100=[1], then if D020011 is active it must not equal [^].
-3617	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3673	[V3.00.0]-This edit was deleted, since item D0350 was deleted.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
Skip pattern	-3617	[V3.00.0]-This edit was deleted, since item D0350 was deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0200I2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: thoughts better off dead - frequency	Asmt		Code	1	561-561

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3716	Consistency	Fatal	a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -]. b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-]. c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]). d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ res: total mood severity score	Asmt		Number	2	562-563

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
00		Minimum value
27		Maximum value
99		Unable to complete interview
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

-3587	Consistency	Fatal	<p>D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.</p> <p>The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].</p> <p>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.</p> <p>b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.</p> <p>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].</p> <p>f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].</p> <p>The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.</p>
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].
-3627	Skip pattern	Fatal	If D0100=[1], then if D0300 is active it must not equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Supplemental Information**

Info ID	Type	Text
-9013	Information	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3679	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Format	-3680	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500A1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: little interest or pleasure - presence	Asmt		Code	1	565-565

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3717	Consistency	Fatal	a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -]. b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-]. c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500A2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: little interest or pleasure - frequency	Asmt		Code	1	566-566

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3717	Consistency	Fatal	a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -]. b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-]. c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. ) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-]. The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500B1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling down, depressed - presence	Asmt		Code	1	567-567

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3718	Consistency	Fatal	a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -]. b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-]. c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500B2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling down, depressed - frequency	Asmt		Code	1	568-568

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3718	Consistency	Fatal	a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -]. b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-]. c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].  
The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500C1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: trouble with sleep - presence	Asmt		Code	1	569-569

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3719	Consistency	Fatal	a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -]. b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-]. c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500C2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: trouble with sleep - frequency	Asmt		Code	1	570-570

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3719	Consistency	Fatal	a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -]. b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-]. c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-]. The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500D1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling tired/little energy - presence	Asmt		Code	1	571-571

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3720	Consistency	Fatal	a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -]. b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-]. c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500D2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling tired/little energy - frequency	Asmt		Code	1	572-572

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3720	Consistency	Fatal	a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -]. b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-]. c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].  
The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500E1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: poor appetite or overeating - presence	Asmt		Code	1	573-573

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3721	Consistency	Fatal	a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -]. b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-]. c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500E2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: poor appetite or overeating - frequency	Asmt		Code	1	574-574

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3721	Consistency	Fatal	a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -]. b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-]. c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].  
The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500F1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling bad about self - presence	Asmt		Code	1	575-575

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3722	Consistency	Fatal	a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -]. b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-]. c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500F2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: feeling bad about self - frequency	Asmt		Code	1	576-576

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3722	Consistency	Fatal	a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -]. b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-]. c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].  
The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500G1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: trouble concentrating - presence	Asmt		Code	1	577-577

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3723	Consistency	Fatal	a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -]. b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-]. c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500G2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: trouble concentrating - frequency	Asmt		Code	1	578-578

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3723	Consistency	Fatal	a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -]. b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-]. c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].  
The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500H1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: slow, fidgety, restless - presence	Asmt		Code	1	579-579

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3724	Consistency	Fatal	a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -]. b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-]. c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500H2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: slow, fidgety, restless - frequency	Asmt		Code	1	580-580

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3724	Consistency	Fatal	a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -]. b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-]. c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).  
e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-]. The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500I1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: thoughts better off dead - presence	Asmt		Code	1	581-581

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3725	Consistency	Fatal	a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -]. b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-]. c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].
-3674	Consistency	Warning	***THIS EDIT WAS DELETED IN V3.00.0***
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].
-3618	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3674	[V3.00.0]-This edit was deleted, since item D0650 was deleted.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
Skip pattern	-3618	[V3.00.0]-This edit was deleted, since item D0650 was deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500I2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: thoughts better off dead - frequency	Asmt		Code	1	582-582

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3725	Consistency	Fatal	a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -]. b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-]. c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-]. The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500J1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: short-tempered - presence	Asmt		Code	1	583-583

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (enter 0 in column 2)
1		Yes (enter 0-3 in column 2)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3726	Consistency	Fatal	a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -]. b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-]. c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0500J2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: short-tempered - frequency	Asmt		Code	1	584-584

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3726	Consistency	Fatal	a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -]. b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-]. c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].
-3588	Consistency	Fatal	D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-]. The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

**Item ID: D0600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
PHQ staff: total mood score	Asmt		Number	2	585-586

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
00		Minimum value
30		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:                      Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:                      Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.                      The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>
-3588	Consistency	Fatal	<p>D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.                      The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].                      a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.</p>

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: D**

- b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.
  - c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
  - d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
  - e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].
- The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].

**Supplemental Information**

Info ID	Type	Text
-9013	Information	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.

**Version Changes**

Type	ID	Description
Format	-3679	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Format	-3680	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.