

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I0020.....	4
Item ID: I0020B.....	6
Item ID: I0100.....	8
Item ID: I0200.....	9
Item ID: I0300.....	10
Item ID: I0400.....	11
Item ID: I0500.....	12
Item ID: I0600.....	13
Item ID: I0700.....	14
Item ID: I0800.....	15
Item ID: I0900.....	16
Item ID: I1100.....	18
Item ID: I1200.....	19
Item ID: I1300.....	20
Item ID: I1400.....	21
Item ID: I1500.....	22
Item ID: I1550.....	23
Item ID: I1650.....	24
Item ID: I1700.....	25
Item ID: I2000.....	26
Item ID: I2100.....	27
Item ID: I2200.....	28
Item ID: I2300.....	29

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I2400 .....	30
Item ID: I2500 .....	31
Item ID: I2900 .....	32
Item ID: I3100 .....	34
Item ID: I3200 .....	35
Item ID: I3300 .....	36
Item ID: I3400 .....	37
Item ID: I3700 .....	38
Item ID: I3800 .....	39
Item ID: I3900 .....	40
Item ID: I4000 .....	41
Item ID: I4200 .....	42
Item ID: I4300 .....	43
Item ID: I4400 .....	44
Item ID: I4500 .....	45
Item ID: I4800 .....	46
Item ID: I4900 .....	47
Item ID: I5000 .....	48
Item ID: I5100 .....	49
Item ID: I5200 .....	50
Item ID: I5250 .....	51
Item ID: I5300 .....	52
Item ID: I5350 .....	53
Item ID: I5400 .....	54

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I5500 .....	55
Item ID: I5600 .....	56
Item ID: I5700 .....	57
Item ID: I5800 .....	58
Item ID: I5900 .....	59
Item ID: I5950 .....	60
Item ID: I6000 .....	61
Item ID: I6100 .....	62
Item ID: I6200 .....	63
Item ID: I6300 .....	64
Item ID: I6500 .....	65
Item ID: I7900 .....	66
Item ID: I8000A .....	67
Item ID: I8000B .....	69
Item ID: I8000C .....	71
Item ID: I8000D .....	73
Item ID: I8000E .....	75
Item ID: I8000F .....	77
Item ID: I8000G .....	79
Item ID: I8000H .....	81
Item ID: I8000I .....	83
Item ID: I8000J .....	85

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0020**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary Medical Condition Category	Asmt		Code	2	1687-1688

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
01		Stroke
02		Non-Traumatic Brain Dysfunction
03		Traumatic Brain Dysfunction
04		Non-Traumatic Spinal Cord Dysfunction
05		Traumatic Spinal Cord Dysfunction
06		Progressive Neurological Conditions
07		Other Neurological Conditions
08		Amputation
09		Hip and Knee Replacement
10		Fractures and Other Multiple Trauma
11		Other Orthopedic Conditions
12		Debility, Cardiorespiratory Conditions
13		Medically Complex Conditions
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3894	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3895	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3919	Skip pattern	Fatal	(a) If A0310B=[01,08], then I0020 and I0020B must not equal [^]. (b) If A0310B=[99], then I0020 and I0020B must equal [^].

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

#### Version Changes

Type	ID	Description
Item	I0020	[V3.00.0]-Removed item value [14] as a valid value.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
Skip pattern	-3894	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3919.
Skip pattern	-3895	[V3.00.0]-This edit was deleted, since item I0020A was deleted.
Skip pattern	-3919	[V3.00.0]-New edit. Replaces edit -3894.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0020B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary Medical Condition ICD	Asmt		ICD	8	1726-1733

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3945	Consistency	Fatal	This ICD code must be one of the codes in the table pdpm_icd_codes of the data spec dictionary, in order to ensure that the PDPM grouper is able to generate a valid HIPPS code.
-3919	Skip pattern	Fatal	(a) If A0310B=[01,08], then I0020 and I0020B must not equal [^]. (b) If A0310B=[99], then I0020 and I0020B must equal [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.

**Version Changes**

Type	ID	Description
Item	I0020B	[V3.00.0]-New item.
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Consistency	-3945	[V3.00.0]-New edit.
Skip pattern	-3919	[V3.00.0]-New edit. Replaces edit -3894.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cancer (with or without metastasis)	Asmt		Checklist	1	694-694

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anemia	Asmt		Checklist	1	695-695

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Atrial fibrillation and other dysrhythmias	Asmt		Checklist	1	696-696

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Coronary artery disease (CAD)	Asmt		Checklist	1	697-697

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I0500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Deep venous thrombosis (DVT), PE, or PTE	Asmt		Checklist	1	698-698

**Item Subsets**

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Heart failure	Asmt		Checklist	1	699-699

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I0700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hypertension	Asmt		Checklist	1	700-700

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Orthostatic hypotension	Asmt		Checklist	1	701-701

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Peripheral vascular disease (PVD) or PAD	Asmt		Checklist	1	702-702

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.



**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

Consistency	-3897	[V3.00.0]-The mappings to this edit were revised in the errata for the V2.02.1 data specs. The following mappings were added: GG0130E1, GG0130E3, GG0130F1, GG0130F3, GG0130G1, GG0130G3, GG0130H1, GG0130H3, GG0170A1, GG0170A3, GG0170G1, GG0170G3, GG0170I1, GG0170I3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, GG0170Q1, GG0170Q3, H0400, I0900, I2900, K0200A, K0200B.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I1100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cirrhosis	Asmt		Checklist	1	703-703

**Item Subsets**

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Gastroesophageal reflux disease (GERD) or ulcer	Asmt		Checklist	1	704-704

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ulcerative colitis, Chrohn's, inflam bowel disease	Asmt		Checklist	1	705-705

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	I1300	[V3.00.0]-Added to existing ISCs NP, NQ and SP. (The item was previously state-optional for the NP and NQ ISCs.)
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Benign prostatic hyperplasia (BPH)	Asmt		Checklist	1	706-706

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Renal insufficiency, renal failure, ESRD	Asmt		Checklist	1	707-707

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1550**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neurogenic bladder	Asmt		Checklist	1	708-708

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1650**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Obstructive uropathy	Asmt		Checklist	1	709-709

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multidrug resistant organism (MDRO)	Asmt		Checklist	1	710-710

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pneumonia	Asmt		Checklist	1	711-711

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Septicemia	Asmt		Checklist	1	712-712

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

Item ID: I2200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tuberculosis	Asmt		Checklist	1	713-713

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary tract infection (UTI) (LAST 30 DAYS)	Asmt		Checklist	1	714-714

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Viral hepatitis (includes type A, B, C, D, and E)	Asmt		Checklist	1	715-715

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wound infection (other than foot)	Asmt		Checklist	1	716-716

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Diabetes mellitus (DM)	Asmt		Checklist	1	717-717

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.



**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

Consistency	-3897	[V3.00.0]-The mappings to this edit were revised in the errata for the V2.02.1 data specs. The following mappings were added: GG0130E1, GG0130E3, GG0130F1, GG0130F3, GG0130G1, GG0130G3, GG0130H1, GG0130H3, GG0170A1, GG0170A3, GG0170G1, GG0170G3, GG0170I1, GG0170I3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, GG0170Q1, GG0170Q3, H0400, I0900, I2900, K0200A, K0200B.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyponatremia	Asmt		Checklist	1	718-718

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperkalemia	Asmt		Checklist	1	719-719

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

Item ID: I3300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperlipidemia (e.g., hypercholesterolemia)	Asmt		Checklist	1	720-720

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Thyroid disorder	Asmt		Checklist	1	721-721

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Arthritis	Asmt		Checklist	1	722-722

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Osteoporosis	Asmt		Checklist	1	723-723

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I3900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hip fracture	Asmt		Checklist	1	724-724

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other fracture	Asmt		Checklist	1	725-725

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Alzheimer's disease	Asmt		Checklist	1	726-726

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Aphasia	Asmt		Checklist	1	727-727

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	I4300	[V3.00.0]-Added item to the SP ISC.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebral palsy	Asmt		Checklist	1	728-728

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebrovascular accident (CVA), TIA, or stroke	Asmt		Checklist	1	729-729

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Non-Alzheimer's dementia	Asmt		Checklist	1	730-730

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hemiplegia or hemiparesis	Asmt		Checklist	1	731-731

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I5000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Paraplegia	Asmt		Checklist	1	732-732

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I5100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Quadriplegia	Asmt		Checklist	1	733-733

**Item Subsets**

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multiple sclerosis	Asmt		Checklist	1	734-734

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5250**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Huntington's disease	Asmt		Checklist	1	735-735

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Parkinson's disease	Asmt		Checklist	1	736-736

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I5350**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tourette's syndrome	Asmt		Checklist	1	737-737

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I5400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Seizure disorder or epilepsy	Asmt		Checklist	1	738-738

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I5500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Traumatic brain injury (TBI)	Asmt		Checklist	1	739-739

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Malnutrition (protein, calorie), risk of malnutrit	Asmt		Checklist	1	740-740

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anxiety disorder	Asmt		Checklist	1	741-741

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Depression (other than bipolar)	Asmt		Checklist	1	742-742

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bipolar disorder	Asmt		Checklist	1	743-743

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	I5900	[V3.00.0]-Revised item label.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5950**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychotic disorder (other than schizophrenia)	Asmt		Checklist	1	744-744

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Schizophrenia	Asmt		Checklist	1	745-745

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Post-traumatic stress disorder (PTSD)	Asmt		Checklist	1	746-746

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Asthma (COPD) or chronic lung disease	Asmt		Checklist	1	747-747

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory failure	Asmt		Checklist	1	748-748

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cataracts, glaucoma, or macular degeneration	Asmt		Checklist	1	749-749

#### Item Subsets

Active: NC  
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I7900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
None of above active diseases within last 7 days	Asmt		Checklist	1	750-750

**Item Subsets**

Active: NC,IPA,OSA  
 Inactive: ND,NT,NPE,SP,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3507	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from I0100 through I6500.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I8000A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 1	Asmt		ICD	8	751-758

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 2	Asmt		ICD	8	759-766

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I8000C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 3	Asmt		ICD	8	767-774

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.



# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000D**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 4	Asmt		ICD	8	775-782

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000E**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 5	Asmt		ICD	8	783-790

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I8000F**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 6	Asmt		ICD	8	791-798

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000G**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 7	Asmt		ICD	8	799-806

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.



**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I8000H**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 8	Asmt		ICD	8	807-814

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

# Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000I**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 9	Asmt		ICD	8	815-822

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p>

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Item ID: I8000J**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 10	Asmt		ICD	8	823-830

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,OSA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower-case or upper-case, but will be converted and stored as upper-case by the MDS Submission System. System reports will therefore display upper-case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V3.00.0]-Removed mapping to item I0020A, since that item was deleted. Added mapping to new item I0020B.
Information	-9006	[V3.00.0]-The mappings to items I0020A, Z0150A and Z0150B were deleted, since those items were deleted. Added mapping to new I0020B.
Information	-9019	[V3.00.0]-The mapping to item I0020A was deleted, since that item was deleted.