

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0100A	2
Item ID: H0100B	3
Item ID: H0100C	4
Item ID: H0100D	5
Item ID: H0100Z	6
Item ID: H0200A	7
Item ID: H0200B	8
Item ID: H0200C	9
Item ID: H0300	10
Item ID: H0400	11
Item ID: H0500	13
Item ID: H0600	14

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Appliances: indwelling catheter	Asmt		Checklist	1	682-682

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3506	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from H0100A through H0100D.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Appliances: external catheter	Asmt		Checklist	1	683-683

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3506	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from H0100A through H0100D.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Appliances: ostomy	Asmt		Checklist	1	684-684

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD
 Inactive: NT,NPE,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3506	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from H0100A through H0100D.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0100D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Appliances: intermittent catheterization	Asmt		Checklist	1	685-685

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD
 Inactive: NT,NPE,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3506	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from H0100A through H0100D.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Appliances: none of the above	Asmt		Checklist	1	686-686

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD
 Inactive: NT,NPE,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
None of above	-3506	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from H0100A through H0100D.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary toileting program: has been attempted	Asmt		Code	1	687-687

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-].
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary toileting program: response	Asmt		Code	1	688-688

Item Subsets

Active: NC
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No improvement
1		Decreased wetness
2		Completely dry (continent)
9		Unable to determine or trial in progress
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0200C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary toileting program: current program/trial	Asmt		Code	1	689-689

Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP
 Inactive: ND,NT,NPE,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary continence	Asmt		Code	1	690-690

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Always continent
1		Occasionally incontinent (less than 7 episodes of incontinence)
2		Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)
3		Always incontinent (no episodes of continent voiding)
9		Not rated, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for entire 7 days
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: H

Item ID: H0400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bowel continence	Asmt		Code	1	691-691

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Always continent
1		Occasionally incontinent (one episode of bowel incontinence)
2		Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)
3		Always incontinent (no episodes of continent bowel movements)
9		Not rated, resident had an ostomy or did not have a bowel movement for the entire 7 days
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Consistency	-3897	[V3.00.0]-The mappings to this edit were revised in the errata for the V2.02.1 data specs. The following mappings were added: GG0130E1, GG0130E3, GG0130F1, GG0130F3, GG0130G1, GG0130G3, GG0130H1, GG0130H3, GG0170A1, GG0170A3, GG0170G1, GG0170G3, GG0170I1, GG0170I3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, GG0170Q1, GG0170Q3, H0400, I0900, I2900, K0200A, K0200B.
-------------	-------	---

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bowel toileting program being used	Asmt		Code	1	692-692

Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP
 Inactive: ND,NT,NPE,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.

Data Submission Specifications for the MDS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: H

Item ID: H0600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Constipation	Asmt		Code	1	693-693

Item Subsets

Active: NC
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.