

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I0020.....	4
Item ID: I0020A.....	6
Item ID: I0100.....	8
Item ID: I0200.....	9
Item ID: I0300.....	10
Item ID: I0400.....	11
Item ID: I0500.....	12
Item ID: I0600.....	13
Item ID: I0700.....	14
Item ID: I0800.....	15
Item ID: I0900.....	16
Item ID: I1100.....	17
Item ID: I1200.....	18
Item ID: I1300.....	19
Item ID: I1400.....	20
Item ID: I1500.....	21
Item ID: I1550.....	22
Item ID: I1650.....	23
Item ID: I1700.....	24
Item ID: I2000.....	25
Item ID: I2100.....	26
Item ID: I2200.....	27
Item ID: I2300.....	28

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I2400.....	29
Item ID: I2500.....	30
Item ID: I2900.....	31
Item ID: I3100.....	32
Item ID: I3200.....	33
Item ID: I3300.....	34
Item ID: I3400.....	35
Item ID: I3700.....	36
Item ID: I3800.....	37
Item ID: I3900.....	38
Item ID: I4000.....	39
Item ID: I4200.....	40
Item ID: I4300.....	41
Item ID: I4400.....	42
Item ID: I4500.....	43
Item ID: I4800.....	44
Item ID: I4900.....	45
Item ID: I5000.....	46
Item ID: I5100.....	47
Item ID: I5200.....	48
Item ID: I5250.....	49
Item ID: I5300.....	50
Item ID: I5350.....	51
Item ID: I5400.....	52

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

Item ID: I5500.....	53
Item ID: I5600.....	54
Item ID: I5700.....	55
Item ID: I5800.....	56
Item ID: I5900.....	57
Item ID: I5950.....	58
Item ID: I6000.....	59
Item ID: I6100.....	60
Item ID: I6200.....	61
Item ID: I6300.....	62
Item ID: I6500.....	63
Item ID: I7900.....	64
Item ID: I8000A.....	65
Item ID: I8000B.....	67
Item ID: I8000C.....	69
Item ID: I8000D .....	71
Item ID: I8000E .....	73
Item ID: I8000F .....	75
Item ID: I8000G .....	77
Item ID: I8000H .....	79
Item ID: I8000I.....	81
Item ID: I8000J.....	83

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0020**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary Medical Condition Category	Asmt		Code	2	1687-1688

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
01		Stroke
02		Non-Traumatic Brain Dysfunction
03		Traumatic Brain Dysfunction
04		Non-Traumatic Spinal Cord Dysfunction
05		Traumatic Spinal Cord Dysfunction
06		Progressive Neurological Conditions
07		Other Neurological Conditions
08		Amputation
09		Hip and Knee Replacement
10		Fractures and Other Multiple Trauma
11		Other Orthopedic Conditions
12		Debility, Cardiorespiratory Conditions
13		Medically Complex Conditions
14		Other Medical Condition
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3894	Skip pattern	Fatal	(a) If A0310B=[01], then I0020 must not equal [^]. (b) If A0310B=[02,03,04,05,07,99], then I0020 must equal [^].
-3895	Skip pattern	Fatal	(a) If I0020=[14], then I0020A must not equal [^]. (b) If I0020=[01,02,03,04,05,06,07,08,09,10,11,12,13,^], then I0020A must equal [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Item	I0020	[V2.02.0]-New item.
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.
Skip pattern	-3894	[V2.02.0]-New edit.
Skip pattern	-3895	[V2.02.0]-New edit.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0020A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other Medical Condition ICD	Asmt		ICD	8	1689-1696

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3895	Skip pattern	Fatal	(a) If I0020=[14], then I0020A must not equal [^]. (b) If I0020=[01,02,03,04,05,06,07,08,09,10,11,12,13,^], then I0020A must equal [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Item	I0020A	[V2.02.0]-New item.
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Skip pattern	-3895	[V2.02.0]-New edit.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cancer (with or without metastasis)	Asmt		Checklist	1	694-694

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anemia	Asmt		Checklist	1	695-695

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Atrial fibrillation and other dysrhythmias	Asmt		Checklist	1	696-696

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Coronary artery disease (CAD)	Asmt		Checklist	1	697-697

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Deep venous thrombosis (DVT), PE, or PTE	Asmt		Checklist	1	698-698

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Heart failure	Asmt		Checklist	1	699-699

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hypertension	Asmt		Checklist	1	700-700

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Orthostatic hypotension	Asmt		Checklist	1	701-701

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I0900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Peripheral vascular disease (PVD) or PAD	Asmt		Checklist	1	702-702

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cirrhosis	Asmt		Checklist	1	703-703

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Gastroesophageal reflux disease (GERD) or ulcer	Asmt		Checklist	1	704-704

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ulcerative colitis, Chrohn's, inflam bowel disease	Asmt		Checklist	1	705-705

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Benign prostatic hyperplasia (BPH)	Asmt		Checklist	1	706-706

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Renal insufficiency, renal failure, ESRD	Asmt		Checklist	1	707-707

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1550**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neurogenic bladder	Asmt		Checklist	1	708-708

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1650**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Obstructive uropathy	Asmt		Checklist	1	709-709

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I1700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multidrug resistant organism (MDRO)	Asmt		Checklist	1	710-710

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pneumonia	Asmt		Checklist	1	711-711

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Septicemia	Asmt		Checklist	1	712-712

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tuberculosis	Asmt		Checklist	1	713-713

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary tract infection (UTI) (LAST 30 DAYS)	Asmt		Checklist	1	714-714

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Viral hepatitis (includes type A, B, C, D, and E)	Asmt		Checklist	1	715-715

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wound infection (other than foot)	Asmt		Checklist	1	716-716

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I2900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Diabetes mellitus (DM)	Asmt		Checklist	1	717-717

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyponatremia	Asmt		Checklist	1	718-718

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperkalemia	Asmt		Checklist	1	719-719

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperlipidemia (e.g., hypercholesterolemia)	Asmt		Checklist	1	720-720

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Thyroid disorder	Asmt		Checklist	1	721-721

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Arthritis	Asmt		Checklist	1	722-722

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Osteoporosis	Asmt		Checklist	1	723-723

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I3900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hip fracture	Asmt		Checklist	1	724-724

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other fracture	Asmt		Checklist	1	725-725

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Alzheimer's disease	Asmt		Checklist	1	726-726

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Aphasia	Asmt		Checklist	1	727-727

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebral palsy	Asmt		Checklist	1	728-728

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebrovascular accident (CVA), TIA, or stroke	Asmt		Checklist	1	729-729

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Non-Alzheimer's dementia	Asmt		Checklist	1	730-730

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I4900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hemiplegia or hemiparesis	Asmt		Checklist	1	731-731

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Paraplegia	Asmt		Checklist	1	732-732

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Quadriplegia	Asmt		Checklist	1	733-733

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multiple sclerosis	Asmt		Checklist	1	734-734

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5250**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Huntington's disease	Asmt		Checklist	1	735-735

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Parkinson's disease	Asmt		Checklist	1	736-736

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5350**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tourette's syndrome	Asmt		Checklist	1	737-737

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5400**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Seizure disorder or epilepsy	Asmt		Checklist	1	738-738

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Traumatic brain injury (TBI)	Asmt		Checklist	1	739-739

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Malnutrition (protein, calorie), risk of malnutrit	Asmt		Checklist	1	740-740

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anxiety disorder	Asmt		Checklist	1	741-741

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Depression (other than bipolar)	Asmt		Checklist	1	742-742

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Manic depression (bipolar disease)	Asmt		Checklist	1	743-743

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I5950**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychotic disorder (other than schizophrenia)	Asmt		Checklist	1	744-744

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Schizophrenia	Asmt		Checklist	1	745-745

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Post-traumatic stress disorder (PTSD)	Asmt		Checklist	1	746-746

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Asthma (COPD) or chronic lung disease	Asmt		Checklist	1	747-747

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory failure	Asmt		Checklist	1	748-748

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I6500**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cataracts, glaucoma, or macular degeneration	Asmt		Checklist	1	749-749

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I7900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
None of above active diseases within last 7 days	Asmt		Checklist	1	750-750

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	If I0100 through I6500 and I7900 are all active, then the following rules apply: a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.02.0]-Added mappings to the following new items: GG0100A-D, GG0110A-E, GG0110Z, GG0130E1-GG0130H3, GG0170A1-GG0170A3, GG0170G1-GG0170G3, GG0170I1-GG0170I3, GG0170L1-GG0170P3, I0020, J2000, N2001, N2003, N2005. Removed mappings to the following deleted items: GG0170H1, GG0170H3, M0700, M0900A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 1	Asmt		ICD	8	751-758

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 2	Asmt		ICD	8	759-766

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 3	Asmt		ICD	8	767-774

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000D**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 4	Asmt		ICD	8	775-782

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000E**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 5	Asmt		ICD	8	783-790

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000F**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 6	Asmt		ICD	8	791-798

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000G**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 7	Asmt		ICD	8	799-806

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000H**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 8	Asmt		ICD	8	807-814

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.



# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000I**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 9	Asmt		ICD	8	815-822

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.

# Data Submission Specifications for the MDS Item Set (V2.02.1)

## Detailed Data Specifications Report

### Section: I

**Item ID: I8000J**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 10	Asmt		ICD	8	823-830

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].

**Data Submission Specifications for the MDS Item Set (V2.02.1)**  
**Detailed Data Specifications Report**  
**Section: I**

**Supplemental Information**

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

**Version Changes**

Type	ID	Description
Format	-3852	[V2.02.0]-Added mapping to new item I0020A.
Information	-9006	[V2.02.0]-Added mapping to item I0020A.
Information	-9019	[V2.02.0]-Added mapping to new item I0020A.