SNF Quality Reporting Program –
Technical Specifications for Reporting Assessment-Based Measures for FY2019

Table 1. Items Necessary to Calculate the Measures

		Assessment Type			Coding		SNF QRP Measures		
MDS Item	Item Label/Description	PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assess-ment and Care Plan
GG0130A1	Eating (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0130A2	Eating (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0130A3	Eating (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-***			x
GG0130B1	Oral hygiene (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0130B2	Oral hygiene (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0130B3	Oral hygiene (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0130C1	Toileting hygiene (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x

MDS Item	Item Label/Description	Assessment Type			Coding		SNF QRP Measures		
		PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assess-ment and Care Plan
GG0130C2	Toileting hygiene (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0130C3	Toileting hygiene (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170B1	Sit to lying (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170B2	Sit to lying (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170B3	Sit to lying (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170C1	Lying to sitting on bed side (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170C2	Lying to sitting on bed side (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170C3	Lying to sitting on bed side (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170D1	Sit to stand (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170D2	Sit to stand (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x

MDS Item	Item Label/Description	Assessment Type			Coding		SNF QRP Measures		
		PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assess-ment and Care Plan
GG0170D3	Sit to stand (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170E1	Chair/bed-to-chair transfer (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170E2	Chair/bed-to-chair transfer (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170E3	Chair/bed-to-chair transfer (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170F1	Toilet transfer (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170F2	Toilet transfer (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170F3	Toilet transfer (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170J1	Walk 50 feet with two turns (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170J2	Walk 50 feet with two turns (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170J3	Walk 50 feet with two turns (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88,	dash "-"***			x

MDS Item	Item Label/Description	Assessment Type			Coding		SNF QRP Measures		
		PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assess-ment and Care Plan
					"^" (skip pattern), and dash "-"				
GG0170K1	Walk 150 feet (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170K2	Walk 150 feet (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170K3	Walk 150 feet (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170R1	Wheel 50 feet with two turns (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x
GG0170R2	Wheel 50 feet with two turns (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170R3	Wheel 50 feet with two turns (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170RR1	Type wheelchair/scooter used (Admission Performance)	x			1, 2, and "^" (skip pattern), and dash "-"	dash "-"			x
GG0170RR3	Type wheelchair/scooter used (Discharge Performance)***		x		1, 2, and "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170S1	Wheel 150 feet (Admission Performance)	x			06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"			x

		Assessment Type			Coding		SNF QRP Measures		
MDS Item	Item Label/Description	PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assessment and Care Plan
GG0170S2	Wheel 150 feet (Discharge Goal)**	x			06, 05, 04, 03, 02, 01, "^" (skip pattern), and dash "-"	dash "-"**			x
GG0170S3	Wheel 150 feet (Discharge Performance)***		x		06, 05, 04, 03, 02, 01, 07, 09, 88, "^" (skip pattern), and dash "-"	dash "-"***			x
GG0170SS1	Type wheelchair/scooter used (Admission Performance)	x			1, 2, and "^" (skip pattern), and dash "-"	dash "-"			x
GG0170SS3	Type wheelchair/scooter used (Discharge Performance)***		x		1, 2, and "^" (skip pattern), and dash "-"	dash "-"***			x
J1900C *	Falls since admit/prior asmt: major injury		x	A0310A = [01, 02, 03, 04, 05, 06] or A0310B = [01, 02, 03, 04, 05] or A0310F = [10, 11] or A0310H = [1]	0, 1, 2, "^" (skip pattern), dash "-"	dash "-"	x		
M0300B1	Stage 2 pressure ulcers: number present	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	
M0300B2	Stage 2 pressure ulcers: number at admit/reentry	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	
M0300C1	Stage 3 pressure ulcers: number present	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	
M0300C2	Stage 3 pressure ulcers: number at admit/reentry	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	

| MDS Item | Item Label/Description | Assessment Type | | | Coding | | SNF QRP Measures | | |
		PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury*	Pressure Ulcers New or Worsened	Functional Assess- ment and Care Plan
M0300D1	Stage 4 pressure ulcers: number present	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	
M0300D2	Stage 4 pressure ulcers: number at admit/reentry	x	x		0 - 9, "^" (skip pattern), dash "-"	dash "-"		x	

Footnotes:

##: These assessments can be combined with other types of assessments.

* The Falls with Major Injury measure calculation requires a lookback scan to determine whether or not a fall occurred within the target period. Please refer to the SNF QRP QM user's manual for more details about the lookback scan.

** At least one discharge goal is required for one of the GG0130 - Self-Care or GG0170 - Mobility items on the PPS 5-Day assessment to fulfill requirements of the SNF QRP.

*** For residents with Incomplete Medicare Part A Stays, collection of discharge functional status might not be feasible. Therefore, only two criteria are required for APU determination: (i) complete admission functional assessment data on the PPS 5-Day assessment, and (ii) a discharge goal for at least one self-care or mobility item on the PPS 5-Day assessment. Incomplete stays include residents who died in the SNF, who had an unplanned discharge, who were discharged to an acute hospital, psychiatric hospital, or long-term care hospital, who were discharged against medical advice, or who had a SNF length of stay of less than 3 days. For more information, please refer to the SNF QRP QM User's manual.

References:

SNF QRP QM User's Manual. https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/Downloads/SNF-QM-Users-Manual-V10-FINAL-5-22-17.pdf

MDS 3.0 RAI Manual. https://downloads.cms.gov/files/MDS-30-RAI-Manual-V114-October-2016.pdf

Table 2. Items Used as Risk Adjustors for Measure Calculation but NOT for APU Determination

| MDS Item | Item Label/Description | Assessment Type | | | Coding | | SNF QRP Measures | | |
		PPS 5-Day A0310B=[01]## (standalone or combined with other types of assessments)	Part A PPS Discharge A0310H=[1]## (standalone or combined with other types of assessments)	Other types of assessment (specified below)	Allowable item values (all possible values accepted according to the item specifications)	Item values that may count against APU	Falls with Major Injury	Pressure Ulcers New or Worsened	Functional Assess-ment and Care Plan
G0110A1	Bed mobility: self-performance	x			0, 1, 2, 3, 4, 7, 8, dash "-"	Not applicable, item is not used for APU Determination		x	
H0400	Bowel continence	x			0, 1, 2, 3, 9, "^" (skip pattern), dash	Not applicable, item is not used for APU Determination		x	
I0900	Peripheral vascular disease (PVD) or PAD	x			0, 1, dash "-"	Not applicable, item is not used for APU Determination		x	
I2900	Diabetes mellitus (DM)	x			0, 1, dash "-"	Not applicable, item is not used for APU Determination		x	
K0200A	Height (in inches)	x			00 - 99, dash "-"	Not applicable, item is not used for APU Determination		x	
K0200B	Weight (in pounds)	x			000 - 999, dash "-"	Not applicable, item is not used for APU Determination		x	