

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

-3010	.....	9
-3020	.....	9
-3030	.....	9
-3040	.....	9
-3050	.....	9
-3060	.....	9
-3070	.....	15
-3080	.....	15
-3090	.....	16
-3100	.....	16
-3110	.....	17
-3120	.....	17
-3130	.....	17
-3140	.....	18
-3150	.....	18
-3160	.....	18
-3162	.....	18
-3170	.....	18
-3180	.....	19
-3190	.....	19
-3200	.....	19
-3210	.....	19
-3220	.....	20
-3230	.....	20
-3240	.....	20
-3250	.....	20
-3260	.....	21
-3270	.....	21

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-3280	.....	22
-3290	. ....	22
-3300	.....	22
-3310	.....	22
-3320	.....	22
-3330	.....	23
-3340	. ....	23
-3390	.....	23
-3410	.....	23
-3420	.....	23
-3430	.....	23
-3450	. ....	23
-3460	.....	23
-3470	.....	24
-3480	.....	24
-3490	.....	24
-3500	.....	24
-3510	.....	24
-3520	.....	24
-3530	.....	24
-3540	.....	24
-3550	.....	24
-3560	. ....	24
-3570	.....	24
-3580	.....	25
-3590	.....	25
-3600	.....	25
-3610	.....	25

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-3620	.....	25
-3630	.....	25
-3640	.....	25
-3650	.....	25
-3660	.....	26
-3770	.....	26
-3780	.....	26
-3790	.....	26
-3800	.....	27
-3810	.....	27
-3880	.....	27
-3890	.....	27
-3920	.....	27
-3930	.....	27
-3940	.....	28
-3990	.....	28
-4000	.....	28
-4020	.....	28
-4030	.....	28
-4040	.....	28
-4130	.....	28
-4140	.....	28
-4150	.....	29
-4160	.....	29
-4170	.....	29
-4180	.....	29
-4190	.....	29
-4200	.....	29

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-4210	.....	29
-4220	.....	30
-4230	.....	30
-4240	.....	30
-4250	.....	30
-4260	.....	30
-4270	.....	30
-4280	.....	30
-4290	.....	31
-4300	.....	31
-4310	.....	31
-4320	.....	31
-4330	.....	31
-4340	.....	31
-4350	.....	31
-4360	.....	32
-4370	.....	32
-4380	.....	32
-4390	.....	32
-4400	.....	32
-4410	.....	32
-4420	.....	32
-4430	.....	33
-4440	.....	33
-4450	.....	33
-4480	.....	33
-4490	.....	33
-4510	.....	33

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-4520	.....	33
-4530	.....	33
-4540	.....	34
-4550	.....	35
-4560	.....	35
-4570	.....	36
-4580	.....	36
-4590	.....	36
-4600	.....	36
-4630	.....	37
-4640	.....	37
-4690	.....	38
-4700	.....	38
-4710	.....	38
-4720	.....	38
-4730	.....	38
-4740	.....	38
-4800	.....	39
-4810	.....	39
-4820	.....	39
-4840	.....	39
-4850	.....	39
-4860	.....	39
-4870	.....	39
-4880	.....	39
-4885	.....	40
-4890	.....	41
-4900	.....	41

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-4920	.....	41
-4930	.....	42
-4940	.....	42
-4950	.....	42
-4960	.....	42
-4970	.....	42
-4980	.....	43
-4990	.....	43
-5000	.....	43
-5010	.....	43
-5020	.....	43
-5030	.....	44
-5040	.....	44
-5050	.....	44
-5060	.....	45
-5070	.....	45
-5080	.....	45
-5090	.....	45
-5100	.....	45
-5110	.....	45
-5120	.....	46
-5130	.....	46
-5140	.....	46
-5150	.....	46
-5160	.....	46
-5200	.....	47
-5210	.....	47
-5220	.....	47

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

-5230	.....	48
-5240	.....	48
-5250	.....	48
-5260	.....	49
-5270	.....	49
-5280	.....	49
-5290	.....	49
-5300	.....	49
-5310	.....	49
-5320	.....	49
-5330	.....	49
-9010	.....	50
-9020	.....	50
-9030	.....	50
-9040	.....	50
-9050	.....	50
-9060	.....	50
-9070	.....	50
-9080	.....	50
-9090	.....	51
-9100	.....	51
-9110	.....	51
-9130	.....	52
-9140	.....	52
-9150	.....	52
-9160	.....	53
-9170	.....	54
-9180	.....	55

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3010	Format	Fatal	<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then the length of the submitted value must match exactly the maximum length that is listed for the item.</p> <p><b>Items:</b> NATL_PRVDR_ID Agency National Provider ID (NPI)  SFW_ID Software vendor federal employer tax ID  M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI)  M0064_SSN Patient's Social Security number</p>
-3020	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p><b>Items:</b> M0064_SSN Patient's Social Security number</p>
-3030	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p><b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix  M0064_SSN Patient's Social Security number</p>
-3040	Format	Fatal	<p>If the first character is numeric [0-9], then the first 9 characters must be numeric [0-9].</p> <p><b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix</p>
-3050	Format	Fatal	<p>If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.</p> <p><b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix</p>
-3060	Format	Fatal	<p>VALUES OF CODE AND CHECKLIST ITEMS</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p><b>Items:</b> ASMT_SYS_CD Assessment system code  TRANS_TYPE_CD Transaction type code  ITM_SBST_CD Item subset code  ITM_SET_VRSN_CD Item set version code  SPEC_VRSN_CD Specifications version code  STATE_CD Agency's state postal code  M0014_BRANCH_STATE Branch state  M0018_PHYSICIAN_UK Attending physician NPI: Unknown  M0032_ROC_DT_NA No resumption of care date  M0050_PAT_ST Patient state of residence  M0063_MEDICARE_NA No Medicare number  M0064_SSN_UK No Social Security number  M0065_MEDICAID_NA No Medicaid number  M0069_PAT_GENDER Gender  M0140_ETHNIC_AI_AN Ethnicity: American Indian or Alaska Native  M0140_ETHNIC_ASIAN Ethnicity: Asian  M0140_ETHNIC_BLACK Ethnicity: Black or African American  M0140_ETHNIC_HISP Ethnicity: Hispanic or Latino  M0140_ETHNIC_NH_PI Ethnicity: Native Hawaiian/Pacific Islander  M0140_ETHNIC_WHITE Ethnicity: White</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M0150_CPAY_NONE  M0150_CPAY_MCARE_FFS  M0150_CPAY_MCARE_HMO  M0150_CPAY_MCAID_FFS  M0150_CPAY_MCAID_HMO  M0150_CPAY_WRKCOMP  M0150_CPAY_TITLEPGMS  M0150_CPAY_OTH_GOV  M0150_CPAY_PRIV_INS  M0150_CPAY_PRIV_HMO  M0150_CPAY_SELFPAY  M0150_CPAY_OTHER  M0150_CPAY_UK  M0080_ASSESSOR_DISCIPLINE  M0100_ASSMT_REASON  M0102_PHYSN_ORDRD_SOCROC_DT_NA  M0110_EPISODE_TIMING  M1000_DC_LTC_14_DA  M1000_DC_SNF_14_DA  M1000_DC_IPPS_14_DA  M1000_DC_LTCH_14_DA  M1000_DC_IRF_14_DA  M1000_DC_PSYCH_14_DA  M1000_DC_OTH_14_DA  M1000_DC_NONE_14_DA  M1005_INP_DSCHG_UNKNOWN  M1017_CHGREG_ICD_NA  M1018_PRIOR_UR_INCON  M1018_PRIOR_CATH  M1018_PRIOR_INTRACT_PAIN  M1018_PRIOR_IMPR_DECSN  M1018_PRIOR_DISRUPTIVE  M1018_PRIOR_MEM_LOSS  M1018_PRIOR_NONE  M1018_PRIOR_NOCHG_14D  M1018_PRIOR_UNKNOWN  M1021_PRIMARY_DIAG_SEVERITY  M1023_OTH_DIAG1_SEVERITY  M1023_OTH_DIAG2_SEVERITY </div>

Payment sources: no charge for current services  
 Payment sources: Medicare fee-for-service  
 Payment sources: Medicare HMO/managed care  
 Payment sources: Medicaid fee-for-service  
 Payment sources: Medicaid HMO/managed care  
 Payment sources: worker's compensation  
 Payment sources: title programs  
 Payment sources: other government  
 Payment sources: private insurance  
 Payment sources: private HMO/managed care  
 Payment sources: self-pay  
 Payment sources: other  
 Payment sources: unknown  
 Discipline of person completing assessment  
 Reason for assessment  
 Physician ordered SOC/ROC date - NA  
 Episode timing  
 Past 14 days: disch from LTC NH  
 Past 14 days: disch from skilled nursing facility  
 Past 14 days: disch from short stay acute hospital  
 Past 14 days: disch from long term care hospital  
 Past 14 days: disch from inpatient rehab facility  
 Past 14 days: disch from psych hospital or unit  
 Past 14 days: disch from other  
 Past 14 days: not disch from inpatient facility  
 Inpatient discharge date unknown  
 Regimen change in past 14 days: not applicable  
 Prior condition: urinary incontinence  
 Prior condition: indwelling/suprapubic catheter  
 Prior condition: intractable pain  
 Prior condition: impaired decision-making  
 Prior condition: disruptive/inappropriate behav  
 Prior condition: memory loss, supervision required  
 Prior condition: none of the above  
 Prior condition: no inpt disch/no change regimen  
 Prior condition: unknown  
 Primary diagnosis severity rating  
 Other diagnosis 1: severity rating  
 Other diagnosis 2: severity rating

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M1023_OTH_DIAG3_SEVERITY  M1023_OTH_DIAG4_SEVERITY  M1023_OTH_DIAG5_SEVERITY  M1030_THH_IV_INFUSION  M1030_THH_PAR_NUTRITION  M1030_THH_ENT_NUTRITION  M1030_THH_NONE_ABOVE  M1033_HOSP_RISK_HSTRY_FALLS  M1033_HOSP_RISK_WEIGHT_LOSS  M1033_HOSP_RISK_MLTPL_HOSPZTN  M1033_HOSP_RISK_MLTPL_ED_VISIT  M1033_HOSP_RISK_MNTL_BHV_DCLN  M1033_HOSP_RISK_COMPLIANCE  M1033_HOSP_RISK_5PLUS_MDCTN  M1033_HOSP_RISK_CRNT_EXHSTN  M1033_HOSP_RISK_OTHR_RISK  M1033_HOSP_RISK_NONE_ABOVE  M1034_PTNT_OVRAL_STUS  M1036_RSK_SMOKING  M1036_RSK_OBESITY  M1036_RSK_ALCOHOLISM  M1036_RSK_DRUGS  M1036_RSK_NONE  M1036_RSK_UNKNOWN  M1041_IN_INFLNZ_SEASON  M1046_INFLNZ_RECD_CRNT_SEASON  M1051_PVX_RCVD_AGENCY  M1056_PVX_RSN_NOT_RCVD_AGENCY  M1100_PTNT_LVG_STUTN  M1200_VISION  M1210_HEARG_ABLTY  M1220_UNDRSTG_VERBAL_CNTNT  M1230_SPEECH  M1240_FRML_PAIN_ASMT  M1242_PAIN_FREQ_ACTVTY_MVMT  M1300_PRSR_ULCR_RISK_ASMT  M1302_RISK_OF_PRSR_ULCR  M1306_UNHLD_STG2_PRSR_ULCR  M1307_OLDST_STG2_AT_DSCHRG </div>

Other diagnosis 3: severity rating  
Other diagnosis 4: severity rating  
Other diagnosis 5: severity rating  
Therapies received at home: intravenous, infusion  
Therapies received at home: parenteral nutrition  
Therapies received at home: enteral nutrition  
Therapies received at home: none of the above  
Hosp risk: 2+ falls or injury fall in past year  
Hosp risk: unintentional weight loss  
Hosp risk: 2+ hospitalizations in past 12 months  
Hosp risk: 2+ emergency dept visits in past 6 months  
Hosp risk: decline mental/emotional/behav status  
Hosp risk: difficulty with medical instructions  
Hosp risk: taking five or more medications  
Hosp risk: current exhaustion  
Hosp risk: other risk(s) not listed  
Hosp risk: none of the above  
Patient's overall status  
High risk factor: smoking  
High risk factor: obesity  
High risk factor: alcoholism  
High risk factor: drugs  
High risk factor: none of the above  
High risk factor: unknown  
Does episode include Oct 1 thru Mar 31  
Did patient receive influenza vaccine  
Was pneumococcal vaccine received  
If pneumococcal vacc not received, state reason  
Patient living situation  
Sensory status: vision  
Ability to hear  
Understanding verbal content in patient's language  
Sensory status: speech  
Has patient had a formal validated pain assessment  
Freq of pain interfering with pt activity/movement  
Was patient assessed for risk of developing PUs  
Does this patient have a risk of developing PUs  
Patient has 1+ unhealed PU at stage 2 or higher  
Status of oldest stage 2 pressure ulcer at disch

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M1320_STUS_PRBLM_PRSR_ULCR  M1322_NBR_PRSULC_STG1  M1324_STG_PRBLM_ULCER  M1330_STAS_ULCR_PRSNT  M1332_NBR_STAS_ULCR  M1334_STUS_PRBLM_STAS_ULCR  M1340_SRGCL_WND_PRSNT  M1342_STUS_PRBLM_SRGCL_WND  M1350_LESION_OPEN_WND  M1400_WHEN_DYSPNEIC  M1410_RESPTX_OXYGEN  M1410_RESPTX_VENTILATOR  M1410_RESPTX_AIRPRESS  M1410_RESPTX_NONE  M1500_SYMTM_HRT_FAILR_PTNTS  M1510_HRT_FAILR_NO_ACTN  M1510_HRT_FAILR_PHYSN_CNTCT  M1510_HRT_FAILR_ER_TRTMT  M1510_HRT_FAILR_PHYSN_TRTMT  M1510_HRT_FAILR_CLNCL_INTRVTN  M1510_HRT_FAILR_CARE_PLAN_CHG  M1600_UTI  M1610_UR_INCONT  M1615_INCNTNT_TIMING  M1620_BWL_INCONT  M1630_OSTOMY  M1700_COG_FUNCTION  M1710_WHEN_CONFUSED  M1720_WHEN_ANXIOUS  M1730_STDZ DPRSN_SCRNG  M1730_PHQ2_LACK_INTRST  M1730_PHQ2 DPRSN  M1740_BD_MEM_DEFICIT  M1740_BD_IMP_DECISN  M1740_BD_VERBAL  M1740_BD_PHYSICAL  M1740_BD_SOC_INAPPRO  M1740_BD_DELUSIONS  M1740_BD_NONE </div>

Status of most problematic pressure ulcer  
Number of stage 1 pressure ulcers  
Stage of most problematic pressure ulcer  
Does this patient have a stasis ulcer  
Number of stasis ulcers  
Status of most problematic stasis ulcer  
Does this patient have a surgical wound  
Status of most problematic surgical wound  
Has skin lesion or open wound  
When dyspneic  
Respiratory treatments: oxygen  
Respiratory treatments: ventilator  
Respiratory treatments: airway pressure  
Respiratory treatments: none of the above  
Symptoms in heart failure patients  
Heart failure follow up: no action  
Heart failure follow up: physician contacted  
Heart failure follow up: ER treatment advised  
Heart failure follow up: phys-ordered treatmnt  
Heart failure follow up: pt educ/other clinical  
Heart failure follow up: change in care plan  
Treated for urinary tract infection past 14 days  
Urinary incontinence or urinary catheter present  
When urinary incontinence occurs  
Bowel incontinence frequency  
Ostomy for bowel elimination  
Cognitive functioning  
When confused (reported or observed)  
When anxious (reported or observed)  
Screened for depression using validated tool  
PHQ2: little interest or pleasure in doing things  
PHQ2: feeling down, depressed or hopeless  
Behavior demonstrated: memory deficit  
Behavior demonstrated: impaired decision-making  
Behavior demonstrated: verbal disruption  
Behavior demonstrated: physical aggression  
Behavior demonstrated: socially inappropriate  
Behavior demonstrated: delusions  
Behavior demonstrated: none of the above

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			Items: M1745_BEH_PROB_FREQ Frequency of behavior problems
			M1750_REC_PSYCH_NURS Receives psychiatric nursing
			M1800_CRNT_GROOMING Current: grooming
			M1810_CRNT_DRESS_UPPER Current: dress upper body
			M1820_CRNT_DRESS_LOWER Current: dress lower body
			M1830_CRNT_BATHG Current: bathing
			M1840_CRNT_TOILTG Current: toileting
			M1845_CRNT_TOILTG_HYGN Current: toileting hygiene
			M1850_CRNT_TRNSFRNG Current: transferring
			M1860_CRNT_AMBLTN Current: ambulation
			M1870_CRNT_FEEDING Current: feeding
			M1880_CRNT_PREP_LT_MEALS Current: prepare light meals
			M1890_CRNT_PHONE_USE Current: telephone use
			M1900_PRIOR_ADLIADL_SELF Prior functioning ADL/IADL: self-care
			M1900_PRIOR_ADLIADL_AMBLTN Prior functioning ADL/IADL: ambulation
			M1900_PRIOR_ADLIADL_TRNSFR Prior functioning ADL/IADL: transfer
			M1900_PRIOR_ADLIADL_HSEHOLD Prior functioning ADL/IADL: household tasks
			M1910_MLT_FCTR_FALL_RISK_ASMT Has patient had a multi-factor fall risk asmt
			M2000_DRUG_RGMN_RVW Drug regimen review
			M2002_MDCTN_FLWP Medication follow-up
			M2004_MDCTN_INTRVTN Medication intervention
			M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education
			M2015_DRUG_EDCTN_INTRVTN Patient/caregiver drug education intervention
			M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications
			M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications
			M2040_PRIOR_MGMT_ORAL_MDCTN Prior med mgmt: oral medications
			M2040_PRIOR_MGMT_INJCTN_MDCTN Prior med mgmt: injectable medications
			M2102_CARE_TYPE_SRC_ADL Care mgmt, types/sources: ADL
			M2102_CARE_TYPE_SRC_IADL Care mgmt, types/sources: IADL
			M2102_CARE_TYPE_SRC_MDCTN Care mgmt, types/sources: med admin
			M2102_CARE_TYPE_SRC_PRCDR Care mgmt, types/sources: med procs tx
			M2102_CARE_TYPE_SRC_EQUIP Care mgmt, types/sources: equipment
			M2102_CARE_TYPE_SRC_SPRVSN Care mgmt, types/sources: supervision and safety
			M2102_CARE_TYPE_SRC_ADVCY Care mgmt, types/sources: advocacy or facilitation
			M2110_ADL_IADL_ASTNC_FREQ How often recv non-HHA caregiver ADL/IADL assist
			M2200_THER_NEED_NA Therapy need: not applicable
			M2250_PLAN_SMRY_PTNT_SPECF Plan of care synopsis: patient specific parameters
			M2250_PLAN_SMRY_DBTS_FT_CARE Plan of care synopsis: diabetic foot care
			M2250_PLAN_SMRY_FALL_PRVNT Plan of care synopsis: falls prevention

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M2250_PLAN_SMRY_DPRSN_INTRVTN  M2250_PLAN_SMRY_PAIN_INTRVTN  M2250_PLAN_SMRY_PRSULC_PRVNT  M2250_PLAN_SMRY_PRSULC_TRTMT  M2300_EMER_USE_AFTR_LAST_ASMT  M2310_ECR_MEDICATION  M2310_ECR_INJRY_BY_FALL  M2310_ECR_RSPRTRY_INFCTN  M2310_ECR_RSPRTRY_OTHR  M2310_ECR_HRT_FAILR  M2310_ECR_CRDC_DSRTHM  M2310_ECR_MI_CHST_PAIN  M2310_ECR_OTHR_HRT_DEASE  M2310_ECR_STROKE_TIA  M2310_ECR_HYPOGLYC  M2310_ECR_GI_PRBLM  M2310_ECR_DHYDRTN_MALNTR  M2310_ECR_UTI  M2310_ECR_CTHTR_CMPLCTN  M2310_ECR_WND_INFCTN_DTRORTN  M2310_ECR_UNCNTLD_PAIN  M2310_ECR_MENTL_BHVRL_PRBLM  M2310_ECR_DVT_PULMNRY  M2310_ECR_OTHER  M2310_ECR_UNKNOWN  M2400_INTRVTN_SMRY_DBTS_FT  M2400_INTRVTN_SMRY_FALL_PRVNT  M2400_INTRVTN_SMRY_DPRSN  M2400_INTRVTN_SMRY_PAIN_MNTR  M2400_INTRVTN_SMRY_PRSULC_PRVN  M2400_INTRVTN_SMRY_PRSULC_WET  M2410_INPAT_FACILITY  M2420_DSCHRG_DISP  M2430_HOSP_MED  M2430_HOSP_INJRY_BY_FALL  M2430_HOSP_RSPRTRY_INFCTN  M2430_HOSP_RSPRTRY_OTHR  M2430_HOSP_HRT_FAILR  M2430_HOSP_CRDC_DSRTHM </div>

Plan of care synopsis: depression interventions

Plan of care synopsis: pain interventions

Plan of care synopsis: PU prevention

Plan of care synopsis: PU moist treatment

Emergent care: use since previous OASIS

Emergent care reason: medication

Emergent care reason: injury caused by fall

Emergent care reason: respiratory infection

Emergent care reason: respiratory other

Emergent care reason: heart failure

Emergent care reason: cardiac dysrhythmia

Emergent care reason: myocard infarct/chest pain

Emergent care reason: other heart disease

Emergent care reason: stroke (CVA) or TIA

Emergent care reason: hypoglycemia/hyperglycemia

Emergent care: GI bleed/obstruct/constip/impact

Emergent care reason: dehydration, malnutrition

Emergent care reason: urinary tract infection

Emergent care reason: IV catheter infect/complic

Emergent care reason: wound infect/deterioration

Emergent care reason: uncontrolled pain

Emergent care reason: acute mental/behav problem

Emergent care reason: deep vein thromb/pulm embol

Emergent care reason: other than above

Emergent care reason: unknown

Intervention synopsis: diabetic foot care

Intervention synopsis: falls prevention

Intervention synopsis: depression intervention

Intervention synopsis: monitor and mitigate pain

Intervention synopsis: prevent pressure ulcers

Intervention synopsis: PU moist wound treatment

Inpatient facility

Discharge disposition

Hospitalized: medication

Hospitalized: injury caused by fall

Hospitalized: respiratory infection

Hospitalized: other respiratory

Hospitalized: heart failure

Hospitalized: cardiac dysrhythmia

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M2430_HOSP_MI_CHST_PAIN Hospitalized: myocardial infarction or chest pain M2430_HOSP_OTHR_HRT_DEASE Hospitalized: other heart disease M2430_HOSP_STROKE_TIA Hospitalized: stroke (CVA) or TIA M2430_HOSP_HYPOGLYC Hospitalized: hypoglycemia/hyperglycemia M2430_HOSP_GI_PRBLM Hospitalized: GI bleed/obstruct/constip/impact M2430_HOSP_DHYDRTN_MALNTR Hospitalized: dehydration, malnutrition M2430_HOSP_UR_TRACT Hospitalized: urinary tract infection M2430_HOSP_CTHTR_CMPLCTN Hospitalized: IV catheter infect/complic M2430_HOSP_WND_INFCTN Hospitalized: wound infect/deterioration M2430_HOSP_PAIN Hospitalized: uncontrolled pain M2430_HOSP_MENTL_BHVRL_PRBLM Hospitalized: acute mental/behav problem M2430_HOSP_DVT_PULMNRY Hospitalized: deep vein thromb/pulm embol M2430_HOSP_SCHLD_TRTMT Hospitalized: scheduled treatment or procedure M2430_HOSP_OTHER Hospitalized: other M2430_HOSP_UK Hospitalized: UK
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p> <b>Items:</b> M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M0903_LAST_HOME_VISIT Date of last home visit M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3080	Format	Fatal	<p>FORMATTING OF BIRTHDATE</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> <b>Items:</b> M0066_PAT_BIRTH_DT Date of birth

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3090	Format	Fatal	<p>VALUES OF NUMERIC ITEMS</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item.</p> <p>Signed numbers (with a leading plus or minus sign) will not be accepted.</p> <p><b>Items:</b></p> <table><tr><td>CORRECTION_NUM</td><td>Correction number</td></tr><tr><td>M1308_NBR_PRSULC_STG2</td><td>Number of stage 2 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG3</td><td>Number of stage 3 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG4</td><td>Number of stage 4 pressure ulcers</td></tr><tr><td>M1308_NSTG_DRSG</td><td>Unstageable: non-removable dressing/device</td></tr><tr><td>M1308_NSTG_CVRG</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td>M1308_NSTG_DEEP_TISUE</td><td>Unstageable: suspect deep tissue injury</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG2</td><td>Number of new or worsening stage 2</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG3</td><td>Number of new or worsening stage 3</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG4</td><td>Number of new or worsening stage 4</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_NSTG</td><td>Number of new or worsening unstageable</td></tr><tr><td>M2200_THER_NEED_NBR</td><td>Therapy need: number of visits indicated</td></tr></table>	CORRECTION_NUM	Correction number	M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers	M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers	M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers	M1308_NSTG_DRSG	Unstageable: non-removable dressing/device	M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar	M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury	M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2	M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3	M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4	M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable	M2200_THER_NEED_NBR	Therapy need: number of visits indicated
CORRECTION_NUM	Correction number																										
M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers																										
M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers																										
M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers																										
M1308_NSTG_DRSG	Unstageable: non-removable dressing/device																										
M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar																										
M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury																										
M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2																										
M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3																										
M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4																										
M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable																										
M2200_THER_NEED_NBR	Therapy need: number of visits indicated																										
-3100	Format	Fatal	<p>FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS</p> <p>Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].</p> <p><b>Items:</b></p> <table><tr><td>CORRECTION_NUM</td><td>Correction number</td></tr><tr><td>M1308_NBR_PRSULC_STG2</td><td>Number of stage 2 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG3</td><td>Number of stage 3 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG4</td><td>Number of stage 4 pressure ulcers</td></tr><tr><td>M1308_NSTG_DRSG</td><td>Unstageable: non-removable dressing/device</td></tr><tr><td>M1308_NSTG_CVRG</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td>M1308_NSTG_DEEP_TISUE</td><td>Unstageable: suspect deep tissue injury</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG2</td><td>Number of new or worsening stage 2</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG3</td><td>Number of new or worsening stage 3</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG4</td><td>Number of new or worsening stage 4</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_NSTG</td><td>Number of new or worsening unstageable</td></tr><tr><td>M2200_THER_NEED_NBR</td><td>Therapy need: number of visits indicated</td></tr></table>	CORRECTION_NUM	Correction number	M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers	M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers	M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers	M1308_NSTG_DRSG	Unstageable: non-removable dressing/device	M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar	M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury	M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2	M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3	M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4	M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable	M2200_THER_NEED_NBR	Therapy need: number of visits indicated
CORRECTION_NUM	Correction number																										
M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers																										
M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers																										
M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers																										
M1308_NSTG_DRSG	Unstageable: non-removable dressing/device																										
M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar																										
M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury																										
M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2																										
M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3																										
M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4																										
M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable																										
M2200_THER_NEED_NBR	Therapy need: number of visits indicated																										



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items										
-3110	Format	Fatal	<p>FORMATTING OF NUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only numeric characters: [0] through [9].</p> <p><b>Items:</b></p> <table><tr><td>NATL_PRVDR_ID</td><td>Agency National Provider ID (NPI)</td></tr><tr><td>SFW_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td>M0018_PHYSICIAN_ID</td><td>Attending physician National Provider ID (NPI)</td></tr><tr><td>M0060_PAT_ZIP</td><td>Patient zip code</td></tr><tr><td>M0064_SSN</td><td>Patient's Social Security number</td></tr></table>	NATL_PRVDR_ID	Agency National Provider ID (NPI)	SFW_ID	Software vendor federal employer tax ID	M0018_PHYSICIAN_ID	Attending physician National Provider ID (NPI)	M0060_PAT_ZIP	Patient zip code	M0064_SSN	Patient's Social Security number
NATL_PRVDR_ID	Agency National Provider ID (NPI)												
SFW_ID	Software vendor federal employer tax ID												
M0018_PHYSICIAN_ID	Attending physician National Provider ID (NPI)												
M0060_PAT_ZIP	Patient zip code												
M0064_SSN	Patient's Social Security number												
-3120	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p><b>Items:</b></p> <table><tr><td>SUBM_HIPPS_CODE</td><td>HIPPS group code: submitted</td></tr><tr><td>SUBM_HIPPS_VERSION</td><td>HIPPS version code: submitted</td></tr><tr><td>M0010_CCN</td><td>Facility CMS certification number (CCN)</td></tr><tr><td>M0063_MEDICARE_NUM</td><td>Medicare number, including suffix</td></tr><tr><td>M0065_MEDICAID_NUM</td><td>Medicaid number</td></tr></table>	SUBM_HIPPS_CODE	HIPPS group code: submitted	SUBM_HIPPS_VERSION	HIPPS version code: submitted	M0010_CCN	Facility CMS certification number (CCN)	M0063_MEDICARE_NUM	Medicare number, including suffix	M0065_MEDICAID_NUM	Medicaid number
SUBM_HIPPS_CODE	HIPPS group code: submitted												
SUBM_HIPPS_VERSION	HIPPS version code: submitted												
M0010_CCN	Facility CMS certification number (CCN)												
M0063_MEDICARE_NUM	Medicare number, including suffix												
M0065_MEDICAID_NUM	Medicaid number												
-3130	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AND SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed</p> <p><b>Items:</b></p> <table><tr><td>SFW_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td>M0040_PAT_FNAME</td><td>Patient's first name</td></tr><tr><td>M0040_PAT_LNAME</td><td>Patient's last name</td></tr><tr><td>M0040_PAT_SUFFIX</td><td>Patient's suffix</td></tr></table>	SFW_PROD_VRSN_CD	Software product version code	M0040_PAT_FNAME	Patient's first name	M0040_PAT_LNAME	Patient's last name	M0040_PAT_SUFFIX	Patient's suffix		
SFW_PROD_VRSN_CD	Software product version code												
M0040_PAT_FNAME	Patient's first name												
M0040_PAT_LNAME	Patient's last name												
M0040_PAT_SUFFIX	Patient's suffix												

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3140	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"> <li>a) The numeric characters: [0] through [9].</li> <li>b) The letters [A] through [Z] and [a] through [z].</li> <li>c) The following special characters: <ul style="list-style-type: none"> <li>[@] (at sign)</li> <li>['] (single quote)</li> <li>[/] (forward slash)</li> <li>[+] (plus sign)</li> <li>[,] (comma)</li> <li>[.] (period)</li> <li>[_] (underscore)</li> </ul> </li> </ul> <p><b>Items:</b> M0040_PAT_MI Patient's middle initial</p>
-3150	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <ul style="list-style-type: none"> <li>' (single quote)</li> <li>" (double quote)</li> <li>,</li> <li>;</li> <li>:</li> <li>\ (back slash)</li> <li>( ) (right and left parentheses)</li> <li>[ ] (right and left brackets)</li> <li>{ } (right and left braces)</li> <li>&lt; (less than)</li> <li>&gt; (greater than)</li> <li>space (embedded space)</li> </ul> <p><b>Items:</b> SFW_EMAIL_ADR Software vendor email address</p>
-3160	Consistency	Fatal	<p>HHA_AGENCY_ID is the provider's submission ID. The value submitted for HHA_AGENCY_ID must match the HHA_AGENCY_ID in the QIES ASAP System for the provider.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID</p>
-3162	Consistency	Fatal	<p>A user submitting a file must be authorized to submit for the provider identified by the HHA_AGENCY_ID item in the file.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID</p>
-3170	Consistency	Warning	<p>The value submitted for M0010_CCN (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.</p> <p><b>Items:</b> M0010_CCN Facility CMS certification number (CCN)</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3180	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID</p>
-3190	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the ASAP system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT  M0032_ROC_DT  M0032_ROC_DT_NA  M0040_PAT_FNAME  M0040_PAT_LNAME  M0064_SSN  M0064_SSN_UK  M0066_PAT_BIRTH_DT  M0069_PAT_GENDER  M0090_INFO_COMPLETED_DT  M0100_ASSMT_REASON  M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <p><b>Items:</b> M0030_START_CARE_DT Start of care date  M0032_ROC_DT Resumption of care date  M0032_ROC_DT_NA No resumption of care date  M0040_PAT_FNAME Patient's first name  M0040_PAT_LNAME Patient's last name  M0064_SSN Patient's Social Security number  M0064_SSN_UK No Social Security number  M0066_PAT_BIRTH_DT Date of birth  M0069_PAT_GENDER Gender  M0090_INFO_COMPLETED_DT Date assessment completed  M0100_ASSMT_REASON Reason for assessment  M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>
-3200	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in CORRECTION_NUM (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in CORRECTION_NUM on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in CORRECTION_NUM is incorrect, a fatal error will result and the submitted record will be rejected.</p> <p><b>Items:</b> CORRECTION_NUM Correction number</p>
-3210	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID  SFW_NAME Software vendor company name</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> SFW_EMAIL_ADR Software vendor email address SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code ACY_DOC_CD Document ID code (agency use) SUBM_HIPPS_CODE HIPPS group code: submitted SUBM_HIPPS_VERSION HIPPS version code: submitted M0016_BRANCH_ID Branch ID M0020_PAT_ID Patient ID number M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
-3220	Consistency	Fatal	<p>If SFW_PROD_NAME is equal to [^], then SFW_PROD_VRSN_CD must be equal to [^].</p> <b>Items:</b> SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code
-3230	Consistency	Fatal	<p>If SFW_PROD_NAME is not equal to [^], then SFW_PROD_VRSN_CD must not be equal to [^].</p> <b>Items:</b> SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code
-3240	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <b>Items:</b> ITM_SBST_CD Item subset code
-3250	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AMPERSANDS, AND OTHER SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[&amp;] (ampersand)  [@] (at sign)  ['] (single quote)  [/] (forward slash)  [+] (plus sign)  [,] (comma)  [.] (period)  [_] (underscore)</p>

## Unduplicated Edits Report by Edit ID

Page 21 of 55

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0030_START_CARE_DT      Start of care date M0032_ROC_DT      Resumption of care date M0066_PAT_BIRTH_DT      Date of birth M0090_INFO_COMPLETED_DT      Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT      Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT      Physician date of referral M1005_INP_DISCHARGE_DT      Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT      Date of onset of oldest stage 2 pressure ulcer M0903_LAST_HOME_VISIT      Date of last home visit M0906_DC_TRAN_DTH_DT      Discharge, transfer, death date
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p> <b>Items:</b> M0030_START_CARE_DT      Start of care date M0100_ASSMT_REASON      Reason for assessment M1005_INP_DISCHARGE_DT      Most recent inpatient discharge date
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p> <b>Items:</b> M0032_ROC_DT      Resumption of care date M0100_ASSMT_REASON      Reason for assessment M1005_INP_DISCHARGE_DT      Most recent inpatient discharge date
-3300	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.</p> <b>Items:</b> M0030_START_CARE_DT      Start of care date M0090_INFO_COMPLETED_DT      Date assessment completed M0100_ASSMT_REASON      Reason for assessment
-3310	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.</p> <b>Items:</b> M0032_ROC_DT      Resumption of care date M0090_INFO_COMPLETED_DT      Date assessment completed M0100_ASSMT_REASON      Reason for assessment
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p> <b>Items:</b> M0090_INFO_COMPLETED_DT      Date assessment completed M0100_ASSMT_REASON      Reason for assessment M0906_DC_TRAN_DTH_DT      Discharge, transfer, death date

**Data Submission Specifications for the OASIS Item Set (V2.12.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3330	Consistency	Warning	<p>If TRANS_TYPE_CD=[1] (new record), then submission date minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.</p> <p><b>Items:</b> TRANS_TYPE_CD Transaction type code  M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3340	Consistency	Fatal	<p>If TRANS_TYPE_CD=[1], then CORRECTION_NUM must equal [00].</p> <p><b>Items:</b> TRANS_TYPE_CD Transaction type code  CORRECTION_NUM Correction number</p>
-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.  b) Patient age at the time the assessment was completed cannot be less than 18 years.  c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.  Patient age is computed as follows:  1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.  2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.  3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.  4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.  5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p><b>Items:</b> M0066_PAT_BIRTH_DT Date of birth  M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3410	Consistency	Fatal	<p>If M0016_BRANCH_ID contains a standard branch ID (i.e., is not equal to [N] or [P]), then M0014_BRANCH_STATE must not equal [^].</p> <p><b>Items:</b> M0014_BRANCH_STATE Branch state  M0016_BRANCH_ID Branch ID</p>
-3420	Consistency	Fatal	<p>If M0016_BRANCH_ID is equal to [N] or [P], then M0014_BRANCH_STATE must equal [^].</p> <p><b>Items:</b> M0014_BRANCH_STATE Branch state  M0016_BRANCH_ID Branch ID</p>
-3430	Format	Fatal	<p>The patient ZIP code must be either 5 or 9 bytes in length. Do not include a dash if a ZIP+4 code is submitted.</p> <p><b>Items:</b> M0060_PAT_ZIP Patient zip code</p>
-3450	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p> <p><b>Items:</b> M1005_INP_DISCHARGE_DT Most recent inpatient discharge date  M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-3460	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].</p> <p><b>Items:</b> M1005_INP_DISCHARGE_DT Most recent inpatient discharge date  M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3470	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[0], then if M0018_PHYSICIAN_ID is active it cannot equal [^].</p> <p><b>Items:</b> M0018_PHYSICIAN_ID      Attending physician National Provider ID (NPI)  M0018_PHYSICIAN_UK      Attending physician NPI: Unknown</p>
-3480	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[1], then if M0018_PHYSICIAN_ID is active it must equal [^].</p> <p><b>Items:</b> M0018_PHYSICIAN_ID      Attending physician National Provider ID (NPI)  M0018_PHYSICIAN_UK      Attending physician NPI: Unknown</p>
-3490	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[0], then if M0032_ROC_DT is active it must not equal [^].</p> <p><b>Items:</b> M0032_ROC_DT      Resumption of care date  M0032_ROC_DT_NA      No resumption of care date</p>
-3500	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[1], then if M0032_ROC_DT is active it must equal [^].</p> <p><b>Items:</b> M0032_ROC_DT      Resumption of care date  M0032_ROC_DT_NA      No resumption of care date</p>
-3510	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[0], then if M0063_MEDICARE_NUM is active it must not equal [^].</p> <p><b>Items:</b> M0063_MEDICARE_NUM      Medicare number, including suffix  M0063_MEDICARE_NA      No Medicare number</p>
-3520	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[1], then if M0063_MEDICARE_NUM is active it must equal [^].</p> <p><b>Items:</b> M0063_MEDICARE_NUM      Medicare number, including suffix  M0063_MEDICARE_NA      No Medicare number</p>
-3530	Consistency	Fatal	<p>If M0064_SSN_UK=[0], then if M0064_SSN is active it must not equal [^].</p> <p><b>Items:</b> M0064_SSN      Patient's Social Security number  M0064_SSN_UK      No Social Security number</p>
-3540	Consistency	Fatal	<p>If M0064_SSN_UK=[1], then if M0064_SSN is active it must equal [^].</p> <p><b>Items:</b> M0064_SSN      Patient's Social Security number  M0064_SSN_UK      No Social Security number</p>
-3550	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[0], then if M0065_MEDICAID_NUM is active it must not equal [^].</p> <p><b>Items:</b> M0065_MEDICAID_NUM      Medicaid number  M0065_MEDICAID_NA      No Medicaid number</p>
-3560	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[1], then if M0065_MEDICAID_NUM is active it must equal [^].</p> <p><b>Items:</b> M0065_MEDICAID_NUM      Medicaid number  M0065_MEDICAID_NA      No Medicaid number</p>
-3570	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].</p> <p><b>Items:</b> M0102_PHYSN_ORDRD_SOCROC_DT      Physician ordered SOC/ROC date  M0102_PHYSN_ORDRD_SOCROC_DT_NA      Physician ordered SOC/ROC date - NA</p>



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3580	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].</p> <p><b>Items:</b> M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA</p>
-3590	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].</p> <p><b>Items:</b> M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral</p>
-3600	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].</p> <p><b>Items:</b> M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral</p>
-3610	Consistency	Fatal	<p>If SUBM_HIPPS_CODE is not equal to [^], then M0110_EPISODE_TIMING must equal [01,02,UK].</p> <p><b>Items:</b> SUBM_HIPPS_CODE HIPPS group code: submitted M0110_EPISODE_TIMING Episode timing</p>
-3620	Consistency	Fatal	<p>If all items from M0140_ETHNIC_AI_AN through M0140_ETHNIC_WHITE are active, then at least one of these items must equal [1].</p> <p><b>Items:</b> M0140_ETHNIC_AI_AN Ethnicity: American Indian or Alaska Native M0140_ETHNIC_ASIAN Ethnicity: Asian M0140_ETHNIC_BLACK Ethnicity: Black or African American M0140_ETHNIC_HISP Ethnicity: Hispanic or Latino M0140_ETHNIC_NH_PI Ethnicity: Native Hawaiian/Pacific Islander M0140_ETHNIC_WHITE Ethnicity: White</p>
-3630	Consistency	Fatal	<p>At least one of the following items must equal [1]: M0150_CPAY_MCARE_FFS, M0150_CPAY_MCARE_HMO, M0150_CPAY_MCAID_FFS, or M0150_CPAY_MCAID_HMO. If all of these items are equal to [0], then the patient's care is not paid by Medicare or Medicaid and the assessment will be rejected if it is submitted.</p> <p><b>Items:</b> M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service M0150_CPAY_MCARE_HMO Payment sources: Medicare HMO/managed care M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service M0150_CPAY_MCAID_HMO Payment sources: Medicaid HMO/managed care</p>
-3640	Consistency	Fatal	<p>Both M0150_CPAY_NONE and M0150_CPAY_UK must equal [0].</p> <p><b>Items:</b> M0150_CPAY_NONE Payment sources: no charge for current services M0150_CPAY_UK Payment sources: unknown</p>
-3650	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].</p> <p><b>Items:</b> M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility
-3660	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].</p> <b>Items:</b> M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility
-3770	Consistency	Fatal	<p>If any one of the items M1018_PRIOR_NONE, M1018_PRIOR_NOCHG_14D, or M1018_PRIOR_UNKNOWN is equal to [1], then the remaining two items must equal [0].</p> <b>Items:</b> M1018_PRIOR_NONE Prior condition: none of the above M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen M1018_PRIOR_UNKNOWN Prior condition: unknown
-3780	Consistency	Fatal	<p>If any one of the items M1018_PRIOR_NONE, M1018_PRIOR_NOCHG_14D, or M1018_PRIOR_UNKNOWN is equal to [1], then all active items from M1018_PRIOR_UR_INCON through M1018_PRIOR_MEM_LOSS must equal [0].</p> <b>Items:</b> M1018_PRIOR_UR_INCON Prior condition: urinary incontinence M1018_PRIOR_CATH Prior condition: indwelling/suprapubic catheter M1018_PRIOR_INTRACT_PAIN Prior condition: intractable pain M1018_PRIOR_IMPR_DECSN Prior condition: impaired decision-making M1018_PRIOR_DISRUPTIVE Prior condition: disruptive/inappropriate behav M1018_PRIOR_MEM_LOSS Prior condition: memory loss, supervision required M1018_PRIOR_NONE Prior condition: none of the above M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen M1018_PRIOR_UNKNOWN Prior condition: unknown
-3790	Consistency	Fatal	<p>If any item from M1018_PRIOR_UR_INCON through M1018_PRIOR_MEM_LOSS is equal to [1], then all active items from M1018_PRIOR_NONE through M1018_PRIOR_UNKNOWN must equal [0].</p> <b>Items:</b> M1018_PRIOR_UR_INCON Prior condition: urinary incontinence M1018_PRIOR_CATH Prior condition: indwelling/suprapubic catheter M1018_PRIOR_INTRACT_PAIN Prior condition: intractable pain M1018_PRIOR_IMPR_DECSN Prior condition: impaired decision-making M1018_PRIOR_DISRUPTIVE Prior condition: disruptive/inappropriate behav M1018_PRIOR_MEM_LOSS Prior condition: memory loss, supervision required M1018_PRIOR_NONE Prior condition: none of the above M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen M1018_PRIOR_UNKNOWN Prior condition: unknown

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3800	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.12.0 OF THE DATA SPECS</p> <p><b>Items:</b> M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH  M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility  M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital  M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital  M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility  M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit  M1000_DC_OTH_14_DA Past 14 days: disch from other  M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen</p>
-3810	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.12.0 OF THE DATA SPECS</p> <p><b>Items:</b> M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility  M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen</p>
-3880	Consistency	Fatal	<p>If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].</p> <p><b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion  M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition  M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition  M1030_THH_NONE_ABOVE Therapies received at home: none of the above</p>
-3890	Consistency	Fatal	<p>If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].</p> <p><b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion  M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition  M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition  M1030_THH_NONE_ABOVE Therapies received at home: none of the above</p>
-3920	Consistency	Fatal	<p>If M1036_RSK_NONE=[0] and M1036_RSK_UNKNOWN=[0], then at least one active item from M1036_RSK_SMOKING through M1036_RSK_DRUGS must equal [1].</p> <p><b>Items:</b> M1036_RSK_SMOKING High risk factor: smoking  M1036_RSK_OBESITY High risk factor: obesity  M1036_RSK_ALCOHOLISM High risk factor: alcoholism  M1036_RSK_DRUGS High risk factor: drugs  M1036_RSK_NONE High risk factor: none of the above  M1036_RSK_UNKNOWN High risk factor: unknown</p>
-3930	Consistency	Fatal	<p>If M1036_RSK_NONE=[1], then all active items from M1036_RSK_SMOKING through M1036_RSK_DRUGS and M1036_RSK_UNKNOWN must equal [0].</p> <p><b>Items:</b> M1036_RSK_SMOKING High risk factor: smoking  M1036_RSK_OBESITY High risk factor: obesity  M1036_RSK_ALCOHOLISM High risk factor: alcoholism  M1036_RSK_DRUGS High risk factor: drugs</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1036_RSK_NONE High risk factor: none of the above M1036_RSK_UNKNOWN High risk factor: unknown
-3940	Consistency	Fatal	If M1036_RSK_UNKNOWN=[1], then all active items from M1036_RSK_SMOKING through M1036_RSK_NONE must equal [0]. <b>Items:</b> M1036_RSK_SMOKING High risk factor: smoking M1036_RSK_OBESITY High risk factor: obesity M1036_RSK_ALCOHOLISM High risk factor: alcoholism M1036_RSK_DRUGS High risk factor: drugs M1036_RSK_NONE High risk factor: none of the above M1036_RSK_UNKNOWN High risk factor: unknown
-3990	Skip pattern	Fatal	If M1300_PRSR_ULCR_RISK_ASMT=[00], then if M1302_RISK_OF_PRSR_ULCR is active it must equal [^]. <b>Items:</b> M1300_PRSR_ULCR_RISK_ASMT Was patient assessed for risk of developing PUs M1302_RISK_OF_PRSR_ULCR Does this patient have a risk of developing PUs
-4000	Skip pattern	Fatal	If M1300_PRSR_ULCR_RISK_ASMT=[01,02], then if M1302_RISK_OF_PRSR_ULCR is active it must not equal [^]. <b>Items:</b> M1300_PRSR_ULCR_RISK_ASMT Was patient assessed for risk of developing PUs M1302_RISK_OF_PRSR_ULCR Does this patient have a risk of developing PUs
-4020	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then if M1307_OLDST_STG2_AT_DSCHRG is active it must not equal [^]. <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU at stage 2 or higher M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch
-4030	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^]. <b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-4040	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^]. <b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-4130	Consistency	Fatal	If M1308_NBR_PRSULC_STG2, M1308_NBR_PRSULC_STG3, M1308_NBR_PRSULC_STG4, M1308_NSTG_CVRG, and M1308_NSTG_DEEP_TISUE are all equal to [00], then if M1320_STUS_PRBLM_PRSR_ULCR is active it must equal [NA]. <b>Items:</b> M1308_NBR_PRSULC_STG2 Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3 Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4 Number of stage 4 pressure ulcers M1308_NSTG_CVRG Unstageable: coverage by slough or eschar M1308_NSTG_DEEP_TISUE Unstageable: suspect deep tissue injury M1320_STUS_PRBLM_PRSR_ULCR Status of most problematic pressure ulcer
-4140	Consistency	Fatal	If M1308_NBR_PRSULC_STG2 or M1308_NSTG_DEEP_TISUE is greater than [00] and M1308_NBR_PRSULC_STG3, M1308_NBR_PRSULC_STG4, and M1308_NSTG_CVRG are all equal to [00], then if M1320_STUS_PRBLM_PRSR_ULCR is active it must equal [03]. <b>Items:</b> M1308_NBR_PRSULC_STG2 Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3 Number of stage 3 pressure ulcers

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1308_NBR_PRSULC_STG4      Number of stage 4 pressure ulcers M1308_NSTG_CVRG      Unstageable: coverage by slough or eschar M1308_NSTG_DEEP_TISUE      Unstageable: suspect deep tissue injury M1320_STUS_PRBLM_PRSR_ULCR      Status of most problematic pressure ulcer
-4150	Consistency	Fatal	If M1308_NBR_PRSULC_STG3 or M1308_NBR_PRSULC_STG4 is greater than [00], then if M1320_STUS_PRBLM_PRSR_ULCR is active it must equal [00,01,02,03]. <b>Items:</b> M1308_NBR_PRSULC_STG3      Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4      Number of stage 4 pressure ulcers M1320_STUS_PRBLM_PRSR_ULCR      Status of most problematic pressure ulcer
-4160	Consistency	Fatal	If M1308_NSTG_CVRG is greater than [00] and M1308_NBR_PRSULC_STG2, M1308_NBR_PRSULC_STG3, M1308_NBR_PRSULC_STG4, and M1308_NSTG_DEEP_TISUE are all equal to [00], then if M1320_STUS_PRBLM_PRSR_ULCR is active it must equal [02,03]. <b>Items:</b> M1308_NBR_PRSULC_STG2      Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3      Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4      Number of stage 4 pressure ulcers M1308_NSTG_CVRG      Unstageable: coverage by slough or eschar M1308_NSTG_DEEP_TISUE      Unstageable: suspect deep tissue injury M1320_STUS_PRBLM_PRSR_ULCR      Status of most problematic pressure ulcer
-4170	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00]. <b>Items:</b> M1322_NBR_PRSULC_STG1      Number of stage 1 pressure ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer
-4180	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[02], then if M1308_NBR_PRSULC_STG2 is active it must not equal [^] and it must be greater than [00]. <b>Items:</b> M1308_NBR_PRSULC_STG2      Number of stage 2 pressure ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer
-4190	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[03], then if M1308_NBR_PRSULC_STG3 is active it must not equal [^] and it must be greater than [00]. <b>Items:</b> M1308_NBR_PRSULC_STG3      Number of stage 3 pressure ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer
-4200	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[04], then if M1308_NBR_PRSULC_STG4 is active it must not equal [^] and it must be greater than [00]. <b>Items:</b> M1308_NBR_PRSULC_STG4      Number of stage 4 pressure ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer
-4210	Consistency	Fatal	If M1322_NBR_PRSULC_STG1 and M1308_NBR_PRSULC_STG2 and M1308_NBR_PRSULC_STG3 and M1308_NBR_PRSULC_STG4 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. <b>Items:</b> M1308_NBR_PRSULC_STG2      Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3      Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4      Number of stage 4 pressure ulcers M1322_NBR_PRSULC_STG1      Number of stage 1 pressure ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4220	Skip pattern	Fatal	<p>If M1330_STAS_ULCR_PRSNT=[00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].</p> <p><b>Items:</b> M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer  M1332_NBR_STAS_ULCR Number of stasis ulcers  M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer</p>
-4230	Skip pattern	Fatal	<p>If M1330_STAS_ULCR_PRSNT=[01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].</p> <p><b>Items:</b> M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer  M1332_NBR_STAS_ULCR Number of stasis ulcers  M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer</p>
-4240	Skip pattern	Fatal	<p>If M1340_SRGCL_WND_PRSNT=[00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^].</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound  M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>
-4250	Skip pattern	Fatal	<p>If M1340_SRGCL_WND_PRSNT=[01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^].</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound  M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>
-4260	Consistency	Fatal	<p>If M1410_RESPTX_NONE=[0], then at least one active item from M1410_RESPTX_OXYGEN through M1410_RESPTX_AIRPRESS must equal [1].</p> <p><b>Items:</b> M1410_RESPTX_OXYGEN Respiratory treatments: oxygen  M1410_RESPTX_VENTILATOR Respiratory treatments: ventilator  M1410_RESPTX_AIRPRESS Respiratory treatments: airway pressure  M1410_RESPTX_NONE Respiratory treatments: none of the above</p>
-4270	Consistency	Fatal	<p>If M1410_RESPTX_NONE=[1], then all active items from M1410_RESPTX_OXYGEN through M1410_RESPTX_AIRPRESS must equal [0].</p> <p><b>Items:</b> M1410_RESPTX_OXYGEN Respiratory treatments: oxygen  M1410_RESPTX_VENTILATOR Respiratory treatments: ventilator  M1410_RESPTX_AIRPRESS Respiratory treatments: airway pressure  M1410_RESPTX_NONE Respiratory treatments: none of the above</p>
-4280	Skip pattern	Fatal	<p>If M1500_SYMTM_HRT_FAILR_PTNTS=[00,02,NA], then all active items from M1510_HRT_FAILR_NO_ACTN through M1510_HRT_FAILR_CARE_PLAN_CHG must equal [^].</p> <p><b>Items:</b> M1500_SYMTM_HRT_FAILR_PTNTS Symptoms in heart failure patients  M1510_HRT_FAILR_NO_ACTN Heart failure follow up: no action  M1510_HRT_FAILR_PHYSN_CNTCT Heart failure follow up: physician contacted  M1510_HRT_FAILR_ER_TRTMT Heart failure follow up: ER treatment advised  M1510_HRT_FAILR_PHYSN_TRTMT Heart failure follow up: phys-ordered treatmnt  M1510_HRT_FAILR_CLNCL_INTRVTN Heart failure follow up: pt educ/other clinical  M1510_HRT_FAILR_CARE_PLAN_CHG Heart failure follow up: change in care plan</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items														
-4290	Skip pattern	Fatal	<p>If M1500_SYMTM_HRT_FAILR_PTNTS=[01], then all active items from M1510_HRT_FAILR_NO_ACTN through M1510_HRT_FAILR_CARE_PLAN_CHG must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1500_SYMTM_HRT_FAILR_PTNTS</td><td>Symptoms in heart failure patients</td></tr><tr><td>M1510_HRT_FAILR_NO_ACTN</td><td>Heart failure follow up: no action</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_CNTCT</td><td>Heart failure follow up: physician contacted</td></tr><tr><td>M1510_HRT_FAILR_ER_TRTMT</td><td>Heart failure follow up: ER treatment advised</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_TRTMT</td><td>Heart failure follow up: phys-ordered treatmnt</td></tr><tr><td>M1510_HRT_FAILR_CLNCL_INTRVTN</td><td>Heart failure follow up: pt educ/other clinical</td></tr><tr><td>M1510_HRT_FAILR_CARE_PLAN_CHG</td><td>Heart failure follow up: change in care plan</td></tr></table>	M1500_SYMTM_HRT_FAILR_PTNTS	Symptoms in heart failure patients	M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action	M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted	M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised	M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt	M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical	M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan
M1500_SYMTM_HRT_FAILR_PTNTS	Symptoms in heart failure patients																
M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action																
M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted																
M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised																
M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt																
M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical																
M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan																
-4300	Consistency	Fatal	<p>If M1500_SYMTM_HRT_FAILR_PTNTS=[01], then at least one active item from M1510_HRT_FAILR_NO_ACTN through M1510_HRT_FAILR_CARE_PLAN_CHG must equal [1].</p> <p><b>Items:</b></p> <table><tr><td>M1500_SYMTM_HRT_FAILR_PTNTS</td><td>Symptoms in heart failure patients</td></tr><tr><td>M1510_HRT_FAILR_NO_ACTN</td><td>Heart failure follow up: no action</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_CNTCT</td><td>Heart failure follow up: physician contacted</td></tr><tr><td>M1510_HRT_FAILR_ER_TRTMT</td><td>Heart failure follow up: ER treatment advised</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_TRTMT</td><td>Heart failure follow up: phys-ordered treatmnt</td></tr><tr><td>M1510_HRT_FAILR_CLNCL_INTRVTN</td><td>Heart failure follow up: pt educ/other clinical</td></tr><tr><td>M1510_HRT_FAILR_CARE_PLAN_CHG</td><td>Heart failure follow up: change in care plan</td></tr></table>	M1500_SYMTM_HRT_FAILR_PTNTS	Symptoms in heart failure patients	M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action	M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted	M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised	M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt	M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical	M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan
M1500_SYMTM_HRT_FAILR_PTNTS	Symptoms in heart failure patients																
M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action																
M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted																
M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised																
M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt																
M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical																
M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan																
-4310	Consistency	Fatal	<p>If M1510_HRT_FAILR_NO_ACTN=[1], then all active items from M1510_HRT_FAILR_PHYSN_CNTCT through M1510_HRT_FAILR_CARE_PLAN_CHG must equal [0].</p> <p><b>Items:</b></p> <table><tr><td>M1510_HRT_FAILR_NO_ACTN</td><td>Heart failure follow up: no action</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_CNTCT</td><td>Heart failure follow up: physician contacted</td></tr><tr><td>M1510_HRT_FAILR_ER_TRTMT</td><td>Heart failure follow up: ER treatment advised</td></tr><tr><td>M1510_HRT_FAILR_PHYSN_TRTMT</td><td>Heart failure follow up: phys-ordered treatmnt</td></tr><tr><td>M1510_HRT_FAILR_CLNCL_INTRVTN</td><td>Heart failure follow up: pt educ/other clinical</td></tr><tr><td>M1510_HRT_FAILR_CARE_PLAN_CHG</td><td>Heart failure follow up: change in care plan</td></tr></table>	M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action	M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted	M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised	M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt	M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical	M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan		
M1510_HRT_FAILR_NO_ACTN	Heart failure follow up: no action																
M1510_HRT_FAILR_PHYSN_CNTCT	Heart failure follow up: physician contacted																
M1510_HRT_FAILR_ER_TRTMT	Heart failure follow up: ER treatment advised																
M1510_HRT_FAILR_PHYSN_TRTMT	Heart failure follow up: phys-ordered treatmnt																
M1510_HRT_FAILR_CLNCL_INTRVTN	Heart failure follow up: pt educ/other clinical																
M1510_HRT_FAILR_CARE_PLAN_CHG	Heart failure follow up: change in care plan																
-4320	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].</p> <p><b>Items:</b></p> <table><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td>M1600_UTI</td><td>Treated for urinary tract infection past 14 days</td></tr></table>	M0100_ASSMT_REASON	Reason for assessment	M1600_UTI	Treated for urinary tract infection past 14 days										
M0100_ASSMT_REASON	Reason for assessment																
M1600_UTI	Treated for urinary tract infection past 14 days																
-4330	Skip pattern	Fatal	<p>If M1610_UR_INCONT=[00,02], then if M1615_INCNTNT_TIMING is active it must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1610_UR_INCONT</td><td>Urinary incontinence or urinary catheter present</td></tr><tr><td>M1615_INCNTNT_TIMING</td><td>When urinary incontinence occurs</td></tr></table>	M1610_UR_INCONT	Urinary incontinence or urinary catheter present	M1615_INCNTNT_TIMING	When urinary incontinence occurs										
M1610_UR_INCONT	Urinary incontinence or urinary catheter present																
M1615_INCNTNT_TIMING	When urinary incontinence occurs																
-4340	Skip pattern	Fatal	<p>If M1610_UR_INCONT=[01], then if M1615_INCNTNT_TIMING is active it must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1610_UR_INCONT</td><td>Urinary incontinence or urinary catheter present</td></tr><tr><td>M1615_INCNTNT_TIMING</td><td>When urinary incontinence occurs</td></tr></table>	M1610_UR_INCONT	Urinary incontinence or urinary catheter present	M1615_INCNTNT_TIMING	When urinary incontinence occurs										
M1610_UR_INCONT	Urinary incontinence or urinary catheter present																
M1615_INCNTNT_TIMING	When urinary incontinence occurs																
-4350	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[04,05,09], then if M1620_BWL_INCONT is active it cannot equal [UK].</p> <p><b>Items:</b></p> <table><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td>M1620_BWL_INCONT</td><td>Bowel incontinence frequency</td></tr></table>	M0100_ASSMT_REASON	Reason for assessment	M1620_BWL_INCONT	Bowel incontinence frequency										
M0100_ASSMT_REASON	Reason for assessment																
M1620_BWL_INCONT	Bowel incontinence frequency																

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4360	Consistency	Fatal	<p>If M1620_BWL_INCONT=[00-05,UK], then if M1630_OSTOMY is active it must equal [00].</p> <p><b>Items:</b> M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination</p>
-4370	Consistency	Fatal	<p>If M1620_BWL_INCONT=[NA], then if M1630_OSTOMY is active it must equal [01,02].</p> <p><b>Items:</b> M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination</p>
-4380	Skip pattern	Fatal	<p>If M1730_STDZ_DPRSN_SCRNG=[00,02,03], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must equal [^].</p> <p><b>Items:</b> M1730_STDZ_DPRSN_SCRNG Screened for depression using validated tool M1730_PHQ2_LACK_INTRST PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN PHQ2: feeling down, depressed or hopeless</p>
-4390	Skip pattern	Fatal	<p>If M1730_STDZ_DPRSN_SCRNG=[01], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must not equal [^].</p> <p><b>Items:</b> M1730_STDZ_DPRSN_SCRNG Screened for depression using validated tool M1730_PHQ2_LACK_INTRST PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN PHQ2: feeling down, depressed or hopeless</p>
-4400	Consistency	Fatal	<p>If M1740_BD_NONE=[0], then at least one active item from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [1].</p> <p><b>Items:</b> M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above</p>
-4410	Consistency	Fatal	<p>If M1740_BD_NONE=[1], then all active items from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [0].</p> <p><b>Items:</b> M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above</p>
-4420	Skip pattern	Fatal	<p>If M2000_DRUG_RGMN_RVW=[00,01,NA], then all active items from M2002_MDCTN_FLWP through M2004_MDCTN_INTRVTN must equal [^].</p> <p><b>Items:</b> M2000_DRUG_RGMN_RVW Drug regimen review M2002_MDCTN_FLWP Medication follow-up M2004_MDCTN_INTRVTN Medication intervention</p>



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4430	Skip pattern	Fatal	<p>If M2000_DRUG_RGMN_RVW=[02], then all active items from M2002_MDCTN_FLWP through M2004_MDCTN_INTRVTN must not equal [^].</p> <p><b>Items:</b> M2000_DRUG_RGMN_RVW Drug regimen review  M2002_MDCTN_FLWP Medication follow-up  M2004_MDCTN_INTRVTN Medication intervention</p>
-4440	Skip pattern	Fatal	<p>If M2000_DRUG_RGMN_RVW=[NA], then all active items from M2010_HIGH_RISK_DRUG_EDCTN through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].</p> <p><b>Items:</b> M2000_DRUG_RGMN_RVW Drug regimen review  M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education  M2015_DRUG_EDCTN_INTRVTN Patient/caregiver drug education intervention  M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications  M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications</p>
-4450	Skip pattern	Fatal	<p>If M2000_DRUG_RGMN_RVW=[00,01,02], then all active items from M2010_HIGH_RISK_DRUG_EDCTN through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].</p> <p><b>Items:</b> M2000_DRUG_RGMN_RVW Drug regimen review  M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education  M2015_DRUG_EDCTN_INTRVTN Patient/caregiver drug education intervention  M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications  M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications</p>
-4480	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].</p> <p><b>Items:</b> M0100_ASSMT_REASON Reason for assessment  M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications</p>
-4490	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[04,05,09], then M2030_CRNT_MGMT_INJCTN_MDCTN cannot equal [^].</p> <p><b>Items:</b> M0100_ASSMT_REASON Reason for assessment  M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications</p>
-4510	Skip pattern	Fatal	<p>If M2200_THER_NEED_NA=[0], then if M2200_THER_NEED_NBR is active it must not equal [^].</p> <p><b>Items:</b> M2200_THER_NEED_NBR Therapy need: number of visits indicated  M2200_THER_NEED_NA Therapy need: not applicable</p>
-4520	Skip pattern	Fatal	<p>If M2200_THER_NEED_NA=[1], then if M2200_THER_NEED_NBR is active it must equal [^].</p> <p><b>Items:</b> M2200_THER_NEED_NBR Therapy need: number of visits indicated  M2200_THER_NEED_NA Therapy need: not applicable</p>
-4530	Skip pattern	Fatal	<p>If M2300_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].</p> <p><b>Items:</b> M2300_EMER_USE_AFTR_LAST_ASMT Emergent care: use since previous OASIS  M2310_ECR_MEDICATION Emergent care reason: medication  M2310_ECR_INJRY_BY_FALL Emergent care reason: injury caused by fall  M2310_ECR_RSPRTRY_INFCTN Emergent care reason: respiratory infection  M2310_ECR_RSPRTRY_OTHR Emergent care reason: respiratory other  M2310_ECR_HRT_FAILR Emergent care reason: heart failure</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M2310_ECR_CRDC_DSRTM Emergent care reason: cardiac dysrhythmia M2310_ECR_MI_CHST_PAIN Emergent care reason: myocard infarct/chest pain M2310_ECR_OTHR_HRT_DEASE Emergent care reason: other heart disease M2310_ECR_STROKE_TIA Emergent care reason: stroke (CVA) or TIA M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_GI_PRBLM Emergent care: GI bleed/obstruct/constip/impact M2310_ECR_DHYDRTN_MALNTR Emergent care reason: dehydration, malnutrition M2310_ECR_UTI Emergent care reason: urinary tract infection M2310_ECR_CTHTR_CMPLCTN Emergent care reason: IV catheter infect/complic M2310_ECR_WND_INFCTN_DTRORTN Emergent care reason: wound infect/deterioration M2310_ECR_UNCNTLD_PAIN Emergent care reason: uncontrolled pain M2310_ECR_MENTL_BHVRL_PRBLM Emergent care reason: acute mental/behav problem M2310_ECR_DVT_PULMNRY Emergent care reason: deep vein thromb/pulm embol M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4540	Skip pattern	Fatal	<p>If M2300 Emergent Care Use Since Previous OASIS (M2300 Emergent Care Use Since Previous OASIS) is equal to 01 or 02, then all active items from M2310 ECR Medication through M2310 ECR Unknown must not equal [^].</p> <p><b>Items:</b> M2300 Emergent Care Use Since Previous OASIS Emergent care: use since previous OASIS  M2310_ECR_MEDICATION Emergent care reason: medication  M2310_ECR_INJRY_BY_FALL Emergent care reason: injury caused by fall  M2310_ECR_RSPRTY_INFCTN Emergent care reason: respiratory infection  M2310_ECR_RSPRTY_OTHR Emergent care reason: respiratory other  M2310_ECR_HRT_FAILR Emergent care reason: heart failure  M2310_ECR_CRDC_DSRTM Emergent care reason: cardiac dysrhythmia  M2310_ECR_MI_CHST_PAIN Emergent care reason: myocard infarct/chest pain  M2310_ECR_OTHR_HRT_DEASE Emergent care reason: other heart disease  M2310_ECR_STROKE_TIA Emergent care reason: stroke (CVA) or TIA  M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia  M2310_ECR_GI_PRBLM Emergent care: GI bleed/obstruct/constip/impact  M2310_ECR_DHYDRTN_MALNTR Emergent care reason: dehydration, malnutrition  M2310_ECR_UTI Emergent care reason: urinary tract infection  M2310_ECR_CTHTR_CMPLCTN Emergent care reason: IV catheter infect/complic  M2310_ECR_WND_INFCTN_DTRORTN Emergent care reason: wound infect/deterioration  M2310_ECR_UNCNTLD_PAIN Emergent care reason: uncontrolled pain  M2310_ECR_MENTL_BHVRL_PRBLM Emergent care reason: acute mental/behav problem  M2310_ECR_DVT_PULMNRY Emergent care reason: deep vein thromb/pulm embol  M2310_ECR_OTHER Emergent care reason: other than above  M2310_ECR_UNKNOWN Emergent care reason: unknown</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																								
-4550	Consistency	Fatal	<div>If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].</div> <div><b>Items:</b><table><tr><td>M2310_ECR_MEDICATION</td><td>Emergent care reason: medication</td></tr><tr><td>M2310_ECR_INJRY_BY_FALL</td><td>Emergent care reason: injury caused by fall</td></tr><tr><td>M2310_ECR_RSPRTRY_INFCTN</td><td>Emergent care reason: respiratory infection</td></tr><tr><td>M2310_ECR_RSPRTRY_OTHR</td><td>Emergent care reason: respiratory other</td></tr><tr><td>M2310_ECR_HRT_FAILR</td><td>Emergent care reason: heart failure</td></tr><tr><td>M2310_ECR_CRDC_DSRTHM</td><td>Emergent care reason: cardiac dysrhythmia</td></tr><tr><td>M2310_ECR_MI_CHST_PAIN</td><td>Emergent care reason: myocard infarct/chest pain</td></tr><tr><td>M2310_ECR_OTHR_HRT_DEASE</td><td>Emergent care reason: other heart disease</td></tr><tr><td>M2310_ECR_STROKE_TIA</td><td>Emergent care reason: stroke (CVA) or TIA</td></tr><tr><td>M2310_ECR_HYPOGLYC</td><td>Emergent care reason: hypoglycemia/hyperglycemia</td></tr><tr><td>M2310_ECR_GI_PRBLM</td><td>Emergent care: GI bleed/obstruct/constip/impact</td></tr><tr><td>M2310_ECR_DHYDRTN_MALNTR</td><td>Emergent care reason: dehydration, malnutrition</td></tr><tr><td>M2310_ECR_UTI</td><td>Emergent care reason: urinary tract infection</td></tr><tr><td>M2310_ECR_CTHTR_CMPLCTN</td><td>Emergent care reason: IV catheter infect/complic</td></tr><tr><td>M2310_ECR_WND_INFCTN_DTRORTN</td><td>Emergent care reason: wound infect/deterioration</td></tr><tr><td>M2310_ECR_UNCNTLD_PAIN</td><td>Emergent care reason: uncontrolled pain</td></tr><tr><td>M2310_ECR_MENTL_BHVRL_PRBLM</td><td>Emergent care reason: acute mental/behav problem</td></tr><tr><td>M2310_ECR_DVT_PULMNRY</td><td>Emergent care reason: deep vein thromb/pulm embol</td></tr><tr><td>M2310_ECR_OTHER</td><td>Emergent care reason: other than above</td></tr><tr><td>M2310_ECR_UNKNOWN</td><td>Emergent care reason: unknown</td></tr></table></div>	M2310_ECR_MEDICATION	Emergent care reason: medication	M2310_ECR_INJRY_BY_FALL	Emergent care reason: injury caused by fall	M2310_ECR_RSPRTRY_INFCTN	Emergent care reason: respiratory infection	M2310_ECR_RSPRTRY_OTHR	Emergent care reason: respiratory other	M2310_ECR_HRT_FAILR	Emergent care reason: heart failure	M2310_ECR_CRDC_DSRTHM	Emergent care reason: cardiac dysrhythmia	M2310_ECR_MI_CHST_PAIN	Emergent care reason: myocard infarct/chest pain	M2310_ECR_OTHR_HRT_DEASE	Emergent care reason: other heart disease	M2310_ECR_STROKE_TIA	Emergent care reason: stroke (CVA) or TIA	M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia	M2310_ECR_GI_PRBLM	Emergent care: GI bleed/obstruct/constip/impact	M2310_ECR_DHYDRTN_MALNTR	Emergent care reason: dehydration, malnutrition	M2310_ECR_UTI	Emergent care reason: urinary tract infection	M2310_ECR_CTHTR_CMPLCTN	Emergent care reason: IV catheter infect/complic	M2310_ECR_WND_INFCTN_DTRORTN	Emergent care reason: wound infect/deterioration	M2310_ECR_UNCNTLD_PAIN	Emergent care reason: uncontrolled pain	M2310_ECR_MENTL_BHVRL_PRBLM	Emergent care reason: acute mental/behav problem	M2310_ECR_DVT_PULMNRY	Emergent care reason: deep vein thromb/pulm embol	M2310_ECR_OTHER	Emergent care reason: other than above	M2310_ECR_UNKNOWN	Emergent care reason: unknown
M2310_ECR_MEDICATION	Emergent care reason: medication																																										
M2310_ECR_INJRY_BY_FALL	Emergent care reason: injury caused by fall																																										
M2310_ECR_RSPRTRY_INFCTN	Emergent care reason: respiratory infection																																										
M2310_ECR_RSPRTRY_OTHR	Emergent care reason: respiratory other																																										
M2310_ECR_HRT_FAILR	Emergent care reason: heart failure																																										
M2310_ECR_CRDC_DSRTHM	Emergent care reason: cardiac dysrhythmia																																										
M2310_ECR_MI_CHST_PAIN	Emergent care reason: myocard infarct/chest pain																																										
M2310_ECR_OTHR_HRT_DEASE	Emergent care reason: other heart disease																																										
M2310_ECR_STROKE_TIA	Emergent care reason: stroke (CVA) or TIA																																										
M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia																																										
M2310_ECR_GI_PRBLM	Emergent care: GI bleed/obstruct/constip/impact																																										
M2310_ECR_DHYDRTN_MALNTR	Emergent care reason: dehydration, malnutrition																																										
M2310_ECR_UTI	Emergent care reason: urinary tract infection																																										
M2310_ECR_CTHTR_CMPLCTN	Emergent care reason: IV catheter infect/complic																																										
M2310_ECR_WND_INFCTN_DTRORTN	Emergent care reason: wound infect/deterioration																																										
M2310_ECR_UNCNTLD_PAIN	Emergent care reason: uncontrolled pain																																										
M2310_ECR_MENTL_BHVRL_PRBLM	Emergent care reason: acute mental/behav problem																																										
M2310_ECR_DVT_PULMNRY	Emergent care reason: deep vein thromb/pulm embol																																										
M2310_ECR_OTHER	Emergent care reason: other than above																																										
M2310_ECR_UNKNOWN	Emergent care reason: unknown																																										
-4560	Consistency	Fatal	<div>If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].</div> <div><b>Items:</b><table><tr><td>M2310_ECR_MEDICATION</td><td>Emergent care reason: medication</td></tr><tr><td>M2310_ECR_INJRY_BY_FALL</td><td>Emergent care reason: injury caused by fall</td></tr><tr><td>M2310_ECR_RSPRTRY_INFCTN</td><td>Emergent care reason: respiratory infection</td></tr><tr><td>M2310_ECR_RSPRTRY_OTHR</td><td>Emergent care reason: respiratory other</td></tr><tr><td>M2310_ECR_HRT_FAILR</td><td>Emergent care reason: heart failure</td></tr><tr><td>M2310_ECR_CRDC_DSRTHM</td><td>Emergent care reason: cardiac dysrhythmia</td></tr><tr><td>M2310_ECR_MI_CHST_PAIN</td><td>Emergent care reason: myocard infarct/chest pain</td></tr><tr><td>M2310_ECR_OTHR_HRT_DEASE</td><td>Emergent care reason: other heart disease</td></tr><tr><td>M2310_ECR_STROKE_TIA</td><td>Emergent care reason: stroke (CVA) or TIA</td></tr><tr><td>M2310_ECR_HYPOGLYC</td><td>Emergent care reason: hypoglycemia/hyperglycemia</td></tr><tr><td>M2310_ECR_GI_PRBLM</td><td>Emergent care: GI bleed/obstruct/constip/impact</td></tr><tr><td>M2310_ECR_DHYDRTN_MALNTR</td><td>Emergent care reason: dehydration, malnutrition</td></tr><tr><td>M2310_ECR_UTI</td><td>Emergent care reason: urinary tract infection</td></tr><tr><td>M2310_ECR_CTHTR_CMPLCTN</td><td>Emergent care reason: IV catheter infect/complic</td></tr><tr><td>M2310_ECR_WND_INFCTN_DTRORTN</td><td>Emergent care reason: wound infect/deterioration</td></tr><tr><td>M2310_ECR_UNCNTLD_PAIN</td><td>Emergent care reason: uncontrolled pain</td></tr><tr><td>M2310_ECR_MENTL_BHVRL_PRBLM</td><td>Emergent care reason: acute mental/behav problem</td></tr><tr><td>M2310_ECR_DVT_PULMNRY</td><td>Emergent care reason: deep vein thromb/pulm embol</td></tr></table></div>	M2310_ECR_MEDICATION	Emergent care reason: medication	M2310_ECR_INJRY_BY_FALL	Emergent care reason: injury caused by fall	M2310_ECR_RSPRTRY_INFCTN	Emergent care reason: respiratory infection	M2310_ECR_RSPRTRY_OTHR	Emergent care reason: respiratory other	M2310_ECR_HRT_FAILR	Emergent care reason: heart failure	M2310_ECR_CRDC_DSRTHM	Emergent care reason: cardiac dysrhythmia	M2310_ECR_MI_CHST_PAIN	Emergent care reason: myocard infarct/chest pain	M2310_ECR_OTHR_HRT_DEASE	Emergent care reason: other heart disease	M2310_ECR_STROKE_TIA	Emergent care reason: stroke (CVA) or TIA	M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia	M2310_ECR_GI_PRBLM	Emergent care: GI bleed/obstruct/constip/impact	M2310_ECR_DHYDRTN_MALNTR	Emergent care reason: dehydration, malnutrition	M2310_ECR_UTI	Emergent care reason: urinary tract infection	M2310_ECR_CTHTR_CMPLCTN	Emergent care reason: IV catheter infect/complic	M2310_ECR_WND_INFCTN_DTRORTN	Emergent care reason: wound infect/deterioration	M2310_ECR_UNCNTLD_PAIN	Emergent care reason: uncontrolled pain	M2310_ECR_MENTL_BHVRL_PRBLM	Emergent care reason: acute mental/behav problem	M2310_ECR_DVT_PULMNRY	Emergent care reason: deep vein thromb/pulm embol				
M2310_ECR_MEDICATION	Emergent care reason: medication																																										
M2310_ECR_INJRY_BY_FALL	Emergent care reason: injury caused by fall																																										
M2310_ECR_RSPRTRY_INFCTN	Emergent care reason: respiratory infection																																										
M2310_ECR_RSPRTRY_OTHR	Emergent care reason: respiratory other																																										
M2310_ECR_HRT_FAILR	Emergent care reason: heart failure																																										
M2310_ECR_CRDC_DSRTHM	Emergent care reason: cardiac dysrhythmia																																										
M2310_ECR_MI_CHST_PAIN	Emergent care reason: myocard infarct/chest pain																																										
M2310_ECR_OTHR_HRT_DEASE	Emergent care reason: other heart disease																																										
M2310_ECR_STROKE_TIA	Emergent care reason: stroke (CVA) or TIA																																										
M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia																																										
M2310_ECR_GI_PRBLM	Emergent care: GI bleed/obstruct/constip/impact																																										
M2310_ECR_DHYDRTN_MALNTR	Emergent care reason: dehydration, malnutrition																																										
M2310_ECR_UTI	Emergent care reason: urinary tract infection																																										
M2310_ECR_CTHTR_CMPLCTN	Emergent care reason: IV catheter infect/complic																																										
M2310_ECR_WND_INFCTN_DTRORTN	Emergent care reason: wound infect/deterioration																																										
M2310_ECR_UNCNTLD_PAIN	Emergent care reason: uncontrolled pain																																										
M2310_ECR_MENTL_BHVRL_PRBLM	Emergent care reason: acute mental/behav problem																																										
M2310_ECR_DVT_PULMNRY	Emergent care reason: deep vein thromb/pulm embol																																										

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4570	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA]. <b>Items:</b> M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility
-4580	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA]. <b>Items:</b> M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility
-4590	Skip pattern	Fatal	If M2410_INPAT_FACILITY=[01], then all active items from M2430_HOSP_MED through M2430_HOSP_UK must not equal [^]. <b>Items:</b> M2410_INPAT_FACILITY Inpatient facility M2430_HOSP_MED Hospitalized: medication M2430_HOSP_INJRY_BY_FALL Hospitalized: injury caused by fall M2430_HOSP_RSPRTRY_INFCTN Hospitalized: respiratory infection M2430_HOSP_RSPRTRY_OTHR Hospitalized: other respiratory M2430_HOSP_HRT_FAILR Hospitalized: heart failure M2430_HOSP_CRDC_DSRTM Hospitalized: cardiac dysrhythmia M2430_HOSP_MI_CHST_PAIN Hospitalized: myocardial infarction or chest pain M2430_HOSP_OTHR_HRT_DEASE Hospitalized: other heart disease M2430_HOSP_STROKE_TIA Hospitalized: stroke (CVA) or TIA M2430_HOSP_HYPOGLYC Hospitalized: hypoglycemia/hyperglycemia M2430_HOSP_GI_PRBLM Hospitalized: GI bleed/obstruct/constip/impact M2430_HOSP_DHYDRTN_MALNTR Hospitalized: dehydration, malnutrition M2430_HOSP_UR_TRACT Hospitalized: urinary tract infection M2430_HOSP_CTHTR_CMPLCTN Hospitalized: IV catheter infect/complic M2430_HOSP_WND_INFCTN Hospitalized: wound infect/deterioration M2430_HOSP_PAIN Hospitalized: uncontrolled pain M2430_HOSP_MENTL_BHVRL_PRBLM Hospitalized: acute mental/behav problem M2430_HOSP_DVT_PULMNRY Hospitalized: deep vein thromb/pulm embol M2430_HOSP_SCHLD_TRTMT Hospitalized: scheduled treatment or procedure M2430_HOSP_OTHER Hospitalized: other M2430_HOSP_UK Hospitalized: UK
-4600	Skip pattern	Fatal	If M2410_INPAT_FACILITY=[02,03,04,NA], then all active items from M2430_HOSP_MED through M2430_HOSP_UK must equal [^]. <b>Items:</b> M2410_INPAT_FACILITY Inpatient facility M2430_HOSP_MED Hospitalized: medication M2430_HOSP_INJRY_BY_FALL Hospitalized: injury caused by fall M2430_HOSP_RSPRTRY_INFCTN Hospitalized: respiratory infection M2430_HOSP_RSPRTRY_OTHR Hospitalized: other respiratory M2430_HOSP_HRT_FAILR Hospitalized: heart failure M2430_HOSP_CRDC_DSRTM Hospitalized: cardiac dysrhythmia

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M2430_HOSP_MI_CHST_PAIN Hospitalized: myocardial infarction or chest pain M2430_HOSP_OTHR_HRT_DEASE Hospitalized: other heart disease M2430_HOSP_STROKE_TIA Hospitalized: stroke (CVA) or TIA M2430_HOSP_HYPOGLYC Hospitalized: hypoglycemia/hyperglycemia M2430_HOSP_GI_PRBLM Hospitalized: GI bleed/obstruct/constip/impact M2430_HOSP_DHYDRTN_MALNTR Hospitalized: dehydration, malnutrition M2430_HOSP_UR_TRACT Hospitalized: urinary tract infection M2430_HOSP_CTHTR_CMPLCTN Hospitalized: IV catheter infect/complic M2430_HOSP_WND_INFCTN Hospitalized: wound infect/deterioration M2430_HOSP_PAIN Hospitalized: uncontrolled pain M2430_HOSP_MENTL_BHVRL_PRBLM Hospitalized: acute mental/behav problem M2430_HOSP_DVT_PULMNRY Hospitalized: deep vein thromb/pulm embol M2430_HOSP_SCHLD_TRTMT Hospitalized: scheduled treatment or procedure M2430_HOSP_OTHER Hospitalized: other M2430_HOSP_UK Hospitalized: UK
-4630	Consistency	Fatal	If M2430_HOSP_UK=[0], then at least one active item from M2430_HOSP_MED through M2430_HOSP_OTHER must equal [1]. <b>Items:</b> M2430_HOSP_MED Hospitalized: medication M2430_HOSP_INJRY_BY_FALL Hospitalized: injury caused by fall M2430_HOSP_RSPRTRY_INFCTN Hospitalized: respiratory infection M2430_HOSP_RSPRTRY_OTHR Hospitalized: other respiratory M2430_HOSP_HRT_FAILR Hospitalized: heart failure M2430_HOSP_CRDC_DSRTM Hospitalized: cardiac dysrhythmia M2430_HOSP_MI_CHST_PAIN Hospitalized: myocardial infarction or chest pain M2430_HOSP_OTHR_HRT_DEASE Hospitalized: other heart disease M2430_HOSP_STROKE_TIA Hospitalized: stroke (CVA) or TIA M2430_HOSP_HYPOGLYC Hospitalized: hypoglycemia/hyperglycemia M2430_HOSP_GI_PRBLM Hospitalized: GI bleed/obstruct/constip/impact M2430_HOSP_DHYDRTN_MALNTR Hospitalized: dehydration, malnutrition M2430_HOSP_UR_TRACT Hospitalized: urinary tract infection M2430_HOSP_CTHTR_CMPLCTN Hospitalized: IV catheter infect/complic M2430_HOSP_WND_INFCTN Hospitalized: wound infect/deterioration M2430_HOSP_PAIN Hospitalized: uncontrolled pain M2430_HOSP_MENTL_BHVRL_PRBLM Hospitalized: acute mental/behav problem M2430_HOSP_DVT_PULMNRY Hospitalized: deep vein thromb/pulm embol M2430_HOSP_SCHLD_TRTMT Hospitalized: scheduled treatment or procedure M2430_HOSP_OTHER Hospitalized: other M2430_HOSP_UK Hospitalized: UK
-4640	Consistency	Fatal	If M2430_HOSP_UK=[1], then all active items from M2430_HOSP_MED through M2430_HOSP_OTHER must equal [0]. <b>Items:</b> M2430_HOSP_MED Hospitalized: medication M2430_HOSP_INJRY_BY_FALL Hospitalized: injury caused by fall

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M2430_HOSP_RSPRTRY_INFCTN      Hospitalized: respiratory infection M2430_HOSP_RSPRTRY_OTHR      Hospitalized: other respiratory M2430_HOSP_HRT_FAILR      Hospitalized: heart failure M2430_HOSP_CRDC_DSRTM      Hospitalized: cardiac dysrhythmia M2430_HOSP_MI_CHST_PAIN      Hospitalized: myocardial infarction or chest pain M2430_HOSP_OTHR_HRT_DEASE      Hospitalized: other heart disease M2430_HOSP_STROKE_TIA      Hospitalized: stroke (CVA) or TIA M2430_HOSP_HYPOGLYC      Hospitalized: hypoglycemia/hyperglycemia M2430_HOSP_GI_PRBLM      Hospitalized: GI bleed/obstruct/constip/impact M2430_HOSP_DHYDRTN_MALNTR      Hospitalized: dehydration, malnutrition M2430_HOSP_UR_TRACT      Hospitalized: urinary tract infection M2430_HOSP_CTHTR_CMPLCTN      Hospitalized: IV catheter infect/complic M2430_HOSP_WND_INFCTN      Hospitalized: wound infect/deterioration M2430_HOSP_PAIN      Hospitalized: uncontrolled pain M2430_HOSP_MENTL_BHVRL_PRBLM      Hospitalized: acute mental/behav problem M2430_HOSP_DVT_PULMNR      Hospitalized: deep vein thromb/pulm embol M2430_HOSP_SCHLD_TRTMT      Hospitalized: scheduled treatment or procedure M2430_HOSP_OTHER      Hospitalized: other M2430_HOSP_UK      Hospitalized: UK
-4690	Consistency	Fatal	<p>If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain [N]. This indicates that the assessment was completed by an HHA or subunit which has no branches.</p> <p><b>Items:</b> M0016_BRANCH_ID      Branch ID</p>
-4700	Consistency	Fatal	<p>If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain [P]. This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).</p> <p><b>Items:</b> M0016_BRANCH_ID      Branch ID</p>
-4710	Consistency	Fatal	<p>If M0016_BRANCH_ID does not contain a standard branch ID, [N], or [P], a fatal error will result and the record will be rejected. If a standard branch ID (i.e., not [N,P]) is submitted, then it will be checked against the system table of the HHA's or subunit's current and past branch IDs. If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).</p> <p><b>Items:</b> M0016_BRANCH_ID      Branch ID</p>
-4720	Consistency	Warning	<p>***THIS EDIT WAS DELETED IN V2.12.0 OF THE DATA SPECS</p> <p><b>Items:</b> M0016_BRANCH_ID      Branch ID</p>
-4730	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].</p> <p><b>Items:</b> M0032_ROC_DT_NA      No resumption of care date  M0100_ASSMT_REASON      Reason for assessment</p>
-4740	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].</p> <p><b>Items:</b> M0032_ROC_DT_NA      No resumption of care date  M0100_ASSMT_REASON      Reason for assessment</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4800	Consistency	Fatal	<p>If M2410_INPAT_FACILITY=[NA], then M2420_DSCHRG_DISP must not equal [^].</p> <p><b>Items:</b> M2410_INPAT_FACILITY      Inpatient facility  M2420_DSCHRG_DISP      Discharge disposition</p>
-4810	Consistency	Fatal	<p>If SUBM_HIPPS_CODE is not equal to [^], then SUBM_HIPPS_VERSION cannot equal [^] and must match the appropriate HIPPS version code.</p> <p><b>Items:</b> SUBM_HIPPS_CODE      HIPPS group code: submitted  SUBM_HIPPS_VERSION      HIPPS version code: submitted</p>
-4820	Consistency	Warning	<p>If M0100_ASSMT_REASON is equal to [01,03,04,05], then ASAP will recalculate the SUBM_HIPPS_CODE and SUBM_HIPPS_VERSION and compare the recalculated values with the submitted values. If the submitted values do not match the recalculated values, a warning will be issued.</p> <p><b>Items:</b> SUBM_HIPPS_CODE      HIPPS group code: submitted  SUBM_HIPPS_VERSION      HIPPS version code: submitted  M0100_ASSMT_REASON      Reason for assessment</p>
-4840	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.12.0 OF THE DATA SPECS</p> <p><b>Items:</b> M1000_DC_LTC_14_DA      Past 14 days: disch from LTC NH  M1000_DC_SNF_14_DA      Past 14 days: disch from skilled nursing facility  M1000_DC_IPPS_14_DA      Past 14 days: disch from short stay acute hospital  M1000_DC_LTCH_14_DA      Past 14 days: disch from long term care hospital  M1000_DC_IRF_14_DA      Past 14 days: disch from inpatient rehab facility  M1000_DC_PSYCH_14_DA      Past 14 days: disch from psych hospital or unit  M1000_DC_OTH_14_DA      Past 14 days: disch from other</p>
-4850	Consistency	Fatal	<p>If M0150_CPAY_MCARE_FFS=[1], then M0063_MEDICARE_NUM must not equal [^].</p> <p><b>Items:</b> M0063_MEDICARE_NUM      Medicare number, including suffix  M0150_CPAY_MCARE_FFS      Payment sources: Medicare fee-for-service</p>
-4860	Consistency	Fatal	<p>If M0150_CPAY_MCAID_FFS=[1], then M0065_MEDICAID_NUM must not equal [^].</p> <p><b>Items:</b> M0065_MEDICAID_NUM      Medicaid number  M0150_CPAY_MCAID_FFS      Payment sources: Medicaid fee-for-service</p>
-4870	Consistency	Fatal	<p>If the SFW_ID is not equal to [^], then SFW_NAME and SFW_EMAIL_ADR must not equal [^].</p> <p><b>Items:</b> SFW_ID      Software vendor federal employer tax ID  SFW_NAME      Software vendor company name  SFW_EMAIL_ADR      Software vendor email address</p>
-4880	Consistency	Fatal	<p>If the SFW_ID is equal to [^], then SFW_NAME and SFW_EMAIL_ADR must equal [^].</p> <p><b>Items:</b> SFW_ID      Software vendor federal employer tax ID  SFW_NAME      Software vendor company name  SFW_EMAIL_ADR      Software vendor email address</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																												
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p> <p><b>Items:</b></p> <table><tr><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr><tr><td>M1017_CHGREG_ICD1</td><td>Regimen change in past 14 days: ICD code 1</td></tr><tr><td>M1017_CHGREG_ICD2</td><td>Regimen change in past 14 days: ICD code 2</td></tr><tr><td>M1017_CHGREG_ICD3</td><td>Regimen change in past 14 days: ICD code 3</td></tr><tr><td>M1017_CHGREG_ICD4</td><td>Regimen change in past 14 days: ICD code 4</td></tr><tr><td>M1017_CHGREG_ICD5</td><td>Regimen change in past 14 days: ICD code 5</td></tr><tr><td>M1017_CHGREG_ICD6</td><td>Regimen change in past 14 days: ICD code 6</td></tr><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1025_OPT_DIAG_ICD_A3</td><td>Optional diagnosis: primary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_A4</td><td>Optional diagnosis: primary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_B3</td><td>Optional diagnosis: first secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_B4</td><td>Optional diagnosis: first secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_C3</td><td>Optional diagnosis: second secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_C4</td><td>Optional diagnosis: second secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_D3</td><td>Optional diagnosis: third secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_D4</td><td>Optional diagnosis: third secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_E3</td><td>Optional diagnosis: fourth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_E4</td><td>Optional diagnosis: fourth secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_F3</td><td>Optional diagnosis: fifth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_F4</td><td>Optional diagnosis: fifth secondary, column 4</td></tr></table>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6	M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1	M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2	M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3	M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4	M1017_CHGREG_ICD5	Regimen change in past 14 days: ICD code 5	M1017_CHGREG_ICD6	Regimen change in past 14 days: ICD code 6	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3	M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4	M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3	M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4	M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3	M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4	M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3	M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4	M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3	M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4	M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3	M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4
M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																																																														
M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																																																														
M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																																																														
M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																																																														
M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																																																														
M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																																																														
M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1																																																														
M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2																																																														
M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3																																																														
M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4																																																														
M1017_CHGREG_ICD5	Regimen change in past 14 days: ICD code 5																																																														
M1017_CHGREG_ICD6	Regimen change in past 14 days: ICD code 6																																																														
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																																																														
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																																																														
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																																																														
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																																																														
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																																																														
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																																																														
M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3																																																														
M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4																																																														
M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3																																																														
M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4																																																														
M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3																																																														
M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4																																																														
M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3																																																														
M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4																																																														
M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3																																																														
M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4																																																														
M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3																																																														
M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4																																																														



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																
-4890	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,Z,v,w,x,y,z].</p> <p><b>Items:</b></p> <table><tr><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr><tr><td>M1017_CHGREG_ICD1</td><td>Regimen change in past 14 days: ICD code 1</td></tr><tr><td>M1017_CHGREG_ICD2</td><td>Regimen change in past 14 days: ICD code 2</td></tr><tr><td>M1017_CHGREG_ICD3</td><td>Regimen change in past 14 days: ICD code 3</td></tr><tr><td>M1017_CHGREG_ICD4</td><td>Regimen change in past 14 days: ICD code 4</td></tr><tr><td>M1017_CHGREG_ICD5</td><td>Regimen change in past 14 days: ICD code 5</td></tr><tr><td>M1017_CHGREG_ICD6</td><td>Regimen change in past 14 days: ICD code 6</td></tr><tr><td>M1025_OPT_DIAG_ICD_A3</td><td>Optional diagnosis: primary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_A4</td><td>Optional diagnosis: primary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_B3</td><td>Optional diagnosis: first secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_B4</td><td>Optional diagnosis: first secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_C3</td><td>Optional diagnosis: second secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_C4</td><td>Optional diagnosis: second secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_D3</td><td>Optional diagnosis: third secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_D4</td><td>Optional diagnosis: third secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_E3</td><td>Optional diagnosis: fourth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_E4</td><td>Optional diagnosis: fourth secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_F3</td><td>Optional diagnosis: fifth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_F4</td><td>Optional diagnosis: fifth secondary, column 4</td></tr></table>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6	M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1	M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2	M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3	M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4	M1017_CHGREG_ICD5	Regimen change in past 14 days: ICD code 5	M1017_CHGREG_ICD6	Regimen change in past 14 days: ICD code 6	M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3	M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4	M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3	M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4	M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3	M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4	M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3	M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4	M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3	M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4	M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3	M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4
M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																																																		
M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																																																		
M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																																																		
M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																																																		
M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																																																		
M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																																																		
M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1																																																		
M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2																																																		
M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3																																																		
M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4																																																		
M1017_CHGREG_ICD5	Regimen change in past 14 days: ICD code 5																																																		
M1017_CHGREG_ICD6	Regimen change in past 14 days: ICD code 6																																																		
M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3																																																		
M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4																																																		
M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3																																																		
M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4																																																		
M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3																																																		
M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4																																																		
M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3																																																		
M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4																																																		
M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3																																																		
M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4																																																		
M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3																																																		
M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4																																																		
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																																														
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																																																		
-4920	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then all active items from M1005_INP_DISCHARGE_DT through M1011_14_DAY_INP_NA must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1000_DC_NONE_14_DA</td><td>Past 14 days: not disch from inpatient facility</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M1005_INP_DSCHG_UNKNOWN</td><td>Inpatient discharge date unknown</td></tr><tr><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr></table>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																														
M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility																																																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																																																		
M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown																																																		
M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																																																		
M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																																																		
M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																																																		
M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																																																		
M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																																																		
M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																																																		

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1011_14_DAY_INP_NA                      Inpatient stay within last 14 days: not applicable
-4930	Consistency	Fatal	<p>If a value submitted in items M1011_14_DAY_INP1_ICD through M1011_14_DAY_INP6_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <b>Items:</b> M1011_14_DAY_INP1_ICD                      Inpatient stay within last 14 days: ICD code 1 M1011_14_DAY_INP2_ICD                      Inpatient stay within last 14 days: ICD code 2 M1011_14_DAY_INP3_ICD                      Inpatient stay within last 14 days: ICD code 3 M1011_14_DAY_INP4_ICD                      Inpatient stay within last 14 days: ICD code 4 M1011_14_DAY_INP5_ICD                      Inpatient stay within last 14 days: ICD code 5 M1011_14_DAY_INP6_ICD                      Inpatient stay within last 14 days: ICD code 6
-4940	Consistency	Fatal	<p>If M1017_CHGREG_ICD_NA=[0], then at least one active item from M1017_CHGREG_ICD1 through M1017_CHGREG_ICD6 must not equal [^].</p> <b>Items:</b> M1017_CHGREG_ICD1                      Regimen change in past 14 days: ICD code 1 M1017_CHGREG_ICD2                      Regimen change in past 14 days: ICD code 2 M1017_CHGREG_ICD3                      Regimen change in past 14 days: ICD code 3 M1017_CHGREG_ICD4                      Regimen change in past 14 days: ICD code 4 M1017_CHGREG_ICD5                      Regimen change in past 14 days: ICD code 5 M1017_CHGREG_ICD6                      Regimen change in past 14 days: ICD code 6 M1017_CHGREG_ICD_NA                      Regimen change in past 14 days: not applicable
-4950	Consistency	Fatal	<p>If M1017_CHGREG_ICD_NA=[1], then M1017_CHGREG_ICD1 through M1017_CHGREG_ICD6 must equal [^].</p> <b>Items:</b> M1017_CHGREG_ICD1                      Regimen change in past 14 days: ICD code 1 M1017_CHGREG_ICD2                      Regimen change in past 14 days: ICD code 2 M1017_CHGREG_ICD3                      Regimen change in past 14 days: ICD code 3 M1017_CHGREG_ICD4                      Regimen change in past 14 days: ICD code 4 M1017_CHGREG_ICD5                      Regimen change in past 14 days: ICD code 5 M1017_CHGREG_ICD6                      Regimen change in past 14 days: ICD code 6 M1017_CHGREG_ICD_NA                      Regimen change in past 14 days: not applicable
-4960	Consistency	Fatal	<p>If a value submitted in items M1017_CHGREG_ICD1 through M1017_CHGREG_ICD6 is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <b>Items:</b> M1017_CHGREG_ICD1                      Regimen change in past 14 days: ICD code 1 M1017_CHGREG_ICD2                      Regimen change in past 14 days: ICD code 2 M1017_CHGREG_ICD3                      Regimen change in past 14 days: ICD code 3 M1017_CHGREG_ICD4                      Regimen change in past 14 days: ICD code 4 M1017_CHGREG_ICD5                      Regimen change in past 14 days: ICD code 5 M1017_CHGREG_ICD6                      Regimen change in past 14 days: ICD code 6
-4970	Consistency	Fatal	<p>If any item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA is equal to [1] or M1017_CHGREG_ICD_NA=[0], then M1018_PRIOR_NOCHG_14D must equal [0].</p> <b>Items:</b> M1000_DC_LTC_14_DA                      Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA                      Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA                      Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA                      Past 14 days: disch from long term care hospital

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1017_CHGREG_ICD_NA Regimen change in past 14 days: not applicable M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen
-4980	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[1] and M1017_CHGREG_ICD_NA=[1], then M1018_PRIOR_NOCHG_14D must equal [1].</p> <b>Items:</b> M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility M1017_CHGREG_ICD_NA Regimen change in past 14 days: not applicable M1018_PRIOR_NOCHG_14D Prior condition: no inpt disch/no change regimen
-4990	Consistency	Warning	<p>M1021_PRIMARY_DIAG_SEVERITY should equal [01-04,^]. A warning will be issued if it is equal to [00].</p> <b>Items:</b> M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating
-5000	Consistency	Fatal	<p>If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <b>Items:</b> M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code
-5010	Consistency	Fatal	<p>If a value submitted in items M1025_OPT_DIAG_ICD_A3, M1025_OPT_DIAG_ICD_B3, M1025_OPT_DIAG_ICD_C3, M1025_OPT_DIAG_ICD_D3, M1025_OPT_DIAG_ICD_E3, or M1025_OPT_DIAG_ICD_F3. is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <b>Items:</b> M1025_OPT_DIAG_ICD_A3 Optional diagnosis: primary, column 3 M1025_OPT_DIAG_ICD_B3 Optional diagnosis: first secondary, column 3 M1025_OPT_DIAG_ICD_C3 Optional diagnosis: second secondary, column 3 M1025_OPT_DIAG_ICD_D3 Optional diagnosis: third secondary, column 3 M1025_OPT_DIAG_ICD_E3 Optional diagnosis: fourth secondary, column 3 M1025_OPT_DIAG_ICD_F3 Optional diagnosis: fifth secondary, column 3
-5020	Consistency	Fatal	<p>If a value submitted in items M1025_OPT_DIAG_ICD_A4, M1025_OPT_DIAG_ICD_B4, M1025_OPT_DIAG_ICD_C4, M1025_OPT_DIAG_ICD_D4, M1025_OPT_DIAG_ICD_E4, or M1025_OPT_DIAG_ICD_F4 is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <b>Items:</b> M1025_OPT_DIAG_ICD_A4 Optional diagnosis: primary, column 4 M1025_OPT_DIAG_ICD_B4 Optional diagnosis: first secondary, column 4 M1025_OPT_DIAG_ICD_C4 Optional diagnosis: second secondary, column 4 M1025_OPT_DIAG_ICD_D4 Optional diagnosis: third secondary, column 4 M1025_OPT_DIAG_ICD_E4 Optional diagnosis: fourth secondary, column 4 M1025_OPT_DIAG_ICD_F4 Optional diagnosis: fifth secondary, column 4

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-5030	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 code is equal to [^], then the corresponding Column 3 code must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1025_OPT_DIAG_ICD_A3</td><td>Optional diagnosis: primary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_B3</td><td>Optional diagnosis: first secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_C3</td><td>Optional diagnosis: second secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_D3</td><td>Optional diagnosis: third secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_E3</td><td>Optional diagnosis: fourth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_F3</td><td>Optional diagnosis: fifth secondary, column 3</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3	M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3	M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3	M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3	M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3	M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										
M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3																										
M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3																										
M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3																										
M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3																										
M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3																										
M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3																										
-5040	Consistency	Fatal	<p>If a Column 3 ICD code is equal to [^], then the corresponding Column 4 code must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1025_OPT_DIAG_ICD_A3</td><td>Optional diagnosis: primary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_A4</td><td>Optional diagnosis: primary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_B3</td><td>Optional diagnosis: first secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_B4</td><td>Optional diagnosis: first secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_C3</td><td>Optional diagnosis: second secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_C4</td><td>Optional diagnosis: second secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_D3</td><td>Optional diagnosis: third secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_D4</td><td>Optional diagnosis: third secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_E3</td><td>Optional diagnosis: fourth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_E4</td><td>Optional diagnosis: fourth secondary, column 4</td></tr><tr><td>M1025_OPT_DIAG_ICD_F3</td><td>Optional diagnosis: fifth secondary, column 3</td></tr><tr><td>M1025_OPT_DIAG_ICD_F4</td><td>Optional diagnosis: fifth secondary, column 4</td></tr></table>	M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3	M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4	M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3	M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4	M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3	M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4	M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3	M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4	M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3	M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4	M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3	M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4
M1025_OPT_DIAG_ICD_A3	Optional diagnosis: primary, column 3																										
M1025_OPT_DIAG_ICD_A4	Optional diagnosis: primary, column 4																										
M1025_OPT_DIAG_ICD_B3	Optional diagnosis: first secondary, column 3																										
M1025_OPT_DIAG_ICD_B4	Optional diagnosis: first secondary, column 4																										
M1025_OPT_DIAG_ICD_C3	Optional diagnosis: second secondary, column 3																										
M1025_OPT_DIAG_ICD_C4	Optional diagnosis: second secondary, column 4																										
M1025_OPT_DIAG_ICD_D3	Optional diagnosis: third secondary, column 3																										
M1025_OPT_DIAG_ICD_D4	Optional diagnosis: third secondary, column 4																										
M1025_OPT_DIAG_ICD_E3	Optional diagnosis: fourth secondary, column 3																										
M1025_OPT_DIAG_ICD_E4	Optional diagnosis: fourth secondary, column 4																										
M1025_OPT_DIAG_ICD_F3	Optional diagnosis: fifth secondary, column 3																										
M1025_OPT_DIAG_ICD_F4	Optional diagnosis: fifth secondary, column 4																										
-5050	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].</p> <p><b>Items:</b></p> <table><tr><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr><tr><td>M1033_HOSP_RISK_MLTPL_HOSPZTN</td><td>Hosp risk: 2+ hospitalizations in past 12 months</td></tr><tr><td>M1033_HOSP_RISK_MLTPL_ED_VISIT</td><td>Hosp risk: 2+ emergcy dept visits in past 6 months</td></tr><tr><td>M1033_HOSP_RISK_MNLT_BHV_DCLN</td><td>Hosp risk: decline mental/emotional/behav status</td></tr><tr><td>M1033_HOSP_RISK_COMPLIANCE</td><td>Hosp risk: difficulty with medical instructions</td></tr><tr><td>M1033_HOSP_RISK_5PLUS_MDCTN</td><td>Hosp risk: taking five or more medications</td></tr><tr><td>M1033_HOSP_RISK_CRNT_EXHSTN</td><td>Hosp risk: current exhaustion</td></tr><tr><td>M1033_HOSP_RISK_OTHR_RISK</td><td>Hosp risk: other risk(s) not listed</td></tr><tr><td>M1033_HOSP_RISK_NONE_ABOVE</td><td>Hosp risk: none of the above</td></tr></table>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss	M1033_HOSP_RISK_MLTPL_HOSPZTN	Hosp risk: 2+ hospitalizations in past 12 months	M1033_HOSP_RISK_MLTPL_ED_VISIT	Hosp risk: 2+ emergcy dept visits in past 6 months	M1033_HOSP_RISK_MNLT_BHV_DCLN	Hosp risk: decline mental/emotional/behav status	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed	M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above				
M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year																										
M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss																										
M1033_HOSP_RISK_MLTPL_HOSPZTN	Hosp risk: 2+ hospitalizations in past 12 months																										
M1033_HOSP_RISK_MLTPL_ED_VISIT	Hosp risk: 2+ emergcy dept visits in past 6 months																										
M1033_HOSP_RISK_MNLT_BHV_DCLN	Hosp risk: decline mental/emotional/behav status																										
M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions																										
M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications																										
M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion																										
M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed																										
M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above																										

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-5060	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].</p> <p><b>Items:</b></p> <table><tr><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr><tr><td>M1033_HOSP_RISK_MLTPH_HOSPZTN</td><td>Hosp risk: 2+ hospitalizations in past 12 months</td></tr><tr><td>M1033_HOSP_RISK_MLTPH_ED_VISIT</td><td>Hosp risk: 2+ emergency dept visits in past 6 months</td></tr><tr><td>M1033_HOSP_RISK_MNTH_BHV_DCLN</td><td>Hosp risk: decline mental/emotional/behav status</td></tr><tr><td>M1033_HOSP_RISK_COMPLIANCE</td><td>Hosp risk: difficulty with medical instructions</td></tr><tr><td>M1033_HOSP_RISK_5PLUS_MDCTN</td><td>Hosp risk: taking five or more medications</td></tr><tr><td>M1033_HOSP_RISK_CRNT_EXHSTN</td><td>Hosp risk: current exhaustion</td></tr><tr><td>M1033_HOSP_RISK_OTHR_RISK</td><td>Hosp risk: other risk(s) not listed</td></tr><tr><td>M1033_HOSP_RISK_NONE_ABOVE</td><td>Hosp risk: none of the above</td></tr></table>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss	M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 12 months	M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months	M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed	M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above				
M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year																										
M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss																										
M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 12 months																										
M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months																										
M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status																										
M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions																										
M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications																										
M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion																										
M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed																										
M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above																										
-5070	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1041_IN_INFLNZ_SEASON</td><td>Does episode include Oct 1 thru Mar 31</td></tr><tr><td>M1046_INFLNZ_RECD_CRNT_SEASON</td><td>Did patient receive influenza vaccine</td></tr></table>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31	M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																				
M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31																										
M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																										
-5080	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1041_IN_INFLNZ_SEASON</td><td>Does episode include Oct 1 thru Mar 31</td></tr><tr><td>M1046_INFLNZ_RECD_CRNT_SEASON</td><td>Did patient receive influenza vaccine</td></tr></table>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31	M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																				
M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31																										
M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																										
-5090	Skip pattern	Fatal	<p>If M1051_PPV_RCVD_AGENCY=[0], then if M1056_PPV_RSN_NOT_RCVD_AGENCY is active it must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1051_PVX_RCVD_AGENCY</td><td>Was pneumococcal vaccine received</td></tr><tr><td>M1056_PVX_RSN_NOT_RCVD_AGENCY</td><td>If pneumococcal vacc not received, state reason</td></tr></table>	M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received	M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason																				
M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received																										
M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason																										
-5100	Skip pattern	Fatal	<p>If M1051_PPV_RCVD_AGENCY=[1], then if M1056_PPV_RSN_NOT_RCVD_AGENCY is active it must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1051_PVX_RCVD_AGENCY</td><td>Was pneumococcal vaccine received</td></tr><tr><td>M1056_PVX_RSN_NOT_RCVD_AGENCY</td><td>If pneumococcal vacc not received, state reason</td></tr></table>	M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received	M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason																				
M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received																										
M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason																										
-5110	Skip pattern	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1320_STUS_PRBLM_PRSR_ULCR must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1306_UNHLD_STG2_PRSR_ULCR</td><td>Patient has 1+ unhealed PU at stage 2 or higher</td></tr><tr><td>M1307_OLDST_STG2_AT_DSCHRG</td><td>Status of oldest stage 2 pressure ulcer at disch</td></tr><tr><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr><tr><td>M1308_NBR_PRSULC_STG2</td><td>Number of stage 2 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG3</td><td>Number of stage 3 pressure ulcers</td></tr><tr><td>M1308_NBR_PRSULC_STG4</td><td>Number of stage 4 pressure ulcers</td></tr><tr><td>M1308_NSTG_DRSG</td><td>Unstageable: non-removable dressing/device</td></tr><tr><td>M1308_NSTG_CVRG</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td>M1308_NSTG_DEEP_TISUE</td><td>Unstageable: suspect deep tissue injury</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG2</td><td>Number of new or worsening stage 2</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG3</td><td>Number of new or worsening stage 3</td></tr><tr><td>M1309_NBR_NEW_WRS_PRSULC_STG4</td><td>Number of new or worsening stage 4</td></tr></table>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU at stage 2 or higher	M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer	M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers	M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers	M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers	M1308_NSTG_DRSG	Unstageable: non-removable dressing/device	M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar	M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury	M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2	M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3	M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4
M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU at stage 2 or higher																										
M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch																										
M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																										
M1308_NBR_PRSULC_STG2	Number of stage 2 pressure ulcers																										
M1308_NBR_PRSULC_STG3	Number of stage 3 pressure ulcers																										
M1308_NBR_PRSULC_STG4	Number of stage 4 pressure ulcers																										
M1308_NSTG_DRSG	Unstageable: non-removable dressing/device																										
M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar																										
M1308_NSTG_DEEP_TISUE	Unstageable: suspect deep tissue injury																										
M1309_NBR_NEW_WRS_PRSULC_STG2	Number of new or worsening stage 2																										
M1309_NBR_NEW_WRS_PRSULC_STG3	Number of new or worsening stage 3																										
M1309_NBR_NEW_WRS_PRSULC_STG4	Number of new or worsening stage 4																										

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1309_NBR_NEW_WRS_PRSULC_NSTG    Number of new or worsening unstageable M1320_STUS_PRBLM_PRSR_ULCR    Status of most problematic pressure ulcer
-5120	Skip pattern	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then all active items from M1308_NBR_PRSULC_STG2 through M1309_NBR_NEW_WRS_PRSULC_NSTG must not equal [^].</p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR    Patient has 1+ unhealed PU at stage 2 or higher M1308_NBR_PRSULC_STG2    Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3    Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4    Number of stage 4 pressure ulcers M1308_NSTG_DRSG    Unstageable: non-removable dressing/device M1308_NSTG_CVRG    Unstageable: coverage by slough or eschar M1308_NSTG_DEEP_TISUE    Unstageable: suspect deep tissue injury M1309_NBR_NEW_WRS_PRSULC_STG2    Number of new or worsening stage 2 M1309_NBR_NEW_WRS_PRSULC_STG3    Number of new or worsening stage 3 M1309_NBR_NEW_WRS_PRSULC_STG4    Number of new or worsening stage 4 M1309_NBR_NEW_WRS_PRSULC_NSTG    Number of new or worsening unstageable
-5130	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then least one active item between M1308_NBR_PRSULC_STG2 and M1308_NSTG_DEEP_TISUE must be greater than [00].</p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR    Patient has 1+ unhealed PU at stage 2 or higher M1308_NBR_PRSULC_STG2    Number of stage 2 pressure ulcers M1308_NBR_PRSULC_STG3    Number of stage 3 pressure ulcers M1308_NBR_PRSULC_STG4    Number of stage 4 pressure ulcers M1308_NSTG_DRSG    Unstageable: non-removable dressing/device M1308_NSTG_CVRG    Unstageable: coverage by slough or eschar M1308_NSTG_DEEP_TISUE    Unstageable: suspect deep tissue injury
-5140	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then if M1309_NBR_NEW_WRS_PRSULC_STG2 is active it must be less than or equal to M1308_NBR_PRSULC_STG2.</p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR    Patient has 1+ unhealed PU at stage 2 or higher M1308_NBR_PRSULC_STG2    Number of stage 2 pressure ulcers M1309_NBR_NEW_WRS_PRSULC_STG2    Number of new or worsening stage 2
-5150	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then if M1309_NBR_NEW_WRS_PRSULC_STG3 is active it must be less than or equal to M1308_NBR_PRSULC_STG3.</p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR    Patient has 1+ unhealed PU at stage 2 or higher M1308_NBR_PRSULC_STG3    Number of stage 3 pressure ulcers M1309_NBR_NEW_WRS_PRSULC_STG3    Number of new or worsening stage 3
-5160	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then if M1309_NBR_NEW_WRS_PRSULC_STG4 is active it must be less than or equal to M1308_NBR_PRSULC_STG4.</p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR    Patient has 1+ unhealed PU at stage 2 or higher M1308_NBR_PRSULC_STG4    Number of stage 4 pressure ulcers M1309_NBR_NEW_WRS_PRSULC_STG4    Number of new or worsening stage 4

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-5200	Consistency	Fatal	<p>If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_SEVERITY</td><td>Other diagnosis 2: severity rating</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_SEVERITY</td><td>Other diagnosis 3: severity rating</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_SEVERITY</td><td>Other diagnosis 4: severity rating</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_SEVERITY</td><td>Other diagnosis 5: severity rating</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										
M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating																										
-5210	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_SEVERITY</td><td>Other diagnosis 2: severity rating</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_SEVERITY</td><td>Other diagnosis 3: severity rating</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_SEVERITY</td><td>Other diagnosis 4: severity rating</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_SEVERITY</td><td>Other diagnosis 5: severity rating</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										
M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating																										
-5220	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_SEVERITY</td><td>Other diagnosis 2: severity rating</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_SEVERITY</td><td>Other diagnosis 3: severity rating</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_SEVERITY</td><td>Other diagnosis 4: severity rating</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code		
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1023_OTH_DIAG5_SEVERITY      Other diagnosis 5: severity rating
-5230	Consistency	Warning	If the Column 3 diagnosis code is not equal to [^], then the corresponding Column 2 Primary/Other code should be a Z-code (byte 1 of the Column 2 code should equal [Z,z]). <b>Items:</b> M1021_PRIMARY_DIAG_ICD      Primary diagnosis ICD code M1023_OTH_DIAG1_ICD      Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD      Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD      Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD      Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD      Other diagnosis 5: ICD code M1025_OPT_DIAG_ICD_A3      Optional diagnosis: primary, column 3 M1025_OPT_DIAG_ICD_B3      Optional diagnosis: first secondary, column 3 M1025_OPT_DIAG_ICD_C3      Optional diagnosis: second secondary, column 3 M1025_OPT_DIAG_ICD_D3      Optional diagnosis: third secondary, column 3 M1025_OPT_DIAG_ICD_E3      Optional diagnosis: fourth secondary, column 3 M1025_OPT_DIAG_ICD_F3      Optional diagnosis: fifth secondary, column 3
-5240	Consistency	Warning	If the Column 4 diagnosis code is not equal to [^], then the corresponding Column 2 Primary/Other code should be a Z-code (byte 1 of the Column 2 code should equal [Z,z]). <b>Items:</b> M1021_PRIMARY_DIAG_ICD      Primary diagnosis ICD code M1023_OTH_DIAG1_ICD      Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD      Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD      Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD      Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD      Other diagnosis 5: ICD code M1025_OPT_DIAG_ICD_A4      Optional diagnosis: primary, column 4 M1025_OPT_DIAG_ICD_B4      Optional diagnosis: first secondary, column 4 M1025_OPT_DIAG_ICD_C4      Optional diagnosis: second secondary, column 4 M1025_OPT_DIAG_ICD_D4      Optional diagnosis: third secondary, column 4 M1025_OPT_DIAG_ICD_E4      Optional diagnosis: fourth secondary, column 4 M1025_OPT_DIAG_ICD_F4      Optional diagnosis: fifth secondary, column 4
-5250	Consistency	Fatal	If any item M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA is equal to [1], then M1011_14_DAY_INP1_ICD cannot equal [^]. <b>Items:</b> M1000_DC_LTC_14_DA      Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA      Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA      Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA      Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA      Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA      Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA      Past 14 days: disch from other M1011_14_DAY_INP1_ICD      Inpatient stay within last 14 days: ICD code 1



## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																					
-5260	Consistency	Fatal	<p>If M1011_14_DAY_INP_NA=[0], then at least one active item from M1011_14_DAY_INP1_ICD through M1011_14_DAY_INP6_ICD must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td></td><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td></td><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td></td><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td></td><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td></td><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr><tr><td></td><td>M1011_14_DAY_INP_NA</td><td>Inpatient stay within last 14 days: not applicable</td></tr></table>	<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1		M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2		M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3		M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4		M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5		M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6		M1011_14_DAY_INP_NA	Inpatient stay within last 14 days: not applicable
<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																						
	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																						
	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																						
	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																						
	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																						
	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																						
	M1011_14_DAY_INP_NA	Inpatient stay within last 14 days: not applicable																						
-5270	Consistency	Fatal	<p>If M1011_14_DAY_INP_NA=[1], then all active items from M1011_14_DAY_INP1_ICD through M1011_14_DAY_INP6_ICD must equal [^].</p> <table><tr><td><b>Items:</b></td><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td></td><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td></td><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td></td><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td></td><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td></td><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr><tr><td></td><td>M1011_14_DAY_INP_NA</td><td>Inpatient stay within last 14 days: not applicable</td></tr></table>	<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1		M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2		M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3		M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4		M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5		M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6		M1011_14_DAY_INP_NA	Inpatient stay within last 14 days: not applicable
<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																						
	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																						
	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																						
	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																						
	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																						
	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																						
	M1011_14_DAY_INP_NA	Inpatient stay within last 14 days: not applicable																						
-5280	Format	Fatal	<p>The value submitted in M0010_CCN must either be equal to [^] or it must be exactly 6 characters in length.</p> <table><tr><td><b>Items:</b></td><td>M0010_CCN</td><td>Facility CMS certification number (CCN)</td></tr></table>	<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)																		
<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)																						
-5290	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td></td><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr></table>	<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment		M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date															
<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment																						
	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																						
-5300	Consistency	Fatal	<p>If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].</p> <table><tr><td><b>Items:</b></td><td>TRANS_TYPE_CD</td><td>Transaction type code</td></tr><tr><td></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td></td><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr></table>	<b>Items:</b>	TRANS_TYPE_CD	Transaction type code		M0100_ASSMT_REASON	Reason for assessment		M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date												
<b>Items:</b>	TRANS_TYPE_CD	Transaction type code																						
	M0100_ASSMT_REASON	Reason for assessment																						
	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																						
-5310	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then if M1309_NBR_NEW_WRS_PRSULC_NSTG is active it must be less than or equal to M1308_NSTG_CVRG.</p> <table><tr><td><b>Items:</b></td><td>M1306_UNHLD_STG2_PRSR_ULCR</td><td>Patient has 1+ unhealed PU at stage 2 or higher</td></tr><tr><td></td><td>M1308_NSTG_CVRG</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td></td><td>M1309_NBR_NEW_WRS_PRSULC_NSTG</td><td>Number of new or worsening unstageable</td></tr></table>	<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU at stage 2 or higher		M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar		M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable												
<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU at stage 2 or higher																						
	M1308_NSTG_CVRG	Unstageable: coverage by slough or eschar																						
	M1309_NBR_NEW_WRS_PRSULC_NSTG	Number of new or worsening unstageable																						
-5320	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M1000_DC_NONE_14_DA</td><td>Past 14 days: not disch from inpatient facility</td></tr><tr><td></td><td>M1005_INP_DSCHG_UNKNOWN</td><td>Inpatient discharge date unknown</td></tr></table>	<b>Items:</b>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility		M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown															
<b>Items:</b>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility																						
	M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown																						
-5330	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.12.0 OF THE DATA SPECS</p> <table><tr><td><b>Items:</b></td><td>M1000_DC_NONE_14_DA</td><td>Past 14 days: not disch from inpatient facility</td></tr><tr><td></td><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td></td><td>M1005_INP_DSCHG_UNKNOWN</td><td>Inpatient discharge date unknown</td></tr></table>	<b>Items:</b>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility		M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date		M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown												
<b>Items:</b>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility																						
	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																						
	M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown																						

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9010	Information	None	Vendor's version number for the software that was used to create the OASIS data submission file. <b>Items:</b> SFW_PROD_VRSN_CD Software product version code
-9020	Information	None	Valid federal tax ID (EIN) for the company that developed the software used to create the OASIS data submission file. <b>Items:</b> SFW_ID Software vendor federal employer tax ID
-9030	Information	None	Name of the software that was used to create the OASIS data submission file. <b>Items:</b> SFW_PROD_NAME Software product name
-9040	Information	None	Email address of the vendor who created the software that was used to produce the OASIS submission file. <b>Items:</b> SFW_EMAIL_ADR Software vendor email address
-9050	Information	None	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the ASAP system. System reports will therefore display upper case values. <b>Items:</b> SFW_NAME Software vendor company name SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
-9060	Information	None	CALCULATION OF EFFECTIVE DATE a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT. b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT. c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT. d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT. <b>Items:</b> M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date ASMT_EFF_DATE Effective date
-9070	Information	None	VERSION CODE VALUES The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, if the version number was 1.00.1, do not submit [1.00.1] or [1.00.]. A value of [1.00] should be submitted instead. <b>Items:</b> SPEC_VRSN_CD Specifications version code
-9080	Information	None	COMPLETION OF FOLLOW-UP ASSESSMENTS The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																														
			<p>More formally, the rules can be stated as follows:</p> <ul style="list-style-type: none"><li>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</li><li>-Let SOC be the start of care date (M0030_START_CARE_DT).</li><li>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</li></ul> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> <table><tr><td><b>Items:</b></td><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td></td><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td></td><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr></table>	<b>Items:</b>	M0030_START_CARE_DT	Start of care date		M0032_ROC_DT	Resumption of care date		M0090_INFO_COMPLETED_DT	Date assessment completed		M0100_ASSMT_REASON	Reason for assessment																		
<b>Items:</b>	M0030_START_CARE_DT	Start of care date																															
	M0032_ROC_DT	Resumption of care date																															
	M0090_INFO_COMPLETED_DT	Date assessment completed																															
	M0100_ASSMT_REASON	Reason for assessment																															
-9090	Information	None	<p>This is an optional item that can be used by agency for unique identification of record and tracking of records submitted to the ASAP system.</p> <table><tr><td><b>Items:</b></td><td>ACY_DOC_CD</td><td>Document ID code (agency use)</td></tr></table>	<b>Items:</b>	ACY_DOC_CD	Document ID code (agency use)																											
<b>Items:</b>	ACY_DOC_CD	Document ID code (agency use)																															
-9100	Information	None	<p>If a non-blank value for National Provider ID (NPI) in NATL_PRVDR_ID is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.</p> <table><tr><td><b>Items:</b></td><td>NATL_PRVDR_ID</td><td>Agency National Provider ID (NPI)</td></tr></table>	<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)																											
<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)																															
-9110	Information	None	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p> <table><tr><td><b>Items:</b></td><td>M1011_14_DAY_INP1_ICD</td><td>Inpatient stay within last 14 days: ICD code 1</td></tr><tr><td></td><td>M1011_14_DAY_INP2_ICD</td><td>Inpatient stay within last 14 days: ICD code 2</td></tr><tr><td></td><td>M1011_14_DAY_INP3_ICD</td><td>Inpatient stay within last 14 days: ICD code 3</td></tr><tr><td></td><td>M1011_14_DAY_INP4_ICD</td><td>Inpatient stay within last 14 days: ICD code 4</td></tr><tr><td></td><td>M1011_14_DAY_INP5_ICD</td><td>Inpatient stay within last 14 days: ICD code 5</td></tr><tr><td></td><td>M1011_14_DAY_INP6_ICD</td><td>Inpatient stay within last 14 days: ICD code 6</td></tr><tr><td></td><td>M1017_CHGREG_ICD1</td><td>Regimen change in past 14 days: ICD code 1</td></tr><tr><td></td><td>M1017_CHGREG_ICD2</td><td>Regimen change in past 14 days: ICD code 2</td></tr><tr><td></td><td>M1017_CHGREG_ICD3</td><td>Regimen change in past 14 days: ICD code 3</td></tr><tr><td></td><td>M1017_CHGREG_ICD4</td><td>Regimen change in past 14 days: ICD code 4</td></tr></table>	<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1		M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2		M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3		M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4		M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5		M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6		M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1		M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2		M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3		M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4
<b>Items:</b>	M1011_14_DAY_INP1_ICD	Inpatient stay within last 14 days: ICD code 1																															
	M1011_14_DAY_INP2_ICD	Inpatient stay within last 14 days: ICD code 2																															
	M1011_14_DAY_INP3_ICD	Inpatient stay within last 14 days: ICD code 3																															
	M1011_14_DAY_INP4_ICD	Inpatient stay within last 14 days: ICD code 4																															
	M1011_14_DAY_INP5_ICD	Inpatient stay within last 14 days: ICD code 5																															
	M1011_14_DAY_INP6_ICD	Inpatient stay within last 14 days: ICD code 6																															
	M1017_CHGREG_ICD1	Regimen change in past 14 days: ICD code 1																															
	M1017_CHGREG_ICD2	Regimen change in past 14 days: ICD code 2																															
	M1017_CHGREG_ICD3	Regimen change in past 14 days: ICD code 3																															
	M1017_CHGREG_ICD4	Regimen change in past 14 days: ICD code 4																															

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p><b>Items:</b> M1017_CHGREG_ICD5 Regimen change in past 14 days: ICD code 5</p> <p>M1017_CHGREG_ICD6 Regimen change in past 14 days: ICD code 6</p> <p>M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code</p> <p>M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code</p> <p>M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code</p> <p>M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code</p> <p>M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code</p> <p>M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p> <p>M1025_OPT_DIAG_ICD_A3 Optional diagnosis: primary, column 3</p> <p>M1025_OPT_DIAG_ICD_A4 Optional diagnosis: primary, column 4</p> <p>M1025_OPT_DIAG_ICD_B3 Optional diagnosis: first secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_B4 Optional diagnosis: first secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_C3 Optional diagnosis: second secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_C4 Optional diagnosis: second secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_D3 Optional diagnosis: third secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_D4 Optional diagnosis: third secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_E3 Optional diagnosis: fourth secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_E4 Optional diagnosis: fourth secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_F3 Optional diagnosis: fifth secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_F4 Optional diagnosis: fifth secondary, column 4</p>
-9130	Information	None	<p>If the agency is located in AS (American Samoa), GU (Guam), or MP (Saipan -- Northern Mariana Islands), then STATE_CD must equal [HI].</p> <p><b>Items:</b> STATE_CD Agency's state postal code</p>
-9140	Information	None	<p>If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p><b>Items:</b> M0016_BRANCH_ID Branch ID</p>
-9150	Information	None	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p> <p><b>Items:</b> M1011_14_DAY_INP1_ICD Inpatient stay within last 14 days: ICD code 1</p> <p>M1011_14_DAY_INP2_ICD Inpatient stay within last 14 days: ICD code 2</p> <p>M1011_14_DAY_INP3_ICD Inpatient stay within last 14 days: ICD code 3</p> <p>M1011_14_DAY_INP4_ICD Inpatient stay within last 14 days: ICD code 4</p> <p>M1011_14_DAY_INP5_ICD Inpatient stay within last 14 days: ICD code 5</p> <p>M1011_14_DAY_INP6_ICD Inpatient stay within last 14 days: ICD code 6</p> <p>M1017_CHGREG_ICD1 Regimen change in past 14 days: ICD code 1</p> <p>M1017_CHGREG_ICD2 Regimen change in past 14 days: ICD code 2</p> <p>M1017_CHGREG_ICD3 Regimen change in past 14 days: ICD code 3</p> <p>M1017_CHGREG_ICD4 Regimen change in past 14 days: ICD code 4</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p><b>Items:</b> M1017_CHGREG_ICD5 Regimen change in past 14 days: ICD code 5</p> <p>M1017_CHGREG_ICD6 Regimen change in past 14 days: ICD code 6</p> <p>M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code</p> <p>M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code</p> <p>M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code</p> <p>M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code</p> <p>M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code</p> <p>M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p> <p>M1025_OPT_DIAG_ICD_A3 Optional diagnosis: primary, column 3</p> <p>M1025_OPT_DIAG_ICD_A4 Optional diagnosis: primary, column 4</p> <p>M1025_OPT_DIAG_ICD_B3 Optional diagnosis: first secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_B4 Optional diagnosis: first secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_C3 Optional diagnosis: second secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_C4 Optional diagnosis: second secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_D3 Optional diagnosis: third secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_D4 Optional diagnosis: third secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_E3 Optional diagnosis: fourth secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_E4 Optional diagnosis: fourth secondary, column 4</p> <p>M1025_OPT_DIAG_ICD_F3 Optional diagnosis: fifth secondary, column 3</p> <p>M1025_OPT_DIAG_ICD_F4 Optional diagnosis: fifth secondary, column 4</p>
-9160	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01] then ITM_SBST_CD = [01]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03] then ITM_SBST_CD = [03]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04] then ITM_SBST_CD = [04]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05] then ITM_SBST_CD = [05]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06] then ITM_SBST_CD = [06]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07] then ITM_SBST_CD = [07]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08] then ITM_SBST_CD = [08]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09] then ITM_SBST_CD = [09]</p> <p>If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09] then ITM_SBST_CD = [XX]</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p><b>Items:</b>   TRANS_TYPE_CD                      Transaction type code                    ITM_SBST_CD                      Item subset code                    M0100_ASSMT_REASON            Reason for assessment</p>
-9170	Information	None	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <p>-The ICD-10 code "A12." would be submitted as [A12.^^^].</p> <p>-The ICD-10 code "A12.3" would be submitted as [A12.3^^^].</p> <p>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</p> <p>-The ICD-10 code "A12.345" would be submitted as [A12.345^]</p> <p>-The ICD-10 code "A12.3456" would be submitted as [A12.3456]</p> <p>-An entirely blank ICD-10 code would be submitted as [^].</p> <p><b>Items:</b>   M1011_14_DAY_INP1_ICD            Inpatient stay within last 14 days: ICD code 1                    M1011_14_DAY_INP2_ICD            Inpatient stay within last 14 days: ICD code 2                    M1011_14_DAY_INP3_ICD            Inpatient stay within last 14 days: ICD code 3                    M1011_14_DAY_INP4_ICD            Inpatient stay within last 14 days: ICD code 4                    M1011_14_DAY_INP5_ICD            Inpatient stay within last 14 days: ICD code 5                    M1011_14_DAY_INP6_ICD            Inpatient stay within last 14 days: ICD code 6                    M1017_CHGREG_ICD1                Regimen change in past 14 days: ICD code 1                    M1017_CHGREG_ICD2                Regimen change in past 14 days: ICD code 2                    M1017_CHGREG_ICD3                Regimen change in past 14 days: ICD code 3                    M1017_CHGREG_ICD4                Regimen change in past 14 days: ICD code 4                    M1017_CHGREG_ICD5                Regimen change in past 14 days: ICD code 5                    M1017_CHGREG_ICD6                Regimen change in past 14 days: ICD code 6                    M1021_PRIMARY_DIAG_ICD            Primary diagnosis ICD code                    M1023_OTH_DIAG1_ICD              Other diagnosis 1: ICD code                    M1023_OTH_DIAG2_ICD              Other diagnosis 2: ICD code                    M1023_OTH_DIAG3_ICD              Other diagnosis 3: ICD code                    M1023_OTH_DIAG4_ICD              Other diagnosis 4: ICD code                    M1023_OTH_DIAG5_ICD              Other diagnosis 5: ICD code                    M1025_OPT_DIAG_ICD_A3            Optional diagnosis: primary, column 3                    M1025_OPT_DIAG_ICD_A4            Optional diagnosis: primary, column 4                    M1025_OPT_DIAG_ICD_B3            Optional diagnosis: first secondary, column 3                    M1025_OPT_DIAG_ICD_B4            Optional diagnosis: first secondary, column 4                    M1025_OPT_DIAG_ICD_C3            Optional diagnosis: second secondary, column 3                    M1025_OPT_DIAG_ICD_C4            Optional diagnosis: second secondary, column 4                    M1025_OPT_DIAG_ICD_D3            Optional diagnosis: third secondary, column 3</p>

## Data Submission Specifications for the OASIS Item Set (V2.12.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M1025_OPT_DIAG_ICD_D4      Optional diagnosis: third secondary, column 4 M1025_OPT_DIAG_ICD_E3      Optional diagnosis: fourth secondary, column 3 M1025_OPT_DIAG_ICD_E4      Optional diagnosis: fourth secondary, column 4 M1025_OPT_DIAG_ICD_F3      Optional diagnosis: fifth secondary, column 3 M1025_OPT_DIAG_ICD_F4      Optional diagnosis: fifth secondary, column 4
-9180	Information	None	<p>When a record is submitted, the ASAP system will determine if the provider has been certified. If the provider is not certified, then the submitted record is considered (processed as) a test record. If the provider is certified, then the submitted record is considered (processed as) a production record. If the record is a production record, then a system edit will reject the record if M0010_CCN is equal to [^].</p> <p><b>Items:</b> M0010_CCN      Facility CMS certification number (CCN)</p>