

Quality-Data Code Submission Error Report Final 2009 Physician Quality Reporting Initiative

Report Date: 10/07/2010

This summary is provided to assist eligible professionals and their staff in interpreting the Quality-Data Code Submission Error Report by Measure. Please note that this report is based on the number of valid quality-data codes (QDCs) submitted by measure and reasons why a submission is considered invalid. This report does not include the number of claims for which an expected QDC was not submitted on an eligible claim.

Column Definitions:

- Total QDCs Reported - Number of QDC submissions for a measure whether or not the QDC submission was valid and appropriate for a measure.
- Total Valid QDCs Reported - Number of valid and appropriate QDC submissions for a measure.
- % Valid – Percentage of Total Valid QDCs Reported divided by Total QDCs Reported.
- Patient Age Mismatch - Patient did not meet age requirements for the measure.
- Patient Gender Mismatch - Patient did not meet gender requirement for the measure.
- Incorrect HCPCS - Incorrect HCPCS code for the measure - Patient claim did not meet denominator eligibility per measure specifications.
- Incorrect Diagnosis - Incorrect diagnosis code on claim - Patient claim did not meet denominator eligibility per measure specifications.
- Incorrect Diagnosis and HCPCS - Combination of incorrect HCPCS code and incorrect diagnosis code on claim - Patient claim did not meet denominator eligibility per measure specifications.
- Only QDC on Claim - Patient claim missing a qualifying denominator code (all line items contained only QDCs).
- Only QDC and Incorrect Diagnosis - Combination of missing qualifying denominator code and qualifying diagnosis code on the claim.
- Resubmitted QDCs - Submissions invalid due to resubmission of claims simply for the purpose of adding QDCs.
- Unattributed/No NPI - Submissions where the rendering NPI was missing.

How to Read the Quality-Data Code Submission Error Report by Measure:

Using Measure #47-Advance Care Plan as an example, we find the following information as we read across each column:

728,847 QDC submissions were received for this measure, 618,805 of which were considered valid. Therefore, the Valid Submission Rate is 84.90%. The rest of the columns explain reasons for invalid submissions for measure #47. We see that 28,115 (3.86%) submissions did not match the measure's age parameters; there is no gender parameter for this measure; 69,872 (9.59%) submissions were for patient encounters that are not listed in the denominator; this measure applies to all Medicare Part B beneficiaries regardless of diagnosis; 8,209 (1.13%) submissions showed only the numerator component (QDCs) on the claim and the denominator component (HCPCS) were not on the claim nor on any other related claim for the same beneficiary, date-of-service, NPI/TIN. There were no submissions with a combination of QDC-only and diagnosis mismatch and no QDC resubmissions for this measure; 5 (0%) submissions lacked an NPI in the rendering provider ID field on the claim.

Analysis Findings Include:

1. The 5 measures with the highest percentage of valid QDCs codes submitted were:
 - #146 Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening (97.04%),
 - #128 Universal Weight Screening and Follow-Up (96.80%),
 - #140 Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement (96.70%),
 - #93 AOE: Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use (96.61%), and
 - #139 Cataracts: Comprehensive Preoperative Assessment for Cataract Surgery with Intraocular Lens (IOL) Placement (96.28%).
2. The 5 measures with the highest percentage of claims with QDCs only were:
 - #181 Elder Maltreatment Screen and Follow-Up Plan (11.73%),
 - #134 Screening for Clinical Depression (10.82%),
 - #112 Screening Mammography (9.22%),
 - #48 Assessment of Presence or Absence of UI in Women Aged 65 Years and Older (5.27%), and
 - #155 Falls: Plan of Care (3.78%).
3. The 5 measures with the highest rate of diagnosis errors were:
 - #40 Management Following Fracture (88.92%),
 - #122 Blood Pressure Management (61.00%),
 - #55 ECG Performed for Syncope (57.41%),
 - #186 Wound Care: Use of Compression System in Patients with Venous Ulcers (28.74%), and
 - #24 Communication with the Physician Managing Ongoing Care Post-Fracture (27.06%).
4. The 5 measures with the highest rate of HCPCS errors were:
 - #20 Timing of Antibiotic Prophylaxis - Ordering Physician (89.57%),
 - #45 Discontinuation of Prophylactic Antibiotics (65.00%),
 - #181 Elder Maltreatment Screen and Follow-Up Plan (56.31%),
 - #134 Screening for Clinical Depression (44.38%), and
 - #44 Preoperative Beta-blocker in Patients with Isolated CABG Surgery (38.30%).
5. The 5 measures with the highest rate of patient gender errors were:
 - #48 Assessment of Presence or Absence of UI in Women Aged 65 Years and Older (5.66%),
 - #112 Screening Mammography (3.92%),
 - #39 Screening or Therapy for Women Aged 65 Years and Older (3.61%),
 - #50 Plan of Care for UI in Women Aged 65 Years and Older (3.53%), and
 - #49 Characterization of UI in Women Aged 65 Years and Older (3.27%).
6. Overall, the percentage of reported instances with missing NPIs decreased from 0.37% in 2008 (per 2008 PQRI Final Integrated Report, Appendix E) to less than 0.01% in 2009.

Quality-Data Code Submission Error Report by Measure
Report Includes Data from the January 2009 through February 2010 TAP File

Clinical Condition/Topic and Measure	QDC Submission Attempts			Total QDCs Reported on Eligible Cases	Denominator Mismatch ^c												Resubmitted QDCs ^f		Unattributed (No NPI) ^g			
	Total QDCs Reported ^a	Total Valid QDCs Reported ^b	% Valid		Patient Age Mismatch ^d		Patient Gender Mismatch ^e		Incorrect HCPCS		Incorrect DX		Both DX and HCPCS Incorrect		Only QDC on Claim		Incorrect DX and Only QDC		#	%	#	%
					#	%	#	%	#	%	#	%	#	%	#	%	#	%				
Advance Care Plan																						
#47 Advance Care Plan	728,847	618,805	84.90%	650,766	28,115	3.86%	0	0.00%	69,872	9.59%	0	0.00%	0	0.00%	8,209	1.13%	0	0.00%	0	0.00%	5	0.00%
Arthritis-Osteoarthritis																						
#109 Patients with OA with an Assessment of Pain and Function	87,678	70,063	79.91%	70,147	0	0.00%	0	0.00%	42	0.05%	10,549	12.03%	1,601	1.83%	461	0.53%	521	0.59%	0	0.00%	0	0.00%
#142 Osteoarthritis (OA): Assessment for Use of Anti-Inflammatory or Analgesic Over-the-Counter (OTC) Medications	52,997	36,758	69.36%	36,770	0	0.00%	0	0.00%	9	0.02%	12,041	22.72%	675	1.27%	292	0.55%	493	0.93%	0	0.00%	0	0.00%
Arthritis-Rheumatoid																						
#108 DMARD Therapy in Rheumatoid Arthritis	32,435	30,477	93.96%	30,526	0	0.00%	0	0.00%	297	0.92%	1,340	4.13%	36	0.11%	135	0.42%	225	0.69%	10	0.03%	0	0.00%
#176 Rheumatoid Arthritis (RA): Tuberculosis Screening	6,957	6,118	87.94%	6,691	0	0.00%	0	0.00%	58	0.83%	115	1.65%	51	0.73%	11	0.16%	24	0.34%	10	0.14%	0	0.00%
#177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity	7,684	7,322	95.29%	7,371	0	0.00%	0	0.00%	48	0.62%	162	2.11%	87	1.13%	13	0.17%	5	0.07%	0	0.00%	0	0.00%
#178 Rheumatoid Arthritis (RA): Functional Status Assessment	10,109	9,307	92.07%	9,307	0	0.00%	0	0.00%	56	0.55%	628	6.21%	91	0.90%	12	0.12%	20	0.20%	0	0.00%	0	0.00%
#179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis	6,259	6,002	95.89%	6,016	0	0.00%	0	0.00%	48	0.77%	116	1.85%	66	1.05%	10	0.16%	5	0.08%	0	0.00%	0	0.00%
#180 Rheumatoid Arthritis (RA): Glucocorticoid Management	6,560	5,950	90.70%	6,061	0	0.00%	0	0.00%	32	0.49%	399	6.08%	50	0.76%	11	0.17%	9	0.14%	0	0.00%	0	0.00%
Asthma																						
#53 Pharmacologic Therapy	4,035	693	17.17%	784	3,174	78.66%	0	0.00%	22	0.55%	43	1.07%	3,043	75.42%	10	0.25%	141	3.49%	0	0.00%	0	0.00%
#64 Asthma Assessment	3,484	478	13.72%	478	2,976	85.42%	0	0.00%	6	0.17%	22	0.63%	2,907	83.44%	2	0.06%	70	2.01%	0	0.00%	0	0.00%
Breast Cancer																						
#71 Hormonal Therapy for Stage IC-III ER/PR Positive Breast Cancer	66,925	55,376	82.74%	62,823	0	0.00%	366	0.55%	1,711	2.56%	1,672	2.50%	468	0.70%	230	0.34%	47	0.07%	0	0.00%	0	0.00%
#99 Breast Cancer Patients with a pT and pN Category and Histologic Grade	63,939	29,961	46.86%	29,969	0	0.00%	0	0.00%	935	1.46%	10,963	17.15%	20,738	32.43%	218	0.34%	1,476	2.31%	3	0.00%	1	0.00%
#112 Screening Mammography	179,516	108,786	60.60%	108,883	58,941	32.83%	7,046	3.92%	54,090	30.13%	0	0.00%	0	0.00%	16,543	9.22%	0	0.00%	0	0.00%	1	0.00%
Bronchitis																						
#116 Inappropriate Antibiotic Treatment for Adults	701	93	13.27%	93	535	76.32%	0	0.00%	2	0.29%	59	8.42%	534	76.18%	1	0.14%	14	2.00%	0	0.00%	0	0.00%
Coronary Artery Bypass Graft (CABG)																						
#43 Use of IMA in CABG Surgery	39,176	24,242	61.88%	24,245	0	0.00%	0	0.00%	14,500	37.01%	0	0.00%	0	0.00%	431	1.10%	0	0.00%	0	0.00%	0	0.00%
#44 Preoperative Beta-blocker in Patients with Isolated CABG Surgery	27,147	16,480	60.71%	16,482	0	0.00%	0	0.00%	10,398	38.30%	0	0.00%	0	0.00%	267	0.98%	0	0.00%	0	0.00%	0	0.00%
CAD																						
#6 Oral Antiplatelet Therapy Prescribed for Patients with CAD	1,266,213	1,195,345	94.40%	1,195,345	0	0.00%	0	0.00%	18,739	1.48%	44,498	3.51%	2,184	0.17%	3,794	0.30%	3,385	0.27%	0	0.00%	3	0.00%
#118 ACE or ARB Therapy for Patients with CAD and Diabetes and/or LVSD	170,554	154,181	90.40%	154,181	0	0.00%	0	0.00%	2,538	1.49%	9,891	5.80%	391	0.23%	810	0.47%	2,876	1.69%	0	0.00%	0	0.00%
#152 Coronary Artery Disease (CAD): Lipid Profile in Patients with CAD	362,964	338,085	93.15%	339,094	0	0.00%	0	0.00%	5,111	1.41%	16,717	4.61%	1,161	0.32%	672	0.19%	880	0.24%	0	0.00%	1	0.00%
Chest Pain																						
#54 ECG Performed for Non-Traumatic Chest Pain	1,461,008	1,058,296	72.44%	1,058,309	19,112	1.31%	0	0.00%	38,547	2.64%	329,194	22.53%	30,250	2.07%	3,076	0.21%	4,723	0.32%	0	0.00%	5	0.00%
Chronic Kidney Disease (CKD)																						
#121 Laboratory Testing (Calcium, Phosphorus, iPTH and Lipid Profile)	17,246	13,481	78.17%	13,481	0	0.00%	0	0.00%	139	0.81%	3,525	20.44%	62	0.36%	19	0.11%	123	0.71%	0	0.00%	0	0.00%
#122 Blood Pressure Management	129,756	39,017	30.07%	41,883	0	0.00%	0	0.00%	4	0.00%	79,148	61.00%	6,368	4.91%	68	0.05%	2,811	2.17%	0	0.00%	0	0.00%

^a For each measure, the total # of instances where an TIN/NPI combination submitted a QDC for that measure.

^b For each measure, the # of instances where an TIN/NPI combination submitted a valid QDC for that measure.

^c The # of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The # of occurrences of QDC reporting where the QDC does not match the age requirements for the measure.

^e The # of occurrences of QDC reporting where the QDC does not match the gender requirements for the measure.

^f The # of occurrences of QDC reporting where the QDC was received on a claim that was resubmitted for the purpose of adding QDCs.

^g The # of occurrences where a valid NPI is not present.

Note: MCMP and PGP pilot program participants are excluded from these reports (based on the most recent pilot participant list from ORDJ).

Clinical Condition/Topic and Measure	QDC Submission Attempts			Total QDCs Reported on Eligible Cases	Denominator Mismatch ^f														Resubmitted QDCs ^g		Unattributed (No NPI) ^g	
	Total QDCs Reported ^a	Total Valid QDCs Reported ^b	% Valid		Patient Age Mismatch ^d		Patient Gender Mismatch ^e		Incorrect HCPCS		Incorrect DX		Both DX and HCPCS Incorrect		Only QDC on Claim		Incorrect DX and Only QDC		#	%	#	%
					#	%	#	%	#	%	#	%	#	%	#	%	#	%				
Chronic Kidney Disease (CKD)																						
#123 Plan of Care: Elevated Hemoglobin for Patients Receiving ESAs	45,099	29,149	64.63%	30,550	5	0.01%	0	0.00%	473	1.05%	2,694	5.97%	11,254	24.95%	15	0.03%	189	0.42%	0	0.00%	0	0.00%
#135 Chronic Kidney Disease (CKD): Influenza Immunization	44,940	9,317	20.73%	9,317	13	0.03%	0	0.00%	146	0.32%	8,772	19.52%	25,772	57.35%	16	0.04%	1,094	2.43%	0	0.00%	1	0.00%
#153 Chronic Kidney Disease (CKD): Referral for Arteriovenous (AV) Fistula	8,855	7,013	79.20%	7,013	2	0.02%	0	0.00%	76	0.86%	322	3.64%	1,428	16.13%	8	0.09%	10	0.11%	0	0.00%	0	0.00%
Colon Cancer																						
#72 Chemotherapy for Stage III	18,685	15,475	82.82%	16,913	0	0.00%	0	0.00%	477	2.55%	1,132	6.06%	55	0.29%	97	0.52%	55	0.29%	0	0.00%	0	0.00%
Colorectal Cancer (CRC)																						
#100 CRC Patients with a pT and pN Category and Histologic Grade	61,420	17,690	28.80%	17,696	0	0.00%	0	0.00%	738	1.20%	5,789	9.43%	35,268	57.42%	157	0.26%	2,027	3.30%	3	0.00%	1	0.00%
#113 CRC Screening	429,457	370,473	86.27%	370,853	45,762	10.66%	0	0.00%	48,608	11.32%	0	0.00%	0	0.00%	9,996	2.33%	0	0.00%	0	0.00%	1	0.00%
Chronic Obstructive Pulmonary Disease (COPD)																						
#51 Spirometry Evaluation	90,546	83,977	92.75%	83,977	0	0.00%	0	0.00%	985	1.09%	5,000	5.52%	260	0.29%	272	0.30%	654	0.72%	0	0.00%	0	0.00%
#52 Bronchodilator Therapy	78,891	64,730	82.05%	73,180	0	0.00%	0	0.00%	814	1.03%	4,174	5.29%	286	0.36%	260	0.33%	692	0.88%	0	0.00%	1	0.00%
Cataracts																						
#139 Cataracts: Comprehensive Preoperative Assessment for Cataract Surgery with Intraocular Lens (IOL) Placement	544,139	523,904	96.28%	523,947	1	0.00%	0	0.00%	18,156	3.34%	0	0.00%	0	0.00%	1,945	0.36%	0	0.00%	91	0.02%	2	0.00%
Catheter-Related Bloodstream Infections (CRBSI)																						
#76 Prevention of CRBSI - Central Venous Catheter Insertion Protocol	162,808	151,503	93.06%	151,505	0	0.00%	0	0.00%	10,328	6.34%	0	0.00%	0	0.00%	975	0.60%	0	0.00%	0	0.00%	0	0.00%
Chiropractic Care																						
#182 Functional Outcome Assessment in Chiropractic Care	33,617	32,006	95.21%	32,006	0	0.00%	0	0.00%	1,492	4.44%	0	0.00%	0	0.00%	119	0.35%	0	0.00%	0	0.00%	0	0.00%
Depression																						
#9 Antidepressant Meds During Acute Phase for Patients with New Episode of MD	17,680	12,849	72.68%	12,849	0	0.00%	0	0.00%	1,230	6.96%	2,515	14.23%	865	4.89%	171	0.97%	162	0.92%	0	0.00%	0	0.00%
#106 Patients who have MD Disorder who meet DSM IV Criteria	9,357	6,102	65.21%	6,102	0	0.00%	0	0.00%	312	3.33%	2,523	26.96%	257	2.75%	99	1.06%	172	1.84%	0	0.00%	0	0.00%
#107 Patients who have MD Disorder who are Assessed for Suicide Risks	29,267	20,617	70.44%	20,618	0	0.00%	0	0.00%	25	0.09%	5,604	19.15%	269	0.92%	275	0.94%	396	1.35%	0	0.00%	0	0.00%
Diabetes																						
#1 Hemoglobin A1c Poor Control	566,354	429,581	75.85%	430,978	112,637	19.89%	0	0.00%	10,045	1.77%	8,684	1.53%	105,807	18.68%	2,240	0.40%	9,340	1.65%	0	0.00%	1	0.00%
#2 Low Density Lipoprotein Control	527,147	399,651	75.81%	400,730	102,621	19.47%	0	0.00%	9,024	1.71%	11,273	2.14%	97,330	18.46%	2,045	0.39%	7,224	1.37%	0	0.00%	1	0.00%
#3 High Blood Pressure Control	597,092	400,509	67.08%	415,042	131,679	22.05%	0	0.00%	10,233	1.71%	32,964	5.52%	127,849	21.41%	2,251	0.38%	10,398	1.74%	0	0.00%	3	0.00%
#18 Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	351,455	280,769	79.89%	280,769	0	0.00%	0	0.00%	4,463	1.27%	63,559	18.08%	1,542	0.44%	767	0.22%	3,515	1.00%	0	0.00%	1	0.00%
#19 Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care	253,447	131,808	52.01%	183,799	0	0.00%	0	0.00%	2,898	1.14%	64,409	25.41%	1,529	0.60%	488	0.19%	3,279	1.29%	0	0.00%	0	0.00%
#117 Dilated Eye Exam in Diabetic Patient	640,092	389,939	60.92%	391,096	216,148	33.77%	0	0.00%	22,547	3.52%	7,157	1.12%	206,951	32.33%	2,025	0.32%	10,254	1.60%	289	0.04%	0	0.00%
#119 Urine Screening for Microalbumin or Medical Attention for Nephropathy in Diabetic Patients	89,901	69,855	77.70%	69,892	16,410	18.25%	0	0.00%	1,314	1.46%	1,570	1.75%	14,459	16.08%	551	0.61%	2,185	2.43%	0	0.00%	0	0.00%
#126 Diabetic Foot and Ankle Care, Peripheral Neuropathy: Neurological Evaluation	76,090	64,601	84.90%	64,601	0	0.00%	0	0.00%	839	1.10%	9,572	12.58%	386	0.51%	547	0.72%	988	1.30%	0	0.00%	1	0.00%
#127 Diabetic Foot and Ankle Care, Ulcer Prevention: Evaluation of Footwear	52,913	48,179	91.05%	48,179	0	0.00%	0	0.00%	621	1.17%	3,357	6.34%	218	0.41%	504	0.95%	359	0.68%	0	0.00%	0	0.00%
#163 Diabetes Mellitus: Foot Exam	76,179	52,976	69.54%	52,980	18,556	24.36%	0	0.00%	3,013	3.96%	824	1.08%	14,499	19.03%	592	0.78%	4,482	5.88%	1	0.00%	0	0.00%

^a For each measure, the total # of instances where an TIN/NPI combination submitted a QDC for that measure.

^b For each measure, the # of instances where an TIN/NPI combination submitted a valid QDC for that measure.

^c The # of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The # of occurrences of QDC reporting where the QDC does not match the age requirements for the measure.

^e The # of occurrences of QDC reporting where the QDC does not match the gender requirements for the measure.

^f The # of occurrences of QDC reporting where the QDC was received on a claim that was resubmitted for the purpose of adding QDCs.

^g The # of occurrences where a valid NPI is not present.

Note: MCMP and PGP pilot program participants are excluded from these reports (based on the most recent pilot participant list from ORDJ).

Clinical Condition/Topic and Measure	QDC Submission Attempts			Total QDCs Reported on Eligible Cases	Denominator Mismatch ^f																Resubmitted QDCs ^g		Unattributed (No NPI) ^g	
	Total QDCs Reported ^a	Total Valid QDCs Reported ^b	% Valid		Patient Age Mismatch ^d		Patient Gender Mismatch ^e		Incorrect HCPCS		Incorrect DX		Both DX and HCPCS Incorrect		Only QDC on Claim		Incorrect DX and Only QDC		#	%	#	%		
					#	%	#	%	#	%	#	%	#	%	#	%	#	%						
Otitis																								
#94 OME: Diagnostic Evaluation – Assessment of Tympanic Membrane Mobility	184	0	0.00%	0	184	100.00%	0	0.00%	0	0.00%	0	0.00%	183	99.46%	0	0.00%	1	0.54%	0	0.00%	0	0.00%		
#95 OME: Hearing Testing	8	0	0.00%	0	8	100.00%	0	0.00%	0	0.00%	0	0.00%	8	100.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%		
Pain Management																								
#131 Assessment Prior to Initiation of Patient Treatment	292,581	231,453	79.11%	231,453	0	0.00%	0	0.00%	54,790	18.73%	0	0.00%	0	0.00%	6,338	2.17%	0	0.00%	0	0.00%	2	0.00%		
Perioperative																								
#20 Timing of Antibiotic Prophylaxis - Ordering Physician	3,115,597	275,447	8.84%	275,848	196	0.01%	0	0.00%	2,790,576	89.57%	0	0.00%	0	0.00%	49,173	1.58%	0	0.00%	0	0.00%	4	0.00%		
#21 Selection of Prophylactic Antibiotic - First OR Second Generation Cephalosporin	252,511	203,298	80.51%	203,302	29	0.01%	0	0.00%	47,672	18.88%	0	0.00%	0	0.00%	1,537	0.61%	0	0.00%	0	0.00%	2	0.00%		
#22 Discontinuation of Prophylactic Antibiotics (Non-Cardiac Procedures)	238,411	125,759	52.75%	169,135	23	0.01%	0	0.00%	66,905	28.06%	0	0.00%	0	0.00%	2,371	0.99%	0	0.00%	0	0.00%	2	0.00%		
#23 VTE Prophylaxis	184,603	142,384	77.13%	142,421	29	0.02%	0	0.00%	40,832	22.12%	0	0.00%	0	0.00%	1,350	0.73%	0	0.00%	0	0.00%	2	0.00%		
#30 Timing of Prophylactic Antibiotics - Administering Physician	3,060,452	2,409,905	78.74%	2,443,510	196	0.01%	0	0.00%	596,000	19.47%	0	0.00%	0	0.00%	20,942	0.68%	0	0.00%	0	0.00%	4	0.00%		
#45 Discontinuation of Prophylactic Antibiotics	216,077	56,549	26.17%	71,633	14	0.01%	0	0.00%	140,451	65.00%	0	0.00%	0	0.00%	3,993	1.85%	0	0.00%	0	0.00%	1	0.00%		
Pharyngitis																								
#66 Appropriate Testing for Children	922	0	0.00%	0	921	99.89%	0	0.00%	0	0.00%	1	0.11%	903	97.94%	0	0.00%	18	1.95%	0	0.00%	0	0.00%		
Pneumonia																								
#56 Vital Signs for Community-Acquired Bacterial Pneumonia	479,576	454,929	94.86%	454,954	3	0.00%	0	0.00%	13,863	2.89%	8,492	1.77%	602	0.13%	1,588	0.33%	150	0.03%	0	0.00%	1	0.00%		
#57 Assessment of Oxygen Saturation for Community-Acquired Bacterial Pneumonia	525,564	501,569	95.43%	501,569	4	0.00%	0	0.00%	15,161	2.88%	6,582	1.25%	335	0.06%	1,855	0.35%	128	0.02%	0	0.00%	1	0.00%		
#58 Assessment of Mental Status for Community-Acquired Bacterial Pneumonia	467,345	446,970	95.64%	447,291	4	0.00%	0	0.00%	13,570	2.90%	4,322	0.92%	381	0.08%	1,528	0.33%	307	0.07%	0	0.00%	1	0.00%		
#59 Empiric Antibiotic for Community-Acquired Bacterial Pneumonia	317,856	303,996	95.64%	303,996	3	0.00%	0	0.00%	9,452	2.97%	2,852	0.90%	289	0.09%	1,205	0.38%	97	0.03%	0	0.00%	0	0.00%		
Pneumonia Pneumococcal																								
#111 Vaccination for Patients 65 years and Older	590,622	550,646	93.23%	551,592	23,200	3.93%	0	0.00%	30,473	5.16%	0	0.00%	0	0.00%	8,557	1.45%	0	0.00%	0	0.00%	4	0.00%		
Preventive Care and Screening																								
#173 Preventive Care and Screening: Unhealthy Alcohol Use - Screening	51,813	44,747	86.36%	44,747	1	0.00%	0	0.00%	6,699	12.93%	0	0.00%	0	0.00%	367	0.71%	0	0.00%	0	0.00%	0	0.00%		
Prostate Cancer																								
#102 Inappropriate Use of Bone Scan for Staging Low-Risk Prostate Cancer Patients	6,248	4,477	71.65%	4,658	0	0.00%	0	0.00%	1,290	20.65%	24	0.38%	187	2.99%	75	1.20%	14	0.22%	0	0.00%	0	0.00%		
#104 Adjuvant Hormonal Therapy for High-Risk Prostate Cancer Patients	4,675	3,857	82.50%	3,983	0	0.00%	0	0.00%	510	10.91%	8	0.17%	80	1.71%	94	2.01%	0	0.00%	0	0.00%	0	0.00%		
#105 Three-dimensional Radiotherapy for Patients with Prostate Cancer	6,301	4,954	78.62%	5,332	0	0.00%	0	0.00%	725	11.51%	35	0.56%	100	1.59%	106	1.68%	3	0.05%	0	0.00%	0	0.00%		
Radiology																								
#145 Radiology: Exposure Time Reported for Procedures Using Fluoroscopy	580,751	545,901	94.00%	545,964	0	0.00%	0	0.00%	30,655	5.28%	0	0.00%	0	0.00%	4,132	0.71%	0	0.00%	0	0.00%	0	0.00%		
#146 Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening	1,315,242	1,276,369	97.04%	1,276,478	0	0.00%	0	0.00%	25,841	1.96%	283	0.02%	4,357	0.33%	7,478	0.57%	853	0.06%	2	0.00%	1	0.00%		
Stroke and Stroke Rehabilitation																								
#31 DVT Prophylaxis for Ischemic Stroke or Intracranial Hemorrhage	12,984	10,259	79.01%	10,259	0	0.00%	0	0.00%	797	6.14%	1,363	10.50%	462	3.56%	80	0.62%	71	0.55%	0	0.00%	0	0.00%		
#32 Discharged on Antiplatelet Therapy	19,987	16,801	84.06%	16,801	0	0.00%	0	0.00%	1,326	6.63%	1,034	5.17%	588	2.94%	159	0.80%	107	0.54%	0	0.00%	0	0.00%		
#34 t-PA Considered	11,550	7,343	63.58%	8,218	0	0.00%	0	0.00%	1,670	14.46%	874	7.57%	645	5.58%	100	0.87%	79	0.68%	0	0.00%	0	0.00%		

^a For each measure, the total # of instances where an TIN/NPI combination submitted a QDC for that measure.

^b For each measure, the # of instances where a valid QDC for that measure.

^c The # of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The # of occurrences of QDC reporting where the QDC does not match the age requirements for the measure.

^e The # of occurrences of QDC reporting where the QDC does not match the gender requirements for the measure.

^f The # of occurrences of QDC reporting where the QDC was received on a claim that was resubmitted for the purpose of adding QDCs.

^g The # of occurrences where a valid NPI is not present.

Note: MCMP and PGP pilot program participants are excluded from these reports (based on the most recent pilot participant list from ORD).

