

2016 Proposed Cross-Cutting Measures

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
001 CMS122v3	0059	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Diabetes)	Effective Clinical Care	Diabetes: Hemoglobin A1c Poor Control: Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period.
046	0097	Claims, Registry	Communication and Care Coordination	Medication Reconciliation: Percentage of patients aged 18 years and older discharged from any inpatient facility (e.g., hospital, skilled nursing facility, or rehabilitation facility) and seen within 30 days following discharge in the office by the physician, prescribing practitioner, registered nurse, or clinical pharmacist providing on-going care who had a reconciliation of the discharge medications with the current medication list in the outpatient medical record documented.
047	0326	Claims, Registry, Measures Group (CKD, HF, HIV/AIDS, COPD, Dementia, Parkinson's)	Communication and Care Coordination	Care Plan: Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan.
110 CMS147v4	0041	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Diabetes, CKD, Prev Care, HF, Asthma, COPD, IBD, Oncology)	Community/Population Health	Preventive Care and Screening: Influenza Immunization: Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization.
111 CMS127v3	0043	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Prev Care, COPD, IBD)	Community/Population Health	Pneumonia Vaccination Status for Older Adults: Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.
112 CMS125v3	2372	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Prev Care)	Effective Clinical Care	Breast Cancer Screening: Percentage of women 50 through 74 years of age who had a mammogram to screen for breast cancer within 27 months

2016 Proposed Cross-Cutting Measures

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
128 CMS69v3	0421	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Prev Care, Sleep Apnea, Asthma, RA, CAD)	Community/Population Health	Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan: Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter <u>Normal Parameters:</u> Age 65 years and older BMI ≥ 23 and < 30 kg/m ² ; Age 18 – 64 years BMI ≥ 18.5 and < 25 kg/m ²
130 CMS68v4	0419	Claims, Registry, EHR, GPRO Web Interface, Measures Group (CKD, Oncology, COPD, Cataracts, General Surgery, HF, Hepatitis C, Sinusitis, Sleep Apnea, Total Knee Replacement, Asthma, AOE, CAD)	Patient Safety	Documentation of Current Medications in the Medical Record: Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.
131	0420	Claims, Registry, Measures Group (AOE, Sinusitis, RA)	Community/Population Health	Pain Assessment and Follow-Up: Percentage of visits for patients aged 18 years and older with documentation of a pain assessment using a standardized tool(s) on each visit AND documentation of a follow-up plan when pain is present.
134 CMS2v4	0418	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Prev Care, HIV/AIDS)	Community/Population Health	Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan: Percentage of patients aged 12 years and older screened for clinical depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen.
154	0101	Claims, Registry, Measures Group (AOE)	Patient Safety	Falls: Risk Assessment: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months
155	0101	Claims, Registry, Measures Group (AOE)	Communication and Care Coordination	Falls: Plan of Care: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months

2016 Proposed Cross-Cutting Measures

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
182	N/A	Claims, Registry	Communication and Care Coordination	Functional Outcome Assessment: Percentage of visits for patients aged 18 years and older with documentation of a current functional outcome assessment using a standardized functional outcome assessment tool on the date of encounter AND documentation of a care plan based on identified functional outcome deficiencies on the date of the identified deficiencies.
226 CMS138v3	0028	Claims, Registry, EHR, GPRO Web Interface, Measures Group (Prev Care, HF, CAD, COPD, IBD, Asthma, Oncology, CKD, Cataracts, Diabetes, General Surgery, Hepatitis C, HIV/AIDS, Sinusitis, Sleep Apnea, Total Knee Replacement, AOE)	Community/Population Health	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user.
236 CMS165v3	0018	Claims, Registry, EHR, GPRO Web Interface	Effective Clinical Care	Controlling High Blood Pressure: Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90 mmHg) during the measurement period.
240 CMS117v3	0038	EHR	Community/Population Health	Childhood Immunization Status: Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV), one measles, mumps and rubella (MMR); three H influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.
317 CMS22v3	N/A	Claims, Registry, EHR, GPRO Web Interface, Measures Group (AOE)	Community/Population Health	Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented: Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated.

2016 Proposed Cross-Cutting Measures

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
318 CMS139v3	0101	EHR, GPRO Web Interface	Patient Safety	Falls: Screening for Fall Risk: Percentage of patients 65 years of age and older who were screened for future fall risk at least once during the measurement period.
321	0005 0006	CSV	Person and Caregiver-Centered Experience and Outcomes	CAHPS for PQRS Clinician/Group Survey: <ul style="list-style-type: none"> • Getting timely care, appointments, and information; • How well providers Communicate; • Patient's Rating of Provider; • Access to Specialists; • Health Promotion & Education; • Shared Decision Making; • Health Status/Functional Status; • Courteous and Helpful Office Staff; • Care Coordination; • Between Visit Communication; • Helping Your to Take Medication as Directed; and • Stewardship of Patient Resources
374 CMS50v3	N/A	EHR	Communication and Care Coordination	Closing the Referral Loop: Receipt of Specialist Report: Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred.
400	N/A	Registry	Effective Clinical Care	Hepatitis C: One-Time Screening for Hepatitis C Virus (HCV) for Patients at Risk: Percentage of patients aged 18 years and older with one or more of the following: a history of injection drug use, receipt of a blood transfusion prior to 1992, receiving maintenance hemodialysis OR birthdate in the years 1945-1965 who received a one-time screening for HCV infection.
402	N/A	Registry, Measures Groups (Asthma)	Community/Population Health	Tobacco Use and Help with Quitting Among Adolescents: The percentage of adolescents 12 to 20 years of age with a primary care visit during the measurement year for whom tobacco use status was documented and received help with quitting if identified as a tobacco user.

2016 Proposed Cross-Cutting Measures

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
Proposed New for 2016 PQRS	N/A	Registry	Community/ Population Health	Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling: Percentage of patients aged 18 years and older who were screened at least once within the last 24 months for unhealthy alcohol use using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user.