

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
Measures Primarily Relevant to Occupational Therapy				
128	N/A	Claims, Registry, Measures Groups (Preventive Care, Sleep Apnea, Ashtma, Rheumatoid Arthritis, CAD), EHR, GPRO Web Interfact	Community/ Population Health	Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan: Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter
130	0419	Claims, Registry, Measures Groups (Chronic Kidney Disease, Oncology, COPD Cataracts, General Surgery, Heart Failure, Hepatitis C, Sinusitis, Sleep Apnea, Total Knee Replacement, Asthma, Acute Otitis, Externa (AOE), CAD), EHR, GPRO Web Interface	Patient Safety	Documentation of Current Medications in the Medical Record: Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration
131	0420	Claims, Registry, Measures Groups(AOE, Sinusitis, Rheumatoid Arthritis)	Community/Population Health	Pain Assessment and Follow-Up: Percentage of visits for patients aged 18 years and older with documentation of a pain assessment using a standardized tool(s) on each visit AND documentation of a follow-up plan when pain is present

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
134	0418	Claims, Registry, EHR, GPRO Web Interface/ACO, Measures Groups(Prev Care, HIV/AIDS)	Community/Population Health	Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan: Percentage of patients aged 12 years and older screened for clinical depression on the date of encounter using an age appropriate standardized depression screening tool AND, if positive, a follow-up plan is documented on the date of the positive screen
154	0101	Claims, Registry, Measures Groups (AOE)	Patient Safety	Falls: Risk Assessment: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months
155	0101	Claims, Registry, Measures Groups (AOE)	Communication and Care Coordination	Falls: Plan of Care: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months
181	N/A	Claims, Registry	Patient Safety	Elder Maltreatment Screen and Follow-Up Plan: Percentage of patients aged 65 years and older with a documented elder maltreatment screen using an Elder Maltreatment Screening Tool on the date of encounter AND a documented follow-up plan on the date of the positive screen
182	N/A	Claims, Registry	Communication and Care Coordination	Functional Outcome Assessment: Percentage of visits for patients aged 18 years and older with documentation of a current functional outcome assessment using a standardized functional outcome assessment tool on the date of encounter AND documentation of a care plan based on identified functional outcome deficiencies on the date of the identified deficiency
217	0422	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Knee Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the knee in which the change in their Risk-Adjusted Functional Status is measured

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
218	0423	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Hip Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the hip in which the change in their Risk-Adjusted Functional Status is measured
219	0424	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lower Leg, Foot or Ankle Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the lower leg, foot or ankle in which the change in their Risk-Adjusted Functional Status is measured
220	0425	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lumbar Spine Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the lumbar spine in which the change in their Risk-Adjusted Functional Status is measured
221	0426	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Shoulder Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the shoulder in which the change in their Risk-Adjusted Functional Status is measured
222	0427	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Elbow, Wrist or Hand Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the elbow, wrist or hand in which the change in their Risk-Adjusted Functional Status is measured

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
223	0428	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the neck, cranium, mandible, thoracic spine, ribs, or other general orthopedic impairment in which the change in their Risk-Adjusted Functional Status is measured
226	0028	Claims, Registry, EHR, GPRO (Web Interface), Measures Groups	Community/Population Health	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user
Proposed New for 2016 PQRS	N/A	Registry, Measures Groups	Community/Population Health	Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling: Percentage of patients aged 18 years and older who were screened at least once within the last 24 months for unhealthy alcohol use using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user
Measures Primarily Relevant to Physical Therapy				
126	N/A	Registry, Measures Groups	Effective Clinical Care	Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy – Neurological Evaluation: Percentage of patients aged 18 years and older with a diagnosis of diabetes mellitus who had a neurological examination of their lower extremities within 12 months
127	N/A	Registry	Effective Clinical Care	Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear: Percentage of patients aged 18 years and older with a diagnosis of diabetes mellitus who were evaluated for proper footwear and sizing

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
130	0419	Claims, Registry, Measures Groups (Chronic Kidney Disease, Oncology, COPD, Cataracts, General Surgery, Heart Failure, Hepatitis C, Sinusitis, Sleep Apnea, Total Knee Replacement, Asthma, Acute Otitis, Externa (AOE), CAD), EHR, GPRO Web Interface	Patient Safety	Documentation of Current Medications in the Medical Record: Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration
131	0420	Claims, Registry, Measures Groups(AOE, Sinusitis, Rheumatoid Arthritis)	Community/Population Health	Pain Assessment and Follow-Up: Percentage of visits for patients aged 18 years and older with documentation of a pain assessment using a standardized tool(s) on each visit AND documentation of a follow-up plan when pain is present
154	0101	Claims, Registry, Measures Groups (AOE)	Patient Safety	Falls: Risk Assessment: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months
155	0101	Claims, Registry, Measures Groups (AOE)	Communication and Care Coordination	Falls: Plan of Care: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months
173	N/A	Registry, Measures Group (Preventive Care)	Community/ Population Health	Preventive Care and Screening: Unhealthy Alcohol Use – Screening: Percentage of patients aged 18 years and older who were screened for unhealthy alcohol use at least once within 24 months using a systematic screening method**

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
181	N/A	Claims, Registry	Patient Safety	Elder Maltreatment Screen and Follow-Up Plan: Percentage of patients aged 65 years and older with a documented elder maltreatment screen using an Elder Maltreatment Screening Tool on the date of encounter AND a documented follow-up plan on the date of the positive screen
182	N/A	Claims, Registry	Communication and Care Coordination	Functional Outcome Assessment: Percentage of visits for patients aged 18 years and older with documentation of a current functional outcome assessment using a standardized functional outcome assessment tool on the date of encounter AND documentation of a care plan based on identified functional outcome deficiencies on the date of the identified deficiency
217	0422	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Knee Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the knee in which the change in their Risk-Adjusted Functional Status is measured
218	0423	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Hip Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the hip in which the change in their Risk-Adjusted Functional Status is measured
219	0424	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lower Leg, Foot or Ankle Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the lower leg, foot or ankle in which the change in their Risk-Adjusted Functional Status is measured

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
220	0425	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lumbar Spine Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the lumbar spine in which the change in their Risk-Adjusted Functional Status is measured
221	0426	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Shoulder Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the shoulder in which the change in their Risk-Adjusted Functional Status is measured
222	0427	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Elbow, Wrist or Hand Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the elbow, wrist or hand in which the change in their Risk-Adjusted Functional Status is measured
223	0428	Registry	Communication and Care Coordination	Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments: Percentage of patients aged 18 or older that receive treatment for a functional deficit secondary to a diagnosis that affects the neck, cranium, mandible, thoracic spine, ribs, or other general orthopedic impairment in which the change in their Risk-Adjusted Functional Status is measured
226	0028	Claims, Registry, EHR, GPRO (Web Interface), Measures Groups	Community/ Population Health	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user

Proposed 2016 Physical Therapy/Occupational Therapy Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
Proposed New for 2016 PQRS	N/A	Registry, Measures Groups	Community/Population Health	Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling: Percentage of patients aged 18 years and older who were screened at least once within the last 24 months for unhealthy alcohol use using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user

This table is a resource of potential measures that may be applicable to eligible professionals providing clinical services for Physical or Occupational Therapy. Please note that in addition to this table, a 2016 Proposed Cross-Cutting Measures list is also available for reporting.