

Quality-Data Code Submission Error Report 3rd Quarter 2012 Physician Quality Reporting System

Report Date: 01/15/13

This summary is provided to assist eligible professionals and their staff in interpreting the Quality-Data Code Submission Error Report by Measure. Please note that this report is based on the number of valid quality-data codes (QDCs) submitted by measure and reasons why a submission is considered invalid. This report does not include the number of claims for which an expected QDC was not submitted on an eligible claim.

QDC Submission Attempts:

- Total QDCs Reported - The number of instances where a TIN/NPI submitted a QDC for that measure.
- Total Valid QDCs Reported on Eligible Cases - The number of instances where a TIN/NPI submitted a valid QDC for that measure.
- % Valid – Percentage of Total Valid QDCs Reported divided by Total QDCs Reported on Eligible Cases.
- Total QDCs Reported on Eligible Cases – Number of valid or invalid QDCs reported on eligible cases meeting the measure's denominator requirements.

Denominator Mismatch:

- Measure Reported with Incorrect Age and/or Gender - The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.
- Incorrect Diagnosis and/or HCPCS - The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.
- Measure Reported on an Instance with a Missing CPT Code - The number of occurrences of QDC reporting when there are no CPT codes for billable services on the claim associated with the denominator requirements for the measure.

How to Read the Quality-Data Code Submission Error Report by Measure:

Using Measure #1-Diabetes Mellitus: Hemoglobin A1c Poor Control in Diabetes Mellitus as an example, we find the following information as we read across each column:

527,957 QDC submissions were received for this measure, 433,591 of which were considered valid. Therefore, the Valid Submission Rate is 82.13%. There were a total of 434,076 QDCs reported on eligible cases. The rest of the columns explain reasons for invalid submissions for measure #1. We see that 71,580 (13.56%) submissions did not match the measure's age parameters; there is no gender parameter for this measure; 89,346 (16.92%) submissions were for patient encounters and/or diagnoses that are not listed in the denominator; 2,026 (0.38%) submissions showed only the numerator component (QDCs) on the claim and the denominator component (HCPCS) were not on the claim nor on any other related claim for the same beneficiary, date-of-service, TIN/NPI.

Analysis Findings Include:

Quality-Data Code Submission Error Report by Individual Measure (Claims)

1. The top 5 measures with the highest percentage of valid QDC codes submitted were:
 - #179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis (98.35%),
 - #177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity (98.00%),

#147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy (97.74%),
#108 Rheumatoid Arthritis (RA): Disease Modifying Anti-Rheumatic Drug (DMARD) Therapy (97.34%), and
#225 Radiology: Reminder System for Mammograms (96.84%).

2. The top 5 measures with the lowest percentage of valid QDC codes submitted (with at least 1 eligible instance) were:

#188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear (0.04%),
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (0.64%),
#122 Adult Kidney Disease: Blood Pressure Management (4.27%),
#231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (4.64%), and
#255 Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure (6.67%).

3. The 5 measures with the highest rate of HCPCS/diagnosis errors were:

#65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use (100.00%),
#123 Adult Kidney Disease: Patients On Erythropoiesis-Stimulating Agent (ESA) - Hemoglobin Level > 12.0 g/dL (99.58%),
#188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear (98.99%),
#66 Appropriate Testing for Children with Pharyngitis (96.25%), and
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (95.53%).

4. The 5 measures with the highest rate of patient age/gender errors were:

#65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use (100.00%),
#66 Appropriate Testing for Children with Pharyngitis (99.38%),
#231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (90.09%),
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (88.13%), and
#53 Asthma: Pharmacologic Therapy for Persistent Asthma (74.13%).

Appendix E

Physician Quality Reporting - Quality Data Code Submission Error Report by Individual Measure (Claims)

Report Includes Claims Data for Services Provided from January 1, 2012 through September 28, 2012 and Processed by September 28, 2012

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#1 Diabetes Mellitus: Hemoglobin A1c Poor Control in Diabetes Mellitus	527,957	433,591	82.13%	434,076	71,580	13.56%	89,346	16.92%	2,026	0.38%
#2 Diabetes Mellitus: Low Density Lipoprotein (LDL-C) Control in Diabetes Mellitus	475,344	387,555	81.53%	388,121	63,317	13.32%	83,189	17.50%	1,767	0.37%
#3 Diabetes Mellitus: High Blood Pressure Control in Diabetes Mellitus	585,618	408,847	69.81%	424,846	97,363	16.63%	154,369	26.36%	2,220	0.38%
#6 Coronary Artery Disease (CAD): Antiplatelet Therapy	447,097	403,338	90.21%	403,338	0	0.00%	42,761	9.56%	728	0.16%
#9 Major Depressive Disorder (MDD): Antidepressant Medication During Acute Phase for Patients with MDD	17,513	13,876	79.23%	13,876	0	0.00%	3,433	19.60%	150	0.86%
#10 Stroke and Stroke Rehabilitation: Computed Tomography (CT) or Magnetic Resonance Imaging (MRI) Reports	463,670	407,355	87.85%	421,846	3	0.00%	39,306	8.48%	1,938	0.42%
#12 Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation	903,737	770,083	85.21%	770,439	0	0.00%	130,985	14.49%	1,739	0.19%
#14 Age-Related Macular Degeneration (AMD): Dilated Macular Examination	974,357	934,901	95.95%	935,188	1,071	0.11%	37,261	3.82%	1,736	0.18%
#18 Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	326,857	264,412	80.90%	264,438	0	0.00%	61,498	18.81%	581	0.18%
#19 Diabetic Retinopathy: Communication with the Physician Managing On-going Diabetes Care	249,013	139,465	56.01%	172,725	0	0.00%	75,569	30.35%	402	0.16%
#20 Perioperative Care: Timing of Antibiotic Prophylaxis – Ordering Physician	123,913	88,501	71.42%	88,501	4	0.00%	34,266	27.65%	1,146	0.92%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#21 Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin	141,238	103,487	73.27%	103,499	9	0.01%	36,647	25.95%	1,092	0.77%
#22 Perioperative Care: Discontinuation of Prophylactic Antibiotics (Non-Cardiac Procedures)	139,075	78,526	56.46%	95,685	8	0.01%	42,109	30.28%	1,281	0.92%
#23 Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)	128,440	92,891	72.32%	92,892	10	0.01%	34,622	26.96%	926	0.72%
#24 Osteoporosis: Communication with the Physician Managing On-going Care Post-Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	6,017	4,476	74.39%	4,477	50	0.83%	1,488	24.73%	27	0.45%
#28 Aspirin at Arrival for Acute Myocardial Infarction (AMI)	61,524	56,350	91.59%	56,352	0	0.00%	4,837	7.86%	168	0.27%
#30 Perioperative Care: Timely Administration of Prophylactic Parenteral Antibiotics	3,272,379	2,604,507	79.59%	2,617,298	154	0.00%	639,429	19.54%	15,652	0.48%
#31 Stroke and Stroke Rehabilitation: Deep Vein Thrombosis (DVT) Prophylaxis for Ischemic Stroke or Intracranial Hemorrhage	26,391	21,981	83.29%	21,981	0	0.00%	4,295	16.27%	77	0.29%
#32 Stroke and Stroke Rehabilitation: Discharged on Antithrombotic Therapy	18,413	15,478	84.06%	15,478	0	0.00%	2,681	14.56%	190	1.03%
#35 Stroke and Stroke Rehabilitation: Screening for Dysphagia	22,470	16,189	72.05%	17,048	0	0.00%	5,309	23.63%	85	0.38%
#36 Stroke and Stroke Rehabilitation: Rehabilitation Services Ordered	14,816	12,302	83.03%	12,302	0	0.00%	2,354	15.89%	103	0.70%
#39 Screening or Therapy for Osteoporosis for Women Aged 65 Years and Older	418,165	386,179	92.35%	386,179	18,915	4.52%	29,512	7.06%	2,474	0.59%
#40 Osteoporosis: Management Following Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	19,658	9,858	50.15%	9,858	222	1.13%	9,458	48.11%	84	0.43%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#41 Osteoporosis: Pharmacologic Therapy for Men and Women Aged 50 Years and Older	47,163	37,798	80.14%	37,798	396	0.84%	9,063	19.22%	241	0.51%
#43 Coronary Artery Bypass Graft (CABG): Use of Internal Mammary Artery (IMA) in Patients with Isolated CABG Surgery	17,485	15,777	90.23%	15,778	0	0.00%	1,648	9.43%	59	0.34%
#44 Coronary Artery Bypass Graft (CABG): Preoperative Beta-Blocker in Patients with Isolated CABG Surgery	12,699	11,022	86.79%	11,022	0	0.00%	1,633	12.86%	44	0.35%
#45 Perioperative Care: Discontinuation of Prophylactic Antibiotics (Cardiac Procedures)	20,957	4,164	19.87%	17,606	0	0.00%	3,149	15.03%	202	0.96%
#46 Medication Reconciliation: Reconciliation After Discharge from an Inpatient Facility	39,679	6,188	15.60%	15,747	1,628	4.10%	3,865	9.74%	1,159	2.92%
#47 Advance Care Plan	974,358	897,567	92.12%	899,323	41,687	4.28%	70,687	7.25%	4,348	0.45%
#48 Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older	258,738	229,019	88.51%	229,024	18,768	7.25%	28,184	10.89%	1,530	0.59%
#49 Urinary Incontinence: Characterization of Urinary Incontinence in Women Aged 65 Years and Older	60,636	45,650	75.29%	45,687	3,350	5.52%	14,714	24.27%	85	0.14%
#50 Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older	58,548	44,001	75.15%	44,041	3,233	5.52%	14,268	24.37%	86	0.15%
#51 Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation	106,594	95,854	89.92%	95,854	0	0.00%	10,455	9.81%	251	0.24%
#52 Chronic Obstructive Pulmonary Disease (COPD): Bronchodilator Therapy	92,429	65,615	70.99%	85,806	0	0.00%	6,219	6.73%	365	0.39%
#53 Asthma: Pharmacologic Therapy for Persistent Asthma	8,968	1,300	14.50%	2,040	6,648	74.13%	6,646	74.11%	10	0.11%
#54 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Non-Traumatic Chest Pain	998,840	878,638	87.97%	878,642	13,584	1.36%	116,183	11.63%	3,336	0.33%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#55 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Syncope	190,769	161,755	84.79%	161,755	10,969	5.75%	27,997	14.68%	777	0.41%
#56 Emergency Medicine: Community-Acquired Pneumonia (CAP): Vital Signs	416,107	373,525	89.77%	373,533	5	0.00%	40,449	9.72%	1,370	0.33%
#57 Emergency Medicine: Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation	408,719	385,726	94.37%	385,726	5	0.00%	21,010	5.14%	1,375	0.34%
#58 Emergency Medicine: Community-Acquired Pneumonia (CAP): Assessment of Mental Status	372,298	355,474	95.48%	355,499	5	0.00%	15,109	4.06%	1,247	0.33%
#59 Emergency Medicine: Community-Acquired Pneumonia (CAP): Empiric Antibiotic	270,614	259,565	95.92%	259,565	5	0.00%	9,661	3.57%	1,092	0.40%
#64 Asthma: Assessment of Asthma Control	3,369	701	20.81%	880	2,415	71.68%	2,459	72.99%	2	0.06%
#65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use	81	0	0.00%	0	81	100.00%	81	100.00%	0	0.00%
#66 Appropriate Testing for Children with Pharyngitis	160	0	0.00%	1	159	99.38%	154	96.25%	0	0.00%
#67 Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemias: Baseline Cytogenetic Testing Performed on Bone Marrow	11,686	11,011	94.22%	11,011	0	0.00%	628	5.37%	44	0.38%
#68 Hematology: Myelodysplastic Syndrome (MDS): Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy	6,754	6,088	90.14%	6,485	0	0.00%	253	3.75%	13	0.19%
#69 Hematology: Multiple Myeloma: Treatment with Bisphosphonates	9,265	8,729	94.21%	8,730	0	0.00%	510	5.50%	24	0.26%
#70 Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry	12,099	11,535	95.34%	11,535	0	0.00%	532	4.40%	28	0.23%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#71 Breast Cancer: Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer	63,890	53,475	83.70%	59,854	297	0.46%	3,786	5.93%	222	0.35%
#72 Colon Cancer: Chemotherapy for Stage III Colon Cancer Patients	14,782	13,004	87.97%	13,656	0	0.00%	1,099	7.43%	25	0.17%
#76 Prevention of Catheter-Related Bloodstream Infections (CRBSI): Central Venous Catheter (CVC) Insertion Protocol	232,641	200,620	86.24%	200,622	0	0.00%	29,989	12.89%	2,030	0.87%
#84 Hepatitis C: Ribonucleic Acid (RNA) Testing Before Initiating Treatment	3,144	2,579	82.03%	2,821	0	0.00%	312	9.92%	9	0.29%
#85 Hepatitis C: HCV Genotype Testing Prior to Treatment	2,925	2,474	84.58%	2,760	0	0.00%	157	5.37%	7	0.24%
#86 Hepatitis C: Antiviral Treatment Prescribed	1,802	1,655	91.84%	1,655	0	0.00%	142	7.88%	3	0.17%
#87 Hepatitis C: HCV Ribonucleic Acid (RNA) Testing at Week 12 of Treatment	1,557	1,321	84.84%	1,394	0	0.00%	160	10.28%	2	0.13%
#89 Hepatitis C: Counseling Regarding Risk of Alcohol Consumption	3,181	2,517	79.13%	2,519	0	0.00%	651	20.47%	9	0.28%
#90 Hepatitis C: Counseling Regarding Use of Contraception Prior to Antiviral Therapy	425	208	48.94%	284	0	0.00%	133	31.29%	2	0.47%
#91 Acute Otitis Externa (AOE): Topical Therapy	6,661	6,229	93.51%	6,229	0	0.00%	397	5.96%	34	0.51%
#92 Acute Otitis Externa (AOE): Pain Assessment	7,728	6,341	82.05%	6,342	0	0.00%	1,350	17.47%	27	0.35%
#93 Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use	4,823	4,448	92.22%	4,452	0	0.00%	352	7.30%	18	0.37%
#99 Breast Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	30,645	24,261	79.17%	24,263	0	0.00%	6,144	20.05%	146	0.48%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#100 Colorectal Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	13,087	11,772	89.95%	11,772	0	0.00%	1,159	8.86%	104	0.79%
#102 Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low-Risk Prostate Cancer Patients	6,478	3,304	51.00%	3,429	0	0.00%	2,971	45.86%	67	1.03%
#104 Prostate Cancer: Adjuvant Hormonal Therapy for High-Risk Prostate Cancer Patients	3,798	3,002	79.04%	3,110	0	0.00%	650	17.11%	33	0.87%
#105 Prostate Cancer: Three-Dimensional (3D) Radiotherapy	4,641	4,146	89.33%	4,282	0	0.00%	311	6.70%	34	0.73%
#106 Major Depressive Disorder (MDD): Diagnostic Evaluation	11,270	7,079	62.81%	7,084	0	0.00%	4,103	36.41%	51	0.45%
#107 Major Depressive Disorder (MDD): Suicide Risk Assessment	35,315	21,785	61.69%	21,787	0	0.00%	13,311	37.69%	156	0.44%
#108 Rheumatoid Arthritis (RA): Disease Modifying Anti-Rheumatic Drug (DMARD) Therapy	32,526	31,662	97.34%	31,681	0	0.00%	784	2.41%	59	0.18%
#109 Osteoarthritis (OA): Function and Pain Assessment	98,521	77,580	78.74%	77,635	7	0.01%	19,656	19.95%	807	0.82%
#110 Preventive Care and Screening: Influenza Immunization	858,360	490,697	57.17%	490,697	0	0.00%	359,224	41.85%	0	0.00%
#111 Preventive Care and Screening: Pneumonia Vaccination for Patients 65 Years and Older	1,349,961	1,273,669	94.35%	1,274,242	36,269	2.69%	71,082	5.27%	4,637	0.34%
#112 Preventive Care and Screening: Screening Mammography	309,050	224,647	72.69%	224,694	72,981	23.61%	79,343	25.67%	5,013	1.62%
#113 Preventive Care and Screening: Colorectal Cancer Screening	786,458	660,220	83.95%	660,415	100,815	12.82%	120,751	15.35%	5,292	0.67%
#116 Antibiotic Treatment for Adults with Acute Bronchitis: Avoidance of Inappropriate Use	1,079	470	43.56%	470	516	47.82%	570	52.83%	15	1.39%
#117 Diabetes Mellitus: Dilated Eye Exam in Diabetic Patient	745,505	484,028	64.93%	485,071	238,729	32.02%	250,648	33.62%	1,423	0.19%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#119 Diabetes Mellitus: Urine Screening for Microalbumin or Medical Attention for Nephropathy in Diabetic Patients	124,108	104,463	84.17%	104,476	15,385	12.40%	17,886	14.41%	576	0.46%
#121 Adult Kidney Disease: Laboratory Testing (Lipid Profile)	30,104	28,277	93.93%	28,277	0	0.00%	1,668	5.54%	147	0.49%
#122 Adult Kidney Disease: Blood Pressure Management	148,324	6,329	4.27%	7,353	0	0.00%	110,729	74.65%	680	0.46%
#123 Adult Kidney Disease: Patients On Erythropoiesis-Stimulating Agent (ESA) - Hemoglobin Level > 12.0 g/dL	8,893	0	0.00%	0	0	0.00%	8,856	99.58%	24	0.27%
#124 Health Information Technology (HIT): Adoption/Use of Electronic Health Records (EHR)	14,674,747	13,665,209	93.12%	13,665,209	0	0.00%	923,612	6.29%	85,926	0.59%
#126 Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy – Neurological Evaluation	184,483	164,894	89.38%	164,894	0	0.00%	18,474	10.01%	939	0.51%
#127 Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear	141,802	131,777	92.93%	131,777	0	0.00%	9,239	6.52%	701	0.49%
#128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up	1,523,808	1,457,631	95.66%	1,457,631	1	0.00%	55,777	3.66%	10,400	0.68%
#130 Documentation of Current Medications in the Medical Record	9,214,429	8,757,763	95.04%	8,757,763	49	0.00%	405,956	4.41%	50,710	0.55%
#131 Pain Assessment and Follow-Up	586,533	525,473	89.59%	525,473	2	0.00%	56,360	9.61%	4,700	0.80%
#134 Screening for Clinical Depression and Follow-Up Plan	39,410	38,121	96.73%	38,121	0	0.00%	1,046	2.65%	243	0.62%
#140 Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement	676,776	648,410	95.81%	650,475	758	0.11%	25,223	3.73%	948	0.14%
#141 Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care	252,761	219,260	86.75%	233,032	0	0.00%	19,074	7.55%	556	0.22%
#142 Osteoarthritis (OA): Assessment for Use of Anti-Inflammatory or Analgesic Over-the-Counter (OTC) Medications	111,600	79,701	71.42%	79,729	2	0.00%	30,638	27.45%	652	0.58%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#145 Radiology: Exposure Time Reported for Procedures Using Fluoroscopy	773,870	716,654	92.61%	716,779	0	0.00%	51,507	6.66%	5,584	0.72%
#146 Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening	1,864,386	1,798,980	96.49%	1,805,148	0	0.00%	54,448	2.92%	4,669	0.25%
#147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy	143,910	140,651	97.74%	140,660	0	0.00%	2,829	1.97%	421	0.29%
#154 Falls: Risk Assessment	836,938	636,676	76.07%	752,542	60,252	7.20%	79,948	9.55%	4,448	0.53%
#155 Falls: Plan of Care	101,123	50,823	50.26%	50,830	0	0.00%	0	0.00%	2,271	2.25%
#156 Oncology: Radiation Dose Limits to Normal Tissues	2,713	2,203	81.20%	2,227	0	0.00%	455	16.77%	27	1.00%
#157 Thoracic Surgery: Recording of Clinical Stage Prior to Lung Cancer or Esophageal Cancer Resection	416	289	69.47%	289	0	0.00%	127	30.53%	0	0.00%
#158 Carotid Endarterectomy: Use of Patch During Conventional Carotid Endarterectomy	3,485	3,122	89.58%	3,122	0	0.00%	346	9.93%	17	0.49%
#163 Diabetes Mellitus: Foot Exam	189,237	129,079	68.21%	129,081	46,348	24.49%	56,148	29.67%	1,116	0.59%
#172 Hemodialysis Vascular Access Decision-Making by Surgeon to Maximize Placement of Autogenous Arterial Venous (AV) Fistula	3,816	3,294	86.32%	3,294	3	0.08%	500	13.10%	17	0.45%
#173 Preventive Care and Screening: Unhealthy Alcohol Use – Screening	607,122	587,156	96.71%	587,244	0	0.00%	17,909	2.95%	1,969	0.32%
#176 Rheumatoid Arthritis (RA): Tuberculosis Screening	13,985	12,077	86.36%	13,680	0	0.00%	276	1.97%	20	0.14%
#177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity	13,538	13,267	98.00%	13,271	0	0.00%	231	1.71%	34	0.25%
#178 Rheumatoid Arthritis (RA): Functional Status Assessment	31,297	13,931	44.51%	13,932	0	0.00%	17,221	55.02%	34	0.11%
#179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis	8,607	8,465	98.35%	8,465	0	0.00%	128	1.49%	14	0.16%
#180 Rheumatoid Arthritis (RA): Glucocorticoid Management	10,274	9,785	95.24%	10,073	0	0.00%	180	1.75%	21	0.20%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#181 Elder Maltreatment Screen and Follow-Up Plan	3,660	3,382	92.40%	3,382	206	5.63%	249	6.80%	29	0.79%
#182 Functional Outcome Assessment	239,094	216,769	90.66%	216,769	2	0.00%	19,904	8.32%	2,421	1.01%
#183 Hepatitis C: Hepatitis A Vaccination in Patients with HCV	2,066	1,709	82.72%	1,709	0	0.00%	348	16.84%	4	0.19%
#184 Hepatitis C: Hepatitis B Vaccination in Patients with HCV	2,028	1,684	83.04%	1,685	0	0.00%	339	16.72%	3	0.15%
#185 Endoscopy & Polyp Surveillance: Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use	33,206	28,818	86.79%	28,818	0	0.00%	4,177	12.58%	83	0.25%
#186 Chronic Wound Care: Use of Compression System in Patients with Venous Ulcers	4,956	1,746	35.23%	1,746	0	0.00%	3,127	63.10%	5	0.10%
#188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear	2,478	1	0.04%	1	0	0.00%	2,453	98.99%	0	0.00%
#189 Referral for Otologic Evaluation for Patients with History of Active Drainage from the Ear Within the Previous 90 Days	270	56	20.74%	62	0	0.00%	203	75.19%	1	0.37%
#190 Referral for Otologic Evaluation for Patients with a History of Sudden or Rapidly Progressive Hearing Loss	4,514	3,810	84.40%	3,927	0	0.00%	570	12.63%	16	0.35%
#193 Perioperative Temperature Management	2,605,106	2,462,389	94.52%	2,513,305	0	0.00%	84,230	3.23%	7,571	0.29%
#194 Oncology: Cancer Stage Documented	77,574	72,126	92.98%	72,243	0	0.00%	4,920	6.34%	362	0.47%
#195 Radiology: Stenosis Measurement in Carotid Imaging Reports	487,013	456,564	93.75%	457,267	0	0.00%	27,858	5.72%	1,888	0.39%
#201 Ischemic Vascular Disease (IVD): Blood Pressure Management Control	234,914	180,071	76.65%	191,704	0	0.00%	42,320	18.02%	596	0.25%
#204 Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic	246,635	217,116	88.03%	217,116	0	0.00%	28,565	11.58%	628	0.25%
#225 Radiology: Reminder System for Mammograms	1,112,477	1,077,364	96.84%	1,077,365	1,173	0.11%	32,218	2.90%	2,795	0.25%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	3,870,162	3,747,438	96.83%	3,755,244	17	0.00%	99,348	2.57%	15,570	0.40%
#231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting	5,276	245	4.64%	245	4,753	90.09%	4,763	90.28%	2	0.04%
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting	23,697	152	0.64%	355	20,885	88.13%	22,638	95.53%	3	0.01%
#235 Hypertension (HTN): Plan of Care	153,767	49,747	32.35%	142,685	0	0.00%	9,421	6.13%	1,482	0.96%
#241 Ischemic Vascular Disease (IVD): Complete Lipid Panel and Low Density Lipoprotein (LDL-C) Control	154,667	102,896	66.53%	132,940	0	0.00%	21,142	13.67%	396	0.26%
#245 Chronic Wound Care: Use of Wound Surface Culture Technique in Patients with Chronic Skin Ulcers	924	843	91.23%	843	0	0.00%	80	8.66%	0	0.00%
#246 Chronic Wound Care: Use of Wet to Dry Dressings in Patients with Chronic Skin Ulcers	835	693	82.99%	693	0	0.00%	137	16.41%	3	0.36%
#247 Substance Use Disorders: Counseling Regarding Psychosocial and Pharmacologic Treatment Options for Alcohol Dependence	59	50	84.75%	50	0	0.00%	9	15.25%	0	0.00%
#248 Substance Use Disorders: Screening for Depression Among Patients with Substance Abuse or Dependence	1,000	155	15.50%	155	0	0.00%	840	84.00%	0	0.00%
#249 Barrett's Esophagus	29,176	23,996	82.25%	23,996	0	0.00%	4,936	16.92%	199	0.68%
#250 Radical Prostatectomy Pathology Reporting	5,247	4,819	91.84%	4,819	0	0.00%	374	7.13%	53	1.01%
#251 Immunohistochemical (IHC) Evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) for Breast Cancer Patients	15,808	13,080	82.74%	13,094	0	0.00%	2,521	15.95%	174	1.10%
#252 Anticoagulation for Acute Pulmonary Embolus Patients	1,949	1,838	94.30%	1,838	0	0.00%	96	4.93%	8	0.41%
#253 Pregnancy Test for Female Abdominal Pain Patients	12,359	11,686	94.55%	11,686	95	0.77%	601	4.86%	65	0.53%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#254 Ultrasound Determination of Pregnancy Location for Pregnant Patients with Abdominal Pain	257	56	21.79%	56	3	1.17%	25	9.73%	1	0.39%
#255 Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure	30	2	6.67%	2	1	3.33%	8	26.67%	1	3.33%
#261 Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness	242	207	85.54%	207	0	0.00%	35	14.46%	0	0.00%
#262 Image Confirmation of Successful Excision of Image-Localized Breast Lesion	230	188	81.74%	188	0	0.00%	39	16.96%	3	1.30%
#263 Preoperative Diagnosis of Breast Cancer	246	190	77.24%	190	0	0.00%	48	19.51%	5	2.03%
#266 Epilepsy: Seizure Type(s) and Current Seizure Frequency(ies)	4,245	3,934	92.67%	3,934	0	0.00%	298	7.02%	11	0.26%
#267 Epilepsy: Documentation of Etiology of Epilepsy or Epilepsy Syndrome	3,220	3,051	94.75%	3,051	0	0.00%	161	5.00%	5	0.16%
#268 Epilepsy: Counseling for Women of Childbearing Potential with Epilepsy	317	231	72.87%	231	97	30.60%	76	23.97%	1	0.32%
#317 Preventive Care and Screening: Screening for High Blood Pressure	672,723	646,162	96.05%	646,162	6	0.00%	22,090	3.28%	4,471	0.66%
Total	60,727,852	54,463,067	89.68%	54,951,361	955,296	1.57%	5,347,474	8.81%	291,224	0.48%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.