

Quality-Data Code Submission Error Report 4th Quarter 2012 Physician Quality Reporting System

Report Date: 04/22/13

This summary is provided to assist eligible professionals and their staff in interpreting the Quality-Data Code Submission Error Report by Measure. Please note that this report is based on the number of valid quality-data codes (QDCs) submitted by measure and reasons why a submission is considered invalid. This report does not include the number of claims for which an expected QDC was not submitted on an eligible claim.

QDC Submission Attempts:

- Total QDCs Reported - The number of instances where a TIN/NPI submitted a QDC for that measure.
- Total Valid QDCs Reported on Eligible Cases - The number of instances where a TIN/NPI submitted a valid QDC for that measure.
- % Valid – Percentage of Total Valid QDCs Reported divided by Total QDCs Reported on Eligible Cases.
- Total QDCs Reported on Eligible Cases – Number of valid or invalid QDCs reported on eligible cases meeting the measure's denominator requirements.

Denominator Mismatch:

- Measure Reported with Incorrect Age and/or Gender - The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.
- Incorrect Diagnosis and/or HCPCS - The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.
- Measure Reported on an Instance with a Missing CPT Code - The number of occurrences of QDC reporting when there are no CPT codes for billable services on the claim associated with the denominator requirements for the measure.

How to Read the Quality-Data Code Submission Error Report by Measure:

Using Measure #1-Diabetes Mellitus: Hemoglobin A1c Poor Control in Diabetes Mellitus as an example, we find the following information as we read across each column:

642,064 QDC submissions were received for this measure, 529,216 of which were considered valid. Therefore, the Valid Submission Rate is 82.42%. There were a total of 529,942 QDCs reported on eligible cases. The rest of the columns explain reasons for invalid submissions for measure #1. We see that 84,923 (13.23%) submissions did not match the measure's age parameters; there is no gender parameter for this measure; 106,707 (16.62%) submissions were for patient encounters and/or diagnoses that are not listed in the denominator; 2,385 (0.37%) submissions showed only the numerator component (QDCs) on the claim and the denominator component (HCPCS) were not on the claim nor on any other related claim for the same beneficiary, date-of-service, TIN/NPI.

Analysis Findings Include:

Quality-Data Code Submission Error Report by Individual Measure (Claims)

1. The top 5 measures with the highest percentage of valid QDC codes submitted were:
 - #245 Chronic Wound Care: Use of Wound Surface Culture Technique in Patients with Chronic Skin Ulcers (99.09%),
 - #246 Chronic Wound Care: Use of Wet to Dry Dressings in Patients with Chronic Skin Ulcers (98.80%),
 - #179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis (98.37%),
 - #177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity (98.19%), and
 - #147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy (97.81%).

2. The top 5 measures with the lowest percentage of valid QDC codes submitted (with at least 1 eligible instance) were:
 - #188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear (0.16%),
 - #65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use (0.54%),
 - #232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (0.70%),
 - #122 Adult Kidney Disease: Blood Pressure Management (4.40%), and
 - #231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (4.81%).

3. The 5 measures with the highest rate of HCPCS/diagnosis errors were:
 - #188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear (98.97%),
 - #65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use (97.84%),
 - #66 Appropriate Testing for Children with Pharyngitis (96.41%),
 - #232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (95.43%), and
 - #231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (91.23%).

4. The 5 measures with the highest rate of patient age/gender errors were:
 - #66 Appropriate Testing for Children with Pharyngitis (99.49%),
 - #65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use (99.46%),
 - #231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (90.33%),
 - #232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (88.12%), and
 - #53 Asthma: Pharmacologic Therapy for Persistent Asthma (72.19%).

Appendix

Physician Quality Reporting - Quality Data Code Submission Error Report by Individual Measure (Claims)

Report Includes Claims Data for Services Provided from January 1, 2012 through December 28, 2012 and Processed by December 28, 2012

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#1 Diabetes Mellitus: Hemoglobin A1c Poor Control in Diabetes Mellitus	642,064	529,216	82.42%	529,942	84,923	13.23%	106,707	16.62%	2,385	0.37%
#2 Diabetes Mellitus: Low Density Lipoprotein (LDL-C) Control in Diabetes Mellitus	579,378	472,914	81.62%	473,548	75,472	13.03%	100,751	17.39%	2,073	0.36%
#3 Diabetes Mellitus: High Blood Pressure Control in Diabetes Mellitus	728,671	501,122	68.77%	520,316	122,917	16.87%	200,103	27.46%	2,616	0.36%
#6 Coronary Artery Disease (CAD): Antiplatelet Therapy	581,090	543,492	93.53%	543,492	0	0.00%	36,328	6.25%	1,064	0.18%
#9 Major Depressive Disorder (MDD): Antidepressant Medication During Acute Phase for Patients with MDD	23,787	19,107	80.33%	19,107	0	0.00%	4,434	18.64%	177	0.74%
#10 Stroke and Stroke Rehabilitation: Computed Tomography (CT) or Magnetic Resonance Imaging (MRI) Reports	629,918	553,089	87.80%	572,846	3	0.00%	53,513	8.50%	2,829	0.45%
#12 Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation	1,054,162	890,239	84.45%	890,531	0	0.00%	160,909	15.26%	2,011	0.19%
#14 Age-Related Macular Degeneration (AMD): Dilated Macular Examination	1,194,582	1,144,642	95.82%	1,144,975	1,398	0.12%	47,311	3.96%	2,063	0.17%
#18 Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	408,847	327,435	80.09%	327,462	0	0.00%	80,307	19.64%	669	0.16%
#19 Diabetic Retinopathy: Communication with the Physician Managing On-going Diabetes Care	318,586	174,274	54.70%	216,154	0	0.00%	101,590	31.89%	457	0.14%
#20 Perioperative Care: Timing of Antibiotic Prophylaxis – Ordering Physician	169,748	122,672	72.27%	122,672	6	0.00%	45,706	26.93%	1,370	0.81%
#21 Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin	193,157	141,303	73.15%	141,315	11	0.01%	50,432	26.11%	1,410	0.73%
#22 Perioperative Care: Discontinuation of Prophylactic Antibiotics (Non-Cardiac Procedures)	189,440	108,100	57.06%	131,171	9	0.00%	56,604	29.88%	1,665	0.88%
#23 Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)	175,463	127,077	72.42%	127,078	13	0.01%	47,202	26.90%	1,183	0.67%
#24 Osteoporosis: Communication with the Physician Managing On-going Care Post-Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	8,089	6,000	74.17%	6,005	67	0.83%	2,020	24.97%	34	0.42%
#28 Aspirin at Arrival for Acute Myocardial Infarction (AMI)	86,786	81,857	94.32%	81,859	0	0.00%	4,451	5.13%	284	0.33%
#30 Perioperative Care: Timely Administration of Prophylactic Parenteral Antibiotics	4,463,402	3,563,208	79.83%	3,580,637	213	0.00%	861,103	19.29%	21,662	0.49%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#31 Stroke and Stroke Rehabilitation: Deep Vein Thrombosis (DVT) Prophylaxis for Ischemic Stroke or Intracranial Hemorrhage	37,375	30,987	82.91%	30,987	0	0.00%	6,208	16.61%	126	0.34%
#32 Stroke and Stroke Rehabilitation: Discharged on Antithrombotic Therapy	26,524	22,181	83.63%	22,181	0	0.00%	3,985	15.02%	270	1.02%
#35 Stroke and Stroke Rehabilitation: Screening for Dysphagia	33,691	24,324	72.20%	25,941	0	0.00%	7,616	22.61%	93	0.28%
#36 Stroke and Stroke Rehabilitation: Rehabilitation Services Ordered	21,626	17,899	82.77%	17,899	0	0.00%	3,475	16.07%	169	0.78%
#39 Screening or Therapy for Osteoporosis for Women Aged 65 Years and Older	550,354	509,942	92.66%	509,942	23,724	4.31%	37,723	6.85%	2,689	0.49%
#40 Osteoporosis: Management Following Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	25,841	13,258	51.31%	13,258	319	1.23%	12,166	47.08%	101	0.39%
#41 Osteoporosis: Pharmacologic Therapy for Men and Women Aged 50 Years and Older	58,750	47,394	80.67%	47,394	510	0.87%	11,012	18.74%	272	0.46%
#43 Coronary Artery Bypass Graft (CABG): Use of Internal Mammary Artery (IMA) in Patients with Isolated CABG Surgery	23,388	14,938	63.87%	14,939	0	0.00%	8,284	35.42%	165	0.71%
#44 Coronary Artery Bypass Graft (CABG): Preoperative Beta-Blocker in Patients with Isolated CABG Surgery	16,958	10,394	61.29%	10,394	0	0.00%	6,420	37.86%	144	0.85%
#45 Perioperative Care: Discontinuation of Prophylactic Antibiotics (Cardiac Procedures)	27,948	6,033	21.59%	23,510	0	0.00%	4,170	14.92%	268	0.96%
#46 Medication Reconciliation: Reconciliation After Discharge from an Inpatient Facility	55,673	8,829	15.86%	22,239	2,351	4.22%	6,245	11.22%	1,335	2.40%
#47 Advance Care Plan	1,300,756	1,200,941	92.33%	1,202,820	52,861	4.06%	92,821	7.14%	5,115	0.39%
#48 Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older	329,827	291,595	88.41%	291,600	24,623	7.47%	36,466	11.06%	1,761	0.53%
#49 Urinary Incontinence: Characterization of Urinary Incontinence in Women Aged 65 Years and Older	77,365	58,470	75.58%	58,509	4,199	5.43%	18,570	24.00%	108	0.14%
#50 Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older	75,701	56,445	74.56%	56,487	4,117	5.44%	18,908	24.98%	113	0.15%
#51 Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation	132,576	119,025	89.78%	119,025	0	0.00%	13,212	9.97%	293	0.22%
#52 Chronic Obstructive Pulmonary Disease (COPD): Bronchodilator Therapy	116,485	81,151	69.67%	108,108	0	0.00%	7,900	6.78%	437	0.38%
#53 Asthma: Pharmacologic Therapy for Persistent Asthma	11,048	1,858	16.82%	2,745	7,975	72.19%	8,010	72.50%	15	0.14%
#54 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Non-Traumatic Chest Pain	1,345,394	1,192,204	88.61%	1,192,209	18,215	1.35%	147,780	10.98%	4,555	0.34%
#55 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Syncope	270,751	231,746	85.59%	231,746	14,637	5.41%	37,607	13.89%	1,093	0.40%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#56 Emergency Medicine: Community-Acquired Pneumonia (CAP): Vital Signs	572,524	515,289	90.00%	515,297	7	0.00%	54,235	9.47%	1,934	0.34%
#57 Emergency Medicine: Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation	556,123	524,603	94.33%	524,603	7	0.00%	28,785	5.18%	1,925	0.35%
#58 Emergency Medicine: Community-Acquired Pneumonia (CAP): Assessment of Mental Status	507,544	484,206	95.40%	484,247	7	0.00%	20,932	4.12%	1,750	0.34%
#59 Emergency Medicine: Community-Acquired Pneumonia (CAP): Empiric Antibiotic	373,968	358,776	95.94%	358,776	7	0.00%	13,184	3.53%	1,560	0.42%
#64 Asthma: Assessment of Asthma Control	4,223	1,025	24.27%	1,283	2,847	67.42%	2,905	68.79%	3	0.07%
#65 Treatment for Children with Upper Respiratory Infection (URI): Avoidance of Inappropriate Use	185	1	0.54%	1	184	99.46%	181	97.84%	0	0.00%
#66 Appropriate Testing for Children with Pharyngitis	195	0	0.00%	1	194	99.49%	188	96.41%	0	0.00%
#67 Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemias: Baseline Cytogenetic Testing Performed on Bone Marrow	13,415	12,614	94.03%	12,614	0	0.00%	743	5.54%	55	0.41%
#68 Hematology: Myelodysplastic Syndrome (MDS): Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy	7,845	7,090	90.38%	7,488	0	0.00%	327	4.17%	27	0.34%
#69 Hematology: Multiple Myeloma: Treatment with Bisphosphonates	10,800	10,186	94.31%	10,187	0	0.00%	580	5.37%	31	0.29%
#70 Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry	14,001	13,348	95.34%	13,348	0	0.00%	611	4.36%	38	0.27%
#71 Breast Cancer: Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer	77,562	66,776	86.09%	72,824	377	0.49%	4,449	5.74%	259	0.33%
#72 Colon Cancer: Chemotherapy for Stage III Colon Cancer Patients	17,763	15,772	88.79%	16,457	0	0.00%	1,272	7.16%	30	0.17%
#76 Prevention of Catheter-Related Bloodstream Infections (CRBSI): Central Venous Catheter (CVC) Insertion Protocol	318,412	272,910	85.71%	272,912	0	0.00%	42,608	13.38%	2,892	0.91%
#84 Hepatitis C: Ribonucleic Acid (RNA) Testing Before Initiating Treatment	4,011	3,115	77.66%	3,424	0	0.00%	569	14.19%	8	0.20%
#85 Hepatitis C: HCV Genotype Testing Prior to Treatment	3,594	2,916	81.14%	3,260	0	0.00%	319	8.88%	6	0.17%
#86 Hepatitis C: Antiviral Treatment Prescribed	2,278	1,969	86.44%	1,969	0	0.00%	296	12.99%	4	0.18%
#87 Hepatitis C: HCV Ribonucleic Acid (RNA) Testing at Week 12 of Treatment	1,976	1,550	78.44%	1,644	0	0.00%	320	16.19%	3	0.15%
#89 Hepatitis C: Counseling Regarding Risk of Alcohol Consumption	4,003	3,185	79.57%	3,187	0	0.00%	798	19.94%	15	0.37%
#90 Hepatitis C: Counseling Regarding Use of Contraception Prior to Antiviral Therapy	533	274	51.41%	368	0	0.00%	155	29.08%	2	0.38%
#91 Acute Otitis Externa (AOE): Topical Therapy	9,399	8,848	94.14%	8,848	0	0.00%	514	5.47%	36	0.38%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#92 Acute Otitis Externa (AOE): Pain Assessment	10,777	8,973	83.26%	8,974	0	0.00%	1,757	16.30%	37	0.34%
#93 Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use	6,832	6,356	93.03%	6,361	0	0.00%	449	6.57%	21	0.31%
#99 Breast Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	41,853	33,803	80.77%	33,806	0	0.00%	7,732	18.47%	200	0.48%
#100 Colorectal Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	18,375	16,594	90.31%	16,594	0	0.00%	1,557	8.47%	151	0.82%
#102 Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low-Risk Prostate Cancer Patients	8,260	4,311	52.19%	4,473	0	0.00%	3,663	44.35%	105	1.27%
#104 Prostate Cancer: Adjuvant Hormonal Therapy for High-Risk Prostate Cancer Patients	5,146	4,045	78.60%	4,195	0	0.00%	886	17.22%	59	1.15%
#105 Prostate Cancer: Three-Dimensional (3D) Radiotherapy	6,329	5,628	88.92%	5,809	0	0.00%	440	6.95%	52	0.82%
#106 Major Depressive Disorder (MDD): Diagnostic Evaluation	14,117	8,934	63.29%	8,939	0	0.00%	5,090	36.06%	48	0.34%
#107 Major Depressive Disorder (MDD): Suicide Risk Assessment	48,775	30,239	62.00%	30,242	0	0.00%	18,258	37.43%	165	0.34%
#108 Rheumatoid Arthritis (RA): Disease Modifying Anti-Rheumatic Drug (DMARD) Therapy	38,769	37,663	97.15%	37,680	0	0.00%	1,021	2.63%	66	0.17%
#109 Osteoarthritis (OA): Function and Pain Assessment	134,249	106,099	79.03%	106,214	10	0.01%	26,478	19.72%	1,032	0.77%
#110 Preventive Care and Screening: Influenza Immunization	1,704,620	1,399,669	82.11%	1,399,669	0	0.00%	295,042	17.31%	0	0.00%
#111 Preventive Care and Screening: Pneumonia Vaccination for Patients 65 Years and Older	1,747,182	1,652,369	94.57%	1,653,191	44,819	2.57%	88,327	5.06%	5,664	0.32%
#112 Preventive Care and Screening: Screening Mammography	406,676	300,311	73.85%	300,375	90,846	22.34%	100,431	24.70%	5,870	1.44%
#113 Preventive Care and Screening: Colorectal Cancer Screening	1,031,110	874,126	84.78%	874,391	124,847	12.11%	150,308	14.58%	6,411	0.62%
#116 Antibiotic Treatment for Adults with Acute Bronchitis: Avoidance of Inappropriate Use	1,668	741	44.42%	741	805	48.26%	874	52.40%	17	1.02%
#117 Diabetes Mellitus: Dilated Eye Exam in Diabetic Patient	975,696	635,715	65.16%	636,965	310,353	31.81%	326,160	33.43%	1,681	0.17%
#119 Diabetes Mellitus: Urine Screening for Microalbumin or Medical Attention for Nephropathy in Diabetic Patients	157,589	133,656	84.81%	133,669	18,670	11.85%	21,922	13.91%	656	0.42%
#121 Adult Kidney Disease: Laboratory Testing (Lipid Profile)	40,076	37,538	93.67%	37,538	0	0.00%	2,339	5.84%	185	0.46%
#122 Adult Kidney Disease: Blood Pressure Management	209,158	9,199	4.40%	10,656	0	0.00%	154,189	73.72%	1,074	0.51%
#123 Adult Kidney Disease: Patients On Erythropoiesis-Stimulating Agent (ESA) - Hemoglobin Level > 12.0 g/dL	30,577	16,879	55.20%	19,435	0	0.00%	11,102	36.31%	18	0.06%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#124 Health Information Technology (HIT): Adoption/Use of Electronic Health Records (EHR)	20,833,474	19,411,608	93.18%	19,411,608	0	0.00%	1,301,956	6.25%	119,910	0.58%
#126 Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy – Neurological Evaluation	224,652	200,673	89.33%	200,673	0	0.00%	22,713	10.11%	1,062	0.47%
#127 Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear	171,847	159,781	92.98%	159,781	0	0.00%	11,120	6.47%	838	0.49%
#128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up	2,018,463	1,935,401	95.88%	1,935,401	1	0.00%	70,217	3.48%	12,845	0.64%
#130 Documentation of Current Medications in the Medical Record	13,024,684	12,393,420	95.15%	12,393,420	61	0.00%	562,857	4.32%	68,407	0.53%
#131 Pain Assessment and Follow-Up	852,934	764,489	89.63%	764,489	2	0.00%	81,781	9.59%	6,664	0.78%
#134 Screening for Clinical Depression and Follow-Up Plan	68,720	66,522	96.80%	66,522	1	0.00%	1,868	2.72%	330	0.48%
#140 Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement	829,400	793,751	95.70%	796,140	1,004	0.12%	31,838	3.84%	1,255	0.15%
#141 Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care	297,204	256,058	86.16%	272,782	0	0.00%	23,597	7.94%	694	0.23%
#142 Osteoarthritis (OA): Assessment for Use of Anti-Inflammatory or Analgesic Over-the-Counter (OTC) Medications	150,669	108,587	72.07%	108,616	2	0.00%	40,457	26.85%	832	0.55%
#145 Radiology: Exposure Time Reported for Procedures Using Fluoroscopy	1,049,452	972,904	92.71%	973,088	0	0.00%	67,824	6.46%	8,540	0.81%
#146 Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening	2,649,760	2,560,998	96.65%	2,569,445	0	0.00%	73,495	2.77%	6,677	0.25%
#147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy	193,330	189,097	97.81%	189,107	0	0.00%	3,667	1.90%	556	0.29%
#154 Falls: Risk Assessment	547,131	417,470	76.30%	494,333	37,846	6.92%	50,175	9.17%	2,623	0.48%
#155 Falls: Plan of Care	131,693	65,777	49.95%	65,784	0	0.00%	0	0.00%	2,751	2.09%
#156 Oncology: Radiation Dose Limits to Normal Tissues	3,598	2,950	81.99%	2,979	0	0.00%	580	16.12%	32	0.89%
#157 Thoracic Surgery: Recording of Clinical Stage Prior to Lung Cancer or Esophageal Cancer Resection	564	403	71.45%	403	0	0.00%	161	28.55%	0	0.00%
#158 Carotid Endarterectomy: Use of Patch During Conventional Carotid Endarterectomy	4,666	4,185	89.69%	4,185	0	0.00%	456	9.77%	25	0.54%
#163 Diabetes Mellitus: Foot Exam	240,774	167,408	69.53%	167,410	56,939	23.65%	68,737	28.55%	1,300	0.54%
#172 Hemodialysis Vascular Access Decision-Making by Surgeon to Maximize Placement of Autogenous Arterial Venous (AV) Fistula	5,163	4,482	86.81%	4,482	3	0.06%	651	12.61%	21	0.41%
#173 Preventive Care and Screening: Unhealthy Alcohol Use – Screening	787,366	762,180	96.80%	762,266	0	0.00%	22,643	2.88%	2,457	0.31%
#176 Rheumatoid Arthritis (RA): Tuberculosis Screening	17,323	14,958	86.35%	16,953	0	0.00%	339	1.96%	21	0.12%
#177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity	16,725	16,422	98.19%	16,428	0	0.00%	267	1.60%	28	0.17%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#178 Rheumatoid Arthritis (RA): Functional Status Assessment	51,567	17,686	34.30%	17,687	0	0.00%	33,524	65.01%	29	0.06%
#179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis	11,068	10,888	98.37%	10,894	0	0.00%	161	1.45%	13	0.12%
#180 Rheumatoid Arthritis (RA): Glucocorticoid Management	13,066	12,514	95.78%	12,828	0	0.00%	220	1.68%	18	0.14%
#181 Elder Maltreatment Screen and Follow-Up Plan	5,753	5,406	93.97%	5,406	244	4.24%	314	5.46%	33	0.57%
#182 Functional Outcome Assessment	351,779	315,831	89.78%	315,831	2	0.00%	31,999	9.10%	3,949	1.12%
#183 Hepatitis C: Hepatitis A Vaccination in Patients with HCV	2,639	2,193	83.10%	2,193	0	0.00%	434	16.45%	6	0.23%
#184 Hepatitis C: Hepatitis B Vaccination in Patients with HCV	2,588	2,165	83.66%	2,166	0	0.00%	415	16.04%	5	0.19%
#185 Endoscopy & Polyp Surveillance: Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use	46,680	40,495	86.75%	40,495	0	0.00%	5,897	12.63%	98	0.21%
#186 Chronic Wound Care: Use of Compression System in Patients with Venous Ulcers	7,347	3,207	43.65%	3,207	0	0.00%	4,047	55.08%	7	0.10%
#188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear	3,097	5	0.16%	5	0	0.00%	3,065	98.97%	0	0.00%
#189 Referral for Otologic Evaluation for Patients with History of Active Drainage from the Ear Within the Previous 90 Days	497	78	15.69%	92	0	0.00%	399	80.28%	2	0.40%
#190 Referral for Otologic Evaluation for Patients with a History of Sudden or Rapidly Progressive Hearing Loss	7,635	6,459	84.60%	6,845	0	0.00%	762	9.98%	27	0.35%
#193 Perioperative Temperature Management	3,612,722	3,415,358	94.54%	3,485,492	0	0.00%	116,782	3.23%	10,448	0.29%
#194 Oncology: Cancer Stage Documented	93,559	87,065	93.06%	87,211	0	0.00%	5,891	6.30%	412	0.44%
#195 Radiology: Stenosis Measurement in Carotid Imaging Reports	660,710	619,331	93.74%	620,356	0	0.00%	37,422	5.66%	2,932	0.44%
#201 Ischemic Vascular Disease (IVD): Blood Pressure Management Control	311,993	248,928	79.79%	262,867	0	0.00%	47,843	15.33%	881	0.28%
#204 Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic	325,274	293,178	90.13%	293,178	0	0.00%	30,726	9.45%	897	0.28%
#225 Radiology: Reminder System for Mammograms	1,599,892	1,553,098	97.08%	1,553,100	1,626	0.10%	42,607	2.66%	4,066	0.25%
#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	5,081,291	4,925,583	96.94%	4,935,160	24	0.00%	127,005	2.50%	19,126	0.38%
#231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting	7,215	347	4.81%	347	6,517	90.33%	6,582	91.23%	2	0.03%
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting	30,136	212	0.70%	469	26,557	88.12%	28,758	95.43%	4	0.01%
#235 Hypertension (HTN): Plan of Care	238,696	82,115	34.40%	221,791	1	0.00%	14,642	6.13%	2,033	0.85%
#241 Ischemic Vascular Disease (IVD): Complete Lipid Panel and Low Density Lipoprotein (LDL-C) Control	195,317	135,081	69.16%	172,462	0	0.00%	22,117	11.32%	534	0.27%
#245 Chronic Wound Care: Use of Wound Surface Culture Technique in Patients with Chronic Skin Ulcers	34,376	34,063	99.09%	34,065	0	0.00%	294	0.86%	15	0.04%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	Measure Reported with Incorrect Age and/or Gender ^d		Incorrect DX and/or HCPCS		Measure Reported on an Instance with a Missing CPT Code	
					#	%	#	%	#	%
#246 Chronic Wound Care: Use of Wet to Dry Dressings in Patients with Chronic Skin Ulcers	34,418	34,004	98.80%	34,006	0	0.00%	393	1.14%	17	0.05%
#247 Substance Use Disorders: Counseling Regarding Psychosocial and Pharmacologic Treatment Options for Alcohol Dependence	88	75	85.23%	75	0	0.00%	13	14.77%	0	0.00%
#248 Substance Use Disorders: Screening for Depression Among Patients with Substance Abuse or Dependence	1,994	838	42.03%	838	0	0.00%	1,147	57.52%	1	0.05%
#249 Barrett's Esophagus	42,324	34,754	82.11%	34,754	0	0.00%	7,252	17.13%	275	0.65%
#250 Radical Prostatectomy Pathology Reporting	7,332	6,745	91.99%	6,745	0	0.00%	522	7.12%	64	0.87%
#251 Immunohistochemical (IHC) Evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) for Breast Cancer Patients	23,330	19,460	83.41%	19,475	0	0.00%	3,590	15.39%	240	1.03%
#252 Anticoagulation for Acute Pulmonary Embolus Patients	3,109	2,874	92.44%	2,874	0	0.00%	207	6.66%	10	0.32%
#253 Pregnancy Test for Female Abdominal Pain Patients	18,637	17,702	94.98%	17,702	118	0.63%	849	4.56%	80	0.43%
#254 Ultrasound Determination of Pregnancy Location for Pregnant Patients with Abdominal Pain	363	87	23.97%	87	5	1.38%	39	10.74%	1	0.28%
#255 Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure	30	2	6.67%	2	1	3.33%	8	26.67%	1	3.33%
#261 Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness	558	446	79.93%	446	0	0.00%	109	19.53%	3	0.54%
#262 Image Confirmation of Successful Excision of Image-Localized Breast Lesion	314	256	81.53%	256	0	0.00%	54	17.20%	4	1.27%
#263 Preoperative Diagnosis of Breast Cancer	360	274	76.11%	274	0	0.00%	71	19.72%	9	2.50%
#266 Epilepsy: Seizure Type(s) and Current Seizure Frequency(ies)	6,899	6,432	93.23%	6,432	0	0.00%	452	6.55%	13	0.19%
#267 Epilepsy: Documentation of Etiology of Epilepsy or Epilepsy Syndrome	5,210	4,956	95.12%	4,956	0	0.00%	242	4.64%	10	0.19%
#268 Epilepsy: Counseling for Women of Childbearing Potential with Epilepsy	554	402	72.56%	402	178	32.13%	137	24.73%	2	0.36%
#317 Preventive Care and Screening: Screening for High Blood Pressure	1,075,253	1,034,735	96.23%	1,034,735	8	0.00%	35,236	3.28%	5,282	0.49%
Total	83,158,651	75,117,514	90.33%	75,698,199	1,163,683	1.40%	6,889,671	8.28%	386,581	0.46%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.