

Potential Ophthalmology Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
12 CMS143v2	0086	Registry, EHR	Effective Clinical Care	Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation: Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) who have an optic nerve head evaluation during one or more office visits within 12 months
18 CMS167v2	0088	Registry, EHR	Effective Clinical Care	Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months
19 CMS142v2	0089	Registry, EHR	Effective Clinical Care	Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes mellitus regarding the findings of the macular or fundus exam at least once within 12 months
117 CMS131v2	0055	Registry, EHR, GPRO Web Interface, Measures Group (DM)	Effective Clinical Care	Diabetes: Eye Exam: Percentage of patients 18 through 75 years of age with a diagnosis of diabetes (type 1 and type 2) who had a retinal or dilated eye exam in the measurement period or a negative retinal or dilated eye exam (negative for retinopathy) in the year prior to the measurement period
141	0563	Registry	Communication and Care Coordination	Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care: Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) whose glaucoma treatment has not failed (the most recent IOP was reduced by at least 15% from the pre-intervention level) OR if the most recent IOP was not reduced by at least 15% from the pre-intervention level, a plan of care was documented within 12 months

Potential Ophthalmology Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
191 CMS133v2	0565	Registry, EHR, Measures Group (Cataract)	Effective Clinical Care	Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery
192 CMS132v2	0564	Registry, EHR, Measures Group (Cataract)	Patient Safety	Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and had any of a specified list of surgical procedures in the 30 days following cataract surgery which would indicate the occurrence of any of the following major complications: retained nuclear fragments, endophthalmitis, dislocated or wrong power IOL, retinal detachment, or wound dehiscence
303	N/A	Registry, Measures Group (Cataract)	Effective Clinical Care	Cataracts: Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery: Percentage of patients aged 18 years and older in sample who had cataract surgery and had improvement in visual function achieved within 90 days following the cataract surgery, based on completing a pre-operative and post-operative visual function survey
304	N/A	Registry, Measures Group (Cataract)	Person and Caregiver-Centered Experience and Outcomes	Cataracts: Patient Satisfaction within 90 Days Following Cataract Surgery. Percentage of patients aged 18 years and older in sample who had cataract surgery and were satisfied with their care within 90 days following the cataract surgery, based on completion of the Consumer Assessment of Healthcare Providers and Systems Surgical Care Survey
2015 PQRS Proposed New Measure	N/A	Registry	Effective Clinical Care	Adult Primary Rhegmatogenous Retinal Detachment Reoperation Rate: % of surgeries for primary rhegmatogenous retinal detachment where the retina remains attached after only one surgery
2015 PQRS Proposed New Measure	N/A	Registry	Effective Clinical Care	Adult Primary Rhegmatogenous Retinal Detachment Surgery Success Rate: Percentage(%) of Retinal Detachment cases achieving flat retinas six months post - surgery

Potential Ophthalmology Preferred Specialty Measure Set

PQRS# CMS# GPRO#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
2015 PQRS Proposed New Measure	N/A	Registry	Patient Safety	Cataract Surgery with Intra-Operative Complications (Unplanned Rupture of Posterior Capsule requiring unplanned vitrectomy): Rupture of the posterior capsule during anterior segment surgery requiring vitrectomy
2015 PQRS Proposed New Measure	N/A	Registry	Effective Clinical Care	Cataract Surgery: Difference Between Planned and Final Refraction: Percentage of patients who achieve planned refraction within +/-1,0 D

This table is a resource of potential measures that may be applicable to eligible professionals providing clinical services for Ophthalmology.