

**Quality-Data Code Submission Error Report
2013 Physician Quality Reporting System**

This summary is provided to assist eligible professionals and their staff in interpreting the Quality-Data Code Submission Error Report by Measure. Please note that this report is based on the number of valid quality-data codes (QDCs) submitted by measure and reasons why a submission is considered invalid. This report does not include the number of claims for which an expected QDC was not submitted on an eligible claim.

QDC Submission Attempts:

- Total QDCs Reported – The number of instances where a TIN/NPI submitted a QDC for that measure.
- Total Valid QDCs Reported on Eligible Cases – The number of instances where a TIN/NPI submitted a valid QDC for that measure.
- % Valid – Percentage of Total Valid QDCs Reported divided by Total QDCs Reported on Eligible Cases
- Total QDCs Reported on Eligible Cases – Number of valid or invalid QDCs reported on eligible cases meeting the measure’s denominator requirements.

Denominator Mismatch:

- Measure Reported with Incorrect Age and/or Gender – The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.
- Incorrect Diagnosis and/or HCPCS – The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.
- Measure Reported on an Instance with a Missing CPT Code – The number of occurrences of QDC reporting when there are no CPT codes for billable services on the claim associated with the denominator requirements for the measure.

How to Read the Quality-Data Code Submission Error Report by Measure:

Using Measure #1-Diabetes Mellitus: Hemoglobin A1c Poor Control in Diabetes Mellitus as an example, we find the following information as we read across each column:

676,015 QDC submissions were received for this measure, 552,666 of which were considered valid. Therefore, the Valid Submission Rate is 81.75%. There were a total of 553,178 QDCs reported on eligible cases. The rest of the columns explain reasons for invalid submissions for measure #1. We see that 88,096 (13.03%) submissions did not match the measure’s age parameters; there is no gender parameter for this measure; 115,820 (17.13%) submissions were for patient encounters and/or diagnoses that are not listed in the denominator; 2,315 (0.34%) submissions showed only the numerator component (QDCs) on the claim and the denominator component (HCPCS) were not on the claim nor on any other related claim for the same beneficiary, date-of-service, TIN/NPI.

Analysis Findings Include:

Quality-Data Code Submission Error Report by Individual Measure (Claims)

1. The top 5 measures with the highest percentage of valid QDC codes submitted were:
 - #179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis (98.63%)
 - #177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity (98.30%)
 - #321 Participation by a Hospital, Physician or Other Clinician in a Systematic Clinical Database Registry that Includes Consensus Endorsed Quality (97.88%)
 - #147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy (97.63%)
 - #225 Radiology: Reminder System for Mammograms (97.25%)

2. The top 5 measures with the highest rate of HCPCS/diagnosis errors were:
 - #327 Pediatric Kidney Disease: Adequacy of Volume Management (97.73%)
 - #188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear (96.66%)
 - #66 Appropriate Testing for Children with Pharyngitis (96.35%)
 - #232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (94.72%)
 - #231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting (92.32%)

3. The 5 measures with the highest rate of patient age/gender errors were:
 - #327 Pediatric Kidney Disease: Adequacy of Volume Management (100.00%)
 - #65 Appropriate Treatment for Children with Upper Respiratory Infection (URI) (99.75%)
 - #66 Appropriate Testing for Children with Pharyngitis (99.54%)
 - #328 Pediatric Kidney Disease: ESRD Patients Receiving Dialysis: Hemoglobin Level < 10g/dL (94.12%)
 - #232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting (90.11%)

Physician Quality Reporting - Quality Data Code Submission Error Report by Individual Measure (Claims)

Report Includes Claims Data for Services Provided from January 1, 2013 through December 31, 2013 and Processed by February 28, 2014

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#1 Diabetes Mellitus: Hemoglobin A1c Poor Control	676,015	552,666	81.75%	553,178	88,096	13.03%	115,820	17.13%	2,315	0.34%
#2 Diabetes Mellitus: Low Density Lipoprotein (LDL-C) Control	609,517	480,347	78.81%	480,991	80,781	13.25%	120,562	19.78%	1,683	0.28%
#3 Diabetes Mellitus: High Blood Pressure Control	459,752	327,367	71.21%	342,085	67,122	14.60%	112,669	24.51%	1,354	0.29%
#6 Coronary Artery Disease (CAD): Antiplatelet Therapy	636,088	577,689	90.82%	577,689	0	0.00%	57,322	9.01%	889	0.14%
#9 Major Depressive Disorder (MDD): Antidepressant Medication During Acute Phase for Patients with MDD	29,641	25,678	86.63%	25,678	0	0.00%	3,849	12.99%	93	0.31%
#12 Primary Open Angle Glaucoma (POAG): Optic Nerve Evaluation	1,087,175	912,754	83.96%	913,163	1	0.00%	171,178	15.75%	1,916	0.18%
#14 Age-Related Macular Degeneration (AMD): Dilated Macular Examination	1,245,275	1,189,640	95.53%	1,189,750	1,486	0.12%	53,217	4.27%	1,982	0.16%
#18 Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	433,027	342,115	79.01%	342,127	0	0.00%	89,766	20.73%	709	0.16%
#19 Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care	363,267	186,595	51.37%	233,163	0	0.00%	128,890	35.48%	607	0.17%
#20 Perioperative Care: Timing of Prophylactic Parenteral Antibiotic – Ordering Physician	191,063	154,198	80.71%	154,198	6	0.00%	35,402	18.53%	1,463	0.77%
#21 Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin	194,688	155,588	79.92%	155,590	3	0.00%	37,688	19.36%	1,410	0.72%
#22 Perioperative Care: Discontinuation of Prophylactic Parenteral Antibiotics (Non-Cardiac Procedures)	185,208	124,804	67.39%	144,343	2	0.00%	39,049	21.08%	1,816	0.98%
#23 Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)	161,557	121,072	74.94%	121,073	4	0.00%	39,139	24.23%	1,345	0.83%
#24 Osteoporosis: Communication with the Physician Managing Ongoing Care Post-Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	8,403	5,328	63.41%	5,328	39	0.46%	2,996	35.65%	25	0.30%
#28 Aspirin at Arrival for Acute Myocardial Infarction (AMI)	98,553	91,790	93.14%	91,792	0	0.00%	6,054	6.14%	416	0.42%
#30 Perioperative Care: Timely Administration of Prophylactic Parenteral Antibiotics	4,937,467	3,904,926	79.09%	3,926,383	215	0.00%	981,393	19.88%	29,691	0.60%
#31 Stroke and Stroke Rehabilitation: Deep Vein Thrombosis (DVT) Prophylaxis for Ischemic Stroke or Intracranial Hemorrhage	62,152	53,323	85.79%	53,323	0	0.00%	8,360	13.45%	367	0.59%
#32 Stroke and Stroke Rehabilitation: Discharged on Antithrombotic Therapy	44,304	36,696	82.83%	36,696	0	0.00%	7,024	15.85%	455	1.03%
#35 Stroke and Stroke Rehabilitation: Screening for Dysphagia	41,276	34,927	84.62%	36,574	0	0.00%	4,481	10.86%	204	0.49%
#36 Stroke and Stroke Rehabilitation: Rehabilitation Services Ordered	41,201	34,884	84.67%	34,884	0	0.00%	5,764	13.99%	411	1.00%
#39 Screening or Therapy for Osteoporosis for Women Aged 65 Years and Older	619,275	579,801	93.63%	579,801	22,613	3.65%	37,073	5.99%	2,401	0.39%
#40 Osteoporosis: Management Following Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older	17,805	3,446	19.35%	3,446	239	1.34%	14,085	79.11%	10	0.06%
#41 Osteoporosis: Pharmacologic Therapy for Men and Women Aged 50 Years and Older	53,029	44,830	84.54%	44,830	364	0.69%	8,015	15.11%	131	0.25%
#43 Coronary Artery Bypass Graft (CABG): Use of Internal Mammary Artery (IMA) in Patients with Isolated CABG Surgery	17,790	11,283	63.42%	11,283	0	0.00%	6,382	35.87%	125	0.70%
#44 Coronary Artery Bypass Graft (CABG): Preoperative Beta-Blocker in Patients with Isolated CABG Surgery	13,665	8,250	60.37%	8,250	0	0.00%	5,281	38.65%	134	0.98%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#45 Perioperative Care: Discontinuation of Prophylactic Parenteral Antibiotics (Cardiac Procedures)	19,729	6,176	31.30%	16,207	0	0.00%	3,283	16.64%	239	1.21%
#46 Medication Reconciliation	178,331	43,956	24.65%	43,956	5,554	3.11%	15,752	8.83%	3,124	1.75%
#47 Advance Care Plan	1,604,639	1,445,177	90.06%	1,448,691	38,932	2.43%	148,681	9.27%	7,267	0.45%
#48 Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older	462,409	422,948	91.47%	422,954	25,349	5.48%	36,859	7.97%	2,596	0.56%
#49 Urinary Incontinence: Characterization of Urinary Incontinence in Women Aged 65 Years and Older	72,540	56,456	77.83%	56,461	3,131	4.32%	15,834	21.83%	88	0.12%
#50 Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older	75,727	55,886	73.80%	55,890	3,584	4.73%	19,431	25.66%	112	0.15%
#51 Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation	149,809	135,117	90.19%	135,117	0	0.00%	14,198	9.48%	435	0.29%
#52 Chronic Obstructive Pulmonary Disease (COPD): Bronchodilator Therapy	117,228	65,300	55.70%	111,063	0	0.00%	5,798	4.95%	344	0.29%
#53 Asthma: Pharmacologic Therapy for Persistent Asthma - Ambulatory Care Setting	14,936	3,717	24.89%	4,451	10,136	67.86%	10,217	68.41%	19	0.13%
#54 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Non-Traumatic Chest Pain	1,284,423	1,186,621	92.39%	1,186,624	15,171	1.18%	91,394	7.12%	5,761	0.45%
#55 Emergency Medicine: 12-Lead Electrocardiogram (ECG) Performed for Syncope	351,525	326,003	92.74%	326,003	9,680	2.75%	23,685	6.74%	1,549	0.44%
#56 Emergency Medicine: Community-Acquired Pneumonia (CAP): Vital Signs	641,990	568,383	88.53%	568,409	1	0.00%	69,676	10.85%	2,528	0.39%
#59 Emergency Medicine: Community-Acquired Pneumonia (CAP): Empiric Antibiotic	438,120	419,185	95.68%	419,185	1	0.00%	15,985	3.65%	2,207	0.50%
#64 Asthma: Assessment of Asthma Control - Ambulatory Care Setting	7,696	2,150	27.94%	2,782	4,738	61.56%	4,837	62.85%	12	0.16%
#65 Appropriate Treatment for Children with Upper Respiratory Infection (URI)	802	2	0.25%	2	800	99.75%	736	91.77%	0	0.00%
#66 Appropriate Testing for Children with Pharyngitis	219	0	0.00%	0	218	99.54%	211	96.35%	0	0.00%
#67 Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemias: Baseline Cytogenetic Testing Performed on Bone Marrow	13,770	13,028	94.61%	13,028	0	0.00%	701	5.09%	35	0.25%
#68 Hematology: Myelodysplastic Syndrome (MDS): Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy	7,900	7,057	89.33%	7,501	0	0.00%	377	4.77%	21	0.27%
#69 Hematology: Multiple Myeloma: Treatment with Bisphosphonates	11,396	10,862	95.31%	10,863	0	0.00%	503	4.41%	30	0.26%
#70 Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry	14,523	13,792	94.97%	13,792	0	0.00%	697	4.80%	34	0.23%
#71 Breast Cancer: Hormonal Therapy for Stage IC - IIIC Estrogen Receptor/Progesterone Receptor (ER/PR) Positive Breast Cancer	83,279	74,372	89.30%	78,782	541	0.65%	4,239	5.09%	208	0.25%
#72 Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients	17,924	11,725	65.42%	13,602	3,218	17.95%	4,239	23.65%	18	0.10%
#76 Prevention of Catheter-Related Bloodstream Infections (CRBSI): Central Venous Catheter (CVC) Insertion Protocol	351,748	300,931	85.55%	300,938	0	0.00%	48,365	13.75%	2,445	0.70%
#84 Hepatitis C: Ribonucleic Acid (RNA) Testing Before Initiating Treatment	5,679	1,974	34.76%	2,264	0	0.00%	3,378	59.48%	16	0.28%
#85 Hepatitis C: HCV Genotype Testing Prior to Treatment	5,136	1,689	32.89%	2,077	0	0.00%	3,039	59.17%	8	0.16%
#86 Hepatitis C: Antiviral Treatment Prescribed	4,755	1,677	35.27%	1,677	0	0.00%	3,050	64.14%	5	0.11%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#87 Hepatitis C: HCV Ribonucleic Acid (RNA) Testing at Week 12 of Treatment	4,509	1,267	28.10%	1,388	0	0.00%	3,104	68.84%	4	0.09%
#89 Hepatitis C: Counseling Regarding Risk of Alcohol Consumption	4,839	3,820	78.94%	3,821	0	0.00%	977	20.19%	13	0.27%
#90 Hepatitis C: Counseling Regarding Use of Contraception Prior to Antiviral Therapy	2,606	756	29.01%	855	0	0.00%	1,744	66.92%	4	0.15%
#91 Acute Otitis Externa (AOE): Topical Therapy	18,112	14,992	82.77%	14,992	0	0.00%	3,071	16.96%	41	0.23%
#93 Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use	13,710	10,775	78.59%	10,824	0	0.00%	2,843	20.74%	36	0.26%
#99 Breast Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	40,167	34,403	85.65%	34,404	0	0.00%	5,445	13.56%	243	0.60%
#100 Colorectal Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade	20,417	18,553	90.87%	18,553	0	0.00%	1,635	8.01%	180	0.88%
#102 Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients	8,388	5,273	62.86%	5,487	0	0.00%	2,581	30.77%	285	3.40%
#104 Prostate Cancer: Adjuvant Hormonal Therapy for High Risk Prostate Cancer Patients	6,881	5,081	73.84%	5,237	0	0.00%	1,448	21.04%	184	2.67%
#106 Adult Major Depressive Disorder (MDD): Comprehensive Diagnostic Evaluation: Diagnosis and Severity	24,211	7,076	29.23%	15,376	0	0.00%	8,693	35.91%	62	0.26%
#107 Major Depressive Disorder (MDD): Suicide Risk Assessment	27,659	15,763	56.99%	15,763	0	0.00%	11,648	42.11%	76	0.27%
#108 Rheumatoid Arthritis (RA): Disease Modifying Anti-Rheumatic Drug (DMARD) Therapy	44,373	42,982	96.87%	42,992	0	0.00%	1,345	3.03%	32	0.07%
#109 Osteoarthritis (OA): Function and Pain Assessment	160,555	130,855	81.50%	130,964	1	0.00%	27,735	17.27%	1,491	0.93%
#110 Preventive Care and Screening: Influenza Immunization	2,510,272	2,216,666	88.30%	2,216,666	0	0.00%	281,513	11.21%	0	0.00%
#111 Preventive Care and Screening: Pneumococcal Vaccination for Patients 65 Years and Older	2,811,807	2,676,772	95.20%	2,677,513	58,200	2.07%	124,170	4.42%	10,124	0.36%
#112 Preventive Care and Screening: Breast Cancer Screening	669,736	541,752	80.89%	541,871	102,765	15.34%	119,828	17.89%	8,037	1.20%
#113 Preventive Care and Screening: Colorectal Cancer Screening	1,618,008	1,441,367	89.08%	1,441,695	131,912	8.15%	167,944	10.38%	8,369	0.52%
#116 Antibiotic Treatment for Adults with Acute Bronchitis: Avoidance of Inappropriate Use	2,335	1,334	57.13%	1,334	842	36.06%	970	41.54%	4	0.17%
#117 Diabetes Mellitus: Dilated Eye Exam	1,144,519	751,999	65.70%	753,530	354,109	30.94%	375,197	32.78%	1,955	0.17%
#119 Diabetes Mellitus: Medical Attention for Nephropathy	199,036	174,179	87.51%	174,205	17,691	8.89%	22,575	11.34%	668	0.34%
#121 Adult Kidney Disease: Laboratory Testing (Lipid Profile)	54,741	49,218	89.91%	49,218	0	0.00%	5,148	9.40%	188	0.34%
#122 Adult Kidney Disease: Blood Pressure Management	252,796	12,878	5.09%	15,230	0	0.00%	171,336	67.78%	1,018	0.40%
#123 Adult Kidney Disease: Patients On Erythropoiesis-Stimulating Agent (ESA) - Hemoglobin Level > 12.0 g/dL	32,488	23,372	71.94%	26,522	0	0.00%	5,841	17.98%	76	0.23%
#126 Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy – Neurological Evaluation	363,232	334,141	91.99%	334,141	0	0.00%	27,674	7.62%	1,205	0.33%
#127 Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear	285,307	264,620	92.75%	264,620	0	0.00%	19,483	6.83%	1,040	0.36%
#128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up	4,138,241	4,000,761	96.68%	4,000,761	6	0.00%	120,818	2.92%	16,662	0.40%
#130 Documentation of Current Medications in the Medical Record	18,157,709	17,216,626	94.82%	17,216,626	56	0.00%	851,835	4.69%	89,248	0.49%
#131 Pain Assessment and Follow-Up	5,717,354	5,060,082	88.50%	5,060,082	2	0.00%	610,716	10.68%	46,556	0.81%
#134 Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan	280,772	272,620	97.10%	272,620	0	0.00%	7,277	2.59%	875	0.31%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#140 Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement	872,268	831,576	95.33%	833,432	1,031	0.12%	37,315	4.28%	1,284	0.15%
#141 Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care	316,600	261,974	82.75%	282,106	0	0.00%	33,530	10.59%	681	0.22%
#142 Osteoarthritis (OA): Assessment for Use of Anti-Inflammatory or Analgesic Over-the-Counter (OTC) Medications	191,761	145,363	75.80%	145,370	2	0.00%	44,650	23.28%	1,136	0.59%
#145 Radiology: Exposure Time Reported for Procedures Using Fluoroscopy	1,293,508	1,172,550	90.65%	1,172,883	0	0.00%	110,600	8.55%	10,025	0.78%
#146 Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening	3,196,860	3,095,117	96.82%	3,103,825	0	0.00%	84,389	2.64%	8,474	0.27%
#147 Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy	215,665	210,561	97.63%	210,577	0	0.00%	4,379	2.03%	709	0.33%
#154 Falls: Risk Assessment	1,230,405	1,031,307	83.82%	1,141,439	52,371	4.26%	82,524	6.71%	6,442	0.52%
#155 Falls: Plan of Care	215,054	112,730	52.42%	112,734	0	0.00%	0	0.00%	4,087	1.90%
#156 Oncology: Radiation Dose Limits to Normal Tissues	3,662	2,601	71.03%	2,601	0	0.00%	1,016	27.74%	37	1.01%
#157 Thoracic Surgery: Recording of Clinical Stage Prior to Lung Cancer or Esophageal Cancer Resection	491	364	74.13%	365	0	0.00%	123	25.05%	1	0.20%
#163 Diabetes Mellitus: Foot Exam	381,476	268,495	70.38%	268,512	85,634	22.45%	107,256	28.12%	1,870	0.49%
#172 Hemodialysis Vascular Access Decision-Making by Surgeon to Maximize Placement of Autogenous Arterial Venous (AV) Fistula	5,372	4,437	82.59%	4,437	1	0.02%	919	17.11%	6	0.11%
#173 Preventive Care and Screening: Unhealthy Alcohol Use – Screening	1,520,398	1,456,543	95.80%	1,456,643	0	0.00%	58,604	3.85%	5,151	0.34%
#176 Rheumatoid Arthritis (RA): Tuberculosis Screening	20,751	17,416	83.93%	19,969	0	0.00%	757	3.65%	20	0.10%
#177 Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity	20,889	20,533	98.30%	20,543	0	0.00%	315	1.51%	28	0.13%
#178 Rheumatoid Arthritis (RA): Functional Status Assessment	78,585	22,813	29.03%	22,815	0	0.00%	55,401	70.50%	28	0.04%
#179 Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis	15,630	15,416	98.63%	15,417	0	0.00%	190	1.22%	22	0.14%
#180 Rheumatoid Arthritis (RA): Glucocorticoid Management	16,287	15,310	94.00%	15,910	0	0.00%	351	2.16%	23	0.14%
#181 Elder Maltreatment Screen and Follow-Up Plan	142,622	138,208	96.91%	138,208	1,130	0.79%	3,928	2.75%	486	0.34%
#182 Functional Outcome Assessment	3,854,596	3,349,871	86.91%	3,349,871	1	0.00%	462,657	12.00%	42,068	1.09%
#183 Hepatitis C: Hepatitis A Vaccination in Patients with HCV	3,074	2,341	76.15%	2,341	0	0.00%	724	23.55%	4	0.13%
#184 Hepatitis C: Hepatitis B Vaccination in Patients with HCV	2,995	2,318	77.40%	2,318	0	0.00%	672	22.44%	3	0.10%
#185 Endoscopy & Polyp Surveillance: Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use	57,192	46,469	81.25%	46,470	0	0.00%	9,946	17.39%	255	0.45%
#188 Referral for Otologic Evaluation for Patients with Congenital or Traumatic Deformity of the Ear	7,356	149	2.03%	149	0	0.00%	7,110	96.66%	2	0.03%
#193 Perioperative Temperature Management	5,027,299	4,766,829	94.82%	4,851,014	0	0.00%	158,588	3.15%	17,697	0.35%
#194 Oncology: Cancer Stage Documented	222,994	197,991	88.79%	198,229	0	0.00%	23,667	10.61%	892	0.40%
#195 Radiology: Stenosis Measurement in Carotid Imaging Reports	730,581	683,520	93.56%	684,610	0	0.00%	42,784	5.86%	3,187	0.44%
#201 Ischemic Vascular Disease (IVD): Blood Pressure Management	301,255	168,002	55.77%	172,497	97,892	32.49%	125,885	41.79%	465	0.15%
#204 Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic	456,594	409,168	89.61%	409,168	0	0.00%	45,800	10.03%	758	0.17%
#225 Radiology: Reminder System for Mammograms	2,452,225	2,384,830	97.25%	2,384,835	2,053	0.08%	60,470	2.47%	6,753	0.28%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	7,402,612	7,166,016	96.80%	7,173,598	21	0.00%	204,176	2.76%	24,838	0.34%
#231 Asthma: Tobacco Use: Screening - Ambulatory Care Setting	14,093	887	6.29%	887	12,373	87.80%	13,011	92.32%	1	0.01%
#232 Asthma: Tobacco Use: Intervention - Ambulatory Care Setting	39,544	388	0.98%	651	35,632	90.11%	37,455	94.72%	6	0.02%
#236 Hypertension (HTN): Controlling High Blood Pressure	405,761	298,130	73.47%	317,751	24,345	6.00%	85,502	21.07%	817	0.20%
#241 Ischemic Vascular Disease (IVD): Complete Lipid Panel and Low Density Lipoprotein (LDL-C) Control	219,002	160,025	73.07%	189,046	1	0.00%	29,509	13.47%	279	0.13%
#245 Chronic Wound Care: Use of Wound Surface Culture Technique in Patients with Chronic Skin Ulcers (Overuse Measure)	263,089	254,955	96.91%	255,005	0	0.00%	7,599	2.89%	463	0.18%
#246 Chronic Wound Care: Use of Wet to Dry Dressings in Patients with Chronic Skin Ulcers (Overuse Measure)	276,529	265,479	96.00%	265,483	0	0.00%	10,287	3.72%	720	0.26%
#247 Substance Use Disorders: Counseling Regarding Psychosocial and Pharmacologic Treatment Options for Alcohol Dependence	364	166	45.60%	166	0	0.00%	189	51.92%	2	0.55%
#248 Substance Use Disorders: Screening for Depression Among Patients with Substance Abuse or Dependence	8,810	1,544	17.53%	1,544	0	0.00%	7,142	81.07%	8	0.09%
#249 Barrett's Esophagus	54,858	45,027	82.08%	45,027	0	0.00%	9,453	17.23%	324	0.59%
#250 Radical Prostatectomy Pathology Reporting	7,677	7,205	93.85%	7,205	0	0.00%	431	5.61%	37	0.48%
#251 Immunohistochemical (IHC) Evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) for Breast Cancer Patients	28,207	24,084	85.38%	24,116	0	0.00%	3,801	13.48%	256	0.91%
#252 Anticoagulation for Acute Pulmonary Embolus Patients	6,535	6,165	94.34%	6,165	0	0.00%	319	4.88%	12	0.18%
#254 Ultrasound Determination of Pregnancy Location for Pregnant Patients with Abdominal Pain	426	186	43.66%	186	6	1.41%	33	7.75%	3	0.70%
#255 Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure	33	0	0.00%	0	23	69.70%	27	81.82%	0	0.00%
#261 Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness	15,688	9,698	61.82%	9,698	0	0.00%	5,813	37.05%	68	0.43%
#262 Image Confirmation of Successful Excision of Image-Localized Breast Lesion	658	507	77.05%	507	0	0.00%	145	22.04%	2	0.30%
#263 Preoperative Diagnosis of Breast Cancer	1,040	782	75.19%	782	0	0.00%	242	23.27%	5	0.48%
#266 Epilepsy: Seizure Type(s) and Current Seizure Frequency(ies)	19,113	17,621	92.19%	17,621	0	0.00%	1,456	7.62%	32	0.17%
#267 Epilepsy: Documentation of Etiology of Epilepsy or Epilepsy Syndrome	13,262	12,456	93.92%	12,456	0	0.00%	778	5.87%	25	0.19%
#268 Epilepsy: Counseling for Women of Childbearing Potential with Epilepsy	1,158	819	70.73%	819	355	30.66%	320	27.63%	3	0.26%
#317 Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented	2,184,680	2,092,075	95.76%	2,092,075	10	0.00%	84,164	3.85%	8,441	0.39%
#320 Endoscopy/Polyp Surveillance: Appropriate Follow-Up Interval for Normal Colonoscopy in Average Risk Patients	12,637	9,029	71.45%	9,029	131	1.04%	3,322	26.29%	286	2.26%
#321 Participation by a Hospital, Physician or Other Clinician in a Systematic Clinical Database Registry that Includes Consensus Endorsed Quality	106,751	104,486	97.88%	104,486	0	0.00%	2,018	1.89%	247	0.23%
#326 Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy	42,071	20,969	49.84%	39,164	0	0.00%	2,817	6.70%	75	0.18%
#327 Pediatric Kidney Disease: Adequacy of Volume Management	44	0	0.00%	0	44	100.00%	43	97.73%	0	0.00%

Measure	QDC Submission Attempts				Denominator Mismatch ^c					
	Total QDCs Reported ^a	Total Valid QDCs Reported on Eligible Cases ^b	% Valid	Total QDCs Reported on Eligible Cases	# Measure Reported with Incorrect Age and/or Gender ^d	% Measure Reported with Incorrect Age and/or Gender ^d	# Incorrect DX and/or HCPCS	% Incorrect DX and/or HCPCS	# Measure Reported on an Instance with a Missing CPT Code	% Measure Reported on an Instance with a Missing CPT Code
#328 Pediatric Kidney Disease: ESRD Patients Receiving Dialysis: Hemoglobin Level < 10g/dL	187	11	5.88%	11	176	94.12%	172	91.98%	0	0.00%
Total	90,757,480	81,797,676	90.13%	82,297,993	1,360,841	1.50%	7,695,992	8.48%	419,273	0.46%

^a The number of instances where a TIN/NPI submitted a QDC for that measure.

^b The number of instances where a TIN/NPI submitted a valid QDC for that measure.

^c The number of occurrences of QDC reporting where the QDC does not match the denominator requirements for the measure.

^d The number of occurrences of QDC reporting where the QDC does not match the demographic requirements for the measure.

Note: CMMI demonstration participants are excluded from this report.

Note: Group Practice Reporting participants are excluded from this report.