

## 2016 Urology Preferred Specialty Measure Set

PQRS#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
48	N/A	Claims, Registry, Measures Groups	Effective Clinical Care	<b>Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older:</b> Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months
50	N/A	Claims, Registry	Person and Caregiver-Centered Experience and Outcomes	<b>Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older:</b> Percentage of female patients aged 65 years and older with a diagnosis of urinary incontinence with a documented plan of care for urinary incontinence at least once within 12 months
102	0389	Registry, EHR	Efficiency and Cost Reduction	<b>Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients:</b> Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, OR cryotherapy who did not have a bone scan performed at any time since diagnosis of prostate cancer
104	0390	Registry	Effective Clinical Care	<b>Prostate Cancer: Adjuvant Hormonal Therapy for High Risk or Very High Risk Prostate Cancer:</b> Percentage of patients, regardless of age, with a diagnosis of prostate cancer at high or very high risk of recurrence receiving external beam radiotherapy to the prostate who were prescribed adjuvant hormonal therapy (GnRH [gonadotropin-releasing hormone] agonist or antagonist)
119	0062	Registry, EHR, Measures Groups	Effective Clinical Care	<b>Diabetes: Medical Attention for Nephropathy:</b> The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period
265	N/A	Registry	Communication and Care Coordination	<b>Biopsy Follow-Up:</b> Percentage of new patients whose biopsy results have been reviewed and communicated to the primary care/referring physician and patient by the performing physician

## 2016 Urology Preferred Specialty Measure Set

PQRS#	NQF#	Reporting Method	National Quality Strategy Domain	Measure Title: Description
358	N/A	Registry, Measures Groups	Person and Caregiver-Centered Experience and Outcomes	<b>Patient-Centered Surgical Risk Assessment and Communication:</b> Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team prior to surgery using a clinical data-based, patient-specific risk calculator and who received personal discussion of those risks with the surgeon
431	2152	Registry, Measures Groups	Community/Population Health	<b>Preventive Care and Screening: Unhealthy Alcohol Use: Screening &amp; Brief Counseling:</b> Percentage of patients aged 18 years and older who were screened at least once within the last 24 months for unhealthy alcohol use using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user

This table is a resource of potential measures that may be applicable to eligible professionals providing clinical services for Urology. Please note that in addition to this table, a cross cutting measures list is also available for reporting at the following link: [2016 Cross-Cutting Measures List](#).