

**July 22, 2015 MEDCAC Voting Scores
Lower Extremity Peripheral Arterary Disease**

For the voting questions, use the following scale identifying level of confidence - with 1 being the lowest or no confidence and 5 representing a high level of confidence.		Campos-Outcalt	Carr	Cuyjet	Deyo	Lawrence	Lefevre	Lewis	Salive	Swain	Zuckerman	Kormos	Lystig	Hirsch	Voting Member Average	Overall Average
1	For adults with asymptomatic lower extremity PAD, how confident are you that there is sufficient evidence for an intervention that improves:															
	<i>1 Low Confidence -2- 3 Intermediate Confidence -4- 5 High Confidence</i>															
	a. Immediate/near-term health outcomes?	1	3	1	2	1	2	1	1	1	1	1	1	3	1.40	1.46
	b. Long-term health outcomes?	2	4	2	4	4	2	4	2	2	2	2	2	4	2.80	2.77

**July 22, 2015 MEDCAC Voting Scores
Lower Extremity Peripheral Arterary Disease**

For the voting questions, use the following scale identifying level of confidence - with 1 being the lowest or no confidence and 5 representing a high level of confidence.		Campos-Outcalt	Carr	Cuyjet	Deyo	Lawrence	Lefevre	Lewis	Salive	Swain	Zuckerman	Kormos	Lystig	Hirsch	Voting Member Average	Overall Average
2	For adults with lower extremity intermittent claudication (IC), how confident are you that there is sufficient evidence for an intervention that improves: <i>1 Low Confidence -2- 3 Intermediate Confidence -4- 5 High Confidence</i>															
	a. Immediate/near-term health outcomes?	3	2	3	4	3	3	3	4	4	3	3	4	5	3.20	3.38
	b. Long-term health outcomes?	2	3	3	4	5	2	4	4	4	2	4	4	5	3.30	3.54

