

MEDCAC
Health Outcomes After Bariatric Surgical Therapies in the Medicare Population
August 30, 2017

Articles List

Andalib A, Aminian A, Khorgami Z, et al. Safety analysis of primary bariatric surgery in patients on chronic dialysis. *Surg Endosc*. 2016 Jun;30(6):2583-91. doi: 10.1007/s00464-015-4530-1. PMID: 26416373. <https://www.ncbi.nlm.nih.gov/pubmed/?term=26416373>

Apovian CM, Shah SN, Wolfe BM, et al. Two-Year Outcomes of Vagal Nerve Blocking (vBloc) for the Treatment of Obesity in the ReCharge Trial. *Obes Surg*. 2017 Jan;27(1):169-176. doi: 10.1007/s11695-016-2325-7. PMID:27506803
<https://www.ncbi.nlm.nih.gov/pubmed/?term=27506803>

Arterburn D, Livingston EH, Olsen MK, et al. Predictors of initial weight loss after gastric bypass surgery in twelve Veterans Affairs Medical Centers. *Obes Res Clin Pract*. 2013 Sep-Oct;7(5):e367-76. doi: 10.1016/j.orcp.2012.02.009. PMID: 24304479
<https://www.ncbi.nlm.nih.gov/pubmed/?term=24304479>

Berthoud HR, Klein S. Advances in Obesity: Causes, Consequences, and Therapy. *Gastroenterology*. 2017 May;152(7):1635-1637. doi: 10.1053/j.gastro.2017.03.045. Epub 2017 Apr 4. DOI:10.1053/j.gastro.2017.03.045 PMID:28389209
<https://www.ncbi.nlm.nih.gov/pubmed/?term=28389209>

Brethauer SA, Kim J, el Chaar M, et al. ; ASMBS Clinical Issues Committee. Standardized outcomes reporting in metabolic and bariatric surgery. *Surg Obes Relat Dis*. 2015 May-Jun;11(3):489-506. doi: 10.1016/j.soard.2015.02.003. PMID: 26093765
<https://www.ncbi.nlm.nih.gov/pubmed/?term=26093765>

Chang SH, Stoll CR, Song J, et al. The effectiveness and risks of bariatric surgery: an updated systematic review and meta-analysis, 2003-2012. *JAMA Surg*. 2014 Mar;149(3):275-87. doi: 10.1001/jamasurg.2013.3654. PMID: 24352617
<https://www.ncbi.nlm.nih.gov/pubmed/?term=24352617>

Colquitt JL, Pickett K, Loveman E, et al. Surgery for weight loss in adults. *Cochrane Database Syst Rev*. 2014(8):CD003641. doi: 10.1002/14651858.CD003641.pub4. PMID: 25105982
<https://www.ncbi.nlm.nih.gov/pubmed/?term=25105982>

Courcoulas AP, Christian NJ, O'Rourke RW, et al. Preoperative factors and 3-year weight change in the Longitudinal Assessment of Bariatric Surgery (LABS) consortium. *Surg Obes Relat Dis*. 2015 Sep-Oct;11(5):1109-18. doi: 10.1016/j.soard.2015.01.011. PMID: 25824474
<https://www.ncbi.nlm.nih.gov/pubmed/?term=25824474>

Davidson LE, Adams TD, Kim J, et al. Association of Patient Age at Gastric Bypass Surgery With Long-term All-Cause and Cause-Specific Mortality. *JAMA Surg*. 2016 Jul 01;151(7):631-7. doi: 10.1001/jamasurg.2015.5501. PMID: 26864395
<https://www.ncbi.nlm.nih.gov/pubmed/?term=26864395>

Dorman RB, Abraham AA, Al-Refaie WB, et al. Bariatric surgery outcomes in the elderly: an ACS NSQIP study. *J Gastrointest Surg.* 2012 Jan;16(1):35-44; discussion doi: 10.1007/s11605-011-1749-6. PMID: 22038414 <https://www.ncbi.nlm.nih.gov/pubmed/?term=22038414>

GBD 2015 Obesity Collaborators, Afshin A, Forouzanfar MH, Reitsma MB, et al. Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *N Engl J Med.* 2017 Jul 6;377(1):13-27. doi: 10.1056/NEJMoa1614362. PMID:28604169 <https://www.ncbi.nlm.nih.gov/pubmed/?term=28604169>

Hallowell PT, Stellato TA, Schuster M, et al. Avoidance of complications in older patients and Medicare recipients undergoing gastric bypass. *Arch Surg.* 2007 Jun;142(6):506-10; PMID:17576885 <https://www.ncbi.nlm.nih.gov/pubmed/?term=17576885%5Buid%5D>

Johnson RJ, Johnson BL, Blackhurst DW, et al. Bariatric surgery is associated with a reduced risk of mortality in morbidly obese patients with a history of major cardiovascular events. *Am Surg.* 2012 Jun;78(6):685-92. PMID: 22643265 <https://www.ncbi.nlm.nih.gov/pubmed/?term=22643265>

Kim KS; Sandoval DA. Endocrine Function after bariatric surgery. *Compr Physiol.* 2017 Jun 18;7(3):783-798. doi: 10.1002/cphy.c160019. PMID: 28640442 <https://www.ncbi.nlm.nih.gov/pubmed/28640442>

Leonetti F, Capoccia D, Coccia F, et al. Obesity, type 2 diabetes mellitus, and other comorbidities: a prospective cohort study of laparoscopic sleeve gastrectomy vs medical treatment. *Arch Surg.* 2012 Aug;147(8):694-700. doi: 10.1001/archsurg.2012.222. PMID: 22508671 <https://www.ncbi.nlm.nih.gov/pubmed/?term=22508671>

Loy JJ, Youn HA, Schwack B, et al. Safety and efficacy of laparoscopic adjustable gastric banding in patients aged seventy and older. *Surg Obes Relat Dis.* 2014 Mar-Apr;10(2):284-9. doi: 10.1016/j.soard.2013.06.022. PMID: 24582414 <https://www.ncbi.nlm.nih.gov/pubmed/?term=24582414>

Maciejewski ML, Arterburn DE, Van Scoyoc L, et al. Bariatric surgery and long-term durability of weight loss. *JAMA Surg.* 2016 Nov 01;151(11):1046-1055, doi: 10.1001/jamasurg.2016.2317. PMID 27579793 <https://www.ncbi.nlm.nih.gov/pubmed/?term=27579793>

Michaud A, Marchand GB, Nadeau M, et al. Biliopancreatic Diversion with Duodenal Switch in the Elderly: Long-Term Results of a Matched-Control Study. *Obes Surg.* 2016 Feb;26(2):350-60. doi: 10.1007/s11695-015-1772-x. PMID: 26130180 <https://www.ncbi.nlm.nih.gov/pubmed/?term=26130180>

Miranda WR, Batsis JA, Sarr MG, et al. Impact of bariatric surgery of quality of life, functional capacity, and symptoms in patients with heart failure. *Obes Surg.* 2013 Jul;23(7):1011-5. doi: 10.1007/s11695-013-0953-8. PMID:23604694 <https://www.ncbi.nlm.nih.gov/pubmed/?term=23604694>

Mitchell JE, Christian NH, Flum DR, et al. Postoperative behavioral variables and weight change 3 years after bariatric surgery. *JAMA surg* 2016 AUG1;151(8):752-7/ doi 10.1001/jamasurg.2016.0395 PMID: 27096225 <https://www.ncbi.nlm.nih.gov/pubmed/?term=27096225>

Nickel BT, Klement MR, Penrose CT, et al. Lingering Risk: Bariatric Surgery Before Total Knee Arthroplasty. *J Arthroplasty*. 2016 Sep;31(9 Suppl):207-11. doi: 10.1016/j.arth.2016.02.075. PMID: 27179771 <https://www.ncbi.nlm.nih.gov/pubmed/?term=27179771>

National Institute of Health. National Heart, Lung, and Blood Institute. Managing Overweight and Obesity in Adults: Systematic Evidence Review from the Obesity Expert Panel, 2013. U.S. Department of Health and Human Services.
<https://www.nhlbi.nih.gov/sites/www.nhlbi.nih.gov/files/obesity-evidence-review.pdf>

Ochner CN, Teixeira J, Geary N, et al. Greater short-term weight loss in women 20-45 versus 55-65 years of age following bariatric surgery. *Obes Surg*. 2013 Oct;23(10):1650-4. doi: 10.1007/s11695-013-0984-1. PMID: 23700235.

Padwal R, Klarenbach S, Wiebe N, et al. Bariatric surgery: a systematic review and network meta-analysis of randomized trials. *Obes Rev*. 2011 Aug;12(8):602-21. doi: 10.1111/j.1467-789X.2011.00866.x. PMID: 21438991 <https://www.ncbi.nlm.nih.gov/pubmed/?term=21438991>

Patel JJ, Mundi MS, Hurt RT. Micronutrient deficiencies after bariatric surgery: an emphasis on vitamins and trace minerals. *Nutr. Clin Pract*. 2017 Jun 1;884533617712226. doi: 10.1177/0884533617712226
PMID: 28609642 <https://www.ncbi.nlm.nih.gov/pubmed/?term=28609642>

Peraglie C. Laparoscopic mini-gastric bypass in patients age 60 and older. *Surg Endosc*. 2016 Jan;30(1):38-43. doi: 10.1007/s00464-015-4157-2. PMID: 25814071
<https://www.ncbi.nlm.nih.gov/pubmed/?term=25814071>

Perry CD, Hutter MM, Smith DB, et al. Survival and changes in comorbidities after bariatric surgery. *Ann Surg*. 2008 Jan;247(1):21-7. doi: 10.1097/SLA.0b013e318142cb4b. PMID: 18156918 <https://www.ncbi.nlm.nih.gov/pubmed/?term=18156918>

Purnell JQ, Selzer F, Wahed AS, et al. Type 2 Diabetes Remission Rates After Laparoscopic Gastric Bypass and Gastric Banding: Results of the Longitudinal Assessment of Bariatric Surgery Study. *Diabetes Care*. 2016 Jul;39(7):1101-7. doi: 10.2337/dc15-2138. PMID: 27289123
<https://www.ncbi.nlm.nih.gov/pubmed/?term=27289123>

Ritz P, Topart P, Benchetrit S, et al. Benefits and risks of bariatric surgery in patients aged more than 60 years. *Surg Obes Relat Dis*. 2014 Jan 09;doi: 10.1016/j.soard.2013.12.012. PMID: 24708912 <https://www.ncbi.nlm.nih.gov/pubmed/?term=24708912>

Schauer PR, Bhatt DL, Kirwan JP, et al. STAMPEDE Investigators. Bariatric Surgery versus Intensive Medical Therapy for Diabetes - 5-Year Outcomes. *N Engl J Med*. 2017 Feb 16;376(7):641-651. doi: 10.1056/NEJMoa1600869. PMID: 28199805
<https://www.ncbi.nlm.nih.gov/pubmed/?term=28199805>

Spaniolas K, Trus TL, Adrales GL, et al. Early morbidity and mortality of laparoscopic sleeve gastrectomy and gastric bypass in the elderly: a NSQIP analysis. *Surg Obes Relat Dis*. 2014 Jul-Aug;10(4):584-8. doi: 10.1016/j.soard.2014.02.010. PMID: 24913586
<https://www.ncbi.nlm.nih.gov/pubmed/?term=24913586>

Sugerman HJ, DeMaria EJ, Kellum JM, et al. Effects of bariatric surgery in older patients. *Ann Surg.* 2004 Aug;240(2):243-7. PMID:15273547

<https://www.ncbi.nlm.nih.gov/pubmed/?term=15273547>

Sullivan S, Swain JM, Woodman G et al. Randomized sham-controlled trial evaluating efficacy and safety of endoscopic gastric plication for primary obesity: The ESSENTIAL trial. *Obesity*. 2017 Feb;25(2):294-301. doi: 10.1002/oby.21702. Epub 2016 Dec 21. PMID: 28000425 <https://www.ncbi.nlm.nih.gov/pubmed/?term=28000425>

Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet.* 2011 Aug 27;378(9793):804-14. doi: 10.1016/S0140-6736(11)60813-1. PMID:21872749 <https://www.ncbi.nlm.nih.gov/pubmed/?term=21872749>

Thompson CC, Abu Dayyeh BK, Kushner R, et al Percutaneous Gastrostomy Device for the Treatment of Class II and Class III Obesity: Results of a Randomized Controlled Trial.. *Am J Gastroenterol.* 2017 Mar;112(3):447-457. doi: 10.1038/ajg.2016.500. PMID:27922026 <https://www.ncbi.nlm.nih.gov/pubmed/?term=27922026>

Van Rutte PW, smulders JF, de Zoete JP, et al. Sleeve gastrectomy in older obese patients. *Surg Endosc* 2013 Jun; 27(6): 2014-9. Doi: 10.1007/s00464-012-2703-8 PMID: 23344504 <https://www.ncbi.nlm.nih.gov/pubmed/?term=23344504>

Wolfe BM, Belle SH. Long-term risks and benefits of bariatric surgery: a research challenge. *JAMA.* 2014 Nov 5;312(17):1792-3. doi: 10.1001/jama.2014.12966. PMID:25272252 <https://www.ncbi.nlm.nih.gov/pubmed/?term=25272252>

Wool D, Bellatorre N, Wren S, et al. Male patients above age 60 have as good outcomes as male patients 50-59 years old at 1-year follow-up after bariatric surgery. *Obes Surg.* 2009 Jan;19(1):18-21. doi: 10.1007/s11695-008-9734-1. PMID: 18855082 <https://www.ncbi.nlm.nih.gov/pubmed/?term=18855082>