

CMS Manual System	Department of Health & Human Services (DHHS)
Pub 100-20 One-Time Notification	Centers for Medicare & Medicaid Services (CMS)
Transmittal 1437	Date: November 6, 2014
	Change Request 8930

SUBJECT: Data Quality Between the Multi Carrier System (MCS) and ViPS Medicare System (VMS) and the Common Working File (CWF)

I. SUMMARY OF CHANGES: The purpose of this Change Request (CR) is for the Multi Carrier System (MCS) and ViPS Medicare System (VMS) to review the analysis provided by the Common Working File (CWF). The analysis contains the data elements currently stored and passed on to the National Claims History (NCH) to determine what is being edited and identifying the source.

EFFECTIVE DATE: April 1, 2015

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: April 6, 2015

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-Only One Per Row.

R/N/D	CHAPTER / SECTION / SUBSECTION / TITLE
N/A	N/A

III. FUNDING:

For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC statement of Work. The contractor is not obliged to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

IV. ATTACHMENTS:

One Time Notification

Attachment - One-Time Notification

Pub. 100-20	Transmittal: 1437	Date: November 6, 2014	Change Request: 8930
-------------	-------------------	------------------------	----------------------

SUBJECT: Data Quality Between the Multi Carrier System (MCS) and ViPS Medicare System (VMS) and the Common Working File (CWF)

EFFECTIVE DATE: April 1, 2015

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: April 6, 2015

I. GENERAL INFORMATION

A. Background: The Centers for Medicare & Medicaid Services (CMS) and the Fee-for-Service (FFS) Summit Workgroup has established a goal to reduce the number of data anomalies between the FFS shared systems, the Common Working File (CWF) and the National Claims History (NCH). The CMS Data User Group (CDUG) and other downstream users of the NCH data have identified several instances where the data was not accurate and therefore not reliable.

The purpose of this Change Request (CR) is for the HPES Multi Carrier System (MCS) and GDIT ViPS Medicare System (VMS) to review the analysis provided by the Common Working File (CWF). The analysis contains the data elements currently stored and passed on to the National Claims History (NCH) to determine what is being edited and identifying the source.

B. Policy: There is no policy change associated with this CR.

II. BUSINESS REQUIREMENTS TABLE

"Shall" denotes a mandatory requirement, and "should" denotes an optional requirement.

Number	Requirement	Responsibility									
		A/B MAC			D M E M A C	Shared- System Maintainers				Other	
		A	B	H H H		F I S S	M C S	V M S	C W F		
8930.1	The MCS shall update the 'Base Claim' tab of the Part B Carrier - CABEHUBC spreadsheet with the 'Level of Edits' column and the 'Code Set Source' column used for editing the 'NCH Field Name' column.						X				
8930.2	The VMS shall update the 'Base Claim' tab of the Part B DMERC - CABEHUBC spreadsheet with the 'Level of Edits' column and the 'Code Set Source' column used for editing the 'NCH Field Name' column.							X			
8930.3	Completed analysis document should be submitted to Sylvia.Sampson@cms.hhs.gov and Richard.Kociszewski@cms.hhs.gov, no later than, Friday, January 30, 2015.						X	X			

III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility				
		A/B MAC			D M E	C E D I
		A	B	H H H	M A C	
	None					

IV. SUPPORTING INFORMATION

Section A: Recommendations and supporting information associated with listed requirements: N/A
"Should" denotes a recommendation.

X-Ref Requirement Number	Recommendations or other supporting information:
--------------------------------	--

Section B: All other recommendations and supporting information: N/A

V. CONTACTS

Pre-Implementation Contact(s): Sylvia Sampson, 410-786-6153 or Sylvia.Sampson@cms.hhs.gov, Richard Kociszewski, 410-786-7615 or Richard.Kociszewski@cms.hhs.gov

Post-Implementation Contact(s): Contact your Contracting Officer's Representative (COR).

VI. FUNDING

Section A: For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

ATTACHMENTS: 2

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
1	HUBC-RECORD.		13700			
5	HUBC-HEADER.		700			
10	HUBC-REC-ID	PIC X	4			Constant - 'HIBC', 'HUBC', 'HIDC', 'HUDC'
10	HUBC-DELIM	PIC X	1			
10	HUBC-CLMNO	PIC X	12			
10	HUBC-BENE-NAME.					
15	HUBC-BENE-SURNAME	PIC X	6			
15	HUBC-BENE-FINIT	PIC X	1			'A' thru 'Z'
10	HUBC-UPIN	PIC X	6			
10	HUBC-SEX-CODE	PIC X	1			0-Unknown Female M-Male
10	HUBC-PROC-CARRIER.					
15	HUBC-PROC-CARR	PIC X	5			
15	HUBC-PROC-CARR-EXP	PIC X	4			
10	HUDC-DOB	PIC S9(07) COMP-3.	4			Format - CCYYDDD
10	HUBC-REQ-ID	PIC X	4			
10	HUBC-RESPONSE-CODE	PIC X	1			
10	HUBC-PRINTER-DEST	PIC X	4			
10	HUBC-LINE-CNT	PIC 9	2			
10	HUBC-EXCP-NONEXCP-IND	PIC X	1			1-Excepted Nonexcepted
10	HUBC-ENTRY-CODE	PIC X	1			1-Original Debit Full Credit 5-Replacement Debit 9-Accrete Bill History Only
10	HUBC-INVEST-IND	PIC X	1			0-Other X-Clean claim
10	HUBC-SPLIT-IND	PIC X	1			B-Both Split & Replicate N-Not Split R-Replicate Y-Split

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
10	HUBC-PAY-DENIAL-IND	PIC X	2			(First value is entered into position '61' and '62' could be space, i.e. '1', '2', '14') 00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 0-Denied 1-Physician/Supplier 2-Beneficiary 3-Both supplier and Beneficiary 4-Hospital (hospital based physicians) 5-Both hospital and Beneficiary 6-Group Practice Prepayment 7-Other entries (e.g. Employer, union) 8-Federally funded entities 9-PA services 12-BC/BS voluntary agreements 13-Office of personnel management (OPM) 14-Workmen's compensation (WC) data match A-Beneficiary under limitation of liability B-Physician/Supplier Under limitation of liability C-Custodial (not being used) D-Denied due to demonstration involvement E-First Claim Development F-Trauma Code Development G - Secondary Claims Investigation H-Self Reports J-411.25 K-Insurer Voluntary Reporting N-Non-Covered Q-Employer voluntary Reporting R-Benefits refused or evidence not submitted S-Secondary Payer T-IEQ Contractor MSP Cost avoided U-HMO rate cell Adjustment MSP cost
10	HUBC-HCPCS-YEAR	PIC 9	1			
10	HUBC-DOC-CNTL-NUM	PIC X	15			
10	HUBC-REFER-PHYS	PIC X	14			
10	HUBC-REFER-PHYS-NPI	PIC X	10			
10	HUDC-HEADER-NPI					
	REDEFINES HUBC-REFER-PHYS-NPI	PIC X	10			
10	HUBC-DATE-RECEIPT	PIC S9(07) COMP-3.	4			Format - CCYYDDD
10	HUBC-DATE-PAY-DENY	PIC S9(07) COMP-3.	4			Format - CCYYDDD

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
10	HUBC-REP-PAYEE-IND	PIC X	1			N-No Y-Yes
10	HUBC-SUBMITTER-ID	PIC X	10			
10	HUBC-ACCIDENT-SW	PIC X	1			O-Other A-Auto May be blank
10	HUBC-PATIENT-RELTP-IND	PIC X	1			1-Self 2-Spouse 3-Child 4-Other 20-Partner May be blank
10	HUBC-WORK-RELTP-IND	PIC X	1			N-No Y-Yes
10	HUBC-SIGNATURE-IND	PIC X	1			N-Not on file Y-Signature on file
10	HUBC-BENE-GONE-IND	PIC X	1			D-Deceased Beneficiary Blank-Beneficiary not deceased
10	HUBC-COMPLEMENT-IND	PIC X	1			C-Complementary M-Medicaid Blank-Does not apply
10	HUBC-COMPLEMENT-CARR.					
15		PIC X	1			
15		PIC X	6			
10	HUBC-COMPLEMENT-ID-NO	PIC X	20			
10	HUBC-CROSSOVER-ID-AREA.					
15	HUBC-CROSSOVER-ID-X.					
20	HUBC-CROSSOVER-ID	PIC 9	10			
15	HUBC-CROSSOVER-IND	PIC X	2			
10	HUBC-CROSSOVER-ID-RESERVED	PIC X	4			
10	HUBC-FILLER-1	PIC X	17			
10	HUBC-ASSIGN-IND	PIC X	1			N-Provider does not accept assignment A-Accept assignment 3-Telemed 4-UMWA
10	HUBC-PAID-BY-BENE	PIC S9(04)V99 COMP-3.	4			
10	HUBC-PRIVACY-FLAG	PIC X	1			N-No data to go forward from carrier site Blank-Data not private
10	HUBC-DATE-BILLED	PIC S9(07) COMP-3.	4			Format - CCYYDDD
10	HUBC-EXAMINER-NO	PIC X	2			
10	HUBC-REMARKS	PIC X	19			
10	HUBC-CPO-NUMBER-AREA					REDEFINES HUBC-REMARKS.
15	HUBC-CPO-IDENT	PIC X	3			
15	HUBC-CPO-NUMBER	PIC X	6			
15	HUBC-CPO-NPI	PIC X	10			
10	HUBC-MICRO-IND	PIC X	2			
10	HUBC-HDR-CONTR-NUM	PIC X	5			

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
10	HUBC-IDE-NUMBER	PIC X	7			
10	HUBC-DIAGNOSIS-CODES.					
15		PIC X	1			
15	HUBC-PRIMARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-1ST-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-2ND-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-3RD-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-4TH-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-5TH-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-6TH-SECONDARY-DIAG	PIC X	7			
15		PIC X	1			
15	HUBC-7TH-SECONDARY-DIAG	PIC X	7			
15	HUBC-DIAG-FILLER	PIC X	32			
10						REDEFINES HUBC-DIAGNOSIS- CODES.
15	HUBC-DIAGNOSIS-TABLE			12		OCCURS 12 TIMES
						INDEXED HUBC-DIAG-INDEX.
20	HUBC-DIAGNOSIS-CODE-IND	PIC X	1			'9' - ICD-9 '0' - ICD-10
20	HUBC-DIAGNOSIS-CODE	PIC X	7			
10	HUBC-DEMO-NUM-FILLER	PIC X	2			
10	HUBC-SITE-OF-SERV	PIC X	16			ID# HSPxxxxxx
10	HUBC-CWF-IND	PIC X	1			G-CWF generated D- CWF generated due to Date of Death
10	HUBC-OVERRIDE-TABLE.					
15	HUBC-OVERRIDE-EDIT	PIC X	4	5		OCCURS 5 TIMES
						INDEXED HUBC-OV-INDEX
10	HUBC-LIAB-IND	PIC X	1			L-Liability N-No Liability
10	HUDC-NCPDP-IND	PIC X	1			
10	HUDC-IHS-IND	PIC X	1			S-IHS/Supplier H-HIS/Hospital
10	HUBC-SANCTIONED-IND	PIC X	1			S = Sanctioned Provider Space = Non-Sanctioned Provider
10	HUBC-MASS-ADJ-IND	PIC X	1			M' – Mass Adjustment (MPFS) 'O' - Mass Adjustment /Other - Space
10	HUBC-CLAIM-ADJ-IND	PIC X	1			N' - Non-Adjustment 'A' - Adjustment - Space
10	HUBC-CT-REGISTRY.					
15	HUBC-CT-REGISTRY-NUM	PIC 9	8			
10	HUBC-COBYPASS	PIC X	1			'Y' and Spaces

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
10	HUBC-COBA-BYPASS	PIC X	2			'BA'-Add History bypass, 'BB'-No BOI Record bypass, 'BC'-Abbreviated Encounter bypass, 'BD'-Claim Disp other than 01, 03, or 05, 'BE'-NOE bypass, 'BF'-Demo Claim bypass, 'BN'-COBYPASS bypass, 'BP'-Sanctioned Provider bypass, 'BQ'- PQRI bypass, 'BR'-PAP bypass
10	HUBC-PQRI-IND	PIC X	1			'Q' and Space.
10	HUBC-SOS-NPI	PIC X	10			
10	HUBC-RAC-ADJ-IND	PIC X	1			'R' and Space.
10	HUBC-PWK-IND	PIC X	2			
10	HUBC-PWK-FILLER	PIC X	18			
10	HUBC-CAS-IND	PIC X	1			'G' and Space.
10	HUBC-DEMO-NUMBERS.					01-RUGS 02-HHA 03-TELEMED 04-UMWA 05-CHOICES 06-CABG 07-COE 08-MPPP 15-ESRD 30-LUNG 31-VA 37-MCCD 38-ENCOUNTER 39-CENTRALIZED BILLING PPV & FLU 40-HIS 45-Expansion of Coverage for Chiropractic services 46-Low Vision 48-ADULT DAYCARE 49-HEMODIALYSIS 51-LAB COMP BID 54-ACE Demo 58- MAPCP Demo 59 – ACO Demonstration 60- PMDA Demo 61-Model 1 62-Model 2 63-Model 3
15	HUBC-DEMO-NUM	PIC X	2	4		OCCURS 4 TIMES
	OCCURS 4 TIMES					INDEXED HUBC-DEMO-INDEX
10	HUBC-FPS-HEADER-INFO.					

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
15	HUBC-FPS-H-MODEL-NUMBER	PIC X	2			
15	HUBC-FPS-H-REASON-CODE	PIC X	3			
15	HUBC-FPS-H-REMARK-CODE	PIC X	5			
15	HUBC-FPS-H-MSN-CODES.					
20	HUBC-FPS-H-MSN-CODE-1	PIC X	5			
20	HUBC-FPS-H-MSN-CODE-2	PIC X	5			
10	HUBC-FIRST-DIAG-CODE	PIC X	1			Y' SPACE PRESENT - 'Y'
10	HUDC-NMO-CBA-IND	PIC X	5			
10	HUBC-BILLING-NPI	PIC X	10			
10	HUBC-REFER-PROV-QUAL	PIC X	2			'DK' 'DN' 'DQ'
10	HUBC-FIXED-AREA-UNUSED	PIC X	229			
10	HUBC-ORIGINAL-SEQUENCE-X.					
15	HUBC-ORIGINAL-SEQUENCE	PIC 9	7			
10	HUBC-ORIG-HOST-SITE	PIC X	1			B-Mid-Atlantic (MA) C-Southwest (SW) D-Northeast (NE) E-Great Lakes F-Great Western (GW) G-Keystone (KS) H-Southeast (SE) I-South (SO) J-Pacific (PA) Space
10	HUBC-PROC-HOST-SITE	PIC X	1			B-Mid-Atlantic (MA) C-Southwest (SW) D-Northeast (NE) E-Great Lakes F-Great Western (GW) G-Keystone (KS) H-Southeast (SE) I-South (SO) J-Pacific (PA) Space
5	HUBC-LINE-ITEMS.		13000			
10	HUBC-LINE-ITEM		1000	13		OCCURS 13 TIMES
						INDEXED HUBC-INDEX
						HUBC-LIMIT.
15	HUBC-HCFA-LINE-CNTL-DATA.					

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCFA-PROV-SPEC	PIC X	2			Valid non-Physician Specialty Codes are: '42', '43', '45', '49', '80' '50' THRU '59' '60' THRU '65' '67' THRU '69' '87' THRU '89' '95' THRU '97' 'A0' THRU 'A8
20	HUBC-HCFA-PROV-TYPE	PIC X	1			Code as follows: 0-Clinics, groups, associations, partnerships, or other entities for whom the carrier's own ID number has been assigned. 1-Physicians or suppliers billing as solo practitioners for whom SS numbers are shown in the physician ID code field. 2-Physicians or suppliers billing as solo practitioners for the carrier's own physician ID code is shown. 3-Suppliers (other than sole) 4-Suppliers (other than sole proprietorship) for whom the carrier's own code has been shown. 5-Institutional providers and independent laboratories for whom E1 numbers are used in coding the ID field 6-Institutional providers and independent laboratories for whom the carrier's own ID number is shown. 7- Clinics, groups, associations, or partnerships, for whom E1 numbers are used in coding the ID field. 8-Other entities for whom E1 numbers

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCFA-TYPE	PIC X	1			0-Whole Blood, or Packed Red Cells 1-Medical Care 2-Surgery 3-Consultation 4-Diagnostic X-ray 5-Diagnostic Laboratory 6-Radiation Therapy 7-Anesthesia 8-Assistance at Surgery 9-Other <u>Medical – Service</u> A-Used DME B-Highrisk Mammography C-Low-risk Mammography F-Ambulatory Surgical Center (Facility Usage) G-Immunosuppressive Drugs received within 12 months of a Medicare covered transplant I-Installment purchase <u>DME</u> L-Renal supplier in home M-Monthly Capitation Payment (Dialysis) N-Kidney Donor P-Lump Sum purchase of DME R-Rental of DME T-Psychological Therapy U-Occupational Therapy V-Pneumococcal Vaccine W-Physical Therapy Y-Second opinion on Elective surgery

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCFA-ASSIGN-IND	PIC X	1			1-Participating Provider 2-All, or some covered status and allowed expenses applied to deductible participating provider 3-Assignment accepted nonparticipating provider. 4-Assignment not accepted nonparticipating provider. 5-Assignment accepted but all, or some covered and allowed expenses applied to deductible - nonparticipating provider. 6-Assignment not accepted and all covered expenses applied to deductible - non-par provider 7-Participating provider not accepting assignment.

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCFA-PAY-PROCESS-IND	PIC X	2			00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 A-Allowed B-Benefits exhausted C-Non-Covered Care D-Denied due to Demonstration involvement E-First Claim Development F-Trauma Code Development G-Secondary Claims investigation H-Self Reports I-Invalid Data J-411.25 K-Insurer Voluntary Reporting L-Clinical Lab Improvement Amendment (CLIA) M-Multiple submittal (i.e. duplicate line item) N-Medical Necessity O-Other Physician Ownership Q-Employer voluntary reporting R-Reprocessed adjustment based on subsequent reprocessing of claim S-Secondary Payer T-IEQ Contractor MSP Cost avoid U-HMO Rate ell Adjustment MSP cost avoid V-Litigation settlement MSP cost avoid W-Workmen's Comp X-MSP cost avoid generic Y-IRS/SSA Data Match
20	HUBC-HCFA-REIMB-IND	PIC X	1			0-80% (for medical, Psych., or drug claim). 1-100% (for medical) 3-100% (limitation of liability only).
20	HUBC-HCFA-DED-IND	PIC X	1			0-Subject to deductible 1-Not subject to deductible
20	HUBC-HCFA-PROV-IND	PIC X	1			0-Not available 1-Not in provider sample, inclusive ID number 2-Not in provider sample, inclusive ID number 3-In provider sample, inclusive ID number

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCFA-PAYSCREEN-IND	PIC X	1			1-Actual charge 2-Customary charge 3-Prevailing charge (adjusted, unadjusted gap fill, lowest charge level, etc) 4-Other (including ASC facility fees and outpatient limits and nonpayment because of denial) 5-Lab/Fee schedule 6-Physician Fee Schedule Full Fee Schedule Amount 7-Physician Fee Schedule Transition Amount 8-Clinical Psychologist Fee Schedule 9-Durable Medical Equipment and Prosthetic/Orthotic fee schedule
20	HUBC-HCFA-MT	PIC S9(07)V999 COMP-3.	6			
20	HUBC-HCFA-MT-IND	PIC X	1			0-Values reported as zero 1-Transportation miles 2-Anesthesia time unit 3-Number of Services reported as zero 4-Oxygen vol. units 5-Blood units 6-Drug Dosage
15	HUBC-PROC-CODE	PIC X	5			
15						REDEFINES HUBC-PROC-CODE.
20		PIC X	1			
20		PIC X	4			
15	HUBC-HCPCS-MODIFIERS.					
20	HUBC-PROC-CODE-MOD1	PIC X	2			
20	HUBC-PROC-CODE-MOD2	PIC X	2			Use '99' if more than two modifiers are used.
20	HUBC-PROC-CODE-MOD3	PIC X	2			
20	HUBC-PROC-CODE-MOD4	PIC X	2			
15						REDEFINES HUBC-HCPCS-MODIFIERS.
20	HUBC-HCPCS-MODIFIER	PIC X	2	4		OCCURS 4 TIMES
						INDEXED HUBC-HMOD-INDEX
15	HUBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3.	4			
15	HUBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3.	4			
15	HUBC-SS-NUMBER	PIC X	10			

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
15	HUBC-PROVIDER-CODES.					
20	HUBC-PROV-AREA	PIC X	2			
20	HUBC-PROV-SPEC	PIC X	2			
15	HUBC-CARR-TYPE-SERV	PIC X	2			
15	HUBC-PLACE	PIC 9	2			05-Indian Health Service Freestanding Facility 06-Indian Health Service Provider based Facility 07-Tribal 638 Freestanding Facility 08-Tribal 638 Provider based Facility 11-Office 12-Home 13-Assisted Living Facility 14-Group Home 21-Inpatient Hospital 22-Outpatient Hospital 23-Emergency Room Hospital 24-Ambulatory Surgical Center 25-Birthing Center 26-Military Treatment Facility 31-Skilled Nursing Facility 32-Nursing Facility 33-Custodial Care Facility 34-Hospice 41-Ambulance, Land 42-Ambulance, Air or water 49-Independent Clinic 51-Inpatient Psychiatric Facility 52-Psychiatric Facility Partial Hospitaliz ation 53-Community Mental Health Center 54-Intermediate Care 55-Residential Substance Abuse Treatment Facility 56-Psychiatric Residential Treatment Center 57-Nonresidential Substance Abuse Treatment Facility 61-Comprehensive Inpatient Rehabilitation Facility 62-Comprehensive Outpatient Rehabilitation Facility 65-End Stage Renal Disease Treatment 71-State of local public health clinic
15	HUBC-LI-DATES-OF-SERVICE.					
20	HUBC-FROM-DATE	PIC S9(07) COMP-3.	4			Format - CCYYDDD
20	HUBC-THRU-DATE	PIC S9(07) COMP-3.	4			Format - CCYYDDD
15	HUBC-DOC-SUP	PIC X	10			

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
15	HUBC-NO-SERVICES	PIC S9(07)V999 COMP-3.	6			
15	HUBC-ACTION-CODE	PIC X	2			
15	HUBC-SPEC-PRIC-IND	PIC X	1			
15	HUBC-DIAGNOSIS-DATA.					
20	HUBC-DIAGNOSIS-IND	PIC X	1			'9' ICD-9 '0' ICD-10
20	HUBC-DIAGNOSIS	PIC X	7			
15	HUBC-CLINICAL-LAB-ID	PIC X	10			
15	HUBC-CLINICAL-LAB-AMT	PIC S9(04)V99 COMP-3.	4			
15	HUBC-ANESTHESIA	PIC S9(07)V999 COMP-3.	6			
15	HUBC-DOCUMENT-IND	PIC X	1			0-No additional documentation 1-Additional documentation submitted for non-DME EMC claim. 2-CMN/Prescription/Other documentation submitted which justifies medical necessity. 3-Prior authorization obtained and approved. 4- Prior authorization requested but not approved. 5-SMN/Prescription/Other documentation submitted but did not justify medical necessity. 6-CMN/Prescription/Other documentation submitted and pproved after prior authorization rejected. 7-Recertification CMN/Prescription/Oth er documentation
15	HUBC-PATIENT-REIMB	PIC S9(05)V99 COMP-3.	4			
15	HUBC-PROV-REIMB	PIC S9(05)V99 COMP-3.	4			
15	HUBC-CSHDED-APPLIED	PIC S9(03)V99 COMP-3.	3			
15	HUBC-LIM-AMT	PIC S9(05)V99 COMP-3.	4			
15	HUBC-BLD-DED	PIC S9(07) COMP-3.	4			HUBC-BLD-DED REDEFINES HUBC- LIM-AMT
15	HUBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3.	4			
15	HUBC-MSP-CODE	PIC X	1			A-Working Aged B-ESRD D-No-fault E-Workers' Compensation F-Federal (Public Health) G-Disabled H-Black lung I-Veterans LLiability M-Override code EGHP N-Override code Non EGHP

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
15	HUBC-COINS	PIC S9(05)V99 COMP-3.	4			
15	HUBC-PHYS-SUP-NO-IND	PIC 9	1			0-Default 1-Provider Number represents the same physician/supplier regardless of multiple locations. 2-Provider Number represents one of multiple numbers used for the same physician/supplier.
15	HUBC-LINE-UPIN	PIC X	6			
15	HUBC-RENDERING-NPI	PIC X	10			
15	HUBC-SUPPLIER-NPI	PIC X	10			REDEFINES HUBC-RENDERING-NPI
15	HUBC-PHYS-SUP-ZIP-CODE	PIC X	9			
15	HUBC-PERCENTAGE-ALLOWED	PIC X	1			0-N/A 1-65% physician assistants (PA) prevailing charges for assistant at surgery services. 2-75% PA services furnished in a hospital other than assistant surgery services. 3-85% PA services for other than assistant at surgery
15	HUBC-DME-COV-DATE	PIC S9(07) COMP-3.	4			Format - CCYYDDD
15	HUBC-DME-PURCHASE	PIC S9(04)V99 COMP-3.	4			
15	HUBC-DME-MED-NECESS	PIC 9	2			
15	HUBC-SCRN-SUSP	PIC X	4			1xxx-Local Cat I screens 2xxx-Local Cat II screens 3xxx-Local Cat III screens Cxxx-Statutorily noncovered screens M1xx-Mandated Cat I screens M2xx-Mandated Cat II screens M3xx-Mandated Cat III screens Muxx-Mandated unbundling screens L1xxx-Local unbundling screens

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
15	HUDC-SCRN-RSLT	PIC X	1			A-Denied for lack of medical necessity; highest level of review was automated Level I B-Reduced (partially denied) for lack of medical necessity; highest level of review was automated Level I C-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was manual Level I I-Denied for coding/unbundling reasons; highest level of review was manual Level I
15	HUDC-DECIS-IND	PIC X	1			O-Original medical review determination R-Medical review determination after reversal of original decision
15	HUDC-SCRN-SAVNG	PIC S9(05)V99 COMP-3.	4			
15	HUDC-DME-ALLOW	PIC S9(05)V99 COMP-3.	4			
15	HUDC-NATL-DRUG-CD	PIC X	11			
15	HUDC-UNITS-IND	PIC 9	1			

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
15	HUDC-DOCUMENT-IND	PIC 9	1			0-No additional Documentation 1-Additional documentation submitted for non-DME EMC claim 2-CMN/Prescription/Other documentation submitted which justifies medical necessity 3-Prior Authorization obtained and approved 4-Prior Authorization requested but not approved 5-CMN/Prescriptions/Other documentation submitted, but did not justify medical necessity 6-CMN/Prescription/Other documentation submitted and approved after prior authorization rejected 7-Recertification CMN/Prescription/Other documentation
15	HUDC-WAIVER-LIAB	PIC X	1			N-Does not apply Y-Beneficiary notified and agrees to pay for the item
15	HUDC-STATE-CODE	PIC X	2			
15	HUDC-SUPP-ST-CODE	PIC X	2			
15	HUDC-NOC-CODE-DESC	PIC X	14			
15	HUBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9			
15	HUBC-POP-ZIP-CODE	PIC X	9			
15	HUDC-UNITS	PIC S9(07)V999 COMP-3.	6			0-Values reported as zero 3-Number of services 4-Oxygen volume units 6-Drug Dosage
15	HUBC-LI-OVERRIDE-TABLE.		20			
20	HUBC-LI-OVERRIDE-EDIT	PIC X	4	5		OCCURS 5 TIMES
						INDEXED HUBC-LI-OV-INDEX
15	HUBC-SUSP-DUP-REV-IND	PIC X	1			1-Suspect duplicate review performed
15	HUBC-HPSA-SCARCITY-IND	PIC X	1			1 = HPSA 2 = PSA 3 = HPSA and PSA 4 = HSIP 5 = HPSA and HSIP 6 = PCIP 7 = HPSA and PCIP Space = Not Applicable
15	HUBC-PRESCRIPTION.					
20	HUBC-VENDOR-ID	PIC X	4			

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
20	HUBC-HCPCS	PIC X	5			
20	HUBC-VENDOR-PR-NUM	PIC X	21			
15	HUDC-NCB-IND	PIC X	1			
15	HUBC-TEST-TYPE	PIC X	2			
15	HUBC-TEST-RESULTS.					
20	HUBC-TEST-RESULTS-N	PIC 9(02)V9.	3			
15	HUBC-PWK-LINE-ITEM-IND	PIC X	2			P1 – one iteration is present P2 - two iterations are present P3 - three iterations are present P4 - four iterations are present P5 - five iterations are present P6 - six iterations are present P7 - seven iterations are present P8 - eight iterations are present P9 - nine iterations are present P0 - ten iterations are present
15	HUBC-PWK-LINE-ITEM-FILLER	PIC X	18			
15	HUBC-MSP-WORKMEN-COMP-IND	PIC X	1			
15	HUBC-LIAB-DEN-IND	PIC X	1			Valid Values = 'B' or space.
15	HUBC-MSP-LIAB-IND	PIC X	1			Valid Values = 'Y' or Space
15	HUDC-BENE-ZIP-CD	PIC X	9			
15	HUDC-DCBP-IND	PIC X	1			
15	HUBC-PMDA-TRACKING-NUM	PIC X	14			
15	HUBC-FPS-DETAIL-INFO.					
20	HUBC-FPS-D-MODEL-NUMBER	PIC X	2			
20	HUBC-FPS-D-REASON-CODE	PIC X	3			
20	HUBC-FPS-D-REMARK-CODE	PIC X	5			
20	HUBC-FPS-D-MSN-CODES.					
25	HUBC-FPS-D-MSN-CODE-1	PIC X	5			
25	HUBC-FPS-D-MSN-CODE-2	PIC X	5			
15	HUBC-OTH-AMTS-APPLIED-AREA.					
20	HUBC-OTH-AMTS-TABLE		35	7		OCCURS 7 TIMES
						INDEXED HUBC-OAA-INDEX.
25	HUBC-OTH-AMTS-APPLIED	PIC S9(05)V99 COMP-3.	4			

CABEHIBC

Po siti on	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformat ion	CWF Input Record (CABEHUBC) Field Values
25	HUBC-OTH-AMTS-IND	PIC X	1			A-Gramm-Rudman reduction Required for services (03/03/198 6-09/30/1986) B-Interest addition C-Positive rounding adjustment (due to line item distribution from total claim reimbursement amount) D-Negative rounding adjustment (due to line item distribution from total claim reimbursementamount) E-Primary payer allowed charge F-Good cause G- PMD Demonstration Reduction J-Paid Amount and not Pioneer Reduction L-ACO Pioneer Reduction N- None
15	HUBC-LEGS-IND1	PIC X	1			Valid values A,B,C,D A - Hospital Outpatient claims are subject to the therapy cap for this Date of Service. (This indicator will be used on institutional claimsonly.) B - Critical Access Hospital Outpatient claims are subject to the therapy cap for this Date C – The therapy cap exceptions process, as indicated by the submission of the 'KX' Modifier, no longer applies for this Date of Service. (This indicator will be used on both institutional and professional claims.) D – The \$3700 threshold for review of therapy services no longer applies for this Date of Service. (This indicator will be used on both institutional and professional claims.)
15	HUBC-LEGS-IND2	PIC X	1			Same As Above
15	HUBC-LEGS-IND3	PIC X	1			Same As Above
15	HUBC-LEGS-IND4	PIC X	1			Same As Above
15	HUBC-LEGS-IND5	PIC X	1			Same As Above
15	HUDC-CBP-DATE	PIC S9(07) COMP-3.	4			Format - CCYYDDD

CABEHIBC

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation	CWF Input Record (CABEHUBC) Field Values
15	HUDC-CBA	PIC X	5			
15	HUBC-POS-ADDRESS.					
20	HUBC-POS-ORG-NAME	PIC X	60			
20	HUBC-POS-FIRST-NAME	PIC X	35			
20	HUBC-POS-MIDDLE-NAME	PIC X	25			
20	HUBC-POS-ADDRESS1	PIC X	55			
20	HUBC-POS-ADDRESS2	PIC X	55			
20	HUBC-POS-CITY	PIC X	30			
20	HUBC-POS-STATE	PIC X	2			
20	HUBC-POS-ZIP	PIC X	15			
15	HUBC-NPI-GROUP-IND	PIC X	1			'Y' 'N' Space
15	HUBC-LINE-ITEM-UNUSED	PIC X	299			
15	HUBC-RESERVED-FOR-CWF	PIC X	5			

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	5	1	HIBC-IDENT-PLUS-PARTB											
	10	2	HIBC-NCH-HEADER-DATA											
	15	3	HIBC-DATETIME											
	20	4	HIBC-DATE-STAMP	PIC 9	7									
	20	5	HIBC-TIME-STAMP	PIC 9	6									
	15	6	HIBC-IDENTIFIER											
	20	7	HIBC-MASK	PIC X	4									
	20	8	HIBC-TRANSID	PIC X	4								'HUBC', 'HIBC', 'HUDC', 'HIDC'	'HUBC', 'HIBC', 'HUDC', 'HIDC'
	15	9	HIBC-COUNT-INFO	PIC X	40									
	15	10	HIBC-FILLER-1	PIC X	39									
	10	11	HIBC-RESERVED-FOR-LEN	PIC X	2									
	10	12	HIBC-FIXED-DATA											
HUBC-CLMNO	15	13	HIBC-CLMNO	PIX X	11			11				BENE-CLM-ACNT-NUM	Redefined 20 :XB:-CAN9. 25 :XB:-CAN1 PIC X(01). 25 PIC X(08). 20 :XB:-BIC PIC X(02)	
		14						13				BENE-IDENT-CD		
	15	15	HIBC-EQUAT-BIC	PIC X	2									
HUBC-BENE-SURNAME	15	16	HIBC-BENE-SURNAME	PIC X	6			48				CLM-PTNT-6-PSTN-SRNM- NAME		
HUBC-BENE-FINIT	15	17	HIBC-BENE-FINIT	PIC X	1			49				CLM-PTNT-1ST-INITL-GVN- NAME		'A' thru 'Z'
HUBC-SEX-CODE	15	18	HIBC-SEX-CODE	PIC X	1									0-Unknown F-Female M-Male
HUBC-PROC-CARRIER	15	19	HIBC-PROC-CARRIER											
HUBC-PROC-CARR	20	20	HIBC-PROC-CARR	PIC X	5			40				CARR-NUM		
HUBC-PROC-CARR-EXP	20	21	HIBC-PROC-CARR-EXP	PIC X	4			72				CLM-BUSNS-SGMT-ID-CD		
HUBC-REQ-ID	15	22	HIBC-REQ-ID	PIC X	4									
HUBC-LINE-CNT	15	23	HIBC-LINE-CNT	PIC 9	2			27				CLM-TOT-LINE-CNT		
		24						28				CLM-SGMT-LINE-CNT		
HUBC-ENTRY-CODE	15	25	HIBC-ENTRY-CODE	PIC X	1			31				CARR-CLM-ENTRY-CD		1-Original Debit 3-Full Credit 5-Replacement Debit 9-Accrete Bill History Only
	15	26	HIBC-DATES-OF-SERVICE											
	20	27	HIBC-FIRST-EXP-DTE	PIC S9(07) COMP-3	4			16				CLM-FROM-DT		
	20	28	HIBC-LAST-EXP-DTE	PIC S9(07) COMP-3	4			17				CLM-THRU-DT		
	15	29	HIBC-TOT-MED	PIC S9(05)V9 9 COMP- 3	4									
	15	30	HIBC-TOT-PSYC	PIC S9(05)V9 9 COMP- 3	4									
	15	31	HIBC-TOT-PT	PIC S9(05)V9 9 COMP- 3	4									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	32	HIBC-TOT-OT	PIC S9(05)V9 9 COMP- 3	4									
	15	33	HIBC-TOTDED-MED	PIC S9(05)V9 9 COMP- 3	4									
	15	34	HIBC-TOTDED-PSYC	PIC S9(05)V9 9 COMP- 3	4									
	15	35	HIBC-TOTDED-PT	PIC S9(05)V9 9 COMP- 3	4									
	15	36	HIBC-TOTDED-OT	PIC S9(05)V9 9 COMP- 3	4									
HUBC-INVEST-IND	15	37	HIBC-INVEST-IND	PIC X	1									0-Other X-Clean claim
HUBC-SPLIT-IND	15	38	HIBC-SPLIT-IND	PIC X	1									B-Both Split & Replicate N-Not Split R-Replicate Y-Split
	15	39	HIBC-MSP-FLAG	PIC X	1									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-PAY-DENIAL-IND	15	40	HIBC-PAY-DENIAL-IND	PIC X	2			55				CARR-CLM-PMT-DNL-CD		(First value is entered into position '61' and '62' could be space, i.e. '1' , '2', '14') 00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 0-Denied 1-Physician/Supplier 2-Beneficiary 3-Both supplier and Beneficiary 4-Hospital (hospital based physicians) 5-Both hospital and Beneficiary 6-Group Practice Prepayment 7-Other entries (e.g. Employer, union) 8-Federally funded entities 9-PA services 12-BC/BS voluntary agreements 13-Office of personnel management (OPM) 14-Workmen's compensation (WC) data match A- Beneficiary under limitation of liability B-Physician/Supplier Under limitation of liability C-Custodial (not being used) D-Denied due to demonstration involvement E-First Claim Development F-Trauma Code Development G - Secondary Claims Investigation H-Self Reports J-411.25 K-Insurer Voluntary Reporting N-Non-Covered Q-Employer voluntary Reporting R-Benefits refused or evidence not submitted S-Secondary Payer T-IEQ Contractor MSP Cost avoided U-HMO rate cell Adjustment MSP cost avoided V-
HUBC-HCPCS-YEAR	15	41	HIBC-HCPCS-YEAR	PIC 9	1			69				CARR-CLM-HCPCS-YR-CD		
	15	42	HIBC-MSP-AMT	PIC S9(05)V9 9 COMP- 3	4			58				CARR-CLM-PRMRY-PYR-PD- AMT		
	15	43	HIBC-CPT-INTEREST	PIC S9(03)V9 9 COMP- 3	3									
HUBC-DOC-CNTL-NUM	15	44	HIBC-DOC-CNTL-NUM	PIC X	15			21				CARR-CLM-CNTL-NUM		
HUBC-REFER-PHYS	15	45	HIBC-REFER-PHYS	PIX X	14			89				CARR-CLM-RFRG-PIN-NUM		
HUBC-REFER-PHYS-NPI	15	46	HIBC-REFER-PHYS-NPI	PIC X	10			61				CARR-CLM-RFRG-PHYSN-NPI- NUM	Redefined -- :XD:-HEADER-NPI	
HUBC-DATE-RECEIPT	15	47	HIBC-DATE-RECEIPT	PIC S9(07) COMP-3	4			37				CARR-CLM-RCPT-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-DATE-PAY-DENY	15	48	HIBC-DATE-PAY-DENY	PIC S9(07) COMP-3	4			38				CARR-CLM-SCHLD-PMT-DT		
	15	49	HIBC-BLOOD-FURNISHED	PIC 9	2			92				CLM-BLOOD-PT-FRNSH-QTY		
	15	50	HIBC-BLOOD-DED	PIC 9	2			93				CLM-BLOOD-DDCTBL-PT-QTY		
	15	51	HIBC-CSHDED	PIC S9(03)V9 9 COMP- 3	3			68				CARR-CLM-CASH-DDCTBL- APPLY-AMT		
	15	52	HIBC-REIMB	PIC S9(05)V9 9 COMP- 3	4			57				CLM-PMT-AMT		
HUBC-REP-PAYEE-IND	15	53	HIBC-REP-PAYEE-IND	PIC X	1									N-No Y-Yes
HUBC-SUBMITTER-ID	15	54	HIBC-SUBMITTER-ID	PIC X	10									
HUBC-ACCIDENT-SW	15	55	HIBC-ACCIDENT-SW	PIC X	1									O-Other A-Auto May be blank
HUBC-PATIENT-RELTP-IND	15	56	HIBC-PATIENT-RELTP-IND	PIC X	1									1-Self 2-Spouse 3-Child 4-Other 20-Partner May be blank
HUBC-WORK-RELTP-IND	15	57	HIBC-WORK-RELTP-IND	PIC X	1									N-No Y-Yes
HUBC-SIGNATURE-IND	15	58	HIBC-SIGNATURE-IND	PIC X	1									N-Not on file Y-Signature on file
HUBC-BENE-GONE-IND	15	59	HIBC-BENE-GONE-IND	PIC X	1									D-Deceased Beneficiary Blank-Beneficiary not deceased
HUBC-COMPLEMENT-IND	15	60	HIBC-COMPLEMENT-IND	PIC X	1									C-Complementary M-Medicaid Blank-Does not apply
HUBC-COMPLEMENT-CARR	15	61	HIBC-COMPLEMENT-CARR	PIC X	7									
HUBC-COMPLEMENT-ID-NO	15	62	HIBC-COMPLEMENT-ID-NO	PIC X	20									
HUBC-ASSIGN-IND	15	63	HIBC-ASSIGN-IND	PIC X	1			62				CARR-CLM-PRVDR-ASGNMT- IND-SW		N-Provider does not accept assignment A-Accept assignment 3-Telemed 4-UMWA
HUBC-PAID-BY-BENE	15	64	HIBC-PAID-BY-BENE	PIC S9(04)V9 9 COMP- 3	4			65				CARR-CLM-BENE-PD-AMT		
HUBC-PRIVACY-FLAG	15	65	HIBC-PRIVACY-FLAG	PIC X	1									N-No data to go forward from carrier site Blank-Data not private
HUBC-DATE-BILLED	15	66	HIBC-DATE-BILLED	PIC S9(07) COMP-3	4									
	15	67	HIBC-CARRIER-HEADER-DATA											
HUBC-EXAMINER-NO	20	68	HIBC-EXAMINER-NO	PIC X	2									
HUBC-REMARKS	20	69	HIBC-REMARKS										Redefined -- :XB:-IDE-IDENT X(3) 'IDE' + :XB:-IDE-NUMBER X(7) + X(9) Redefined -- :XB:-CPO-IDENT X(3) 'CPO' + :XB:-CPO-NUMBER X(6) + :XB:-CPO-NPI X(10)	
HUBC-CPO-IDENT	25	70	HIBC-CPO-IDENT	PIC X	3									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-CPO-NUMBER	25	71	HIBC-CPO-NUMBER	PIC X	6			90				CPO-PRVDR-NUM	Redefine of remarks only moved if CPO- Identification equals "CPO"	
HUBC-CPO-NPI	25	72	HIBC-CPO-NPI	PIC X	10			91				CPO-ORG-NPI-NUM	Redefine of remarks only moved if CPO- Identification equals "CPO"	
HUBC-MICRO-IND	20	73	HIBC-MICRO-IND	PIC X	2									
HUBC-UPIN	20	74	HIBC-UPIN	PIC X	6			60				CARR-CLM-RFRG-UPIN-NUM	Redefined -- :XD:-ORDERING-UPIN	
HUBC-DIAGNOSIS-CODES	20	75	HIBC-DIAGNOSIS-CODES			12		123				NCH-DGNS-TRLR-IND-CD	Redefined -- OCCURS 12 TIMES INDEXED :XB:-DIAG-INDEX as :XB:-DIAGNOSIS-CODE-IND X(1) '9', ZERO + :XB:-DIAGNOSIS-CODE X(7)	
HUBC-DIAGNOSIS-CODE-IND	25	76	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	1		53				CLM-DGNS-VRSN-CD	'9', ZERO	'9' - ICD-9 '0' - ICD-10
HUBC-DIAGNOSIS-CODE	25	77	HIBC-DIAGNOSIS-CODE	PIC X	7	1		54				CLM-PRNCPAL-DGNS-CD		Y' and SPACE PRESENT - 'Y'
HUBC-DIAGNOSIS-CODE-IND	25	78	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	1		124				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	79	HIBC-DIAGNOSIS-CODE	PIC X	7	1		125				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	80	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	2		125				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	81	HIBC-DIAGNOSIS-CODE	PIC X	7	2		125				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	82	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	3		125				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	83	HIBC-DIAGNOSIS-CODE	PIC X	7	3		125				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	84	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	4		125.1				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	85	HIBC-DIAGNOSIS-CODE	PIC X	7	4		125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	86	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	5		125.1				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	87	HIBC-DIAGNOSIS-CODE	PIC X	7	5		125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	88	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	6		125.1				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	89	HIBC-DIAGNOSIS-CODE	PIC X	7	6		125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	90	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	7		125.1				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	91	HIBC-DIAGNOSIS-CODE	PIC X	7	7		125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	92	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	8		125.1				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	93	HIBC-DIAGNOSIS-CODE	PIC X	7	8		125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	94	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	9		125.2				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	95	HIBC-DIAGNOSIS-CODE	PIC X	7	9		125.2				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	96	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	10		125.2				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	97	HIBC-DIAGNOSIS-CODE	PIC X	7	10		125.2				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	98	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	11		125.2				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	99	HIBC-DIAGNOSIS-CODE	PIC X	7	11		125.2				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	100	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	12		125.2				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	101	HIBC-DIAGNOSIS-CODE	PIC X	7	12		125.2				CLM-DGNS-CD		
	20	102	HIBC-CARRIER-HEADER- UNUSED	PIC X	9									
	15	103	HIBC-CUR-ENT-DATE	PIC S9(07) COMP-3	4									
	15	104	HIBC-CUR-TRM-DATE	PIC S9(07) COMP-3	4									
	15	105	HIBC-PR-ENT-DATE	PIC S9(07) COMP-3	4									
	15	106	HIBC-PR-TRM-DATE	PIC S9(07) COMP-3	4									
	15	107	HIBC-DOD	PIC S9(07) COMP-3	4									
	15	108	HIBC-BENE-EXH-PSYC-IND	PIC X	1									
	15	109	HIBC-BENE-EXH-OT-IND	PIC X	1									
	15	110	HIBC-BENE-EXH-PT-IND	PIC X	1									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	111	HIBC-NO-PSYC-LINE-ITEMS	PIC 9	2									
	15	112	HIBC-MEDICARE-STATUS-CODE	PIC X	2			47				CWF-BENE-MDCR-STUS-CD		
	15	113	HIBC-STAT-SAMP-FLAG	PIC X	1									
	15	114	HIBC-DUP-ALERT-IND	PIC X	4									
HUBC-CROSSOVER-ID-AREA	15	115	HIBC-CROSSOVER-ID-AREA											
HUBC-CROSSOVER-ID-X	20	116	HIBC-CROSSOVER-ID-X											
HUBC-CROSSOVER-ID	25	117	HIBC-CROSSOVER-ID	PIC 9	10									
HUBC-CROSSOVER-IND	20	118	HIBC-CROSSOVER-IND	PIC X	2									
HUBC-CROSSOVER-ID-RESERVED	15	119	HIBC-CROSSOVER-ID-RESERVED	PIC X	4									
	15	120	HIBC-FIXED-AREA-UNUSED-1	PIC X	8									
HUBC-DEMO-NUM	15	121	HIBC-DEMO-NUM	PIC X	2	1		120				CLM-DEMO-ID-NUM	3/23/2012 - New rules for demo numbers with July 2012 release. If demo number is 61, 62, 63 or 64, a demo trailer will NOT be created, they will be moved to -CARE-IMPRVMT-M1, 2, 3 or 4	01-RUGS 02-HHA 03-TELEMED 04-UMWA 05-CHOICES 06-CABG 07-COE 08-MPPP 15-ESRD 30-LUNG 31-VA 37-MCCD 38-ENCOUNTER 39-CENTRALIZED BILLING PPV & FLU 40-HIS 45-Expansion of Coverage for Chiropractic services 46-Low Vision 48-ADULT DAYCARE 49-HEMODIALYSIS 51-LAB COMP BID 54-ACE Demo 58- MAPCP Demo 59 – ACO Demonstration 60- PMDA Demo 61-Model 1 62-Model 2 63-Model 3
HUBC-DEMO-NUM	15	122	HIBC-DEMO-NUM	PIC X	2	2		121.1				CLM-DEMO-ID-NUM		
HUBC-DEMO-NUM	15	123	HIBC-DEMO-NUM	PIC X	2	3		121.2				CLM-DEMO-ID-NUM		
HUBC-DEMO-NUM	15	124	HIBC-DEMO-NUM	PIC X	2	4		121.3				CLM-DEMO-ID-NUM	Demo number 64 will be found in CARE-IMPRVMT-M4	
	15	125	HIBC-EXCP-NONEXCP-IND	PIC X	1			56				CLM-EXCPTD-NEXCPTD-TRTMT-CD		1-Excepted 2-Nonexcepted
	15	126	HIBC-SITE-OF-SERV	PIC X	16									
	15	127	HIBC-CWF-IND	PIC X	1									G-CWF generated D- CWF generated due to Date of Death
	15	128	HIBC-OVERRIDE-TABLE											
	20	129	HIBC-OVERRIDE-EDIT	PIC X	4	1								
	20	130	HIBC-OVERRIDE-EDIT	PIC X	4	2								
	20	131	HIBC-OVERRIDE-EDIT	PIC X	4	3								
	20	132	HIBC-OVERRIDE-EDIT	PIC X	4	4								
	20	133	HIBC-OVERRIDE-EDIT	PIC X	4	5								
HUBC-LIAB-IND	15	134	HIBC-LIAB-IND	PIC X	1									L-Liability N-No Liability

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUDC-NCPDP-IND	15	135	HIDC-NCPDP-IND	PIC X	1									
HUDC-IHS-IND	15	136	HIDC-IHS-IND	PIC X	1									S-IHS/Supplier H-HIS/Hospital
HUBC-SANCTIONED-IND	15	137	HIBC-SANCTIONED-IND	PIC X	1									S = Sanctioned Provider Space = Non-Sanctioned Provider
HUBC-MASS-ADJ-IND	15	138	HIBC-MASS-ADJ-IND	PIC X	1			85				CLM-MASS-ADJSTMT-IND-CD		M' – Mass Adjustment (MPFS) 'O' - Mass Adjustment /Other - Space
HUBC-CLAIM-ADJ-IND	15	139	HIBC-CLAIM-ADJ-IND	PIC X	1									N' - Non-Adjustment 'A' - Adjustment - Space
HUBC-CT-REGISTRY	15	140	HIBC-CT-REGISTRY											
HUBC-CT-REGISTRY-NUM	20	141	HIBC-CT-REGISTRY-NUM	PIC 9	8			73				CLM-CLNCL-TRIL-NUM		
	15	142	HIBC-NPI-PLACEHOLDER	PIC X	1									
HUBC-COBA-BYPASS	15	143	HIBC-COBA-BYPASS	PIC X	2									'BA'-Add History bypass, 'BB'-No BOI Record bypass, 'BC'-Abbreviated Encounter bypass, 'BD'-Claim Disp other than 01, 03, or 05, 'BE'-NOE bypass, 'BF'-Demo Claim bypass, 'BN'-COBYPASS bypass, 'BP'-Sanctioned Provider bypass, 'BQ'- PQRI bypass, 'BR'-RAP bypass 'Q' and Space.
HUBC-PQRI-IND	15	144	HIBC-PQRI-IND	PIC X	1									
HUBC-SOS-NPI	15	145	HIBC-SOS-NPI	PIC X	10									
HUBC-RAC-ADJ-IND	15	146	HIBC-RAC-ADJ-IND	PIC X	1			74				CLM-RAC-ADJSTMT-IND-CD		'R' and Space.
HUBC-PWK-IND	15	147	HIBC-PWK-IND	PIC X	2			75				CLM-PWK-CD		
HUBC-PWK-FILLER	15	148	HIBC-PWK-FILLER	PIC X	18									
	15	149	HIBC-CIOCPTB	PIC X	9									
HUBC-CAS-IND	15	150	HIBC-CAS-IND	PIC X	1									'G' and Space.
HUBC-FPS-HEADER-INFO	15	151	HUBC-FPS-HEADER-INFO											
HUBC-FPS-H-MODEL-NUMBER	20	152	HUBC-FPS-H-MODEL-NUMBER	PIC X	2			80				CLM-FPS-MODEL-NUM		
HUBC-FPS-H-REASON-CODE	20	153	HUBC-FPS-H-REASON-CODE	PIC X	3			81				CLM-FPS-RSN-CD		
HUBC-FPS-H-REMARK-CODE	20	154	HUBC-FPS-H-REMARK-CODE	PIC X	5			82				CLM-FPS-RMRK-CD		
HUBC-FPS-H-MSN-CODES	20	155	HUBC-FPS-H-MSN-CODES											
HUBC-FPS-H-MSN-CODE-1	25	156	HUBC-FPS-H-MSN-CODE-1	PIC X	5			83				CLM-FPS-MSN-1-CD		
HUBC-FPS-H-MSN-CODE-2	25	157	HUBC-FPS-H-MSN-CODE-2	PIC X	5			84				CLM-FPS-MSN-2-CD		
HUBC-FIRST-DIAG-CODE	15	158	HIBC-FIRST-DIAG-CODE	PIC X	1									
HUBC-NMO-CBA-IND	15	159	HIBC-NMO-CBA-IND	PIC X	5									
HUBC-BILLING-NPI	15	160	HIBC-BILLING-NPI	PIC X	10			94				CARR-CLM-BLG-NPI-NUM		
HUBC-FIXED-AREA-UNUSED	15	161	HIBC-FIXED-AREA-UNUSED-2	PIC X	265									
HUBC-RESERVED-FOR-CWF	10	162	HIBC-RESERVED-FOR-CWF	PIC X	300									
	10	163	HIBC-LINE-ITEMS										Redefined -- PIC X(6500)	
HUBC-LINE-ITEM	12	164	HIBC-LINE-ITEM			13							OCCURS 13 TIMES INDEXED :XB:- INDEX :XB:-LIMIT	
HUBC-HCFA-LINE-CNTL-DATA		165	HIBC-HCFA-LINE-CNTL-DATA				1	127				NCH-LINE-TRLR-IND-CD		
HUBC-HCFA-PROV-SPEC	20	166	HIBC-HCFA-PROV-SPEC	PIC X	2		1	136				LINE-HCFA-PRVDR-SPCLTY-CD	ZERO THRU '99', '50'	Valid non-Physician Specialty Codes are: '42', '43', '45', '49', '80' '50' THRU '59' '60' THRU '65' '67' THRU '69' '87' THRU '89' '95' THRU '97' 'A0' THRU 'A8

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-HCFA-PROV-TYPE	20	167	HIBC-HCFA-PROV-TYPE	PIC X	1		1	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	Code as follows: 0-Clinics, groups, associateions, partnerships, or other entities for whom the carrier's own ID number has been assigned. 1-Physicians or suppliers billing as solo practitioners for whom SS numbers are shown in the physician ID code field. 2-Physicians or suppliers billing as solo practitioners for the carrier's own physician ID code is shown. 3-Suppliers (other than sole) 4-Suppliers (other than sole proprietorship) for whom the carrier's own code has been shown. 5-Institutional providers and independent laboratories for whom E1 numbers are used in coding the ID field 6-Institutional providers and independent laboratories for whom the carrier's own ID number is shown. 7- Clinics, groups, associations, or partnerships, for whom E1 numbers are used in coding the ID field. 8-Other entities for whom E1 numbers

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-HCFA-TYPE	20	168	HIBC-HCFA-TYPE	PIC X	1		1	141				LINE-HCFA-TYPE-SRVC-CD		0-Whole Blood, or Packed Red Cells 1-Medical Care 2-Surgery 3-Consultation 4-Diagnostic X-ray 5-Diagnostic Laboratory 6-Radiation Therapy 7-Anesthesia 8-Assistance at Surgery 9-Other <u>Medical –</u> <u>Service</u> A-Used DME B-Highrisk Mammography C-Low-risk Mammography F-Ambulatory Surgical Center (Facility Usage) G-Immunosuppressive Drugs received within 12 months of a Medicare covered transplant I-Installment purchase <u>DME</u> L-Renal supplier in home M-Monthly Capitation Payment (Dialysis) N-Kidney Donor P-Lump Sum purchase of DME R-Rental of DME T-Psychological Therapy U-Occupational Therapy V-Pneumococcal Vaccine W-Physical Therapy Y-Second opinion on Elective surgery
HUBC-HCFA-ASSIGN-IND	20	169	HIBC-HCFA-ASSIGN-IND	PIC X	1		1	138				LINE-PRVDR-PRTCPTG-IND-CD		1-Participating Provider 2-All, or some covered status and allowed expenses applied to deductible participating provider 3-Assignment accepted nonparticipating provider. 4-Assignment not accepted nonparticipating provider. 5-Assignment accepted but all, or some covered and allowed expenses applied to deductible - nonparticipating provider. 6-Assignment not accepted and all covered expenses applied to deductible - non-par provider 7-Participating provider not accepting assignment

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-HCFA-PAY-PROCESS-IND	20	170	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		1	171				LINE-PRCSG-IND-CD		00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 A-Allowed B-Benefits exhausted C-Non-Covered Care D-Denied due to Demonstration involvement E-First Claim Development F-Trauma Code Development G-Secondary Claims investigation H-Self Reports I-Invalid Data J-411.25 K-Insurer Voluntary Reporting L-Clinical Lab Improvement Amendment (CLIA) M-Multiple submittal (i.e. duplicate line item) N-Medical Necessity O-Other Physician Ownership Q-Employer voluntary reporting R-Reprocessed adjustment based on subsequent reprocessing of claim S-Secondary Payer T-IEQ Contractor MSP Cost avoid U-HMO Rate ell Adjustment MSP cost avoid V-Litigation settlement MSP cost avoid W-Workmen's Comp X-MSP cost avoid generic Y-IRS/SSA Data Match
HUBC-HCFA-REIMB-IND	20	171	HIBC-HCFA-REIMB-IND	PIC X	1		1	172				LINE-PMT-80-100-CD		0-80% (for medical, Psych., or drug claim). 1-100% (for medical) 3-100% (limitation of liability only).
HUBC-HCFA-DED-IND	20	172	HIBC-HCFA-DED-IND	PIC X	1		1	173				LINE-SRVC-DDCTBL-IND-SW		0-Subject to deductible 1-Not subject to deductible
HUBC-HCFA-PROV-IND	20	173	HIBC-HCFA-PROV-IND	PIC X	1		1							0-Not available 1-Not in provider sample, inclusive ID number 2-Not in provider sample, inclusive ID number 3-In provider sample, inclusive ID number 4-In provider sample. site only ID number

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-HCFA-PAYSCREEN-IND	20	174	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		1	174				LINE-PMT-IND-CD		1-Actual charge 2-Customary charge 3-Prevailing charge (adjusted, unadjusted gap fill, lowest charge level, etc) 4-Other (including ASC facility fees and outpatient limits and nonpayment because of denial) 5-Lab/Fee schedule 6-Physician Fee Schedule Full Fee Schedule Amount 7-Physician Fee Schedule Transition Amount 8-Clinical Psychologist Fee Schedule 9-Durable Medical Equipment and Prosthetics/Orthotics fee schedule
HUBC-HCFA-MT	20	175	HIBC-HCFA-MT	PIC S9(07)V99 COMP-3	6		1	175				CARR-LINE-MTUS-CNT		
HUBC-HCFA-MT-IND	20	176	HIBC-HCFA-MT-IND	PIC X	1		1	176				CARR-LINE-MTUS-IND-CD		0-Values reported as zero 1-Transportation miles 2-Anesthesia time unit 3-Number of Services reported as zero 4-Oxygen vol. units 5-Blood units 6-Drug Dosage
HUBC-PROC-CODE	15	177	HIBC-PROC-CODE	PIC X	5		1	147				LINE-HCPCS-CD		
HUBC-HCPCS-MODIFIERS	15	178	HIBC-HCPCS-MODIFIERS				1							
HUBC-PROC-CODE-MOD1	20	179	HIBC-PROC-CODE-MOD1	PIC X	2		1	148				LINE-HCPCS-INITL-MDFR-CD		
HUBC-PROC-CODE-MOD2	20	180	HIBC-PROC-CODE-MOD2	PIC X	2		1	149				LINE-HCPCS-2ND-MDFR-CD		Use '99' if more than two modifiers are
HUDC-PROC-CODE-MOD3	20	181	HIDC-PROC-CODE-MOD3	PIC X	2		1	150				LINE-HCPCS-3RD-MDFR-CD		
HUDC-PROC-CODE-MOD4	20	182	HIDC-PROC-CODE-MOD4	PIC X	2		1	151				LINE-HCPCS-4TH-MDFR-CD		
		183		PIC X	3		1	152				LINE-NCH-BETOS-CD		
		184		PIC X	7		1	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		185		PIC X	11		1	154				LINE-NATL-DRUG-CD		
		186		PIC S9(9)V99 COMP-3	6		1	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 56.54.	
HUBC-SUBMITTED-CHGS	15	187	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		1	167				LINE-SBMT-CHRG-AMT		
HUBC-ALLOWED-CHGS	15	188	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		1	168				LINE-ALOW-CHRG-AMT		
HUBC-SS-NUMBER	15	189	HIBC-SS-NUMBER	PIC X	10		1	133				LINE-PRVDR-TAX-NUM		
		190		PIC X	2		1	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MQRMREF6 program	
HUBC-PROVIDER-CODES	15	191	HIBC-PROVIDER-CODES				1							
HUBC-PROV-AREA	20	192	HIBC-PROV-AREA	PIC X	2		1	144				CARR-LINE-PRCNG-LCLTY-CD		
HUBC-PROV-SPEC	20	193	HIBC-PROV-SPEC	PIC X	2		1	137				CARR-LINE-PRVDR-SPCLTY-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-CARR-TYPE-SERV	15	194	HIBC-CARR-TYPE-SERV	PIC X	2		1	142				CARR-LINE-TYPE-SRVC-CD		
HUBC-PLACE	15	195	HIBC-PLACE	PIC 9	2		1	143				LINE-PLC-SRVC-CD		05-Indian Health Service Freestanding Facility 06-Indian Health Service Provider based Facility 07-Tribal 638 Freestanding Facility 08-Tribal 638 Provider based Facility 11-Office 12-Home 13-Assisted Living Facility 14-Group Home 21-Inpatient Hospital 22-Outpatient Hospital 23-Emergency Room Hospital 24-Ambulatory Surgical Center 25-Birthing Center 26-Military Treatment Facility 31-Skilled Nursing Facility 32-Nursing Facility 33-Custodial Care Facility 34-Hospice 41-Ambulance, Land 42-Ambulance, Air or water 49-Independent Clinic 51-Inpatient Psychiatric Facility 52-Psychiatric Facility Partial Hospitalization 53-Community Mental Health Center 54-Intermediate Care 55-Residential Substance Abuse Treatment Facility 56-Psychiatric Residential Treatment Center 57-Nonresidential Substance Abuse Treatment Facility 61-Comprehensive Inpatient Rehabilitation Facility 62-Comprehensive Outpatient Rehabilitation Facility 65-End Stage Renal Disease Treatment 71-State of local public health clinic
HUBC-LI-DATES-OF-SERVICE	15	196	HIBC-LI-DATES-OF-SERVICE				1							
HUBC-FROM-DATE	20	197	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		1	145				LINE-1ST-EXPNS-DT		
HUBC-THRU-DATE	20	198	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		1	146				LINE-LAST-EXPNS-DT		
HUBC-DOC-SUP	15	199	HIBC-DOC-SUP	PIC X	10		1	128				CARR-LINE-PRFRMG-PIN-NUM		
HUBC-NO-SERVICES	15	200	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		1	140				LINE-SRVC-CNT		
HUBC-ACTION-CODE	15	201	HIBC-ACTION-CODE	PIC X	2		1							
HUBC-SPEC-PRIC-IND	15	202	HIBC-SPEC-PRIC-IND	PIC X	1		1							
HUBC-DIAGNOSIS-DATA	15	203	HIBC-DIAGNOSIS-DATA				1							
HUBC-DIAGNOSIS-IND	20	204	HIBC-DIAGNOSIS-IND	PIC X	1		1	178				LINE-DGNS-VRSN-CD	'9', ZERO	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-DIAGNOSIS	20	205	HIBC-DIAGNOSIS	PIC X	7		1	179				LINE-DGNS-CD		
HUBC-CLINICAL-LAB-ID	15	206	HIBC-CLINICAL-LAB-ID	PIC X	10		1	169				CARR-LINE-CLNCL-LAB-NUM		
HUBC-CLINICAL-LAB-AMT	15	207	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		1	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
HUBC-ANESTHESIA	15	208	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		1	180				CARR-LINE-ANSTHSA-UNIT- CNT		
HUBC-DOCUMENT-IND	15	209	HIBC-DOCUMENT-IND	PIC X	1		1	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
HUBC-PATIENT-REIMB	15	210	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		1	156				LINE-BENE-PMT-AMT		
HUBC-PROV-REIMB	15	211	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		1	157				LINE-PRVDR-PMT-AMT		
HUBC-CSHDED-APPLIED	15	212	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		1	158				LINE-BENE-PTB-DDCTBL-AMT		
HUBC-LIM-AMT	15	213	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		1	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
HUBC-BLD-DED (Redefine of HUBC-LIM-AMT)	15	214	HIBC-BLD-DED (Redefine of HIBC-LIM-AMT)				1	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		215		PIC S9(9)V99 COMP-3	6		1	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		216		PIC S9(9)V99 COMP-3	6		1	164				LINE-PRMRY-PYR-ALOW-CHRG AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		217		PIC S9(9)V99 COMP-3	6		1	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
HUBC-MSP-AMT-APPLIED	15	218	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		1	160				LINE-BENE-PRMRY-PYR-PD- AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-MSP-CODE	15	219	HIBC-MSP-CODE	PIC X	1		1	159				LINE-BENE-PRMRY-PYR-CD		A-Working Aged B-ESRD D-No-fault E-Workers' Compensation F-Federal (Public Health) G-Disabled H-Black lung I-Veterans LLiability M-Override code EGHP N-Override code Non EGHP
HUBC-COINS	15	220	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		1	161				LINE-COINSRNC-AMT		
HUBC-PHYS-SUP-NO-IND	15	221	HIBC-PHYS-SUP-NO-IND	PIC 9	1		1							0-Default 1-Provider Number represents the same physician/supplier regardless of multiple locations. 2-Provider Number represents one of multiple numbers used for the same physician/supplier.
HUBC-LINE-UPIN	15	222	HIBC-LINE-UPIN	PIC X	6		1	129				CARR-LINE-PRFRMG-UPIN- NUM		
HUBC-RENDERING-NPI	15	223	HIBC-RENDERING-NPI	PIC X	10		1	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
HUBC-PHYS-SUP-ZIP-CODE	15	224	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		1	135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD	NMUD has the first five characters in LINE-PRVDR-ZIP-CD and the remaining 4 in LINE-PRVDR-ZIP-P4	
		225					1							
HUBC-PERCENTAGE-ALLOWED	15	226	HIBC-PERCENTAGE-ALLOWED	PIC X	1		1	139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		0-N/A 1-65% physician assistants (PA) prevailing charges for assistant at surgery services. 2-75% PA services furnished in a hospital other than assistant surgery services. 3-85% PA services for other than assistant at surgery.
HUBC-DME-COV-DATE	15	227	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		1	183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
HUBC-DME-PURCHASE	15	228	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		1	184				LINE-DME-PURC-PRICE-AMT		
HUBC-DME-MED-NECESS	15	229	HIBC-DME-MED-NECESS	PIC 9	2		1	185				CARR-LINE-DME-NCSTY-MO- CNT		
		230		PIC X	1		1	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
HUDC-SCRN-SUSP	15	231	HIDC-SCRN-SUSP	PIC X	4		1							1xxx-Local Cat I screens 2xxx-Local Cat II screens 3xxx-Local Cat III screens Cxxx-Statutorily noncovered screens M1xx-Mandated Cat I screens M2xx- Mandated Cat II screens M3xx-Mandated Cat III screens Muxx-Mandated unbundling screens Uxxx-Local unbundling screens

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUDC-SCRN-RSLT	15	232	HIDC-SCRN-RSLT	PIC X	1		1							A-Denied for lack of medical necessity; highest level of review was automated Level I B- Reduced (partially denied) for lack of medical necessity; highest level of review was automated Level I C-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was manual Level I I-Denied for coding/unbundling reasons; highest level of review was manual Level I J-Paid after manual Level I review K-Denied for lack of medical necessity; highest level of review was manual
HUDC-DECIS-IND	15	233	HIDC-DECIS-IND	PIC X	1		1							O-Original medical review determination R-Medical review determination after reversal of original decision
HUDC-SCRN-SAVNG	15	234	HIDC-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		1							
HUDC-DME-ALLOW	15	235	HIDC-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		1							
HUDC-NATL-DRUG-CD	15	236	HIDC-NATL-DRUG-CD	PIC X	11		1							
HUDC-UNITS-IND	15	237	HIDC-UNITS-IND	PIC 9	1		1							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUDC-DOCUMENT-IND	15	238	HIDC-DOCUMENT-IND	PIC 9	1		1							0-No additional documentation 1-Additional documentation submitted for non-DME EMC claim. 2-CMN/Prescription/Other documentation submitted which justifies medical necessity. 3-Prior authorization obtained and approved. 4- Prior authorization requested but not approved. 5-SMN/Prescription/Other documentation submitted but did not justify medical necessity. 6-CMN/Prescription/Other documentation submitted and pproved after prior authorization rejected. 7-Recertification CMN/Prescription/Oth ed documentation
HUDC-WAIVER-LIAB	15	239	HIDC-WAIVER-LIAB	PIC X	1		1							N-Does not apply Y-Beneficiary notified and agrees to pay for the item
HUDC-STATE-CODE	15	240	HIDC-STATE-CODE	PIC X	2		1							
HUDC-SUPP-ST-CODE	15	241	HIDC-SUPP-ST-CODE	PIC X	2		1							
HUDC-NOC-CODE-DESC	15	242	HIDC-NOC-CODE-DESC	PIC X	14		1							
HUBC-AMBULANCE-DROP-OFF-ZIP	15	243	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		1	189				CARR-LINE-DROP-OFF-ZIP-CD		
HUBC-POP-ZIP-CODE	15	244	HIBC-POP-ZIP-CODE	PIC X	9		1	188				CARR-LINE-PNT-PCKP-ZIP-CD		
HUDC-UNITS	15	245	HIDC-UNITS	PIC S9(07)V999 COMP-3	6		1							0-Values reported as zero 3-Number of services 4-Oxygen volume units 6-Drug Dosage
HUBC-LI-OVERRIDE-TABLE	15	246	HIBC-LI-OVERRIDE-TABLE				1							
HUBC-LI-OVERRIDE-EDIT	20	247	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	1							
HUBC-LI-OVERRIDE-EDIT	20	248	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	1							
HUBC-LI-OVERRIDE-EDIT	20	249	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	1							
HUBC-LI-OVERRIDE-EDIT	20	250	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	1							
HUBC-LI-OVERRIDE-EDIT	20	251	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	1							
HUBC-SUSP-DUP-REV-IND	15	252	HIBC-SUSP-DUP-REV-IND	PIC X	1		1	187				LINE-DUP-CLM-CHK-IND-CD		1-Suspect duplicate review performed
HUBC-HPSA-SCARCITY-IND	15	253	HIBC-HPSA-SCARCITY-IND	PIC X	1		1	190				CARR-LINE-HPSA-SCRCTY-IND-CD		
HUBC-PRESCRIPTION	15	254	HIBC-PRESCRIPTION				1	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
HUBC-VENDOR-ID	20	255	HIBC-VENDOR-ID	PIC X	4		1							
HUBC-HCPCS	20	256	HIBC-HCPCS	PIC X	5		1							
HUBC-VENDOR-PR-NUM	20	257	HIBC-VENDOR-PR-NUM	PIC X	21		1							
HUDC-NCB-IND	15	258	HIDC-NCB-IND	PIC X	1		1							
HUBC-TEST-TYPE	15	259	HIBC-TEST-TYPE	PIC X	2		1	192				LINE-HCT-HGB-TYPE-CD		
HUBC-TEST-RESULTS	15	260	HIBC-TEST-RESULTS				1							
HUBC-TEST-RESULTS-N	20	261	HIBC-TEST-RESULTS-N	PIC 9	2		1	193				LINE-HCT-HGB-RSLT-NUM	In NMUD if LINE-HCT-HGB-RSLT-NUM is not numeric then a '?' is moved to HCT-HGB-RSLT-NUM-NULLIND	
HUBC-PWK-LINE-ITEM-IND	15	262	HIBC-PWK-LINE-ITEM-IND	PIC X	2		1	195				LINE-PWK-CD		
HUBC-PWK-LINE-ITEM-FILLER	15	263	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		1							
HUBC-MSP-WORKMEN-COMP-IND	15	264	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		1	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
HUBC-LIAB-DEN-IND	15	265	HIBC-LIAB-DEN-IND	PIC X	1		1							
HUBC-MSP-LIAB-IND	15	266	HIBC-MSP-LIAB-IND	PIC X	1		1							
HUDC-BENE-ZIP-CD	15	267	HIDC-BENE-ZIP-CD	PIC X	9		1							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUDC-DCBP-IND	15	268	HIDC-DCBP-IND	PIC X	1		1							
HUBC-PMDA-TRACKING-NUM	15	269	HIBC-PMDA-TRACKING-NUM	PIC X	14		1	196				LINE-PMD-UNIQ-TRKNG-NUM	For testing only valued on first line and have demo code 60	
HUBC-FPS-DETAIL-INFO	15	270	HIBC-FPS-DETAIL-INFO				1							
HUBC-FPS-D-MODEL-NUMBER	20	271	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		1	224				LINE-FPS-MODEL-NUM		
HUBC-FPS-D-REASON-CODE	20	272	HIBC-FPS-D-REASON-CODE	PIC X	3		1	225				LINE-FPS-RSN-CD		
HUBC-FPS-D-REMARK-CODE	20	273	HIBC-FPS-D-REMARK-CODE	PIC X	5		1	226				LINE-FPS-RMRK-CD		
HUBC-FPS-D-MSN-CODES	20	274	HIBC-FPS-D-MSN-CODES				1							
HUBC-FPS-D-MSN-CODE-1	25	275	HIBC-FPS-D-MSN-CODE-1	PIC X	5		1	227				LINE-FPS-MSN-1-CD		
HUBC-FPS-D-MSN-CODE-2	25	276	HIBC-FPS-D-MSN-CODE-2	PIC X	5		1	228				LINE-FPS-MSN-2-CD		
HUBC-OTH-AMTS-APPLIED-AREA	15	277	HIBC-OTH-AMTS-APPLIED-AREA				1							
HUBC-OTH-AMTS-TABLE	20	278	HIBC-OTH-AMTS-TABLE			7	1							
HUBC-OTH-AMTS-APPLIED	25	279	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	1	1	212				LINE-OTHR-APLD-1-AMT		
HUBC-OTH-AMTS-APPLIED	25	280	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	2	1	213				LINE-OTHR-APLD-2-AMT		
HUBC-OTH-AMTS-APPLIED	25	281	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	3	1	214				LINE-OTHR-APLD-3-AMT		
HUBC-OTH-AMTS-APPLIED	25	282	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	4	1	215				LINE-OTHR-APLD-4-AMT		
HUBC-OTH-AMTS-APPLIED	25	283	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	5	1	216				LINE-OTHR-APLD-5-AMT		
HUBC-OTH-AMTS-APPLIED	25	284	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	6	1	217				LINE-OTHR-APLD-6-AMT		
HUBC-OTH-AMTS-APPLIED	25	285	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	7	1	218				LINE-OTHR-APLD-7-AMT		
HUBC-OTH-AMTS-IND	25	286	HIBC-OTH-AMTS-IND	PIC X	1	1	1	205				LINE-OTHR-APLD-IND-1-CD		
HUBC-OTH-AMTS-IND	25	287	HIBC-OTH-AMTS-IND	PIC X	1	2	1	206				LINE-OTHR-APLD-IND-2-CD		
HUBC-OTH-AMTS-IND	25	288	HIBC-OTH-AMTS-IND	PIC X	1	3	1	207				LINE-OTHR-APLD-IND-3-CD		
HUBC-OTH-AMTS-IND	25	289	HIBC-OTH-AMTS-IND	PIC X	1	4	1	208				LINE-OTHR-APLD-IND-4-CD		
HUBC-OTH-AMTS-IND	25	290	HIBC-OTH-AMTS-IND	PIC X	1	5	1	209				LINE-OTHR-APLD-IND-5-CD		
HUBC-OTH-AMTS-IND	25	291	HIBC-OTH-AMTS-IND	PIC X	1	6	1	210				LINE-OTHR-APLD-IND-6-CD		
HUBC-OTH-AMTS-IND	25	292	HIBC-OTH-AMTS-IND	PIC X	1	7	1	211				LINE-OTHR-APLD-IND-7-CD		
HUBC-LEGS-IND1	15	293	HIBC-LEGS-IND1	PIC X	1		1	219				LINE-THRPY-CAP-IND-1-CD		
HUBC-LEGS-IND2	15	294	HIBC-LEGS-IND2	PIC X	1		1	220				LINE-THRPY-CAP-IND-2-CD		
HUBC-LEGS-IND3	15	295	HIBC-LEGS-IND3	PIC X	1		1	221				LINE-THRPY-CAP-IND-3-CD		
HUBC-LEGS-IND4	15	296	HIBC-LEGS-IND4	PIC X	1		1	222				LINE-THRPY-CAP-IND-4-CD		
HUBC-LEGS-IND5	15	297	HIBC-LEGS-IND5	PIC X	1		1	223				LINE-THRPY-CAP-IND-5-CD		
HUBC-CBP-DATE	15	298	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		1							
HUBC-CBA	15	299	HIBC-CBA	PIC X	5		1							
HUBC-POS-ADDRESS	15	300	HIBC-POS-ADDRESS				1							
HUBC-POS-ORG-NAME	20	301	HIBC-POS-ORG-NAME	PIC X	60		1	197				LINE-POS-PHYSN-ORG-NM		
HUBC-POS-FIRST-NAME	20	302	HIBC-POS-FIRST-NAME	PIC X	35		1	198				LINE-POS-PHYSN-1ST-NM		
HUBC-POS-MIDDLE-NAME	20	303	HIBC-POS-MIDDLE-NAME	PIC X	25		1	199				LINE-POS-PHYSN-MDL-NM		
HUBC-POS-ADDRESS1	20	304	HIBC-POS-ADDRESS1	PIC X	55		1	200				LINE-POS-PHYSN-ADR1-NM		
HUBC-POS-ADDRESS2	20	305	HIBC-POS-ADDRESS2	PIC X	55		1	201				LINE-POS-PHYSN-ADR2-NM		
HUBC-POS-CITY	20	306	HIBC-POS-CITY	PIC X	30		1	202				LINE-POS-PHYSN-CITY-NM		
HUBC-POS-STATE	20	307	HIBC-POS-STATE	PIC X	2		1	203				LINE-POS-PHYSN-STATE		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
HUBC-POS-ZIP	20	308	HIBC-POS-ZIP	PIC X	15		1	204				LINE-POS-PHYSN-ZIP-CD		
HUBC-NPI-GROUP-IND	15	309	HIBC-NPI-GROUP-IND	PIC X	1		1	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
HUBC-LINE-ITEM-UNUSED	15	310	HIBC-LINE-ITEM-UNUSED	PIC X	299		1							
	15	311	HIBC-PLACE-OLD	PIC X	1		1							
	15	312	HIBC-NO-SERVICES-OLD	PIC 9	2		1							
	15	313	HIBC-CLIA-ALERT-IND	PIC X	1		1	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	314	HIBC-CANCER-DRUG-IND	PIC X	1		1							
	15	315	HIBC-HCFA-LINE-CNTL-DATA				2	127				NCH-LINE-TRLR-IND-CD		
	20	316	HIBC-HCFA-PROV-SPEC	PIC X	2		2	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	317	HIBC-HCFA-PROV-TYPE	PIC X	1		2	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	318	HIBC-HCFA-TYPE	PIC X	1		2	141				LINE-HCFA-TYPE-SRVC-CD		
	20	319	HIBC-HCFA-ASSIGN-IND	PIC X	1		2	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	320	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		2	171				LINE-PRCSG-IND-CD		
	20	321	HIBC-HCFA-REIMB-IND	PIC X	1		2	172				LINE-PMT-80-100-CD		
	20	322	HIBC-HCFA-DED-IND	PIC X	1		2	173				LINE-SRVC-DDCTBL-IND-SW		
	20	323	HIBC-HCFA-PROV-IND	PIC X	1		2							
	20	324	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		2	174				LINE-PMT-IND-CD		
	20	325	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		2	175				CARR-LINE-MTUS-CNT		
	20	326	HIBC-HCFA-MT-IND	PIC X	1		2	176				CARR-LINE-MTUS-IND-CD		
	15	327	HIBC-PROC-CODE	PIC X	5		2	147				LINE-HCPCS-CD		
	15	328	HIBC-HCPCS-MODIFIERS				2							
	20	329	HIBC-PROC-CODE-MOD1	PIC X	2		2	148				LINE-HCPCS-INITL-MDFR-CD		
	20	330	HIBC-PROC-CODE-MOD2	PIC X	2		2	149				LINE-HCPCS-2ND-MDFR-CD		
	20	331	XD-PROC-CODE-MOD3	PIC X	2		2	150				LINE-HCPCS-3RD-MDFR-CD		
	20	332	XD-PROC-CODE-MOD4	PIC X	2		2	151				LINE-HCPCS-4TH-MDFR-CD		
		333		PIC X	3		2	152				LINE-NCH-BETOS-CD		
		334		PIC X	7		2	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		335		PIC X	11		2	154				LINE-NATL-DRUG-CD		
		336		PIC S9(9)V99 COMP-3	6		2	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB	
	15	337	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		2	167				LINE-SBMT-CHRG-AMT		
	15	338	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		2	168				LINE-ALOW-CHRG-AMT		
	15	339	HIBC-SS-NUMBER	PIC X	10		2	133				LINE-PRVDR-TAX-NUM		
		340		PIC X	2		2	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP- ZIP-CODE in the MQRMREF6 program	
	15	341	HIBC-PROVIDER-CODES				2							
	20	342	HIBC-PROV-AREA	PIC X	2		2	144				CARR-LINE-PRCNG-LCLTY-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	343	HIBC-PROV-SPEC	PIC X	2		2	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	344	HIBC-CARR-TYPE-SERV	PIC X	2		2	142				CARR-LINE-TYPE-SRVC-CD		
	15	345	HIBC-PLACE	PIC 9	2		2	143				LINE-PLC-SRVC-CD		
	15	346	HIBC-LI-DATES-OF-SERVICE				2							
	20	347	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		2	145				LINE-1ST-EXPNS-DT		
	20	348	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		2	146				LINE-LAST-EXPNS-DT		
	15	349	HIBC-DOC-SUP	PIC X	10		2	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	350	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		2	140				LINE-SRVC-CNT		
	15	351	HIBC-ACTION-CODE	PIC X	2		2							
	15	352	HIBC-SPEC-PRIC-IND	PIC X	1		2							
	15	353	HIBC-DIAGNOSIS-DATA				2							
	20	354	HIBC-DIAGNOSIS-IND	PIC X	1		2	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	355	HIBC-DIAGNOSIS	PIC X	7		2	179				LINE-DGNS-CD		
	15	356	HIBC-CLINICAL-LAB-ID	PIC X	10		2	169				CARR-LINE-CLNCL-LAB-NUM		
	15	357	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		2	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	358	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		2	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	359	HIBC-DOCUMENT-IND	PIC X	1		2	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	360	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		2	156				LINE-BENE-PMT-AMT		
	15	361	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		2	157				LINE-PRVDR-PMT-AMT		
	15	362	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		2	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	363	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		2	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		364					2	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		365		PIC S9(9)V99 COMP-3	6		2	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		366		PIC S9(9)V99 COMP-3	6		2	164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		367		PIC S9(9)V99 COMP-3	6		2	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	368	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		2	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	369	HIBC-MSP-CODE	PIC X	1		2	159				LINE-BENE-PRMRY-PYR-CD		
	15	370	HIBC-COINS	PIC S9(05)V99 COMP-3	4		2	161				LINE-COINSRNC-AMT		
	15	371	HIBC-PHYS-SUP-NO-IND	PIC 9	1		2							
	15	372	HIBC-LINE-UPIN	PIC X	6		2	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	373	HIBC-RENDERING-NPI	PIC X	10		2	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	374	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		2	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		375					2							
	15	376	HIBC-PERCENTAGE-ALLOWED	PIC X	1		2	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	377	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		2	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	378	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		2	184				LINE-DME-PURC-PRICE-AMT		
	15	379	HIBC-DME-MED-NECESS	PIC 9	2		2	185				CARR-LINE-DME-NCSTY-MO-CNT		
		380		PIC X	1		2	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	381	:XD:-SCRN-SUSP	PIC X	4		2							
	15	382	:XD:-SCRN-RSLT	PIC X	1		2							
	15	383	:XD:-DECIS-IND	PIC X	1		2							
	15	384	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4		2							
	15	385	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4		2							
	15	386	:XD:-NATL-DRUG-CD	PIC X	11		2							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	387	:XD:-UNITS-IND	PIC 9	1		2							
	15	388	:XD:-DOCUMENT-IND	PIC 9	1		2							
	15	389	:XD:-WAIVER-LIAB	PIC X	1		2							
	15	390	:XD:-STATE-CODE	PIC X	2		2							
	15	391	:XD:-SUPP-ST-CODE	PIC X	2		2							
	15	392	:XD:-NOC-CODE-DESC	PIC X	14		2							
	15	393	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		2	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	394	HIBC-POP-ZPCD	PIC X	9		2	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	395	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		2							
	15	396	HIBC-LI-OVERRIDE-TABLE				2							
	20	397	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	2							
	20	398	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	2							
	20	399	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	2							
	20	400	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	2							
	20	401	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	2							
	15	402	HIBC-SUSP-DUP-REV-IND	PIC X	1		2	187				LINE-DUP-CLM-CHK-IND-CD		
	15	403	HIBC-HPSA-SCARCITY-IND	PIC X	1		2	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	404	HIBC-PRESCRIPTION				2	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	405	HIBC-VENDOR-ID	PIC X	4		2							
	20	406	HIBC-HCPCS	PIC X	5		2							
	20	407	HIBC-VENDOR-PR-NUM	PIC X	21		2							
	15	408	:XD:-NCB-IND	PIC X	1		2							
	15	409	HIBC-TEST-TYPE	PIC X	2		2	192				LINE-HCT-HGB-TYPE-CD		
	15	410	HIBC-TEST-RESULTS				2							
	20	411	HIBC-TEST-RESULTS-N	PIC 9	2		2	193				LINE-HCT-HGB-RSLT-NUM		
	15	412	HIBC-PWK-LINE-ITEM-IND	PIC X	2		2	195				LINE-PWK-CD		
	15	413	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		2							
	15	414	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		2	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	415	HIBC-LIAB-DEN-IND	PIC X	1		2							
	15	416	HIBC-MSP-LIAB-IND	PIC X	1		2							
	15	417	HIBC-BENE-ZIP-CD	PIC X	9		2							
	15	418	HIBC-DCBP-IND	PIC X	1		2							
	15	419	HIBC-PMDA-TRACKING-NUM	PIC X	14		2	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	420	HIBC-FPS-DETAIL-INFO				2							
	20	421	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		2	224				LINE-FPS-MODEL-NUM		
	20	422	HIBC-FPS-D-REASON-CODE	PIC X	3		2	225				LINE-FPS-RSN-CD		
	20	423	HIBC-FPS-D-REMARK-CODE	PIC X	5		2	226				LINE-FPS-RMRK-CD		
	20	424	HIBC-FPS-D-MSN-CODES				2							
	25	425	HIBC-FPS-D-MSN-CODE-1	PIC X	5		2	227				LINE-FPS-MSN-1-CD		
	25	426	HIBC-FPS-D-MSN-CODE-2	PIC X	5		2	228				LINE-FPS-MSN-2-CD		
	15	427	HIBC-OTH-AMTS-APPLIED-AREA				2							
	20	428	HIBC-OTH-AMTS-TABLE			7	2							
	25	429	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	2	212				LINE-OTHR-APLD-1-AMT		
	25	430	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	2	213				LINE-OTHR-APLD-2-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	431	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	2	214				LINE-OTHR-APLD-3-AMT		
	25	432	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	2	215				LINE-OTHR-APLD-4-AMT		
	25	433	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	2	216				LINE-OTHR-APLD-5-AMT		
	25	434	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	2	217				LINE-OTHR-APLD-6-AMT		
	25	435	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	2	218				LINE-OTHR-APLD-7-AMT		
	25	436	HIBC-OTH-APPL-IND	PIC X	1	1	2	205				LINE-OTHR-APLD-IND-1-CD		
	25	437	HIBC-OTH-APPL-IND	PIC X	1	2	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	438	HIBC-OTH-APPL-IND	PIC X	1	3	2	207				LINE-OTHR-APLD-IND-3-CD		
	25	439	HIBC-OTH-APPL-IND	PIC X	1	4	2	208				LINE-OTHR-APLD-IND-4-CD		
	25	440	HIBC-OTH-APPL-IND	PIC X	1	5	2	209				LINE-OTHR-APLD-IND-5-CD		
	25	441	HIBC-OTH-APPL-IND	PIC X	1	6	2	210				LINE-OTHR-APLD-IND-6-CD		
	25	442	HIBC-OTH-APPL-IND	PIC X	1	7	2	211				LINE-OTHR-APLD-IND-7-CD		
	15	443	HIBC-LEGS-IND1	PIC X	1		2	219				LINE-THRPY-CAP-IND-1-CD		
	15	444	HIBC-LEGS-IND2	PIC X	1		2	220				LINE-THRPY-CAP-IND-2-CD		
	15	445	HIBC-LEGS-IND3	PIC X	1		2	221				LINE-THRPY-CAP-IND-3-CD		
	15	446	HIBC-LEGS-IND4	PIC X	1		2	222				LINE-THRPY-CAP-IND-4-CD		
	15	447	HIBC-LEGS-IND5	PIC X	1		2	223				LINE-THRPY-CAP-IND-5-CD		
	15	448	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		2							
	15	449	HIBC-CBA	PIC X	5		2							
	15	450	HIBC-POS-ADDRESS				2							
	20	451	HIBC-POS-ORG-NAME	PIC X	60		2	197				LINE-POS-PHYSN-ORG-NM		
	20	452	HIBC-POS-FIRST-NAME	PIC X	35		2	198				LINE-POS-PHYSN-1ST-NM		
	20	453	HIBC-POS-MIDDLE-NAME	PIC X	25		2	199				LINE-POS-PHYSN-MDL-NM		
	20	454	HIBC-POS-ADDRESS1	PIC X	55		2	200				LINE-POS-PHYSN-ADR1-NM		
	20	455	HIBC-POS-ADDRESS2	PIC X	55		2	201				LINE-POS-PHYSN-ADR2-NM		
	20	456	HIBC-POS-CITY	PIC X	30		2	202				LINE-POS-PHYSN-CITY-NM		
	20	457	HIBC-POS-STATE	PIC X	2		2	203				LINE-POS-PHYSN-STATE		
	20	458	HIBC-POS-ZIP	PIC X	15		2	204				LINE-POS-PHYSN-ZIP-CD		
	15	459	HIBC-NPI-GROUP-IND	PIC X	1		2	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	460	HIBC-LINE-ITEM-UNUSED	PIC X	300		2							
	15	461	HIBC-PLACE-OLD	PIC X	1		2							
	15	462	HIBC-NO-SERVICES-OLD	PIC 9	2		2							
	15	463	HIBC-CLIA-ALERT-IND	PIC X	1		2	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	464	XD:-CANCER-DRUG-IND	PIC X	1		2							
	15	465	HIBC-HCFA-LINE-CNTL-DATA				3	127				NCH-LINE-TRLR-IND-CD		
	20	466	HIBC-HCFA-PROV-SPEC	PIC X	2		3	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	467	HIBC-HCFA-PROV-TYPE	PIC X	1		3	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	468	HIBC-HCFA-TYPE	PIC X	1		3	141				LINE-HCFA-TYPE-SRVC-CD		
	20	469	HIBC-HCFA-ASSIGN-IND	PIC X	1		3	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	470	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		3	171				LINE-PRCSG-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	471	HIBC-HCFA-REIMB-IND	PIC X	1		3	172				LINE-PMT-80-100-CD		
	20	472	HIBC-HCFA-DED-IND	PIC X	1		3	173				LINE-SRVC-DDCTBL-IND-SW		
	20	473	HIBC-HCFA-PROV-IND	PIC X	1		3							
	20	474	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		3	174				LINE-PMT-IND-CD		
	20	475	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		3	175				CARR-LINE-MTUS-CNT		
	20	476	HIBC-HCFA-MT-IND	PIC X	1		3	176				CARR-LINE-MTUS-IND-CD		
	15	477	HIBC-PROC-CODE	PIC X	5		3	147				LINE-HCPCS-CD		
	15	478	HIBC-HCPCS-MODIFIERS				3							
	20	479	HIBC-PROC-CODE-MOD1	PIC X	2		3	148				LINE-HCPCS-INITL-MDFR-CD		
	20	480	HIBC-PROC-CODE-MOD2	PIC X	2		3	149				LINE-HCPCS-2ND-MDFR-CD		
	20	481	:XD:-PROC-CODE-MOD3	PIC X	2		3	150				LINE-HCPCS-3RD-MDFR-CD		
	20	482	:XD:-PROC-CODE-MOD4	PIC X	2		3	151				LINE-HCPCS-4TH-MDFR-CD		
		483		PIC X	3		3	152				LINE-NCH-BETOS-CD		
		484		PIC X	7		3	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		485		PIC X	11		3	154				LINE-NATL-DRUG-CD		
		486		PIC S9(9)V99 COMP-3	6		3	155				LINE-NCH-PMT-AMT	Value is 60.54.Calculated = QAR6- PATIENT-REIMB (QAR6-LINE- COUNT) + QAR6-PROV-REIMB	
	15	487	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		3	167				LINE-SBMT-CHRG-AMT		
	15	488	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		3	168				LINE-ALOW-CHRG-AMT		
	15	489	HIBC-SS-NUMBER	PIC X	10		3	133				LINE-PRVDR-TAX-NUM		
		490		PIC X	2		3	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP- ZIP-CODE in the MQRREF6 program	
	15	491	HIBC-PROVIDER-CODES				3							
	20	492	HIBC-PROV-AREA	PIC X	2		3	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	493	HIBC-PROV-SPEC	PIC X	2		3	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	494	HIBC-CARR-TYPE-SERV	PIC X	2		3	142				CARR-LINE-TYPE-SRVC-CD		
	15	495	HIBC-PLACE	PIC 9	2		3	143				LINE-PLC-SRVC-CD		
	15	496	HIBC-LI-DATES-OF-SERVICE				3							
	20	497	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		3	145				LINE-1ST-EXPNS-DT		
	20	498	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		3	146				LINE-LAST-EXPNS-DT		
	15	499	HIBC-DOC-SUP	PIC X	10		3	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	500	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		3	140				LINE-SRVC-CNT		
	15	501	HIBC-ACTION-CODE	PIC X	2		3							
	15	502	HIBC-SPEC-PRIC-IND	PIC X	1		3							
	15	503	HIBC-DIAGNOSIS-DATA				3							
	20	504	HIBC-DIAGNOSIS-IND	PIC X	1		3	178				LINE-DGNS-VRSN-CD	'9', ZERO	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	505	HIBC-DIAGNOSIS	PIC X	7		3	179				LINE-DGNS-CD		
	15	506	HIBC-CLINICAL-LAB-ID	PIC X	10		3	169				CARR-LINE-CLNCL-LAB-NUM		
	15	507	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		3	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	508	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		3	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	509	HIBC-DOCUMENT-IND	PIC X	1		3	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	510	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		3	156				LINE-BENE-PMT-AMT		
	15	511	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		3	157				LINE-PRVDR-PMT-AMT		
	15	512	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		3	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	513	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		3	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		514					3	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		515		PIC S9(9)V99 COMP-3	6		3	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		516		PIC S9(9)V99 COMP-3	6		3	164				LINE-PRMRY-PYR-ALOW-CHRG- AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		517		PIC S9(9)V99 COMP-3	6		3	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	518	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		3	160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	519	HIBC-MSP-CODE	PIC X	1		3	159				LINE-BENE-PRMRY-PYR-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	520	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		3	161				LINE-COINSRNC-AMT		
	15	521	HIBC-PHYS-SUP-NO-IND	PIC 9	1		3							
	15	522	HIBC-LINE-UPIN	PIC X	6		3	129				CARR-LINE-PRFRMG-UPIN- NUM		
	15	523	HIBC-RENDERING-NPI	PIC X	10		3	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	524	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		3	135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		525					3							
	15	526	HIBC-PERCENTAGE-ALLOWED	PIC X	1		3	139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	527	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		3	183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	528	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		3	184				LINE-DME-PURC-PRICE-AMT		
	15	529	HIBC-DME-MED-NECESS	PIC 9	2		3	185				CARR-LINE-DME-NCSTY-MO- CNT		
		530		PIC X	1		3	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
	15	531	:XD:-SCRN-SUSP	PIC X	4		3							
	15	532	:XD:-SCRN-RSLT	PIC X	1		3							
	15	533	:XD:-DECIS-IND	PIC X	1		3							
	15	534	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		3							
	15	535	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		3							
	15	536	:XD:-NATL-DRUG-CD	PIC X	11		3							
	15	537	:XD:-UNITS-IND	PIC 9	1		3							
	15	538	:XD:-DOCUMENT-IND	PIC 9	1		3							
	15	539	:XD:-WAIVER-LIAB	PIC X	1		3							
	15	540	:XD:-STATE-CODE	PIC X	2		3							
	15	541	:XD:-SUPP-ST-CODE	PIC X	2		3							
	15	542	:XD:-NOC-CODE-DESC	PIC X	14		3							
	15	543	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		3	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	544	HIBC-POP-ZPCD	PIC X	9		3	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	545	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		3							
	15	546	HIBC-LI-OVERRIDE-TABLE				3							
	20	547	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	3							
	20	548	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	3							
	20	549	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	3							
	20	550	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	3							
	20	551	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	3							
	15	552	HIBC-SUSP-DUP-REV-IND	PIC X	1		3	187				LINE-DUP-CLM-CHK-IND-CD		
	15	553	HIBC-HPSA-SCARCITY-IND	PIC X	1		3	190				CARR-LINE-HPSA-SCRCTY-IND- CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	554	HIBC-PRESCRIPTION				3	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	555	HIBC-VENDOR-ID	PIC X	4		3							
	20	556	HIBC-HCPCS	PIC X	5		3							
	20	557	HIBC-VENDOR-PR-NUM	PIC X	21		3							
	15	558	XD-NCB-IND	PIC X	1		3							
	15	559	HIBC-TEST-TYPE	PIC X	2		3	192				LINE-HCT-HGB-TYPE-CD		
	15	560	HIBC-TEST-RESULTS				3							
	20	561	HIBC-TEST-RESULTS-N	PIC 9	2		3	193				LINE-HCT-HGB-RSLT-NUM		
	15	562	HIBC-PWK-LINE-ITEM-IND	PIC X	2		3	195				LINE-PWK-CD		
	15	563	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		3							
	15	564	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		3	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	565	HIBC-LIAB-DEN-IND	PIC X	1		3							
	15	566	HIBC-MSP-LIAB-IND	PIC X	1		3							
	15	567	HIBC-BENE-ZIP-CD	PIC X	9		3							
	15	568	HIBC-DCBP-IND	PIC X	1		3							
	15	569	HIBC-PMDA-TRACKING-NUM	PIC X	14		3	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	570	HIBC-FPS-DETAIL-INFO				3							
	20	571	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		3	224				LINE-FPS-MODEL-NUM		
	20	572	HIBC-FPS-D-REASON-CODE	PIC X	3		3	225				LINE-FPS-RSN-CD		
	20	573	HIBC-FPS-D-REMARK-CODE	PIC X	5		3	226				LINE-FPS-RMRK-CD		
	20	574	HIBC-FPS-D-MSN-CODES				3							
	25	575	HIBC-FPS-D-MSN-CODE-1	PIC X	5		3	227				LINE-FPS-MSN-1-CD		
	25	576	HIBC-FPS-D-MSN-CODE-2	PIC X	5		3	228				LINE-FPS-MSN-2-CD		
	15	577	HIBC-OTH-AMTS-APPLIED-AREA				3							
	20	578	HIBC-OTH-AMTS-TABLE			7	3							
	25	579	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	3	212				LINE-OTHR-APLD-1-AMT		
	25	580	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	3	213				LINE-OTHR-APLD-2-AMT		
	25	581	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	3	214				LINE-OTHR-APLD-3-AMT		
	25	582	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	3	215				LINE-OTHR-APLD-4-AMT		
	25	583	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	3	216				LINE-OTHR-APLD-5-AMT		
	25	584	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	3	217				LINE-OTHR-APLD-6-AMT		
	25	585	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	3	218				LINE-OTHR-APLD-7-AMT		
	25	586	HIBC-OTH-APPL-IND	PIC X	1	1	3	205				LINE-OTHR-APLD-IND-1-CD		
	25	587	HIBC-OTH-APPL-IND	PIC X	1	2	3	206				LINE-OTHR-APLD-IND-2-CD		
	25	588	HIBC-OTH-APPL-IND	PIC X	1	3	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	589	HIBC-OTH-APPL-IND	PIC X	1	4	3	208				LINE-OTHR-APLD-IND-4-CD		
	25	590	HIBC-OTH-APPL-IND	PIC X	1	5	3	209				LINE-OTHR-APLD-IND-5-CD		
	25	591	HIBC-OTH-APPL-IND	PIC X	1	6	3	210				LINE-OTHR-APLD-IND-6-CD		
	25	592	HIBC-OTH-APPL-IND	PIC X	1	7	3	211				LINE-OTHR-APLD-IND-7-CD		
	15	593	HIBC-LEGS-IND1	PIC X	1		3	219				LINE-THRPY-CAP-IND-1-CD		
	15	594	HIBC-LEGS-IND2	PIC X	1		3	220				LINE-THRPY-CAP-IND-2-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	595	HIBC-LEGS-IND3	PIC X	1		3	221				LINE-THRPY-CAP-IND-3-CD		
	15	596	HIBC-LEGS-IND4	PIC X	1		3	222				LINE-THRPY-CAP-IND-4-CD		
	15	597	HIBC-LEGS-IND5	PIC X	1		3	223				LINE-THRPY-CAP-IND-5-CD		
	15	598	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		3							
	15	599	HIBC-CBA	PIC X	5		3							
	15	600	HIBC-POS-ADDRESS				3							
	20	601	HIBC-POS-ORG-NAME	PIC X	60		3	197				LINE-POS-PHYSN-ORG-NM		
	20	602	HIBC-POS-FIRST-NAME	PIC X	35		3	198				LINE-POS-PHYSN-1ST-NM		
	20	603	HIBC-POS-MIDDLE-NAME	PIC X	25		3	199				LINE-POS-PHYSN-MDL-NM		
	20	604	HIBC-POS-ADDRESS1	PIC X	55		3	200				LINE-POS-PHYSN-ADR1-NM		
	20	605	HIBC-POS-ADDRESS2	PIC X	55		3	201				LINE-POS-PHYSN-ADR2-NM		
	20	606	HIBC-POS-CITY	PIC X	30		3	202				LINE-POS-PHYSN-CITY-NM		
	20	607	HIBC-POS-STATE	PIC X	2		3	203				LINE-POS-PHYSN-STATE		
	20	608	HIBC-POS-ZIP	PIC X	15		3	204				LINE-POS-PHYSN-ZIP-CD		
	15	609	HIBC-NPI-GROUP-IND	PIC X	1		3	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	610	HIBC-LINE-ITEM-UNUSED	PIC X	300		3							
	15	611	HIBC-PLACE-OLD	PIC X	1		3							
	15	612	HIBC-NO-SERVICES-OLD	PIC 9	2		3							
	15	613	HIBC-CLIA-ALERT-IND	PIC X	1		3	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	614	:XD:-CANCER-DRUG-IND	PIC X	1		3							
	15	615	HIBC-HCFA-LINE-CNTL-DATA				4	127				NCH-LINE-TRLR-IND-CD		
	20	616	HIBC-HCFA-PROV-SPEC	PIC X	2		4	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	617	HIBC-HCFA-PROV-TYPE	PIC X	1		4	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	618	HIBC-HCFA-TYPE	PIC X	1		4	141				LINE-HCFA-TYPE-SRVC-CD		
	20	619	HIBC-HCFA-ASSIGN-IND	PIC X	1		4	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	620	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		4	171				LINE-PRCSG-IND-CD		
	20	621	HIBC-HCFA-REIMB-IND	PIC X	1		4	172				LINE-PMT-80-100-CD		
	20	622	HIBC-HCFA-DED-IND	PIC X	1		4	173				LINE-SRVC-DDCTBL-IND-SW		
	20	623	HIBC-HCFA-PROV-IND	PIC X	1		4							
	20	624	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		4	174				LINE-PMT-IND-CD		
	20	625	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		4	175				CARR-LINE-MTUS-CNT		
	20	626	HIBC-HCFA-MT-IND	PIC X	1		4	176				CARR-LINE-MTUS-IND-CD		
	15	627	HIBC-PROC-CODE	PIC X	5		4	147				LINE-HCPCS-CD		
	15	628	HIBC-HCPCS-MODIFIERS				4							
	20	629	HIBC-PROC-CODE-MOD1	PIC X	2		4	148				LINE-HCPCS-INITL-MDFR-CD		
	20	630	HIBC-PROC-CODE-MOD2	PIC X	2		4	149				LINE-HCPCS-2ND-MDFR-CD		
	20	631	:XD:-PROC-CODE-MOD3	PIC X	2		4	150				LINE-HCPCS-3RD-MDFR-CD		
	20	632	:XD:-PROC-CODE-MOD4	PIC X	2		4	151				LINE-HCPCS-4TH-MDFR-CD		
		633		PIC X	3		4	152				LINE-NCH-BETOS-CD		
		634		PIC X	7		4	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		635		PIC X	11		4	154				LINE-NATL-DRUG-CD		
		636		PIC S9(9)V99 COMP-3	6		4	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB Value is 62.54 upon output.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	637	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		4	167				LINE-SBMT-CHRG-AMT		
	15	638	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		4	168				LINE-ALOW-CHRG-AMT		
	15	639	HIBC-SS-NUMBER	PIC X	10		4	133				LINE-PRVDR-TAX-NUM		
		640		PIC X	2		4	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
	15	641	HIBC-PROVIDER-CODES				4							
	20	642	HIBC-PROV-AREA	PIC X	2		4	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	643	HIBC-PROV-SPEC	PIC X	2		4	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	644	HIBC-CARR-TYPE-SERV	PIC X	2		4	142				CARR-LINE-TYPE-SRVC-CD		
	15	645	HIBC-PLACE	PIC 9	2		4	143				LINE-PLC-SRVC-CD		
	15	646	HIBC-LI-DATES-OF-SERVICE				4							
	20	647	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		4	145				LINE-1ST-EXPNS-DT		
	20	648	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		4	146				LINE-LAST-EXPNS-DT		
	15	649	HIBC-DOC-SUP	PIC X	10		4	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	650	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		4	140				LINE-SRVC-CNT		
	15	651	HIBC-ACTION-CODE	PIC X	2		4							
	15	652	HIBC-SPEC-PRIC-IND	PIC X	1		4							
	15	653	HIBC-DIAGNOSIS-DATA				4							
	20	654	HIBC-DIAGNOSIS-IND	PIC X	1		4	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	655	HIBC-DIAGNOSIS	PIC X	7		4	179				LINE-DGNS-CD		
	15	656	HIBC-CLINICAL-LAB-ID	PIC X	10		4	169				CARR-LINE-CLNCL-LAB-NUM		
	15	657	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		4	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	658	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		4	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	659	HIBC-DOCUMENT-IND	PIC X	1		4	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	660	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		4	156				LINE-BENE-PMT-AMT		
	15	661	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		4	157				LINE-PRVDR-PMT-AMT		
	15	662	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		4	158				LINE-BENE-PTB-DDCTBL-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	663	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		4	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		664					4	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		665		PIC S9(9)V99 COMP-3	6		4	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		666		PIC S9(9)V99 COMP-3	6		4	164				LINE-PRMRY-PYR-ALOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		667		PIC S9(9)V99 COMP-3	6		4	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	668	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		4	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	669	HIBC-MSP-CODE	PIC X	1		4	159				LINE-BENE-PRMRY-PYR-CD		
	15	670	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		4	161				LINE-COINSRNC-AMT		
	15	671	HIBC-PHYS-SUP-NO-IND	PIC 9	1		4							
	15	672	HIBC-LINE-UPIN	PIC X	6		4	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	673	HIBC-RENDERING-NPI	PIC X	10		4	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	674	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		4	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		675					4							
	15	676	HIBC-PERCENTAGE-ALLOWED	PIC X	1		4	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	677	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		4	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	678	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		4	184				LINE-DME-PURC-PRICE-AMT		
	15	679	HIBC-DME-MED-NECESS	PIC 9	2		4	185				CARR-LINE-DME-NCSTY-MO-CNT		
		680		PIC X	1		4	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	681	:XD:-SCRN-SUSP	PIC X	4		4							
	15	682	:XD:-SCRN-RSLT	PIC X	1		4							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	683	:XD:-DECIS-IND	PIC X	1		4							
	15	684	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		4							
	15	685	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		4							
	15	686	:XD:-NATL-DRUG-CD	PIC X	11		4							
	15	687	:XD:-UNITS-IND	PIC 9	1		4							
	15	688	:XD:-DOCUMENT-IND	PIC 9	1		4							
	15	689	:XD:-WAIVER-LIAB	PIC X	1		4							
	15	690	:XD:-STATE-CODE	PIC X	2		4							
	15	691	:XD:-SUPP-ST-CODE	PIC X	2		4							
	15	692	:XD:-NOC-CODE-DESC	PIC X	14		4							
	15	693	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		4	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	694	HIBC-POP-ZPCD	PIC X	9		4	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	695	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		4							
	15	696	HIBC-LI-OVERRIDE-TABLE				4							
	20	697	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	4							
	20	698	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	4							
	20	699	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	4							
	20	700	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	4							
	20	701	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	4							
	15	702	HIBC-SUSP-DUP-REV-IND	PIC X	1		4	187				LINE-DUP-CLM-CHK-IND-CD		
	15	703	HIBC-HPSA-SCARCITY-IND	PIC X	1		4	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	704	HIBC-PRESCRIPTION				4	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	705	HIBC-VENDOR-ID	PIC X	4		4							
	20	706	HIBC-HCPCS	PIC X	5		4							
	20	707	HIBC-VENDOR-PR-NUM	PIC X	21		4							
	15	708	:XD:-NCB-IND	PIC X	1		4							
	15	709	HIBC-TEST-TYPE	PIC X	2		4	192				LINE-HCT-HGB-TYPE-CD		
	15	710	HIBC-TEST-RESULTS				4							
	20	711	HIBC-TEST-RESULTS-N	PIC 9	2		4	193				LINE-HCT-HGB-RSLT-NUM		
	15	712	HIBC-PWK-LINE-ITEM-IND	PIC X	2		4	195				LINE-PWK-CD		
	15	713	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		4							
	15	714	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		4	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	715	HIBC-LIAB-DEN-IND	PIC X	1		4							
	15	716	HIBC-MSP-LIAB-IND	PIC X	1		4							
	15	717	HIBC-BENE-ZIP-CD	PIC X	9		4							
	15	718	HIBC-DCBP-IND	PIC X	1		4							
	15	719	HIBC-PMDA-TRACKING-NUM	PIC X	14		4	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	720	HIBC-FPS-DETAIL-INFO				4							
	20	721	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		4	224				LINE-FPS-MODEL-NUM		
	20	722	HIBC-FPS-D-REASON-CODE	PIC X	3		4	225				LINE-FPS-RSN-CD		
	20	723	HIBC-FPS-D-REMARK-CODE	PIC X	5		4	226				LINE-FPS-RMRK-CD		
	20	724	HIBC-FPS-D-MSN-CODES				4							
	25	725	HIBC-FPS-D-MSN-CODE-1	PIC X	5		4	227				LINE-FPS-MSN-1-CD		
	25	726	HIBC-FPS-D-MSN-CODE-2	PIC X	5		4	228				LINE-FPS-MSN-2-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	727	HIBC-OTH-AMTS-APPLIED-AREA				4							
	20	728	HIBC-OTH-AMTS-TABLE			7	4							
	25	729	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	4	212				LINE-OTHR-APLD-1-AMT		
	25	730	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	4	213				LINE-OTHR-APLD-2-AMT		
	25	731	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	4	214				LINE-OTHR-APLD-3-AMT		
	25	732	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	733	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	4	216				LINE-OTHR-APLD-5-AMT		
	25	734	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	4	217				LINE-OTHR-APLD-6-AMT		
	25	735	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	4	218				LINE-OTHR-APLD-7-AMT		
	25	736	HIBC-OTH-APPL-IND	PIC X	1	1	4	205				LINE-OTHR-APLD-IND-1-CD		
	25	737	HIBC-OTH-APPL-IND	PIC X	1	2	4	206				LINE-OTHR-APLD-IND-2-CD		
	25	738	HIBC-OTH-APPL-IND	PIC X	1	3	4	207				LINE-OTHR-APLD-IND-3-CD		
	25	739	HIBC-OTH-APPL-IND	PIC X	1	4	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	740	HIBC-OTH-APPL-IND	PIC X	1	5	4	209				LINE-OTHR-APLD-IND-5-CD		
	25	741	HIBC-OTH-APPL-IND	PIC X	1	6	4	210				LINE-OTHR-APLD-IND-6-CD		
	25	742	HIBC-OTH-APPL-IND	PIC X	1	7	4	211				LINE-OTHR-APLD-IND-7-CD		
	15	743	HIBC-LEGS-IND1	PIC X	1		4	219				LINE-THRPHY-CAP-IND-1-CD		
	15	744	HIBC-LEGS-IND2	PIC X	1		4	220				LINE-THRPHY-CAP-IND-2-CD		
	15	745	HIBC-LEGS-IND3	PIC X	1		4	221				LINE-THRPHY-CAP-IND-3-CD		
	15	746	HIBC-LEGS-IND4	PIC X	1		4	222				LINE-THRPHY-CAP-IND-4-CD		
	15	747	HIBC-LEGS-IND5	PIC X	1		4	223				LINE-THRPHY-CAP-IND-5-CD		
	15	748	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		4							
	15	749	HIBC-CBA	PIC X	5		4							
	15	750	HIBC-POS-ADDRESS				4							
	20	751	HIBC-POS-ORG-NAME	PIC X	60		4	197				LINE-POS-PHYSN-ORG-NM		
	20	752	HIBC-POS-FIRST-NAME	PIC X	35		4	198				LINE-POS-PHYSN-1ST-NM		
	20	753	HIBC-POS-MIDDLE-NAME	PIC X	25		4	199				LINE-POS-PHYSN-MDL-NM		
	20	754	HIBC-POS-ADDRESS1	PIC X	55		4	200				LINE-POS-PHYSN-ADR1-NM		
	20	755	HIBC-POS-ADDRESS2	PIC X	55		4	201				LINE-POS-PHYSN-ADR2-NM		
	20	756	HIBC-POS-CITY	PIC X	30		4	202				LINE-POS-PHYSN-CITY-NM		
	20	757	HIBC-POS-STATE	PIC X	2		4	203				LINE-POS-PHYSN-STATE		
	20	758	HIBC-POS-ZIP	PIC X	15		4	204				LINE-POS-PHYSN-ZIP-CD		
	15	759	HIBC-NPI-GROUP-IND	PIC X	1		4	229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	760	HIBC-LINE-ITEM-UNUSED	PIC X	300		4							
	15	761	HIBC-PLACE-OLD	PIC X	1		4							
	15	762	HIBC-NO-SERVICES-OLD	PIC 9	2		4							
	15	763	HIBC-CLIA-ALERT-IND	PIC X	1		4	181				CARR-LINE-CLIA-ALERT-IND-CD	This is redefined to Alert-Flag	
	15	764	XD:-CANCER-DRUG-IND	PIC X	1		4							
	15	765	HIBC-HCFA-LINE-CNTL-DATA				5	127				NCH-LINE-TRLR-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	766	HIBC-HCFA-PROV-SPEC	PIC X	2		5	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	767	HIBC-HCFA-PROV-TYPE	PIC X	1		5	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	768	HIBC-HCFA-TYPE	PIC X	1		5	141				LINE-HCFA-TYPE-SRVC-CD		
	20	769	HIBC-HCFA-ASSIGN-IND	PIC X	1		5	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	770	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		5	171				LINE-PRCSG-IND-CD		
	20	771	HIBC-HCFA-REIMB-IND	PIC X	1		5	172				LINE-PMT-80-100-CD		
	20	772	HIBC-HCFA-DED-IND	PIC X	1		5	173				LINE-SRVC-DDCTBL-IND-SW		
	20	773	HIBC-HCFA-PROV-IND	PIC X	1		5							
	20	774	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		5	174				LINE-PMT-IND-CD		
	20	775	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		5	175				CARR-LINE-MTUS-CNT		
	20	776	HIBC-HCFA-MT-IND	PIC X	1		5	176				CARR-LINE-MTUS-IND-CD		
	15	777	HIBC-PROC-CODE	PIC X	5		5	147				LINE-HCPCS-CD		
	15	778	HIBC-HCPCS-MODIFIERS				5							
	20	779	HIBC-PROC-CODE-MOD1	PIC X	2		5	148				LINE-HCPCS-INITL-MDFR-CD		
	20	780	HIBC-PROC-CODE-MOD2	PIC X	2		5	149				LINE-HCPCS-2ND-MDFR-CD		
	20	781	:XD:-PROC-CODE-MOD3	PIC X	2		5	150				LINE-HCPCS-3RD-MDFR-CD		
	20	782	:XD:-PROC-CODE-MOD4	PIC X	2		5	151				LINE-HCPCS-4TH-MDFR-CD		
		783		PIC X	3		5	152				LINE-NCH-BETOS-CD		
		784		PIC X	7		5	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		785		PIC X	11		5	154				LINE-NATL-DRUG-CD		
		786		PIC S9(9)V99 COMP-3	6		5	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 64.54.	
	15	787	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		5	167				LINE-SBMT-CHRG-AMT		
	15	788	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		5	168				LINE-ALOW-CHRG-AMT		
	15	789	HIBC-SS-NUMBER	PIC X	10		5	133				LINE-PRVDR-TAX-NUM		
		790		PIC X	2		5	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MQRMREF6 program	
	15	791	HIBC-PROVIDER-CODES				5							
	20	792	HIBC-PROV-AREA	PIC X	2		5	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	793	HIBC-PROV-SPEC	PIC X	2		5	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	794	HIBC-CARR-TYPE-SERV	PIC X	2		5	142				CARR-LINE-TYPE-SRVC-CD		
	15	795	HIBC-PLACE	PIC 9	2		5	143				LINE-PLC-SRVC-CD		
	15	796	HIBC-LI-DATES-OF-SERVICE				5							
	20	797	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		5	145				LINE-1ST-EXPNS-DT		
	20	798	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		5	146				LINE-LAST-EXPNS-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	799	HIBC-DOC-SUP	PIC X	10		5	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	800	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		5	140				LINE-SRVC-CNT		
	15	801	HIBC-ACTION-CODE	PIC X	2		5							
	15	802	HIBC-SPEC-PRIC-IND	PIC X	1		5							
	15	803	HIBC-DIAGNOSIS-DATA				5							
	20	804	HIBC-DIAGNOSIS-IND	PIC X	1		5	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	805	HIBC-DIAGNOSIS	PIC X	7		5	179				LINE-DGNS-CD		
	15	806	HIBC-CLINICAL-LAB-ID	PIC X	10		5	169				CARR-LINE-CLNCL-LAB-NUM		
	15	807	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		5	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	808	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		5	180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	809	HIBC-DOCUMENT-IND	PIC X	1		5	182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	810	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		5	156				LINE-BENE-PMT-AMT		
	15	811	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		5	157				LINE-PRVDR-PMT-AMT		
	15	812	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		5	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	813	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		5	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		814					5	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		815		PIC S9(9)V99 COMP-3	6		5	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		816		PIC S9(9)V99 COMP-3	6		5	164				LINE-PRMRY-PYR-ALOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		817		PIC S9(9)V99 COMP-3	6		5	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	818	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		5	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	819	HIBC-MSP-CODE	PIC X	1		5	159				LINE-BENE-PRMRY-PYR-CD		
	15	820	HIBC-COINS	PIC S9(05)V99 COMP-3	4		5	161				LINE-COINSRNC-AMT		
	15	821	HIBC-PHYS-SUP-NO-IND	PIC 9	1		5							
	15	822	HIBC-LINE-UPIN	PIC X	6		5	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	823	HIBC-RENDERING-NPI	PIC X	10		5	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	824	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		5	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		825					5							
	15	826	HIBC-PERCENTAGE-ALLOWED	PIC X	1		5	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	827	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		5	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	828	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		5	184				LINE-DME-PURC-PRICE-AMT		
	15	829	HIBC-DME-MED-NECESS	PIC 9	2		5	185				CARR-LINE-DME-NCSTY-MO-CNT		
		830		PIC X	1		5	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	831	:XD:-SCRN-SUSP	PIC X	4		5							
	15	832	:XD:-SCRN-RSLT	PIC X	1		5							
	15	833	:XD:-DECIS-IND	PIC X	1		5							
	15	834	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4		5							
	15	835	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4		5							
	15	836	:XD:-NATL-DRUG-CD	PIC X	11		5							
	15	837	:XD:-UNITS-IND	PIC 9	1		5							
	15	838	:XD:-DOCUMENT-IND	PIC 9	1		5							
	15	839	:XD:-WAIVER-LIAB	PIC X	1		5							
	15	840	:XD:-STATE-CODE	PIC X	2		5							
	15	841	:XD:-SUPP-ST-CODE	PIC X	2		5							
	15	842	:XD:-NOC-CODE-DESC	PIC X	14		5							
	15	843	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		5	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	844	HIBC-POP-ZPCD	PIC X	9		5	188				CARR-LINE-PNT-PCKP-ZIP-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	845	:XD:-UNITS	PIC S9(07)V99 COMP-3	6		5							
	15	846	HIBC-LI-OVERRIDE-TABLE				5							
	20	847	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	5							
	20	848	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	5							
	20	849	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	5							
	20	850	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	5							
	20	851	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	5							
	15	852	HIBC-SUSP-DUP-REV-IND	PIC X	1		5	187				LINE-DUP-CLM-CHK-IND-CD		
	15	853	HIBC-HPSA-SCARCITY-IND	PIC X	1		5	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	854	HIBC-PRESCRIPTION				5	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	855	HIBC-VENDOR-ID	PIC X	4		5							
	20	856	HIBC-HCPCS	PIC X	5		5							
	20	857	HIBC-VENDOR-PR-NUM	PIC X	21		5							
	15	858	:XD:-NCB-IND	PIC X	1		5							
	15	859	HIBC-TEST-TYPE	PIC X	2		5	192				LINE-HCT-HGB-TYPE-CD		
	15	860	HIBC-TEST-RESULTS				5							
	20	861	HIBC-TEST-RESULTS-N	PIC 9	2		5	193				LINE-HCT-HGB-RSLT-NUM		
	15	862	HIBC-PWK-LINE-ITEM-IND	PIC X	2		5	195				LINE-PWK-CD		
	15	863	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		5							
	15	864	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		5	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	865	HIBC-LIAB-DEN-IND	PIC X	1		5							
	15	866	HIBC-MSP-LIAB-IND	PIC X	1		5							
	15	867	HIBC-BENE-ZIP-CD	PIC X	9		5							
	15	868	HIBC-DCBP-IND	PIC X	1		5							
	15	869	HIBC-PMDA-TRACKING-NUM	PIC X	14		5	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	870	HIBC-FPS-DETAIL-INFO				5							
	20	871	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		5	224				LINE-FPS-MODEL-NUM		
	20	872	HIBC-FPS-D-REASON-CODE	PIC X	3		5	225				LINE-FPS-RSN-CD		
	20	873	HIBC-FPS-D-REMARK-CODE	PIC X	5		5	226				LINE-FPS-RMRK-CD		
	20	874	HIBC-FPS-D-MSN-CODES				5							
	25	875	HIBC-FPS-D-MSN-CODE-1	PIC X	5		5	227				LINE-FPS-MSN-1-CD		
	25	876	HIBC-FPS-D-MSN-CODE-2	PIC X	5		5	228				LINE-FPS-MSN-2-CD		
	15	877	HIBC-OTH-AMTS-APPLIED-AREA				5							
	20	878	HIBC-OTH-AMTS-TABLE			7	5							
	25	879	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	5	212				LINE-OTHR-APLD-1-AMT		
	25	880	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	5	213				LINE-OTHR-APLD-2-AMT		
	25	881	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	5	214				LINE-OTHR-APLD-3-AMT		
	25	882	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	5	215				LINE-OTHR-APLD-4-AMT		
	25	883	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	5	216				LINE-OTHR-APLD-5-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	884	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	5	217				LINE-OTHR-APLD-6-AMT		
	25	885	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	5	218				LINE-OTHR-APLD-7-AMT		
	25	886	HIBC-OTH-APPL-IND	PIC X	1	1	5	205				LINE-OTHR-APLD-IND-1-CD		
	25	887	HIBC-OTH-APPL-IND	PIC X	1	2	5	206				LINE-OTHR-APLD-IND-2-CD		
	25	888	HIBC-OTH-APPL-IND	PIC X	1	3	5	207				LINE-OTHR-APLD-IND-3-CD		
	25	889	HIBC-OTH-APPL-IND	PIC X	1	4	5	208				LINE-OTHR-APLD-IND-4-CD		
	25	890	HIBC-OTH-APPL-IND	PIC X	1	5	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	891	HIBC-OTH-APPL-IND	PIC X	1	6	5	210				LINE-OTHR-APLD-IND-6-CD		
	25	892	HIBC-OTH-APPL-IND	PIC X	1	7	5	211				LINE-OTHR-APLD-IND-7-CD		
	15	893	HIBC-LEGS-IND1	PIC X	1		5	219				LINE-THRPY-CAP-IND-1-CD		
	15	894	HIBC-LEGS-IND2	PIC X	1		5	220				LINE-THRPY-CAP-IND-2-CD		
	15	895	HIBC-LEGS-IND3	PIC X	1		5	221				LINE-THRPY-CAP-IND-3-CD		
	15	896	HIBC-LEGS-IND4	PIC X	1		5	222				LINE-THRPY-CAP-IND-4-CD		
	15	897	HIBC-LEGS-IND5	PIC X	1		5	223				LINE-THRPY-CAP-IND-5-CD		
	15	898	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		5							
	15	899	HIBC-CBA	PIC X	5		5							
	15	900	HIBC-POS-ADDRESS				5							
	20	901	HIBC-POS-ORG-NAME	PIC X	60		5	197				LINE-POS-PHYSN-ORG-NM		
	20	902	HIBC-POS-FIRST-NAME	PIC X	35		5	198				LINE-POS-PHYSN-1ST-NM		
	20	903	HIBC-POS-MIDDLE-NAME	PIC X	25		5	199				LINE-POS-PHYSN-MDL-NM		
	20	904	HIBC-POS-ADDRESS1	PIC X	55		5	200				LINE-POS-PHYSN-ADR1-NM		
	20	905	HIBC-POS-ADDRESS2	PIC X	55		5	201				LINE-POS-PHYSN-ADR2-NM		
	20	906	HIBC-POS-CITY	PIC X	30		5	202				LINE-POS-PHYSN-CITY-NM		
	20	907	HIBC-POS-STATE	PIC X	2		5	203				LINE-POS-PHYSN-STATE		
	20	908	HIBC-POS-ZIP	PIC X	15		5	204				LINE-POS-PHYSN-ZIP-CD		
	15	909	HIBC-NPI-GROUP-IND	PIC X	1		5	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	910	HIBC-LINE-ITEM-UNUSED	PIC X	300		5							
	15	911	HIBC-PLACE-OLD	PIC X	1		5							
	15	912	HIBC-NO-SERVICES-OLD	PIC 9	2		5							
	15	913	HIBC-CLIA-ALERT-IND	PIC X	1		5	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	914	:XD:-CANCER-DRUG-IND	PIC X	1		5							
	15	915	HIBC-HCFA-LINE-CNTL-DATA				6	127				NCH-LINE-TRLR-IND-CD		
	20	916	HIBC-HCFA-PROV-SPEC	PIC X	2		6	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	917	HIBC-HCFA-PROV-TYPE	PIC X	1		6	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	918	HIBC-HCFA-TYPE	PIC X	1		6	141				LINE-HCFA-TYPE-SRVC-CD		
	20	919	HIBC-HCFA-ASSIGN-IND	PIC X	1		6	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	920	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		6	171				LINE-PRCSG-IND-CD		
	20	921	HIBC-HCFA-REIMB-IND	PIC X	1		6	172				LINE-PMT-80-100-CD		
	20	922	HIBC-HCFA-DED-IND	PIC X	1		6	173				LINE-SRVC-DDCTBL-IND-SW		
	20	923	HIBC-HCFA-PROV-IND	PIC X	1		6							
	20	924	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		6	174				LINE-PMT-IND-CD		
	20	925	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		6	175				CARR-LINE-MTUS-CNT		
	20	926	HIBC-HCFA-MT-IND	PIC X	1		6	176				CARR-LINE-MTUS-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	927	HIBC-PROC-CODE	PIC X	5		6	147				LINE-HCPCS-CD		
	15	928	HIBC-HCPCS-MODIFIERS				6							
	20	929	HIBC-PROC-CODE-MOD1	PIC X	2		6	148				LINE-HCPCS-INITL-MDFR-CD		
	20	930	HIBC-PROC-CODE-MOD2	PIC X	2		6	149				LINE-HCPCS-2ND-MDFR-CD		
	20	931	:XD:-PROC-CODE-MOD3	PIC X	2		6	150				LINE-HCPCS-3RD-MDFR-CD		
	20	932	:XD:-PROC-CODE-MOD4	PIC X	2		6	151				LINE-HCPCS-4TH-MDFR-CD		
		933		PIC X	3		6	152				LINE-NCH-BETOS-CD		
		934		PIC X	7		6	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		935		PIC X	11		6	154				LINE-NATL-DRUG-CD		
		936		PIC S9(9)V99 COMP-3	6		6	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 66.54.	
	15	937	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		6	167				LINE-SBMT-CHRG-AMT		
	15	938	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		6	168				LINE-ALOW-CHRG-AMT		
	15	939	HIBC-SS-NUMBER	PIC X	10		6	133				LINE-PRVDR-TAX-NUM		
		940		PIC X	2		6	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
	15	941	HIBC-PROVIDER-CODES				6							
	20	942	HIBC-PROV-AREA	PIC X	2		6	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	943	HIBC-PROV-SPEC	PIC X	2		6	137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	944	HIBC-CARR-TYPE-SERV	PIC X	2		6	142				CARR-LINE-TYPE-SRVC-CD		
	15	945	HIBC-PLACE	PIC 9	2		6	143				LINE-PLC-SRVC-CD		
	15	946	HIBC-LI-DATES-OF-SERVICE				6							
	20	947	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		6	145				LINE-1ST-EXPNS-DT		
	20	948	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		6	146				LINE-LAST-EXPNS-DT		
	15	949	HIBC-DOC-SUP	PIC X	10		6	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	950	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		6	140				LINE-SRVC-CNT		
	15	951	HIBC-ACTION-CODE	PIC X	2		6							
	15	952	HIBC-SPEC-PRIC-IND	PIC X	1		6							
	15	953	HIBC-DIAGNOSIS-DATA				6							
	20	954	HIBC-DIAGNOSIS-IND	PIC X	1		6	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	955	HIBC-DIAGNOSIS	PIC X	7		6	179				LINE-DGNS-CD		
	15	956	HIBC-CLINICAL-LAB-ID	PIC X	10		6	169				CARR-LINE-CLNCL-LAB-NUM		
	15	957	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		6	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	958	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		6	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	959	HIBC-DOCUMENT-IND	PIC X	1		6	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	960	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		6	156				LINE-BENE-PMT-AMT		
	15	961	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		6	157				LINE-PRVDR-PMT-AMT		
	15	962	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		6	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	963	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		6	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		964					6	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		965		PIC S9(9)V99 COMP-3	6		6	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		966		PIC S9(9)V99 COMP-3	6		6	164				LINE-PRMRY-PYR-ALOW-CHRG AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		967		PIC S9(9)V99 COMP-3	6		6	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	968	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		6	160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	969	HIBC-MSP-CODE	PIC X	1		6	159				LINE-BENE-PRMRY-PYR-CD		
	15	970	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		6	161				LINE-COINSRNC-AMT		
	15	971	HIBC-PHYS-SUP-NO-IND	PIC 9	1		6							
	15	972	HIBC-LINE-UPIN	PIC X	6		6	129				CARR-LINE-PRFRMG-UPIN- NUM		
	15	973	HIBC-RENDERING-NPI	PIC X	10		6	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	974	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		6	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		975					6							
	15	976	HIBC-PERCENTAGE-ALLOWED	PIC X	1		6	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	977	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		6	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	978	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP-3	4		6	184				LINE-DME-PURC-PRICE-AMT		
	15	979	HIBC-DME-MED-NECESS	PIC 9	2		6	185				CARR-LINE-DME-NCSTY-MO-CNT		
		980		PIC X	1		6	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	981	:XD:-SCRN-SUSP	PIC X	4		6							
	15	982	:XD:-SCRN-RSLT	PIC X	1		6							
	15	983	:XD:-DECIS-IND	PIC X	1		6							
	15	984	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP-3	4		6							
	15	985	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP-3	4		6							
	15	986	:XD:-NATL-DRUG-CD	PIC X	11		6							
	15	987	:XD:-UNITS-IND	PIC 9	1		6							
	15	988	:XD:-DOCUMENT-IND	PIC 9	1		6							
	15	989	:XD:-WAIVER-LIAB	PIC X	1		6							
	15	990	:XD:-STATE-CODE	PIC X	2		6							
	15	991	:XD:-SUPP-ST-CODE	PIC X	2		6							
	15	992	:XD:-NOC-CODE-DESC	PIC X	14		6							
	15	993	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		6	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	994	HIBC-POP-ZPCD	PIC X	9		6	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	995	:XD:-UNITS	PIC S9(07)V9 99 COMP-3	6		6							
	15	996	HIBC-LI-OVERRIDE-TABLE				6							
	20	997	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	6							
	20	998	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	6							
	20	999	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	6							
	20	1000	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	6							
	20	1001	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	6							
	15	1002	HIBC-SUSP-DUP-REV-IND	PIC X	1		6	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1003	HIBC-HPSA-SCARCITY-IND	PIC X	1		6	190				CARR-LINE-HPSA-SCRCTY-IND-CD		
	15	1004	HIBC-PRESCRIPTION				6	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	20	1005	HIBC-VENDOR-ID	PIC X	4		6							
	20	1006	HIBC-HCPCS	PIC X	5		6							
	20	1007	HIBC-VENDOR-PR-NUM	PIC X	21		6							
	15	1008	:XD:-NCB-IND	PIC X	1		6							
	15	1009	HIBC-TEST-TYPE	PIC X	2		6	192				LINE-HCT-HGB-TYPE-CD		
	15	1010	HIBC-TEST-RESULTS				6							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1011	HIBC-TEST-RESULTS-N	PIC 9	2		6	193				LINE-HCT-HGB-RSLT-NUM		
	15	1012	HIBC-PWK-LINE-ITEM-IND	PIC X	2		6	195				LINE-PWK-CD		
	15	1013	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		6							
	15	1014	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		6	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1015	HIBC-LIAB-DEN-IND	PIC X	1		6							
	15	1016	HIBC-MSP-LIAB-IND	PIC X	1		6							
	15	1017	HIBC-BENE-ZIP-CD	PIC X	9		6							
	15	1018	HIBC-DCBP-IND	PIC X	1		6							
	15	1019	HIBC-PMDA-TRACKING-NUM	PIC X	14		6	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1020	HIBC-FPS-DETAIL-INFO				6							
	20	1021	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		6	224				LINE-FPS-MODEL-NUM		
	20	1022	HIBC-FPS-D-REASON-CODE	PIC X	3		6	225				LINE-FPS-RSN-CD		
	20	1023	HIBC-FPS-D-REMARK-CODE	PIC X	5		6	226				LINE-FPS-RMRK-CD		
	20	1024	HIBC-FPS-D-MSN-CODES				6							
	25	1025	HIBC-FPS-D-MSN-CODE-1	PIC X	5		6	227				LINE-FPS-MSN-1-CD		
	25	1026	HIBC-FPS-D-MSN-CODE-2	PIC X	5		6	228				LINE-FPS-MSN-2-CD		
	15	1027	HIBC-OTH-AMTS-APPLIED-AREA				6							
	20	1028	HIBC-OTH-AMTS-TABLE			7	6							
	25	1029	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	6	212				LINE-OTHR-APLD-1-AMT		
	25	1030	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	6	213				LINE-OTHR-APLD-2-AMT		
	25	1031	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	6	214				LINE-OTHR-APLD-3-AMT		
	25	1032	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	6	215				LINE-OTHR-APLD-4-AMT		
	25	1033	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	6	216				LINE-OTHR-APLD-5-AMT		
	25	1034	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	6	217				LINE-OTHR-APLD-6-AMT		
	25	1035	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	6	218				LINE-OTHR-APLD-7-AMT		
	25	1036	HIBC-OTH-APPL-IND	PIC X	1	1	6	205				LINE-OTHR-APLD-IND-1-CD		
	25	1037	HIBC-OTH-APPL-IND	PIC X	1	2	6	206				LINE-OTHR-APLD-IND-2-CD		
	25	1038	HIBC-OTH-APPL-IND	PIC X	1	3	6	207				LINE-OTHR-APLD-IND-3-CD		
	25	1039	HIBC-OTH-APPL-IND	PIC X	1	4	6	208				LINE-OTHR-APLD-IND-4-CD		
	25	1040	HIBC-OTH-APPL-IND	PIC X	1	5	6	209				LINE-OTHR-APLD-IND-5-CD		
	25	1041	HIBC-OTH-APPL-IND	PIC X	1	6	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1042	HIBC-OTH-APPL-IND	PIC X	1	7	6	211				LINE-OTHR-APLD-IND-7-CD		
	15	1043	HIBC-LEGS-IND1	PIC X	1		6	219				LINE-THRPY-CAP-IND-1-CD		
	15	1044	HIBC-LEGS-IND2	PIC X	1		6	220				LINE-THRPY-CAP-IND-2-CD		
	15	1045	HIBC-LEGS-IND3	PIC X	1		6	221				LINE-THRPY-CAP-IND-3-CD		
	15	1046	HIBC-LEGS-IND4	PIC X	1		6	222				LINE-THRPY-CAP-IND-4-CD		
	15	1047	HIBC-LEGS-IND5	PIC X	1		6	223				LINE-THRPY-CAP-IND-5-CD		
	15	1048	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		6							
	15	1049	HIBC-CBA	PIC X	5		6							
	15	1050	HIBC-POS-ADDRESS				6							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1051	HIBC-POS-ORG-NAME	PIC X	60		6	197				LINE-POS-PHYSN-ORG-NM		
	20	1052	HIBC-POS-FIRST-NAME	PIC X	35		6	198				LINE-POS-PHYSN-1ST-NM		
	20	1053	HIBC-POS-MIDDLE-NAME	PIC X	25		6	199				LINE-POS-PHYSN-MDL-NM		
	20	1054	HIBC-POS-ADDRESS1	PIC X	55		6	200				LINE-POS-PHYSN-ADR1-NM		
	20	1055	HIBC-POS-ADDRESS2	PIC X	55		6	201				LINE-POS-PHYSN-ADR2-NM		
	20	1056	HIBC-POS-CITY	PIC X	30		6	202				LINE-POS-PHYSN-CITY-NM		
	20	1057	HIBC-POS-STATE	PIC X	2		6	203				LINE-POS-PHYSN-STATE		
	20	1058	HIBC-POS-ZIP	PIC X	15		6	204				LINE-POS-PHYSN-ZIP-CD		
	15	1059	HIBC-NPI-GROUP-IND	PIC X	1		6	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1060	HIBC-LINE-ITEM-UNUSED	PIC X	300		6							
	15	1061	HIBC-PLACE-OLD	PIC X	1		6							
	15	1062	HIBC-NO-SERVICES-OLD	PIC 9	2		6							
	15	1063	HIBC-CLIA-ALERT-IND	PIC X	1		6	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	1064	:XD:-CANCER-DRUG-IND	PIC X	1		6							
	15	1065	HIBC-HCFA-LINE-CNTL-DATA				7	127				NCH-LINE-TRLR-IND-CD		
	20	1066	HIBC-HCFA-PROV-SPEC	PIC X	2		7	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1067	HIBC-HCFA-PROV-TYPE	PIC X	1		7	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1068	HIBC-HCFA-TYPE	PIC X	1		7	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1069	HIBC-HCFA-ASSIGN-IND	PIC X	1		7	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1070	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		7	171				LINE-PRCSG-IND-CD		
	20	1071	HIBC-HCFA-REIMB-IND	PIC X	1		7	172				LINE-PMT-80-100-CD		
	20	1072	HIBC-HCFA-DED-IND	PIC X	1		7	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1073	HIBC-HCFA-PROV-IND	PIC X	1		7							
	20	1074	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		7	174				LINE-PMT-IND-CD		
	20	1075	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		7	175				CARR-LINE-MTUS-CNT		
	20	1076	HIBC-HCFA-MT-IND	PIC X	1		7	176				CARR-LINE-MTUS-IND-CD		
	15	1077	HIBC-PROC-CODE	PIC X	5		7	147				LINE-HCPCS-CD		
	15	1078	HIBC-HCPCS-MODIFIERS				7							
	20	1079	HIBC-PROC-CODE-MOD1	PIC X	2		7	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1080	HIBC-PROC-CODE-MOD2	PIC X	2		7	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1081	:XD:-PROC-CODE-MOD3	PIC X	2		7	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1082	:XD:-PROC-CODE-MOD4	PIC X	2		7	151				LINE-HCPCS-4TH-MDFR-CD		
		1083		PIC X	3		7	152				LINE-NCH-BETOS-CD		
		1084		PIC X	7		7	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1085		PIC X	11		7	154				LINE-NATL-DRUG-CD		
		1086		PIC S9(9)V99 COMP-3	6		7	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB. Value is 68.54.	
	15	1087	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		7	167				LINE-SBMT-CHRG-AMT		
	15	1088	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		7	168				LINE-ALOW-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1089	HIBC-SS-NUMBER	PIC X	10		7	133				LINE-PRVDR-TAX-NUM		
		1090		PIC X	2		7	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MQRMF6 program	
	15	1091	HIBC-PROVIDER-CODES				7							
	20	1092	HIBC-PROV-AREA	PIC X	2		7	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1093	HIBC-PROV-SPEC	PIC X	2		7	137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1094	HIBC-CARR-TYPE-SERV	PIC X	2		7	142				CARR-LINE-TYPE-SRVC-CD		
	15	1095	HIBC-PLACE	PIC 9	2		7	143				LINE-PLC-SRVC-CD		
	15	1096	HIBC-LI-DATES-OF-SERVICE				7							
	20	1097	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		7	145				LINE-1ST-EXPNS-DT		
	20	1098	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		7	146				LINE-LAST-EXPNS-DT		
	15	1099	HIBC-DOC-SUP	PIC X	10		7	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1100	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		7	140				LINE-SRVC-CNT		
	15	1101	HIBC-ACTION-CODE	PIC X	2		7							
	15	1102	HIBC-SPEC-PRIC-IND	PIC X	1		7							
	15	1103	HIBC-DIAGNOSIS-DATA				7							
	20	1104	HIBC-DIAGNOSIS-IND	PIC X	1		7	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	1105	HIBC-DIAGNOSIS	PIC X	7		7	179				LINE-DGNS-CD		
	15	1106	HIBC-CLINICAL-LAB-ID	PIC X	10		7	169				CARR-LINE-CLNCL-LAB-NUM		
	15	1107	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		7	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	1108	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		7	180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	1109	HIBC-DOCUMENT-IND	PIC X	1		7	182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	1110	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		7	156				LINE-BENE-PMT-AMT		
	15	1111	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		7	157				LINE-PRVDR-PMT-AMT		
	15	1112	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		7	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	1113	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP-3	4		7	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		1114					7	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		1115		PIC S9(9)V99 COMP-3	6		7	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1116		PIC S9(9)V99 COMP-3	6		7	164				LINE-PRMRY-PYR-ALLOW-CHRG AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1117		PIC S9(9)V99 COMP-3	6		7	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1118	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		7	160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	1119	HIBC-MSP-CODE	PIC X	1		7	159				LINE-BENE-PRMRY-PYR-CD		
	15	1120	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		7	161				LINE-COINSRNC-AMT		
	15	1121	HIBC-PHYS-SUP-NO-IND	PIC 9	1		7							
	15	1122	HIBC-LINE-UPIN	PIC X	6		7	129				CARR-LINE-PRFRMG-UPIN- NUM		
	15	1123	HIBC-RENDERING-NPI	PIC X	10		7	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1124	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		7	135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		1125					7							
	15	1126	HIBC-PERCENTAGE-ALLOWED	PIC X	1		7	139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	1127	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		7	183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	1128	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		7	184				LINE-DME-PURC-PRICE-AMT		
	15	1129	HIBC-DME-MED-NECESS	PIC 9	2		7	185				CARR-LINE-DME-NCSTY-MO- CNT		
		1130		PIC X	1		7	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
	15	1131	:XD:-SCRN-SUSP	PIC X	4		7							
	15	1132	:XD:-SCRN-RSLT	PIC X	1		7							
	15	1133	:XD:-DECIS-IND	PIC X	1		7							
	15	1134	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		7							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1135	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		7							
	15	1136	:XD:-NATL-DRUG-CD	PIC X	11		7							
	15	1137	:XD:-UNITS-IND	PIC 9	1		7							
	15	1138	:XD:-DOCUMENT-IND	PIC 9	1		7							
	15	1139	:XD:-WAIVER-LIAB	PIC X	1		7							
	15	1140	:XD:-STATE-CODE	PIC X	2		7							
	15	1141	:XD:-SUPP-ST-CODE	PIC X	2		7							
	15	1142	:XD:-NOC-CODE-DESC	PIC X	14		7							
	15	1143	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		7	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1144	HIBC-POP-ZPCD	PIC X	9		7	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1145	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		7							
	15	1146	HIBC-LI-OVERRIDE-TABLE				7							
	20	1147	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	7							
	20	1148	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	7							
	20	1149	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	7							
	20	1150	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	7							
	20	1151	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	7							
	15	1152	HIBC-SUSP-DUP-REV-IND	PIC X	1		7	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1153	HIBC-HPSA-SCARCITY-IND	PIC X	1		7	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	1154	HIBC-PRESCRIPTION				7	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	1155	HIBC-VENDOR-ID	PIC X	4		7							
	20	1156	HIBC-HCPCS	PIC X	5		7							
	20	1157	HIBC-VENDOR-PR-NUM	PIC X	21		7							
	15	1158	:XD:-NCB-IND	PIC X	1		7							
	15	1159	HIBC-TEST-TYPE	PIC X	2		7	192				LINE-HCT-HGB-TYPE-CD		
	15	1160	HIBC-TEST-RESULTS				7							
	20	1161	HIBC-TEST-RESULTS-N	PIC 9	2		7	193				LINE-HCT-HGB-RSLT-NUM		
	15	1162	HIBC-PWK-LINE-ITEM-IND	PIC X	2		7	195				LINE-PWK-CD		
	15	1163	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		7							
	15	1164	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		7	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1165	HIBC-LIAB-DEN-IND	PIC X	1		7							
	15	1166	HIBC-MSP-LIAB-IND	PIC X	1		7							
	15	1167	HIBC-BENE-ZIP-CD	PIC X	9		7							
	15	1168	HIBC-DCBP-IND	PIC X	1		7							
	15	1169	HIBC-PMDA-TRACKING-NUM	PIC X	14		7	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1170	HIBC-FPS-DETAIL-INFO				7							
	20	1171	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		7	224				LINE-FPS-MODEL-NUM		
	20	1172	HIBC-FPS-D-REASON-CODE	PIC X	3		7	225				LINE-FPS-RSN-CD		
	20	1173	HIBC-FPS-D-REMARK-CODE	PIC X	5		7	226				LINE-FPS-RMRK-CD		
	20	1174	HIBC-FPS-D-MSN-CODES				7							
	25	1175	HIBC-FPS-D-MSN-CODE-1	PIC X	5		7	227				LINE-FPS-MSN-1-CD		
	25	1176	HIBC-FPS-D-MSN-CODE-2	PIC X	5		7	228				LINE-FPS-MSN-2-CD		
	15	1177	HIBC-OTH-AMTS-APPLIED-AREA				7							
	20	1178	HIBC-OTH-AMTS-TABLE				7	7						
	25	1179	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	7	212				LINE-OTHR-APLD-1-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	1180	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	7	213				LINE-OTHR-APLD-2-AMT		
	25	1181	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	7	214				LINE-OTHR-APLD-3-AMT		
	25	1182	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	7	215				LINE-OTHR-APLD-4-AMT		
	25	1183	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	7	216				LINE-OTHR-APLD-5-AMT		
	25	1184	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	7	217				LINE-OTHR-APLD-6-AMT		
	25	1185	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	7	218				LINE-OTHR-APLD-7-AMT		
	25	1186	HIBC-OTH-APPL-IND	PIC X	1	1	7	205				LINE-OTHR-APLD-IND-1-CD		
	25	1187	HIBC-OTH-APPL-IND	PIC X	1	2	7	206				LINE-OTHR-APLD-IND-2-CD		
	25	1188	HIBC-OTH-APPL-IND	PIC X	1	3	7	207				LINE-OTHR-APLD-IND-3-CD		
	25	1189	HIBC-OTH-APPL-IND	PIC X	1	4	7	208				LINE-OTHR-APLD-IND-4-CD		
	25	1190	HIBC-OTH-APPL-IND	PIC X	1	5	7	209				LINE-OTHR-APLD-IND-5-CD		
	25	1191	HIBC-OTH-APPL-IND	PIC X	1	6	7	210				LINE-OTHR-APLD-IND-6-CD		
	25	1192	HIBC-OTH-APPL-IND	PIC X	1	7	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1193	HIBC-LEGS-IND1	PIC X	1		7	219				LINE-THRPY-CAP-IND-1-CD		
	15	1194	HIBC-LEGS-IND2	PIC X	1		7	220				LINE-THRPY-CAP-IND-2-CD		
	15	1195	HIBC-LEGS-IND3	PIC X	1		7	221				LINE-THRPY-CAP-IND-3-CD		
	15	1196	HIBC-LEGS-IND4	PIC X	1		7	222				LINE-THRPY-CAP-IND-4-CD		
	15	1197	HIBC-LEGS-IND5	PIC X	1		7	223				LINE-THRPY-CAP-IND-5-CD		
	15	1198	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		7							
	15	1199	HIBC-CBA	PIC X	5		7							
	15	1200	HIBC-POS-ADDRESS				7							
	20	1201	HIBC-POS-ORG-NAME	PIC X	60		7	197				LINE-POS-PHYSN-ORG-NM		
	20	1202	HIBC-POS-FIRST-NAME	PIC X	35		7	198				LINE-POS-PHYSN-1ST-NM		
	20	1203	HIBC-POS-MIDDLE-NAME	PIC X	25		7	199				LINE-POS-PHYSN-MDL-NM		
	20	1204	HIBC-POS-ADDRESS1	PIC X	55		7	200				LINE-POS-PHYSN-ADR1-NM		
	20	1205	HIBC-POS-ADDRESS2	PIC X	55		7	201				LINE-POS-PHYSN-ADR2-NM		
	20	1206	HIBC-POS-CITY	PIC X	30		7	202				LINE-POS-PHYSN-CITY-NM		
	20	1207	HIBC-POS-STATE	PIC X	2		7	203				LINE-POS-PHYSN-STATE		
	20	1208	HIBC-POS-ZIP	PIC X	15		7	204				LINE-POS-PHYSN-ZIP-CD		
	15	1209	HIBC-NPI-GROUP-IND	PIC X	1		7	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1210	HIBC-LINE-ITEM-UNUSED	PIC X	300		7							
	15	1211	HIBC-PLACE-OLD	PIC X	1		7							
	15	1212	HIBC-NO-SERVICES-OLD	PIC 9	2		7							
	15	1213	HIBC-CLIA-ALERT-IND	PIC X	1		7	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	1214	XD-CANCER-DRUG-IND	PIC X	1		7							
	15	1215	HIBC-HCFA-LINE-CNTL-DATA				8	127				NCH-LINE-TRLR-IND-CD		
	20	1216	HIBC-HCFA-PROV-SPEC	PIC X	2		8	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1217	HIBC-HCFA-PROV-TYPE	PIC X	1		8	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1218	HIBC-HCFA-TYPE	PIC X	1		8	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1219	HIBC-HCFA-ASSIGN-IND	PIC X	1		8	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1220	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		8	171				LINE-PRCSG-IND-CD		
	20	1221	HIBC-HCFA-REIMB-IND	PIC X	1		8	172				LINE-PMT-80-100-CD		
	20	1222	HIBC-HCFA-DED-IND	PIC X	1		8	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1223	HIBC-HCFA-PROV-IND	PIC X	1		8							
	20	1224	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		8	174				LINE-PMT-IND-CD		
	20	1225	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		8	175				CARR-LINE-MTUS-CNT		
	20	1226	HIBC-HCFA-MT-IND	PIC X	1		8	176				CARR-LINE-MTUS-IND-CD		
	15	1227	HIBC-PROC-CODE	PIC X	5		8	147				LINE-HCPCS-CD		
	15	1228	HIBC-HCPCS-MODIFIERS				8							
	20	1229	HIBC-PROC-CODE-MOD1	PIC X	2		8	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1230	HIBC-PROC-CODE-MOD2	PIC X	2		8	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1231	XD-PROC-CODE-MOD3	PIC X	2		8	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1232	XD-PROC-CODE-MOD4	PIC X	2		8	151				LINE-HCPCS-4TH-MDFR-CD		
		1233		PIC X	3		8	152				LINE-NCH-BETOS-CD		
		1234		PIC X	7		8	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1235		PIC X	11		8	154				LINE-NATL-DRUG-CD		
		1236		PIC S9(9)V99 COMP-3	6		8	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB. Value is 70.54.	
	15	1237	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		8	167				LINE-SBMT-CHRG-AMT		
	15	1238	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		8	168				LINE-ALOW-CHRG-AMT		
	15	1239	HIBC-SS-NUMBER	PIC X	10		8	133				LINE-PRVDR-TAX-NUM		
		1240		PIC X	2		8	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP- ZIP-CODE in the MQRMREF6 program	
	15	1241	HIBC-PROVIDER-CODES				8							
	20	1242	HIBC-PROV-AREA	PIC X	2		8	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1243	HIBC-PROV-SPEC	PIC X	2		8	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	1244	HIBC-CARR-TYPE-SERV	PIC X	2		8	142				CARR-LINE-TYPE-SRVC-CD		
	15	1245	HIBC-PLACE	PIC 9	2		8	143				LINE-PLC-SRVC-CD		
	15	1246	HIBC-LI-DATES-OF-SERVICE				8							
	20	1247	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		8	145				LINE-1ST-EXPNS-DT		
	20	1248	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		8	146				LINE-LAST-EXPNS-DT		
	15	1249	HIBC-DOC-SUP	PIC X	10		8	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1250	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		8	140				LINE-SRVC-CNT		
	15	1251	HIBC-ACTION-CODE	PIC X	2		8							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1252	HIBC-SPEC-PRIC-IND	PIC X	1		8							
	15	1253	HIBC-DIAGNOSIS-DATA				8							
	20	1254	HIBC-DIAGNOSIS-IND	PIC X	1		8	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	1255	HIBC-DIAGNOSIS	PIC X	7		8	179				LINE-DGNS-CD		
	15	1256	HIBC-CLINICAL-LAB-ID	PIC X	10		8	169				CARR-LINE-CLNCL-LAB-NUM		
	15	1257	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		8	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	1258	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		8	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1259	HIBC-DOCUMENT-IND	PIC X	1		8	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	1260	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		8	156				LINE-BENE-PMT-AMT		
	15	1261	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		8	157				LINE-PRVDR-PMT-AMT		
	15	1262	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		8	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	1263	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		8	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		1264					8	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		1265		PIC S9(9)V99 COMP-3	6		8	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1266		PIC S9(9)V99 COMP-3	6		8	164				LINE-PRMRY-PYR-ALOW-CHRG AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1267		PIC S9(9)V99 COMP-3	6		8	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1268	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		8	160				LINE-BENE-PRMRY-PYR-PD- AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1269	HIBC-MSP-CODE	PIC X	1		8	159				LINE-BENE-PRMRY-PYR-CD		
	15	1270	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		8	161				LINE-COINSRNC-AMT		
	15	1271	HIBC-PHYS-SUP-NO-IND	PIC 9	1		8							
	15	1272	HIBC-LINE-UPIN	PIC X	6		8	129				CARR-LINE-PRFRMG-UPIN- NUM		
	15	1273	HIBC-RENDERING-NPI	PIC X	10		8	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1274	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		8	135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		1275					8							
	15	1276	HIBC-PERCENTAGE-ALLOWED	PIC X	1		8	139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	1277	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		8	183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	1278	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		8	184				LINE-DME-PURC-PRICE-AMT		
	15	1279	HIBC-DME-MED-NECESS	PIC 9	2		8	185				CARR-LINE-DME-NCSTY-MO- CNT		
		1280		PIC X	1		8	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
	15	1281	:XD:-SCRN-SUSP	PIC X	4		8							
	15	1282	:XD:-SCRN-RSLT	PIC X	1		8							
	15	1283	:XD:-DECIS-IND	PIC X	1		8							
	15	1284	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		8							
	15	1285	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		8							
	15	1286	:XD:-NATL-DRUG-CD	PIC X	11		8							
	15	1287	:XD:-UNITS-IND	PIC 9	1		8							
	15	1288	:XD:-DOCUMENT-IND	PIC 9	1		8							
	15	1289	:XD:-WAIVER-LIAB	PIC X	1		8							
	15	1290	:XD:-STATE-CODE	PIC X	2		8							
	15	1291	:XD:-SUPP-ST-CODE	PIC X	2		8							
	15	1292	:XD:-NOC-CODE-DESC	PIC X	14		8							
	15	1293	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		8	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1294	HIBC-POP-ZPCD	PIC X	9		8	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1295	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		8							
	15	1296	HIBC-LI-OVERRIDE-TABLE				8							
	20	1297	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	8							
	20	1298	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	8							
	20	1299	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	8							
	20	1300	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	8							
	20	1301	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	8							
	15	1302	HIBC-SUSP-DUP-REV-IND	PIC X	1		8	187				LINE-DUP-CLM-CHK-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1303	HIBC-HPSA-SCARCITY-IND	PIC X	1		8	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	1304	HIBC-PRESCRIPTION				8	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	1305	HIBC-VENDOR-ID	PIC X	4		8							
	20	1306	HIBC-HCPCS	PIC X	5		8							
	20	1307	HIBC-VENDOR-PR-NUM	PIC X	21		8							
	15	1308	XD-NCB-IND	PIC X	1		8							
	15	1309	HIBC-TEST-TYPE	PIC X	2		8	192				LINE-HCT-HGB-TYPE-CD		
	15	1310	HIBC-TEST-RESULTS				8							
	20	1311	HIBC-TEST-RESULTS-N	PIC 9	2		8	193				LINE-HCT-HGB-RSLT-NUM		
	15	1312	HIBC-PWK-LINE-ITEM-IND	PIC X	2		8	195				LINE-PWK-CD		
	15	1313	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		8							
	15	1314	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		8	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1315	HIBC-LIAB-DEN-IND	PIC X	1		8							
	15	1316	HIBC-MSP-LIAB-IND	PIC X	1		8							
	15	1317	HIBC-BENE-ZIP-CD	PIC X	9		8							
	15	1318	HIBC-DCBP-IND	PIC X	1		8							
	15	1319	HIBC-PMDA-TRACKING-NUM	PIC X	14		8	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1320	HIBC-FPS-DETAIL-INFO				8							
	20	1321	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		8	224				LINE-FPS-MODEL-NUM		
	20	1322	HIBC-FPS-D-REASON-CODE	PIC X	3		8	225				LINE-FPS-RSN-CD		
	20	1323	HIBC-FPS-D-REMARK-CODE	PIC X	5		8	226				LINE-FPS-RMRK-CD		
	20	1324	HIBC-FPS-D-MSN-CODES				8							
	25	1325	HIBC-FPS-D-MSN-CODE-1	PIC X	5		8	227				LINE-FPS-MSN-1-CD		
	25	1326	HIBC-FPS-D-MSN-CODE-2	PIC X	5		8	228				LINE-FPS-MSN-2-CD		
	15	1327	HIBC-OTH-AMTS-APPLIED-AREA				8							
	20	1328	HIBC-OTH-AMTS-TABLE			7	8							
	25	1329	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	8	212				LINE-OTHR-APLD-1-AMT		
	25	1330	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	8	213				LINE-OTHR-APLD-2-AMT		
	25	1331	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	8	214				LINE-OTHR-APLD-3-AMT		
	25	1332	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	8	215				LINE-OTHR-APLD-4-AMT		
	25	1333	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	8	216				LINE-OTHR-APLD-5-AMT		
	25	1334	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	8	217				LINE-OTHR-APLD-6-AMT		
	25	1335	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	8	218				LINE-OTHR-APLD-7-AMT		
	25	1336	HIBC-OTH-APPL-IND	PIC X	1	1	8	205				LINE-OTHR-APLD-IND-1-CD		
	25	1337	HIBC-OTH-APPL-IND	PIC X	1	2	8	206				LINE-OTHR-APLD-IND-2-CD		
	25	1338	HIBC-OTH-APPL-IND	PIC X	1	3	8	207				LINE-OTHR-APLD-IND-3-CD		
	25	1339	HIBC-OTH-APPL-IND	PIC X	1	4	8	208				LINE-OTHR-APLD-IND-4-CD		
	25	1340	HIBC-OTH-APPL-IND	PIC X	1	5	8	209				LINE-OTHR-APLD-IND-5-CD		
	25	1341	HIBC-OTH-APPL-IND	PIC X	1	6	8	210				LINE-OTHR-APLD-IND-6-CD		
	25	1342	HIBC-OTH-APPL-IND	PIC X	1	7	8	211				LINE-OTHR-APLD-IND-7-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1343	HIBC-LEGS-IND1	PIC X	1		8	219				LINE-THRPY-CAP-IND-1-CD		
	15	1344	HIBC-LEGS-IND2	PIC X	1		8	220				LINE-THRPY-CAP-IND-2-CD		
	15	1345	HIBC-LEGS-IND3	PIC X	1		8	221				LINE-THRPY-CAP-IND-3-CD		
	15	1346	HIBC-LEGS-IND4	PIC X	1		8	222				LINE-THRPY-CAP-IND-4-CD		
	15	1347	HIBC-LEGS-IND5	PIC X	1		8	223				LINE-THRPY-CAP-IND-5-CD		
	15	1348	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		8							
	15	1349	HIBC-CBA	PIC X	5		8							
	15	1350	HIBC-POS-ADDRESS				8							
	20	1351	HIBC-POS-ORG-NAME	PIC X	60		8	197				LINE-POS-PHYSN-ORG-NM		
	20	1352	HIBC-POS-FIRST-NAME	PIC X	35		8	198				LINE-POS-PHYSN-1ST-NM		
	20	1353	HIBC-POS-MIDDLE-NAME	PIC X	25		8	199				LINE-POS-PHYSN-MDL-NM		
	20	1354	HIBC-POS-ADDRESS1	PIC X	55		8	200				LINE-POS-PHYSN-ADR1-NM		
	20	1355	HIBC-POS-ADDRESS2	PIC X	55		8	201				LINE-POS-PHYSN-ADR2-NM		
	20	1356	HIBC-POS-CITY	PIC X	30		8	202				LINE-POS-PHYSN-CITY-NM		
	20	1357	HIBC-POS-STATE	PIC X	2		8	203				LINE-POS-PHYSN-STATE		
	20	1358	HIBC-POS-ZIP	PIC X	15		8	204				LINE-POS-PHYSN-ZIP-CD		
	15	1359	HIBC-NPI-GROUP-IND	PIC X	1		8	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1360	HIBC-LINE-ITEM-UNUSED	PIC X	300		8							
	15	1361	HIBC-PLACE-OLD	PIC X	1		8							
	15	1362	HIBC-NO-SERVICES-OLD	PIC 9	2		8							
	15	1363	HIBC-CLIA-ALERT-IND	PIC X	1		8	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	1364	:XD: CANCER-DRUG-IND	PIC X	1		8							
	15	1365	HIBC-HCFA-LINE-CNTL-DATA				9	127				NCH-LINE-TRLR-IND-CD		
	20	1366	HIBC-HCFA-PROV-SPEC	PIC X	2		9	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1367	HIBC-HCFA-PROV-TYPE	PIC X	1		9	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1368	HIBC-HCFA-TYPE	PIC X	1		9	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1369	HIBC-HCFA-ASSIGN-IND	PIC X	1		9	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1370	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		9	171				LINE-PRCSG-IND-CD		
	20	1371	HIBC-HCFA-REIMB-IND	PIC X	1		9	172				LINE-PMT-80-100-CD		
	20	1372	HIBC-HCFA-DED-IND	PIC X	1		9	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1373	HIBC-HCFA-PROV-IND	PIC X	1		9							
	20	1374	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		9	174				LINE-PMT-IND-CD		
	20	1375	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		9	175				CARR-LINE-MTUS-CNT		
	20	1376	HIBC-HCFA-MT-IND	PIC X	1		9	176				CARR-LINE-MTUS-IND-CD		
	15	1377	HIBC-PROC-CODE	PIC X	5		9	147				LINE-HCPCS-CD		
	15	1378	HIBC-HCPCS-MODIFIERS				9							
	20	1379	HIBC-PROC-CODE-MOD1	PIC X	2		9	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1380	HIBC-PROC-CODE-MOD2	PIC X	2		9	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1381	:XD: PROC-CODE-MOD3	PIC X	2		9	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1382	:XD: PROC-CODE-MOD4	PIC X	2		9	151				LINE-HCPCS-4TH-MDFR-CD		
		1383		PIC X	3		9	152				LINE-NCH-BETOS-CD		
		1384		PIC X	7		9	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1385		PIC X	11		9	154				LINE-NATL-DRUG-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		1386		PIC S9(9)V99 COMP-3	6		9	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB Value is 72.54.	
	15	1387	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		9	167				LINE-SBMT-CHRG-AMT		
	15	1388	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		9	168				LINE-ALOW-CHRG-AMT		
	15	1389	HIBC-SS-NUMBER	PIC X	10		9	133				LINE-PRVDR-TAX-NUM		
		1390		PIC X	2		9	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP- ZIP-CODE in the MQRREF6 program	
	15	1391	HIBC-PROVIDER-CODES				9							
	20	1392	HIBC-PROV-AREA	PIC X	2		9	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1393	HIBC-PROV-SPEC	PIC X	2		9	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	1394	HIBC-CARR-TYPE-SERV	PIC X	2		9	142				CARR-LINE-TYPE-SRVC-CD		
	15	1395	HIBC-PLACE	PIC 9	2		9	143				LINE-PLC-SRVC-CD		
	15	1396	HIBC-LI-DATES-OF-SERVICE				9							
	20	1397	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		9	145				LINE-1ST-EXPNS-DT		
	20	1398	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		9	146				LINE-LAST-EXPNS-DT		
	15	1399	HIBC-DOC-SUP	PIC X	10		9	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1400	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		9	140				LINE-SRVC-CNT		
	15	1401	HIBC-ACTION-CODE	PIC X	2		9							
	15	1402	HIBC-SPEC-PRIC-IND	PIC X	1		9							
	15	1403	HIBC-DIAGNOSIS-DATA				9							
	20	1404	HIBC-DIAGNOSIS-IND	PIC X	1		9	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	1405	HIBC-DIAGNOSIS	PIC X	7		9	179				LINE-DGNS-CD		
	15	1406	HIBC-CLINICAL-LAB-ID	PIC X	10		9	169				CARR-LINE-CLNCL-LAB-NUM		
	15	1407	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		9	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	1408	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		9	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1409	HIBC-DOCUMENT-IND	PIC X	1		9	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	1410	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		9	156				LINE-BENE-PMT-AMT		
	15	1411	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		9	157				LINE-PRVDR-PMT-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1412	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		9	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	1413	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		9	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		1414					9	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		1415		PIC S9(9)V99 COMP-3	6		9	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1416		PIC S9(9)V99 COMP-3	6		9	164				LINE-PRMRY-PYR-ALOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1417		PIC S9(9)V99 COMP-3	6		9	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1418	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		9	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1419	HIBC-MSP-CODE	PIC X	1		9	159				LINE-BENE-PRMRY-PYR-CD		
	15	1420	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		9	161				LINE-COINSRNC-AMT		
	15	1421	HIBC-PHYS-SUP-NO-IND	PIC 9	1		9							
	15	1422	HIBC-LINE-UPIN	PIC X	6		9	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	1423	HIBC-RENDERING-NPI	PIC X	10		9	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1424	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		9	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1425					9							
	15	1426	HIBC-PERCENTAGE-ALLOWED	PIC X	1		9	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1427	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		9	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1428	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		9	184				LINE-DME-PURC-PRICE-AMT		
	15	1429	HIBC-DME-MED-NECESS	PIC 9	2		9	185				CARR-LINE-DME-NCSTY-MO-CNT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		1430		PIC X	1		9	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
	15	1431	:XD:-SCRN-SUSP	PIC X	4		9							
	15	1432	:XD:-SCRN-RSLT	PIC X	1		9							
	15	1433	:XD:-DECIS-IND	PIC X	1		9							
	15	1434	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		9							
	15	1435	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		9							
	15	1436	:XD:-NATL-DRUG-CD	PIC X	11		9							
	15	1437	:XD:-UNITS-IND	PIC 9	1		9							
	15	1438	:XD:-DOCUMENT-IND	PIC 9	1		9							
	15	1439	:XD:-WAIVER-LIAB	PIC X	1		9							
	15	1440	:XD:-STATE-CODE	PIC X	2		9							
	15	1441	:XD:-SUPP-ST-CODE	PIC X	2		9							
	15	1442	:XD:-NOC-CODE-DESC	PIC X	14		9							
	15	1443	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		9	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1444	HIBC-POP-ZPCD	PIC X	9		9	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1445	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		9							
	15	1446	HIBC-LI-OVERRIDE-TABLE				9							
	20	1447	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	9							
	20	1448	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	9							
	20	1449	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	9							
	20	1450	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	9							
	20	1451	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	9							
	15	1452	HIBC-SUSP-DUP-REV-IND	PIC X	1		9	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1453	HIBC-HPSA-SCARCITY-IND	PIC X	1		9	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	1454	HIBC-PRESCRIPTION				9	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	1455	HIBC-VENDOR-ID	PIC X	4		9							
	20	1456	HIBC-HCPCS	PIC X	5		9							
	20	1457	HIBC-VENDOR-PR-NUM	PIC X	21		9							
	15	1458	:XD:-NCB-IND	PIC X	1		9							
	15	1459	HIBC-TEST-TYPE	PIC X	2		9	192				LINE-HCT-HGB-TYPE-CD		
	15	1460	HIBC-TEST-RESULTS				9							
	20	1461	HIBC-TEST-RESULTS-N	PIC 9	2		9	193				LINE-HCT-HGB-RSLT-NUM		
	15	1462	HIBC-PWK-LINE-ITEM-IND	PIC X	2		9	195				LINE-PWK-CD		
	15	1463	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		9							
	15	1464	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		9	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1465	HIBC-LIAB-DEN-IND	PIC X	1		9							
	15	1466	HIBC-MSP-LIAB-IND	PIC X	1		9							
	15	1467	HIBC-BENE-ZIP-CD	PIC X	9		9							
	15	1468	HIBC-DCBP-IND	PIC X	1		9							
	15	1469	HIBC-PMDA-TRACKING-NUM	PIC X	14		9	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1470	HIBC-FPS-DETAIL-INFO				9							
	20	1471	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		9	224				LINE-FPS-MODEL-NUM		
	20	1472	HIBC-FPS-D-REASON-CODE	PIC X	3		9	225				LINE-FPS-RSN-CD		
	20	1473	HIBC-FPS-D-REMARK-CODE	PIC X	5		9	226				LINE-FPS-RMRK-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1474	HIBC-FPS-D-MSN-CODES				9							
	25	1475	HIBC-FPS-D-MSN-CODE-1	PIC X	5		9	227				LINE-FPS-MSN-1-CD		
	25	1476	HIBC-FPS-D-MSN-CODE-2	PIC X	5		9	228				LINE-FPS-MSN-2-CD		
	15	1477	HIBC-OTH-AMTS-APPLIED-AREA				9							
	20	1478	HIBC-OTH-AMTS-TABLE			7	9							
	25	1479	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	9	212				LINE-OTHR-APLD-1-AMT		
	25	1480	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	9	213				LINE-OTHR-APLD-2-AMT		
	25	1481	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	9	214				LINE-OTHR-APLD-3-AMT		
	25	1482	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	9	215				LINE-OTHR-APLD-4-AMT		
	25	1483	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	9	216				LINE-OTHR-APLD-5-AMT		
	25	1484	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	9	217				LINE-OTHR-APLD-6-AMT		
	25	1485	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	9	218				LINE-OTHR-APLD-7-AMT		
	25	1486	HIBC-OTH-APPL-IND	PIC X	1	1	9	205				LINE-OTHR-APLD-IND-1-CD		
	25	1487	HIBC-OTH-APPL-IND	PIC X	1	2	9	206				LINE-OTHR-APLD-IND-2-CD		
	25	1488	HIBC-OTH-APPL-IND	PIC X	1	3	9	207				LINE-OTHR-APLD-IND-3-CD		
	25	1489	HIBC-OTH-APPL-IND	PIC X	1	4	9	208				LINE-OTHR-APLD-IND-4-CD		
	25	1490	HIBC-OTH-APPL-IND	PIC X	1	5	9	209				LINE-OTHR-APLD-IND-5-CD		
	25	1491	HIBC-OTH-APPL-IND	PIC X	1	6	9	210				LINE-OTHR-APLD-IND-6-CD		
	25	1492	HIBC-OTH-APPL-IND	PIC X	1	7	9	211				LINE-OTHR-APLD-IND-7-CD		
	15	1493	HIBC-LEGS-IND1	PIC X	1		9	219				LINE-THRPY-CAP-IND-1-CD		
	15	1494	HIBC-LEGS-IND2	PIC X	1		9	220				LINE-THRPY-CAP-IND-2-CD		
	15	1495	HIBC-LEGS-IND3	PIC X	1		9	221				LINE-THRPY-CAP-IND-3-CD		
	15	1496	HIBC-LEGS-IND4	PIC X	1		9	222				LINE-THRPY-CAP-IND-4-CD		
	15	1497	HIBC-LEGS-IND5	PIC X	1		9	223				LINE-THRPY-CAP-IND-5-CD		
	15	1498	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		9							
	15	1499	HIBC-CBA	PIC X	5		9							
	15	1500	HIBC-POS-ADDRESS				9							
	20	1501	HIBC-POS-ORG-NAME	PIC X	60		9	197				LINE-POS-PHYSN-ORG-NM		
	20	1502	HIBC-POS-FIRST-NAME	PIC X	35		9	198				LINE-POS-PHYSN-1ST-NM		
	20	1503	HIBC-POS-MIDDLE-NAME	PIC X	25		9	199				LINE-POS-PHYSN-MDL-NM		
	20	1504	HIBC-POS-ADDRESS1	PIC X	55		9	200				LINE-POS-PHYSN-ADR1-NM		
	20	1505	HIBC-POS-ADDRESS2	PIC X	55		9	201				LINE-POS-PHYSN-ADR2-NM		
	20	1506	HIBC-POS-CITY	PIC X	30		9	202				LINE-POS-PHYSN-CITY-NM		
	20	1507	HIBC-POS-STATE	PIC X	2		9	203				LINE-POS-PHYSN-STATE		
	20	1508	HIBC-POS-ZIP	PIC X	15		9	204				LINE-POS-PHYSN-ZIP-CD		
	15	1509	HIBC-NPI-GROUP-IND	PIC X	1		9	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1510	HIBC-LINE-ITEM-UNUSED	PIC X	300		9							
	15	1511	HIBC-PLACE-OLD	PIC X	1		9							
	15	1512	HIBC-NO-SERVICES-OLD	PIC 9	2		9							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1513	HIBC-CLIA-ALERT-IND	PIC X	1		9	181				CARR-LINE-CLIA-ALERT-IND-CD	This is redefined to Alert-Flag	
	15	1514	:XD:-CANCER-DRUG-IND	PIC X	1		9							
	15	1515	HIBC-HCFA-LINE-CNTL-DATA				10	127				NCH-LINE-TRLR-IND-CD		
	20	1516	HIBC-HCFA-PROV-SPEC	PIC X	2		10	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1517	HIBC-HCFA-PROV-TYPE	PIC X	1		10	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1518	HIBC-HCFA-TYPE	PIC X	1		10	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1519	HIBC-HCFA-ASSIGN-IND	PIC X	1		10	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1520	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		10	171				LINE-PRCSG-IND-CD		
	20	1521	HIBC-HCFA-REIMB-IND	PIC X	1		10	172				LINE-PMT-80-100-CD		
	20	1522	HIBC-HCFA-DED-IND	PIC X	1		10	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1523	HIBC-HCFA-PROV-IND	PIC X	1		10							
	20	1524	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		10	174				LINE-PMT-IND-CD		
	20	1525	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		10	175				CARR-LINE-MTUS-CNT		
	20	1526	HIBC-HCFA-MT-IND	PIC X	1		10	176				CARR-LINE-MTUS-IND-CD		
	15	1527	HIBC-PROC-CODE	PIC X	5		10	147				LINE-HCPCS-CD		
	15	1528	HIBC-HCPCS-MODIFIERS				10							
	20	1529	HIBC-PROC-CODE-MOD1	PIC X	2		10	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1530	HIBC-PROC-CODE-MOD2	PIC X	2		10	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1531	:XD:-PROC-CODE-MOD3	PIC X	2		10	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1532	:XD:-PROC-CODE-MOD4	PIC X	2		10	151				LINE-HCPCS-4TH-MDFR-CD		
		1533		PIC X	3		10	152				LINE-NCH-BETOS-CD		
		1534		PIC X	7		10	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1535		PIC X	11		10	154				LINE-NATL-DRUG-CD		
		1536		PIC S9(9)V99 COMP-3	6		10	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 74.54.	
	15	1537	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		10	167				LINE-SBMT-CHRG-AMT		
	15	1538	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		10	168				LINE-ALOW-CHRG-AMT		
	15	1539	HIBC-SS-NUMBER	PIC X	10		10	133				LINE-PRVDR-TAX-NUM		
		1540		PIC X	2		10	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MQRREF6 program	
	15	1541	HIBC-PROVIDER-CODES				10							
	20	1542	HIBC-PROV-AREA	PIC X	2		10	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1543	HIBC-PROV-SPEC	PIC X	2		10	137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1544	HIBC-CARR-TYPE-SERV	PIC X	2		10	142				CARR-LINE-TYPE-SRVC-CD		
	15	1545	HIBC-PLACE	PIC 9	2		10	143				LINE-PLC-SRVC-CD		
	15	1546	HIBC-LI-DATES-OF-SERVICE				10							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1547	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		10	145				LINE-1ST-EXPNS-DT		
	20	1548	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		10	146				LINE-LAST-EXPNS-DT		
	15	1549	HIBC-DOC-SUP	PIC X	10		10	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1550	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		10	140				LINE-SRVC-CNT		
	15	1551	HIBC-ACTION-CODE	PIC X	2		10							
	15	1552	HIBC-SPEC-PRIC-IND	PIC X	1		10							
	15	1553	HIBC-DIAGNOSIS-DATA				10							
	20	1554	HIBC-DIAGNOSIS-IND	PIC X	1		10	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	1555	HIBC-DIAGNOSIS	PIC X	7		10	179				LINE-DGNS-CD		
	15	1556	HIBC-CLINICAL-LAB-ID	PIC X	10		10	169				CARR-LINE-CLNCL-LAB-NUM		
	15	1557	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		10	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	1558	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		10	180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	1559	HIBC-DOCUMENT-IND	PIC X	1		10	182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	1560	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		10	156				LINE-BENE-PMT-AMT		
	15	1561	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		10	157				LINE-PRVDR-PMT-AMT		
	15	1562	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		10	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	1563	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		10	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		1564					10	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		1565		PIC S9(9)V99 COMP-3	6		10	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		1566		PIC S9(9)V99 COMP-3	6		10	164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1567		PIC S9(9)V99 COMP-3	6		10	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1568	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		10	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1569	HIBC-MSP-CODE	PIC X	1		10	159				LINE-BENE-PRMRY-PYR-CD		
	15	1570	HIBC-COINS	PIC S9(05)V99 COMP-3	4		10	161				LINE-COINSRNC-AMT		
	15	1571	HIBC-PHYS-SUP-NO-IND	PIC 9	1		10							
	15	1572	HIBC-LINE-UPIN	PIC X	6		10	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	1573	HIBC-RENDERING-NPI	PIC X	10		10	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1574	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		10	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1575					10							
	15	1576	HIBC-PERCENTAGE-ALLOWED	PIC X	1		10	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1577	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		10	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1578	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		10	184				LINE-DME-PURC-PRICE-AMT		
	15	1579	HIBC-DME-MED-NECESS	PIC 9	2		10	185				CARR-LINE-DME-NCSTY-MO-CNT		
		1580		PIC X	1		10	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	1581	:XD:-SCRN-SUSP	PIC X	4		10							
	15	1582	:XD:-SCRN-RSLT	PIC X	1		10							
	15	1583	:XD:-DECIS-IND	PIC X	1		10							
	15	1584	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4		10							
	15	1585	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4		10							
	15	1586	:XD:-NATL-DRUG-CD	PIC X	11		10							
	15	1587	:XD:-UNITS-IND	PIC 9	1		10							
	15	1588	:XD:-DOCUMENT-IND	PIC 9	1		10							
	15	1589	:XD:-WAIVER-LIAB	PIC X	1		10							
	15	1590	:XD:-STATE-CODE	PIC X	2		10							
	15	1591	:XD:-SUPP-ST-CODE	PIC X	2		10							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1592	:XD:-NOC-CODE-DESC	PIC X	14		10							
	15	1593	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		10	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1594	HIBC-POP-ZPCD	PIC X	9		10	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1595	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		10							
	15	1596	HIBC-LI-OVERRIDE-TABLE				10							
	20	1597	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	10							
	20	1598	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	10							
	20	1599	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	10							
	20	1600	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	10							
	20	1601	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	10							
	15	1602	HIBC-SUSP-DUP-REV-IND	PIC X	1		10	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1603	HIBC-HPSA-SCARCITY-IND	PIC X	1		10	190				CARR-LINE-HPSA-SCRCTY-IND-CD		
	15	1604	HIBC-PRESCRIPTION				10	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	20	1605	HIBC-VENDOR-ID	PIC X	4		10							
	20	1606	HIBC-HCPCS	PIC X	5		10							
	20	1607	HIBC-VENDOR-PR-NUM	PIC X	21		10							
	15	1608	:XD:-NCB-IND	PIC X	1		10							
	15	1609	HIBC-TEST-TYPE	PIC X	2		10	192				LINE-HCT-HGB-TYPE-CD		
	15	1610	HIBC-TEST-RESULTS				10							
	20	1611	HIBC-TEST-RESULTS-N	PIC 9	2		10	193				LINE-HCT-HGB-RSLT-NUM		
	15	1612	HIBC-PWK-LINE-ITEM-IND	PIC X	2		10	195				LINE-PWK-CD		
	15	1613	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		10							
	15	1614	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		10	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1615	HIBC-LIAB-DEN-IND	PIC X	1		10							
	15	1616	HIBC-MSP-LIAB-IND	PIC X	1		10							
	15	1617	HIBC-BENE-ZIP-CD	PIC X	9		10							
	15	1618	HIBC-DCBP-IND	PIC X	1		10							
	15	1619	HIBC-PMDA-TRACKING-NUM	PIC X	14		10	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1620	HIBC-FPS-DETAIL-INFO				10							
	20	1621	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		10	224				LINE-FPS-MODEL-NUM		
	20	1622	HIBC-FPS-D-REASON-CODE	PIC X	3		10	225				LINE-FPS-RSN-CD		
	20	1623	HIBC-FPS-D-REMARK-CODE	PIC X	5		10	226				LINE-FPS-RMRK-CD		
	20	1624	HIBC-FPS-D-MSN-CODES				10							
	25	1625	HIBC-FPS-D-MSN-CODE-1	PIC X	5		10	227				LINE-FPS-MSN-1-CD		
	25	1626	HIBC-FPS-D-MSN-CODE-2	PIC X	5		10	228				LINE-FPS-MSN-2-CD		
	15	1627	HIBC-OTH-AMTS-APPLIED-AREA				10							
	20	1628	HIBC-OTH-AMTS-TABLE			7	10							
	25	1629	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	10	212				LINE-OTHR-APLD-1-AMT		
	25	1630	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	10	213				LINE-OTHR-APLD-2-AMT		
	25	1631	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	10	214				LINE-OTHR-APLD-3-AMT		
	25	1632	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	10	215				LINE-OTHR-APLD-4-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	1633	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	10	216				LINE-OTHR-APLD-5-AMT		
	25	1634	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	10	217				LINE-OTHR-APLD-6-AMT		
	25	1635	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	10	218				LINE-OTHR-APLD-7-AMT		
	25	1636	HIBC-OTH-APPL-IND	PIC X	1	1	10	205				LINE-OTHR-APLD-IND-1-CD		
	25	1637	HIBC-OTH-APPL-IND	PIC X	1	2	10	206				LINE-OTHR-APLD-IND-2-CD		
	25	1638	HIBC-OTH-APPL-IND	PIC X	1	3	10	207				LINE-OTHR-APLD-IND-3-CD		
	25	1639	HIBC-OTH-APPL-IND	PIC X	1	4	10	208				LINE-OTHR-APLD-IND-4-CD		
	25	1640	HIBC-OTH-APPL-IND	PIC X	1	5	10	209				LINE-OTHR-APLD-IND-5-CD		
	25	1641	HIBC-OTH-APPL-IND	PIC X	1	6	10	210				LINE-OTHR-APLD-IND-6-CD		
	25	1642	HIBC-OTH-APPL-IND	PIC X	1	7	10	211				LINE-OTHR-APLD-IND-7-CD		
	15	1643	HIBC-LEGS-IND1	PIC X	1		10	219				LINE-THRPY-CAP-IND-1-CD		
	15	1644	HIBC-LEGS-IND2	PIC X	1		10	220				LINE-THRPY-CAP-IND-2-CD		
	15	1645	HIBC-LEGS-IND3	PIC X	1		10	221				LINE-THRPY-CAP-IND-3-CD		
	15	1646	HIBC-LEGS-IND4	PIC X	1		10	222				LINE-THRPY-CAP-IND-4-CD		
	15	1647	HIBC-LEGS-IND5	PIC X	1		10	223				LINE-THRPY-CAP-IND-5-CD		
	15	1648	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		10							
	15	1649	HIBC-CBA	PIC X	5		10							
	15	1650	HIBC-POS-ADDRESS				10							
	20	1651	HIBC-POS-ORG-NAME	PIC X	60		10	197				LINE-POS-PHYSN-ORG-NM		
	20	1652	HIBC-POS-FIRST-NAME	PIC X	35		10	198				LINE-POS-PHYSN-1ST-NM		
	20	1653	HIBC-POS-MIDDLE-NAME	PIC X	25		10	199				LINE-POS-PHYSN-MDL-NM		
	20	1654	HIBC-POS-ADDRESS1	PIC X	55		10	200				LINE-POS-PHYSN-ADR1-NM		
	20	1655	HIBC-POS-ADDRESS2	PIC X	55		10	201				LINE-POS-PHYSN-ADR2-NM		
	20	1656	HIBC-POS-CITY	PIC X	30		10	202				LINE-POS-PHYSN-CITY-NM		
	20	1657	HIBC-POS-STATE	PIC X	2		10	203				LINE-POS-PHYSN-STATE		
	20	1658	HIBC-POS-ZIP	PIC X	15		10	204				LINE-POS-PHYSN-ZIP-CD		
	15	1659	HIBC-NPI-GROUP-IND	PIC X	1		10	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1660	HIBC-LINE-ITEM-UNUSED	PIC X	300		10							
	15	1661	HIBC-PLACE-OLD	PIC X	1		10							
	15	1662	HIBC-NO-SERVICES-OLD	PIC 9	2		10							
	15	1663	HIBC-CLIA-ALERT-IND	PIC X	1		10	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	1664	XD-CANCER-DRUG-IND	PIC X	1		10							
	15	1665	HIBC-HCFA-LINE-CNTL-DATA				11	127				NCH-LINE-TRLR-IND-CD		
	20	1666	HIBC-HCFA-PROV-SPEC	PIC X	2		11	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1667	HIBC-HCFA-PROV-TYPE	PIC X	1		11	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1668	HIBC-HCFA-TYPE	PIC X	1		11	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1669	HIBC-HCFA-ASSIGN-IND	PIC X	1		11	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1670	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		11	171				LINE-PRCSG-IND-CD		
	20	1671	HIBC-HCFA-REIMB-IND	PIC X	1		11	172				LINE-PMT-80-100-CD		
	20	1672	HIBC-HCFA-DED-IND	PIC X	1		11	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1673	HIBC-HCFA-PROV-IND	PIC X	1		11							
	20	1674	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		11	174				LINE-PMT-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1675	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		11	175				CARR-LINE-MTUS-CNT		
	20	1676	HIBC-HCFA-MT-IND	PIC X	1		11	176				CARR-LINE-MTUS-IND-CD		
	15	1677	HIBC-PROC-CODE	PIC X	5		11	147				LINE-HCPCS-CD		
	15	1678	HIBC-HCPCS-MODIFIERS				11							
	20	1679	HIBC-PROC-CODE-MOD1	PIC X	2		11	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1680	HIBC-PROC-CODE-MOD2	PIC X	2		11	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1681	:XD:-PROC-CODE-MOD3	PIC X	2		11	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1682	:XD:-PROC-CODE-MOD4	PIC X	2		11	151				LINE-HCPCS-4TH-MDFR-CD		
		1683		PIC X	3		11	152				LINE-NCH-BETOS-CD		
		1684		PIC X	7		11	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1685		PIC X	11		11	154				LINE-NATL-DRUG-CD		
		1686		PIC S9(9)V99 COMP-3	6		11	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB. Value is 76.54.	
	15	1687	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		11	167				LINE-SBMT-CHRG-AMT		
	15	1688	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		11	168				LINE-ALOW-CHRG-AMT		
	15	1689	HIBC-SS-NUMBER	PIC X	10		11	133				LINE-PRVDR-TAX-NUM		
		1690		PIC X	2		11	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP- ZIP-CODE in the MORMREF6 program	
	15	1691	HIBC-PROVIDER-CODES				11							
	20	1692	HIBC-PROV-AREA	PIC X	2		11	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1693	HIBC-PROV-SPEC	PIC X	2		11	137				CARR-LINE-PRVDR-SPCLTY- CD		
	15	1694	HIBC-CARR-TYPE-SERV	PIC X	2		11	142				CARR-LINE-TYPE-SRVC-CD		
	15	1695	HIBC-PLACE	PIC 9	2		11	143				LINE-PLC-SRVC-CD		
	15	1696	HIBC-LI-DATES-OF-SERVICE				11							
	20	1697	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		11	145				LINE-1ST-EXPNS-DT		
	20	1698	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		11	146				LINE-LAST-EXPNS-DT		
	15	1699	HIBC-DOC-SUP	PIC X	10		11	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1700	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		11	140				LINE-SRVC-CNT		
	15	1701	HIBC-ACTION-CODE	PIC X	2		11							
	15	1702	HIBC-SPEC-PRIC-IND	PIC X	1		11							
	15	1703	HIBC-DIAGNOSIS-DATA				11							
	20	1704	HIBC-DIAGNOSIS-IND	PIC X	1		11	178				LINE-DGNS-VRSN-CD	9, ZERO	
	20	1705	HIBC-DIAGNOSIS	PIC X	7		11	179				LINE-DGNS-CD		
	15	1706	HIBC-CLINICAL-LAB-ID	PIC X	10		11	169				CARR-LINE-CLNCL-LAB-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1707	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		11	170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	1708	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		11	180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1709	HIBC-DOCUMENT-IND	PIC X	1		11	182				LINE-ADDTNL-CLM-DCMTN-IND- CD		
	15	1710	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		11	156				LINE-BENE-PMT-AMT		
	15	1711	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		11	157				LINE-PRVDR-PMT-AMT		
	15	1712	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		11	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	1713	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		11	162				CARR-LINE-PSYCH-OT-PT-LMT- AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		1714					11	166				CARR-LINE-BLOOD-DDCTBL- QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD- DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD- DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		1715		PIC S9(9)V99 COMP-3	6		11	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth- applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1716		PIC S9(9)V99 COMP-3	6		11	164				LINE-PRMRY-PYR-ALOW-CHRG- AMT	All corresponding amounts to oth-appl- ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1717		PIC S9(9)V99 COMP-3	6		11	165				LINE-10PCT-PNLTY-RDCTN- AMT	All corresponding amounts to oth-appl- ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1718	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		11	160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	1719	HIBC-MSP-CODE	PIC X	1		11	159				LINE-BENE-PRMRY-PYR-CD		
	15	1720	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		11	161				LINE-COINSRNC-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1721	HIBC-PHYS-SUP-NO-IND	PIC 9	1		11							
	15	1722	HIBC-LINE-UPIN	PIC X	6		11	129				CARR-LINE-PRFRMG-UPIN- NUM		
	15	1723	HIBC-RENDERING-NPI	PIC X	10		11	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1724	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		11	135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		1725					11							
	15	1726	HIBC-PERCENTAGE-ALLOWED	PIC X	1		11	139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	1727	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		11	183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	1728	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		11	184				LINE-DME-PURC-PRICE-AMT		
	15	1729	HIBC-DME-MED-NECESS	PIC 9	2		11	185				CARR-LINE-DME-NCSTY-MO- CNT		
		1730		PIC X	1		11	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override- edit; default is 0.	
	15	1731	:XD:-SCRN-SUSP	PIC X	4		11							
	15	1732	:XD:-SCRN-RSLT	PIC X	1		11							
	15	1733	:XD:-DECIS-IND	PIC X	1		11							
	15	1734	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		11							
	15	1735	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		11							
	15	1736	:XD:-NATL-DRUG-CD	PIC X	11		11							
	15	1737	:XD:-UNITS-IND	PIC 9	1		11							
	15	1738	:XD:-DOCUMENT-IND	PIC 9	1		11							
	15	1739	:XD:-WAIVER-LIAB	PIC X	1		11							
	15	1740	:XD:-STATE-CODE	PIC X	2		11							
	15	1741	:XD:-SUPP-ST-CODE	PIC X	2		11							
	15	1742	:XD:-NOC-CODE-DESC	PIC X	14		11							
	15	1743	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		11	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1744	HIBC-POP-ZPCD	PIC X	9		11	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1745	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		11							
	15	1746	HIBC-LI-OVERRIDE-TABLE				11							
	20	1747	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	11							
	20	1748	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	11							
	20	1749	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	11							
	20	1750	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	11							
	20	1751	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	11							
	15	1752	HIBC-SUSP-DUP-REV-IND	PIC X	1		11	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1753	HIBC-HPSA-SCARCITY-IND	PIC X	1		11	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	1754	HIBC-PRESCRIPTION				11	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	1755	HIBC-VENDOR-ID	PIC X	4		11							
	20	1756	HIBC-HCPCS	PIC X	5		11							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1757	HIBC-VENDOR-PR-NUM	PIC X	21		11							
	15	1758	:XD:-NCB-IND	PIC X	1		11							
	15	1759	HIBC-TEST-TYPE	PIC X	2		11	192				LINE-HCT-HGB-TYPE-CD		
	15	1760	HIBC-TEST-RESULTS				11							
	20	1761	HIBC-TEST-RESULTS-N	PIC 9	2		11	193				LINE-HCT-HGB-RSLT-NUM		
	15	1762	HIBC-PWK-LINE-ITEM-IND	PIC X	2		11	195				LINE-PWK-CD		
	15	1763	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		11							
	15	1764	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		11	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1765	HIBC-LIAB-DEN-IND	PIC X	1		11							
	15	1766	HIBC-MSP-LIAB-IND	PIC X	1		11							
	15	1767	HIBC-BENE-ZIP-CD	PIC X	9		11							
	15	1768	HIBC-DCBP-IND	PIC X	1		11							
	15	1769	HIBC-PMDA-TRACKING-NUM	PIC X	14		11	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1770	HIBC-FPS-DETAIL-INFO				11							
	20	1771	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		11	224				LINE-FPS-MODEL-NUM		
	20	1772	HIBC-FPS-D-REASON-CODE	PIC X	3		11	225				LINE-FPS-RSN-CD		
	20	1773	HIBC-FPS-D-REMARK-CODE	PIC X	5		11	226				LINE-FPS-RMRK-CD		
	20	1774	HIBC-FPS-D-MSN-CODES				11							
	25	1775	HIBC-FPS-D-MSN-CODE-1	PIC X	5		11	227				LINE-FPS-MSN-1-CD		
	25	1776	HIBC-FPS-D-MSN-CODE-2	PIC X	5		11	228				LINE-FPS-MSN-2-CD		
	15	1777	HIBC-OTH-AMTS-APPLIED-AREA				11							
	20	1778	HIBC-OTH-AMTS-TABLE			7	11							
	25	1779	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	11	212				LINE-OTHR-APLD-1-AMT		
	25	1780	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	11	213				LINE-OTHR-APLD-2-AMT		
	25	1781	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	11	214				LINE-OTHR-APLD-3-AMT		
	25	1782	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	11	215				LINE-OTHR-APLD-4-AMT		
	25	1783	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	11	216				LINE-OTHR-APLD-5-AMT		
	25	1784	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	11	217				LINE-OTHR-APLD-6-AMT		
	25	1785	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	11	218				LINE-OTHR-APLD-7-AMT		
	25	1786	HIBC-OTH-APPL-IND	PIC X	1	1	11	205				LINE-OTHR-APLD-IND-1-CD		
	25	1787	HIBC-OTH-APPL-IND	PIC X	1	2	11	206				LINE-OTHR-APLD-IND-2-CD		
	25	1788	HIBC-OTH-APPL-IND	PIC X	1	3	11	207				LINE-OTHR-APLD-IND-3-CD		
	25	1789	HIBC-OTH-APPL-IND	PIC X	1	4	11	208				LINE-OTHR-APLD-IND-4-CD		
	25	1790	HIBC-OTH-APPL-IND	PIC X	1	5	11	209				LINE-OTHR-APLD-IND-5-CD		
	25	1791	HIBC-OTH-APPL-IND	PIC X	1	6	11	210				LINE-OTHR-APLD-IND-6-CD		
	25	1792	HIBC-OTH-APPL-IND	PIC X	1	7	11	211				LINE-OTHR-APLD-IND-7-CD		
	15	1793	HIBC-LEGS-IND1	PIC X	1		11	219				LINE-THRPY-CAP-IND-1-CD		
	15	1794	HIBC-LEGS-IND2	PIC X	1		11	220				LINE-THRPY-CAP-IND-2-CD		
	15	1795	HIBC-LEGS-IND3	PIC X	1		11	221				LINE-THRPY-CAP-IND-3-CD		
	15	1796	HIBC-LEGS-IND4	PIC X	1		11	222				LINE-THRPY-CAP-IND-4-CD		
	15	1797	HIBC-LEGS-IND5	PIC X	1		11	223				LINE-THRPY-CAP-IND-5-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1798	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		11							
	15	1799	HIBC-CBA	PIC X	5		11							
	15	1800	HIBC-POS-ADDRESS				11							
	20	1801	HIBC-POS-ORG-NAME	PIC X	60		11	197				LINE-POS-PHYSN-ORG-NM		
	20	1802	HIBC-POS-FIRST-NAME	PIC X	35		11	198				LINE-POS-PHYSN-1ST-NM		
	20	1803	HIBC-POS-MIDDLE-NAME	PIC X	25		11	199				LINE-POS-PHYSN-MDL-NM		
	20	1804	HIBC-POS-ADDRESS1	PIC X	55		11	200				LINE-POS-PHYSN-ADR1-NM		
	20	1805	HIBC-POS-ADDRESS2	PIC X	55		11	201				LINE-POS-PHYSN-ADR2-NM		
	20	1806	HIBC-POS-CITY	PIC X	30		11	202				LINE-POS-PHYSN-CITY-NM		
	20	1807	HIBC-POS-STATE	PIC X	2		11	203				LINE-POS-PHYSN-STATE		
	20	1808	HIBC-POS-ZIP	PIC X	15		11	204				LINE-POS-PHYSN-ZIP-CD		
	15	1809	HIBC-NPI-GROUP-IND	PIC X	1		11	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	1810	HIBC-LINE-ITEM-UNUSED	PIC X	300		11							
	15	1811	HIBC-PLACE-OLD	PIC X	1		11							
	15	1812	HIBC-NO-SERVICES-OLD	PIC 9	2		11							
	15	1813	HIBC-CLIA-ALERT-IND	PIC X	1		11	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	1814	:XD:-CANCER-DRUG-IND	PIC X	1		11							
	15	1815	HIBC-HCFA-LINE-CNTL-DATA				12	127				NCH-LINE-TRLR-IND-CD		
	20	1816	HIBC-HCFA-PROV-SPEC	PIC X	2		12	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1817	HIBC-HCFA-PROV-TYPE	PIC X	1		12	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1818	HIBC-HCFA-TYPE	PIC X	1		12	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1819	HIBC-HCFA-ASSIGN-IND	PIC X	1		12	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1820	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		12	171				LINE-PRCSG-IND-CD		
	20	1821	HIBC-HCFA-REIMB-IND	PIC X	1		12	172				LINE-PMT-80-100-CD		
	20	1822	HIBC-HCFA-DED-IND	PIC X	1		12	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1823	HIBC-HCFA-PROV-IND	PIC X	1		12							
	20	1824	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		12	174				LINE-PMT-IND-CD		
	20	1825	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		12	175				CARR-LINE-MTUS-CNT		
	20	1826	HIBC-HCFA-MT-IND	PIC X	1		12	176				CARR-LINE-MTUS-IND-CD		
	15	1827	HIBC-PROC-CODE	PIC X	5		12	147				LINE-HCPCS-CD		
	15	1828	HIBC-HCPCS-MODIFIERS				12							
	20	1829	HIBC-PROC-CODE-MOD1	PIC X	2		12	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1830	HIBC-PROC-CODE-MOD2	PIC X	2		12	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1831	:XD:-PROC-CODE-MOD3	PIC X	2		12	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1832	:XD:-PROC-CODE-MOD4	PIC X	2		12	151				LINE-HCPCS-4TH-MDFR-CD		
		1833		PIC X	3		12	152				LINE-NCH-BETOS-CD		
		1834		PIC X	7		12	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1835		PIC X	11		12	154				LINE-NATL-DRUG-CD		
		1836		PIC S9(9)V99 COMP-3	6		12	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV- REIMB. Value is 78.54.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1837	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		12	167				LINE-SBMT-CHRG-AMT		
	15	1838	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		12	168				LINE-ALOW-CHRG-AMT		
	15	1839	HIBC-SS-NUMBER	PIC X	10		12	133				LINE-PRVDR-TAX-NUM		
		1840		PIC X	2		12	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
	15	1841	HIBC-PROVIDER-CODES				12							
	20	1842	HIBC-PROV-AREA	PIC X	2		12	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1843	HIBC-PROV-SPEC	PIC X	2		12	137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1844	HIBC-CARR-TYPE-SERV	PIC X	2		12	142				CARR-LINE-TYPE-SRVC-CD		
	15	1845	HIBC-PLACE	PIC 9	2		12	143				LINE-PLC-SRVC-CD		
	15	1846	HIBC-LI-DATES-OF-SERVICE				12							
	20	1847	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		12	145				LINE-1ST-EXPNS-DT		
	20	1848	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		12	146				LINE-LAST-EXPNS-DT		
	15	1849	HIBC-DOC-SUP	PIC X	10		12	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1850	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		12	140				LINE-SRVC-CNT		
	15	1851	HIBC-ACTION-CODE	PIC X	2		12							
	15	1852	HIBC-SPEC-PRIC-IND	PIC X	1		12							
	15	1853	HIBC-DIAGNOSIS-DATA				12							
	20	1854	HIBC-DIAGNOSIS-IND	PIC X	1		12	178				LINE-DGNS-VRSN-CD	9, ZERO	
	20	1855	HIBC-DIAGNOSIS	PIC X	7		12	179				LINE-DGNS-CD		
	15	1856	HIBC-CLINICAL-LAB-ID	PIC X	10		12	169				CARR-LINE-CLNCL-LAB-NUM		
	15	1857	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		12	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	1858	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		12	180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	1859	HIBC-DOCUMENT-IND	PIC X	1		12	182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	1860	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		12	156				LINE-BENE-PMT-AMT		
	15	1861	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		12	157				LINE-PRVDR-PMT-AMT		
	15	1862	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		12	158				LINE-BENE-PTB-DDCTBL-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1863	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		12	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		1864					12	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		1865		PIC S9(9)V99 COMP-3	6		12	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1866		PIC S9(9)V99 COMP-3	6		12	164				LINE-PRMRY-PYR-ALOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1867		PIC S9(9)V99 COMP-3	6		12	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	1868	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		12	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1869	HIBC-MSP-CODE	PIC X	1		12	159				LINE-BENE-PRMRY-PYR-CD		
	15	1870	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		12	161				LINE-COINSRNC-AMT		
	15	1871	HIBC-PHYS-SUP-NO-IND	PIC 9	1		12							
	15	1872	HIBC-LINE-UPIN	PIC X	6		12	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	1873	HIBC-RENDERING-NPI	PIC X	10		12	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1874	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		12	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1875					12							
	15	1876	HIBC-PERCENTAGE-ALLOWED	PIC X	1		12	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1877	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		12	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1878	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		12	184				LINE-DME-PURC-PRICE-AMT		
	15	1879	HIBC-DME-MED-NECESS	PIC 9	2		12	185				CARR-LINE-DME-NCSTY-MO-CNT		
		1880		PIC X	1		12	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	1881	:XD:-SCRN-SUSP	PIC X	4		12							
	15	1882	:XD:-SCRN-RSLT	PIC X	1		12							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1883	:XD:-DECIS-IND	PIC X	1		12							
	15	1884	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4		12							
	15	1885	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4		12							
	15	1886	:XD:-NATL-DRUG-CD	PIC X	11		12							
	15	1887	:XD:-UNITS-IND	PIC 9	1		12							
	15	1888	:XD:-DOCUMENT-IND	PIC 9	1		12							
	15	1889	:XD:-WAIVER-LIAB	PIC X	1		12							
	15	1890	:XD:-STATE-CODE	PIC X	2		12							
	15	1891	:XD:-SUPP-ST-CODE	PIC X	2		12							
	15	1892	:XD:-NOC-CODE-DESC	PIC X	14		12							
	15	1893	HIBC-AMBULANCE-DROP-OFF- ZIP	PIC X	9		12	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1894	HIBC-POP-ZPCD	PIC X	9		12	188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1895	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6		12							
	15	1896	HIBC-LI-OVERRIDE-TABLE				12							
	20	1897	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	12							
	20	1898	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	12							
	20	1899	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	12							
	20	1900	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	12							
	20	1901	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	12							
	15	1902	HIBC-SUSP-DUP-REV-IND	PIC X	1		12	187				LINE-DUP-CLM-CHK-IND-CD		
	15	1903	HIBC-HPSA-SCARCITY-IND	PIC X	1		12	190				CARR-LINE-HPSA-SCRCTY-IND- CD		
	15	1904	HIBC-PRESCRIPTION				12	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender- PR-Number make up the RX-Num	
	20	1905	HIBC-VENDOR-ID	PIC X	4		12							
	20	1906	HIBC-HCPCS	PIC X	5		12							
	20	1907	HIBC-VENDOR-PR-NUM	PIC X	21		12							
	15	1908	:XD:-NCB-IND	PIC X	1		12							
	15	1909	HIBC-TEST-TYPE	PIC X	2		12	192				LINE-HCT-HGB-TYPE-CD		
	15	1910	HIBC-TEST-RESULTS				12							
	20	1911	HIBC-TEST-RESULTS-N	PIC 9	2		12	193				LINE-HCT-HGB-RSLT-NUM		
	15	1912	HIBC-PWK-LINE-ITEM-IND	PIC X	2		12	195				LINE-PWK-CD		
	15	1913	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		12							
	15	1914	HIBC-MSP-WORKMEN-COMP- IND	PIC X	1		12	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	1915	HIBC-LIAB-DEN-IND	PIC X	1		12							
	15	1916	HIBC-MSP-LIAB-IND	PIC X	1		12							
	15	1917	HIBC-BENE-ZIP-CD	PIC X	9		12							
	15	1918	HIBC-DCBP-IND	PIC X	1		12							
	15	1919	HIBC-PMDA-TRACKING-NUM	PIC X	14		12	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1920	HIBC-FPS-DETAIL-INFO				12							
	20	1921	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		12	224				LINE-FPS-MODEL-NUM		
	20	1922	HIBC-FPS-D-REASON-CODE	PIC X	3		12	225				LINE-FPS-RSN-CD		
	20	1923	HIBC-FPS-D-REMARK-CODE	PIC X	5		12	226				LINE-FPS-RMRK-CD		
	20	1924	HIBC-FPS-D-MSN-CODES				12							
	25	1925	HIBC-FPS-D-MSN-CODE-1	PIC X	5		12	227				LINE-FPS-MSN-1-CD		
	25	1926	HIBC-FPS-D-MSN-CODE-2	PIC X	5		12	228				LINE-FPS-MSN-2-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1927	HIBC-OTH-AMTS-APPLIED-AREA				12							
	20	1928	HIBC-OTH-AMTS-TABLE			7	12							
	25	1929	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	12	212				LINE-OTHR-APLD-1-AMT		
	25	1930	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	12	213				LINE-OTHR-APLD-2-AMT		
	25	1931	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	12	214				LINE-OTHR-APLD-3-AMT		
	25	1932	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	12	215				LINE-OTHR-APLD-4-AMT		
	25	1933	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	12	216				LINE-OTHR-APLD-5-AMT		
	25	1934	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	12	217				LINE-OTHR-APLD-6-AMT		
	25	1935	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	12	218				LINE-OTHR-APLD-7-AMT		
	25	1936	HIBC-OTH-APPL-IND	PIC X	1	1	12	205				LINE-OTHR-APLD-IND-1-CD		
	25	1937	HIBC-OTH-APPL-IND	PIC X	1	2	12	206				LINE-OTHR-APLD-IND-2-CD		
	25	1938	HIBC-OTH-APPL-IND	PIC X	1	3	12	207				LINE-OTHR-APLD-IND-3-CD		
	25	1939	HIBC-OTH-APPL-IND	PIC X	1	4	12	208				LINE-OTHR-APLD-IND-4-CD		
	25	1940	HIBC-OTH-APPL-IND	PIC X	1	5	12	209				LINE-OTHR-APLD-IND-5-CD		
	25	1941	HIBC-OTH-APPL-IND	PIC X	1	6	12	210				LINE-OTHR-APLD-IND-6-CD		
	25	1942	HIBC-OTH-APPL-IND	PIC X	1	7	12	211				LINE-OTHR-APLD-IND-7-CD		
	15	1943	HIBC-LEGS-IND1	PIC X	1		12	219				LINE-THRPHY-CAP-IND-1-CD		
	15	1944	HIBC-LEGS-IND2	PIC X	1		12	220				LINE-THRPHY-CAP-IND-2-CD		
	15	1945	HIBC-LEGS-IND3	PIC X	1		12	221				LINE-THRPHY-CAP-IND-3-CD		
	15	1946	HIBC-LEGS-IND4	PIC X	1		12	222				LINE-THRPHY-CAP-IND-4-CD		
	15	1947	HIBC-LEGS-IND5	PIC X	1		12	223				LINE-THRPHY-CAP-IND-5-CD		
	15	1948	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		12							
	15	1949	HIBC-CBA	PIC X	5		12							
	15	1950	HIBC-POS-ADDRESS				12							
	20	1951	HIBC-POS-ORG-NAME	PIC X	60		12	197				LINE-POS-PHYSN-ORG-NM		
	20	1952	HIBC-POS-FIRST-NAME	PIC X	35		12	198				LINE-POS-PHYSN-1ST-NM		
	20	1953	HIBC-POS-MIDDLE-NAME	PIC X	25		12	199				LINE-POS-PHYSN-MDL-NM		
	20	1954	HIBC-POS-ADDRESS1	PIC X	55		12	200				LINE-POS-PHYSN-ADR1-NM		
	20	1955	HIBC-POS-ADDRESS2	PIC X	55		12	201				LINE-POS-PHYSN-ADR2-NM		
	20	1956	HIBC-POS-CITY	PIC X	30		12	202				LINE-POS-PHYSN-CITY-NM		
	20	1957	HIBC-POS-STATE	PIC X	2		12	203				LINE-POS-PHYSN-STATE		
	20	1958	HIBC-POS-ZIP	PIC X	15		12	204				LINE-POS-PHYSN-ZIP-CD		
	15	1959	HIBC-NPI-GROUP-IND	PIC X	1		12	229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	1960	HIBC-LINE-ITEM-UNUSED	PIC X	300		12							
	15	1961	HIBC-PLACE-OLD	PIC X	1		12							
	15	1962	HIBC-NO-SERVICES-OLD	PIC 9	2		12							
	15	1963	HIBC-CLIA-ALERT-IND	PIC X	1		12	181				CARR-LINE-CLIA-ALERT-IND-CD	This is redefined to Alert-Flag	
	15	1964	XD-CANCER-DRUG-IND	PIC X	1		12							
	15	1965	HIBC-HCFA-LINE-CNTL-DATA				13	127				NCH-LINE-TRLR-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	1966	HIBC-HCFA-PROV-SPEC	PIC X	2		13	136				LINE-HCFA-PRVDR-SPCLTY-CD		
	20	1967	HIBC-HCFA-PROV-TYPE	PIC X	1		13	132				CARR-LINE-PRVDR-TYPE-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1968	HIBC-HCFA-TYPE	PIC X	1		13	141				LINE-HCFA-TYPE-SRVC-CD		
	20	1969	HIBC-HCFA-ASSIGN-IND	PIC X	1		13	138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1970	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		13	171				LINE-PRCSG-IND-CD		
	20	1971	HIBC-HCFA-REIMB-IND	PIC X	1		13	172				LINE-PMT-80-100-CD		
	20	1972	HIBC-HCFA-DED-IND	PIC X	1		13	173				LINE-SRVC-DDCTBL-IND-SW		
	20	1973	HIBC-HCFA-PROV-IND	PIC X	1		13							
	20	1974	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		13	174				LINE-PMT-IND-CD		
	20	1975	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		13	175				CARR-LINE-MTUS-CNT		
	20	1976	HIBC-HCFA-MT-IND	PIC X	1		13	176				CARR-LINE-MTUS-IND-CD		
	15	1977	HIBC-PROC-CODE	PIC X	5		13	147				LINE-HCPCS-CD		
	15	1978	HIBC-HCPCS-MODIFIERS				13							
	20	1979	HIBC-PROC-CODE-MOD1	PIC X	2		13	148				LINE-HCPCS-INITL-MDFR-CD		
	20	1980	HIBC-PROC-CODE-MOD2	PIC X	2		13	149				LINE-HCPCS-2ND-MDFR-CD		
	20	1981	:XD:-PROC-CODE-MOD3	PIC X	2		13	150				LINE-HCPCS-3RD-MDFR-CD		
	20	1982	:XD:-PROC-CODE-MOD4	PIC X	2		13	151				LINE-HCPCS-4TH-MDFR-CD		
		1983		PIC X	3		13	152				LINE-NCH-BETOS-CD		
		1984		PIC X	7		13	153				LINE-IDE-NUM	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1985		PIC X	11		13	154				LINE-NATL-DRUG-CD		
		1986		PIC S9(9)V99 COMP-3	6		13	155				LINE-NCH-PMT-AMT	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 80.54.	
	15	1987	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		13	167				LINE-SBMT-CHRG-AMT		
	15	1988	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		13	168				LINE-ALOW-CHRG-AMT		
	15	1989	HIBC-SS-NUMBER	PIC X	10		13	133				LINE-PRVDR-TAX-NUM		
		1990		PIC X	2		13	134				LINE-NCH-PRVDR-STATE-CD	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MQRMREF6 program	
	15	1991	HIBC-PROVIDER-CODES				13							
	20	1992	HIBC-PROV-AREA	PIC X	2		13	144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1993	HIBC-PROV-SPEC	PIC X	2		13	137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1994	HIBC-CARR-TYPE-SERV	PIC X	2		13	142				CARR-LINE-TYPE-SRVC-CD		
	15	1995	HIBC-PLACE	PIC 9	2		13	143				LINE-PLC-SRVC-CD		
	15	1996	HIBC-LI-DATES-OF-SERVICE				13							
	20	1997	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		13	145				LINE-1ST-EXPNS-DT		
	20	1998	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		13	146				LINE-LAST-EXPNS-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	1999	HIBC-DOC-SUP	PIC X	10		13	128				CARR-LINE-PRFRMG-PIN-NUM		
	15	2000	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		13	140				LINE-SRVC-CNT		
	15	2001	HIBC-ACTION-CODE	PIC X	2		13							
	15	2002	HIBC-SPEC-PRIC-IND	PIC X	1		13							
	15	2003	HIBC-DIAGNOSIS-DATA				13							
	20	2004	HIBC-DIAGNOSIS-IND	PIC X	1		13	178				LINE-DGNS-VRSN-CD	'9', ZERO	
	20	2005	HIBC-DIAGNOSIS	PIC X	7		13	179				LINE-DGNS-CD		
	15	2006	HIBC-CLINICAL-LAB-ID	PIC X	10		13	169				CARR-LINE-CLNCL-LAB-NUM		
	15	2007	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		13	170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	2008	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		13	180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	2009	HIBC-DOCUMENT-IND	PIC X	1		13	182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	2010	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		13	156				LINE-BENE-PMT-AMT		
	15	2011	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		13	157				LINE-PRVDR-PMT-AMT		
	15	2012	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		13	158				LINE-BENE-PTB-DDCTBL-AMT		
	15	2013	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		13	162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LI MIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
		2014					13	166				CARR-LINE-BLOOD-DDCTBL-QTY	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		2015		PIC S9(9)V99 COMP-3	6		13	163				LINE-INTRST-AMT	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		2016		PIC S9(9)V99 COMP-3	6		13	164				LINE-PRMRY-PYR-ALOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		2017		PIC S9(9)V99 COMP-3	6		13	165				LINE-10PCT-PNLTY-RDCTN-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
	15	2018	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		13	160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	2019	HIBC-MSP-CODE	PIC X	1		13	159				LINE-BENE-PRMRY-PYR-CD		
	15	2020	HIBC-COINS	PIC S9(05)V99 COMP-3	4		13	161				LINE-COINSRNC-AMT		
	15	2021	HIBC-PHYS-SUP-NO-IND	PIC 9	1		13							
	15	2022	HIBC-LINE-UPIN	PIC X	6		13	129				CARR-LINE-PRFRMG-UPIN-NUM		
	15	2023	HIBC-RENDERING-NPI	PIC X	10		13	130				CARR-LINE-PRFRMG-NPI-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	2024	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		13	135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		2025					13							
	15	2026	HIBC-PERCENTAGE-ALLOWED	PIC X	1		13	139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	2027	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		13	183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	2028	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		13	184				LINE-DME-PURC-PRICE-AMT		
	15	2029	HIBC-DME-MED-NECESS	PIC 9	2		13	185				CARR-LINE-DME-NCSTY-MO-CNT		
		2030		PIC X	1		13	186				LINE-CNSLDTD-BLG-CD	Derived from values of line-override-edit; default is 0.	
	15	2031	:XD:-SCRN-SUSP	PIC X	4		13							
	15	2032	:XD:-SCRN-RSLT	PIC X	1		13							
	15	2033	:XD:-DECIS-IND	PIC X	1		13							
	15	2034	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4		13							
	15	2035	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4		13							
	15	2036	:XD:-NATL-DRUG-CD	PIC X	11		13							
	15	2037	:XD:-UNITS-IND	PIC 9	1		13							
	15	2038	:XD:-DOCUMENT-IND	PIC 9	1		13							
	15	2039	:XD:-WAIVER-LIAB	PIC X	1		13							
	15	2040	:XD:-STATE-CODE	PIC X	2		13							
	15	2041	:XD:-SUPP-ST-CODE	PIC X	2		13							
	15	2042	:XD:-NOC-CODE-DESC	PIC X	14		13							
	15	2043	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		13	189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	2044	HIBC-POP-ZPCD	PIC X	9		13	188				CARR-LINE-PNT-PCKP-ZIP-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	15	2045	:XD:-UNITS	PIC S9(07)V99 COMP-3	6		13							
	15	2046	HIBC-LI-OVERRIDE-TABLE				13							
	20	2047	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1	13							
	20	2048	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2	13							
	20	2049	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3	13							
	20	2050	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4	13							
	20	2051	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5	13							
	15	2052	HIBC-SUSP-DUP-REV-IND	PIC X	1		13	187				LINE-DUP-CLM-CHK-IND-CD		
	15	2053	HIBC-HPSA-SCARCITY-IND	PIC X	1		13	190				CARR-LINE-HPSA-SCRCTY-IND-CD		
	15	2054	HIBC-PRESCRIPTION				13	191				CARR-LINE-RX-NUM	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	20	2055	HIBC-VENDOR-ID	PIC X	4		13							
	20	2056	HIBC-HCPCS	PIC X	5		13							
	20	2057	HIBC-VENDOR-PR-NUM	PIC X	21		13							
	15	2058	:XD:-NCB-IND	PIC X	1		13							
	15	2059	HIBC-TEST-TYPE	PIC X	2		13	192				LINE-HCT-HGB-TYPE-CD		
	15	2060	HIBC-TEST-RESULTS				13							
	20	2061	HIBC-TEST-RESULTS-N	PIC 9	2		13	193				LINE-HCT-HGB-RSLT-NUM		
	15	2062	HIBC-PWK-LINE-ITEM-IND	PIC X	2		13	195				LINE-PWK-CD		
	15	2063	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18		13							
	15	2064	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		13	194				LINE-MSP-WC-IND-CD	Default is space for any invalid value	
	15	2065	HIBC-LIAB-DEN-IND	PIC X	1		13							
	15	2066	HIBC-MSP-LIAB-IND	PIC X	1		13							
	15	2067	HIBC-BENE-ZIP-CD	PIC X	9		13							
	15	2068	HIBC-DCBP-IND	PIC X	1		13							
	15	2069	HIBC-PMDA-TRACKING-NUM	PIC X	14		13	196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	2070	HIBC-FPS-DETAIL-INFO				13							
	20	2071	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		13	224				LINE-FPS-MODEL-NUM		
	20	2072	HIBC-FPS-D-REASON-CODE	PIC X	3		13	225				LINE-FPS-RSN-CD		
	20	2073	HIBC-FPS-D-REMARK-CODE	PIC X	5		13	226				LINE-FPS-RMRK-CD		
	20	2074	HIBC-FPS-D-MSN-CODES				13							
	25	2075	HIBC-FPS-D-MSN-CODE-1	PIC X	5		13	227				LINE-FPS-MSN-1-CD		
	25	2076	HIBC-FPS-D-MSN-CODE-2	PIC X	5		13	228				LINE-FPS-MSN-2-CD		
	15	2077	HIBC-OTH-AMTS-APPLIED-AREA				13							
	20	2078	HIBC-OTH-AMTS-TABLE			7	13							
	25	2079	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	13	212				LINE-OTHR-APLD-1-AMT		
	25	2080	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	13	213				LINE-OTHR-APLD-2-AMT		
	25	2081	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	13	214				LINE-OTHR-APLD-3-AMT		
	25	2082	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	13	215				LINE-OTHR-APLD-4-AMT		
	25	2083	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	13	216				LINE-OTHR-APLD-5-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	2084	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	13	217				LINE-OTHR-APLD-6-AMT		
	25	2085	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	13	218				LINE-OTHR-APLD-7-AMT		
	25	2086	HIBC-OTH-APPL-IND	PIC X	1	1	13	205				LINE-OTHR-APLD-IND-1-CD		
	25	2087	HIBC-OTH-APPL-IND	PIC X	1	2	13	206				LINE-OTHR-APLD-IND-2-CD		
	25	2088	HIBC-OTH-APPL-IND	PIC X	1	3	13	207				LINE-OTHR-APLD-IND-3-CD		
	25	2089	HIBC-OTH-APPL-IND	PIC X	1	4	13	208				LINE-OTHR-APLD-IND-4-CD		
	25	2090	HIBC-OTH-APPL-IND	PIC X	1	5	13	209				LINE-OTHR-APLD-IND-5-CD		
	25	2091	HIBC-OTH-APPL-IND	PIC X	1	6	13	210				LINE-OTHR-APLD-IND-6-CD		
	25	2092	HIBC-OTH-APPL-IND	PIC X	1	7	13	211				LINE-OTHR-APLD-IND-7-CD		
	15	2093	HIBC-LEGS-IND1	PIC X	1		13	219				LINE-THRPY-CAP-IND-1-CD		
	15	2094	HIBC-LEGS-IND2	PIC X	1		13	220				LINE-THRPY-CAP-IND-2-CD		
	15	2095	HIBC-LEGS-IND3	PIC X	1		13	221				LINE-THRPY-CAP-IND-3-CD		
	15	2096	HIBC-LEGS-IND4	PIC X	1		13	222				LINE-THRPY-CAP-IND-4-CD		
	15	2097	HIBC-LEGS-IND5	PIC X	1		13	223				LINE-THRPY-CAP-IND-5-CD		
	15	2098	HIBC-CBP-DATE	PIC S9(07) COMP-3	4		13							
	15	2099	HIBC-CBA	PIC X	5		13							
	15	2100	HIBC-POS-ADDRESS				13							
	20	2101	HIBC-POS-ORG-NAME	PIC X	60		13	197				LINE-POS-PHYSN-ORG-NM		
	20	2102	HIBC-POS-FIRST-NAME	PIC X	35		13	198				LINE-POS-PHYSN-1ST-NM		
	20	2103	HIBC-POS-MIDDLE-NAME	PIC X	25		13	199				LINE-POS-PHYSN-MDL-NM		
	20	2104	HIBC-POS-ADDRESS1	PIC X	55		13	200				LINE-POS-PHYSN-ADR1-NM		
	20	2105	HIBC-POS-ADDRESS2	PIC X	55		13	201				LINE-POS-PHYSN-ADR2-NM		
	20	2106	HIBC-POS-CITY	PIC X	30		13	202				LINE-POS-PHYSN-CITY-NM		
	20	2107	HIBC-POS-STATE	PIC X	2		13	203				LINE-POS-PHYSN-STATE		
	20	2108	HIBC-POS-ZIP	PIC X	15		13	204				LINE-POS-PHYSN-ZIP-CD		
	15	2109	HIBC-NPI-GROUP-IND	PIC X	1		13	229				LINE-RNDRNG-BLG-NPI-ASCTN- CD		
	15	2110	HIBC-LINE-ITEM-UNUSED	PIC X	300		13							
	15	2111	HIBC-PLACE-OLD	PIC X	1		13							
	15	2112	HIBC-NO-SERVICES-OLD	PIC 9	2		13							
	15	2113	HIBC-CLIA-ALERT-IND	PIC X	1		13	181				CARR-LINE-CLIA-ALERT-IND- CD	This is redefined to Alert-Flag	
	15	2114	:XD-CANCER-DRUG-IND	PIC X	1		13							
	10	2115	HIBC-KEPT-FROM-OSA											
	15	2116	HIBC-PEND-ACC-DTE	PIC S9(07) COMP-3	4			19				CWF-CLM-ACRTN-DT		
	15	2117	HIBC-PEND-ACC-CTR	PIC S9(03) COMP-3	2			20				CWF-CLM-ACRTN-NUM		
	15	2118	no field name equal bytes	PIC X	2									
	15	2119	HIBC-REIN-CODE	PIC X	1									
	15	2120	no field name equal bytes	PIC X	1									
	15	2121	HIBC-HI-REC-DTE	PIC S9(07) COMP-3	4									
	15	2122	HIBC-HI-PRO-DTE	PIC S9(07) COMP-3	4			39				CWF-FRWRD-DT		
	15	2123	HIBC-REIN-SRCE-CDE	PIC X	4									
	15	2124	HIBC-DISP-CD	PIC X	2			33				CLM-DISP-CD		
	15	2125	HIBC-DATA-IND-ALL											

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	20	2126	HIBC-DATA-IND	PIC X	1	1								
	20	2127	HIBC-DATA-IND	PIC X	1	2								
	20	2128	HIBC-DATA-IND	PIC X	1	3								
	20	2129	HIBC-DATA-IND	PIC X	1	4								
	20	2130	HIBC-DATA-IND	PIC X	1	5								
	20	2131	HIBC-DATA-IND	PIC X	1	6								
	20	2132	HIBC-DATA-IND	PIC X	1	7								
	20	2133	HIBC-DATA-IND	PIC X	1	8								
	20	2134	HIBC-DATA-IND	PIC X	1	9								
	20	2135	HIBC-DATA-IND	PIC X	1	10								
	20	2136	HIBC-DATA-IND	PIC X	1	11								
	20	2137	HIBC-DATA-IND	PIC X	1	12								
	20	2138	HIBC-DATA-IND	PIC X	1	13								
	20	2139	HIBC-DATA-IND	PIC X	1	14								
	20	2140	HIBC-DATA-IND	PIC X	1	15								
	20	2141	HIBC-DATA-IND	PIC X	1	16								
	20	2142	HIBC-DATA-IND	PIC X	1	17								
	20	2143	HIBC-DATA-IND	PIC X	1	18								
	20	2144	HIBC-DATA-IND	PIC X	1	19								
	20	2145	HIBC-DATA-IND	PIC X	1	20								
	15	2146	HIBC-LAF-CDE	PIC X	2									
	15	2147	HIBC-XRF-NUM											
	20	2148	HIBC-XRF-CAN	PIC X	9									
	20	2149	HIBC-XRF-BIC	PIC X	2									
	15	2150	HIBC-COR-NAME											
	20	2151	HIBC-COR-SURNAME	PIC X	6									
	20	2152	HIBC-COR-FINIT	PIC X	1									
	20	2153	HIBC-COR-FILLER	PIC X	1									
	15	2154	HIBC-STATE-CDE	PIC X	2			15				BENE-RSDNC-SSA-STD-STATE- CD		
	15	2155	HIBC-CTY-CDE	PIC X	3			36				BENE-RSDNC-SSA-STD-CNTY- CD		
	15	2156	HIBC-HIMA-DOB	PIC S9(07) COMP-3	4			46				BENE-BIRTH-DT		
	15	2157	HIBC-HIMA-SEX	PIC X	1			44				BENE-SEX-IDENT-CD		
	15	2158	HIBC-HIMA-RACE	PIC X	1			45				BENE-RACE-CD		
	15	2159	HIBC-HIMA-ZIP	PIC X	5			43				BENE-MLG-CNTCT-ZIP-CD	Input max of 5 characters and MQR zero fills the last 4.	
	15	2160	HIBC-HMO					112				NCH-MCO-TRLR-IND-CD		
	20	2161	HIBC-HMO-NO-PD	PIC 9	1									
	20	2162	HIBC-HMO1	PIC X	5			113				MCO-CNTRCT-NUM		
	20	2163	HIBC-HMO-OPT1	PIC X	1			114				MCO-OPTN-CD		
	20	2164	HIBC-HMO-EFF-DTE1	PIC S9(07) COMP-3	4			115				MCO-PRD-EFCTV-DT		
	20	2165	HIBC-HMO-TRM-DTE1	PIC S9(07) COMP-3	4			116				MCO-PRD-TRMNTN-DT		
	20	2166	HIBC-HMO2	PIC X	5			117.1				MCO-CNTRCT-NUM		
	20	2167	HIBC-HMO-OPT2	PIC X	1			117.2				MCO-OPTN-CD		
	20	2168	HIBC-HMO-EFF-DTE2	PIC S9(07) COMP-3	4			117.3				MCO-PRD-EFCTV-DT		
	20	2169	HIBC-HMO-TRM-DTE2	PIC S9(07) COMP-3	4			117.4				MCO-PRD-TRMNTN-DT		
	15	2170	HIBC-FILLER-2	PIC X	40									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	10	2171	HIBC-ONLINE-TO-BATCH											
	15	2172	HIBC-CANCEL-ALERT-SW	PIC X	1									
	15	2173	HIBC-AUTONOT-SW	PIC X	1									
	15	2174	HIBC-ONLINE-MED-TO-DED	PIC S9(09) COMP-3	5								Redefined -- S9(07)V99 COMP-3	
	15	2175	HIBC-ONLINE-REST	PIC X	1									
	15	2176	HIBC-ONLINE-PROC-SITE	PIC X	1									
	15	2177	HIBC-ONLINE-ORIG-SITE	PIC X	1									
	15	2178	HIBC-CAB-DISP-CODE	PIC X	2									
	15	2179	HIBC-OLD-PARTB											
	20	2180	HIBC-OLD-FIXED-PTB											
	25	2181	HIBC-OLD-CARRIER-OF-REC	PIC X	5									
	25	2182	HIBC-OLD-LST-MAM-DTE	PIC S9(07) COMP-3	4									
	25	2183	HIBC-OLD-LST-RISK-IND	PIC X	1									
	25	2184	HIBC-OLD-PR-MAM-DTE	PIC S9(07) COMP-3	4									
	25	2185	HIBC-OLD-PR-RISK-IND	PIC X	1									
	25	2186	HIBC-OLD-DRUG-DED	PIC S9(05) COMP-3	3									
	25	2187	no field name equal bytes	PIC X	3									
	20	2188	HIBC-OLD-PTB-TRLR											
	25	2189	HIBC-OLD-TRLR-YR	PIC X	4									
	25	2190	HIBC-OLD-TRLR-HH-VIS	PIC S9(03) COMP-3	2									
	25	2191	HIBC-OLD-TRLR-BLD-DED	PIC S9(01)V9 COMP-3	2									
	25	2192	HIBC-OLD-TRLR-MED-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2193	HIBC-OLD-TRLR-PSY-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2194	HIBC-OLD-TRLR-RICR-PSY	PIC S9(05)V9 9 COMP- 3	4									
	25	2195	HIBC-OLD-TRLR-PTHYPY-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2196	HIBC-OLD-TRLR-RICR-PTHYPY	PIC S9(05)V9 9 COMP- 3	4									
	25	2197	HIBC-OLD-TRLR-OT-EXP	PIC S9(05)V9 9 COMP- 3	4									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	2198	HIBC-OLD-TRLR-RICR-OT	PIC S9(05)V9 9 COMP- 3	4									
	25	2199	HIBC-OLD-OOP-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2200	HIBC-OLD-OOP-DTE	PIC S9(07) COMP-3	4									
	25	2201	HIBC-OLD-RESP-HRS	PIC S9(03) COMP-3	2									
	25	2202	HIBC-OLD-RESP-DTE	PIC S9(07) COMP-3	4									
	25	2203	HIBC-OLD-RESP-USED	PIC S9(03) COMP-3	2									
	25	2204	HIBC-OLD-PRRESP-DTE	PIC S9(07) COMP-3	4									
	25	2205	HIBC-OLD-PRRESP-USED	PIC S9(03) COMP-3	2									
	25	2206	HIBC-OLD-DRUG-DTE	PIC S9(07) COMP-3	4									
	25	2207	HIBC-OLD-TRLR1-IV-DTE	PIC S9(07) COMP-3	4									
	25	2208	HIBC-OLD-IMMUNO-DTE	PIC S9(07) COMP-3	4									
	15	2209	HIBC-NEW-PARTB											
	20	2210	HIBC-NEW-FIXED-PTB											
	25	2211	HIBC-NEW-CARRIER-OF-REC	PIC X	5									
	25	2212	HIBC-NEW-LST-MAM-DTE	PIC S9(07) COMP-3	4									
	25	2213	HIBC-NEW-LST-RISK-IND	PIC X	1									
	25	2214	HIBC-NEW-PR-MAM-DTE	PIC S9(07) COMP-3	4									
	25	2215	HIBC-NEW-PR-RISK-IND	PIC X	1									
	25	2216	HIBC-NEW-DRUG-DED	PIC S9(05) COMP-3	3									
	25	2217	no field name equal bytes	PIC X	3									
	20	2218	HIBC-NEW-PTB-TRLR											
	25	2219	HIBC-NEW-TRLR-YR	PIC X	4									
	25	2220	HIBC-NEW-TRLR-HH-VIS	PIC S9(03) COMP-3	2									
	25	2221	HIBC-NEW-TRLR-BLD-DED	PIC S9(01)V9 COMP-3	2									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	2222	HIBC-NEW-TRLR-MED-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2223	HIBC-NEW-TRLR-PSY-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2224	HIBC-NEW-TRLR-RICR-PSY	PIC S9(05)V9 9 COMP- 3	4									
	25	2225	HIBC-NEW-TRLR-PTHYPY-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2226	HIBC-NEW-TRLR-RICR-PTHYPY	PIC S9(05)V9 9 COMP- 3	4									
	25	2227	HIBC-NEW-TRLR-OT-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2228	HIBC-NEW-TRLR-RICR-OT	PIC S9(05)V9 9 COMP- 3	4									
	25	2229	HIBC-NEW-OOP-EXP	PIC S9(05)V9 9 COMP- 3	4									
	25	2230	HIBC-NEW-OOP-DTE	PIC S9(07) COMP-3	4									
	25	2231	HIBC-NEW-RESP-HRS	PIC S9(03) COMP-3	2									
	25	2232	HIBC-NEW-RESP-DTE	PIC S9(07) COMP-3	4									
	25	2233	HIBC-NEW-RESP-USED	PIC S9(03) COMP-3	2									
	25	2234	HIBC-NEW-PRRESP-DTE	PIC S9(07) COMP-3	4									
	25	2235	HIBC-NEW-PRRESP-USED	PIC S9(03) COMP-3	2									
	25	2236	HIBC-NEW-DRUG-DTE	PIC S9(07) COMP-3	4									
	25	2237	HIBC-NEW-TRLR1-IV-DTE	PIC S9(07) COMP-3	4									

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
	25	2238	HIBC-NEW-IMMUNO-DTE	PIC S9(07) COMP-3	4									
	15	2239	HIBC-ONLINE-AUTOADJ-DATA											
	20	2240	HIBC-SUB-CSH-DED	PIC S9(05)V9 9 COMP- 3	4									
	20	2241	HIBC-SUB-PSYCH	PIC S9(05)V9 9 COMP- 3	4									
	20	2242	HIBC-SUB-PT	PIC S9(05)V9 9 COMP- 3	4									
	20	2243	HIBC-SUB-OT	PIC S9(05)V9 9 COMP- 3	4									
	20	2244	no field name equal bytes	PIC X	1									
	15	2245	HIBC-FILLER-3	PIC X	39									
		2246	fields below this line are initially identified in the first copybook column they appear in											
		2247												
		2248		PIC S9(5) COMP-3	3			4				REC-LNGTH-CNT		
		2249		PIC X	1			5				NCH-NEAR-LINE-REC-VRSN- CD		
		2250		PIC X	1			6				NCH-NEAR-LINE-RIC-CD		
		2251		PIC X	1			7				NCH-MQA-RIC-CD		
		2252		PIC X	2			8				NCH-CLM-TYPE-CD		
		2253		PIC X	2			12				NCH-CTGRY-EQTBL-BIC-CD		
		2254		PIC X	1			14				NCH-STATE-SGMT-CD		
		2255		PIC 9	8			18				NCH-WKLY-PROC-DT		
		2256		PIC 9	8			23				NCH-DAILY-PROC-DT		
		2257		PIC S9(9) COMP-3	5			24				NCH-SGMT-LINK-NUM		
		2258		PIC 9	2			25				CLM-TOT-SGMT-CNT		
		2259		PIC 9	2			26				CLM-SGMT-NUM		
		2260		PIC X	2			34				NCH-EDIT-DISP-CD		
		2261		PIC X	1			35				NCH-CLM-BIC-MDFY-CD		
		2262		PIC X	4			42				CWF-TRNSMSN-BATCH-NUM		
		2263		PIC X	1			50				CLM-PTNT-1ST-INITL-MDL- NAME		
		2264		PIC X	1			51				BENE-CWF-LOC-CD		
		2265		PIC S9(9)V99 COMP-3	6			63				NCH-CLM-PRVDR-PMT-AMT	Calculated - total of QAR6-PROV- REIMB	
		2266		PIC S9(9)V99 COMP-3	6			64				NCH-CLM-BENE-PMT-AMT	Calculated - total of QAR6-PATIENT- REIMB	
		2267		PIC S9(9)V99 COMP-3	6			66				NCH-CARR-SBMT-CHRG-AMT	Calculated - total of QAR6-CHG- SUBMITD	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		2268		PIC S9(9)V99 COMP-3	6			67				NCH-CARR-ALOW-CHRG-AMT	Calculated - total of QAR6-CHG-ALLOWED	
		2269		PIC X	1			70				CARR-CLM-MCO-OVRRD-IND-CD		
		2270		PIC X	1			71				CARR-CLM-HOSPC-OVRRD-IND-CD		
		2271		PIC X	2			76				CLM-CARE-IMPRVMT-MODEL-1-CD		
		2272		PIC X	2			77				CLM-CARE-IMPRVMT-MODEL-2-CD		
		2273		PIC X	2			78				CLM-CARE-IMPRVMT-MODEL-3-CD		
		2274		PIC X	2			79				CLM-CARE-IMPRVMT-MODEL-4-CD	Only this one will be valued in the max claim test as used demo 64 in one of the four occurrences. Other items needed to be tested so could not do all care improvement codes	
		2275		PIC X	2			86				CLM-PAPER-PRVDR-CD		
		2276												
		2277		PIC 9	2			96				CARR-NCH-EDIT-CD-CNT	NCH-EDIT-CD-CNT HAVE VALUE 10	
		2278		PIC 9	2			97				CARR-NCH-PATCH-CD-I-CNT		
		2279		PIC 9	1			98				CARR-MCO-PRD-CNT		
		2280		PIC 9	1			99				CARR-CLM-DEMO-ID-CNT		
		2281		PIC 9	2			100				CARR-CLM-DGNS-CD-CNT		
		2282		PIC 9	2			101				CARR-CLM-LINE-CNT		
		2283		PIC X	4	13								
		2284				13		104				NCH-EDIT-GRP		
		2285		PIC X	1			105				NCH-EDIT-TRLR-IND-CD		
		2286		PIC X	4			106				NCH-EDIT-CD		
		2287		PIC X	14			117				MCO-HLTH-PLANID-NUM		
		2288				5		118				CLM-DEMO-ID-GRP	While there are 5 demo trailers in the CRIC file there is only one demo number on the input file from CWF.	
		2289		PIC X	1			119				NCH-DEMO-TRLR-IND-CD		
		2290		PIC X	15			121				CLM-DEMO-INFO-TXT		
		2291		PIC X	10		1	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2292		PIC X	10		2	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2293		PIC X	10		3	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2294		PIC X	10		4	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2295		PIC X	10		5	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2296		PIC X	10		6	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2297		PIC X	10		7	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2298		PIC X	10		8	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2299		PIC X	10		9	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2300		PIC X	10		10	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2301		PIC X	10		11	131				CARR-LINE-PRFRMG-GRP-NPI-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	OCC2	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values
		2302		PIC X	10		12	131				CARR-LINE-PRFRMG-GRP-NPI- NUM		
		2303		PIC X	10		13	131				CARR-LINE-PRFRMG-GRP-NPI- NUM		
		2304				30		107				NCH-PATCH-GRP		
		2305		PIC X	1			108				NCH-PATCH-TRLR-IND-CD		
		2306		PIC X	2			109				NCH-PATCH-CD		
		2307		PIC 9	8			110				NCH-PATCH-APPLY-DT		
		2308												
		2309												
		2310		PIC S9(9)	10									
		2311		PIC S9(13)	15									
		2312		PIC S9(9)	10									
		2313		PIC X	1									
		2314												
		2315		PIC S9(9)	10									
		2316		PIC S9(13)	15									
		2317		PIC S9(4)	5									
		2318		PIC X	1									
		2319												
		2320		PIC S9(9)	10									
		2321		PIC S9(13)	15									
		2322		PIC S9(4)	5									
		2323		PIC X	1									
		2324												
		2325		PIC S9(9)	10									
		2326		PIC X	9									
		2327		PIC X	2									
		2328												
		2329		PIC S9(9)	10									
		2330		PIC S9(13)	15									
		2331		PIC S9(4)	5									
		2332		PIC X	1									
		2333												
		2334		PIC S9(9)	10									
		2335		PIC S9(13)	15									
		2336		PIC S9(4)	5									
		2337		PIC X	1									
		2338		PIC X	10									
		2339		PIC X	1									
		2340		PIC X	10									
		2341		PIC X	1									

Level of Edits

N/A
No Editing
Format Only
Code Set Based
Date Format
Date Range

Code Set Source

N/A
Hard Coded
MAC Controlled

Position	CWF Input Record (CABEHUBC) Field Name	Format	Length	Occurs	Transformation
1	HUBC-RECORD.		13700		
5	HUBC-HEADER.		700		
10	HUBC-REC-ID	PIC X	4		
10	HUBC-DELIM	PIC X	1		
10	HUBC-CLMNO	PIC X	12		
10	HUBC-BENE-NAME.				
15	HUBC-BENE-SURNAME	PIC X	6		
15	HUBC-BENE-FINIT	PIC X	1		
10	HUBC-UPIN	PIC X	6		
10	HUBC-SEX-CODE	PIC X	1		
10	HUBC-PROC-CARRIER.				
15	HUBC-PROC-CARR	PIC X	5		
15	HUBC-PROC-CARR-EXP	PIC X	4		
10	HUDC-DOB	PIC S9(07) COMP-3.	4		
10	HUBC-REQ-ID	PIC X	4		
10	HUBC-RESPONSE-CODE	PIC X	1		
10	HUBC-PRINTER-DEST	PIC X	4		
10	HUBC-LINE-CNT	PIC 9	2		
10	HUBC-EXCP-NONEXCP-IND	PIC X	1		
10	HUBC-ENTRY-CODE	PIC X	1		
10	HUBC-INVEST-IND	PIC X	1		
10	HUBC-SPLIT-IND	PIC X	1		

10	HUBC-PAY-DENIAL-IND	PIC X	2		
10	HUBC-HCPCS-YEAR	PIC 9	1		
10	HUBC-DOC-CNTL-NUM	PIC X	15		
10	HUBC-REFER-PHYS	PIC X	14		
10	HUBC-REFER-PHYS-NPI	PIC X	10		
10	HUDC-HEADER-NPI				
	REDEFINES HUBC-REFER-PHYS-NPI	PIC X	10		
10	HUBC-DATE-RECEIPT	PIC S9(07) COMP-3.	4		
10	HUBC-DATE-PAY-DENY	PIC S9(07) COMP-3.	4		
10	HUBC-REP-PAYEE-IND	PIC X	1		
10	HUBC-SUBMITTER-ID	PIC X	10		
10	HUBC-ACCIDENT-SW	PIC X	1		
10	HUBC-PATIENT-RELTP-IND	PIC X	1		
10	HUBC-WORK-RELTP-IND	PIC X	1		

10	HUBC-SIGNATURE-IND	PIC X	1		
10	HUBC-BENE-GONE-IND	PIC X	1		
10	HUBC-COMPLEMENT-IND	PIC X	1		
10	HUBC-COMPLEMENT-CARR.				
15		PIC X	1		
15		PIC X	6		
10	HUBC-COMPLEMENT-ID-NO	PIC X	20		
10	HUBC-CROSSOVER-ID-AREA.				
15	HUBC-CROSSOVER-ID-X.				
20	HUBC-CROSSOVER-ID	PIC 9	10		
15	HUBC-CROSSOVER-IND	PIC X	2		
10	HUBC-CROSSOVER-ID-RESERVED	PIC X	4		
10	HUBC-FILLER-1	PIC X	17		
10	HUBC-ASSIGN-IND	PIC X	1		
10	HUBC-PAID-BY-BENE	PIC S9(04)V99 COMP-3.	4		
10	HUBC-PRIVACY-FLAG	PIC X	1		
10	HUBC-DATE-BILLED	PIC S9(07) COMP-3.	4		
10	HUBC-EXAMINER-NO	PIC X	2		
10	HUBC-REMARKS	PIC X	19		
10	HUBC-CPO-NUMBER-AREA				
15	HUBC-CPO-IDENT	PIC X	3		
15	HUBC-CPO-NUMBER	PIC X	6		
15	HUBC-CPO-NPI	PIC X	10		
10	HUBC-MICRO-IND	PIC X	2		
10	HUBC-HDR-CONTR-NUM	PIC X	5		
10	HUBC-IDE-NUMBER	PIC X	7		
10	HUBC-DIAGNOSIS-CODES.				
15		PIC X	1		
15	HUBC-PRIMARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-1ST-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-2ND-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-3RD-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-4TH-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-5TH-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-6TH-SECONDARY-DIAG	PIC X	7		
15		PIC X	1		
15	HUBC-7TH-SECONDARY-DIAG	PIC X	7		
15	HUBC-DIAG-FILLER	PIC X	32		
10					
15	HUBC-DIAGNOSIS-TABLE			12	

20	HUBC-DIAGNOSIS-CODE-IND	PIC X	1		
20	HUBC-DIAGNOSIS-CODE	PIC X	7		
10	HUBC-DEMO-NUM-FILLER	PIC X	2		
10	HUBC-SITE-OF-SERV	PIC X	16		
10	HUBC-CWF-IND	PIC X	1		
10	HUBC-OVERRIDE-TABLE.				
15	HUBC-OVERRIDE-EDIT	PIC X	4	5	
10	HUBC-LIAB-IND	PIC X	1		
10	HUDC-NCPDP-IND	PIC X	1		
10	HUDC-IHS-IND	PIC X	1		
10	HUBC-SANCTIONED-IND	PIC X	1		
10	HUBC-MASS-ADJ-IND	PIC X	1		
10	HUBC-CLAIM-ADJ-IND	PIC X	1		
10	HUBC-CT-REGISTRY.				
15	HUBC-CT-REGISTRY-NUM	PIC 9	8		
10	HUBC-COBYPASS	PIC X	1		
10	HUBC-COBA-BYPASS	PIC X	2		
10	HUBC-PQRI-IND	PIC X	1		
10	HUBC-SOS-NPI	PIC X	10		
10	HUBC-RAC-ADJ-IND	PIC X	1		
10	HUBC-PWK-IND	PIC X	2		
10	HUBC-PWK-FILLER	PIC X	18		
10	HUBC-CAS-IND	PIC X	1		

10	HUBC-DEMO-NUMBERS.				
15	HUBC-DEMO-NUM	PIC X	2	4	
	OCCURS 4 TIMES				
10	HUBC-FPS-HEADER-INFO.				
15	HUBC-FPS-H-MODEL-NUMBER	PIC X	2		
15	HUBC-FPS-H-REASON-CODE	PIC X	3		
15	HUBC-FPS-H-REMARK-CODE	PIC X	5		
15	HUBC-FPS-H-MSN-CODES.				
20	HUBC-FPS-H-MSN-CODE-1	PIC X	5		
20	HUBC-FPS-H-MSN-CODE-2	PIC X	5		
10	HUBC-FIRST-DIAG-CODE	PIC X	1		
10	HUBC-NMO-CBA-IND	PIC X	5		
10	HUBC-BILLING-NPI	PIC X	10		
10	HUBC-REFER-PROV-QUAL	PIC X	2		
10	HUBC-FIXED-AREA-UNUSED	PIC X	229		
10	HUBC-ORIGINAL-SEQUENCE-X.				
15	HUBC-ORIGINAL-SEQUENCE	PIC 9	7		
10	HUBC-ORIG-HOST-SITE	PIC X	1		

10	HUBC-PROC-HOST-SITE	PIC X	1		
5	HUBC-LINE-ITEMS.		13000		
10	HUBC-LINE-ITEM		1000	13	
15	HUBC-HCFA-LINE-CNTL-DATA.				
20	HUBC-HCFA-PROV-SPEC	PIC X	2		
20	HUBC-HCFA-PROV-TYPE	PIC X	1		

20	HUBC-HCFA-TYPE	PIC X	1		
20	HUBC-HCFA-ASSIGN-IND	PIC X	1		

20	HUBC-HCFA-PAY-PROCESS-IND	PIC X	2		
20	HUBC-HCFA-REIMB-IND	PIC X	1		
20	HUBC-HCFA-DED-IND	PIC X	1		
20	HUBC-HCFA-PROV-IND	PIC X	1		
20	HUBC-HCFA-PAYSCREEN-IND	PIC X	1		
20	HUBC-HCFA-MT	PIC S9(07)V999 COMP-3.	6		

20	HUBC-HCFA-MT-IND	PIC X	1		
15	HUBC-PROC-CODE	PIC X	5		
15					
20		PIC X	1		
20		PIC X	4		
15	HUBC-HCPCS-MODIFIERS.				
20	HUBC-PROC-CODE-MOD1	PIC X	2		
20	HUBC-PROC-CODE-MOD2	PIC X	2		
20	HUDC-PROC-CODE-MOD3	PIC X	2		
20	HUDC-PROC-CODE-MOD4	PIC X	2		
15					
20	HUBC-HCPCS-MODIFIER	PIC X	2	4	
15	HUBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3.	4		
15	HUBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3.	4		
15	HUBC-SS-NUMBER	PIC X	10		
15	HUBC-PROVIDER-CODES.				
20	HUBC-PROV-AREA	PIC X	2		
20	HUBC-PROV-SPEC	PIC X	2		
15	HUBC-CARR-TYPE-SERV	PIC X	2		

15	HUBC-PLACE	PIC 9	2		
15	HUBC-LI-DATES-OF-SERVICE.				
20	HUBC-FROM-DATE	PIC S9(07) COMP-3.	4		
20	HUBC-THRU-DATE	PIC S9(07) COMP-3.	4		
15	HUBC-DOC-SUP	PIC X	10		
15	HUBC-NO-SERVICES	PIC S9(07)V999 COMP-3.	6		
15	HUBC-ACTION-CODE	PIC X	2		
15	HUBC-SPEC-PRIC-IND	PIC X	1		
15	HUBC-DIAGNOSIS-DATA.				
20	HUBC-DIAGNOSIS-IND	PIC X	1		
20	HUBC-DIAGNOSIS	PIC X	7		
15	HUBC-CLINICAL-LAB-ID	PIC X	10		
15	HUBC-CLINICAL-LAB-AMT	PIC S9(04)V99 COMP-3.	4		
15	HUBC-ANESTHESIA	PIC S9(07)V999 COMP-3.	6		

15	HUBC-DOCUMENT-IND	PIC X	1		
15	HUBC-PATIENT-REIMB	PIC S9(05)V99 COMP-3.	4		
15	HUBC-PROV-REIMB	PIC S9(05)V99 COMP-3.	4		
15	HUBC-CSHDED-APPLIED	PIC S9(03)V99 COMP-3.	3		
15	HUBC-LIM-AMT	PIC S9(05)V99 COMP-3.	4		
15	HUBC-BLD-DED	PIC S9(07) COMP-3.	4		
15	HUBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3.	4		
15	HUBC-MSP-CODE	PIC X	1		
15	HUBC-COINS	PIC S9(05)V99 COMP-3.	4		
15	HUBC-PHYS-SUP-NO-IND	PIC 9	1		
15	HUBC-LINE-UPIN	PIC X	6		
15	HUBC-RENDERING-NPI	PIC X	10		
15	HUDC-SUPPLIER-NPI	PIC X	10		
15	HUBC-PHYS-SUP-ZIP-CODE	PIC X	9		
15	HUBC-PERCENTAGE-ALLOWED	PIC X	1		

15	HUBC-DME-COV-DATE	PIC S9(07) COMP-3.	4		
15	HUBC-DME-PURCHASE	PIC S9(04)V99 COMP-3.	4		
15	HUBC-DME-MED-NECESS	PIC 9	2		
15	HUDC-SCRN-SUSP	PIC X	4		
15	HUDC-SCRN-RSLT	PIC X	1		
15	HUDC-DECIS-IND	PIC X	1		
15	HUDC-SCRN-SAVNG	PIC S9(05)V99 COMP-3.	4		
15	HUDC-DME-ALLOW	PIC S9(05)V99 COMP-3.	4		
15	HUDC-NATL-DRUG-CD	PIC X	11		
15	HUDC-UNITS-IND	PIC 9	1		

15	HUDC-DOCUMENT-IND	PIC 9	1		
15	HUDC-WAIVER-LIAB	PIC X	1		
15	HUDC-STATE-CODE	PIC X	2		
15	HUDC-SUPP-ST-CODE	PIC X	2		
15	HUDC-NOC-CODE-DESC	PIC X	14		
15	HUBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		
15	HUBC-POP-ZIP-CODE	PIC X	9		
15	HUDC-UNITS	PIC S9(07)V999 COMP-3.	6		
15	HUBC-LI-OVERRIDE-TABLE.		20		
20	HUBC-LI-OVERRIDE-EDIT	PIC X	4	5	
15	HUBC-SUSP-DUP-REV-IND	PIC X	1		
15	HUBC-HPSA-SCARCITY-IND	PIC X	1		
15	HUBC-PRESCRIPTION.				
20	HUBC-VENDOR-ID	PIC X	4		
20	HUBC-HCPCS	PIC X	5		
20	HUBC-VENDOR-PR-NUM	PIC X	21		
15	HUDC-NCB-IND	PIC X	1		
15	HUBC-TEST-TYPE	PIC X	2		
15	HUBC-TEST-RESULTS.				
20	HUBC-TEST-RESULTS-N	PIC 9(02)V9.	3		
15	HUBC-PWK-LINE-ITEM-IND	PIC X	2		
15	HUBC-PWK-LINE-ITEM-FILLER	PIC X	18		

15	HUBC-MSP-WORKMEN-COMP-IND	PIC X	1		
15	HUBC-LIAB-DEN-IND	PIC X	1		
15	HUBC-MSP-LIAB-IND	PIC X	1		
15	HUDC-BENE-ZIP-CD	PIC X	9		
15	HUDC-DCBP-IND	PIC X	1		
15	HUBC-PMDA-TRACKING-NUM	PIC X	14		
15	HUBC-FPS-DETAIL-INFO.				
20	HUBC-FPS-D-MODEL-NUMBER	PIC X	2		
20	HUBC-FPS-D-REASON-CODE	PIC X	3		
20	HUBC-FPS-D-REMARK-CODE	PIC X	5		
20	HUBC-FPS-D-MSN-CODES.				
25	HUBC-FPS-D-MSN-CODE-1	PIC X	5		
25	HUBC-FPS-D-MSN-CODE-2	PIC X	5		
15	HUBC-OTH-AMTS-APPLIED-AREA.				
20	HUBC-OTH-AMTS-TABLE		35	7	
25	HUBC-OTH-AMTS-APPLIED	PIC S9(05)V99 COMP-3.	4		
25	HUBC-OTH-AMTS-IND	PIC X	1		
15	HUBC-LEGS-IND1	PIC X	1		
15	HUBC-LEGS-IND2	PIC X	1		
15	HUBC-LEGS-IND3	PIC X	1		
15	HUBC-LEGS-IND4	PIC X	1		
15	HUBC-LEGS-IND5	PIC X	1		
15	HUDC-CBP-DATE	PIC S9(07) COMP-3.	4		
15	HUDC-CBA	PIC X	5		

15	HUBC-POS-ADDRESS.				
20	HUBC-POS-ORG-NAME	PIC X	60		
20	HUBC-POS-FIRST-NAME	PIC X	35		
20	HUBC-POS-MIDDLE-NAME	PIC X	25		
20	HUBC-POS-ADDRESS1	PIC X	55		
20	HUBC-POS-ADDRESS2	PIC X	55		
20	HUBC-POS-CITY	PIC X	30		
20	HUBC-POS-STATE	PIC X	2		
20	HUBC-POS-ZIP	PIC X	15		
15	HUBC-NPI-GROUP-IND	PIC X	1		
15	HUBC-LINE-ITEM-UNUSED	PIC X	299		
15	HUBC-RESERVED-FOR-CWF	PIC X	5		

CWF Input Record (CABEHUBC) Field Values and Comments	
Constant - 'HIBC', 'HUBC', 'HIDC', 'HUDC'	
'A' thru 'Z'	
0-Unknown Female M-Male	F-
Format - CCYYDDD	
1-Excepted Nonexcepted	2-
1-Original Debit Credit Replacement Debit <u>9-Accrete Bill History Only</u>	3-Full 5-
0-Other X-Clean claim	
B-Both Split & Replicate N-Not Split R-Replicate Y-Split	

(First value is entered into position '61' and '62' could be space, i.e. '1' , '2', '14')	
00-COB	
11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143	
0-Denied	
1-Physician/Supplier	
2-Beneficiary	
3-Both supplier and Beneficiary	
4-Hospital (hospital based physicians)	
5-Both hospital and Beneficiary	
6-Group Practice Prepayment	
7-Other entries (e.g. Employer, union)	
8-Federally funded entities	
9-PA services	
12-BC/BS voluntary agreements	
13-Office of personnel management (OPM)	
14-Workmen's compensation (WC)	
data match	A-
Beneficiary under limitation of liability	
B-Physician/Supplier Under limitation of liability	
C-Custodial (not being used)	
D-Denied due to demonstration involvement	
E-First Claim Development	
F-Trauma Code Development	
G - Secondary Claims Investigation	
H-Self Reports	
J-411.25	
K-Insurer Voluntary Reporting	
N-Non-Covered	
Q-Employer voluntary Reporting	
R-Benefits refused or evidence not submitted	
S-Secondary Payer	
T-IEQ Contractor MSP Cost avoided	
U-HMO rate cell Adjustment MSP cost avoided	V-
Format - CCYYDDD	
Format - CCYYDDD	
N-No	
Y-Yes	
O-Other	
A-Auto	May be blank
1-Self	
2-Spouse	
3-Child	
4-Other	
20-Partner	
May be blank	
N-No	
Y-Yes	

INDEXED HUBC-DIAG-INDEX.	
'9' - ICD-9	'0' -
ICD-10	
ID# HSPxxxxxxx	
xxxxxx	
G-CWF generated	D-
CWF generated due to Date of Death	
OCCURS 5 TIMES	
INDEXED HUBC-OV-INDEX	
L-Liability	
N-No Liability	
S-IHS/Supplier	
H-HIS/Hospital	
S = Sanctioned Provider	
Space = Non-Sanctioned Provider	
M' – Mass Adjustment (MPFS)	
'O' - Mass Adjustment /Other	
- Space	
N' - Non-Adjustment	
'A' - Adjustment	
- Space	
'Y' and Spaces	
'BA'-Add History bypass,	
'BB'-No BOI Record bypass,	
'BC'-Abbreviated Encounter bypass,	
'BD'-Claim Disp other than 01, 03,	
or 05,	
'BE'-NOE bypass,	
'BF'-Demo Claim bypass,	
'BN'-COBYPASS bypass,	
'BP'-Sanctioned Provider bypass,	
'BQ'- PQRI bypass,	
'BR'-RAD bypass	
'Q' and Space.	
'R' and Space.	
P1 - one iteration is	
present	
P2 - two iterations are	
present	
P3 - three iterations are	
present	
P4 - four iterations are	
present	
P5 - five iterations are	
present	
P6 - six iterations are	
present	
P7 - seven iterations are	
present	
P8 - eight iterations are	
present	
P9 - nine iterations are	
present	
P0 - ten iterations are	
present	
'G' and Space.	

01-RUGS
02-HHA
03-TELEMED
04-UMWA
05-CHOICES
06-CABG
07-COE
08-MPPP
15-ESRD
30-LUNG
31-VA
37-MCCD
38-ENCOUNTER
39-CENTRALIZED BILLING PPV & FLU
40-HIS
45-Expansion of Coverage for Chiropractic services
46-Low Vision
48-ADULT DAYCARE
49-HEMODIALYSIS
51-LAB COMP BID
54-ACE Demo
58- MAPCP Demo
59 – ACO Demonstration
60- PMDA Demo
61-Model 1
62-Model 2
63-Model 3
OCCURS 4 TIMES
INDEXED HUBC-DEMO-INDEX
Y' SPACE
PRESENT - 'Y'
'DK'
'DN'
'DQ'
B-Mid-Atlantic (MA)
C-Southwest (SW)
D-Northeast (NE)
E-Great Lakes
F-Great Western (GW)
G-Keystone (KS)
H-Southeast (SE)
I-South (SO)
J-Pacific (PA)
Space

B-Mid-Atlantic (MA)
C-Southwest (SW)
D-Northeast (NE)
E-Great Lakes
F-Great Western (GW)
G-Keystone (KS)
H-Southeast (SE)
I-South (SO)
J-Pacific (PA)
Space
OCCURS 13 TIMES
INDEXED HUBC-INDEX
HUBC-LIMIT.
Valid non-Physician Specialty Codes are: '42', '43', '45', '49', '80' '50' THRU '59' '60' THRU '65' '67' THRU '69' '87' THRU '89' '95' THRU '97' 'A0' THRU 'A8
Code as follows: 0-Clinics, groups, associations, partnerships, or other entities for whom the carrier's own ID number has been assigned. 1-Physicians or suppliers billing as solo practitioners for whom SS numbers are shown in the physician ID code field. 2-Physicians or suppliers billing as solo practitioners for the carrier's own physician ID code is shown. 3-Suppliers (other than sole) 4-Suppliers (other than sole proprietorship) for whom the carrier's own code has been shown. 5-Institutional providers and independent laboratories for whom E1 numbers are used in coding the ID field 6-Institutional providers and independent laboratories for whom the carrier's own ID number is shown. 7- Clinics, groups, associations, or partnerships, for whom E1 numbers are used in coding the ID field. 8-Other entities for whom E1 numbers

0-Whole Blood, or Packed Red Cells	
1-Medical Care	
2-Surgery	
3-Consultation	
4-Diagnostic X-ray	
5-Diagnostic Laboratory	
6-Radiation Therapy	
7-Anesthesia	
8-Assistance at Surgery	
9-Other	<u>Medical –</u>
<u>Service</u>	
A-Used DME	
B-Highrisk Mammography	
C-Low-risk Mammography	
F-Ambulatory Surgical Center	
(Facility Usage)	
G-Immunosuppressive Drugs received within	
12 months of	
a Medicare covered transplant	
I-Installment purchase	
<u>DME</u>	
L-Renal supplier in home	
M-Monthly Capitation Payment	
(Dialysis)	
N-Kidney Donor	
P-Lump Sum purchase of DME	
R-Rental of DME	
T-Psychological Therapy	
U-Occupational Therapy	
V-Pneumococcal Vaccine	
W-Physical Therapy	
Y-Second opinion on Elective surgery	
1-Participating Provider	
2-All, or some covered status and	
allowed expenses applied to	
deductible participating provider	
3-Assignment accepted nonparticipating	
provider.	
4-Assignment not accepted nonparticipating	
provider.	
5-Assignment accepted but all, or some	
covered and allowed expenses	
applied to deductible - nonparticipating	
provider.	
6-Assignment not accepted and all	
covered expenses applied to deductible - non-	
par provider	
7-Participating provider not accepting	

00-COB	
11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143	
A-Allowed	
B-Benefits exhausted	
C-Non-Covered Care	
D-Denied due to Demonstration involvement	
E-First Claim Development	
F-Trauma Code Development	
G-Secondary Claims investigation	
H-Self Reports	
I-Invalid Data	
J-411.25	
K-Insurer Voluntary Reporting	
L-Clinical Lab Improvement	
Amendment (CLIA)	
M-Multiple submittal (i.e. duplicate line item)	
N-Medical Necessity	
O-Other	P-
Physician Ownership	
Q-Employer voluntary reporting	
R-Reprocessed adjustment based on subsequent reprocessing of claim	
S-Secondary Payer	
T-IEQ Contractor	
MSP Cost avoid	
U-HMO Rate ell	
Adjustment MSP cost avoid	
V-Litigation settlement	
MSP cost avoid	
W-Workmen's Comp	
X-MSP cost avoid generic	
Y-IRS/SSA Data Match	
0-80% (for medical, Psych., or drug claim).	
1-100% (for medical)	
3-100% (limitation of liability only).	
0-Subject to deductible	
1-Not subject to deductible	
0-Not available	
1-Not in provider sample, nclusive ID number	
2-Not in provider sample, inclusive ID number	
3-In provider sample, inclusive ID number	
4-In provider sample, site only ID number	
1-Actual charge	
2-Customary charge	
3-Prevailing charge (adjusted, unadjusted gap fill, lowest charge level, etc)	
4-Other (including ASC facility fees and outpatient limits and nonpayment because of denial)	
5-Lab/Fee schedule	
6-Physician Fee Schedule Full Fee Schedule Amount	
7-Physician Fee Schedule Transition Amount	
8-Clinical Psychologist Fee Schedule	
9-Durable Medical Equipment and Prosthetic/Orthotic fee schedule	

[illegible]

05-Indian Health Service Freestanding Facility
06-Indian Health Service Provider based Facility
07-Tribal 638 Freestanding Facility
08-Tribal 638 Provider based Facility
11-Office
12-Home
13-Assisted Living Facility
14-Group Home
21-Inpatient Hospital
22-Outpatient Hospital
23-Emergency Room Hospital
24-Ambulatory Surgical Center
25-Birthing Center
26-Military Treatment Facility
31-Skilled Nursing Facility
32-Nursing Facility
33-Custodial Care Facility
34-Hospice
41-Ambulance, Land
42-Ambulance, Air or water
49-Independent Clinic
51-Inpatient Psychiatric Facility
52-Psychiatric Facility Partial Hospitalization
53-Community Mental Health Center
54-Intermediate Care
55-Residential Substance Abuse Treatment Facility
56-Psychiatric Residential Treatment Center
57-Nonresidential Substance Abuse Treatment Facility
61-Comprehensive Inpatient Rehabilitation Facility
62-Comprehensive Outpatient Rehabilitation Facility
65-End Stage Renal Disease Treatment
71-State or local public health clinic
Format - CCYYDDD
Format - CCYYDDD
'9' ICD-9
'0' ICD-10

0-No additional documentation 1-Additional documentation submitted for non-DME EMC claim. 2-CMN/Prescription/Other documentation submitted which justifies medical necessity. 3-Prior authorization obtained and approved. 4- Prior authorization requested but not approved. 5-SMN/Prescription/Other documentation submitted but did not justify medical necessity. 6-CMN/Prescription/Other documentation submitted and pproved after prior authorization rejected. 7-Recertification CMN/Prescription/Oth
HUBC-BLD-DED REDEFINES HUBC-LIM-AMT
A-Working Aged B-ESRD D-No-fault E-Workers' Compensation F-Federal (Public Health) G-Disabled H-Black lung I-Veterans LLiability M-Override code EGHP N-Override code Non EGHP
0-Default 1-Provider Number represents the same physician/supplier regardless of multiple locations. 2-Provider Number represents one of multiple numbers used for the same phvsician/supplier
REDEFINES HUBC-RENDERING-NPI
0-N/A 1-65% physician assistants (PA) prevailing charges for assistant at surgery services. 2-75% PA services furnished in a hospital other than assistant surgery services. 3-85% PA services for other than assistant at surgery

Format - CCYYDDD
1xxx-Local Cat I screens 2xxx-Local Cat II screens 3xxx-Local Cat III screens Cxxx-Statutorily noncovered screens M1xx-Mandated Cat I screens M2xx-Mandated Cat II screens M3xx-Mandated Cat III screens Muxx-Mandated unbundling screens <u>Ilyyy-Local unbundling screens</u>
A-Denied for lack of medical necessity; highest level of review was automated Level I B-Reduced (partially denied) for lack of medical necessity; highest level of review was automated Level I C-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was manual Level I I-Denied for coding/unbundling reasons; highest level of review was manual Level I J-Paid after manual Level I review K-Denied for lack of medical necessity; highest level of review was manual
O-Original medical review determination
R-Medical review determination after reversal of original decision

0-No additional Documentation 1-Additional documentation submitted for non-DME EMC claim 2-CMN/Prescription/Other documentation submitted which justifies medical necessity 3-Prior Authorization obtained and approved 4-Prior Authorization requested but not approved 5-CMN/Prescriptions/Other documentation submitted, but did not justify medical necessity 6-CMN/Prescription/Other documentation submitted and approved after prior authorization rejected 7-Recertification CMN/Prescription/Other
N-Does not apply
Y-Beneficiary notified and agrees to pay for the item
0-Values reported as zero 3-Number of services 4-Oxygen volume units 6-Drug Dosage
OCCURS 5 TIMES
INDEXED HUBC-LI-OV-INDEX
1-Suspect duplicate review performed
1 = HPSA 2 = PSA 3 = HPSA and PSA 4 = HSIP 5 = HPSA and HSIP 6 = PCIP 7 = HPSA and PCIP Space = Not Applicable
P1 – one iteration is present P2 - two iterations are present P3 - three iterations are present P4 - four iterations are present P5 - five iterations are present P6 - six iterations are present P7 - seven iterations are present P8 - eight iterations are present P9 - nine iterations are present P0 - ten iterations are present

Valid Values = 'B' or space.
Valid Values = 'Y' or Space
OCCURS 7 TIMES
INDEXED HUBC-OAA-INDEX.
A-Gramm-Rudman reduction Required for services (03/03/1986-09/30/1986) B-Interest addition C-Positive rounding adjustment (due to line item distribution from total claim reimbursement amount) D-Negative rounding adjustment (due to line item distribution from total claim reimbursement amount) E-Primary payer allowed charge F-Good cause G- PMD Demonstration Reduction J-Paid Amount and not Pioneer Reduction L-ACC Pioneer Reduction N-None
Valid values A,B,C,D A - Hospital Outpatient claims are subject to the therapy cap for this Date of Service. (This indicator will be used on institutional claims only.) B - Critical Access Hospital Outpatient claims are subject to the therapy cap for this Date of Service. C – The therapy cap exceptions process, as indicated by the submission of the 'KX' Modifier, no longer applies for this Date of Service. (This indicator will be used on both institutional and professional claims.) D – The \$3700 threshold for review of therapy services no longer applies for this Date of Service. (This indicator will be used on both institutional and professional claims.)
Same As Above
Same As Above
Same As Above
Same As Above
Format - CCYYDDD

'Y'
'N'
Space

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	5	1	HIBC-IDENT-PLUS-PARTB										
HUBC-HEADER.	10	2	HIBC-NCH-HEADER-DATA										
	15	3	HIBC-DATETIME										
	20	4	HIBC-DATE-STAMP	PIC 9	7								
	20	5	HIBC-TIME-STAMP	PIC 9	6								
	15	6	HIBC-IDENTIFIER										
	20	7	HIBC-MASK	PIC X	4								
HUBC-REC-ID	20	8	HIBC-TRANSID	PIC X	4							'HUBC', 'HIBC', 'HUDC', 'HIDC'	Constant - 'HIBC', 'HUBC', 'HIDC', 'HUDC'
	15	9	HIBC-COUNT-INFO	PIC X	40								
	15	10	HIBC-FILLER-1	PIC X	39								
	10	11	HIBC-RESERVED-FOR-LEN	PIC X	2								
	10	12	HIBC-FIXED-DATA										
HUBC-CLMNO	15	13	HIBC-CLMNO	PIX X	11		11				BENE-CLM-ACNT-NUM	Redefined 20 :XB:-CAN9. 25 :XB:-CAN1 PIC X(01). 25 PIC X(08). 20 :XB:-BIC PIC X(02)	
		14					13				BENE-IDENT-CD		
	15	15	HIBC-EQUAT-BIC	PIC X	2								
HUBC-BENE-SURNAME	15	16	HIBC-BENE-SURNAME	PIC X	6		48				CLM-PTNT-6-PSTN-SRNM-NAME		
HUBC-BENE-FINIT	15	17	HIBC-BENE-FINIT	PIC X	1		49				CLM-PTNT-1ST-INITL-GVN-NAME		'A' thru 'Z'
HUBC-SEX-CODE	15	18	HIBC-SEX-CODE	PIC X	1								0-Unknown F- Female M-Male
HUBC-PROC-CARRIER	15	19	HIBC-PROC-CARRIER										
HUBC-PROC-CARR	20	20	HIBC-PROC-CARR	PIC X	5		40				CARR-NUM		
HUBC-PROC-CARR-EXP	20	21	HIBC-PROC-CARR-EXP	PIC X	4		72				CLM-BUSNS-SGMT-ID-CD		
HUBC-REQ-ID	15	22	HIBC-REQ-ID	PIC X	4								
HUBC-LINE-CNT	15	23	HIBC-LINE-CNT	PIC 9	2		27				CLM-TOT-LINE-CNT		
		24					28				CLM-SGMT-LINE-CNT		
HUBC-ENTRY-CODE	15	25	HIBC-ENTRY-CODE	PIC X	1		31				CARR-CLM-ENTRY-CD		1-Original Debit 3-Full Credit 5-Replacement Debit 9-Accrete Bill History Only
	15	26	HIBC-DATES-OF-SERVICE										
	20	27	HIBC-FIRST-EXP-DTE	PIC S9(07) COMP-3	4		16				CLM-FROM-DT		
	20	28	HIBC-LAST-EXP-DTE	PIC S9(07) COMP-3	4		17				CLM-THRU-DT		
	15	29	HIBC-TOT-MED	PIC S9(05)V9 9 COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	30	HIBC-TOT-PSYC	PIC S9(05)V9 9 COMP- 3	4								
	15	31	HIBC-TOT-PT	PIC S9(05)V9 9 COMP- 3	4								
	15	32	HIBC-TOT-OT	PIC S9(05)V9 9 COMP- 3	4								
	15	33	HIBC-TOTDED-MED	PIC S9(05)V9 9 COMP- 3	4								
	15	34	HIBC-TOTDED-PSYC	PIC S9(05)V9 9 COMP- 3	4								
	15	35	HIBC-TOTDED-PT	PIC S9(05)V9 9 COMP- 3	4								
	15	36	HIBC-TOTDED-OT	PIC S9(05)V9 9 COMP- 3	4								
HUBC-INVEST-IND	15	37	HIBC-INVEST-IND	PIC X	1								0-Other X-Clean claim
HUBC-SPLIT-IND	15	38	HIBC-SPLIT-IND	PIC X	1								B-Both Split & Replicate N-Not Split R-Replicate Y-Split
	15	39	HIBC-MSP-FLAG	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-PAY-DENIAL-IND	15	40	HIBC-PAY-DENIAL-IND	PIC X	2		55				CARR-CLM-PMT-DNL-CD		(First value is entered into position '61' and '62' could be space, i.e. '1' , '2', '14') 00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 0-Denied 1-Physician/Supplier 2-Beneficiary 3-Both supplier and Beneficiary 4-Hospital (hospital based physicians) 5-Both hospital and Beneficiary 6-Group Practice Prepayment 7-Other entries (e.g. Employer, union) 8-Federally funded entities 9-PA services 12-BC/BS voluntary agreements 13-Office of personnel management (OPM) 14-Workmen's compensation (WC) data match A-Beneficiary under limitation of liability B-Physician/Supplier Under limitation of liability C-Custodial (not being used) D-Denied due to demonstration involvement E-First Claim Development F-Trauma Code Development G - Secondary Claims Investigation H-Self Reports J-411.25 K-Insurer Voluntary Reporting N-Non-Covered Q-Employer voluntary Reporting R-Benefits refused or evidence not submitted S-Secondary Payer T-ISO Contractor MCB Cost avoided
HUBC-HCPCS-YEAR	15	41	HIBC-HCPCS-YEAR	PIC 9	1		69				CARR-CLM-HCPCS-YR-CD		
	15	42	HIBC-MSP-AMT	PIC S9(05)V9 9 COMP-3	4		58				CARR-CLM-PRMRY-PYR-PD-AMT		
	15	43	HIBC-CPT-INTEREST	PIC S9(03)V9 9 COMP-3	3								
HUBC-DOC-CNTL-NUM	15	44	HIBC-DOC-CNTL-NUM	PIC X	15		21				CARR-CLM-CNTL-NUM		
HUDC-DOB	15	45	HIBC-DOB	PIC S9(07) COMP-3	4							For BC is refer phys these two fields are one PIC X 14	Format - CCYYDDD
HUBC-REFER-PHYS	15	45	HIBC-REFER-PHYS	PIX X	14		89				CARR-CLM-RFRG-PIN-NUM	Redefined -- :XD:-HEADER-NPI	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-REFER-PHYS-NPI	15	46	HIBC-REFER-PHYS-NPI	PIC X	10		61				CARR-CLM-RFRG-PHYSN-NPI- NUM		
HUBC-DATE-RECEIPT	15	47	HIBC-DATE-RECEIPT	PIC S9(07) COMP-3	4		37				CARR-CLM-RCPT-DT		Format - CCYYDDD
HUBC-DATE-PAY-DENY	15	48	HIBC-DATE-PAY-DENY	PIC S9(07) COMP-3	4		38				CARR-CLM-SCHLD-PMT-DT		Format - CCYYDDD
	15	49	HIBC-BLOOD-FURNISHED	PIC 9	2		92				CLM-BLOOD-PT-FRNSH-QTY		
	15	50	HIBC-BLOOD-DED	PIC 9	2		93				CLM-BLOOD-DDCTBL-PT-QTY		
	15	51	HIBC-CSHDED	PIC S9(03)V9 9 COMP- 3	3		68				CARR-CLM-CASH-DDCTBL- APPLY-AMT		
	15	52	HIBC-REIMB	PIC S9(05)V9 9 COMP- 3	4		57				CLM-PMT-AMT		
HUBC-REP-PAYEE-IND	15	53	HIBC-REP-PAYEE-IND	PIC X	1								N-No Y-Yes
HUBC-SUBMITTER-ID	15	54	HIBC-SUBMITTER-ID	PIC X	10								
HUBC-ACCIDENT-SW	15	55	HIBC-ACCIDENT-SW	PIC X	1								O-Other A-Auto May be blank
HUBC-PATIENT-RELTP-IND	15	56	HIBC-PATIENT-RELTP-IND	PIC X	1								1-Self 2-Spouse 3-Child 4-Other 20-Partner May be blank
HUBC-WORK-RELTP-IND	15	57	HIBC-WORK-RELTP-IND	PIC X	1								N-No Y-Yes
HUBC-SIGNATURE-IND	15	58	HIBC-SIGNATURE-IND	PIC X	1								N-Not on file Y-Signature on file
HUBC-BENE-GONE-IND	15	59	HIBC-BENE-GONE-IND	PIC X	1								D-Deceased Beneficiary Blank-Beneficiary not deceased
HUBC-COMPLEMENT-IND	15	60	HIBC-COMPLEMENT-IND	PIC X	1								C-Complementary M-Medicaid Blank-Does not apply
HUBC-COMPLEMENT-CARR	15	61	HIBC-COMPLEMENT-CARR	PIC X	7								
HUBC-COMPLEMENT-ID-NO	15	62	HIBC-COMPLEMENT-ID-NO	PIC X	20								
HUBC-ASSIGN-IND	15	63	HIBC-ASSIGN-IND	PIC X	1		62				CARR-CLM-PRVDR-ASGNMT- IND-SW		N-Provider does not accept assignment A-Accept assignment 3-Telemed 4-UMWA
HUBC-PAID-BY-BENE	15	64	HIBC-PAID-BY-BENE	PIC S9(04)V9 9 COMP- 3	4		65				CARR-CLM-BENE-PD-AMT		
HUBC-PRIVACY-FLAG	15	65	HIBC-PRIVACY-FLAG	PIC X	1								N-No data to go forward from carrier site Blank-Data not private

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-DATE-BILLED	15	66	HIBC-DATE-BILLED	PIC S9(07) COMP-3	4								Format - CCYYDDD
	15	67	HIBC-CARRIER-HEADER-DATA										
HUBC-EXAMINER-NO	20	68	HIBC-EXAMINER-NO	PIC X	2							Redefined -- :XB:-IDE-IDENT X(3) 'IDE' + :XB:-IDE-NUMBER X(7) + X(9) Redefined -- :XB:-CPO-IDENT X(3) 'CPO' + :XB:-CPO-NUMBER X(6) + :XB:-CPO-NPI X(10)	
HUBC-REMARKS	20	69	HIBC-REMARKS										
HUBC-CPO-IDENT	25	70	HIBC-CPO-IDENT	PIC X	3							Redefine of remarks only moved if CPO-Identification equals "CPO"	
HUBC-CPO-NUMBER	25	71	HIBC-CPO-NUMBER	PIC X	6		90				CPO-PRVDR-NUM	Redefine of remarks only moved if CPO-Identification equals "CPO"	
HUBC-CPO-NPI	25	72	HIBC-CPO-NPI	PIC X	10		91				CPO-ORG-NPI-NUM		
HUBC-MICRO-IND	20	73	HIBC-MICRO-IND	PIC X	2							Redefined -- :XD:-ORDERING-UPIN	
HUBC-UPIN	20	74	HIBC-UPIN	PIC X	6		60				CARR-CLM-RFRG-UPIN-NUM	Redefined -- OCCURS 12 TIMES INDEXED :XB:-DIAG-INDEX as :XB:-DIAGNOSIS-CODE-IND X(1) '9', ZERO + :XB:-DIAGNOSIS-CODE X(7)	
HUBC-DIAGNOSIS-CODES	20	75	HIBC-DIAGNOSIS-CODES			12	123				NCH-DGNS-TRLR-IND-CD	'9', ZERO	
HUBC-DIAGNOSIS-CODE-IND	25	76	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	1	53				CLM-DGNS-VRSN-CD	'9' - ICD-9 '0' - ICD-10	
HUBC-DIAGNOSIS-CODE	25	77	HIBC-DIAGNOSIS-CODE	PIC X	7	1	54				CLM-PRNCPAL-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	78	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	1	124				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	79	HIBC-DIAGNOSIS-CODE	PIC X	7	1	125				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	80	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	2	125.01				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	81	HIBC-DIAGNOSIS-CODE	PIC X	7	2	125.02				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	82	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	3	125.03				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	83	HIBC-DIAGNOSIS-CODE	PIC X	7	3	125.04				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	84	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	4	125.05				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	85	HIBC-DIAGNOSIS-CODE	PIC X	7	4	125.06				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	86	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	5	125.07				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	87	HIBC-DIAGNOSIS-CODE	PIC X	7	5	125.08				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	88	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	6	125.09				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	89	HIBC-DIAGNOSIS-CODE	PIC X	7	6	125.1				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	90	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	7	125.11				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	91	HIBC-DIAGNOSIS-CODE	PIC X	7	7	125.12				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	92	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	8	125.13				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	93	HIBC-DIAGNOSIS-CODE	PIC X	7	8	125.14				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	94	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	9	125.15				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	95	HIBC-DIAGNOSIS-CODE	PIC X	7	9	125.16				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	96	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	10	125.17				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	97	HIBC-DIAGNOSIS-CODE	PIC X	7	10	125.18				CLM-DGNS-CD		
HUBC-DIAGNOSIS-CODE-IND	25	98	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	11	125.19				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	99	HIBC-DIAGNOSIS-CODE	PIC X	7	11	125.2				CLM-DGNS-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-DIAGNOSIS-CODE-IND	25	100	HIBC-DIAGNOSIS-CODE-IND	PIC X	1	12	125.21				CLM-DGNS-VRSN-CD		
HUBC-DIAGNOSIS-CODE	25	101	HIBC-DIAGNOSIS-CODE	PIC X	7	12	125.22				CLM-DGNS-CD		
	20	102	HIBC-CARRIER-HEADER-UNUSED	PIC X	9								
	15	103	HIBC-CUR-ENT-DATE	PIC S9(07) COMP-3	4								
	15	104	HIBC-CUR-TRM-DATE	PIC S9(07) COMP-3	4								
	15	105	HIBC-PR-ENT-DATE	PIC S9(07) COMP-3	4								
	15	106	HIBC-PR-TRM-DATE	PIC S9(07) COMP-3	4								
	15	107	HIBC-DOD	PIC S9(07) COMP-3	4								
	15	108	HIBC-BENE-EXH-PSYC-IND	PIC X	1								
	15	109	HIBC-BENE-EXH-OT-IND	PIC X	1								
	15	110	HIBC-BENE-EXH-PT-IND	PIC X	1								
	15	111	HIBC-NO-PSYC-LINE-ITEMS	PIC 9	2								
	15	112	HIBC-MEDICARE-STATUS-CODE	PIC X	2		47				CWF-BENE-MDCR-STUS-CD		
	15	113	HIBC-STAT-SAMP-FLAG	PIC X	1								
	15	114	HIBC-DUP-ALERT-IND	PIC X	4								
HUBC-CROSSOVER-ID-AREA	15	115	HIBC-CROSSOVER-ID-AREA										
HUBC-CROSSOVER-ID-X	20	116	HIBC-CROSSOVER-ID-X										
HUBC-CROSSOVER-ID	25	117	HIBC-CROSSOVER-ID	PIC 9	10								
HUBC-CROSSOVER-IND	20	118	HIBC-CROSSOVER-IND	PIC X	2								
HUBC-CROSSOVER-ID-RESERVED	15	119	HIBC-CROSSOVER-ID-RESERVED	PIC X	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	120	HIBC-FIXED-AREA-UNUSED-1	PIC X	8							3/23/2012 - New rules for demo numbers with July 2012 release. If demo number is 61, 62, 63 or 64, a demo trailer will NOT be created, they will be moved to -CARE-IMPRVMT-M1, 2, 3 or 4	01-RUGS 02-HHA 03-TELEMED 04-UMWA 05-CHOICES 06-CABG 07-COE 08-MPPP 15-ESRD 30-LUNG 31-VA 37-MCCD 38-ENCOUNTER 39-CENTRALIZED BILLING PPV & FLU 40-HIS 45-Expansion of Coverage for Chiropractic services 46-Low Vision 48-ADULT DAYCARE 49-HEMODIALYSIS 51-LAB COMP BID 54-ACE Demo 58- MAPCP Demo 59 – ACO Demonstration 60- PMDA Demo 61-Model 1 62-Model 2 63-Model 3
HUBC-DEMO-NUM	15	121	HIBC-DEMO-NUM	PIC X	2	1	120				CLM-DEMO-ID-NUM		OCCURS 4 TIMES
HUBC-DEMO-NUM	15	122	HIBC-DEMO-NUM	PIC X	2	2	121.1				CLM-DEMO-ID-NUM		INDEXED HUBC-DEMO-INDEX
HUBC-DEMO-NUM	15	123	HIBC-DEMO-NUM	PIC X	2	3	121.2				CLM-DEMO-ID-NUM	Demo number 64 will be found in CARE-IMPRVMT-M4	
HUBC-DEMO-NUM	15	124	HIBC-DEMO-NUM	PIC X	2	4	121.3				CLM-DEMO-ID-NUM		
HUBC-EXCP-NONEXCP-IND	15	125	HIBC-EXCP-NONEXCP-IND	PIC X	1		56				CLM-EXCPTD-NEXCPTD-TRTMT-CD		1-Excepted 2-Nonexcepted
HUBC-SITE-OF-SERV	15	126	HIBC-SITE-OF-SERV	PIC X	16								ID# HSPxxxxxxx xxxxxx
HUBC-CWF-IND	15	127	HIBC-CWF-IND	PIC X	1								G-CWF generated D- CWF generated due to Date of Death
HUBC-OVERRIDE-TABLE	15	128	HIBC-OVERRIDE-TABLE										
HUBC-OVERRIDE-EDIT	20	129	HIBC-OVERRIDE-EDIT	PIC X	4	1							OCCURS 5 TIMES
	20	130	HIBC-OVERRIDE-EDIT	PIC X	4	2							INDEXED HUBC-OV-INDEX
	20	131	HIBC-OVERRIDE-EDIT	PIC X	4	3							
	20	132	HIBC-OVERRIDE-EDIT	PIC X	4	4							
	20	133	HIBC-OVERRIDE-EDIT	PIC X	4	5							
HUBC-LIAB-IND	15	134	HIBC-LIAB-IND	PIC X	1								L-Liability N-No Liability
HUDC-NCPDP-IND	15	135	HIDC-NCPDP-IND	PIC X	1								
HUDC-IHS-IND	15	136	HIDC-IHS-IND	PIC X	1								S-IHS/Supplier H-HIS/Hospital

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-SANCTIONED-IND	15	137	HIBC-SANCTIONED-IND	PIC X	1								S = Sanctioned Provider Space = Non-Sanctioned Provider
HUBC-MASS-ADJ-IND	15	138	HIBC-MASS-ADJ-IND	PIC X	1		85				CLM-MASS-ADJSTMT-IND-CD		M' – Mass Adjustment (MPFS) 'O' - Mass Adjustment /Other - Space
HUBC-CLAIM-ADJ-IND	15	139	HIBC-CLAIM-ADJ-IND	PIC X	1								N' - Non-Adjustment 'A' - Adjustment - Space
HUBC-CT-REGISTRY	15	140	HIBC-CT-REGISTRY										
HUBC-CT-REGISTRY-NUM	20	141	HIBC-CT-REGISTRY-NUM	PIC 9	8		73				CLM-CLNCL-TRIL-NUM		
	15	142	HIBC-NPI-PLACEHOLDER	PIC X	1								'Y' and Spaces
HUBC-COBA-BYPASS	15	143	HIBC-COBA-BYPASS	PIC X	2								'BA'-Add History bypass, 'BB'-No BOI Record bypass, 'BC'-Abbreviated Encounter bypass, 'BD'-Claim Disp other than 01, 03, or 05, 'BE'-NOE bypass, 'BF'-Demo Claim bypass, 'BN'-COBYPASS bypass, 'BP'-Sanctioned Provider bypass, 'BQ'- PQRI bypass, 'BP'- PARI bypass
HUBC-PQRI-IND	15	144	HIBC-PQRI-IND	PIC X	1								'Q' and Space.
HUBC-SOS-NPI	15	145	HIBC-SOS-NPI	PIC X	10								
HUBC-RAC-ADJ-IND	15	146	HIBC-RAC-ADJ-IND	PIC X	1		74				CLM-RAC-ADJSTMT-IND-CD		'R' and Space.
HUBC-PWK-IND	15	147	HIBC-PWK-IND	PIC X	2		75				CLM-PWK-CD		
HUBC-PWK-FILLER	15	148	HIBC-PWK-FILLER	PIC X	18								
	15	149	HIBC-CIOCPTB	PIC X	9								
HUBC-CAS-IND	15	150	HIBC-CAS-IND	PIC X	1								'G' and Space.
HUBC-FPS-HEADER-INFO	15	151	HUBC-FPS-HEADER-INFO										
HUBC-FPS-H-MODEL-NUMBER	20	152	HUBC-FPS-H-MODEL-NUMBER	PIC X	2		80				CLM-FPS-MODEL-NUM		
HUBC-FPS-H-REASON-CODE	20	153	HUBC-FPS-H-REASON-CODE	PIC X	3		81				CLM-FPS-RSN-CD		
HUBC-FPS-H-REMARK-CODE	20	154	HUBC-FPS-H-REMARK-CODE	PIC X	5		82				CLM-FPS-RMRK-CD		
HUBC-FPS-H-MSN-CODES	20	155	HUBC-FPS-H-MSN-CODES										
HUBC-FPS-H-MSN-CODE-1	25	156	HUBC-FPS-H-MSN-CODE-1	PIC X	5		83				CLM-FPS-MSN-1-CD		
HUBC-FPS-H-MSN-CODE-2	25	157	HUBC-FPS-H-MSN-CODE-2	PIC X	5		84				CLM-FPS-MSN-2-CD		
HUBC-FIRST-DIAG-CODE	15	158	HIBC-FIRST-DIAG-CODE	PIC X	1								Y' SPACE PRESENT - 'Y'
HUBC-NMO-CBA-IND	15	159	HIBC-NMO-CBA-IND	PIC X	5								
HUBC-BILLING-NPI	15	160	HIBC-BILLING-NPI	PIC X	10		94				CARR-CLM-BLG-NPI-NUM		
HUBC-FIXED-AREA-UNUSED	15	161	HIBC-FIXED-AREA-UNUSED-2	PIC X	265								
HUBC-RESERVED-FOR-CWF	10	162	HIBC-RESERVED-FOR-CWF	PIC X	300							Redefined -- PIC X(6500)	
	10	163	HIBC-LINE-ITEMS									OCCURS 13 TIMES INDEXED :XB:-INDEX :XB:-LIMIT	
HUBC-LINE-ITEM	12	164	HIBC-LINE-ITEM			13							
HUBC-HCFA-LINE-CNTL-DATA		165	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD	ZERO THRU '99', '50'	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-HCFA-PROV-SPEC	20	166	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	Valid non-Physician Specialty Codes are: '42', '43', '45', '49', '80' '50' THRU '59' '60' THRU '65' '67' THRU '69' '87' THRU '89' '95' THRU '97' 'A0' THRU 'A8
HUBC-HCFA-PROV-TYPE	20	167	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		Code as follows: 0-Clinics, groups, associateions, partnerships, or other entities for whom the carrier's own ID number has been assigned. 1-Physicians or suppliers billing as solo practitioners for whom SS numbers are shown in the physician ID code field. 2-Physicians or suppliers billing as solo practitioners for the carrier's own physician ID code is shown. 3-Suppliers (other than sole proprietorship) for whom the carrier's own code has been shown. 5-Institutional providers and independent laboratories for whom E1 numbers are used in coding the ID field 6-Institutional providers and independent laboratories for whom the carrier's own ID number is shown. 7-Clinics, groups, associations, or partnerships, for whom E1 numbers are used in coding the ID field. 8-Other entities for whom E1 numbers

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-HCFA-TYPE	20	168	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		0-Whole Blood, or Packed Red Cells 1-Medical Care 2-Surgery 3-Consultation 4-Diagnostic X-ray 5-Diagnostic Laboratory 6-Radiation Therapy 7-Anesthesia 8-Assistance at Surgery 9-Other <u>Medical – Service</u> A-Used DME B-Highrisk Mammography C-Low-risk Mammography F-Ambulatory Surgical Center (Facility Usage) G-Immunosuppressive Drugs received within 12 months of a Medicare covered transplant I-Installment purchase <u>DME</u> L-Renal supplier in home M-Monthly Capitation Payment (Dialysis) N-Kidney Donor P-Lump Sum purchase of DME R-Rental of DME T-Psychological Therapy U-Occupational Therapy V-Pneumococcal Vaccine W-Physical Therapy <u>Y-Second opinion on Elective surgery</u>
HUBC-HCFA-ASSIGN-IND	20	169	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		1-Participating Provider 2-All, or some covered status and allowed expenses applied to deductible participating provider 3-Assignment accepted nonparticipating provider. 4-Assignment not accepted nonparticipating provider. 5-Assignment accepted but all, or some covered and allowed expenses applied to deductible - nonparticipating provider. 6-Assignment not accepted and all covered expenses applied to deductible - non-par provider 7-Participating provider not accepting

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-HCFA-PAY-PROCESS-IND	20	170	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		00-COB 11100-11119, 11121, 11122, 11125, 11126, 11139, 11141, 11142, 11143 A-Allowed B-Benefits exhausted C-Non-Covered Care D-Denied due to Demonstration involvement E-First Claim Development F-Trauma Code Development G-Secondary Claims investigation H-Self Reports I-Invalid Data J-411.25 K-Insurer Voluntary Reporting L-Clinical Lab Improvement Amendment (CLIA) M-Multiple submittal (i.e. duplicate line item) N-Medical Necessity O-Other P-Physician Ownership Q-Employer voluntary reporting R-Reprocessed adjustment based on subsequent reprocessing of claim S-Secondary Payer T-IEQ Contractor MSP Cost avoid U-HMO Rate ell Adjustment MSP cost avoid V-Litigation settlement MSP cost avoid W-Workmen's Comp X-MSP cost avoid generic Y-IRS/SSA Data Match
HUBC-HCFA-REIMB-IND	20	171	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		0-80% (for medical, Psych., or drug claim). 1-100% (for medical) 3-100% (limitation of liability only).
HUBC-HCFA-DED-IND	20	172	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		0-Subject to deductible 1-Not subject to deductible
HUBC-HCFA-PROV-IND	20	173	HIBC-HCFA-PROV-IND	PIC X	1								0-Not available 1-Not in provider sample, nclusive ID number 2-Not in provider sample, inclusive ID number 3-In provider sample, inclusive ID number 4-In provider sample, site only ID number

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-HCFA-PAYSCREEN-IND	20	174	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		1-Actual charge 2-Customary charge 3-Prevailing charge (adjusted, unadjusted gap fill, lowest charge level, etc) 4-Other (including ASC facility fees and outpatient limits and nonpayment because of denial) 5-Lab/Fee schedule 6-Physician Fee Schedule Full Fee Schedule Amount 7-Physician Fee Schedule Transition Amount 8-Clinical Psychologist Fee Schedule 9-Durable Medical Equipment and Prosthetics, Orthotics, Supplies
HUBC-HCFA-MT	20	175	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
HUBC-HCFA-MT-IND	20	176	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		0-Values reported as zero 1-Transportation miles 2-Anesthesia time unit 3-Number of Services reported as zero 4-Oxygen vol. units 5-Blood units 6-Drug Dosage
HUBC-PROC-CODE	15	177	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
HUBC-HCPCS-MODIFIERS	15	178	HIBC-HCPCS-MODIFIERS										
HUBC-PROC-CODE-MOD1	20	179	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
HUBC-PROC-CODE-MOD2	20	180	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
HUDC-PROC-CODE-MOD3	20	181	HIDC-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
HUDC-PROC-CODE-MOD4	20	182	HIDC-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		183		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		184		PIC X	7		153				LINE-IDE-NUM		
		185		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 56.54.	
		186		PIC S9(9)V999 COMP-3	6		155				LINE-NCH-PMT-AMT		
HUBC-SUBMITTED-CHGS	15	187	HIBC-SUBMITTED-CHGS	PIC S9(05)V999 COMP-3	4		167				LINE-SBMT-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-ALLOWED-CHGS	15	188	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
HUBC-SS-NUMBER	15	189	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		190		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
HUBC-PROVIDER-CODES	15	191	HIBC-PROVIDER-CODES										
HUBC-PROV-AREA	20	192	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
HUBC-PROV-SPEC	20	193	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
HUBC-CARR-TYPE-SERV	15	194	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-PLACE	15	195	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		05-Indian Health Service Freestanding Facility 06-Indian Health Service Provider based Facility 07-Tribal 638 Freestanding Facility 08-Tribal 638 Provider based Facility 11-Office 12-Home 13-Assisted Living Facility 14-Group Home 21-Inpatient Hospital 22-Outpatient Hospital 23-Emergency Room Hospital 24-Ambulatory Surgical Center 25-Birthing Center 26-Military Treatment Facility 31-Skilled Nursing Facility 32-Nursing Facility 33-Custodial Care Facility 34-Hospice 41-Ambulance, Land 42-Ambulance, Air or water 49-Independent Clinic 51-Inpatient Psychiatric Facility 52-Psychiatric Facility Partial Hospitalization 53-Community Mental Health Center 54-Intermediate Care 55-Residential Substance Abuse Treatment Facility 56-Psychiatric Residential Treatment Center 57-Nonresidential Substance Abuse Treatment Facility 61-Comprehensive Inpatient Rehabilitation Facility 62-Comprehensive Outpatient Rehabilitation Facility
HUBC-LI-DATES-OF-SERVICE	15	196	HIBC-LI-DATES-OF-SERVICE										
HUBC-FROM-DATE	20	197	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		Format - CCYYDDD
HUBC-THRU-DATE	20	198	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		Format - CCYYDDD
HUBC-DOC-SUP	15	199	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN- NUM		
HUBC-NO-SERVICES	15	200	HIBC-NO-SERVICES	PIC S9(07)V99 COMP-3	6		140				LINE-SRVC-CNT		
HUBC-ACTION-CODE	15	201	HIBC-ACTION-CODE	PIC X	2								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-SPEC-PRIC-IND	15	202	HIBC-SPEC-PRIC-IND	PIC X	1								
HUBC-DIAGNOSIS-DATA	15	203	HIBC-DIAGNOSIS-DATA									'9', ZERO	
HUBC-DIAGNOSIS-IND	20	204	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		'9' ICD-9 '0' ICD-10
HUBC-DIAGNOSIS	20	205	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
HUBC-CLINICAL-LAB-ID	15	206	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
HUBC-CLINICAL-LAB-AMT	15	207	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
HUBC-ANESTHESIA	15	208	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT-CNT		
HUBC-DOCUMENT-IND	15	209	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN-IND-CD		0-No additional documentation 1-Additional documentation submitted for non-DME EMC claim. 2-CMN/Prescription/Other documentation submitted which justifies medical necessity. 3-Prior authorization obtained and approved. 4-Prior authorization requested but not approved. 5-SMN/Prescription/Other documentation submitted but did not justify medical necessity. 6-CMN/Prescription/Other documentation submitted and approved after prior authorization rejected. 7-Recertification
HUBC-PATIENT-REIMB	15	210	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
HUBC-PROV-REIMB	15	211	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		
HUBC-CSHDED-APPLIED	15	212	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	
HUBC-LIM-AMT	15	213	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP-3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-BLD-DED (Redefine of HUBC-LIM-AMT)	15	214	HIBC-BLD-DED (Redefine of HIBC-LIM-AMT)				166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		215		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		216		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		217		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
HUBC-MSP-AMT-APPLIED	15	218	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
HUBC-MSP-CODE	15	219	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		A-Working Aged B-ESRD D-No-fault E-Workers' Compensation F-Federal (Public Health) G-Disabled H-Black lung I-Veterans LLiability M-Override code EGHP N-Override code Non EGHP
HUBC-COINS	15	220	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
HUBC-PHYS-SUP-NO-IND	15	221	HIBC-PHYS-SUP-NO-IND	PIC 9	1								0-Default 1-Provider Number represents the same physician/supplier regardless of multiple locations. 2-Provider Number represents one of multiple numbers used for the same physician/supplier
HUBC-LINE-UPIN	15	222	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
HUBC-RENDERING-NPI	15	223	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM	NMUD has the first five characters in LINE-PRVDR-ZIP-CD and the remaining 4 in LINE-PRVDR-ZIP-P4	
HUBC-PHYS-SUP-ZIP-CODE	15	224	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		225											

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-PERCENTAGE-ALLOWED	15	226	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		0-N/A 1-65% physician assistants (PA) prevailing charges for assistant at surgery services. 2-75% PA services furnished in a hospital other than assistant surgery services. 3-85% PA services for other than assistant at surgery
HUBC-DME-COV-DATE	15	227	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		Format - CCYYDDD
HUBC-DME-PURCHASE	15	228	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
HUBC-DME-MED-NECESS	15	229	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		230		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
HUDC-SCRN-SUSP	15	231	HIDC-SCRN-SUSP	PIC X	4								1xxx-Local Cat I screens 2xxx-Local Cat II screens 3xxx-Local Cat III screens Cxxx-Statutorily noncovered screens M1xx-Mandated Cat I screens M2xx-Mandated Cat II screens M3xx-Mandated Cat III screens Muxx-Mandated unbundling screens 11xxx-Local unbundling screens

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUDC-SCRN-RSLT	15	232	HIDC-SCRN-RSLT	PIC X	1								A-Denied for lack of medical necessity; highest level of review was automated Level I B-Reduced (partially denied) for lack of medical necessity; highest level of review was automated Level I C-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was automated Level I D-Denied for coding/unbundling reasons; highest level of review was automated Level I E-Paid after automated Level I review F-Denied for lack of medical necessity; highest level of review was manual Level I G-Reduced (partially denied) for lack of medical necessity; highest level of review was manual Level I H-Denied as statutorily noncovered; highest level of review was automated Level I
HUDC-DECIS-IND	15	233	HIDC-DECIS-IND	PIC X	1								O-Original medical review determination R-Medical review determination after reversal of original decision
HUDC-SCRN-SAVNG	15	234	HIDC-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
HUDC-DME-ALLOW	15	235	HIDC-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
HUDC-NATL-DRUG-CD	15	236	HIDC-NATL-DRUG-CD	PIC X	11								
HUDC-UNITS-IND	15	237	HIDC-UNITS-IND	PIC 9	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUDC-DOCUMENT-IND	15	238	HIDC-DOCUMENT-IND	PIC 9	1								0-No additional Documentation 1-Additional documentation submitted for non-DME EMC claim 2-CMN/Prescription/Other documentation submitted which justifies medical necessity 3-Prior Authorization obtained and approved 4-Prior Authorization requested but not approved 5-CMN/Prescriptions/Other documentation submitted, but did not justify medical necessity 6-CMN/Prescription/Other documentation submitted and approved after prior authorization rejected 7-Recertification CMN/Prescription/Other
HUDC-WAIVER-LIAB	15	239	HIDC-WAIVER-LIAB	PIC X	1								N-Does not apply Y-Beneficiary notified and agrees to pay for the item
HUDC-STATE-CODE	15	240	HIDC-STATE-CODE	PIC X	2								
HUDC-SUPP-ST-CODE	15	241	HIDC-SUPP-ST-CODE	PIC X	2								
HUDC-NOC-CODE-DESC	15	242	HIDC-NOC-CODE-DESC	PIC X	14								
HUBC-AMBULANCE-DROP-OFF-ZIP	15	243	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
HUBC-POP-ZIP-CODE	15	244	HIBC-POP-ZIP-CODE	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
HUDC-UNITS	15	245	HIDC-UNITS	PIC S9(07)V999 COMP-3	6								0-Values reported as zero 3-Number of services 4-Oxygen volume units 6-Drug Dosage
HUBC-LI-OVERRIDE-TABLE	15	246	HIBC-LI-OVERRIDE-TABLE										
HUBC-LI-OVERRIDE-EDIT	20	247	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							OCCURS 5 TIMES
HUBC-LI-OVERRIDE-EDIT	20	248	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							INDEXED HUBC-LI-OV-INDEX
HUBC-LI-OVERRIDE-EDIT	20	249	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
HUBC-LI-OVERRIDE-EDIT	20	250	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
HUBC-LI-OVERRIDE-EDIT	20	251	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
HUBC-SUSP-DUP-REV-IND	15	252	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		1-Suspect duplicate review performed
HUBC-HPSA-SCARCITY-IND	15	253	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	1 = HPSA 2 = PSA 3 = HPSA and PSA 4 = HSIP 5 = HPSA and HSIP 6 = PCIP 7 = HPSA and PCIP Space = Not Applicable
HUBC-PRESCRIPTION	15	254	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
HUBC-VENDOR-ID	20	255	HIBC-VENDOR-ID	PIC X	4								
HUBC-HCPCS	20	256	HIBC-HCPCS	PIC X	5								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-VENDOR-PR-NUM	20	257	HIBC-VENDOR-PR-NUM	PIC X	21								
HUDC-NCB-IND	15	258	HIDC-NCB-IND	PIC X	1								
HUBC-TEST-TYPE	15	259	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
HUBC-TEST-RESULTS	15	260	HIBC-TEST-RESULTS									In NMUD if LINE-HCT-HGB-RSLT- NUM is not numeric then a '?' is moved to HCT-HGB-RSLT-NUM- NULLIND	
HUBC-TEST-RESULTS-N	20	261	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
HUBC-PWK-LINE-ITEM-IND	15	262	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		P1 – one iteration is present P2 - two iterations are present P3 - three iterations are present P4 - four iterations are present P5 - five iterations are present P6 - six iterations are present P7 - seven iterations are present P8 - eight iterations are present P9 - nine iterations are present P0 - ten iterations are present
HUBC-PWK-LINE-ITEM-FILLER	15	263	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
HUBC-MSP-WORKMEN-COMP-IND	15	264	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
HUBC-LIAB-DEN-IND	15	265	HIBC-LIAB-DEN-IND	PIC X	1								Valid Values = 'B' or space.
HUBC-MSP-LIAB-IND	15	266	HIBC-MSP-LIAB-IND	PIC X	1								Valid Values = 'Y' or Space
HUDC-BENE-ZIP-CD	15	267	HIDC-BENE-ZIP-CD	PIC X	9								
HUDC-DCBP-IND	15	268	HIDC-DCBP-IND	PIC X	1							For testing only valued on first line and have demo code 60	
HUBC-PMDA-TRACKING-NUM	15	269	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
HUBC-FPS-DETAIL-INFO	15	270	HIBC-FPS-DETAIL-INFO										
HUBC-FPS-D-MODEL-NUMBER	20	271	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
HUBC-FPS-D-REASON-CODE	20	272	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
HUBC-FPS-D-REMARK-CODE	20	273	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
HUBC-FPS-D-MSN-CODES	20	274	HIBC-FPS-D-MSN-CODES										
HUBC-FPS-D-MSN-CODE-1	25	275	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
HUBC-FPS-D-MSN-CODE-2	25	276	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
HUBC-OTH-AMTS-APPLIED-AREA	15	277	HIBC-OTH-AMTS-APPLIED-AREA										
HUBC-OTH-AMTS-TABLE	20	278	HIBC-OTH-AMTS-TABLE			7						OCCURS 7 TIMES	
HUBC-OTH-AMTS-APPLIED	25	279	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT	INDEXED HUBC-OAA-INDEX.	
HUBC-OTH-AMTS-APPLIED	25	280	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
HUBC-OTH-AMTS-APPLIED	25	281	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
HUBC-OTH-AMTS-APPLIED	25	282	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-OTH-AMTS-APPLIED	25	283	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
HUBC-OTH-AMTS-APPLIED	25	284	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
HUBC-OTH-AMTS-APPLIED	25	285	HIBC-OTH-AMTS-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
HUBC-OTH-AMTS-IND	25	286	HIBC-OTH-AMTS-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD	A-Gramm-Rudman reduction Required for services (03/03/1986-09/30/1986) B-Interest addition C-Positive rounding adjustment (due to line item distribution from total claim reimbursement amount) D-Negative rounding adjustment (due to line item distribution from total claim reimbursementamount) E-Primary payer allowed charge F-Good cause G- PMD Demonstration Reduction J-Paid Amount and not Pioneer Reduction L-ACO Pioneer Reduction	
HUBC-OTH-AMTS-IND	25	287	HIBC-OTH-AMTS-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
HUBC-OTH-AMTS-IND	25	288	HIBC-OTH-AMTS-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
HUBC-OTH-AMTS-IND	25	289	HIBC-OTH-AMTS-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
HUBC-OTH-AMTS-IND	25	290	HIBC-OTH-AMTS-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
HUBC-OTH-AMTS-IND	25	291	HIBC-OTH-AMTS-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
HUBC-OTH-AMTS-IND	25	292	HIBC-OTH-AMTS-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
HUBC-LEGS-IND1	15	293	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD	Valid values A,B,C,D A - Hospital Outpatient claims are subject to the therapy cap for this Date of Service. (This indicator will be used on institutional claimsonly.) B - Critical Access Hospital Outpatient claims are subject to the therapy cap for this Date C – The therapy cap exceptions process, as indicated by the submission of the 'KX' Modifier, no longer applies for this Date of Service. (This indicator will be used on both institutional and professional claims.) D – The \$3700 threshold for review of therapy services no longer applies for this Date of Service. (This indicator will be used on both institutional and professional	
HUBC-LEGS-IND2	15	294	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD	Same As Above	
HUBC-LEGS-IND3	15	295	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD	Same As Above	
HUBC-LEGS-IND4	15	296	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD	Same As Above	
HUBC-LEGS-IND5	15	297	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD	Same As Above	
HUBC-CBP-DATE	15	298	HIBC-CBP-DATE	PIC S9(07) COMP-3	4							Format - CCYYDDD	
HUBC-CBA	15	299	HIBC-CBA	PIC X	5								
HUBC-POS-ADDRESS	15	300	HIBC-POS-ADDRESS										
HUBC-POS-ORG-NAME	20	301	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
HUBC-POS-FIRST-NAME	20	302	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
HUBC-POS-MIDDLE-NAME	20	303	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
HUBC-POS-ADDRESS1	20	304	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
HUBC-POS-ADDRESS2	20	305	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
HUBC-POS-CITY	20	306	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
HUBC-POS-STATE	20	307	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
HUBC-POS-ZIP	20	308	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
HUBC-NPI-GROUP-IND	15	309	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		'Y' 'N' Space
HUBC-LINE-ITEM-UNUSED	15	310	HIBC-LINE-ITEM-UNUSED	PIC X	299								
	15	311	HIBC-PLACE-OLD	PIC X	1								
	15	312	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	313	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	314	XDI-CANCER-DRUG-IND	PIC X	1								
	15	315	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	316	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	317	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	318	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	319	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	320	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	321	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	322	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	323	HIBC-HCFA-PROV-IND	PIC X	1								
	20	324	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	325	HIBC-HCFA-MT	PIC S9(07)V99 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	326	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	327	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	328	HIBC-HCPCS-MODIFIERS										
	20	329	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	330	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	331	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	332	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		333		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		334		PIC X	7		153				LINE-IDE-NUM		
		335		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB	
		336		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	337	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	338	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	339	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		340		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	341	HIBC-PROVIDER-CODES										

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	342	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	343	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	344	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	345	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	346	HIBC-LI-DATES-OF-SERVICE										
	20	347	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	348	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	349	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	350	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	351	HIBC-ACTION-CODE	PIC X	2								
	15	352	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	353	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	354	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	355	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	356	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	357	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	358	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	359	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN-IND-CD		
	15	360	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
	15	361	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		
	15	362	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	363	HIBC-LIM-AMT	PIC S9(05)V99 COMP-3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		364					166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		365		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		366		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		367		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	368	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	369	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	370	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	371	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	372	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	373	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	374	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		375											
	15	376	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	377	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	378	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	379	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		380		PIC X	1		186				LINE-CNSLDTD-BLG-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	381	:XD:-SCRN-SUSP	PIC X	4								
	15	382	:XD:-SCRN-RSLT	PIC X	1								
	15	383	:XD:-DECIS-IND	PIC X	1								
	15	384	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4								
	15	385	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4								
	15	386	:XD:-NATL-DRUG-CD	PIC X	11								
	15	387	:XD:-UNITS-IND	PIC 9	1								
	15	388	:XD:-DOCUMENT-IND	PIC 9	1								
	15	389	:XD:-WAIVER-LIAB	PIC X	1								
	15	390	:XD:-STATE-CODE	PIC X	2								
	15	391	:XD:-SUPP-ST-CODE	PIC X	2								
	15	392	:XD:-NOC-CODE-DESC	PIC X	14								
	15	393	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP- CD		
	15	394	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	395	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6								
	15	396	HIBC-LI-OVERRIDE-TABLE										
	20	397	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	398	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	399	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	400	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	401	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	402	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	403	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY- IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	404	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	405	HIBC-VENDOR-ID	PIC X	4								
	20	406	HIBC-HCPCS	PIC X	5								
	20	407	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	408	:XD:-NCB-IND	PIC X	1								
	15	409	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	410	HIBC-TEST-RESULTS										
	20	411	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	412	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	413	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	414	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	415	HIBC-LIAB-DEN-IND	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	416	HIBC-MSP-LIAB-IND	PIC X	1								
	15	417	HIBC-BENE-ZIP-CD	PIC X	9								
	15	418	HIBC-DCBP-IND	PIC X	1								
	15	419	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	420	HIBC-FPS-DETAIL-INFO										
	20	421	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	422	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	423	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	424	HIBC-FPS-D-MSN-CODES										
	25	425	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	426	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	427	HIBC-OTH-AMTS-APPLIED-AREA										
	20	428	HIBC-OTH-AMTS-TABLE			7							
	25	429	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	430	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	431	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	432	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	433	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	434	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	435	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	436	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	437	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	438	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	439	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	440	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	441	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	442	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	443	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	444	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	445	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	446	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	447	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	448	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	449	HIBC-CBA	PIC X	5								
	15	450	HIBC-POS-ADDRESS										
	20	451	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	452	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	453	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	454	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	455	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	456	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	457	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	458	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	459	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	460	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	461	HIBC-PLACE-OLD	PIC X	1								
	15	462	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	463	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	464	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	465	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	466	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	467	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	468	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	469	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	470	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	471	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	472	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	473	HIBC-HCFA-PROV-IND	PIC X	1								
	20	474	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	475	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	476	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	477	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	478	HIBC-HCPCS-MODIFIERS										
	20	479	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	480	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	481	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	482	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		483		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		484		PIC X	7		153				LINE-IDE-NUM		
		485		PIC X	11		154				LINE-NATL-DRUG-CD	Value is 60.54.Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB	
		486		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	487	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	488	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	489	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		490		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	491	HIBC-PROVIDER-CODES										
	20	492	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	493	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	494	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	495	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	496	HIBC-LI-DATES-OF-SERVICE										
	20	497	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	498	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	499	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	500	HIBC-NO-SERVICES	PIC S9(07)V99 COMP-3	6		140				LINE-SRVC-CNT		
	15	501	HIBC-ACTION-CODE	PIC X	2								
	15	502	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	503	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	504	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	505	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	506	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	507	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V99 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	508	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	509	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	510	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	511	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	512	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	513	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		514					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		515		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	
		516		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW- CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	
		517		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN- AMT		
	15	518	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	519	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	520	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		161				LINE-COINSRNC-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	521	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	522	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN- NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	523	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI- NUM		
	15	524	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		525											
	15	526	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	527	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	528	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	529	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO- CNT	Derived from values of line- override-edit; default is 0.	
		530		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	531	:XD:-SCRN-SUSP	PIC X	4								
	15	532	:XD:-SCRN-RSLT	PIC X	1								
	15	533	:XD:-DECIS-IND	PIC X	1								
	15	534	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4								
	15	535	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4								
	15	536	:XD:-NATL-DRUG-CD	PIC X	11								
	15	537	:XD:-UNITS-IND	PIC 9	1								
	15	538	:XD:-DOCUMENT-IND	PIC 9	1								
	15	539	:XD:-WAIVER-LIAB	PIC X	1								
	15	540	:XD:-STATE-CODE	PIC X	2								
	15	541	:XD:-SUPP-ST-CODE	PIC X	2								
	15	542	:XD:-NOC-CODE-DESC	PIC X	14								
	15	543	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP- CD		
	15	544	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	545	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6								
	15	546	HIBC-LI-OVERRIDE-TABLE										
	20	547	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	548	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	549	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	550	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	551	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	552	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	553	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	554	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	555	HIBC-VENDOR-ID	PIC X	4								
	20	556	HIBC-HCPCS	PIC X	5								
	20	557	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	558	:XD:-NCB-IND	PIC X	1								
	15	559	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	560	HIBC-TEST-RESULTS										
	20	561	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	562	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	563	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	564	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	565	HIBC-LIAB-DEN-IND	PIC X	1								
	15	566	HIBC-MSP-LIAB-IND	PIC X	1								
	15	567	HIBC-BENE-ZIP-CD	PIC X	9								
	15	568	HIBC-DCBP-IND	PIC X	1								
	15	569	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	570	HIBC-FPS-DETAIL-INFO										
	20	571	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	572	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	573	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	574	HIBC-FPS-D-MSN-CODES										
	25	575	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	576	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	577	HIBC-OTH-AMTS-APPLIED-AREA										
	20	578	HIBC-OTH-AMTS-TABLE			7							
	25	579	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	580	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	581	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	582	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	583	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	584	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	585	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	586	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	587	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	588	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	589	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	590	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	591	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	592	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	593	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	594	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	595	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	596	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	597	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	598	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	599	HIBC-CBA	PIC X	5								
	15	600	HIBC-POS-ADDRESS										
	20	601	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	602	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	603	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	604	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	605	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	606	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	607	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	608	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	609	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	610	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	611	HIBC-PLACE-OLD	PIC X	1								
	15	612	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	613	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	614	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	615	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	616	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	617	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	618	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	619	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	620	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	621	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	622	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	623	HIBC-HCFA-PROV-IND	PIC X	1								
	20	624	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	625	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	626	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	627	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	628	HIBC-HCPCS-MODIFIERS										
	20	629	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	630	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	631	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	632	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		633		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		634		PIC X	7		153				LINE-IDE-NUM		
		635		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 62.54 upon output.	
		636		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	637	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	638	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	639	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		640		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	641	HIBC-PROVIDER-CODES										
	20	642	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	643	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	644	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	645	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	646	HIBC-LI-DATES-OF-SERVICE										
	20	647	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	648	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	649	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN- NUM		
	15	650	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	651	HIBC-ACTION-CODE	PIC X	2								
	15	652	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	653	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	654	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	655	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	656	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	657	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG- AMT		
	15	658	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	659	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	660	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
	15	661	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		
	15	662	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	663	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP-3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		664					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		665		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		666		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		667		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	668	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	669	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	670	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	671	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	672	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	673	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	674	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		675											
	15	676	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	677	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	678	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	679	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		680		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	681	:XD:-SCRN-SUSP	PIC X	4								
	15	682	:XD:-SCRN-RSLT	PIC X	1								
	15	683	:XD:-DECIS-IND	PIC X	1								
	15	684	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	685	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	686	:XD:-NATL-DRUG-CD	PIC X	11								
	15	687	:XD:-UNITS-IND	PIC 9	1								
	15	688	:XD:-DOCUMENT-IND	PIC 9	1								
	15	689	:XD:-WAIVER-LIAB	PIC X	1								
	15	690	:XD:-STATE-CODE	PIC X	2								
	15	691	:XD:-SUPP-ST-CODE	PIC X	2								
	15	692	:XD:-NOC-CODE-DESC	PIC X	14								
	15	693	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	694	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	695	:XD:-UNITS	PIC S9(07)V999 COMP-3	6								
	15	696	HIBC-LI-OVERRIDE-TABLE										
	20	697	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	698	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	699	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	700	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	701	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	702	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	703	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	704	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	705	HIBC-VENDOR-ID	PIC X	4								
	20	706	HIBC-HCPCS	PIC X	5								
	20	707	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	708	:XD:-NCB-IND	PIC X	1								
	15	709	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	710	HIBC-TEST-RESULTS										
	20	711	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	712	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	713	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	714	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	715	HIBC-LIAB-DEN-IND	PIC X	1								
	15	716	HIBC-MSP-LIAB-IND	PIC X	1								
	15	717	HIBC-BENE-ZIP-CD	PIC X	9								
	15	718	HIBC-DCBP-IND	PIC X	1								
	15	719	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	720	HIBC-FPS-DETAIL-INFO										
	20	721	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	722	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	723	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	724	HIBC-FPS-D-MSN-CODES										
	25	725	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	726	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	727	HIBC-OTH-AMTS-APPLIED-AREA										
	20	728	HIBC-OTH-AMTS-TABLE			7							
	25	729	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	730	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	731	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	732	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	733	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	734	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	735	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	736	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	737	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	738	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	739	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	740	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	741	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	742	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	743	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	744	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	745	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	746	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	747	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	748	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	749	HIBC-CBA	PIC X	5								
	15	750	HIBC-POS-ADDRESS										
	20	751	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	752	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	753	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	754	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	755	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	756	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	757	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	758	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	759	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	760	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	761	HIBC-PLACE-OLD	PIC X	1								
	15	762	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	763	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	764	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	765	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	766	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	767	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	768	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	769	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	770	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	771	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	772	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	773	HIBC-HCFA-PROV-IND	PIC X	1								
	20	774	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	775	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	776	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	777	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	778	HIBC-HCPCS-MODIFIERS										
	20	779	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	780	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	781	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	782	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		783		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		784		PIC X	7		153				LINE-IDE-NUM		
		785		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 64.54.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		786		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	787	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	788	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALLOW-CHRG-AMT		
	15	789	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		790		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	791	HIBC-PROVIDER-CODES										
	20	792	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	793	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	794	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	795	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	796	HIBC-LI-DATES-OF-SERVICE										
	20	797	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	798	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	799	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	800	HIBC-NO-SERVICES	PIC S9(07)V99 COMP-3	6		140				LINE-SRVC-CNT		
	15	801	HIBC-ACTION-CODE	PIC X	2								
	15	802	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	803	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	804	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	805	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	806	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	807	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V99 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	808	HIBC-ANESTHESIA	PIC S9(07)V99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	809	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	810	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	811	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	812	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	
	15	813	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC-BLOOD-LIMIT. Default value is 0.	
		814					166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		815		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		816		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		817		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	818	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	819	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	820	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		161				LINE-COINSRNC-AMT		
	15	821	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	822	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	823	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	824	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		825											
	15	826	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	827	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	828	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	829	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		830		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	831	:XD:-SCRN-SUSP	PIC X	4								
	15	832	:XD:-SCRN-RSLT	PIC X	1								
	15	833	:XD:-DECIS-IND	PIC X	1								
	15	834	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	835	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	836	:XD:-NATL-DRUG-CD	PIC X	11								
	15	837	:XD:-UNITS-IND	PIC 9	1								
	15	838	:XD:-DOCUMENT-IND	PIC 9	1								
	15	839	:XD:-WAIVER-LIAB	PIC X	1								
	15	840	:XD:-STATE-CODE	PIC X	2								
	15	841	:XD:-SUPP-ST-CODE	PIC X	2								
	15	842	:XD:-NOC-CODE-DESC	PIC X	14								
	15	843	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	844	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	845	:XD:-UNITS	PIC S9(07)V999 COMP-3	6								
	15	846	HIBC-LI-OVERRIDE-TABLE										
	20	847	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	848	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	849	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	850	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	851	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	852	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	853	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	854	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	855	HIBC-VENDOR-ID	PIC X	4								
	20	856	HIBC-HCPCS	PIC X	5								
	20	857	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	858	:XD:-NCB-IND	PIC X	1								
	15	859	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	860	HIBC-TEST-RESULTS										
	20	861	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	862	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	863	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	864	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	865	HIBC-LIAB-DEN-IND	PIC X	1								
	15	866	HIBC-MSP-LIAB-IND	PIC X	1								
	15	867	HIBC-BENE-ZIP-CD	PIC X	9								
	15	868	HIBC-DCBP-IND	PIC X	1								
	15	869	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	870	HIBC-FPS-DETAIL-INFO										
	20	871	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	872	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	873	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	874	HIBC-FPS-D-MSN-CODES										
	25	875	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	876	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	877	HIBC-OTH-AMTS-APPLIED-AREA										
	20	878	HIBC-OTH-AMTS-TABLE			7							
	25	879	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	880	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	881	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	882	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	883	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	884	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	885	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	886	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	887	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	888	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	889	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	890	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	891	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	892	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	893	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	894	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	895	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	896	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	897	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	898	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	899	HIBC-CBA	PIC X	5								
	15	900	HIBC-POS-ADDRESS										
	20	901	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	902	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	903	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	904	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	905	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	906	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	907	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	908	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	909	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI- ASCTN-CD		
	15	910	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	911	HIBC-PLACE-OLD	PIC X	1								
	15	912	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	913	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND- CD		
	15	914	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	915	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	916	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY- CD	The field before this one on MQRCRIC6 is QAR6-PERF- GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	917	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	918	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	919	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND- CD		
	20	920	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	921	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	922	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	923	HIBC-HCFA-PROV-IND	PIC X	1								
	20	924	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	925	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	926	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	927	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	928	HIBC-HCPCS-MODIFIERS										
	20	929	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	930	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	931	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	932	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		933		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		934		PIC X	7		153				LINE-IDE-NUM		
		935		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 66.54.	
		936		PIC S9(9)V999 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	937	HIBC-SUBMITTED-CHGS	PIC S9(05)V999 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	938	HIBC-ALLOWED-CHGS	PIC S9(05)V999 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	939	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		940		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	941	HIBC-PROVIDER-CODES										
	20	942	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	943	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	944	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	945	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	946	HIBC-LI-DATES-OF-SERVICE										
	20	947	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	948	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	949	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	950	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		140				LINE-SRVC-CNT		
	15	951	HIBC-ACTION-CODE	PIC X	2								
	15	952	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	953	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	954	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	955	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	956	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	957	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	958	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	959	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	960	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	961	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	962	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	963	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		964					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		965		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		966		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		967		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	968	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	969	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	970	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	971	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	972	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	973	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	974	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		975											
	15	976	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	977	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	978	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	979	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		980		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	981	:XD:-SCRN-SUSP	PIC X	4								
	15	982	:XD:-SCRN-RSLT	PIC X	1								
	15	983	:XD:-DECIS-IND	PIC X	1								
	15	984	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	985	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	986	:XD:-NATL-DRUG-CD	PIC X	11								
	15	987	:XD:-UNITS-IND	PIC 9	1								
	15	988	:XD:-DOCUMENT-IND	PIC 9	1								
	15	989	:XD:-WAIVER-LIAB	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	990	:XD:-STATE-CODE	PIC X	2								
	15	991	:XD:-SUPP-ST-CODE	PIC X	2								
	15	992	:XD:-NOC-CODE-DESC	PIC X	14								
	15	993	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	994	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	995	:XD:-UNITS	PIC S9(07)V9 99 COMP-3	6								
	15	996	HIBC-LI-OVERRIDE-TABLE										
	20	997	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	998	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	999	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1000	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1001	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1002	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1003	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1004	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1005	HIBC-VENDOR-ID	PIC X	4								
	20	1006	HIBC-HCPCS	PIC X	5								
	20	1007	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1008	:XD:-NCB-IND	PIC X	1								
	15	1009	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1010	HIBC-TEST-RESULTS										
	20	1011	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1012	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1013	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1014	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1015	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1016	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1017	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1018	HIBC-DCBP-IND	PIC X	1								
	15	1019	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1020	HIBC-FPS-DETAIL-INFO										
	20	1021	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1022	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1023	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1024	HIBC-FPS-D-MSN-CODES										
	25	1025	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1026	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1027	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1028	HIBC-OTH-AMTS-TABLE			7							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	1029	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1030	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1031	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1032	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1033	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1034	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1035	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1036	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1037	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1038	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1039	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1040	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1041	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1042	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1043	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1044	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1045	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1046	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1047	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1048	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1049	HIBC-CBA	PIC X	5								
	15	1050	HIBC-POS-ADDRESS										
	20	1051	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1052	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1053	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1054	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1055	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1056	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1057	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1058	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1059	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI- ASCTN-CD		
	15	1060	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1061	HIBC-PLACE-OLD	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1062	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1063	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	1064	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1065	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1066	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1067	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1068	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1069	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1070	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1071	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1072	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1073	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1074	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1075	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		175				CARR-LINE-MTUS-CNT		
	20	1076	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1077	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1078	HIBC-HCPCS-MODIFIERS										
	20	1079	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1080	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1081	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1082	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1083		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1084		PIC X	7		153				LINE-IDE-NUM		
		1085		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 68.54.	
		1086		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1087	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		167				LINE-SBMT-CHRG-AMT		
	15	1088	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		168				LINE-ALOW-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1089	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1090		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1091	HIBC-PROVIDER-CODES										
	20	1092	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1093	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1094	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1095	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1096	HIBC-LI-DATES-OF-SERVICE										
	20	1097	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1098	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1099	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1100	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1101	HIBC-ACTION-CODE	PIC X	2								
	15	1102	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1103	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1104	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	1105	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1106	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1107	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	1108	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1109	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	1110	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
	15	1111	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1112	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	
	15	1113	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC-BLOOD-LIMIT. Default value is 0.	
		1114					166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1115		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1116		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1117		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	1118	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1119	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1120	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		161				LINE-COINSRNC-AMT		
	15	1121	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1122	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN- NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1123	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI- NUM		
	15	1124	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		1125											
	15	1126	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	1127	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD- STRT-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1128	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1129	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit: default is 0.	
		1130		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	1131	:XD:-SCRN-SUSP	PIC X	4								
	15	1132	:XD:-SCRN-RSLT	PIC X	1								
	15	1133	:XD:-DECIS-IND	PIC X	1								
	15	1134	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	1135	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	1136	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1137	:XD:-UNITS-IND	PIC 9	1								
	15	1138	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1139	:XD:-WAIVER-LIAB	PIC X	1								
	15	1140	:XD:-STATE-CODE	PIC X	2								
	15	1141	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1142	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1143	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1144	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1145	:XD:-UNITS	PIC S9(07)V999 COMP-3	6								
	15	1146	HIBC-LI-OVERRIDE-TABLE										
	20	1147	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1148	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1149	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1150	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1151	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1152	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1153	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1154	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1155	HIBC-VENDOR-ID	PIC X	4								
	20	1156	HIBC-HCPCS	PIC X	5								
	20	1157	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1158	:XD:-NCB-IND	PIC X	1								
	15	1159	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1160	HIBC-TEST-RESULTS										
	20	1161	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1162	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1163	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1164	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1165	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1166	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1167	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1168	HIBC-DCBP-IND	PIC X	1								
	15	1169	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1170	HIBC-FPS-DETAIL-INFO										
	20	1171	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1172	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1173	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1174	HIBC-FPS-D-MSN-CODES										
	25	1175	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1176	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1177	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1178	HIBC-OTH-AMTS-TABLE			7							
	25	1179	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1180	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1181	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1182	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1183	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1184	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1185	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1186	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1187	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1188	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1189	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1190	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1191	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1192	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1193	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1194	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1195	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1196	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1197	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1198	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1199	HIBC-CBA	PIC X	5								
	15	1200	HIBC-POS-ADDRESS										
	20	1201	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1202	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1203	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1204	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1205	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1206	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1207	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1208	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1209	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI- ASCTN-CD		
	15	1210	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1211	HIBC-PLACE-OLD	PIC X	1								
	15	1212	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1213	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND- CD		
	15	1214	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1215	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1216	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY- CD	The field before this one on MQRCRIC6 is QAR6-PERF- GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1217	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1218	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1219	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND- CD		
	20	1220	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1221	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1222	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1223	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1224	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1225	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		175				CARR-LINE-MTUS-CNT		
	20	1226	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1227	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1228	HIBC-HCPCS-MODIFIERS										
	20	1229	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1230	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1231	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1232	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1233		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1234		PIC X	7		153				LINE-IDE-NUM		
		1235		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 70.54.	
		1236		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1237	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	1238	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	1239	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1240		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1241	HIBC-PROVIDER-CODES										
	20	1242	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1243	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1244	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1245	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1246	HIBC-LI-DATES-OF-SERVICE										
	20	1247	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1248	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1249	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1250	HIBC-NO-SERVICES	PIC S9(07)V99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1251	HIBC-ACTION-CODE	PIC X	2								
	15	1252	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1253	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1254	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1255	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1256	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1257	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	1258	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1259	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	1260	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	1261	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	1262	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	
	15	1263	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC-BLOOD-LIMIT. Default value is 0.	
		1264					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1265		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1266		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW- CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1267		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN- AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1268	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1269	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1270	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	1271	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1272	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1273	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	1274	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1275											
	15	1276	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1277	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1278	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1279	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		1280		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	1281	:XD:-SCRN-SUSP	PIC X	4								
	15	1282	:XD:-SCRN-RSLT	PIC X	1								
	15	1283	:XD:-DECIS-IND	PIC X	1								
	15	1284	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	1285	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	1286	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1287	:XD:-UNITS-IND	PIC 9	1								
	15	1288	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1289	:XD:-WAIVER-LIAB	PIC X	1								
	15	1290	:XD:-STATE-CODE	PIC X	2								
	15	1291	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1292	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1293	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1294	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1295	:XD:-UNITS	PIC S9(07)V99 COMP-3	6								
	15	1296	HIBC-LI-OVERRIDE-TABLE										
	20	1297	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1298	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1299	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1300	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1301	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1302	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1303	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1304	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1305	HIBC-VENDOR-ID	PIC X	4								
	20	1306	HIBC-HCPCS	PIC X	5								
	20	1307	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1308	:XD:-NCB-IND	PIC X	1								
	15	1309	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1310	HIBC-TEST-RESULTS										
	20	1311	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1312	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1313	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1314	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1315	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1316	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1317	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1318	HIBC-DCBP-IND	PIC X	1								
	15	1319	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1320	HIBC-FPS-DETAIL-INFO										
	20	1321	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1322	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1323	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1324	HIBC-FPS-D-MSN-CODES										
	25	1325	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1326	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1327	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1328	HIBC-OTH-AMTS-TABLE			7							
	25	1329	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1330	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	1331	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1332	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1333	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1334	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1335	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1336	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1337	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1338	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1339	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1340	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1341	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1342	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1343	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1344	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1345	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1346	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1347	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1348	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1349	HIBC-CBA	PIC X	5								
	15	1350	HIBC-POS-ADDRESS										
	20	1351	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1352	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1353	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1354	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1355	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1356	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1357	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1358	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1359	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	1360	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1361	HIBC-PLACE-OLD	PIC X	1								
	15	1362	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1363	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	1364	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1365	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1366	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1367	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1368	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1369	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1370	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1371	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1372	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1373	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1374	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1375	HIBC-HCFA-MT	PIC S9(07)V99 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	1376	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1377	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1378	HIBC-HCPCS-MODIFIERS										
	20	1379	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1380	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1381	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1382	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1383		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1384		PIC X	7		153				LINE-IDE-NUM		
		1385		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB Value is 72.54.	
		1386		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1387	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	1388	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	1389	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1390		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1391	HIBC-PROVIDER-CODES										
	20	1392	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1393	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1394	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1395	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1396	HIBC-LI-DATES-OF-SERVICE										
	20	1397	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1398	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1399	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN- NUM		
	15	1400	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1401	HIBC-ACTION-CODE	PIC X	2								
	15	1402	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1403	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1404	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	1405	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1406	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1407	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	1408	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1409	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	1410	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
	15	1411	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		
	15	1412	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1413	HIBC-LIM-AMT	PIC S9(05)V99 COMP-3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		1414					166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1415		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1416		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1417		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	1418	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1419	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1420	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	1421	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1422	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1423	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	1424	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1425											
	15	1426	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1427	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1428	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1429	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		1430		PIC X	1		186				LINE-CNSLDTD-BLG-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1431	:XD:-SCRN-SUSP	PIC X	4								
	15	1432	:XD:-SCRN-RSLT	PIC X	1								
	15	1433	:XD:-DECIS-IND	PIC X	1								
	15	1434	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4								
	15	1435	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4								
	15	1436	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1437	:XD:-UNITS-IND	PIC 9	1								
	15	1438	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1439	:XD:-WAIVER-LIAB	PIC X	1								
	15	1440	:XD:-STATE-CODE	PIC X	2								
	15	1441	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1442	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1443	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP- CD		
	15	1444	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1445	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6								
	15	1446	HIBC-LI-OVERRIDE-TABLE										
	20	1447	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1448	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1449	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1450	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1451	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1452	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1453	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY- IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1454	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1455	HIBC-VENDOR-ID	PIC X	4								
	20	1456	HIBC-HCPCS	PIC X	5								
	20	1457	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1458	:XD:-NCB-IND	PIC X	1								
	15	1459	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1460	HIBC-TEST-RESULTS										
	20	1461	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1462	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1463	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1464	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1465	HIBC-LIAB-DEN-IND	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1466	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1467	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1468	HIBC-DCBP-IND	PIC X	1								
	15	1469	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1470	HIBC-FPS-DETAIL-INFO										
	20	1471	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1472	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1473	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1474	HIBC-FPS-D-MSN-CODES										
	25	1475	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1476	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1477	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1478	HIBC-OTH-AMTS-TABLE			7							
	25	1479	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1480	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1481	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1482	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1483	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1484	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1485	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1486	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1487	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1488	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1489	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1490	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1491	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1492	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1493	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1494	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1495	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1496	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1497	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1498	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1499	HIBC-CBA	PIC X	5								
	15	1500	HIBC-POS-ADDRESS										
	20	1501	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1502	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1503	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1504	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1505	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1506	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1507	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1508	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1509	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	1510	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1511	HIBC-PLACE-OLD	PIC X	1								
	15	1512	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1513	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	1514	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1515	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1516	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1517	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1518	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1519	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1520	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1521	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1522	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1523	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1524	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1525	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	1526	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1527	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1528	HIBC-HCPCS-MODIFIERS										
	20	1529	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1530	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1531	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1532	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1533		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		1534		PIC X	7		153				LINE-IDE-NUM		
		1535		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 74.54.	
		1536		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1537	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	1538	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP-3	4		168				LINE-ALOW-CHRG-AMT		
	15	1539	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREE6 program	
		1540		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1541	HIBC-PROVIDER-CODES										
	20	1542	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1543	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1544	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1545	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1546	HIBC-LI-DATES-OF-SERVICE										
	20	1547	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1548	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1549	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1550	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1551	HIBC-ACTION-CODE	PIC X	2								
	15	1552	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1553	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1554	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	1555	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1556	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1557	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1558	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1559	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	1560	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	1561	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	1562	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	1563	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		1564					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1565		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	
		1566		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW- CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	
		1567		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN- AMT		
	15	1568	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		160				LINE-BENE-PRMRY-PYR-PD- AMT		
	15	1569	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1570	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		161				LINE-COINSRNC-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1571	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1572	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN- NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1573	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI- NUM		
	15	1574	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR- ZIP-CD		
		1575											
	15	1576	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN- ASTNT-CD		
	15	1577	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD- STRT-DT		
	15	1578	HIBC-DME-PURCHASE	PIC S9(04)V9 9 COMP- 3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1579	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO- CNT	Derived from values of line- override-edit; default is 0.	
		1580		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	1581	:XD:-SCRN-SUSP	PIC X	4								
	15	1582	:XD:-SCRN-RSLT	PIC X	1								
	15	1583	:XD:-DECIS-IND	PIC X	1								
	15	1584	:XD:-SCRN-SAVNG	PIC S9(05)V9 9 COMP- 3	4								
	15	1585	:XD:-DME-ALLOW	PIC S9(05)V9 9 COMP- 3	4								
	15	1586	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1587	:XD:-UNITS-IND	PIC 9	1								
	15	1588	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1589	:XD:-WAIVER-LIAB	PIC X	1								
	15	1590	:XD:-STATE-CODE	PIC X	2								
	15	1591	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1592	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1593	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP- CD		
	15	1594	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1595	:XD:-UNITS	PIC S9(07)V9 99 COMP- 3	6								
	15	1596	HIBC-LI-OVERRIDE-TABLE										
	20	1597	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1598	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1599	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1600	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1601	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1602	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1603	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1604	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1605	HIBC-VENDOR-ID	PIC X	4								
	20	1606	HIBC-HCPCS	PIC X	5								
	20	1607	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1608	:XD:-NCB-IND	PIC X	1								
	15	1609	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1610	HIBC-TEST-RESULTS										
	20	1611	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1612	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1613	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1614	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1615	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1616	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1617	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1618	HIBC-DCBP-IND	PIC X	1								
	15	1619	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1620	HIBC-FPS-DETAIL-INFO										
	20	1621	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1622	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1623	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1624	HIBC-FPS-D-MSN-CODES										
	25	1625	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1626	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1627	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1628	HIBC-OTH-AMTS-TABLE			7							
	25	1629	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1630	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1631	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1632	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1633	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1634	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	1635	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1636	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1637	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1638	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1639	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1640	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1641	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1642	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1643	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1644	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1645	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1646	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1647	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1648	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1649	HIBC-CBA	PIC X	5								
	15	1650	HIBC-POS-ADDRESS										
	20	1651	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1652	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1653	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1654	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1655	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1656	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1657	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1658	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1659	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	1660	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1661	HIBC-PLACE-OLD	PIC X	1								
	15	1662	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1663	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	1664	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1665	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1666	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1667	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1668	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1669	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1670	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1671	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1672	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1673	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1674	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1675	HIBC-HCFA-MT	PIC S9(07)V9 99 COMP- 3	6		175				CARR-LINE-MTUS-CNT		
	20	1676	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1677	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1678	HIBC-HCPCS-MODIFIERS										
	20	1679	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1680	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1681	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1682	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1683		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1684		PIC X	7		153				LINE-IDE-NUM		
		1685		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 76.54.	
		1686		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1687	HIBC-SUBMITTED-CHGS	PIC S9(05)V9 9 COMP- 3	4		167				LINE-SBMT-CHRG-AMT		
	15	1688	HIBC-ALLOWED-CHGS	PIC S9(05)V9 9 COMP- 3	4		168				LINE-ALLOW-CHRG-AMT		
	15	1689	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1690		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1691	HIBC-PROVIDER-CODES										
	20	1692	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1693	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1694	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1695	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1696	HIBC-LI-DATES-OF-SERVICE										
	20	1697	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1698	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1699	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN- NUM		
	15	1700	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1701	HIBC-ACTION-CODE	PIC X	2								
	15	1702	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1703	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1704	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	1705	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1706	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1707	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	1708	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	1709	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	1710	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP-3	4		156				LINE-BENE-PMT-AMT		
	15	1711	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP-3	4		157				LINE-PRVDR-PMT-AMT		
	15	1712	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP-3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	1713	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP-3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD-LIMIT. Default value is 0.	
		1714					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		1715		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1716		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1717		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	1718	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1719	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1720	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	1721	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1722	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1723	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	1724	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1725											
	15	1726	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1727	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1728	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1729	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		1730		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	1731	:XD:-SCRN-SUSP	PIC X	4								
	15	1732	:XD:-SCRN-RSLT	PIC X	1								
	15	1733	:XD:-DECIS-IND	PIC X	1								
	15	1734	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1735	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	1736	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1737	:XD:-UNITS-IND	PIC 9	1								
	15	1738	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1739	:XD:-WAIVER-LIAB	PIC X	1								
	15	1740	:XD:-STATE-CODE	PIC X	2								
	15	1741	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1742	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1743	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1744	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1745	:XD:-UNITS	PIC S9(07)V999 COMP-3	6								
	15	1746	HIBC-LI-OVERRIDE-TABLE										
	20	1747	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1748	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1749	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1750	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1751	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1752	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1753	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	1754	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1755	HIBC-VENDOR-ID	PIC X	4								
	20	1756	HIBC-HCPCS	PIC X	5								
	20	1757	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1758	:XD:-NCB-IND	PIC X	1								
	15	1759	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1760	HIBC-TEST-RESULTS										
	20	1761	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1762	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1763	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1764	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1765	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1766	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1767	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1768	HIBC-DCBP-IND	PIC X	1								
	15	1769	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1770	HIBC-FPS-DETAIL-INFO										
	20	1771	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1772	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1773	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1774	HIBC-FPS-D-MSN-CODES										
	25	1775	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1776	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1777	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1778	HIBC-OTH-AMTS-TABLE			7							
	25	1779	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1780	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1781	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1782	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1783	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1784	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1785	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1786	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1787	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	1788	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1789	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1790	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1791	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1792	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1793	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1794	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1795	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1796	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1797	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1798	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1799	HIBC-CBA	PIC X	5								
	15	1800	HIBC-POS-ADDRESS										
	20	1801	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1802	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1803	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1804	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1805	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1806	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1807	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1808	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1809	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI-ASCTN-CD		
	15	1810	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1811	HIBC-PLACE-OLD	PIC X	1								
	15	1812	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1813	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	1814	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1815	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1816	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY-CD	The field before this one on MQRCRIC6 is QAR6-PERF-GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1817	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1818	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1819	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND-CD		
	20	1820	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1821	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1822	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1823	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1824	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		
	20	1825	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	1826	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1827	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1828	HIBC-HCPCS-MODIFIERS										
	20	1829	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1830	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1831	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1832	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1833		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1834		PIC X	7		153				LINE-IDE-NUM		
		1835		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 78.54.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		1836		PIC S9(9)V99 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1837	HIBC-SUBMITTED-CHGS	PIC S9(05)V99 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	1838	HIBC-ALLOWED-CHGS	PIC S9(05)V99 COMP-3	4		168				LINE-ALLOW-CHRG-AMT		
	15	1839	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1840		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1841	HIBC-PROVIDER-CODES										
	20	1842	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1843	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1844	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1845	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1846	HIBC-LI-DATES-OF-SERVICE										
	20	1847	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1848	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1849	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		
	15	1850	HIBC-NO-SERVICES	PIC S9(07)V99 COMP-3	6		140				LINE-SRVC-CNT		
	15	1851	HIBC-ACTION-CODE	PIC X	2								
	15	1852	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	1853	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	1854	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	1855	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	1856	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	1857	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V99 COMP-3	4		170				CARR-LINE-CLNCL-LAB-CHRG-AMT		
	15	1858	HIBC-ANESTHESIA	PIC S9(07)V99 COMP-3	6		180				CARR-LINE-ANSTHSA-UNIT-CNT		
	15	1859	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1860	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	1861	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	1862	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT	
	15	1863	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT-LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC-BLOOD-LIMIT. Default value is 0.	
		1864					166				CARR-LINE-BLOOD-DDCTBL-QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		1865		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1866		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		1867		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	1868	HIBC-MSP-AMT-APPLIED	PIC S9(05)V9 9 COMP- 3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	1869	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	1870	HIBC-COINS	PIC S9(05)V9 9 COMP- 3	4		161				LINE-COINSRNC-AMT		
	15	1871	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	1872	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	1873	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1874	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		1875											
	15	1876	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	1877	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	1878	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	1879	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		1880		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	1881	:XD:-SCRN-SUSP	PIC X	4								
	15	1882	:XD:-SCRN-RSLT	PIC X	1								
	15	1883	:XD:-DECIS-IND	PIC X	1								
	15	1884	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	1885	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	1886	:XD:-NATL-DRUG-CD	PIC X	11								
	15	1887	:XD:-UNITS-IND	PIC 9	1								
	15	1888	:XD:-DOCUMENT-IND	PIC 9	1								
	15	1889	:XD:-WAIVER-LIAB	PIC X	1								
	15	1890	:XD:-STATE-CODE	PIC X	2								
	15	1891	:XD:-SUPP-ST-CODE	PIC X	2								
	15	1892	:XD:-NOC-CODE-DESC	PIC X	14								
	15	1893	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	1894	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	1895	:XD:-UNITS	PIC S9(07)V999 COMP-3	6								
	15	1896	HIBC-LI-OVERRIDE-TABLE										
	20	1897	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	1898	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	1899	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	1900	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	1901	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	1902	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	1903	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	1904	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	1905	HIBC-VENDOR-ID	PIC X	4								
	20	1906	HIBC-HCPCS	PIC X	5								
	20	1907	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	1908	:XD:-NCB-IND	PIC X	1								
	15	1909	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	1910	HIBC-TEST-RESULTS										
	20	1911	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	1912	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	1913	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	1914	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	1915	HIBC-LIAB-DEN-IND	PIC X	1								
	15	1916	HIBC-MSP-LIAB-IND	PIC X	1								
	15	1917	HIBC-BENE-ZIP-CD	PIC X	9								
	15	1918	HIBC-DCBP-IND	PIC X	1								
	15	1919	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	1920	HIBC-FPS-DETAIL-INFO										
	20	1921	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	1922	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	1923	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	1924	HIBC-FPS-D-MSN-CODES										
	25	1925	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	1926	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	1927	HIBC-OTH-AMTS-APPLIED-AREA										
	20	1928	HIBC-OTH-AMTS-TABLE			7							
	25	1929	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	1930	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	1931	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	1932	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	1933	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	1934	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	1935	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	1936	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	1937	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	1938	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	1939	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	1940	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	1941	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	1942	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	1943	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	1944	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	1945	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	1946	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	1947	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	1948	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	1949	HIBC-CBA	PIC X	5								
	15	1950	HIBC-POS-ADDRESS										
	20	1951	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	1952	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	1953	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	1954	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	1955	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	1956	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	1957	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	1958	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	1959	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI- ASCTN-CD		
	15	1960	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	1961	HIBC-PLACE-OLD	PIC X	1								
	15	1962	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	1963	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND- CD		
	15	1964	:XD:-CANCER-DRUG-IND	PIC X	1								
	15	1965	HIBC-HCFA-LINE-CNTL-DATA				127				NCH-LINE-TRLR-IND-CD		
	20	1966	HIBC-HCFA-PROV-SPEC	PIC X	2		136				LINE-HCFA-PRVDR-SPCLTY- CD	The field before this one on MQRCRIC6 is QAR6-PERF- GROUP-NPI, which is blanked. This field is ok. It's not on the spreadsheet.	
	20	1967	HIBC-HCFA-PROV-TYPE	PIC X	1		132				CARR-LINE-PRVDR-TYPE-CD		
	20	1968	HIBC-HCFA-TYPE	PIC X	1		141				LINE-HCFA-TYPE-SRVC-CD		
	20	1969	HIBC-HCFA-ASSIGN-IND	PIC X	1		138				LINE-PRVDR-PRTCPTG-IND- CD		
	20	1970	HIBC-HCFA-PAY-PROCESS-IND	PIC X	2		171				LINE-PRCSG-IND-CD		
	20	1971	HIBC-HCFA-REIMB-IND	PIC X	1		172				LINE-PMT-80-100-CD		
	20	1972	HIBC-HCFA-DED-IND	PIC X	1		173				LINE-SRVC-DDCTBL-IND-SW		
	20	1973	HIBC-HCFA-PROV-IND	PIC X	1								
	20	1974	HIBC-HCFA-PAYSCREEN-IND	PIC X	1		174				LINE-PMT-IND-CD		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	1975	HIBC-HCFA-MT	PIC S9(07)V999 COMP-3	6		175				CARR-LINE-MTUS-CNT		
	20	1976	HIBC-HCFA-MT-IND	PIC X	1		176				CARR-LINE-MTUS-IND-CD		
	15	1977	HIBC-PROC-CODE	PIC X	5		147				LINE-HCPCS-CD		
	15	1978	HIBC-HCPCS-MODIFIERS										
	20	1979	HIBC-PROC-CODE-MOD1	PIC X	2		148				LINE-HCPCS-INITL-MDFR-CD		
	20	1980	HIBC-PROC-CODE-MOD2	PIC X	2		149				LINE-HCPCS-2ND-MDFR-CD		
	20	1981	:XD:-PROC-CODE-MOD3	PIC X	2		150				LINE-HCPCS-3RD-MDFR-CD		
	20	1982	:XD:-PROC-CODE-MOD4	PIC X	2		151				LINE-HCPCS-4TH-MDFR-CD		
		1983		PIC X	3		152				LINE-NCH-BETOS-CD	IDE number is at the base claim level in CWF and a redefine of the remarks field. It is at the line level in the CRIC.	
		1984		PIC X	7		153				LINE-IDE-NUM		
		1985		PIC X	11		154				LINE-NATL-DRUG-CD	Calculated = QAR6-PATIENT-REIMB (QAR6-LINE-COUNT) + QAR6-PROV-REIMB. Value is 80.54.	
		1986		PIC S9(9)V999 COMP-3	6		155				LINE-NCH-PMT-AMT		
	15	1987	HIBC-SUBMITTED-CHGS	PIC S9(05)V999 COMP-3	4		167				LINE-SBMT-CHRG-AMT		
	15	1988	HIBC-ALLOWED-CHGS	PIC S9(05)V999 COMP-3	4		168				LINE-ALLOW-CHRG-AMT		
	15	1989	HIBC-SS-NUMBER	PIC X	10		133				LINE-PRVDR-TAX-NUM	Valued based upon either the first 5 or first 3 bytes of the HUBC-PHYS-SUP-ZIP-CODE in the MORMREF6 program	
		1990		PIC X	2		134				LINE-NCH-PRVDR-STATE-CD		
	15	1991	HIBC-PROVIDER-CODES										
	20	1992	HIBC-PROV-AREA	PIC X	2		144				CARR-LINE-PRCNG-LCLTY-CD		
	20	1993	HIBC-PROV-SPEC	PIC X	2		137				CARR-LINE-PRVDR-SPCLTY-CD		
	15	1994	HIBC-CARR-TYPE-SERV	PIC X	2		142				CARR-LINE-TYPE-SRVC-CD		
	15	1995	HIBC-PLACE	PIC 9	2		143				LINE-PLC-SRVC-CD		
	15	1996	HIBC-LI-DATES-OF-SERVICE										
	20	1997	HIBC-FROM-DATE	PIC S9(07) COMP-3	4		145				LINE-1ST-EXPNS-DT		
	20	1998	HIBC-THRU-DATE	PIC S9(07) COMP-3	4		146				LINE-LAST-EXPNS-DT		
	15	1999	HIBC-DOC-SUP	PIC X	10		128				CARR-LINE-PRFRMG-PIN-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	2000	HIBC-NO-SERVICES	PIC S9(07)V9 99 COMP- 3	6		140				LINE-SRVC-CNT		
	15	2001	HIBC-ACTION-CODE	PIC X	2								
	15	2002	HIBC-SPEC-PRIC-IND	PIC X	1								
	15	2003	HIBC-DIAGNOSIS-DATA									'9', ZERO	
	20	2004	HIBC-DIAGNOSIS-IND	PIC X	1		178				LINE-DGNS-VRSN-CD		
	20	2005	HIBC-DIAGNOSIS	PIC X	7		179				LINE-DGNS-CD		
	15	2006	HIBC-CLINICAL-LAB-ID	PIC X	10		169				CARR-LINE-CLNCL-LAB-NUM		
	15	2007	HIBC-CLINICAL-LAB-AMT	PIC S9(04)V9 9 COMP- 3	4		170				CARR-LINE-CLNCL-LAB-CHRG AMT		
	15	2008	HIBC-ANESTHESIA	PIC S9(07)V9 99 COMP- 3	6		180				CARR-LINE-ANSTHSA-UNIT- CNT		
	15	2009	HIBC-DOCUMENT-IND	PIC X	1		182				LINE-ADDTNL-CLM-DCMTN- IND-CD		
	15	2010	HIBC-PATIENT-REIMB	PIC S9(05)V9 9 COMP- 3	4		156				LINE-BENE-PMT-AMT		
	15	2011	HIBC-PROV-REIMB	PIC S9(05)V9 9 COMP- 3	4		157				LINE-PRVDR-PMT-AMT		
	15	2012	HIBC-CSHDED-APPLIED	PIC S9(03)V9 9 COMP- 3	3		158				LINE-BENE-PTB-DDCTBL-AMT	Derived: HUBC-LIM-AMT is moved to the output field QAR6-LIMIT-AMT if HUBC-HCFA-TYPE = 'T' or 'U' or 'W'. Default is zero. HUBC-LIM-AMT is a redefinition of HUBC-BLOOD-LIMIT.	
	15	2013	HIBC-LIM-AMT	PIC S9(05)V9 9 COMP- 3	4		162				CARR-LINE-PSYCH-OT-PT- LMT-AMT	If HUBC-HCFA-TYPE = '0', HUBC-BLD-DED is moved to this field; else, zeroes are moved here on output. HUBC-BLD-DED is a redefinition of HUBC- BLOOD- LIMIT. Default value is 0.	
		2014					166				CARR-LINE-BLOOD-DDCTBL- QTY	Derived: If the oth-appl-ind = 'B', the oth-applied amount is added to a hold area; that hold area is moved to this field. All 7 indicators are checked. Default value is 0.	
		2015		PIC S9(9)V99 COMP-3	6		163				LINE-INTRST-AMT	All corresponding amounts to oth-appl-ind values of 'E' are added to a hold area, which is then moved to this field. Derrived, need to review code. All 7 indicators are checked. Default value is 0.	

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		2016		PIC S9(9)V99 COMP-3	6		164				LINE-PRMRY-PYR-ALLOW-CHRG-AMT	All corresponding amounts to oth-appl-ind values of 'F' are added to a hold area, which is then moved to this field. Derived, need to review code. All 7 indicators are checked. Default value is 0.	
		2017		PIC S9(9)V99 COMP-3	6		165				LINE-10PCT-PNLTY-RDCTN-AMT		
	15	2018	HIBC-MSP-AMT-APPLIED	PIC S9(05)V99 COMP-3	4		160				LINE-BENE-PRMRY-PYR-PD-AMT		
	15	2019	HIBC-MSP-CODE	PIC X	1		159				LINE-BENE-PRMRY-PYR-CD		
	15	2020	HIBC-COINS	PIC S9(05)V99 COMP-3	4		161				LINE-COINSRNC-AMT		
	15	2021	HIBC-PHYS-SUP-NO-IND	PIC 9	1								
	15	2022	HIBC-LINE-UPIN	PIC X	6		129				CARR-LINE-PRFRMG-UPIN-NUM	Redefined -- :XD:-SUPPLIER-NPI	
	15	2023	HIBC-RENDERING-NPI	PIC X	10		130				CARR-LINE-PRFRMG-NPI-NUM		
	15	2024	HIBC-PHYS-SUP-ZIP-CODE	PIC X	9		135				CARR-LINE-PRFRMG-PRVDR-ZIP-CD		
		2025											
	15	2026	HIBC-PERCENTAGE-ALLOWED	PIC X	1		139				CARR-LINE-RDCD-PHYSN-ASTNT-CD		
	15	2027	HIBC-DME-COV-DATE	PIC S9(07) COMP-3	4		183				CARR-LINE-DME-CVRG-PRD-STRT-DT		
	15	2028	HIBC-DME-PURCHASE	PIC S9(04)V99 COMP-3	4		184				LINE-DME-PURC-PRICE-AMT		
	15	2029	HIBC-DME-MED-NECESS	PIC 9	2		185				CARR-LINE-DME-NCSTY-MO-CNT	Derived from values of line-override-edit; default is 0.	
		2030		PIC X	1		186				LINE-CNSLDTD-BLG-CD		
	15	2031	:XD:-SCRN-SUSP	PIC X	4								
	15	2032	:XD:-SCRN-RSLT	PIC X	1								
	15	2033	:XD:-DECIS-IND	PIC X	1								
	15	2034	:XD:-SCRN-SAVNG	PIC S9(05)V99 COMP-3	4								
	15	2035	:XD:-DME-ALLOW	PIC S9(05)V99 COMP-3	4								
	15	2036	:XD:-NATL-DRUG-CD	PIC X	11								
	15	2037	:XD:-UNITS-IND	PIC 9	1								
	15	2038	:XD:-DOCUMENT-IND	PIC 9	1								
	15	2039	:XD:-WAIVER-LIAB	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	2040	:XD:-STATE-CODE	PIC X	2								
	15	2041	:XD:-SUPP-ST-CODE	PIC X	2								
	15	2042	:XD:-NOC-CODE-DESC	PIC X	14								
	15	2043	HIBC-AMBULANCE-DROP-OFF-ZIP	PIC X	9		189				CARR-LINE-DROP-OFF-ZIP-CD		
	15	2044	HIBC-POP-ZPCD	PIC X	9		188				CARR-LINE-PNT-PCKP-ZIP-CD		
	15	2045	:XD:-UNITS	PIC S9(07)V9 99 COMP-3	6								
	15	2046	HIBC-LI-OVERRIDE-TABLE										
	20	2047	HIBC-LI-OVERRIDE-EDIT	PIC X	4	1							
	20	2048	HIBC-LI-OVERRIDE-EDIT	PIC X	4	2							
	20	2049	HIBC-LI-OVERRIDE-EDIT	PIC X	4	3							
	20	2050	HIBC-LI-OVERRIDE-EDIT	PIC X	4	4							
	20	2051	HIBC-LI-OVERRIDE-EDIT	PIC X	4	5							
	15	2052	HIBC-SUSP-DUP-REV-IND	PIC X	1		187				LINE-DUP-CLM-CHK-IND-CD		
	15	2053	HIBC-HPSA-SCARCITY-IND	PIC X	1		190				CARR-LINE-HPSA-SCRCTY-IND-CD	HUBC-Vendor ID, HCPCS and Vender-PR-Number make up the RX-Num	
	15	2054	HIBC-PRESCRIPTION				191				CARR-LINE-RX-NUM		
	20	2055	HIBC-VENDOR-ID	PIC X	4								
	20	2056	HIBC-HCPCS	PIC X	5								
	20	2057	HIBC-VENDOR-PR-NUM	PIC X	21								
	15	2058	:XD:-NCB-IND	PIC X	1								
	15	2059	HIBC-TEST-TYPE	PIC X	2		192				LINE-HCT-HGB-TYPE-CD		
	15	2060	HIBC-TEST-RESULTS										
	20	2061	HIBC-TEST-RESULTS-N	PIC 9	2		193				LINE-HCT-HGB-RSLT-NUM		
	15	2062	HIBC-PWK-LINE-ITEM-IND	PIC X	2		195				LINE-PWK-CD		
	15	2063	HIBC-PWK-LINE-ITEM-FILLER	PIC X	18							Default is space for any invalid value	
	15	2064	HIBC-MSP-WORKMEN-COMP-IND	PIC X	1		194				LINE-MSP-WC-IND-CD		
	15	2065	HIBC-LIAB-DEN-IND	PIC X	1								
	15	2066	HIBC-MSP-LIAB-IND	PIC X	1								
	15	2067	HIBC-BENE-ZIP-CD	PIC X	9								
	15	2068	HIBC-DCBP-IND	PIC X	1								
	15	2069	HIBC-PMDA-TRACKING-NUM	PIC X	14		196				LINE-PMD-UNIQ-TRKNG-NUM		
	15	2070	HIBC-FPS-DETAIL-INFO										
	20	2071	HIBC-FPS-D-MODEL-NUMBER	PIC X	2		224				LINE-FPS-MODEL-NUM		
	20	2072	HIBC-FPS-D-REASON-CODE	PIC X	3		225				LINE-FPS-RSN-CD		
	20	2073	HIBC-FPS-D-REMARK-CODE	PIC X	5		226				LINE-FPS-RMRK-CD		
	20	2074	HIBC-FPS-D-MSN-CODES										
	25	2075	HIBC-FPS-D-MSN-CODE-1	PIC X	5		227				LINE-FPS-MSN-1-CD		
	25	2076	HIBC-FPS-D-MSN-CODE-2	PIC X	5		228				LINE-FPS-MSN-2-CD		
	15	2077	HIBC-OTH-AMTS-APPLIED-AREA										
	20	2078	HIBC-OTH-AMTS-TABLE			7							

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	2079	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	1	212				LINE-OTHR-APLD-1-AMT		
	25	2080	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	2	213				LINE-OTHR-APLD-2-AMT		
	25	2081	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	3	214				LINE-OTHR-APLD-3-AMT		
	25	2082	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	4	215				LINE-OTHR-APLD-4-AMT		
	25	2083	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	5	216				LINE-OTHR-APLD-5-AMT		
	25	2084	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	6	217				LINE-OTHR-APLD-6-AMT		
	25	2085	HIBC-OTH-APPLIED	PIC S9(5)V99 COMP-3	4	7	218				LINE-OTHR-APLD-7-AMT		
	25	2086	HIBC-OTH-APPL-IND	PIC X	1	1	205				LINE-OTHR-APLD-IND-1-CD		
	25	2087	HIBC-OTH-APPL-IND	PIC X	1	2	206				LINE-OTHR-APLD-IND-2-CD		
	25	2088	HIBC-OTH-APPL-IND	PIC X	1	3	207				LINE-OTHR-APLD-IND-3-CD		
	25	2089	HIBC-OTH-APPL-IND	PIC X	1	4	208				LINE-OTHR-APLD-IND-4-CD		
	25	2090	HIBC-OTH-APPL-IND	PIC X	1	5	209				LINE-OTHR-APLD-IND-5-CD		
	25	2091	HIBC-OTH-APPL-IND	PIC X	1	6	210				LINE-OTHR-APLD-IND-6-CD		
	25	2092	HIBC-OTH-APPL-IND	PIC X	1	7	211				LINE-OTHR-APLD-IND-7-CD		
	15	2093	HIBC-LEGS-IND1	PIC X	1		219				LINE-THRPY-CAP-IND-1-CD		
	15	2094	HIBC-LEGS-IND2	PIC X	1		220				LINE-THRPY-CAP-IND-2-CD		
	15	2095	HIBC-LEGS-IND3	PIC X	1		221				LINE-THRPY-CAP-IND-3-CD		
	15	2096	HIBC-LEGS-IND4	PIC X	1		222				LINE-THRPY-CAP-IND-4-CD		
	15	2097	HIBC-LEGS-IND5	PIC X	1		223				LINE-THRPY-CAP-IND-5-CD		
	15	2098	HIBC-CBP-DATE	PIC S9(07) COMP-3	4								
	15	2099	HIBC-CBA	PIC X	5								
	15	2100	HIBC-POS-ADDRESS										
	20	2101	HIBC-POS-ORG-NAME	PIC X	60		197				LINE-POS-PHYSN-ORG-NM		
	20	2102	HIBC-POS-FIRST-NAME	PIC X	35		198				LINE-POS-PHYSN-1ST-NM		
	20	2103	HIBC-POS-MIDDLE-NAME	PIC X	25		199				LINE-POS-PHYSN-MDL-NM		
	20	2104	HIBC-POS-ADDRESS1	PIC X	55		200				LINE-POS-PHYSN-ADR1-NM		
	20	2105	HIBC-POS-ADDRESS2	PIC X	55		201				LINE-POS-PHYSN-ADR2-NM		
	20	2106	HIBC-POS-CITY	PIC X	30		202				LINE-POS-PHYSN-CITY-NM		
	20	2107	HIBC-POS-STATE	PIC X	2		203				LINE-POS-PHYSN-STATE		
	20	2108	HIBC-POS-ZIP	PIC X	15		204				LINE-POS-PHYSN-ZIP-CD		
	15	2109	HIBC-NPI-GROUP-IND	PIC X	1		229				LINE-RNDRNG-BLG-NPI- ASCTN-CD		
	15	2110	HIBC-LINE-ITEM-UNUSED	PIC X	300								
	15	2111	HIBC-PLACE-OLD	PIC X	1								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	2112	HIBC-NO-SERVICES-OLD	PIC 9	2							This is redefined to Alert-Flag	
	15	2113	HIBC-CLIA-ALERT-IND	PIC X	1		181				CARR-LINE-CLIA-ALERT-IND-CD		
	15	2114	XD:-CANCER-DRUG-IND	PIC X	1								
	10	2115	HIBC-KEPT-FROM-OSA										
	15	2116	HIBC-PEND-ACC-DTE	PIC S9(07) COMP-3	4		19				CWF-CLM-ACRTN-DT		
	15	2117	HIBC-PEND-ACC-CTR	PIC S9(03) COMP-3	2		20				CWF-CLM-ACRTN-NUM		
	15	2118	no field name equal bytes	PIC X	2								
	15	2119	HIBC-REIN-CODE	PIC X	1								
	15	2120	no field name equal bytes	PIC X	1								
	15	2121	HIBC-HI-REC-DTE	PIC S9(07) COMP-3	4								
	15	2122	HIBC-HI-PRO-DTE	PIC S9(07) COMP-3	4		39				CWF-FRWRD-DT		
	15	2123	HIBC-REIN-SRCE-CDE	PIC X	4								
	15	2124	HIBC-DISP-CD	PIC X	2		33				CLM-DISP-CD		
	15	2125	HIBC-DATA-IND-ALL										
	20	2126	HIBC-DATA-IND	PIC X	1	1							
	20	2127	HIBC-DATA-IND	PIC X	1	2							
	20	2128	HIBC-DATA-IND	PIC X	1	3							
	20	2129	HIBC-DATA-IND	PIC X	1	4							
	20	2130	HIBC-DATA-IND	PIC X	1	5							
	20	2131	HIBC-DATA-IND	PIC X	1	6							
	20	2132	HIBC-DATA-IND	PIC X	1	7							
	20	2133	HIBC-DATA-IND	PIC X	1	8							
	20	2134	HIBC-DATA-IND	PIC X	1	9							
	20	2135	HIBC-DATA-IND	PIC X	1	10							
	20	2136	HIBC-DATA-IND	PIC X	1	11							
	20	2137	HIBC-DATA-IND	PIC X	1	12							
	20	2138	HIBC-DATA-IND	PIC X	1	13							
	20	2139	HIBC-DATA-IND	PIC X	1	14							
	20	2140	HIBC-DATA-IND	PIC X	1	15							
	20	2141	HIBC-DATA-IND	PIC X	1	16							
	20	2142	HIBC-DATA-IND	PIC X	1	17							
	20	2143	HIBC-DATA-IND	PIC X	1	18							
	20	2144	HIBC-DATA-IND	PIC X	1	19							
	20	2145	HIBC-DATA-IND	PIC X	1	20							
	15	2146	HIBC-LAF-CDE	PIC X	2								
	15	2147	HIBC-XRF-NUM										
	20	2148	HIBC-XRF-CAN	PIC X	9								
	20	2149	HIBC-XRF-BIC	PIC X	2								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	15	2150	HIBC-COR-NAME										
	20	2151	HIBC-COR-SURNAME	PIC X	6								
	20	2152	HIBC-COR-FINIT	PIC X	1								
	20	2153	HIBC-COR-FILLER	PIC X	1								
	15	2154	HIBC-STATE-CDE	PIC X	2		15				BENE-RSDNC-SSA-STD-STATE-CD		
	15	2155	HIBC-CTY-CDE	PIC X	3		36				BENE-RSDNC-SSA-STD-CNTY-CD		
	15	2156	HIBC-HIMA-DOB	PIC S9(07) COMP-3	4		46				BENE-BIRTH-DT		
	15	2157	HIBC-HIMA-SEX	PIC X	1		44				BENE-SEX-IDENT-CD		
	15	2158	HIBC-HIMA-RACE	PIC X	1		45				BENE-RACE-CD	Input max of 5 characters and MQR zero fills the last 4.	
	15	2159	HIBC-HIMA-ZIP	PIC X	5		43				BENE-MLG-CNTCT-ZIP-CD		
	15	2160	HIBC-HMO				112				NCH-MCO-TRLR-IND-CD		
	20	2161	HIBC-HMO-NO-PD	PIC 9	1								
	20	2162	HIBC-HMO1	PIC X	5		113				MCO-CNTRCT-NUM		
	20	2163	HIBC-HMO-OPT1	PIC X	1		114				MCO-OPTN-CD		
	20	2164	HIBC-HMO-EFF-DTE1	PIC S9(07) COMP-3	4		115				MCO-PRD-EFCTV-DT		
	20	2165	HIBC-HMO-TRM-DTE1	PIC S9(07) COMP-3	4		116				MCO-PRD-TRMNTN-DT		
	20	2166	HIBC-HMO2	PIC X	5		117.1				MCO-CNTRCT-NUM		
	20	2167	HIBC-HMO-OPT2	PIC X	1		117.2				MCO-OPTN-CD		
	20	2168	HIBC-HMO-EFF-DTE2	PIC S9(07) COMP-3	4		117.3				MCO-PRD-EFCTV-DT		
	20	2169	HIBC-HMO-TRM-DTE2	PIC S9(07) COMP-3	4		117.4				MCO-PRD-TRMNTN-DT		
	15	2170	HIBC-FILLER-2	PIC X	40								
	10	2171	HIBC-ONLINE-TO-BATCH										
	15	2172	HIBC-CANCEL-ALERT-SW	PIC X	1								
	15	2173	HIBC-AUTONOT-SW	PIC X	1								
	15	2174	HIBC-ONLINE-MED-TO-DED	PIC S9(09) COMP-3	5								
	15	2175	HIBC-ONLINE-REST	PIC X	1								
	15	2176	HIBC-ONLINE-PROC-SITE	PIC X	1								
	15	2177	HIBC-ONLINE-ORIG-SITE	PIC X	1								
	15	2178	HIBC-CAB-DISP-CODE	PIC X	2								
	15	2179	HIBC-OLD-PARTB										
	20	2180	HIBC-OLD-FIXED-PTB										
	25	2181	HIBC-OLD-CARRIER-OF-REC	PIC X	5								
	25	2182	HIBC-OLD-LST-MAM-DTE	PIC S9(07) COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	2183	HIBC-OLD-LST-RISK-IND	PIC X	1								
	25	2184	HIBC-OLD-PR-MAM-DTE	PIC S9(07) COMP-3	4								
	25	2185	HIBC-OLD-PR-RISK-IND	PIC X	1								
	25	2186	HIBC-OLD-DRUG-DED	PIC S9(05) COMP-3	3								
	25	2187	no field name equal bytes	PIC X	3								
	20	2188	HIBC-OLD-PTB-TRLR										
	25	2189	HIBC-OLD-TRLR-YR	PIC X	4								
	25	2190	HIBC-OLD-TRLR-HH-VIS	PIC S9(03) COMP-3	2								
	25	2191	HIBC-OLD-TRLR-BLD-DED	PIC S9(01)V9 COMP-3	2								
	25	2192	HIBC-OLD-TRLR-MED-EXP	PIC S9(05)V9 9 COMP- 3	4								
	25	2193	HIBC-OLD-TRLR-PSY-EXP	PIC S9(05)V9 9 COMP- 3	4								
	25	2194	HIBC-OLD-TRLR-RICR-PSY	PIC S9(05)V9 9 COMP- 3	4								
	25	2195	HIBC-OLD-TRLR-PTHYPY-EXP	PIC S9(05)V9 9 COMP- 3	4								
	25	2196	HIBC-OLD-TRLR-RICR-PTHYPY	PIC S9(05)V9 9 COMP- 3	4								
	25	2197	HIBC-OLD-TRLR-OT-EXP	PIC S9(05)V9 9 COMP- 3	4								
	25	2198	HIBC-OLD-TRLR-RICR-OT	PIC S9(05)V9 9 COMP- 3	4								
	25	2199	HIBC-OLD-OOP-EXP	PIC S9(05)V9 9 COMP- 3	4								
	25	2200	HIBC-OLD-OOP-DTE	PIC S9(07) COMP-3	4								
	25	2201	HIBC-OLD-RESP-HRS	PIC S9(03) COMP-3	2								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	2202	HIBC-OLD-RESP-DTE	PIC S9(07) COMP-3	4								
	25	2203	HIBC-OLD-RESP-USED	PIC S9(03) COMP-3	2								
	25	2204	HIBC-OLD-PRRESP-DTE	PIC S9(07) COMP-3	4								
	25	2205	HIBC-OLD-PRRESP-USED	PIC S9(03) COMP-3	2								
	25	2206	HIBC-OLD-DRUG-DTE	PIC S9(07) COMP-3	4								
	25	2207	HIBC-OLD-TRLR1-IV-DTE	PIC S9(07) COMP-3	4								
	25	2208	HIBC-OLD-IMMUNO-DTE	PIC S9(07) COMP-3	4								
	15	2209	HIBC-NEW-PARTB										
	20	2210	HIBC-NEW-FIXED-PTB										
	25	2211	HIBC-NEW-CARRIER-OF-REC	PIC X	5								
	25	2212	HIBC-NEW-LST-MAM-DTE	PIC S9(07) COMP-3	4								
	25	2213	HIBC-NEW-LST-RISK-IND	PIC X	1								
	25	2214	HIBC-NEW-PR-MAM-DTE	PIC S9(07) COMP-3	4								
	25	2215	HIBC-NEW-PR-RISK-IND	PIC X	1								
	25	2216	HIBC-NEW-DRUG-DED	PIC S9(05) COMP-3	3								
	25	2217	no field name equal bytes	PIC X	3								
	20	2218	HIBC-NEW-PTB-TRLR										
	25	2219	HIBC-NEW-TRLR-YR	PIC X	4								
	25	2220	HIBC-NEW-TRLR-HH-VIS	PIC S9(03) COMP-3	2								
	25	2221	HIBC-NEW-TRLR-BLD-DED	PIC S9(01)V9 COMP-3	2								
	25	2222	HIBC-NEW-TRLR-MED-EXP	PIC S9(05)V9 9 COMP-3	4								
	25	2223	HIBC-NEW-TRLR-PSY-EXP	PIC S9(05)V9 9 COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	25	2224	HIBC-NEW-TRLR-RICR-PSY	PIC S9(05)V9 9 COMP-3	4								
	25	2225	HIBC-NEW-TRLR-PTHYPY-EXP	PIC S9(05)V9 9 COMP-3	4								
	25	2226	HIBC-NEW-TRLR-RICR-PTHYPY	PIC S9(05)V9 9 COMP-3	4								
	25	2227	HIBC-NEW-TRLR-OT-EXP	PIC S9(05)V9 9 COMP-3	4								
	25	2228	HIBC-NEW-TRLR-RICR-OT	PIC S9(05)V9 9 COMP-3	4								
	25	2229	HIBC-NEW-OOP-EXP	PIC S9(05)V9 9 COMP-3	4								
	25	2230	HIBC-NEW-OOP-DTE	PIC S9(07) COMP-3	4								
	25	2231	HIBC-NEW-RESP-HRS	PIC S9(03) COMP-3	2								
	25	2232	HIBC-NEW-RESP-DTE	PIC S9(07) COMP-3	4								
	25	2233	HIBC-NEW-RESP-USED	PIC S9(03) COMP-3	2								
	25	2234	HIBC-NEW-PRRESP-DTE	PIC S9(07) COMP-3	4								
	25	2235	HIBC-NEW-PRRESP-USED	PIC S9(03) COMP-3	2								
	25	2236	HIBC-NEW-DRUG-DTE	PIC S9(07) COMP-3	4								
	25	2237	HIBC-NEW-TRLR1-IV-DTE	PIC S9(07) COMP-3	4								
	25	2238	HIBC-NEW-IMMUNO-DTE	PIC S9(07) COMP-3	4								
	15	2239	HIBC-ONLINE-AUTOADJ-DATA										
	20	2240	HIBC-SUB-CSH-DED	PIC S9(05)V9 9 COMP-3	4								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
	20	2241	HIBC-SUB-PSYCH	PIC S9(05)V99 COMP-3	4								
	20	2242	HIBC-SUB-PT	PIC S9(05)V99 COMP-3	4								
	20	2243	HIBC-SUB-OT	PIC S9(05)V99 COMP-3	4								
	20	2244	no field name equal bytes	PIC X	1								
	15	2245	HIBC-FILLER-3	PIC X	39								
		2246	fields below this line are initially identified in the first copybook column they appear in										
		2247											
		2248		PIC S9(5) COMP-3	3		4				REC-LNGTH-CNT		
		2249		PIC X	1		5				NCH-NEAR-LINE-REC-VRSN-CD		
		2250		PIC X	1		6				NCH-NEAR-LINE-RIC-CD		
		2251		PIC X	1		7				NCH-MQA-RIC-CD		
		2252		PIC X	2		8				NCH-CLM-TYPE-CD		
		2253		PIC X	2		12				NCH-CTGRY-EQTBL-BIC-CD		
		2254		PIC X	1		14				NCH-STATE-SGMT-CD		
		2255		PIC 9	8		18				NCH-WKLY-PROC-DT		
		2256		PIC 9	8		23				NCH-DAILY-PROC-DT		
		2257		PIC S9(9) COMP-3	5		24				NCH-SGMT-LINK-NUM		
		2258		PIC 9	2		25				CLM-TOT-SGMT-CNT		
		2259		PIC 9	2		26				CLM-SGMT-NUM		
		2260		PIC X	2		34				NCH-EDIT-DISP-CD		
		2261		PIC X	1		35				NCH-CLM-BIC-MDFY-CD		
		2262		PIC X	4		42				CWF-TRNSMSN-BATCH-NUM		
		2263		PIC X	1		50				CLM-PTNT-1ST-INITL-MDL-NAME		
		2264		PIC X	1		51				BENE-CWF-LOC-CD	Calculated - total of QAR6-PROV-REIMB	
		2265		PIC S9(9)V99 COMP-3	6		63				NCH-CLM-PRVDR-PMT-AMT	Calculated - total of QAR6-PATIENT-REIMB	
		2266		PIC S9(9)V99 COMP-3	6		64				NCH-CLM-BENE-PMT-AMT	Calculated - total of QAR6-CHG-SUBMITD	
		2267		PIC S9(9)V99 COMP-3	6		66				NCH-CARR-SBMT-CHRG-AMT	Calculated - total of QAR6-CHG-ALLOWED	
		2268		PIC S9(9)V99 COMP-3	6		67				NCH-CARR-ALOW-CHRG-AMT		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		2269		PIC X	1		70				CARR-CLM-MCO-OVRRD-IND-CD		
		2270		PIC X	1		71				CARR-CLM-HOSPC-OVRRD-IND-CD		
		2271		PIC X	2		76				CLM-CARE-IMPRVMT-MODEL-1-CD		
		2272		PIC X	2		77				CLM-CARE-IMPRVMT-MODEL-2-CD		
		2273		PIC X	2		78				CLM-CARE-IMPRVMT-MODEL-3-CD	Only this one will be valued in the max claim test as used demo 64 in one of the four occurrences. Other items needed to be tested so could not do all care improvement codes	
		2274		PIC X	2		79				CLM-CARE-IMPRVMT-MODEL-4-CD		
		2275		PIC X	2		86				CLM-PAPER-PRVDR-CD		
		2276										NCH-EDIT-CD-CNT HAVE VALUE 10	
		2277		PIC 9	2		96				CARR-NCH-EDIT-CD-CNT		
		2278		PIC 9	2		97				CARR-NCH-PATCH-CD-I-CNT		
		2279		PIC 9	1		98				CARR-MCO-PRD-CNT		
		2280		PIC 9	1		99				CARR-CLM-DEMO-ID-CNT		
		2281		PIC 9	2		100				CARR-CLM-DGNS-CD-CNT		
		2282		PIC 9	2		101				CARR-CLM-LINE-CNT		
		2283		PIC X	4	13							
		2284				13	104				NCH-EDIT-GRP		
		2285		PIC X	1		105				NCH-EDIT-TRLR-IND-CD		
		2286		PIC X	4		106				NCH-EDIT-CD		
		2287		PIC X	14		117				MCO-HLTH-PLANID-NUM	While there are 5 demo trailers in the CRIC file there is only one demo number on the input file from CWF.	
		2288				5	118				CLM-DEMO-ID-GRP		
		2289		PIC X	1		119				NCH-DEMO-TRLR-IND-CD		
		2290		PIC X	15		121				CLM-DEMO-INFO-TXT		
		2291		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2292		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2293		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2294		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2295		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2296		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2297		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		
		2298		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI-NUM		

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		2299		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI NUM		
		2300		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI NUM		
		2301		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI NUM		
		2302		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI NUM		
		2303		PIC X	10		131				CARR-LINE-PRFRMG-GRP-NPI NUM		
		2304				30	107				NCH-PATCH-GRP		
		2305		PIC X	1		108				NCH-PATCH-TRLR-IND-CD		
		2306		PIC X	2		109				NCH-PATCH-CD		
		2307		PIC 9	8		110				NCH-PATCH-APPLY-DT		
		2308											
		2309											
		2310		PIC S9(9)	10								
		2311		PIC S9(13)	15								
		2312		PIC S9(9)	10								
		2313		PIC X	1								
		2314											
		2315		PIC S9(9)	10								
		2316		PIC S9(13)	15								
		2317		PIC S9(4)	5								
		2318		PIC X	1								
		2319											
		2320		PIC S9(9)	10								
		2321		PIC S9(13)	15								
		2322		PIC S9(4)	5								
		2323		PIC X	1								
		2324											
		2325		PIC S9(9)	10								
		2326		PIC X	9								
		2327		PIC X	2								
		2328											
		2329		PIC S9(9)	10								
		2330		PIC S9(13)	15								
		2331		PIC S9(4)	5								
		2332		PIC X	1								
		2333											
		2334		PIC S9(9)	10								
		2335		PIC S9(13)	15								
		2336		PIC S9(4)	5								

CWF Input Record (CABEHUBC) Field Name	Position	Order	CWF Output Record (CABEHIBC) Field Name	Format	Length	Occurs	NCH Order	Conf NCH	Level of Edits	Code Set Source	NCH Field Name	Transformations/Comments	CWF Input Record (CABEHUBC) Field Values and Comments
		2337		PIC X	1								
		2338		PIC X	10								
		2339		PIC X	1								
		2340		PIC X	10								
		2341		PIC X	1								

Level of Edits

N/A
No Editing
Format Only
Code Set Based
Date Format
Date Range

Code Set Source

N/A
Hard Coded
MAC Controlled