

<b>CMS Manual System</b>	<b>Department of Health &amp; Human Services (DHHS)</b>
<b>Pub 100-08 Medicare Program Integrity</b>	<b>Centers for Medicare &amp; Medicaid Services (CMS)</b>
<b>Transmittal 558</b>	<b>Date: November 26, 2014</b>
	<b>Change Request 8859</b>

**SUBJECT: Update to the Program Integrity Manual (Pub. 100-08) Exhibit 36 - Overview of the Comprehensive Error Rate Testing (CERT) Process**

**I. SUMMARY OF CHANGES:** The purpose of this change request (CR) is to update the Program Integrity Manual (Pub. 100-08) Exhibit 36 - Overview of the CERT Process, to document the existing file formats for the CERT files as updated by CRs 5043, 5044, 6465 and 7807.

**EFFECTIVE DATE: December 29, 2014**

*\*Unless otherwise specified, the effective date is the date of service.*

**IMPLEMENTATION DATE: December 29, 2014**

*Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.*

**II. CHANGES IN MANUAL INSTRUCTIONS:** (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-*Only One Per Row.*

<b>R/N/D</b>	<b>CHAPTER / SECTION / SUBSECTION / TITLE</b>
R	Exhibit 36 - Overview of the CERT Process
R	Exhibit 36.1 - CERT Formats for A/B MAC (A) MACS and Shared Systems
R	Exhibit 36.2 – CERT Formats for A/B MACs (B) and DME MACs and Shared Systems
D	Exhibit 36.3 - Language for Inclusion in Provider Letter
D	Exhibit 36.4 - Monthly CERT Error Review Report
D	Exhibit 36.5 - CERT Quarterly Error Reconciliation Report
D	Exhibit 36.6 – CERT PSC Contractor Feedback Data Entry Screen Version 1.01
D	Exhibit 36.7 - Data Items Included on CERT Reports

### **III. FUNDING:**

#### **For Medicare Administrative Contractors (MACs):**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC statement of Work. The contractor is not obliged to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

### **IV. ATTACHMENTS:**

**Business Requirements  
Manual Instruction**

# Attachment - Business Requirements

Pub. 100-08	Transmittal: 558	Date: November 26, 2014	Change Request: 8859
-------------	------------------	-------------------------	----------------------

**SUBJECT: Update to the Program Integrity Manual (Pub. 100-08) Exhibit 36 - Overview of the Comprehensive Error Rate Testing (CERT) Process**

**EFFECTIVE DATE: December 29, 2014**

*\*Unless otherwise specified, the effective date is the date of service.*

**IMPLEMENTATION DATE: December 29, 2014**

## I. GENERAL INFORMATION

**A. Background:** This update to the Program Integrity Manual (Pub. 100-08) Exhibit 36 - Overview of the CERT Process, documents the existing file formats for the CERT files as updated by CRs 5043, 5044, 6465 and 7807.

**B. Policy:** N/A

## II. BUSINESS REQUIREMENTS TABLE

*"Shall" denotes a mandatory requirement, and "should" denotes an optional requirement.*

Number	Requirement	Responsibility								Other
		A/B MAC			D M E  M A C	Shared- System Maintainers				
		A	B	H H H		F I S S	M C S	V M S	C W F	
8859.1	Contractors shall be in compliance with this update to the Program Integrity Manual (Pub. 100-08) Exhibit 36 - Overview of the CERT Process, which documents the existing file formats for the CERT files as updated by CRs 5043, 5044, 6465 and 7807.	X	X	X	X					CERT

## III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility
		A/B MAC

		A	B	H H H
	None			

**IV. SUPPORTING INFORMATION**

**Section A: Recommendations and supporting information associated with listed requirements: N/A**

*"Should" denotes a recommendation.*

X-Ref Requirement Number	Recommendations or other supporting information:
--------------------------	--

**Section B: All other recommendations and supporting information: N/A**

**V. CONTACTS**

**Pre-Implementation Contact(s):** Pamela Villanyi, 410-786-1522 or [pamela.villanyi@cms.hhs.gov](mailto:pamela.villanyi@cms.hhs.gov) , Marissa Malcolm, 410-786-0119 or [marissa.malcolm@cms.hhs.gov](mailto:marissa.malcolm@cms.hhs.gov)

**Post-Implementation Contact(s):** Contact your Contracting Officer's Representative (COR).

**VI. FUNDING**

**Section A: For Medicare Administrative Contractors (MACs):**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

**ATTACHMENTS: 0**

# Medicare Program Integrity Manual

## Exhibits

Table of Contents  
*(Rev.558, Issued: 11-26-14)*

Exhibit 36.1 - CERT *Formats for A/B MAC (A) MACS and Shared Systems*

Exhibit 36.2 – CERT Formats for *A/B MACs (B) and DME MACs and Shared Systems*

## **Exhibit 36 – Overview of the CERT Process**

(Rev.558, Issued: 11-26-14, Effective: 12-29-14, Implementation: 12-29-14)

The CERT process begins at the *MAC* processing site where claims that have entered the standard claims processing system on a given day are extracted to create a Claims Universe File. This file is transmitted each day to the CERT Operations Center, where it is routed through a random sampling process. Claims that are selected as part of the sample are downloaded to the Sampled Claims Database. This database holds all sampled claims from all *MACs*. Periodically, sampled claim key data are extracted from the Sampled Claims Database to create a Sampled Claims Transaction File. This file is transmitted back to the *MAC* and matched to the *MAC's* claims history and provider files. A Sampled Claims Resolution File, a Claims History Replica File, and a Provider Address file are created automatically by the *MAC* and transmitted to the CERT Operations Center. They are used to update the Sampled Claims database with claim resolutions and provider addresses; the Claims History Replica records are added to a database for future analysis.

Software applications at the CERT Operations Center are used to review, track, and report on the sampled claims. Periodically, the CERT contractor requests the *MAC* to provide information supporting decisions on denied/reduced claims or claim line items and claims that have been subject to their medical review processes. The CERT contractor also sends reports identifying incorrect claim payment to the appropriate *MAC* for follow-up. *MACs* then report on their agreement and disagreement with CERT decisions, status of overpayment collections, and status of claims that go through the appeals process.

**Exhibit 36.1 - CERT *Formats for A/B MAC (A) MACS and Shared Systems***

**(Rev.558, Issued: 11-26-14, Effective: 12-29-14, Implementation: 12-29-14)**

Claims Universe File				
Claims Universe Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Universe Date	X(8)	9	16	Spaces

**DATA ELEMENT DETAIL**

**Data Element: Contractor ID**

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

**Data Element: Record Type**

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

**Data Element: Record Version Code**

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Universe Date**

Definition: Date the universe of claims entered the shared system

Validation: Must be a valid date not equal to a universe date sent on any previous claims universe file

Remarks: Format is CCYYMMDD. May use shared system batch processing date; however the Universe Date must not equal the universe date on any previous claims universe file.

Requirement: Required

<b>Claims Universe File</b>				
<b>Claims Universe Claim Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	"2"
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Internal Control Number	X(23)	9	31	Spaces
Beneficiary HICN	X(12)	32	43	Spaces
Billing Provider Number	X(9)	44	52	Spaces
Billing Provider NPI	X(10)	53	62	Spaces
Type of Bill	X(3)	63	65	Spaces
Claim From Date	X (8)	66	73	Spaces
Claim Through Date	X (8)	74	81	Spaces
Condition Code 1	X (2)	82	83	Spaces
Condition Code 2	X (2)	84	85	Spaces
Condition Code 3	X (2)	86	87	Spaces
Condition Code 4	X (2)	88	89	Spaces
Condition Code 5	X (2)	90	91	Spaces
Condition Code 6	X (2)	92	93	Spaces
Condition Code 7	X (2)	94	95	Spaces
Condition Code 8	X (2)	96	97	Spaces
Condition Code 9	X (2)	98	99	Spaces
Condition Code 10	X (2)	100	101	Spaces
Condition Code 11	X (2)	102	103	Spaces
Condition Code 12	X (2)	104	105	Spaces
Condition Code 13	X (2)	106	107	Spaces
Condition Code 14	X (2)	108	109	Spaces
Condition Code 15	X (2)	110	111	Spaces
Condition Code 16	X (2)	112	113	Spaces
Condition Code 17	X (2)	114	115	Spaces
Condition Code 18	X (2)	116	117	Spaces
Condition Code 19	X (2)	118	119	Spaces
Condition Code 20	X (2)	120	121	Spaces
Condition Code 21	X (2)	122	123	Spaces
Condition Code 22	X (2)	124	125	Spaces
Condition Code 23	X (2)	126	127	Spaces
Condition Code 24	X (2)	128	129	Spaces
Condition Code 25	X (2)	130	131	Spaces
Condition Code 26	X (2)	132	133	Spaces
Condition Code 27	X (2)	134	135	Spaces
Condition Code 28	X (2)	136	137	Spaces
Condition Code 29	X (2)	138	139	Spaces
Condition Code 30	X (2)	140	141	Spaces
Claim Demonstration Number	X(2)	142	143	Spaces
PPS Indicator Code	X(1)	144	144	Spaces
Claim State	X(2)	145	146	Spaces
Beneficiary State	X(2)	147	148	Spaces

Claims Universe File				
Claims Universe Claim Record				
Field Name	Picture	From	Thru	Initialization
Claim Total Charge Amount	9(8)V99	149	158	Zeroes
Revenue Code Count	9(3)	159	161	Zero
Revenue Code group:				

The following group of fields occurs from 1 to 450 times (depending on Revenue Code Count)				
--	--	--	--	--

From and Thru values relate to the 1 <sup>st</sup> line item				
Revenue Center Code	X(4)	162	165	Spaces
HCPCS	X(5)	166	170	Spaces
Revenue Center Total Charge	9(8)V99	171	180	Zeroes

## DATA ELEMENT DETAIL

### Claim (Header) Fields

#### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

#### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = claim record

Requirement: Required

#### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

**Data Element: Internal Control Number**

Definition: Number assigned by the shared system to uniquely identify the claim

Validation: N/A

Remarks: Do not include hyphens or spaces

Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number

Validation: N/A

Remarks: Do not include hyphens or spaces

Requirement: Required

**Data Element: Billing Provider Number**

Definition: First nine characters of number assigned by Medicare to identify the billing/pricing provider or supplier.

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Billing Provider NPI**

Definition: NPI assigned to the Billing Provider.

Validation: N/A

Remarks: N/A.

Requirement: Required by May 23, 2007 for claims using HIPAA standard Transactions

**Data Element: Type of Bill**

Definition: Three-digit alphanumeric code gives three specific pieces of information. The first digit identifies the type of facility. The second classifies the type of care. The third indicates the sequence of this bill in this particular episode of care. It is referred to as "frequency" code

Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set.

Remarks: N/A

Requirement: Required

**Data Element: Claim from Date**

Definition: The first day on the billing statement covering services rendered to the beneficiary

Validation: Must be a valid date

Remarks: Format is CCYYMMDD

Requirement: Required

**Data Element: Claim through Date**

Definition: The last day on the billing statement covering services rendered to the beneficiary  
Validation: Must be a valid date  
Remarks: Format is CCYYMMDD  
Requirement: Required

**Data Element: Condition Code 1**

- Condition Code 2
- Condition Code 3
- Condition Code 4
- Condition Code 5
- Condition Code 6
- Condition Code 7
- Condition Code 8
- Condition Code 9
- Condition Code 10
- Condition Code 11
- Condition Code 12
- Condition Code 13
- Condition Code 14
- Condition Code 15
- Condition Code 16
- Condition Code 17
- Condition Code 18
- Condition Code 19
- Condition Code 20
- Condition Code 21
- Condition Code 22
- Condition Code 23
- Condition Code 24
- Condition Code 25
- Condition Code 26
- Condition Code 27
- Condition Code 28
- Condition Code 29
- Condition Code 30

Definition: The code that indicates a condition relating to an institutional claim that may affect payer processing  
Validation: Must be a valid code as defined in the Claims Processing Manual (pub 100-4) chapter 25 (Completing and Processing *CMS-1450* Data Set)  
Remarks: N/A  
Requirement: Required if claim has a condition code

**Data Element: Claim Demonstration Identification Number**

Definition: The number assigned to identify a demonstration Project. This field is also used to denote special processing (a.k.a. Special Processing Number, SPN).  
Validation: Must be a Valid Demo ID  
Remarks: N/A  
Requirement: Required when available on claim.

**Data Element: PPS Indicator Code alias Claim PPS Indicator Code**

Definition: The code indicating whether (1) the claim is Prospective Payment System (PPS), (2) Unknown or (0) not PPS.  
Validation: 0 = Not PPS  
1 = PPS  
2 = Unknown  
Remarks: N/A  
Requirement: Required

**Data Element: Claim State**

Definition: 2 character abbreviation identifying the state in which the service is furnished  
Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS) or blank  
Remarks: N/A  
Requirement: Required if on claim record

**Data Element: Beneficiary State**

Definition: 2 character abbreviation designating the state in which the beneficiary resides.  
Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS) or blank  
Remarks: N/A  
Requirement: Required if on claim record

**Data Element: Claim Total Charge Amount**

Definition: The total charges for all services included on the institutional claim  
Validation: N/A  
Remarks: This field should contain the same amount as revenue center code 0001/total charges.  
Requirement: Required

**Data Element: Revenue Code Count**

Definition: Number indicating number of revenue code lines on the claim. Include line 1 in the count  
Validation: Must be a number 01 – 450  
Remarks: N/A  
Requirement: Required

**Claim Line Item Fields**

**Data Element: Revenue Code**

Definition: Code assigned to each cost center for which a charge is billed  
Validation: Must be a valid National Uniform Billing Committee (NUBC) approved code  
Remarks: Include an entry for revenue code '0001'  
Requirement: Required

**Data Element: HCPCS Procedure Code or HIPPS Code**

Definition: The HCPCS/CPT-4 code that describes the service or Health Insurance PPS (HIPPS) code  
Validation: Must be a valid HCPCS/CPT-4 code  
Remarks: Healthcare Common Procedure Coding System (HCPCS) is a collection of codes that represent procedures, supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs

When revenue center code = '0022' (SNF PPS), '0023' (HH PPS), or '0024' (IRF PPS); this field contains the Health Insurance PPS (HIPPS) code.

The HIPPS code for SNF PPS contains the rate code/assessment type that identifies (1) RUG-III group the beneficiary was classified into as of the RAI MDS assessment reference date and (2) the type of assessment for payment purposes.

The HIPPS code for Home Health PPS identifies (1) the three case-mix dimensions of the HHRG system, clinical, functional and utilization, from which a beneficiary is assigned to one of the 80 HHRG categories and (2) it identifies whether or not the elements of the code were computed or derived. The HHRGs, represented by the HIPPS coding, will be the basis of payment for each episode.

The HIPPS code (CMG Code) for IRF PPS identifies the clinical characteristics of the beneficiary. The HIPPS rate/CMG code (AXXYY - DXXYY) must contain five digits. The first position of the code is an A, B, C, or 'D'. The HIPPS code beginning with an 'A' in front of the CMG is defined as without co-morbidity. The 'B' in front of the CMG is defined as with co-morbidity for Tier 1. The 'C' is defined as co-morbidity for Tier 2 and 'D' is defined as co-morbidity for Tier 3. The 'XX' in the HIPPS rate code is the Rehabilitation Impairment Code (RIC). The 'YY' is the sequential number system within the RIC.

**Requirement:** Required if present on bill

**Data Element: Revenue Center Total Charge**

Definition: The total charges (covered and non-covered) for all accommodations and services (related to the revenue code) for a billing period before reduction for the deductible and coinsurance amounts and before an adjustment for the cost of services provided  
Validation: N/A  
Remarks: N/A  
Requirement: Required

<b>Claims Universe File</b>
<b>Claims Universe Trailer Record (one record per file)</b>

Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	17	Zeroes

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3=Trailer Record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

### Data Element: Number of Claims

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Transaction File				
Claims Transaction Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Transaction Date	X(8)	9	16	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Transaction file

Validation: Claim Transaction files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Transaction Date**

Definition: Date the Transaction file was created

Validation: Must be a valid date not equal to a Transaction date sent on any previous claims  
Transaction file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

Sampled Claims Transaction File				
Sampled Claims Transaction File Detail Record				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'2'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Claim Control Number	X(23)	9	31	Spaces
Beneficiary HICN	X(12)	32	43	Spaces

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = claim record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

**Data Element: Claim Control Number**

Definition: Number assigned by the shared system to uniquely identify the claim

Validation: N/A

Remarks: Reflects the Claim Control Number selected from the Claim Universe file in the sampling process.

Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number

Validation: N/A

Remarks: Reflects the Beneficiary HICN on the claim record selected from the Claim Universe file in the sampling process.

Claims Transaction File				
Claims Transaction Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	17	Zeroes

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

### Data Element: Number of Claims

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Resolution File				
Claims Resolution Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Resolution Date	X(8)	9	16	Spaces

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Resolution file

Validation: Claim Resolution files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

*C = Record Format as of 1/1/2010*

*D = Record Format as of 10/1/2012*

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Resolution Date**

Definition: Date the Resolution Record was created.

Validation: Must be a valid date not equal to a Resolution date sent on any previous claims  
Resolution file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	"2"
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Record Number	9(1)	9	9	Zero
Mode of Entry Indicator	X(1)	10	10	Space
Original Claim Control Number	X(23)	11	33	Spaces
Internal Control Number	X(23)	34	56	Spaces
Beneficiary HICN	X(12)	57	68	Spaces
Beneficiary Last Name	X(60)	69	128	Spaces
Beneficiary First Name	X(35)	129	163	Spaces
Beneficiary Middle Initial	X(1)	164	164	Spaces
Beneficiary Date of Birth	X(8)	165	172	Spaces
Beneficiary Gender	X(1)	173	173	Spaces
Billing Provider Number	X(9)	174	182	Spaces
Attending Physician UPIN	X(6)	183	188	Spaces
Claim Paid Amount	S9(8)V99	189	198	Zeroes
Claim ANSI Reason Code 1	X(8)	199	206	Spaces
Claim ANSI Reason Code 2	X(8)	207	214	Spaces
Claim ANSI Reason Code 3	X(8)	215	222	Spaces
Claim ANSI Reason Code 4	X(8)	223	230	Spaces
Claim ANSI Reason Code 5	X(8)	231	238	Spaces
Claim ANSI Reason Code 6	X(8)	239	246	Spaces
Claim ANSI Reason Code 7	X(8)	247	254	Spaces
Statement covers From Date	X(8)	255	262	Spaces
Statement covers Thru Date	X(8)	263	270	Spaces
Claim Entry Date	X(8)	271	278	Spaces
Claim Adjudicated Date	X(8)	279	286	Spaces
Condition Code 1	X(3)	287	289	Spaces
Condition Code 2	X(3)	290	292	Spaces
Condition Code 3	X(3)	293	295	Spaces
Condition Code 4	X(3)	296	298	Spaces
Condition Code 5	X(3)	299	301	Spaces
Condition Code 6	X(3)	302	304	Spaces
Condition Code 7	X(3)	305	307	Spaces
Condition Code 8	X(3)	308	310	Spaces
Condition Code 9	X(3)	311	313	Spaces
Condition Code 10	X(3)	314	316	Spaces
Condition Code 11	X(3)	317	319	Spaces
Condition Code 12	X(3)	320	322	Spaces
Condition Code 13	X(3)	323	325	Spaces
Condition Code 14	X(3)	326	328	Spaces
Condition Code 15	X(3)	329	331	Spaces
Condition Code 16	X(3)	332	334	Spaces
Condition Code 17	X(3)	335	337	Spaces

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Condition Code 18	X(3)	338	340	Spaces
Condition Code 19	X(3)	341	343	Spaces
Condition Code 20	X(3)	344	346	Spaces
Condition Code 21	X(3)	347	349	Spaces
Condition Code 22	X(3)	350	352	Spaces
Condition Code 23	X(3)	353	355	Spaces
Condition Code 24	X(3)	356	358	Spaces
Condition Code 25	X(3)	359	361	Spaces
Condition Code 26	X(3)	362	364	Spaces
Condition Code 27	X(3)	365	367	Spaces
Condition Code 28	X(3)	368	370	Spaces
Condition Code 29	X(3)	371	373	Spaces
Condition Code 30	X(3)	374	376	Spaces
Type of Bill	X(3)	377	379	Spaces
Principal Diagnosis Code	X(7)	380	386	Spaces
Other Diagnosis Code 1	X(7)	387	393	Spaces
Other Diagnosis Code 2	X(7)	394	400	Spaces
Other Diagnosis Code 3	X(7)	401	407	Spaces
Other Diagnosis Code 4	X(7)	408	414	Spaces
Other Diagnosis Code 5	X(7)	415	421	Spaces
Other Diagnosis Code 6	X(7)	422	428	Spaces
Other Diagnosis Code 7	X(7)	429	435	Spaces
Other Diagnosis Code 8	X(7)	436	442	Spaces
<i>Other Diagnosis Code 9</i>	<i>X(7)</i>	<i>443</i>	<i>449</i>	<i>Spaces</i>
<i>Other Diagnosis Code 10</i>	<i>X(7)</i>	<i>450</i>	<i>456</i>	<i>Spaces</i>
<i>Other Diagnosis Code 11</i>	<i>X(7)</i>	<i>457</i>	<i>463</i>	<i>Spaces</i>
<i>Other Diagnosis Code 12</i>	<i>X(7)</i>	<i>464</i>	<i>470</i>	<i>Spaces</i>
<i>Other Diagnosis Code 13</i>	<i>X(7)</i>	<i>471</i>	<i>477</i>	<i>Spaces</i>
<i>Other Diagnosis Code 14</i>	<i>X(7)</i>	<i>478</i>	<i>484</i>	<i>Spaces</i>
<i>Other Diagnosis Code 15</i>	<i>X(7)</i>	<i>485</i>	<i>491</i>	<i>Spaces</i>
<i>Other Diagnosis Code 16</i>	<i>X(7)</i>	<i>492</i>	<i>498</i>	<i>Spaces</i>
<i>Other Diagnosis Code 17</i>	<i>X(7)</i>	<i>499</i>	<i>505</i>	<i>Spaces</i>
<i>Other Diagnosis Code 18</i>	<i>X(7)</i>	<i>506</i>	<i>512</i>	<i>Spaces</i>
<i>Other Diagnosis Code 19</i>	<i>X(7)</i>	<i>513</i>	<i>519</i>	<i>Spaces</i>
<i>Other Diagnosis Code 20</i>	<i>X(7)</i>	<i>520</i>	<i>526</i>	<i>Spaces</i>
<i>Other Diagnosis Code 21</i>	<i>X(7)</i>	<i>527</i>	<i>533</i>	<i>Spaces</i>
<i>Other Diagnosis Code 22</i>	<i>X(7)</i>	<i>534</i>	<i>540</i>	<i>Spaces</i>
<i>Other Diagnosis Code 23</i>	<i>X(7)</i>	<i>541</i>	<i>547</i>	<i>Spaces</i>
<i>Other Diagnosis Code 24</i>	<i>X(7)</i>	<i>548</i>	<i>554</i>	<i>Spaces</i>
<i>Principal Diagnosis Code Version Indicator Code</i>	<i>X(1)</i>	<i>555</i>	<i>555</i>	<i>Spaces</i>
<i>Other Diagnosis Code 1 Version Indicator Code</i>	<i>X(1)</i>	<i>556</i>	<i>556</i>	<i>Spaces</i>
<i>Other Diagnosis Code 2 Version Indicator Code</i>	<i>X(1)</i>	<i>557</i>	<i>557</i>	<i>Spaces</i>
<i>Other Diagnosis Code 3 Version Indicator Code</i>	<i>X(1)</i>	<i>558</i>	<i>558</i>	<i>Spaces</i>
<i>Other Diagnosis Code 4 Version Indicator Code</i>	<i>X(1)</i>	<i>559</i>	<i>559</i>	<i>Spaces</i>
<i>Other Diagnosis Code 5 Version Indicator Code</i>	<i>X(1)</i>	<i>560</i>	<i>560</i>	<i>Spaces</i>

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
<i>Other Diagnosis Code 6 Version Indicator Code</i>	<i>X(1)</i>	<i>561</i>	<i>561</i>	<i>Spaces</i>
<i>Other Diagnosis Code 7 Version Indicator Code</i>	<i>X(1)</i>	<i>562</i>	<i>562</i>	<i>Spaces</i>
<i>Other Diagnosis Code 8 Version Indicator Code</i>	<i>X(1)</i>	<i>563</i>	<i>563</i>	<i>Spaces</i>
<i>Other Diagnosis Code 9 Version Indicator Code</i>	<i>X(1)</i>	<i>564</i>	<i>564</i>	<i>Spaces</i>
<i>Other Diagnosis Code 10 Version Indicator Code</i>	<i>X(1)</i>	<i>565</i>	<i>565</i>	<i>Spaces</i>
<i>Other Diagnosis Code 11 Version Indicator Code</i>	<i>X(1)</i>	<i>566</i>	<i>566</i>	<i>Spaces</i>
<i>Other Diagnosis Code 12 Version Indicator Code</i>	<i>X(1)</i>	<i>567</i>	<i>567</i>	<i>Spaces</i>
<i>Other Diagnosis Code 13 Version Indicator Code</i>	<i>X(1)</i>	<i>568</i>	<i>568</i>	<i>Spaces</i>
<i>Other Diagnosis Code 14 Version Indicator Code</i>	<i>X(1)</i>	<i>569</i>	<i>569</i>	<i>Spaces</i>
<i>Other Diagnosis Code 15 Version Indicator Code</i>	<i>X(1)</i>	<i>570</i>	<i>570</i>	<i>Spaces</i>
<i>Other Diagnosis Code 16 Version Indicator Code</i>	<i>X(1)</i>	<i>571</i>	<i>571</i>	<i>Spaces</i>
<i>Other Diagnosis Code 17 Version Indicator Code</i>	<i>X(1)</i>	<i>572</i>	<i>572</i>	<i>Spaces</i>
<i>Other Diagnosis Code 18 Version Indicator Code</i>	<i>X(1)</i>	<i>573</i>	<i>573</i>	<i>Spaces</i>
<i>Other Diagnosis Code 19 Version Indicator Code</i>	<i>X(1)</i>	<i>574</i>	<i>574</i>	<i>Spaces</i>
<i>Other Diagnosis Code 20 Version Indicator Code</i>	<i>X(1)</i>	<i>575</i>	<i>575</i>	<i>Spaces</i>
<i>Other Diagnosis Code 21 Version Indicator Code</i>	<i>X(1)</i>	<i>576</i>	<i>576</i>	<i>Spaces</i>
<i>Other Diagnosis Code 22 Version Indicator Code</i>	<i>X(1)</i>	<i>577</i>	<i>577</i>	<i>Spaces</i>
<i>Other Diagnosis Code 23 Version Indicator Code</i>	<i>X(1)</i>	<i>578</i>	<i>578</i>	<i>Spaces</i>
<i>Other Diagnosis Code 24 Version Indicator Code</i>	<i>X(1)</i>	<i>579</i>	<i>579</i>	<i>Spaces</i>
Principal Procedure	X(7)	580	586	Spaces
Principal Procedure Date	X(8)	587	594	Spaces
Other Procedure 1	X(7)	595	601	Spaces
Other Procedure 1 Date	X(8)	602	609	Spaces
Other Procedure 2	X(7)	610	616	Spaces
Other Procedure 2 Date	X(8)	617	624	Spaces
Other Procedure 3	X(7)	625	631	Spaces
Other Procedure 3 Date	X(8)	632	639	Spaces
Other Procedure 4	X(7)	640	646	Spaces
Other Procedure 4 Date	X(8)	647	654	Spaces
Other Procedure 5	X(7)	655	661	Spaces
Other Procedure 5 Date	X(8)	662	669	Spaces
<i>Other Procedure 6</i>	<i>X(7)</i>	<i>670</i>	<i>676</i>	<i>Spaces</i>
<i>Other Procedure 6 Date</i>	<i>X(8)</i>	<i>677</i>	<i>684</i>	<i>Spaces</i>
<i>Other Procedure 7</i>	<i>X(7)</i>	<i>685</i>	<i>691</i>	<i>Spaces</i>
<i>Other Procedure 7 Date</i>	<i>X(8)</i>	<i>692</i>	<i>699</i>	<i>Spaces</i>
<i>Other Procedure 8</i>	<i>X(7)</i>	<i>700</i>	<i>706</i>	<i>Spaces</i>
<i>Other Procedure 8 Date</i>	<i>X(8)</i>	<i>707</i>	<i>714</i>	<i>Spaces</i>
<i>Other Procedure 9</i>	<i>X(7)</i>	<i>715</i>	<i>721</i>	<i>Spaces</i>
<i>Other Procedure 9 Date</i>	<i>X(8)</i>	<i>722</i>	<i>729</i>	<i>Spaces</i>
<i>Other Procedure 10</i>	<i>X(7)</i>	<i>730</i>	<i>736</i>	<i>Spaces</i>
<i>Other Procedure 10 Date</i>	<i>X(8)</i>	<i>737</i>	<i>744</i>	<i>Spaces</i>
<i>Other Procedure 11</i>	<i>X(7)</i>	<i>745</i>	<i>751</i>	<i>Spaces</i>
<i>Other Procedure 11 Date</i>	<i>X(8)</i>	<i>752</i>	<i>759</i>	<i>Spaces</i>
<i>Other Procedure 12</i>	<i>X(7)</i>	<i>760</i>	<i>766</i>	<i>Spaces</i>
<i>Other Procedure 12 Date</i>	<i>X(8)</i>	<i>767</i>	<i>774</i>	<i>Spaces</i>

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
<i>Other Procedure 13</i>	<i>X(7)</i>	<i>775</i>	<i>781</i>	<i>Spaces</i>
<i>Other Procedure 13 Date</i>	<i>X(8)</i>	<i>782</i>	<i>789</i>	<i>Spaces</i>
<i>Other Procedure 14</i>	<i>X(7)</i>	<i>790</i>	<i>796</i>	<i>Spaces</i>
<i>Other Procedure 14 Date</i>	<i>X(8)</i>	<i>797</i>	<i>804</i>	<i>Spaces</i>
<i>Other Procedure 15</i>	<i>X(7)</i>	<i>805</i>	<i>811</i>	<i>Spaces</i>
<i>Other Procedure 15 Date</i>	<i>X(8)</i>	<i>812</i>	<i>819</i>	<i>Spaces</i>
<i>Other Procedure 16</i>	<i>X(7)</i>	<i>820</i>	<i>826</i>	<i>Spaces</i>
<i>Other Procedure 16 Date</i>	<i>X(8)</i>	<i>827</i>	<i>834</i>	<i>Spaces</i>
<i>Other Procedure 17</i>	<i>X(7)</i>	<i>835</i>	<i>841</i>	<i>Spaces</i>
<i>Other Procedure 17 Date</i>	<i>X(8)</i>	<i>842</i>	<i>849</i>	<i>Spaces</i>
<i>Other Procedure 18</i>	<i>X(7)</i>	<i>850</i>	<i>856</i>	<i>Spaces</i>
<i>Other Procedure 18 Date</i>	<i>X(8)</i>	<i>857</i>	<i>864</i>	<i>Spaces</i>
<i>Other Procedure 19</i>	<i>X(7)</i>	<i>865</i>	<i>871</i>	<i>Spaces</i>
<i>Other Procedure 19 Date</i>	<i>X(8)</i>	<i>872</i>	<i>879</i>	<i>Spaces</i>
<i>Other Procedure 20</i>	<i>X(7)</i>	<i>880</i>	<i>886</i>	<i>Spaces</i>
<i>Other Procedure 20 Date</i>	<i>X(8)</i>	<i>887</i>	<i>894</i>	<i>Spaces</i>
<i>Other Procedure 21</i>	<i>X(7)</i>	<i>895</i>	<i>901</i>	<i>Spaces</i>
<i>Other Procedure 21 Date</i>	<i>X(8)</i>	<i>902</i>	<i>909</i>	<i>Spaces</i>
<i>Other Procedure 22</i>	<i>X(7)</i>	<i>910</i>	<i>916</i>	<i>Spaces</i>
<i>Other Procedure 22 Date</i>	<i>X(8)</i>	<i>917</i>	<i>924</i>	<i>Spaces</i>
<i>Other Procedure 23</i>	<i>X(7)</i>	<i>925</i>	<i>931</i>	<i>Spaces</i>
<i>Other Procedure 23 Date</i>	<i>X(8)</i>	<i>932</i>	<i>939</i>	<i>Spaces</i>
<i>Other Procedure 24</i>	<i>X(7)</i>	<i>940</i>	<i>946</i>	<i>Spaces</i>
<i>Other Procedure 24 Date</i>	<i>X(8)</i>	<i>947</i>	<i>954</i>	<i>Spaces</i>
<i>Principal Procedure Version Indicator Code</i>	<i>X(1)</i>	<i>955</i>	<i>955</i>	<i>Spaces</i>
<i>Other Procedure 1 Version Indicator Code</i>	<i>X(1)</i>	<i>956</i>	<i>956</i>	<i>Spaces</i>
<i>Other Procedure 2 Version Indicator Code</i>	<i>X(1)</i>	<i>957</i>	<i>957</i>	<i>Spaces</i>
<i>Other Procedure 3 Version Indicator Code</i>	<i>X(1)</i>	<i>958</i>	<i>958</i>	<i>Spaces</i>
<i>Other Procedure 4 Version Indicator Code</i>	<i>X(1)</i>	<i>959</i>	<i>959</i>	<i>Spaces</i>
<i>Other Procedure 5 Version Indicator Code</i>	<i>X(1)</i>	<i>960</i>	<i>960</i>	<i>Spaces</i>
<i>Other Procedure 6 Version Indicator Code</i>	<i>X(1)</i>	<i>961</i>	<i>961</i>	<i>Spaces</i>
<i>Other Procedure 7 Version Indicator Code</i>	<i>X(1)</i>	<i>962</i>	<i>962</i>	<i>Spaces</i>
<i>Other Procedure 8 Version Indicator Code</i>	<i>X(1)</i>	<i>963</i>	<i>963</i>	<i>Spaces</i>
<i>Other Procedure 9 Version Indicator Code</i>	<i>X(1)</i>	<i>964</i>	<i>964</i>	<i>Spaces</i>
<i>Other Procedure 10 Version Indicator Code</i>	<i>X(1)</i>	<i>965</i>	<i>965</i>	<i>Spaces</i>
<i>Other Procedure 11 Version Indicator Code</i>	<i>X(1)</i>	<i>966</i>	<i>966</i>	<i>Spaces</i>
<i>Other Procedure 12 Version Indicator Code</i>	<i>X(1)</i>	<i>967</i>	<i>967</i>	<i>Spaces</i>
<i>Other Procedure 13 Version Indicator Code</i>	<i>X(1)</i>	<i>968</i>	<i>968</i>	<i>Spaces</i>
<i>Other Procedure 14 Version Indicator Code</i>	<i>X(1)</i>	<i>969</i>	<i>969</i>	<i>Spaces</i>
<i>Other Procedure 15 Version Indicator Code</i>	<i>X(1)</i>	<i>970</i>	<i>970</i>	<i>Spaces</i>
<i>Other Procedure 16 Version Indicator Code</i>	<i>X(1)</i>	<i>971</i>	<i>971</i>	<i>Spaces</i>
<i>Other Procedure 17 Version Indicator Code</i>	<i>X(1)</i>	<i>972</i>	<i>972</i>	<i>Spaces</i>
<i>Other Procedure 18 Version Indicator Code</i>	<i>X(1)</i>	<i>973</i>	<i>973</i>	<i>Spaces</i>
<i>Other Procedure 19 Version Indicator Code</i>	<i>X(1)</i>	<i>974</i>	<i>974</i>	<i>Spaces</i>
<i>Other Procedure 20 Version Indicator Code</i>	<i>X(1)</i>	<i>975</i>	<i>975</i>	<i>Spaces</i>

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
<i>Other Procedure 21 Version Indicator Code</i>	<i>X(1)</i>	<i>976</i>	<i>976</i>	<i>Spaces</i>
<i>Other Procedure 22 Version Indicator Code</i>	<i>X(1)</i>	<i>977</i>	<i>977</i>	<i>Spaces</i>
<i>Other Procedure 23 Version Indicator Code</i>	<i>X(1)</i>	<i>978</i>	<i>978</i>	<i>Spaces</i>
<i>Other Procedure 24 Version Indicator Code</i>	<i>X(1)</i>	<i>979</i>	<i>979</i>	<i>Spaces</i>
Claim Demonstration Identification Number	9(2)	980	981	Zeros
PPS Indicator	X(1)	982	982	Spaces
Action Code	X(1)	983	983	Spaces
Patient Status	X(2)	984	985	Spaces
Billing Provider NPI	X(10)	986	995	Spaces
Claim Provider Taxonomy Code	X(25)	996	1020	Spaces
Medical Record Number	X(17)	1021	1037	Spaces
Patient Control Number	X(20)	1038	1057	Spaces
Attending Physician NPI	X(10)	1058	1067	Spaces
Attending Physician Last Name	X(16)	1068	1083	Spaces
Operating Physician NPI	X(10)	1084	1093	Spaces
Operating Physician Last Name	X(16)	1094	1109	Spaces
<i>Claim Rendering Physician NPI</i>	X(10)	1110	1119	Spaces
<i>Claim Rendering Physician Last Name</i>	X(16)	1120	1135	Spaces
Date of Admission	X(8)	1136	1143	Spaces
Type of Admission	X(1)	1144	1144	Spaces
Source of Admission	X(1)	1145	1145	Spaces
DRG	X(3)	1146	1148	Spaces
Occurrence Code 1	X(2)	1149	1150	Spaces
Occurrence Code 1 Date	X(8)	1151	1158	Spaces
Occurrence Code 2	X(2)	1159	1160	Spaces
Occurrence Code 2 Date	X(8)	1161	1168	Spaces
Occurrence Code 3	X(2)	1169	1170	Spaces
Occurrence Code 3 Date	X(8)	1171	1178	Spaces
Occurrence Code 4	X(2)	1179	1180	Spaces
Occurrence Code 4 Date	X(8)	1181	1188	Spaces
Occurrence Code 5	X(2)	1189	1190	Spaces
Occurrence Code 5 Date	X(8)	1191	1198	Spaces
Occurrence Code 6	X(2)	1199	1200	Spaces
Occurrence Code 6 Date	X(8)	1201	1208	Spaces
Occurrence Code 7	X(2)	1209	1210	Spaces
Occurrence Code 7 Date	X(8)	1211	1218	Spaces
Occurrence Code 8	X(2)	1219	1220	Spaces
Occurrence Code 8 Date	X(8)	1221	1228	Spaces
Occurrence Code 9	X(2)	1231	1230	Spaces
Occurrence Code 9 Date	X(8)	1231	1238	Spaces
Occurrence Code 10	X(2)	1239	1240	Spaces
Occurrence Code 10 Date	X(8)	1241	1248	Spaces
Occurrence Code 11	X(2)	1249	1250	Spaces
Occurrence Code 11 Date	X(8)	1251	1258	Spaces
Occurrence Code 12	X(2)	1259	1260	Spaces

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Occurrence Code 12 Date	X(8)	1261	1268	Spaces
Occurrence Code 13	X(2)	1269	1270	Spaces
Occurrence Code 13 Date	X(8)	1271	1278	Spaces
Occurrence Code 14	X(2)	1279	1280	Spaces
Occurrence Code 14 Date	X(8)	1281	1288	Spaces
Occurrence Code 15	X(2)	1289	1290	Spaces
Occurrence Code 15 Date	X(8)	1291	1298	Spaces
Occurrence Code 16	X(2)	1299	1300	Spaces
Occurrence Code 16 Date	X(8)	1301	1308	Spaces
Occurrence Code 17	X(2)	1309	1310	Spaces
Occurrence Code 17 Date	X(8)	1311	1318	Spaces
Occurrence Code 18	X(2)	1319	1320	Spaces
Occurrence Code 18 Date	X(8)	1321	1328	Spaces
Occurrence Code 19	X(2)	1329	1330	Spaces
Occurrence Code 19 Date	X(8)	1331	1338	Spaces
Occurrence Code 20	X(2)	1339	1340	Spaces
Occurrence Code 20 Date	X(8)	1341	1348	Spaces
Occurrence Code 21	X(2)	1349	1350	Spaces
Occurrence Code 21 Date	X(8)	1351	1358	Spaces
Occurrence Code 22	X(2)	1359	1360	Spaces
Occurrence Code 22 Date	X(8)	1361	1368	Spaces
Occurrence Code 23	X(2)	1369	1370	Spaces
Occurrence Code 23 Date	X(8)	1371	1378	Spaces
Occurrence Code 24	X(2)	1379	1380	Spaces
Occurrence Code 24 Date	X(8)	1381	1388	Spaces
Occurrence Code 25	X(2)	1389	1390	Spaces
Occurrence Code 25 Date	X(8)	1391	1398	Spaces
Occurrence Code 26	X(2)	1399	1400	Spaces
Occurrence Code 26 Date	X(8)	1401	1408	Spaces
Occurrence Code 27	X(2)	1409	1410	Spaces
Occurrence Code 27 Date	X(8)	1411	1418	Spaces
Occurrence Code 28	X(2)	1419	1420	Spaces
Occurrence Code 28 Date	X(8)	1421	1428	Spaces
Occurrence Code 29	X(2)	1429	1430	Spaces
Occurrence Code 29 Date	X(8)	1431	1438	Spaces
Occurrence Code 30	X(2)	1439	1440	Spaces
Occurrence Code 30 Date	X(8)	1441	1448	Spaces
Value Code 1	X(2)	1449	1450	Spaces
Value Amount 1	S9(8)V99	1451	1460	Zeroes
Value Code 2	X(2)	1461	1462	Spaces
Value Amount 2	S9(8)V99	1463	1472	Zeroes
Value Code 3	X(2)	1473	1474	Spaces
Value Amount 3	S9(8)V99	1475	1484	Zeroes
Value Code 4	X(2)	1485	1486	Spaces
Value Amount 4	S9(8)V99	1487	1496	Zeroes

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Value Code 5	X(2)	1497	1498	Spaces
Value Amount 5	S9(8)V99	1499	1508	Zeros
Value Code 6	X(2)	1509	1510	Spaces
Value Amount 6	S9(8)V99	1511	1520	Zeros
Value Code 7	X(2)	1521	1522	Spaces
Value Amount 7	S9(8)V99	1523	1532	Zeros
Value Code 8	X(2)	1533	1534	Spaces
Value Amount 8	S9(8)V99	1535	1544	Zeros
Value Code 9	X(2)	1545	1546	Spaces
Value Amount 9	S9(8)V99	1547	1556	Zeros
Value Code 10	X(2)	1557	1558	Spaces
Value Amount 10	S9(8)V99	1559	1568	Zeros
Value Code 11	X(2)	1569	1570	Spaces
Value Amount 11	S9(8)V99	1571	1580	Zeros
Value Code 12	X(2)	1581	1582	Spaces
Value Amount 12	S9(8)V99	1583	1592	Zeros
Value Code 13	X(2)	1593	1594	Spaces
Value Amount 13	S9(8)V99	1595	1604	Zeros
Value Code 14	X(2)	1605	1606	Spaces
Value Amount 14	S9(8)V99	1607	1616	Zeros
Value Code 15	X(2)	1617	1618	Spaces
Value Amount 15	S9(8)V99	1619	1628	Zeros
Value Code 16	X(2)	1629	1630	Spaces
Value Amount 16	S9(8)V99	1631	1640	Zeros
Value Code 17	X(2)	1641	1642	Spaces
Value Amount 17	S9(8)V99	1643	1652	Zeros
Value Code 18	X(2)	1653	1654	Spaces
Value Amount 18	S9(8)V99	1655	1664	Zeros
Value Code 19	X(2)	1665	1666	Spaces
Value Amount 19	S9(8)V99	1667	1676	Zeros
Value Code 20	X(2)	1677	1678	Spaces
Value Amount 20	S9(8)V99	1679	1688	Zeros
Value Code 21	X(2)	1689	1690	Spaces
Value Amount 21	S9(8)V99	1691	1700	Zeros
Value Code 22	X(2)	1701	1702	Spaces
Value Amount 22	S9(8)V99	1703	1712	Zeros
Value Code 23	X(2)	1713	1714	Spaces
Value Amount 23	S9(8)V99	1715	1724	Zeros
Value Code 24	X(2)	1725	1726	Spaces
Value Amount 24	S9(8)V99	1727	1736	Zeros
Value Code 25	X(2)	1737	1738	Spaces
Value Amount 25	S9(8)V99	1739	1748	Zeros
Value Code 26	X(2)	1749	1750	Spaces
Value Amount 26	S9(8)V99	1751	1760	Zeros
Value Code 27	X(2)	1761	1762	Spaces

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Value Amount 27	S9(8)V99	1763	1772	Zeroes
Value Code 28	X(2)	1773	1774	Spaces
Value Amount 28	S9(8)V99	1775	1784	Zeroes
Value Code 29	X(2)	1785	1786	Spaces
Value Amount 29	S9(8)V99	1787	1796	Zeroes
Value Code 30	X(2)	1797	1798	Spaces
Value Amount 30	S9(8)V99	1799	1808	Zeroes
Value Code 31	X(2)	1809	1810	Spaces
Value Amount 31	S9(8)V99	1811	1820	Zeroes
Value Code 32	X(2)	1821	1822	Spaces
Value Amount 32	S9(8)V99	1823	1832	Zeroes
Value Code 33	X(2)	1833	1834	Spaces
Value Amount 33	S9(8)V99	1835	1844	Zeroes
Value Code 34	X(2)	1845	1846	Spaces
Value Amount 34	S9(8)V99	1847	1856	Zeroes
Value Code 35	X(2)	1857	1858	Spaces
Value Amount 35	S9(8)V99	1859	1868	Zeroes
Value Code 36	X(2)	1869	1870	Spaces
Value Amount 36	S9(8)V99	1871	1880	Zeroes
Claim Final Allowed Amount	S9(8)V99	1881	1890	Zeroes
Claim Deductible Amount	S9(8)V99	1891	1900	Zeroes
Claim State	X(2)	1901	1902	Spaces
Claim Zip Code	X(9)	1903	1911	Spaces
Beneficiary State	X(2)	1912	1913	Spaces
Beneficiary Zip Code	X(9)	1914	1922	Spaces
<i>Claim PWK</i>	<i>X(60)</i>	<i>1923</i>	<i>1982</i>	<i>Spaces</i>
<i>Patient Reason for Visit 1</i>	<i>X(7)</i>	<i>1983</i>	<i>1989</i>	<i>Spaces</i>
<i>Patient Reason for Visit 2</i>	<i>X(7)</i>	<i>1990</i>	<i>1996</i>	<i>Spaces</i>
<i>Patient Reason for Visit 3</i>	<i>X(7)</i>	<i>1997</i>	<i>2003</i>	<i>Spaces</i>
<i>Patient Reason for Visit 1 Version Indicator Code</i>	<i>X(1)</i>	<i>2004</i>	<i>2004</i>	<i>Spaces</i>
<i>Patient Reason for Visit 2 Version Indicator Code</i>	<i>X(1)</i>	<i>2005</i>	<i>2005</i>	<i>Spaces</i>
<i>Patient Reason for Visit 3 Version Indicator Code</i>	<i>X(1)</i>	<i>2006</i>	<i>2006</i>	<i>Spaces</i>
<i>Present on Admission/External Cause of Injury Indicator</i>	<i>X(37)</i>	<i>2007</i>	<i>2043</i>	<i>Spaces</i>
<i>External Cause of Injury 1</i>	<i>X(7)</i>	<i>2044</i>	<i>2050</i>	<i>Spaces</i>
<i>External Cause of Injury 2</i>	<i>X(7)</i>	<i>2051</i>	<i>2057</i>	<i>Spaces</i>
<i>External Cause of Injury 3</i>	<i>X(7)</i>	<i>2058</i>	<i>2064</i>	<i>Spaces</i>
<i>External Cause of Injury 4</i>	<i>X(7)</i>	<i>2065</i>	<i>2071</i>	<i>Spaces</i>
<i>External Cause of Injury 5</i>	<i>X(7)</i>	<i>2072</i>	<i>2078</i>	<i>Spaces</i>
<i>External Cause of Injury 6</i>	<i>X(7)</i>	<i>2079</i>	<i>2085</i>	<i>Spaces</i>
<i>External Cause of Injury 7</i>	<i>X(7)</i>	<i>2086</i>	<i>2092</i>	<i>Spaces</i>
<i>External Cause of Injury 8</i>	<i>X(7)</i>	<i>2093</i>	<i>2099</i>	<i>Spaces</i>
<i>External Cause of Injury 9</i>	<i>X(7)</i>	<i>2100</i>	<i>2106</i>	<i>Spaces</i>
<i>External Cause of Injury 10</i>	<i>X(7)</i>	<i>2107</i>	<i>2113</i>	<i>Spaces</i>
<i>External Cause of Injury 11</i>	<i>X(7)</i>	<i>2114</i>	<i>2120</i>	<i>Spaces</i>

**Sampled Claims Resolution File**

**Sampled Claims Resolution Claim Detailed Record**

<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
<i>External Cause of Injury 12</i>	X(7)	2121	2127	Spaces
<i>External Cause of Injury 1 Version Indicator Code</i>	X(1)	2128	2128	Spaces
<i>External Cause of Injury 2 Version Indicator Code</i>	X(1)	2129	2129	Spaces
<i>External Cause of Injury 3 Version Indicator Code</i>	X(1)	2130	2130	Spaces
<i>External Cause of Injury 4 Version Indicator Code</i>	X(1)	2131	2131	Spaces
<i>External Cause of Injury 5 Version Indicator Code</i>	X(1)	2132	2132	Spaces
<i>External Cause of Injury 6 Version Indicator Code</i>	X(1)	2133	2133	Spaces
<i>External Cause of Injury 7 Version Indicator Code</i>	X(1)	2134	2134	Spaces
<i>External Cause of Injury 8 Version Indicator Code</i>	X(1)	2135	2135	Spaces
<i>External Cause of Injury 9 Version Indicator Code</i>	X(1)	2136	2136	Spaces
<i>External Cause of Injury 10 Version Indicator Code</i>	X(1)	2137	2137	Spaces
<i>External Cause of Injury 11 Version Indicator Code</i>	X(1)	2138	2138	Spaces
<i>External Cause of Injury 12 Version Indicator Code</i>	X(1)	2139	2139	Spaces
<i>Service Facility Zip Code</i>	X(9)	2140	2148	Spaces
<i>RAC adjustment indicator</i>	X(1)	2149	2149	Spaces
<i>Split/Adjustment Indicator</i>	9(2)	2150	2151	Spaces
<i>Referring Physician NPI</i>	X(10)	2152	2161	Spaces
<i>Referring Physician Last Name</i>	X(16)	2162	2177	Spaces
<i>Referring Physician Specialty</i>	X(2)	2178	2179	Spaces
<i>Claim Rendering Physician Specialty</i>	X(2)	2180	2181	Spaces
<i>Overpay Indicator</i>	X(1)	2182	2182	Spaces
<i>Overpay Code</i>	X(3)	2183	2185	Spaces
<i>Filler</i>	X(16)	2186	2201	Spaces
Total Line Item Count	9(3)	2202	2204	Zeroes
Record Line Item Count	9(3)	2205	2207	Zeroes
<b>Line Item group:</b> The following group of fields occurs from 1 to 450 times for the claim (depending on Total Line Item Count) and 1 to <b>75</b> times for the Record (depending on Record Line Item Count)				
<b>From and Thru values relate to the 1<sup>st</sup> line item</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Revenue center code	X(4)	2208	2211	Spaces
SNF-RUG-III code	X(3)	2212	2214	Spaces
APC adjustment code	X(5)	2215	2219	Spaces
HCPCS Procedure Code	X(5)	2220	2224	Spaces
HCPCS Modifier 1	X(2)	2225	2226	Spaces
HCPCS Modifier 2	X(2)	2227	2228	Spaces
HCPCS Modifier 3	X(2)	2229	2230	Spaces
HCPCS Modifier 4	X(2)	2231	2232	Spaces
HCPCS Modifier 5	X(2)	2233	2234	Spaces

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Claim Detailed Record</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Line Item Date	X(8)	2235	2242	Spaces
Line Submitted Charge	S9(8)V99	2243	2252	Zeros
Line Medicare Initial Allowed Charge	S9(8)V99	2253	2262	Zeros
ANSI Reason Code 1	X(8)	2263	2270	Spaces
ANSI Reason Code 2	X(8)	2271	2278	Spaces
ANSI Reason Code 3	X(8)	2279	2286	Spaces
ANSI Reason Code 4	X(8)	2287	2294	Spaces
ANSI Reason Code 5	X(8)	2295	2302	Spaces
ANSI Reason Code 6	X(8)	2303	2310	Spaces
ANSI Reason Code 7	X(8)	2311	2318	Spaces
ANSI Reason Code 8	X(8)	2319	2326	Spaces
ANSI Reason Code 9	X(8)	2327	2334	Spaces
ANSI Reason Code 10	X(8)	2335	2342	Spaces
ANSI Reason Code 11	X(8)	2343	2350	Spaces
ANSI Reason Code 12	X(8)	2351	2358	Spaces
ANSI Reason Code 13	X(8)	2359	2366	Spaces
ANSI Reason Code 14	X(8)	2367	2374	Spaces
Manual Medical Review Indicator	X(1)	2375	2375	Spaces
Resolution Code	X(5)	2376	2380	Spaces
Line Final Allowed Charge	S9(8)V99	2381	2390	Zeros
Line Cash Deductible	S9(8)V99	2391	2400	Zeros
Special Action Code/Override Code	X(1)	2401	2401	Zeros
Units	S9(7)v999	2402	2411	Zeros
<i>Rendering Physician NPI</i>	<i>X(10)</i>	<i>2412</i>	<i>2421</i>	<i>Spaces</i>
<i>Rendering Physician Last Name</i>	<i>X(25)</i>	<i>2422</i>	<i>2446</i>	<i>Spaces</i>
<i>National Drug Code (NDC) field</i>	<i>X(11)</i>	<i>2447</i>	<i>2457</i>	<i>Spaces</i>
<i>National Drug Code (NDC) Quantity</i>	<i>S9(7)v999</i>	<i>2458</i>	<i>2467</i>	<i>Spaces</i>
<i>National Drug Code (NDC) Quantity Qualifier</i>	<i>X(2)</i>	<i>2468</i>	<i>2469</i>	<i>Spaces</i>
<i>Line PWK</i>	<i>X(60)</i>	<i>2470</i>	<i>2529</i>	<i>Spaces</i>
<i>Line Rendering Physician specialty</i>	<i>X(2)</i>	<i>2530</i>	<i>2531</i>	<i>Spaces</i>
Filler	X(23)	2532	2554	Spaces

## DATA ELEMENT DETAIL

### Claim (Header) Fields

#### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

#### Data Element: Record Type

Definition: Code indicating type of record  
Validation: N/A  
Remarks: 2 = Claim record  
Requirement: Required

**Data Element: Record Version Code**

Definition: The code indicating the record version of the Claim Resolution file  
Validation: Claim Resolution files prior to 10/1/2007 did not contain this field.  
Codes:  
B = Record Format as of 10/1/2007  
*C = Record Format as of 1/1/2010*  
*D = Record Format as of 10/1/2012*

Remarks: N/A  
Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor included in the file  
Validation: Must be 'A' or 'R'  
Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.  
Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.  
All others will be contractor type 'A'.

**Data Element: Record Number**

Definition: The sequence number of the record. A claim may have up to six records.  
Validation: Must be between 1 and 6  
Remarks: None  
Requirement: Required

**Data Element: Mode of Entry Indicator**

Definition: Code that indicates if the claim is paper, EMC, or unknown  
Validation: Must be 'E', 'P', or 'U'  
Remarks: E = EMC  
P = Paper  
U = Unknown  
Use the same criteria to determine EMC, paper, or unknown as that used for workload reporting  
Requirement: Required

**Data Element: Original Claim Control Number**

Definition: The Claim Control Number the shared system assigned to the claim in the Universe file. This number should be the same as the claim control number for the claim in the Sample Claims Transactions file, and the claim control number for the claim on the Universe file. If the shared system had to use a crosswalk to pull the claim because the *MAC* or shared system changed the claim control number during processing, enter the number the shared system used to look up the number needed to pull all records associated with the sample claim.  
Validation: For all records in the resolution file, the Original Claim Control must match the Claim Control Number identified in the Sampled Claims Transaction File.  
Remarks: N/A  
Requirement: Required

**Data Element: Internal Control Number**

Definition: Number currently assigned by the Shared System to uniquely identify the claim  
Validation: N/A  
Remarks: Use the Original Claim Control Number if no adjustment has been made to the claim. This number may be different from the Original Claim Control Number if the shared system has assigned a new Claims Control Number to an adjustment to the claim requested.  
Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Beneficiary Last Name**

Definition: Last Name (Surname) of the beneficiary  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Beneficiary First Name**

Definition: First (Given) Name of the beneficiary  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Beneficiary Middle Initial**

Definition: First letter from Beneficiary Middle Name  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Beneficiary Date of Birth**

Definition: Birth date of the beneficiary  
Validation: Must be a valid date  
Remarks: *MMDDCCYY* on which the beneficiary was born  
Requirement: Required

**Data Element: Beneficiary Gender**

Definition: Gender of the beneficiary  
Validation: 'M' = Male, 'F' = Female, or 'U' = Unknown  
Remarks: N/A  
Requirement: Required

**Data Element: Billing Provider Number**

Definition: First nine characters of number used to identify the billing/pricing provider or supplier  
Validation: Must be present  
If the same billing/pricing provider number does not apply to all lines on the claim, enter the Billing provider number that applies to the first line of the claim  
Remarks: N/A  
Requirement: Required for all claims

**Data Element: Attending Physician UPIN**

Definition: The UPIN submitted on the claim used to identify the physician that is responsible for coordinating the care of the patient while in the facility.  
Validation: N/A  
Remarks: Left justify  
Requirement: Required when available on claim record.

**Data Element: Claim Paid Amount**

Definition: Amount of payment made from the Medicare trust fund for the services covered by the claim record. Generally, the amount is calculated by the *A/B MAC (A)* or *A/B MAC (B)* and represents what CMS paid to the institutional provider, physician, or supplier, i.e. The Claim Paid Amount is the net amount paid after co-insurance and deductibles are applied.  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: *Claim ANSI Reason Code 1-7***

Definition: Codes showing the reason for any adjustments to this claim, such as denials or reductions of payment from the amount billed  
Validation: Must be valid American National Standards Institute (ANSI) Ambulatory Surgical Center (ASC) claim adjustment code and applicable group code.  
Remarks: Format is GGRRRRRR where: GG is the group code and RRRRRR is the adjustment reason code  
Requirement: Report all ANSI reason codes on the bill

**Data Element: Statement Covers from Date**

Definition: The beginning date of the statement  
Validation: Must be a valid date  
Remarks: Format must be CCYYMMDD  
Requirement: Required

**Data Element: Statement Covers thru Date**

Definition: The ending date of the statement  
Validation: Must be a valid date  
Remarks: Format must be CCYYMMDD  
Requirement: Required

**Data Element: Claim Entry Date**

Definition: Date claim entered the shared claim processing system, the receipt date  
Validation: Must be a valid date  
Remarks: Format must be CCYYMMDD  
Requirement: Required

**Data Element: Claim Adjudicated Date**

Definition: Date claim completed adjudication, i.e., process date  
Validation: Must be a valid date  
Remarks: Format must be CCYYMMDD  
Requirement: Required

**Data Element: *Condition Code 1-30***

Definition: The code that indicates a condition relating to an institutional claim that may affect payer processing  
Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing CMS-1450 Data Set  
Remarks: *This field is left justified and blank filled.*  
Requirement: Required if there is a condition code for the bill.

**Data Element: Type of Bill**

Definition: A code indicating the specific type of bill (hospital, inpatient, SNF, outpatient, adjustments, voids, etc.).  
This three-digit alphanumeric code gives three specific pieces of information. The first digit identifies the type of facility. The second classifies the type of care. The third indicates the sequence of this bill in this particular episode of care. It is referred to as "frequency" code  
Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing CMS-1450 Data Set  
Remarks: N/A  
Requirement: Required

**Data Element: Principal Diagnosis**

**Definition:** The *current version of ICD--CM* diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record to be chiefly responsible for the services provided.

**Validation:** Must be a valid ICD--CM diagnosis code

- CMS accepts only *CMS approved* ICD--CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD--CM Coordination and Maintenance Committee.
- Diagnosis codes must be full ICD--CM diagnoses codes, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)* where applicable

**Remarks:** The principal diagnosis is the condition established after study to be chiefly responsible for this admission. Even though another diagnosis may be more severe than the principal diagnosis, the principal diagnosis, as defined above, is entered.

**Requirement:** Required

**Data Element: Principal Diagnosis *Version Indicator Code***

**Definition:** *The diagnosis version code identifying the version of ICD diagnosis code submitted.*

**Validation:**

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*

**Remarks:** *With the exception of claims submitted by ambulance suppliers (specialty*

**Requirement:** *Principal Diagnosis Version Code 1 is required for ALL claims.*

**Data Element: *Other Diagnosis Code 1-24***

**Definition:** The ICD-CM diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record to be present during treatment

**Validation:** Must be a valid ICD--CM diagnosis code

- CMS accepts only *CMS approved* ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.
- Diagnosis codes must be full ICD-CM diagnoses codes, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)* where applicable.

**Remarks:** Report the full ICD-CM codes for up to *24* additional conditions if they co-existed at the time of admission or developed subsequently, and which had an effect upon the treatment or the length of stay.

**Requirement:** Required if available on the claim record.

**Data Element: *Other Diagnosis Version Indicator Code 1-24***

**Definition:** *The ICD-CM diagnosis version code identifying the version of diagnosis code submitted.*

**Validation:**

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*

**Remarks:**

*Requirement: Principal Diagnosis Version Code 1 is required for ALL claims. Other Diagnosis version codes 1-24 should be submitted to correspond to claim level diagnosis codes 1-24.*

**Data Element: Principal Procedure and Date**

**Definition:** The ICD--CM code that indicates the principal procedure performed during the period covered by the institutional claim. And the Date on which it was performed.

**Validation:** Must be a valid ICD--CM procedure code

- CMS accepts only *CMS approved* ICD--CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD--CM Coordination and Maintenance Committee.
- The procedure code shown must be the full ICD--CM, Volume 3, procedure code, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)*.

**Remarks:** The principal procedure is the procedure performed for definitive treatment rather than for diagnostic or exploratory purposes, or which was necessary to take care of a complication. It is also the procedure most closely related to the principal diagnosis.

- The date applicable to the principal procedure is shown numerically as CCYYMMDD in the “date” portion.

**Requirement:** Required for inpatient claims.

**Data Element: Principal Procedure Version Indicator Code**

**Definition:** *The version code identifying the version of ICD procedure code submitted.*

**Validation:**

- *Version ICD9 use Version Code ‘9’*
- *Version ICD10 use Version Code ‘0’*

**Remarks:**

**Requirement:** *Principal Procedure Code Version Code is required for ALL claims containing a Principal Procedure.*

**Data Element: Other Procedure and Date 1-24**

**Definition:** The ICD-CM code identifying the procedure, other than the principal procedure, performed during the billing period covered by this bill.

**Validation:** Must be a valid ICD-CM procedure code

- CMS accepts only *CMS approved* ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.
- The procedure code shown must be the full ICD-CM, Volume 3, procedure code, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)*.

**Remarks:** The date applicable to the procedure is shown numerically as *CCYYMMDD* in the “date” portion.

**Requirement:** Required if on claim record.

**Data Element: Other Procedure Code Version Indicator Code 1-24**

**Definition:** *The ICD-CM diagnosis version code identifying the version of procedure code submitted.*

**Validation:**

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*

*Remarks:*

*Requirement: Principal Procedure Version Code is required for ALL claims. Other Procedure version codes 1-24 should be submitted to correspond to other procedure code 1-24.*

**Data Element: Claim Demonstration Identification Number**

Definition: The number assigned to identify a demonstration project.

Validation: Must be numeric or zeroes

Remarks:

Requirement: Required if available on claim record

**Data Element: PPS Indicator**

Definition: The code indicating whether (1) the claim is Prospective Payment System (PPS) or (0) not PPS.

Validation: 0 = Not PPS

1 = PPS

Remarks: N/A

Requirement: Required

**Data Element: Action Code**

Definition: Indicator identifying the type of action requested by the intermediary to be taken on an institutional claim.

Validation: Must be a valid action code.

1 = Original debit action (includes non-adjustment RTI correction items) – it will always be a 1 in regular bills.

2 = Cancel by credit adjustment – used only in credit/debit pairs (under HHPPS, updates the RAP).

3 = Secondary debit adjustment - used only in credit/debit pairs (under HHPPS, would be the final claim or an adjustment on a LUPA).

4 = Cancel only adjustment (under HHPPS, RAP/final claim/LUPA).

5 = Force action code 3

6 = Force action code 2

8 = Benefits refused (for inpatient bills, an 'R' nonpayment code must also be present)

9 = Payment requested (used on bills that replace previously-submitted benefits-refused bills, action code 8. In such cases a debit/credit pair is not required. For inpatient bills, a 'P' should be entered in the nonpayment code.)

Remarks: N/A

Requirement: Required

**Data Element: Patient Status**

Definition: This code indicates the patient's status as of the "Through" date of the billing period.

Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set

Remarks:

Requirement: Required

**Data Element: Billing Provider NPI**

Definition: NPI assigned to the Billing Provider.  
Validation: N/A  
Remarks: N/A.  
Requirement: Required for providers using HIPAA standard transactions

**Data Element: Claim Provider Taxonomy Code**

Definition: The non-medical data code set used to classify health care providers according to provider type or practitioner specialty in an electronic environment, specifically within the American National Standards Institute Accredited Standards Committee health care transaction.  
Validation: Must be present  
• If multiple taxonomy codes are associated with a provider number, provide the first one in sequence.  
Remarks: N/A  
Requirement: Required when available.

**Data Element: Medical Record Number**

Definition: Number assigned to patient by hospital or other provider to assist in retrieval of medical records  
Validation: N/A  
Remarks: N/A  
Requirement: Required if available on claim record

**Data Element: Patient Control Number**

Definition: The patient's unique alpha-numeric control number assigned by the provider to facilitate retrieval of individual financial records and posting payment.  
Validation: N/A  
Remarks: N/A  
Requirement: Required if available on claim record

**Data Element: Attending Physician NPI**

Definition: NPI assigned to the Attending Physician.  
Validation: N/A  
Remarks: Left justify  
Requirement: Required when available on claim record.

**Data Element: Attending Physician Last Name**

Definition: Last Name (Surname) of the attending physician.  
Validation: Must be present  
Remarks: N/A  
Requirement: Required when available on claim record

**Data Element: Operating Physician NPI**

Definition: NPI assigned to the Operating Physician.  
Validation: N/A  
Remarks: Left justify  
Requirement: Required when available on claim record.

**Data Element: Operating Physician Last Name**

Definition: Last Name (Surname) of the operating physician.  
Validation: Must be present  
Remarks: N/A  
Requirement: Required when available on claim record

***Data Element: Claim Rendering Physician NPI***

*Definition: NPI assigned to the claim rendering physician (mapped from 2310D from the 837I version 5010A2)*  
*Validation: N/A*  
*Remarks: Left justify*  
*Requirement: Required when available on claim record.*

***Data Element: Claim Rendering Physician Last Name***

*Definition: Last Name (Surname) of the claim rendering physician (mapped from 2310D from the 837I version 5010A2)*  
*Validation: Must be present*  
*Remarks: N/A*  
*Requirement: Required when available on claim record*

**Data Element: Date of Admission**

Definition: The date the patient was admitted to the provider for inpatient care, outpatient service, or start of care. For an admission notice for hospice care, enter the effective date of election of hospice benefits.  
Validation: Must be a valid date  
Remarks: Format date as CCYYDDD  
Requirement: Required if on claim record.

**Data Element: Type of Admission**

- Definition: The code indicating the type and priority of an inpatient admission associated with the service on an intermediary claim.
- Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set Code Structure:
- Requirement: Required on inpatient claims only.

**Data Element: Source of Admission**

- Definition: The code indicating the means by which the beneficiary was admitted to the inpatient health care facility or SNF if the type of admission is (1) emergency, (2) urgent, or (3) elective.
- Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set Code Structure (For Emergency, Elective, or Other Type of Admission):
- Requirement: Required when entered on the claim record.

**Data Element: DRG (Diagnosis Related Group)**

- Definition: The code identifying the diagnostic related group to which a hospital claim belongs for prospective payment purposes.
- Validation: Must be valid per the DRG DEFINITIONS MANUAL
- Remarks: N/A
- Requirement: Required if available on the claim record

**Data Element: Occurrence Code and Date *1-30***

- Definition: Code(s) and associated date(s) defining specific event(s) relating to this billing period are shown.
- Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set
- Remarks:
- Event codes are two alpha-numeric digits, and dates are shown as eight numeric digits (MM-DD-CCYY)
  - When occurrence codes 01-04 and 24 are entered, make sure the entry includes the appropriate value codes, if there is another payer involved.
- Requirement: Required if available on claim record

**Data Element: Value Codes and Amounts *1-36***

- Definition: Code(s) and related dollar or unit amount(s) identify data of a monetary nature that are necessary for the processing of this claim.
- Validation: Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set
- Remarks:
- The codes are two alpha-numeric digits, and each value allows up to nine numeric digits (0000000.00).
  - Negative amounts are not allowed except in the last entry.
  - Whole numbers or non-dollar amounts are right justified to the left of the dollars and cents delimiter.
  - Some values are reported as cents, so refer to specific codes for instructions.

- If more than one value code is shown for a billing period, codes are shown in ascending numeric sequence.
- Use the first line before the second, etc.

Requirement: Required if available on claim record

**Data Element: Claim Final Allowed Amount**

Definition: Final Allowed Amount for this claim.

Validation: N/A

Remarks: The Gross Allowed charges on the claim. This represents the amount paid to the provider plus any beneficiary responsibility (co-pay and deductible)

Requirement: Required.

**Data Element: Claim Deductible Amount**

Definition: Amount of deductible applicable to the claim.

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Claim State**

Definition: 2 character indicator showing the state where the service is furnished

Validation: Must be a valid USPS state abbreviation

Remarks: N/A

Requirement: Required

**Data Element: Claim Zip Code**

Definition: Zip code of the physical location where the services were furnished.

Validation: Must be a valid USPS zip code.

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary State**

Definition: 2 character indicator showing the state of beneficiary residence

Validation: Must be a valid USPS state abbreviation

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary Zip Code**

Definition: Zip code associated with the beneficiary residence.

Validation: Must be a valid USPS zip code.

Remarks: N/A

Requirement: Required

***Data Element: PWK Filler***

*Definition: PWK space -- use to be determined*

*Validation: N/A*

*Remarks: N/A*

*Requirement: Required when available on claim*

***Data Element: Patient Reason for Visit 1-3***

*Definition: An ICD--CM code on the institutional claim indicating the beneficiary's reason for visit*

**Validation:** *Must be a valid ICD-CM diagnosis code*

- *CMS accepts only CMS approved ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.*
- *Diagnosis codes must be full ICD-CM diagnoses codes, including the full number of digits (five for ICD-9-CM, seven for ICD-10-CM) where applicable.*

**Remarks:** *Report the full ICD-CM codes for up to 3 conditions responsible for the patient's visit.*

**Requirement:** *For OP claims, this field is populated for those claims that are required to process through OP PPS Pricer. The type of bills (TOB) required to process through are: 12X, 13X, 14X (except Maryland providers, Indian Health Providers, hospitals located in American Samoa, Guam and Saipan and Critical Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any outpatient type of bill with a condition code '07' and certain HCPCS. These claim types could have lines that are not required to price under OPSS rules so those lines would not have data in this field. Additional exception: Virgin Island hospitals and hospitals that furnish only inpatient Part B services*

**Data Element: Patient Reason for Visit Version Indicator Code 1-3**

**Definition:** *The ICD-CM diagnosis version code identifying the version of diagnosis code submitted.*

**Validation:**

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*

**Remarks:**

**Requirement:** *Patient Reason for Visit Version codes must be submitted to correspond to patient reason for visit codes 1-3.*

**Data Element: Present on Admission/External Cause of Injury Indicator**

**Definition:** *The code used to indicate a condition was present at the time the beneficiary was admitted to a general acute care facility*

**Validation:** *Position 1 for Principle Diagnosis, positions 2-25 for the 24 Secondary Diagnosis for the Present on Admission (POA) Indicator, Positions 26 – 37 for the 12 External Cause of Injury.*

**Remarks:** *N/A*

**Requirement:** *Required*

**Data Element: External Cause of Injury Diagnosis Codes 1-12**

**Definition:** *The ICD-CM code used to identify the external cause of injury, poisoning, or other adverse affect.*

**Validation:** *Must be a valid ICD--CM diagnosis code*

- *CMS accepts only CMS approved ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.*
- *Diagnosis codes must be full ICD-CM diagnoses codes, including the full number of digits (five for ICD-9-CM, seven for ICD-10-CM) where applicable.*

**Remarks:** *Report the full ICD-CM codes for up to 12 conditions resulting from external causes.*

*Requirement: Required if available on the claim record.*

**Data Element: External Cause of Injury Version Indicator Code 1-12**

*Definition: The ICD-CM diagnosis version code identifying the version of diagnosis code identified as external cause of injury.*

*Validation:*

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*

*Remarks:*

*Requirement: External Cause of Injury version codes 1-12 should be submitted to correspond to external cause of injury diagnosis codes 1-12.*

**Data Element: Service Facility Zip Code**

*Definition: Zip Code used to identify where the service was furnished.*

*Validation: Must be a valid Zip Code*

*Remarks:*

*Requirement: Required, if available on claim record.*

**Data Element: RAC Adjustment Indicator**

*Definition: Indicator used to identify RAC requested adjustments, which occur as a result of post-payment review activities done by the Recovery Audit Contractors (RAC).*

*Validation: 'R' identifies a RAC-requested adjustment*

*Remarks: N/A*

*Requirement: Required when RAC adjustment indicator was furnished to CWF.*

**Data Element: Split/Adjustment Indicator**

*Definition: Count of number of adjustments (with different DCNs) of the claim that are included in the resolution file.*

*Validation: '0' is used when only one DCN associated with the sampled claim is included in the resolution file.*

*When the resolution file contains multiple adjustments associated with a single claim, this field will provide a count of records.*

- *When the resolution file contains 2 DCNs related to a single claim, one of the records would contain a split/adjustment indicator of 1 and the second record would contain a split/adjustment indicator of 2.*

*Remarks: This indicator does not apply when multiple records are submitted for a single claim record because of size restrictions.*

*CERT recognizes that Part A claims are not split. For Part A this field will identify adjustments only.*

*Requirement: Required when the resolution file contains multiple versions of a single claim.*

**Data Element: Referring Physician NPI**

**Definition:** NPI assigned to the Referring Physician—the physician who requests an item or service for the beneficiary for which payment may be made under the Medicare program.

**Validation:** N/A

**Remarks:** Enter zeros if there is no referring physician

**Requirement:** Required when available on the claim record

**NOTES:**

- **Referring physician** - is a physician who requests an item or service for the beneficiary for which payment may be made under the Medicare program.
- **Ordering physician** - is a physician or, when appropriate, a non-physician practitioner who orders non-physician services for the patient

**Data Element: Referring Physician Last Name**

**Definition:** Last name of the referring physician.

**Validation:** N/A

**Remarks:** Enter zeros if there is no referring/ordering provider

**Requirement:** Required when available on the claim record.

**Data Element: Referring Physician Specialty**

**Definition:** Code indicating the primary specialty of the referring physician.

**Validation:** N/A

**Remarks:** Enter zeros if the referring physician specialty is not available

**Requirement:** Required when available on the claim record.

**Data Element: Claim Rendering Physician Specialty**

**Definition:** Code indicating the primary specialty of the claim rendering physician.

**Validation:** N/A

**Remarks:** Enter zeros if the rendering physician specialty is not available

**Requirement:** Required when available on the claim record.

**Data Element: Overpay Indicator**

**Definition:** Code indicating whether or not an overpayment exists on an OIG or ZPIC tracked adjustment claims.

**Validation:**

- Y indicates an overpayment exists on an OIG or ZPIC claim
- N indicates an overpayment does not exist on an OIG or ZPIC claim
- Default value is blank for claims that are not OIG or ZPIC tracked claims.

**Remarks:** This field is populated only when there is a value present in the FSSCIDRP-OVERPAY-CODE field

**Requirement:** Required when available on the claim record.

**Data Element: Overpay Code**

**Definition:** Code that identifies an overpayment on an OIG or ZPIC tracked adjustment claim.

**Validation:** Any of the user-defined values present in the online parm PRMOIGAA, PRMOIG00 through PRMOIG20 records.

**Remarks:** This field is populated only when the claim is an OIG or ZPIC tracked adjustment claim.

**Requirement:** Required when available on the claim record.

**Data Element: Filler**

Definition: Additional space -- use to be determined

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Total Line Item Count**

Definition: Number indicating number of service lines on the claim

Validation: Must be a number 001 - 450

Remarks: N/A

Requirement: Required

**Data Element: Record Line Item Count**

Definition: Number indicating number of service lines on this record

Validation: Must be a number 001 - 100

Remarks: N/A

Requirement: Required

**Claim Line Item Fields**

**Data Element: Revenue Center Code**

Definition: Code assigned to each cost center for which a charge is billed

Validation: Must be a valid NUBC-approved code  
Must be a valid code as listed in Pub 100-4, Medicare Claims Processing Manual, Chapter 25, Completing and Processing *CMS-1450* Data Set

Remarks: Include an entry for revenue code '0001'

Requirement: Required

**Data Element: SNF-RUG-III Code**

Definition: Skilled Nursing Facility Resource Utilization Group Version III (RUG-III) descriptor. This is the rate code/assessment type that identifies (1) RUG-III group the beneficiary was classified into as of the Minimum Data Set (MDS) assessment reference date and (2) the type of assessment for payment purposes.

Validation: N/A

Remarks: N/A

Requirement: Required for SNF inpatient bills

**Data Element: APC Adjustment Code**

Definition: The Ambulatory Payment Classification (APC) Code or Home Health Prospective Payment System (HIPPS) code.

The APC codes are the basis for the calculation of payment of services made for hospital outpatient services, certain PTB services furnished to inpatients who have no Part A coverage, CMHCs, and limited services provided by CORFs, Home Health Agencies or to hospice patients for the treatment of a non-terminal illness.

This field may contain a HIPPS code. If a HHPPS HIPPS code is down coded, the down coded HIPPS will be reported in this field.

The HIPPS code identifies (1) the three case-mix dimensions of the Home Health Resource Group (HHRG) system, clinical, functional and utilization, from which a beneficiary is assigned to one of the 80 HHRG categories and (2) it identifies whether or not the elements of the code were computed or derived. The HHRGs, represented by the HIPPS coding, is the basis of payment for each episode.

Validation: N/A  
Remarks: Left justify the APC Adjustment Code  
Requirement: Required if present on claim record

**Data Element: HCPCS Procedure Code or HIPPS Code**

Definition: The HCPCS/CPT-4 code that describes the service or Health Insurance PPS (HIPPS) code

Validation: Must be a valid HCPCS/CPT-4 or HIPPS code

Remarks: Healthcare Common Procedure Coding System (HCPCS) is a collection of codes that represent procedures, supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs

When revenue center code = '0022' (SNF PPS), '0023' (HH PPS), or '0024' (IRF PPS); this field contains the Health Insurance PPS (HIPPS) code.

The HIPPS code for SNF PPS contains the rate code/assessment type that identifies (1) RUG-III group the beneficiary was classified into as of the RAI MDS assessment reference date and (2) the type of assessment for payment purposes.

The HIPPS code for Home Health PPS identifies (1) the three case-mix dimensions of the HHRG system, clinical, functional and utilization, from which a beneficiary is assigned to one of the 80 HHRG categories and (2) it identifies whether or not the elements of the code were computed or derived. The HHRGs, represented by the HIPPS coding, will be the basis of payment for each episode.

The HIPPS code (CMG Code) for IRF PPS identifies the clinical characteristics of the beneficiary. The HIPPS rate/CMG code (AXXXY - DXXYY) must contain five digits. The first position of the code is an A, B, C, or 'D'. The HIPPS code beginning with an 'A' in front of the CMG is defined as without co-morbidity. The 'B' in front of the CMG is defined as with co-morbidity for Tier 1. The 'C' is defined as co-morbidity for Tier 2 and 'D' is defined as co-morbidity for Tier 3. The 'XX' in the HIPPS rate code is the Rehabilitation Impairment Code (RIC). The 'YY' is the sequential number system within the RIC.

**Requirement:** Required if present on claim record

**Data Element: HCPCS Modifier 1**  
**HCPCS Modifier 2**  
**HCPCS Modifier 3**  
**HCPCS Modifier 4**  
**HCPCS Modifier 5**

Definition: Codes identifying special circumstances related to the service  
Validation: N/A  
Remarks: N/A  
Requirement: Required if available

**Element: Line Item Date**

Definition: The date the service was initiated  
Validation: Must be a valid date.  
Remarks: Format is CCYYMMDD  
Requirement: Required if on bill and included in the shared system

**Data Element: Line Submitted Charge**

Definition: Actual charge submitted by the provider or supplier for the service or equipment  
Validation: N/A  
Remarks: This is a required field. CR3997 provided direction on how to populate this field if data is not available in the claim record.  
Requirement: Required

**Data Element: Line Medicare Initial Allowed Charge**

Definition: Amount Medicare allowed for the service or equipment before any reduction or denial  
Validation: Must be a numeric value.  
Remarks: This is a required field. Use the value in FISS field FSSCPDCL-REV-COV-CHRG-AMT to populate this field (per CMS Change Request 3912)  
Requirement: Required

**Data Element: *ANSI Reason Code 1-14***

Definition: Codes showing the reason for any adjustments to this line, such as denials or reductions of payment from the amount billed  
Validation: Must be valid ANSI ASC claim adjustment codes and applicable group codes  
Remarks: Format is GGRRRRRR where: G is the group code and RRRRRR is the adjustment reason code  
Requirement: Report all ANSI Reason Codes included on the bill.

**Data Element: Manual Medical Review Indicator**

Definition: Code indicating whether or not the service received complex manual medical review. Complex review goes beyond routine review. It includes the request for, collection of, and evaluation of medical records or any other documentation in addition to the documentation on the claim, attached to the claim, or contained in the *MAC*'s history file. The review must require professional medical expertise and must be for the purpose of preventing payments of non-covered or incorrectly coded services. That includes reviews for the purpose of determining if services were medically necessary. Professionals must perform the review, i.e., at a minimum, a Licensed Practical Nurse must perform the review. Review requiring use of the *MAC*'s history file does not make the review a complex review. A review is not considered complex if a medical record is requested

from a provider and not received. If sufficient documentation accompanies a claim to allow complex review to be done without requesting additional documentation, count the review as complex. For instance if all relative pages from the patient's medical record are submitted with the claim, complex MR could be conducted without requesting additional documentation.

Validation: Must be 'Y' or 'N'  
 Remarks: Set to 'Y' if service was subjected to complex manual medical review, else 'N'  
 Requirement: Required

**Data Element: Resolution Code**

Definition: Code indicating how the **MAC** resolved the line.

Automated Review (AM): An automated review occurs when a claim/line item passes through the **MAC's** claims processing system or any adjunct system containing medical review edits.

Routine Manual Review (MR): Routine review uses human intervention, but only to the extent that the claim reviewer reviews a claim or any attachment submitted by the provider. It includes review that involves review of any of the **MAC's** internal documentation, such as claims history file or policy documentation. It does not include review that involves review of medical records or other documentation requested from a provider. A review is considered routine if a medical record is requested from a provider and not received. Include prior authorization reviews in this category.

Complex Manual Review (MC): Complex review goes beyond routine review. It includes the request for, collection of, and evaluation of medical records or any other documentation in addition to the documentation on the claim, attached to the claim, or contained in the **MAC's** history file. The review must require professional medical expertise and must be for the purpose of preventing payments of non-covered or incorrectly coded services. Professionals must perform the review, i.e., at a minimum; a Licensed Practical Nurse must perform the review. Review requiring use of the **MAC's** history file does not make the review a complex review. A review is not considered complex if a medical record is requested from a provider and not received. If sufficient documentation accompanies a claim to allow complex review to be done without requesting additional documentation, the review is complex. For instance if all relevant pages from the patient's medical record are submitted with the claim, complex MR could be conducted without requesting additional documentation.

Validation: Must be 'APP', 'APPMR', 'APPMC', 'DENMR', 'DENMC', 'DEO', 'RTP', 'REDMR', 'REDMC', 'REO', 'DENAM', 'REDAM', 'INACT'

Remarks:

Resolution Code	Description
APP	Approved as a valid submission without manual medical review.
APPAM	Approved after automated medical review
APPMR	Approved after manual medical review routine
APPMC	Approved after manual medical review complex. If this code is selected, set the Manual Medical Review Indicator to 'Y'.

Resolution Code	Description
DENAM	Denied after automated medical review
DENMR	Denied for medical review reasons or for insufficient documentation of medical necessity, manual medical review routine
DENMC	Denied for medical review reasons or for insufficient documentation medical necessity, manual medical review complex. If this codes is selected, set the Manual Medial Review Indicator to 'Y.'
DEO	Denied for non-medical reasons, other than denied as unprocessable.
RTP	Denied as unprocessable (return/reject)
REDAM	Reduced after medical review
REDMR	Reduced for medical review reasons or for insufficient documentation of medical necessity, manual medical review routine
REDMC	Reduced for medical review reasons or for insufficient documentation of medical necessity, manual medical review complex. If this code is selected, set the Manual Medial Review Indicator to 'Y.'
REO	Reduced for non-medical review reasons.
INACT	Claim is inactive as identified by "T" Status

Requirement: **Required**

**Data Element: Final Allowed Charge**

Definition: Final amount paid to the provider for this service or equipment plus patient responsibility.

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Cash Deductible**

Definition: The amount of cash deductible the beneficiary paid for the line item service.

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Special Action/Override Code**

Definition: Code used to identify special actions taken in determining payment of this line item.

Validation: Must be valid

Remarks: N/A

Requirement: Required

**Data Element: Units**

Definition: The total number of services or time periods provided for the line item.

Validation: N/A

Remarks: *Zero filled to maintain the relative position of the decimal point. The last three positions should contain the value to the right of the decimal in the number of services. Put a zero in the last three positions for whole numbers.*

*For example if the number of units is 10, this field would be filled as 0000010000*

**Requirement:** Required

**Data Element: Rendering Physician NPI**

**Definition:** NPI assigned to the Rendering Physician.

**Validation:** N/A

**Remarks:** Left justify

**Requirement:** Required when available on claim record.

**Data Element: Rendering Physician Last Name**

**Definition:** Last Name (Surname) of the rendering physician.

**Validation:** Must be present

**Remarks:** N/A

**Requirement:** Required when available on claim record

**Data Element: National Drug Code (NDC) field**

**Definition:** To be assigned at a later date.

**Validation:** N/A

**Remarks:** Left justify

**Requirement:** Required when available on claim record.

**Data Element: National Drug Code (NDC) Quantity Qualifier**

**Definition:** To be assigned at a later date.

**Validation:** Must be present

**Remarks:** N/A

**Requirement:** Required when available on claim record

**Data Element: National Drug Code (NDC) Quantity**

**Definition:** To be assigned at a later date.

**Validation:** Must be present

**Remarks:** Zero filled to maintain the relative position of the decimal point.  
*For example if the number of units is 10, this field would be filled as 0000010000*

**Requirement:** Required when available on claim record

**Data Element: PWK Filler**

**Definition:** PWK space -- use to be determined

**Validation:** N/A

**Remarks:** N/A

**Requirement:** Required when available on claim

**Data Element: Rendering Physician Specialty**

**Definition:** Code indicating the primary specialty of the rendering physician.

**Validation:** N/A

**Remarks:** Enter zeros if the rendering physician specialty is not available

**Requirement:** Required when available on the claim record.

**Data Element: Filler**

**Definition:** Additional space -- use to be determined

**Validation:** N/A

**Remarks:** N/A

Requirement: Required

Claims Resolution File				
Claims Resolution Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	17	Zeroes

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Resolution file

Validation: Claim Resolution files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

*C = Record Format as of 1/1/2010*

*D = Record Format as of 10/1/2012*

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Number of Claims**

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Provider Address File				
Claims Provider Address Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Provider Address Date	X(8)	9	16	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Provider Address file

Validation: Claim Provider Address files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

*C = Record Format as of 1/1/2010*

*D = Record Format as of 10/1/2012*

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Provider Address Date**

Definition: Date the Provider Address File was created.

Validation: Must be a valid date not equal to a Provider Address date sent on any previous claims Provider Address file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

Provider Address File				
Provider Address Detail Record				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	Spaces
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Sequence Number	X(1)	9	9	Spaces
Provider Number	X(15)	10	24	Spaces
Provider Name	X(60)	25	84	Spaces
Provider Address 1	X(25)	85	109	Spaces
Provider Address 2	X(25)	110	134	Spaces
Provider City	X(15)	135	149	Spaces
Provider State Code	X(2)	150	151	Spaces
Provider Zip Code	X(9)	152	160	Spaces
Provider Phone Number	X(10)	161	170	Spaces
Provider Phone Number Extension	X(10)	171	180	Spaces
Provider FAX Number	X(10)	181	190	Spaces
Provider Type	X(1)	191	191	Spaces
Provider Address Type	9(3)	192	194	1
Provider E-mail Address	X(75)	195	269	Spaces
Provider Federal Tax number or EIN	9(10)	270	279	Zeroes
Filler	X(16)	280	295	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = Detail record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Provider Address file

Validation: Claim Provider Address files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

*C = Record Format as of 1/1/2010*

*D = Record Format as of 10/1/2012*

Remarks: N/A  
Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor included in the file  
Validation: Must be 'A' or 'R'  
Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.  
Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.  
All others will be contractor type 'A'.

**Data Element: Sequence Number**

Definition: Number occurrence number of addresses when there are multiple addresses for a provider.  
Validation: Must be between 1 and 3  
Remarks: Enter 1 if there is only one address for a provider  
Requirement: Required

**Data Element: Provider Number**

Definition: Number assigned by Medicare to identify the provider  
Validation: N/A  
Remarks: Left justify  
Requirement: Required

**Data Element: Provider Name**

Definition: Provider's name  
Validation: N/A  
Remarks: This is the business name associated with the provider number. Must be formatted into a name for mailing (e. g., Roger A Smith M.D. or Medical Associates, Inc.)  
Requirement: Required

**Data Element: Provider Address 1**

Definition: First line of provider's address  
Validation: N/A  
Remarks: This is the first line of the address associated with the provider number indicated in the record.  
Requirement: Required for all Billing Provider Numbers. Furnish as available for other types of provider numbers.

**Data Element: Provider Address 2**

Definition: Second line of provider's address  
Validation: N/A  
Remarks: This is the line of the address associated with the provider number indicated in the record.  
Requirement: Required for all Billing Provider Numbers. Furnish as available for other types of provider numbers

**Data Element: Provider City**

Definition: Provider's city name  
Validation: N/A

Remarks: This is the city of the provider number  
Requirement: Required for Billing Provider Numbers. Furnish as available for other types of provider numbers.

**Data Element: Provider State Code**

Definition: Provider's state code  
Validation: Must be a valid state code  
Remarks: This is the state associated with the address of the provider number.  
Requirement: Required for Billing Provider Numbers. Furnish as available for other types of provider numbers.

**Data Element: Provider Zip Code**

Definition: Provider's zip code  
Validation: Must be a valid postal zip code  
Remarks: This is the zip code associated with the address furnished for the provider number identified in this record.

- Provide 9-digit zip code if available, otherwise provide 5-digit zip code

Requirement: Required for Billing Provider Numbers. Furnish as available for other types of provider numbers

**Data Element: Provider Phone Number**

Definition: Provider's phone number  
Validation: Must be a valid phone number  
Remarks: N/A  
Requirement: Required if available

**Data Element: Provider Phone Number Extension**

Definition: Provider's phone number extension  
Validation: Must be a valid phone number  
Remarks: N/A  
Requirement: Required if available

**Data Element: Provider Fax Number**

Definition: Provider's fax number  
Validation: Must be a valid fax number  
Remarks: N/A  
Requirement: Required if available

**Data Element: Provider Type**

Definition: 1=Billing Provider Number (OSCAR)  
2=Attending Physician Number (UPIN)  
3=Operating Physician Number (UPIN)  
4=Other Physician Number (UPIN)  
5=Billing Provider NPI  
6=Attending Physician NPI  
7=Operating Physician NPI  
8=*Rendering* Physician NPI  
Validation: Must be 1-8  
Remarks: This field identifies the type of provider number whose name, address, phone number and identification information are included in the record  
Requirement: Required

**Data Element: Provider Address Type**

Definition: The type of Provider Address furnished.

Validation: 1 = Master Address (FISS)  
2 = Remittance Address (FISS)  
3 = Check Address (FISS) (APASS)  
4 = MSP Other Address (FISS)  
5 = Medical Review Address (FISS) (APASS)  
6 = Other Address (FISS) (APASS)  
7 = Chain Address (APASS)  
8 = Correspondence Address  
9 = Medical Record Address

Remarks: The first “address type” for each provider will always be a “1.” Subsequent occurrences of addresses for the same provider will have the “address type” to correspond to the address submitted. When your files contain only one address for the provider, submit only one provider address record. Submit additional address records for a single provider number only when your files contain addresses that differ from the Master or Legal address.

- Correspondence Address—The Correspondence Address as indicated on the 855A. This is the address and telephone number where Medicare can directly get in touch with the enrolling provider. This address cannot be that of the billing agency, management service organization, or staffing company.
- Medical Record Address—the Location of Patients’ Medical Records as indicated on the 855A. This information is required if the Patients’ Medical Records are stored at a location other than the Master Address (practice location). Post Office Boxes and Drop Boxes are not acceptable as the physical address where patient’s medical records are maintained.

Requirement: Required Billing Provider Numbers. Furnish as available for other types of provider numbers

**Data Element: Provider E-Mail Address**

Definition: Provider’s e-mail address

Validation: Must be a valid e-mail address

Remarks: N/A

Requirement: Required if available

**Data Element: Provider Federal Tax Number or EIN**

Definition: The number assigned to the billing provider by the Federal government for tax report purposes. The Federal Tax Number is also known as a tax identification number (TIN) or employer identification number (EIN).

Validation: Must be present

Remarks: N/A

Requirement: Required for all Billing Provider Numbers. For all other types of provider numbers, the tax number is required when available

**Data Element: Filler**

Definition: Additional space -- use to be determined

Validation: N/A

Remarks: N/A

Requirement: Required

Claims Provider Address File				
Claims Provider Address Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Records	9(9)	9	17	Zeroes

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (A) and A/B MAC (HHH), when multiple workloads share a single processing environment, the Contractor ID will reflect the roll-up Contractor ID specified by CMS*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 10/1/2007 did not contain this field.

Codes:

B = Record Format as of 10/1/2007

*C = Record Format as of 1/1/2010*

*D = Record Format as of 10/1/2012*

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor included in the file

Validation: Must be 'A' or 'R'

Where the TYPE of BILL, 1<sup>st</sup> position = 3, Contractor Type should be 'R'.

Where the TYPE of BILL, 1<sup>st</sup>/2<sup>nd</sup> positions = 81 or 82, contractor Type should be 'R'.

All others will be contractor type 'A'.

Remarks: A = *A/B MAC (A)* only

R = *A/B MAC (HHH)* only or both *A/B MAC (A)* and *A/B MAC (HHH)*

Requirement: Required

**Data Element: Number of Records**

Definition: Number of provider address records on this file  
Validation: Must be equal to the number of provider address records on the file  
Remarks: Do not count header or trailer records  
Requirement: Required

**Exhibit 36.2 – CERT Formats for *A/B MACs (B)* and *DME MACs and Shared Systems***

*(Rev.558, Issued: 11-26-14, Effective: 12-29-14, Implementation: 12-29-14)*

Claims Universe File				
Claims Universe Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Universe Date	X(8)	9	16	Spaces

**DATA ELEMENT DETAIL**

**Data Element: Contractor ID**

Definition: Contractor’s CMS assigned number  
Validation: Must be a valid CMS contractor ID  
Remarks: N/A  
Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

**Data Element: Record Type**

Definition: Code indicating type of record  
Validation: N/A  
Remarks: 1 = Header record  
Requirement: Required

**Data Element: Record Version Code**

Definition: The code indicating the record version of the Claim Universe file  
Validation: Claim Universe files prior to 7/1/2007 did not contain this field.  
Codes:  
B = Record Format as of 7/1/2007  
Remarks: N/A  
Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor  
Validation: Must be ‘B’ or ‘D’  
Remarks: B = *A/B MAC (B)*

Requirement: D = *DME MAC*  
Required

**Data Element: Universe Date**

Definition: Date the universe of claims entered the shared system

Validation: Must be a valid date not equal to a universe date sent on any previous claims universe file

Remarks: Format is CCYYMMDD.

- Shared System logic may use shared system batch processing date as long as the date is not equal to the universe date sent on any previous claims universe file.

Requirement: Required

Claims Universe File				
Claims Universe Claim Detail Record				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	"2"
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Claim Control Number	X(15)	9	23	Spaces
Beneficiary HICN	X(12)	24	35	Spaces
Billing Provider Number	X(15)	36	50	Spaces
Billing Provider NPI	X(10)	51	60	Spaces
Claim Submitted Charge Amount	S9(7)v99	61	69	Zeroes
Claim Demonstration Number	X(2)	70	71	Spaces
Claim State	X(2)	72	73	Spaces
Beneficiary State	X(2)	74	75	Spaces
Billing Provider Specialty	X(2)	76	77	Spaces
Line Item Count	9(2)	78	79	Zeroes
Line Item group: The following group of Fields occurs from 1 to 52 Times (depending on Line Item Count).				
From and Thru values relate to the 1st line item				
Performing Provider Number	X(15)	80	94	Spaces
Performing Provider Specialty	X(2)	95	96	Spaces
HCPCS Procedure Code	X(5)	97	101	Spaces
From Date of Service	X(8)	102	109	Spaces
To Date of Service	X(8)	110	117	Spaces
Line Submitted Charge	S9(7)v99	118	126	Zeroes
Performing Provider NPI	X(10)	127	136	Spaces

## DATA ELEMENT DETAIL

### Claim Header Fields

#### **Data Element: Contractor ID**

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

**Data Element: Record Type**

Definition: Code indicating type of record  
Validation: N/A  
Remarks: 2 = claim record  
Requirement: Required

**Data Element: Record Version Code**

Definition: The code indicating the record version of the Claim Universe file  
Validation: Claim Universe files prior to 7/1/2007 did not contain this field.  
Codes:  
B = Record Format as of 7/1/2007  
Remarks: N/A  
Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor  
Validation: Must be 'B' or 'D'  
Remarks: B = *A/B MAC (B)*  
D = *DME MAC*  
Requirement: Required

**Data Element: Claim Control Number**

Definition: Number assigned by the shared system to uniquely identify the claim  
Validation: *The required format for the Claim Control Number is different for each claim type*  
*DME: must be 15 digits with a leading 1 as filler*  
*Part B: must be 15 digits, with two leading zeros as filler.*  
Remarks: N/A  
Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Billing Provider Number**

Definition: Number assigned by the *National Supplier Clearinghouse (NSC) or MAC* to identify the billing/pricing provider or supplier  
Validation: NA  
Remarks: Must be present. Use the same requirements as for Item 33 in HCFA 1500.

- Enter the PIN, for the performing provider of service/supplier who is **not** a member of a group practice.
- Enter the group PIN, for the performing provider of service/supplier who is a member of a group practice.
- Suppliers billing the *DME MAC* will use the National Supplier Clearinghouse (NSC) number in this item.

- If the same billing/pricing provider number does not apply to all lines on the claim, enter the Billing provider number that applies to the performing provider on the first line of the claim.

Requirement: Required

**Data Element: Billing Provider NPI**

Definition: NPI assigned to the Billing Provider.

Validation: N/A

Remarks: N/A.

Requirement: Required.

**Data Element: Claim Submitted Charge Amount**

Definition: The total submitted charges on the claim (the sum of line item submitted charges).

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Claim Demonstration Number**

Definition: Also known as Claim Demonstration Identification Number. The number assigned to identify a demonstration Project. This field is also used to denote special processing (a.k.a. Special Processing Number, SPN).

Validation: Must be a Valid Demo ID

Remarks: N/A

Requirement: Required when available on claim.

**Data Element: Claim State**

Definition: State abbreviation identifying the state in which the service is furnished

Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)

Remarks: When services on a single claim are furnished in multiple states, enter the state identifier for the first detail line.

Requirement: Required *for all Part B Claims. For DME claims, required if available.*

**Data Element: Beneficiary State**

Definition: State abbreviation identifying the state in which the beneficiary resides.

Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)

Remarks: N/A

Requirement: Required, when available

**Data Element: Billing Provider Specialty**

Definition: Code indicating the primary specialty of the Billing provider or supplier

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Line Item Count**

Definition: Number indicating number of service lines on the claim

Validation: Must be a number 01 – 52

Remarks: N/A

Requirement: Required

### **Claim Line Item Fields**

#### **Data Element: Performing Provider Number**

Definition: Number assigned by the NSC *or MAC* to identify the provider who performed the service or the supplier who supplied the medical equipment

Validation: N/A

Remarks: Enter the PIN of the performing provider. When several different providers of service or suppliers are billing on the same claim, show the individual PIN in the corresponding line item.

Requirement: Required

#### **Data Element: Performing Provider Specialty**

Definition: Code indicating the primary specialty of the performing provider or supplier

Validation: N/A

Remarks: N/A

Requirement: Required

#### **Data Element: HCPCS Procedure Code**

Definition: The HCPCS/CPT-4 code that describes the service

Validation: N/A

Remarks: N/A

Requirement: Required

#### **Data Element: From Date of Service**

Definition: The date the service was initiated

Validation: Must be a valid date less than or equal to To Date of Service

Remarks: Format is *CCYYMMDD*

Requirement: Required

#### **Data Element: To Date of Service**

Definition: The date the service ended

Validation: Must be a valid date greater than or equal to From Date of Service

Remarks: Format is *CCYYMMDD*

Requirement: Required

#### **Data Element: Line Submitted Charge**

Definition: Actual charge submitted by the provider or supplier for the service or equipment

Validation: N/A

Remarks: N/A

Requirement: Required

#### **Data Element: Performing Provider NPI**

Definition: NPI assigned to the Performing Provider.

Validation: N/A

Remarks: N/A.

Requirement: Required.

Claims Universe File				
Claims Universe Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	17	Zeroes

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

### Data Element: Number of Claims

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Transaction File				
Claims Transaction Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Transaction Date	X(8)	9	16	Spaces

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Transaction file

Validation: Claim Transaction files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

### Data Element: Transaction Date

Definition: Date the Transaction File was created

Validation: Must be a valid date not equal to a Transaction date sent on any previous claims Transaction file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

Sampled Claims Transaction File				
Sampled Claims Transaction File Detail Record				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'2'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Claim Control Number	X(15)	9	23	Spaces
Beneficiary HICN	X(12)	24	35	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = claim record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

##### Data Element: Claim Control Number

Definition: Number assigned by the shared system to uniquely identify the claim

Validation: N/A

Remarks: Reflects the Claim Control Number selected from the Claim Universe file in the sampling process.

Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number

Validation: N/A

Remarks: Reflects the Beneficiary HICN on the claim record selected from the Claim Universe file in the sampling process.

Claims Transaction File				
Claims Transaction Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	17	Zeroes

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

##### Data Element: Number of Claims

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Resolution File				
Claims Resolution Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Resolution Date	X(8)	9	16	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Resolution file

Validation: Claim Resolution files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

##### Data Element: Resolution Date

Definition: Date the Resolution Record was created.

Validation: Must be a valid date not equal to a Resolution date sent on any previous claims Resolution file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

**Sampled Claims Resolution File**

Sampled Claims Resolution Detail Record (one record per claim)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	"2"
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	<i>Spaces</i>
Assignment Indicator	X(1)	9	9	Spaces
Mode of Entry Indicator	X(1)	10	10	Spaces
Original Claim Control Number	X(15)	11	25	Spaces
Claim Control Number	X(15)	26	40	Spaces
Beneficiary HICN	X(12)	41	52	Spaces
Beneficiary Last Name	X(60)	<i>53</i>	<i>112</i>	Spaces
Beneficiary First Name	X(35)	<i>113</i>	<i>147</i>	Spaces
Beneficiary Middle Initial	X(1)	<i>148</i>	<i>148</i>	Spaces
Beneficiary Date Of Birth	X(8)	<i>149</i>	<i>156</i>	Spaces
Billing Provider Number	X(15)	<i>157</i>	<i>171</i>	Spaces
Referring/Ordering UPIN	X(6)	<i>172</i>	<i>177</i>	Spaces
Claim Allowed Amount	S9(7)v99	<i>178</i>	<i>186</i>	Zeroes
Claim ANSI Reason Code 1	X(8)	<i>187</i>	<i>194</i>	Spaces
Claim ANSI Reason Code 2	X(8)	<i>195</i>	<i>202</i>	Spaces
Claim ANSI Reason Code 3	X(8)	<i>203</i>	<i>210</i>	Spaces
Claim Entry Date	X(8)	<i>211</i>	<i>218</i>	Spaces
Claim Adjudicated Date	X(8)	<i>219</i>	<i>226</i>	Spaces
Beneficiary Gender	X(1)	<i>227</i>	<i>227</i>	Spaces
Billing Provider NPI	X(10)	<i>228</i>	<i>237</i>	Spaces
Referring/Ordering Provider NPI	X(10)	<i>238</i>	<i>247</i>	Spaces
Claim Paid Amount	S9(7)v99	<i>248</i>	<i>256</i>	Zeroes
Beneficiary Paid Amount	S9(7)v99	<i>257</i>	<i>265</i>	Zeroes
Claim Diagnosis Code 1	X(7)	<i>266</i>	<i>272</i>	Spaces
<i>Claim Diagnosis Code 1Version Indicator Code</i>	X(1)	<i>273</i>	<i>273</i>	Spaces
Claim Diagnosis Code 2	X(7)	<i>274</i>	<i>280</i>	Spaces
<i>Claim Diagnosis Code 2Version Indicator Code</i>	X(1)	<i>281</i>	<i>281</i>	Spaces
Claim Diagnosis Code 3	X(7)	<i>282</i>	<i>288</i>	Spaces
<i>Claim Diagnosis Code 3Version Indicator Code</i>	X(1)	<i>289</i>	<i>289</i>	Spaces
Claim Diagnosis Code 4	X(7)	<i>290</i>	<i>296</i>	Spaces
<i>Claim Diagnosis Code 4Version Indicator Code</i>	X(1)	<i>297</i>	<i>297</i>	Spaces
Claim Diagnosis Code 5	X(7)	<i>298</i>	<i>304</i>	Spaces
<i>Claim Diagnosis Code 5Version Indicator Code</i>	X(1)	<i>305</i>	<i>305</i>	Spaces
Claim Diagnosis Code 6	X(7)	<i>306</i>	<i>312</i>	Spaces
<i>Claim Diagnosis Code 6Version Indicator Code</i>	X(1)	<i>313</i>	<i>313</i>	Spaces
Claim Diagnosis Code 7	X(7)	<i>314</i>	<i>320</i>	Spaces

Sampled Claims Resolution File				
Sampled Claims Resolution Detail Record (one record per claim)				
Field Name	Picture	From	Thru	Initialization
<i>Claim Diagnosis Code 7Version Indicator Code</i>	X(1)	321	321	Spaces
Claim Diagnosis Code 8	X(7)	322	328	Spaces
<i>Claim Diagnosis Code 8Version Indicator Code</i>	X(1)	329	329	Spaces
Claim Diagnosis Code 9	X(7)	330	336	Spaces
<i>Claim Diagnosis Code 9Version Indicator Code</i>	X(1)	337	337	Spaces
Claim Diagnosis Code 10	X(7)	338	344	Spaces
<i>Claim Diagnosis Code 10Version Indicator Code</i>	X(1)	345	345	Spaces
Claim Diagnosis Code 11	X(7)	346	352	Spaces
<i>Claim Diagnosis Code 11Version Indicator Code</i>	X(1)	353	353	Spaces
Claim Diagnosis Code 12	X(7)	354	360	Spaces
<i>Claim Diagnosis Code 12Version Indicator Code</i>	X(1)	361	361	Spaces
Claim Zip Code	X(9)	362	370	Spaces
Claim Pricing State	X(2)	371	372	Spaces
Beneficiary Zip Code	X(9)	373	381	Spaces
Beneficiary State	X(2)	382	383	Spaces
Claim Demonstration Number	X(2)	384	385	Spaces
<i>RAC Adjustment Indicator</i>	X(1)	386	386	Spaces
<i>Split/Adjustment Indicator</i>	X(2)	387	388	Spaces
<i>Facility NPI</i>	X(10)	389	398	Spaces
<i>Claim PWK</i>	X(60)	399	458	Spaces
Line Item Count	9(2)	459	460	Zeroes
Filler	X(50)	461	510	Spaces
Line Item group: The following group of fields occurs from 1 to 13 times (Depending on Line Item Count). From and Thru values relate to the 1 <sup>st</sup> line item				

Sampled Claims Resolution File				
Sampled Claims Resolution Detail Record (one record per claim)				
Field Name	Picture	From	Thru	Initialization
Performing Provider Number	X(15)	511	525	Spaces
Performing Provider Specialty	X(2)	526	527	Spaces
HCPCS Procedure Code	X(5)	528	532	Spaces
HCPCS Modifier 1	X(2)	533	534	Spaces
HCPCS Modifier 2	X(2)	535	536	Spaces
HCPCS Modifier 3	X(2)	537	538	Spaces
HCPCS Modifier 4	X(2)	539	540	Spaces
Number of Services	S9(7)v999	541	550	Zeroes
Service From Date	X(8)	551	558	Spaces

<b>Sampled Claims Resolution File</b>				
<b>Sampled Claims Resolution Detail Record (one record per claim)</b>				
<b>Field Name</b>	<b>Picture</b>	<b>From</b>	<b>Thru</b>	<b>Initialization</b>
Service To Date	X(8)	559	566	Spaces
Place of Service	X(2)	567	568	Spaces
Type of Service	X(1)	569	569	Spaces
Diagnosis Code	X(7)	570	576	Spaces
<i>Line Diagnosis Code Version Indicator Code</i>	<i>X(1)</i>	<i>577</i>	<i>577</i>	<i>Spaces</i>
CMN Control Number	X(15)	578	592	Spaces
Line Submitted Charge	S9(7)v99	593	601	Zeroes
Line Medicare Initial Allowed Charge	S9(7)v99	602	610	Zeroes
ANSI Reason Code 1	X(8)	611	618	Spaces
ANSI Reason Code 2	X(8)	619	626	Spaces
ANSI Reason Code 3	X(8)	627	634	Spaces
ANSI Reason Code 4	X(8)	635	642	Spaces
ANSI Reason Code 5	X(8)	643	650	Spaces
ANSI Reason Code 6	X(8)	651	658	Spaces
ANSI Reason Code 7	X(8)	659	666	Spaces
Manual Medical Review Indicator	X(1)	667	667	Space
Resolution Code	X(5)	668	672	Spaces
Line Final Allowed Charge	S9(7)v99	673	681	Zeroes
Performing Provider NPI	X(10)	682	691	Spaces
Performing Provider UPIN	X(6)	692	697	Spaces
Miles/Time/Units/Services Indicator Code	X(1)	698	698	Spaces
Line Deductible Applied	S9(7)v99	699	707	Zeroes
Line Co-Insurance	S9(7)V99	708	716	Zeroes
Line Paid Amount	S9(7)v99	717	725	Zeroes
Line MSP Code	X(1)	726	726	Spaces
Line MSP Paid Amount	S9(7)v99	727	735	Zeroes
Line Pricing Locality	X(2)	736	737	Spaces
Line Zip Code	X(9)	738	746	Spaces
Line Pricing State Code	X(2)	747	748	Spaces
<i>Ambulance Point of Pick up Zip Code</i>	<i>X(9)</i>	<i>749</i>	<i>757</i>	<i>Spaces</i>
<i>Ambulance Point of Drop Off Zip Code</i>	<i>X(9)</i>	<i>758</i>	<i>766</i>	<i>Spaces</i>
<i>Line PWK</i>	<i>X(60)</i>	<i>767</i>	<i>826</i>	<i>Spaces</i>
Filler	X(25)	827	851	Spaces

## DATA ELEMENT DETAIL

### Claim (Header) Fields

#### **Data Element: Contractor ID**

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

#### **Data Element: Record Type**

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = Claim record

Requirement: Required

#### **Data Element: Record Version Code**

Definition: The code indicating the record version of the Claim Resolution file

Validation: Claim Resolution files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

#### **Data Element: Contractor Type**

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

#### **Data Element: Assignment Indicator**

Definition: Code indicating whether claim is assigned or non-assigned

Validation: Must be 'A' or 'N'

Remarks: A = Assigned

N = Non-assigned

Requirement: Required

#### **Data Element: Mode of Entry Indicator**

Definition: Code that indicates if the claim is paper or EMC

Validation: Must be 'E' or 'P'

Remarks: E = EMC

P = Paper

Use the same criteria to determine EMC or paper as that used for workload reporting

Requirement: Required

**Data Element: Original Claim Control Number**

Definition: The Claim Control Number the shared system assigned to the claim in the Universe file. This number should be the same as the claim control number for the claim in the Sample Claims Transactions file, and the claim control number for the claim on the Universe file. If the shared system had to use a crosswalk to pull the claim because the *MAC* or shared system changed the claim control number during processing, enter the number the shared system used to look up the number needed to pull all records associated with the sample claim.

Validation: Must match the Claim Control Number identified in the Sampled Claims Transaction File.

Remarks: N/A

Requirement: Required

**Data Element: Claim Control Number**

Definition: Number assigned by the shared system to uniquely identify the claim

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary HICN**

Definition: Beneficiary's Health Insurance Claim Number

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary Last Name**

Definition: Last Name (Surname) of the beneficiary

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary First Name**

Definition: First (Given) Name of the beneficiary

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Beneficiary Middle Initial**

Definition: First letter from Beneficiary Middle Name

Validation: N/A

Remarks: N/A

Requirement: Required when available

**Data Element: Beneficiary Date of Birth**

Definition: Date on which beneficiary was born.

Validation: Must be a valid date

Remarks: MMDDCCYY on which the beneficiary was born

Requirement: Required

**Data Element: Billing Provider Number**

Definition: Number assigned by the *National Supplier Clearinghouse (NSC) or MAC* to identify the billing/pricing provider or supplier.

Validation: Must be present. Use the same requirements as for Item 33 in HCFA 1500.

- Enter the PIN, for the performing provider of service/supplier who is **not** a member of a group practice.
- Enter the group PIN, for the performing provider of service/supplier who is a member of a group practice.
- Suppliers billing the *DME MAC* will use the National Supplier Clearinghouse (NSC) number in this item.
- If the same billing/pricing provider number does not apply to all lines on the claim, enter the Billing provider number that applies to the performing provider on the first line of the claim.

Remarks: N/A

Requirement: **Required**

**Data Element: Referring/Ordering UPIN**

Definition: UPIN assigned to identify the referring/ordering provider.

Validation: N/A

Remarks: Enter zeros if there is no referring/ordering provider

- **Referring physician** - is a physician who requests an item or service for the beneficiary for which payment may be made under the Medicare program.
- **Ordering physician** - is a physician or, when appropriate, a non-physician practitioner who orders non-physician services for the patient

Requirement: Required when available on the claim record.

**Data Element: Claim Allowed Amount**

Definition: Final Allowed Amount for this claim.

Validation: N/A

Remarks: The total allowed charges on the claim (the sum of line item allowed charges)

Requirement: Required.

**Data Element: Claim ANSI Reason Code 1-3**

Definition: Codes showing the reason for any adjustments to this claim, such as denials or reductions of payment from the amount billed

Validation: Must be valid ANSI ASC claim adjustment codes and applicable group codes

Remarks: Format is GGRRRRRR where: GG is the group code and RRRRRR is the adjustment reason code

Requirement: ANSI Reason Code 1 must be present on all claims. Codes 2 and 3 should be sent, if available.

**Data Element: Claim Entry Date**

Definition: Date claim entered the shared claim processing system

Validation: Must be a valid date

Remarks: Format must be CCYYMMDD

Requirement: Required

**Data Element: Claim Adjudicated Date**

Definition: Date claim completed adjudication

Validation: Must be a valid date. Format must be CCYYMMDD

Remarks: This must represent the processed date that may be prior to the pay date if the claim is held on the payment floor after a payment decision has been made  
Requirement: Required

**Data Element: Beneficiary Gender**

Definition: Gender of the Beneficiary.

Validation: M=Male  
F=Female  
U=Unknown

Remarks: N/A  
Requirement: Required

**Data Element: Billing Provider NPI**

Definition: NPI assigned to the Billing Provider.

Validation: N/A

Remarks: N/A.

Requirement: Required

**Data Element: Referring/Ordering Provider NPI**

Definition: NPI assigned to the Referring/Ordering Provider.

Validation: N/A

Remarks: Enter zeros if there is no referring/ordering provider

- **Referring physician** - is a physician who requests an item or service for the beneficiary for which payment may be made under the Medicare program.
- **Ordering physician** - is a physician or, when appropriate, a non-physician practitioner who orders non-physician services for the patient

Requirement: Required when available on the claim record.

**Data Element: Claim Paid Amount**

Definition: Net amount paid after co-insurance and deductible. Do not include interest you paid in the amount reported.

Validation: N/A

Remarks: Amount of payment made from the Medicare trust fund for the services covered by the claim record

Requirement: Required.

**Data Element: Beneficiary Paid Amount**

Definition: Amount paid by Beneficiary to the provider.

Validation: N/A

Remarks: N/A

Requirement: Required if available.

**Data Element: Claim Diagnosis Code *1-12***

Definition: The ICD-CM diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record to be chiefly responsible for the services provided

Validation: Must be a valid ICD-CM diagnosis code

- CMS accepts only *CMS approved* ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.

- Diagnosis codes must be full ICD-CM diagnoses codes, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)* where applicable

Remarks:

- *These fields should be left justified and space filled. For instance if the primary diagnosis on the claim is five positions long, this field should contain the diagnosis with 2 spaces at the end.*
- With the exception of claims submitted by ambulance suppliers (specialty type 59), all claims submitted on HCFA 1500 by physician and non-physician specialties (i.e., PA, NP, CNS, CRNA) use an ICD-CM code number and code to the highest level of specificity for the date of service. Independent laboratories enter a diagnosis only for limited coverage procedures. Since this is a required field, resolution records for claims billed by Ambulance suppliers and independent clinical laboratories must include the following filler information when the diagnosis is not otherwise available:
  - Ambulance supplier (specialty 59)—amb
  - Independent Clinical Lab (specialty 69)--lab

Requirement: Claim Diagnosis 1 is required for ALL claims.  
 Claim diagnosis codes 2-12 should be submitted if contained on the claim record.  
*Enter spaces for the diagnosis code fields that are not populated on the claim record in the Shared Processing System.*

**Data Element: Claim Diagnosis Version Indicator Code 1-12**

Definition: *The ICD--CM diagnosis version code identifying the version of diagnosis code submitted.*

Validation:
 

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*
- *May be blank for claims billed by ambulance and independent laboratory suppliers.*

Remarks: *With the exception of claims submitted by ambulance suppliers (specialty type 59), all claims submitted on HCFA 1500 by physician and non-physician specialties (i.e., PA, NP, CNS, CRNA) use an ICD-CM code number and code to the highest level of specificity for the date of service. Independent laboratories enter a diagnosis only for limited coverage procedures.*

Requirement: *Claim Diagnosis Version Code 1 is required for ALL claims, except those billed by ambulance and independent laboratories. Claim diagnosis version codes 2-12 should be submitted to correspond to claim level diagnosis codes 2-12.*

**Data Element: Claim Zip Code**

Definition: Zip Code used to identify where the service was furnished.

Validation: Must be a valid Zip Code
 

- *This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.*

Remarks: For **DME MAC** Claims use the zip code for beneficiary residence.  
 For **Part B** Claims, use the zip code identified in item 32 of the HCFA 1500, except in the listed situations.
 

- For ambulance services, identify the zip code where the patient was picked up.

- If the service was furnished in the patient's home, use the zip code from the patient's home address.
- For electronic claims, if multiple zip codes are identified enter the zip code for the line with the highest allowed amount. (If this logic is too cumbersome to implement, we can live with enter the zip code from the first line)

Requirement: Required.

**Data Element: Claim Pricing State**

Definition: State where services were furnished.

Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)

Remarks: Furnish the state associated with the Claim Zip Code.

Requirement: Required.

**Data Element: Beneficiary Zip Code**

Definition: Zip Code associated with the beneficiary residence.

Validation: Must be a valid Zip Code

- *This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.*

Remarks: Use the zip code for beneficiary residence.

Requirement: Required.

**Data Element: Beneficiary State**

Definition: State abbreviation identifying the state in which the beneficiary resides.

Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)

Remarks: N/A

Requirement: Required

**Data Element: Claim Demonstration Number**

Definition: This element is also known as the Claim Demonstration Identification Number. It is the number assigned to identify a demonstration Project. This field is also used to denote special processing (a.k.a. Special Processing Number, SPN).

Validation: Must be a Valid Demo ID

Remarks: N/A

Requirement: Required when available on claim.

***Data Element: RAC Adjustment Indicator***

*Definition: Indicator used to identify RAC requested adjustments, which occur as a result of post-payment review activities done by the Recovery Audit Contractors (RAC).*

*Validation: 'R' identifies a RAC-requested adjustment*

*Remarks: N/A*

*Requirement: Required when RAC adjustment indicator was furnished to CWF.*

***Data Element: Split/Adjustment Indicator***

*Definition: Count of number of splits/replicates/adjustments (with different claim control numbers (ICN/CCN)) of the sampled claim that are included in the resolution file.*

**Validation:** '00' is used when only one claim control number (ICN/CCN) associated with the sampled claim is included in the resolution file.  
When the resolution file contains multiple adjustments/splits/replicates associated with a single claim, this field will provide a count of records.

- For example, if the file contains the original, replicate and adjustment claims, one record would have an indicator of 01, one record would have an indicator of 02, and the third record would have an indicator of 03.

**Remarks:** This indicator does not apply when multiple records are submitted for a single claim record because of size restrictions.  
This field is right justified and zero filled.

**Requirement:** Required when the resolution file contains multiple versions of a single claim.

**Data Element: Facility NPI**

**Definition:** The NPI of the facility at which the service was performed.  
**Validation:** N/A  
**Remarks:** N/A  
**Requirement:** Required when available on the claim record.

**Data Element: PWK**

**Definition:** Space reserved for future use.  
**Validation:** N/A  
**Remarks:** N/A  
**Requirement:** Required when available on the claim record.

**Data Element: Line Item Count**

**Definition:** Number indicating number of service lines on the claim  
**Validation:** Must be a number 01 – 52  
**Remarks:** N/A  
**Requirement:** Required

**Data Element: Filler**

**Definition:** Additional space -- use to be determined  
**Validation:** N/A  
**Remarks:** N/A  
**Requirement:** Required

## Claim Line Item Fields

### **Data Element: Performing Provider Number**

Definition: Number assigned by the shared system to identify the provider who performed the service or the supplier who supplied the medical equipment

Validation: N/A

Remarks: N/A

Requirement: Required

### **Data Element: Performing Provider Specialty**

Definition: Code indicating the primary specialty of the performing provider or supplier

Validation: Must be a valid Provider Specialty per IOM 10.4 ch26 10.8

Remarks: N/A

Requirement: Required

### **Data Element: HCPCS Procedure Code**

Definition: The HCPCS/CPT-4 code that describes the service

Validation: N/A

Remarks: N/A

Requirement: Required

### **Data Element: HCPCS Modifier *1-4***

Definition: Codes identifying special circumstances related to the service

Validation: N/A

Remarks: N/A

Requirement: Required if available

### **Data Element: Number of Services**

Definition: The number of service rendered in days or units

Validation: N/A

Remarks: *Zero filled to maintain the relative position of the decimal point.*  
The last *three positions* should contain the value to the right of the decimal in the number of services. Put a zero in the last three positions for whole numbers.  
*For example if the number of units is 10, this field would be filled as 0000010000.*

Requirement: Required

### **Data Element: Service from Date**

Definition: The date the service was initiated

Validation: Must be a valid date less than or equal to Service to Date

Remarks: Format is CCYYMMDD

Requirement: Required

### **Data Element: Service to Date**

Definition: The date the service ended

Validation: Must be a valid date greater than or equal to Service from Date

Remarks: Format is CCYYMMDD

Requirement: Required

### **Data Element: Place of Service**

Definition: Code that identifies where the service was performed

Validation: N/A  
Remarks: Must be a value in the range of 00-99  
Requirement: Required

**Data Element: Type of Service**

Definition: Code that classifies the service  
Validation: The code must match a valid CWF type of service code  
Remarks: N/A  
Requirement: Required

**Data Element: Diagnosis Code**

Definition: Code identifying a diagnosed medical condition resulting in the line item service  
Validation: Must be a valid ICD-CM diagnosis code

- CMS accepts only *CMS approved* ICD-CM diagnostic and procedural codes. The CMS approves only changes issued by the Federal ICD-CM Coordination and Maintenance Committee.
- Diagnosis codes must be full ICD-CM diagnoses codes, including *the full number of digits (five for ICD-9-CM, seven for ICD-10-CM)* where applicable

Remarks: With the exception of claims submitted by ambulance suppliers (specialty type 59), all claims submitted on HCFA 1500 by physician and non-physician specialties (i.e., PA, NP, CNS, CRNA) use an ICD-CM code number and code to the highest level of specificity for the date of service. Independent laboratories enter a diagnosis only for limited coverage procedures. Since this is a required field, resolution records for claims billed by Ambulance suppliers and independent clinical laboratories must include the following filler information when the diagnosis is not otherwise available:

- Ambulance supplier (specialty 59)—**amb**
- Independent Clinical Lab (specialty 69)—**lab**

Requirement: Required

**Data Element: Line Diagnosis Code Version Indicator Code**

*Definition: The ICD--CM diagnosis version code identifying the version of diagnosis code submitted.*

*Validation:*

- *Version ICD9 use Version Code '9'*
- *Version ICD10 use Version Code '0'*
- *May be blank for claims billed by ambulance and independent laboratory suppliers.*

*Remarks: With the exception of claims submitted by ambulance suppliers (specialty type 59), all claims submitted on HCFA 1500 by physician and non-physician specialties (i.e., PA, NP, CNS, CRNA) use an ICD-CM code number and code to the highest level of specificity for the date of service. Independent laboratories enter a diagnosis only for limited coverage procedures.*

*Requirement: Diagnosis Version Code is required for ALL lines, except those billed by ambulance and independent clinical laboratory suppliers.*

**Data Element: CMN Control Number**

Definition: Number assigned by the shared system to uniquely identify a Certificate of Medical Necessity  
Validation: N/A

Remarks: Enter a zero if no number is assigned  
Requirement: Required on *DME* claims

**Data Element: Line Submitted Charge**

Definition: Actual charge submitted by the provider or supplier for the service or equipment  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Line Medicare Initial Allowed Charge**

Definition: Amount Medicare allowed for the service or equipment before any reduction or denial  
Validation: N/A  
Remarks: This charge is the lower of the fee schedule or billed amount (i.e., Submitted Charge), except for those services (e.g., ASC) that are always paid at the fee schedule amount even if it is higher than the Submitted Charge. If there is no fee schedule amount, then insert the Submitted Charge.

- Use MPFDB, Clinical Lab FS, Ambulance FS, ASC FS, drug and injectable FS, or DME fee schedule as appropriate.

Requirement: Required

**Data Element: ANSI Reason Code *1-7***

Definition: Codes showing the reason for any adjustments to this line, such as denials or reductions of payment from the amount billed  
Validation: Must be valid ANSI ASC claim adjustment codes and applicable group codes  
Remarks: Format is GGRRRRRR where: GG is the group code and RRRRRR is the adjustment reason code  
Requirement: ANSI Reason Code 1 must be present on all claims with resolutions of 'DENMR', 'DENMC', 'DEO', 'RTP', 'REDMR', 'REDMC', or 'REO', 'APPAM', 'DENAM', 'REDAM'.

**Data Element: Manual Medical Review Indicator**

Definition: Code indicating whether or not the service received complex manual medical review. Complex review goes beyond routine review. It includes the request for, collection of, and evaluation of medical records or any other documentation in addition to the documentation on the claim, attached to the claim, or contained in the *MAC*'s history file. The review must require professional medical expertise and must be for the purpose of preventing payments of non-covered or incorrectly coded services. That includes reviews for the purpose of determining if services were medically necessary. Professionals must perform the review, i.e., at a minimum, a Licensed Practical Nurse must perform the review. Review requiring use of the *MAC*'s history file does not make the review a complex review. A review is not considered complex if a medical record is requested from a provider and not received. If sufficient documentation accompanies a claim to allow complex review to be done without requesting additional documentation, count the review as complex.  
Validation: Must be 'Y' or 'N'  
Remarks: Set to 'Y' if service was subjected to complex manual medical review, else 'N'  
Requirement: Required

**Data Element: Resolution Code**

Definition: Code indicating how the **MAC** resolved the line.

Automated Review (AM): An automated review occurs when a claim/line item passes through the **MAC's** claims processing system or any adjunct system containing medical review edits.

Routine Manual Review (MR): Routine review uses human intervention, but only to the extent that the claim reviewer reviews a claim or any attachment submitted by the provider. It includes review that involves review of any of the **MAC's** internal documentation, such as claims history file or policy documentation. It does not include review that involves review of medical records or other documentation requested from a provider. A review is considered routine if a medical record is requested from a provider and not received. Include prior authorization reviews in this category.

Complex Manual Review (MC): Complex review goes beyond routine review. It includes the request for, collection of, and evaluation of medical records or any other documentation in addition to the documentation on the claim, attached to the claim, or contained in the **MAC's** history file. The review must require professional medical expertise and must be for the purpose of preventing payments of non-covered or incorrectly coded services. Professionals must perform the review, i.e., at a minimum; a Licensed Practical Nurse must perform the review. Review requiring use of the **MAC's** history file does not make the review a complex review. A review is not considered complex if a medical record is requested from a provider and not received. If sufficient documentation accompanies a claim to allow complex review to be done without requesting additional documentation, the review is complex. For instance if all relevant pages from the patient's medical record are submitted with the claim, complex MR could be conducted without requesting additional documentation.

Validation: Must be 'APP', 'APPMR', 'APPMC', 'DENMR', 'DENMC', 'DEO', 'RTP', 'REDMR', 'REDMC', 'REO', 'DENAM', 'REDAM', 'DELET', or 'TRANS',

Remarks:

Resolution Code	Description
APP	Approved as a valid submission without manual medical review.
APPAM	Approved after automated medical review
APPMR	Approved after manual medical review routine
APPMC	Approved after manual medical review complex. If this code is selected, set the Manual Medical Review Indicator to 'Y.'
DENAM	Denied after automated medical review
DENMR	Denied for medical review reasons or for insufficient documentation of medical necessity, manual medical review routine
DENMC	Denied for medical review reasons or for insufficient documentation medical necessity, manual medical review complex. If this codes is selected, set the Manual Medical Review Indicator to 'Y.'

<b>Resolution Code</b>	<b>Description</b>
DEO	Denied for non-medical reasons, other than denied as unprocessable.
RTP	Denied as unprocessable (return/reject)
REDAM	Reduced after medical review
REDMR	Reduced for medical review reasons or for insufficient documentation of medical necessity, manual medical review routine
REDMC	Reduced for medical review reasons or for insufficient documentation of medical necessity, manual medical review complex. If this code is selected, set the Manual Medial Review Indicator to 'Y.'
REO	Reduced for non-medical review reasons.
DELET	Claim deleted from processing system—AC maintains record of claim on system
TRANS	Claim was originally submitted to the wrong contractor and has been transferred to the contractor with jurisdiction.

Requirement: Required

**Data Element: Line Final Allowed Charge**

Definition: Final Amount allowed for this service or equipment after any reduction or denial

Validation: N/A

Remarks: This represents the *MAC*'s value of the service/item gross of co-pays and deductibles

Requirement: Required

**Data Element: Performing Provider NPI**

Definition: NPI assigned to the Performing Provider.

Validation: N/A

Remarks: N/A.

Requirement: Required for providers that use HIPPA standard transactions.

**Data Element: Performing Provider UPIN**

Definition: Unique Physician Identifier Number (UPIN) that identifies the physician supplier actually performing/providing the service.

Validation: N/A

Remarks: N/A.

Requirement: Required, **when available**.

**Data Element: Miles/Time/Units/Services Indicator**

Definition: Code indicating the units associated with services needing unit reporting on the line item for the *Part B* claim.

Validation: Must be a valid Indicator as identified in IOM 10.4 ch26 10.10

- 0 - No allowed services
- 1- Ambulance transportation miles
- 2- Anesthesia Time Units
- 3 - Services
- 4- Oxygen units
- 5- Units of Blood

Remarks: N/A  
Requirement: Required

**Data Element: Line Deductible Applied**

Definition: Amount of deductible applied for this service or equipment  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Line Co-Insurance Amount**

Definition: Amount of co-insurance due for this service or equipment  
Validation: N/A  
Remarks: N/A  
Requirement: Required

**Data Element: Line Paid Amount**

Definition: Amount of payment made from the trust funds (after deductible and coinsurance amounts have been paid) for the line item service on the non-institutional claim  
Validation: N/A  
Remarks: This represents the *MAC*'s value of the claim after co-pays and deductibles  
Requirement: Required

**Data Element: Line MSP Code**

Definition: Code indicating primary payor for services on this line item  
Validation: A-Working Aged  
B-ESRD  
D-No-Fault  
E-Workers' Compensation  
F-Federal (Public Health)  
G-Disabled  
H-Black Lung  
I-Veterans  
L-Liability  
Remarks: N/A  
Requirement: Required, when contained on the claim record.

**Data Element: Line MSP Paid Amount**

Definition: The amount paid by the primary payer when the payer is primary to Medicare (Medicare is secondary or tertiary).  
Validation: N/A  
Remarks: Amount paid by Primary Payer  
Requirement: Required, when contained on the claim record.

**Data Element: Line Pricing Locality**

Definition: Code denoting the *MAC*-specific locality used for pricing this claim.  
Validation: Must be a valid pricing locality  
• Enter '00' for claims priced at a statewide locality.  
Requirement: Required.

**Data Element: Line Zip Code**

Definition: Zip Code used to determine claim pricing locality.

Validation: Must be a valid Zip Code  
This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.

Remarks: For **DME** Claims use the zip code for beneficiary residence.  
For **Part B** Claims, use the zip code identified in item 32 of the HCFA 1500, unless the service was furnished in the patient's home. If the service was furnished in the patient's home, use the zip code from the patient's home address.

Requirement: Required.

**Data Element: Line Pricing State**

Definition: State where services were furnished.

Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)

Remarks: Furnish the state associated with the Line Zip Code.

Requirement: Required.

**Data Element: Ambulance Point of Pick-up Zip Code**

*Definition: Zip Code identifying the ambulance point of pick up.*

*Validation: Must be a valid Zip Code*

*Remarks: This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.*

*Requirement: Required for ambulance claims.*

**Data Element: Ambulance Drop Off Zip Code**

*Definition: Zip Code identifying the ambulance drop off point.*

*Validation: Must be a valid Zip Code*

*Remarks: This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.*

*Requirement: Required for ambulance claims.*

**Data Element: PWK**

*Definition: Space reserved for future use.*

*Validation: N/A*

*Remarks: N/A*

*Requirement: Required when available on the claim record.*

**Data Element: Filler**

Definition: Additional space TBD

Validation: N/A

Remarks: N/A

Requirement: None

Claims Resolution File				
Claims Resolution Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Claims	9(9)	9	1617	Zeroes

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Resolution file

Validation: Claim Resolution files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

##### Data Element: Number of Claims

Definition: Number of claim records on this file

Validation: Must be equal to the number of claim records on the file

Remarks: Do not count header or trailer records

Requirement: Required

Claims Provider Address File				
Claims Provider Address Header Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'1'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Provider Address Date	X(8)	9	16	Spaces

## DATA ELEMENT DETAIL

### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 1 = Header record

Requirement: Required

### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Provider Address file

Validation: Claim Provider Address files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

### Data Element: Provider Address Date

Definition: Date the Provider Address File was created.

Validation: Must be a valid date not equal to a Provider Address date sent on any previous claims Provider Address file

Remarks: Format is CCYYMMDD. May use shared system batch processing date

Requirement: Required

Provider Address File				
Provider Address Detail Record				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'2'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Provider Number/NPI	X(15)	9	23	Spaces
Provider Name	X(60)	24	83	Spaces
Provider Address 1	X(25)	84	108	Spaces
Provider Address 2	X(25)	109	133	Spaces
Provider City	X(15)	134	148	Spaces
Provider State Code	X(2)	149	150	Spaces
Provider Zip Code	X(9)	151	159	Spaces
Provider Phone Number	X(10)	160	169	Spaces
Provider Phone Number Extension	X(10)	170	179	Spaces
Provider Fax Number	X(10)	180	189	Spaces
Provider Type	X(2)	190	191	Spaces
Provider Address Order	X(2)	192	193	Spaces
Provider Address Type	9(3)	194	196	Zero
Provider E-mail Address	X(75)	197	271	Spaces
Provider Federal Tax number or EIN	9(10)	272	281	Zeroes
Provider Taxonomy Code	9(10)	282	291	Zeroes
Provider License Number	X(16)	292	307	Spaces
Provider License State	X(2)	308	309	Spaces
Filler	X(25)	310	334	Spaces

#### DATA ELEMENT DETAIL

##### Data Element: Contractor ID

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

**NOTE:** *For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

##### Data Element: Record Type

Definition: Code indicating type of record

Validation: N/A

Remarks: 2 = claim record

Requirement: Required

##### Data Element: Record Version Code

Definition: The code indicating the record version of the Claim Universe file

Validation: Claim Universe files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

##### Data Element: Contractor Type

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

**Data Element: Provider Number/NPI**

Definition: Number assigned by the *MAC*/NSC or NPI agency to identify the provider

Validation: N/A

Remarks: N/A

Requirement: Required

**Data Element: Provider Name**

Definition: Provider's name

Validation: N/A

Remarks: This is the name of the provider

The provider name must be formatted into a business name for mailing (e.g. Roger A Smith M.D. or Medical Associates, Inc).

*Where possible this should contain the Legal Business Name as carried in the Shared Processing System.*

Requirement: Required

**Data Element: Provider Address 1**

Definition: 1st line of provider's address

Validation: N/A

Remarks: This is the address1 of the provider

Requirement: Required

**Data Element: Provider Address 2**

Definition: 2nd line of provider's address

Validation: N/A

Remarks: This is the address2 of the provider

Requirement: Required if available

**Data Element: Provider City**

Definition: Provider's city name

Validation: N/A

Remarks: This is the city of the provider's address.

Requirement: Required

**Data Element: Provider State Code**

Definition: Provider's state code

Validation: Must be a valid state code

Remarks: This is the state of the provider's address.

Requirement: Required

**Data Element: Provider Zip Code**

Definition: Provider's zip code

Validation: Must be a valid postal zip code

Remarks: This is the zip code of the provider's address. Provide 9-digit zip code if available, otherwise provide 5-digit zip code

*This field should be left justified and zero filled. When only a five digit zip code is carried in the Shared Processing System, this field will contain the five digit zip code followed by 4 zeros.*

Requirement: Required

**Data Element: Provider Phone Number**

Definition: Provider's telephone number

Validation: Must be a valid telephone number

Remarks: This is the phone number

Requirement: None

**Data Element: Provider Phone Number Extension**

Definition: Provider's telephone number Extension

Validation: Must be a valid telephone number  
Remarks: This is the phone number  
Requirement: None

**Data Element: Provider Fax Number**

Definition: Provider's fax number  
Validation: Must be a valid fax number  
Remarks: This is the fax number of the provider  
Requirement: None

**Data Element: Provider Type**

Definition: 1=billing/pricing provider number (Assigned by **MAC** or NSC)  
2= referring/ordering provider (UPIN)  
3=Performing/rendering provider (Assigned by **MAC** or NSC)  
4=Entity is both billing/pricing and performing/rendering provider  
5=Entity is both referring/ordering and performing/rendering provider  
6=Entity is all (billing/pricing AND referring/ordering AND performing/rendering provider)  
7=billing/pricing provider number (NPI)  
8= referring/ordering provider (NPI)  
9=Performing/rendering provider (NPI)  
10=Entity is both billing/pricing and performing/rendering provider (NPI)  
11=Entity is both referring/ordering and performing/rendering provider (NPI)  
12=Entity is all (billing/pricing AND referring/ordering AND performing/rendering provider) (NPI)  
Validation: Must be a valid provider type  
Remarks: This field indicates for which provider number associated with a sampled claim the address information is furnished.  
Requirement: Required

**Data Element: Address Order**

Definition: The order in which the records of provider addresses for the provider are entered into the provider address file detailed record. This field in combination with the Contractor ID, Provider number, and Provider Type will make each record in the file unique.  
Validation: Must be a valid number between 01 and 99  
Remarks: This field indicated the order in which records containing the addresses for a provider are entered into the detail file. For instance, if there are three addresses for a provider, the record for the first address for that provider will contain an '01' in this field; and the record for the second address for that provider will contain a '02' in this field.  
Requirement: Required

**Data Element: Provider Address Type**

Definition: The type of Provider Address furnished.  
Validation: 1 = Practice Address (MCS)  
Provider address (VMS)  
2 = Pay To Address (MCS)  
Payee Address (VMS)  
3 = Billing Address (VMS)  
4 = Correspondence Address  
5 = Medical Record Address  
Remarks: The first "address type" for each provider will always be a "1." Subsequent occurrences of addresses for the same provider will have the "address type" to correspond to the address submitted. When your files contain only one address for the provider, submit only one provider address record. Submit additional address records for a single provider number only when your files contain addresses that differ from the Master or Legal address.

- Correspondence Address—The Correspondence Address as indicated on the 855. This is the address and telephone number where Medicare can directly get in touch with the enrolling provider. This address cannot be that of the billing agency, management service organization, or staffing company.
- Medical Record Address—the Location of Patients' Medical Records as indicated on the 855. This information is required if the Patients' Medical Records are stored at a location other than the Master Address (practice location). Post Office Boxes and Drop Boxes are not acceptable as the physical address where patient's medical records are maintained

Requirement: Required

**Data Element: Provider E-Mail Address**

Definition: Provider's e-mail address  
Validation: Must be a valid e-mail address  
Remarks: N/A  
Requirement: Required if available

**Data Element: Provider Federal Tax Number or EIN**

Definition: The number assigned to the provider by the Federal government for tax report purposes. The Federal Tax Number is also known as a tax identification number (TIN) or employer identification number (EIN).  
Validation: Must be present  
Remarks: N/A  
Requirement: Required for all provider numbers

**Data Element: Provider Taxonomy Code**

Definition: The non-medical data code set used to classify health care providers according to provider type or practitioner specialty in an electronic environment, specifically within the American National Standards Institute Accredited Standards Committee health care transaction.  
Validation: Must be present  
Remarks: If multiple taxonomy codes are available, furnish the first one listed.  
Requirement: Required if available

**Data Element: Provider License Number**

Definition: The professional business license required to provide health care services.  
Validation: Must be present  
Remarks: N/A  
Requirement: Required if available

**Data Element: Provider License State**

Definition: Identify the state that issued the providers professional business license  
Validation: Must be a valid 2 digit state abbreviation as defined by the United States Postal Service (USPS)  
Remarks: N/A  
Requirement: Required if available

**Data Element: Filler**

Definition: Additional space TBD  
Validation: N/A  
Remarks: N/A  
Requirement:

Claims Provider Address File				
Claims Provider Address Trailer Record (one record per file)				
Field Name	Picture	From	Thru	Initialization
Contractor ID	X(5)	1	5	Spaces
Record Type	X(1)	6	6	'3'
Record Version Code	X(1)	7	7	Spaces
Contractor Type	X(1)	8	8	Spaces
Number of Records	9(9)	9	17	Zeroes

**DATA ELEMENT DETAIL**

**Data Element: Contractor ID**

Definition: Contractor's CMS assigned number

Validation: Must be a valid CMS contractor ID

Remarks: N/A

Requirement: Required

*NOTE: For A/B MAC (B): when multiple workloads share a single processing environment, the Contractor ID will reflect the contractor ID of the primary workload.*

**Data Element: Record Type**

Definition: Code indicating type of record

Validation: N/A

Remarks: 3 = Trailer Record

Requirement: Required

**Data Element: Record Version Code**

Definition: The code indicating the record version of the Provider Address file

Validation: Provider Address files prior to 7/1/2007 did not contain this field.

Codes:

B = Record Format as of 7/1/2007

*C = Record Format as of 1/1/2010*

Remarks: N/A

Requirement: Required

**Data Element: Contractor Type**

Definition: Type of Medicare Contractor

Validation: Must be 'B' or 'D'

Remarks: B = *A/B MAC (B)*

D = *DME MAC*

Requirement: Required

**Data Element: Number of Records**

Definition: Number of provider records on this file

Validation: Must be equal to the number of provider records on the file

Remarks: Do not count header or trailer records

Requirement: Required