

---

# State Medicaid Manual

## Part 3 - Eligibility

---

Department of Health &  
Human Services (DHHS)  
Centers for Medicare &  
Medicaid Services (CMS)

---

Transmittal 76

Date July 29, 2015

---

**HEADER SECTION NUMBERS**

3904.4

**PAGES TO INSERT**

3-10-27 - 3-10-28.43 (45 pp.)

**PAGES TO DELETE**

3-10-27 - 3-10-28 (2 pp.)

**EFFECTIVE DATE: Upon Implementation of ICD-10**

This transmittal contains language-only changes for updating to ICD-10 language in the State Medicaid Manual. There are no new policies in this transmittal. Specific related policy changes have been announced previously in various communications.

Section 3904.4 Third Party Liability is updated to include ICD-10-CM codes that identify pre-natal and preventive pediatric care/

**DISCLAIMER:** The revision date and transmittal number only apply to the redlined material. All other material was previously published in the manual and is only being reprinted.

For situations when the provider does bill a third party first, have a method in place to monitor that the provider did not receive payment from the third party prior or subsequent to billing Medicaid. You may require hard copy documentation that identifies the third party, and certifies that the third party has been billed and payment has not been received.

In some cases, such as when electronic billing is used, it may not be cost effective to require hard copy certification. Pay the claim and follow up to assure that providers have complied with billing requirements. When you contact a third party to seek recovery, you can verify whether or not the provider received payment from the third party and failed to report it to you.

**B. Prenatal and Preventive Pediatric Care**--You must pay and chase in situations where the claim is for prenatal care for pregnant women or preventive pediatric services (including EPSDT services) that are covered under the State plan.

The intent of this requirement is to alleviate the administrative burden associated with TPL efforts so as not to discourage participation in the Medicaid program by physicians and other providers of these types of services, since beneficiaries in need of such services already have difficulty finding providers in many communities.

In order to carry out the intent, it may be necessary to pay and chase claims for pregnancy-related services other than prenatal care (i.e., labor and delivery and post-partum care). The pay and chase method may be used for pregnancy-related services other than prenatal care whenever it is determined that using the cost avoidance method would discourage provider participation.

For instance, the same practitioner that provides the prenatal care often handles the labor and delivery and post-partum care. Generally, the practitioner bills for the entire range of obstetrical services in a lump sum amount; prenatal is not broken out from the labor and delivery and post-partum care. The administrative burden placed on providers of changing their billing practices and requiring them to bill a third party for the labor and delivery and post-partum care only could adversely affect access to prenatal care. You have the option to pay and chase for the entire range of pregnancy-related services. However, you must continue to cost avoid claims associated with the inpatient hospital stay for labor and delivery and post-partum care.

The following exhibits are provided as guidelines for determining certain claims for which you must use the pay and chase method. The first exhibit includes diagnosis codes related to prenatal care. The second exhibit includes diagnosis codes related to preventive pediatric care. These diagnosis codes were selected since it would be impractical to identify every procedure code which could relate to prenatal and preventive pediatric care. In order to identify prenatal claims which must be paid and chased, use the appropriate procedure codes related to these diagnoses. These guidelines define the terms prenatal and preventive pediatric care narrowly. You have the option of defining these terms more broadly. For example, the definition of prenatal care may be expanded to include preexisting conditions which are likely to affect the pregnancy.

**Exhibit 1 - Prenatal Care Services**

Prenatal care is defined as services provided to pregnant women if such services relate to the pregnancy or to any other medical condition which may complicate the pregnancy. The types of claims involved would be claims for routine prenatal care, prenatal screening of mother or fetus, and care provided in the prenatal period to the mother for complications of pregnancy.

**ICD-9-CM Diagnosis Codes *for Prenatal Services before Implementation of ICD-10***

ICD-9-CM Code	Description	Routine Prenatal Care	Prenatal Screening of Mother of Fetus	Complications of Pregnancy in Prenatal Period Applies to Services to Mother
V22.0 V22.1	Supervision of normal pregnancy	X		
V23	Supervision of high risk pregnancy			X
V28	Antenatal screening		X	
640-648	Complications related to pregnancy			X
651-658 671 673 675-676	Other conditions requiring care in pregnancy	X	X	

**ICD-10-CM Diagnosis Codes – for Prenatal Services upon Implementation of ICD-10****ICD-9-CM code V22.0 maps to the following ICD-10-CM codes**

- Z3400 Encounter for supervision of normal first pregnancy, unspecified trimester
- Z3403 Encounter for supervision of normal first pregnancy, third trimester
- Z3401 Encounter for supervision of normal first pregnancy, first trimester
- Z3402 Encounter for supervision of normal first pregnancy, second trimester

**ICD-9-CM code V22.1 maps to the following ICD-10-CM codes**

- Z3481 Encounter for supervision of other normal pregnancy, first trimester
- Z3482 Encounter for supervision of other normal pregnancy, second trimester
- Z3483 Encounter for supervision of other normal pregnancy, third trimester
- Z3480 Encounter for supervision of other normal pregnancy, unspecified trimester
- Z3491 Encounter for supervision of normal pregnancy, unspecified, first trimester
- Z3490 Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
- Z3493 Encounter for supervision of normal pregnancy, unspecified, third trimester
- Z3492 Encounter for supervision of normal pregnancy, unspecified, second trimester

**ICD-9-CM code V23 maps to the following ICD-10-CM codes**

00973	<i>Supervision of high risk pregnancy due to social problems, third trimester</i>
00972	<i>Supervision of high risk pregnancy due to social problems, second trimester</i>
009512	<i>Supervision of elderly primigravida, second trimester</i>
00971	<i>Supervision of high risk pregnancy due to social problems, first trimester</i>
009513	<i>Supervision of elderly primigravida, third trimester</i>
00970	<i>Supervision of high risk pregnancy due to social problems, unspecified trimester</i>
009511	<i>Supervision of elderly primigravida, first trimester</i>
009829	<i>Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester</i>
009822	<i>Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester</i>
00933	<i>Supervision of pregnancy with insufficient antenatal care, third trimester</i>
009823	<i>Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester</i>
009611	<i>Supervision of young primigravida, first trimester</i>
00930	<i>Supervision of pregnancy with insufficient antenatal care, unspecified trimester</i>
009612	<i>Supervision of young primigravida, second trimester</i>
00931	<i>Supervision of pregnancy with insufficient antenatal care, first trimester</i>
00932	<i>Supervision of pregnancy with insufficient antenatal care, second trimester</i>
009899	<i>Supervision of other high risk pregnancies, unspecified trimester</i>
009821	<i>Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester</i>
009813	<i>Supervision of pregnancy resulting from assisted reproductive technology, third trimester</i>
009811	<i>Supervision of pregnancy resulting from assisted reproductive technology, first trimester</i>
009812	<i>Supervision of pregnancy resulting from assisted reproductive technology, second trimester</i>
009219	<i>Supervision of pregnancy with history of pre-term labor, unspecified trimester</i>
009819	<i>Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester</i>
009212	<i>Supervision of pregnancy with history of pre-term labor, second trimester</i>
009213	<i>Supervision of pregnancy with history of pre-term labor, third trimester</i>
009629	<i>Supervision of young multigravida, unspecified trimester</i>
00993	<i>Supervision of high risk pregnancy, unspecified, third trimester</i>
00991	<i>Supervision of high risk pregnancy, unspecified, first trimester</i>
00992	<i>Supervision of high risk pregnancy, unspecified, second trimester</i>
00911	<i>Supervision of pregnancy with history of ectopic or molar pregnancy, first trimester</i>
00912	<i>Supervision of pregnancy with history of ectopic or molar pregnancy, second trimester</i>
009299	<i>Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester</i>
009529	<i>Supervision of elderly multigravida, unspecified trimester</i>
00913	<i>Supervision of pregnancy with history of ectopic or molar pregnancy, third trimester</i>
00990	<i>Supervision of high risk pregnancy, unspecified, unspecified trimester</i>
009292	<i>Supervision of pregnancy with other poor reproductive or obstetric history, second trimester</i>
009893	<i>Supervision of other high risk pregnancies, third trimester</i>
009291	<i>Supervision of pregnancy with other poor reproductive or obstetric history, first trimester</i>
009892	<i>Supervision of other high risk pregnancies, second trimester</i>

**ICD-9-CM code V23 maps to the following ICD-10-CM codes (continued)**

<i>O09891</i>	<i>Supervision of other high risk pregnancies, first trimester</i>
<i>O0910</i>	<i>Supervision of pregnancy with history of ectopic or molar pregnancy, unspecified trimester</i>
<i>O09293</i>	<i>Supervision of pregnancy with other poor reproductive or obstetric history, third trimester</i>
<i>O09613</i>	<i>Supervision of young primigravida, third trimester</i>
<i>O0941</i>	<i>Supervision of pregnancy with grand multiparity, first trimester</i>
<i>O0940</i>	<i>Supervision of pregnancy with grand multiparity, unspecified trimester</i>
<i>O3680X9</i>	<i>Pregnancy with inconclusive fetal viability, other fetus</i>
<i>O0943</i>	<i>Supervision of pregnancy with grand multiparity, third trimester</i>
<i>O0942</i>	<i>Supervision of pregnancy with grand multiparity, second trimester</i>
<i>O09619</i>	<i>Supervision of young primigravida, unspecified trimester</i>
<i>O3680X4</i>	<i>Pregnancy with inconclusive fetal viability, fetus 4</i>
<i>O09522</i>	<i>Supervision of elderly multigravida, second trimester</i>
<i>O3680X5</i>	<i>Pregnancy with inconclusive fetal viability, fetus 5</i>
<i>O09521</i>	<i>Supervision of elderly multigravida, first trimester</i>
<i>O3680X2</i>	<i>Pregnancy with inconclusive fetal viability, fetus 2</i>
<i>O3680X3</i>	<i>Pregnancy with inconclusive fetal viability, fetus 3</i>
<i>O09523</i>	<i>Supervision of elderly multigravida, third trimester</i>
<i>O3680X0</i>	<i>Pregnancy with inconclusive fetal viability, not applicable or unspecified</i>
<i>O3680X1</i>	<i>Pregnancy with inconclusive fetal viability, fetus 1</i>
<i>O0902</i>	<i>Supervision of pregnancy with history of infertility, second trimester</i>
<i>O0903</i>	<i>Supervision of pregnancy with history of infertility, third trimester</i>
<i>O09519</i>	<i>Supervision of elderly primigravida, unspecified trimester</i>
<i>O0900</i>	<i>Supervision of pregnancy with history of infertility, unspecified trimester</i>
<i>O0901</i>	<i>Supervision of pregnancy with history of infertility, first trimester</i>
<i>O09621</i>	<i>Supervision of young multigravida, first trimester</i>
<i>O09622</i>	<i>Supervision of young multigravida, second trimester</i>
<i>O09623</i>	<i>Supervision of young multigravida, third trimester</i>

**ICD-9-CM Code V28 maps to the following ICD-10-CM codes**

<i>Z36</i>	<i>Encounter for antenatal screening of mother</i>
------------	--

**ICD-9-CM 640 maps to the following ICD-10-CM codes**

<i>O209</i>	<i>Hemorrhage in early pregnancy, unspecified</i>
<i>O208</i>	<i>Other hemorrhage in early pregnancy</i>
<i>O200</i>	<i>Threatened abortion</i>

**ICD-9-CM 641 maps to the following ICD-10-CM codes**

*O46019 Antepartum hemorrhage with afibrinogenemia, unspecified trimester*  
*O45019 Premature separation of placenta with afibrinogenemia, unspecified trimester*  
*O46091 Antepartum hemorrhage with other coagulation defect, first trimester*  
*O46013 Antepartum hemorrhage with afibrinogenemia, third trimester*  
*O46012 Antepartum hemorrhage with afibrinogenemia, second trimester*  
*O45012 Premature separation of placenta with afibrinogenemia, second trimester*  
*O45011 Premature separation of placenta with afibrinogenemia, first trimester*  
*O46092 Antepartum hemorrhage with other coagulation defect, second trimester*  
*O45013 Premature separation of placenta with afibrinogenemia, third trimester*  
*O46093 Antepartum hemorrhage with other coagulation defect, third trimester*  
*O46099 Antepartum hemorrhage with other coagulation defect, unspecified trimester*  
*O45021 Premature separation of placenta with disseminated intravascular coagulation, first trimester*  
*O46021 Antepartum hemorrhage with disseminated intravascular coagulation, first trimester*  
*O46022 Antepartum hemorrhage with disseminated intravascular coagulation, second trimester*  
*O46002 Antepartum hemorrhage with coagulation defect, unspecified, second trimester*  
*O46001 Antepartum hemorrhage with coagulation defect, unspecified, first trimester*  
*O46003 Antepartum hemorrhage with coagulation defect, unspecified, third trimester*  
*O45023 Premature separation of placenta with disseminated intravascular coagulation, third trimester*  
*O45022 Premature separation of placenta with disseminated intravascular coagulation, second trimester*  
*O45029 Premature separation of placenta with disseminated intravascular coagulation, unspecified trimester*  
*O46009 Antepartum hemorrhage with coagulation defect, unspecified, unspecified trimester*  
*O46011 Antepartum hemorrhage with afibrinogenemia, first trimester*  
*O45099 Premature separation of placenta with other coagulation defect, unspecified trimester*  
*O45091 Premature separation of placenta with other coagulation defect, first trimester*  
*O45092 Premature separation of placenta with other coagulation defect, second trimester*  
*O45093 Premature separation of placenta with other coagulation defect, third trimester*  
*O4410 Placenta previa with hemorrhage, unspecified trimester*  
*O4411 Placenta previa with hemorrhage, first trimester*  
*O4590 Premature separation of placenta, unspecified, unspecified trimester*  
*O4592 Premature separation of placenta, unspecified, second trimester*  
*O4591 Premature separation of placenta, unspecified, first trimester*  
*O4593 Premature separation of placenta, unspecified, third trimester*  
*O458X9 Other premature separation of placenta, unspecified trimester*  
*O670 Intrapartum hemorrhage with coagulation defect*  
*O468X9 Other antepartum hemorrhage, unspecified trimester*  
*O458X1 Other premature separation of placenta, first trimester*  
*O678 Other intrapartum hemorrhage*  
*O458X3 Other premature separation of placenta, third trimester*  
*O4413 Placenta previa with hemorrhage, third trimester*  
*O679 Intrapartum hemorrhage, unspecified*  
*O458X2 Other premature separation of placenta, second trimester*  
*O4412 Placenta previa with hemorrhage, second trimester*  
*O468X3 Other antepartum hemorrhage, third trimester*

**ICD-9-CM 641 maps to the following ICD-10-CM codes (continued)**

<i>O679</i>	<i>Intrapartum hemorrhage, unspecified</i>
<i>O458X2</i>	<i>Other premature separation of placenta, second trimester</i>
<i>O4412</i>	<i>Placenta previa with hemorrhage, second trimester</i>
<i>O468X3</i>	<i>Other antepartum hemorrhage, third trimester</i>
<i>O468X2</i>	<i>Other antepartum hemorrhage, second trimester</i>
<i>O468X1</i>	<i>Other antepartum hemorrhage, first trimester</i>
<i>O46023</i>	<i>Antepartum hemorrhage with disseminated intravascular coagulation, third trimester</i>
<i>O45009</i>	<i>Premature separation of placenta with coagulation defect, unspecified, unspecified trimester</i>
<i>O46029</i>	<i>Antepartum hemorrhage with disseminated intravascular coagulation, unspecified trimester</i>
<i>O4400</i>	<i>Placenta previa specified as without hemorrhage, unspecified trimester</i>
<i>O45003</i>	<i>Premature separation of placenta with coagulation defect, unspecified, third trimester</i>
<i>O45002</i>	<i>Premature separation of placenta with coagulation defect, unspecified, second trimester</i>
<i>O45001</i>	<i>Premature separation of placenta with coagulation defect, unspecified, first trimester</i>
<i>O4402</i>	<i>Placenta previa specified as without hemorrhage, second trimester</i>
<i>O4692</i>	<i>Antepartum hemorrhage, unspecified, second trimester</i>
<i>O4401</i>	<i>Placenta previa specified as without hemorrhage, first trimester</i>
<i>O4693</i>	<i>Antepartum hemorrhage, unspecified, third trimester</i>
<i>O4690</i>	<i>Antepartum hemorrhage, unspecified, unspecified trimester</i>
<i>O4691</i>	<i>Antepartum hemorrhage, unspecified, first trimester</i>
<i>O4403</i>	<i>Placenta previa specified as without hemorrhage, third trimester</i>

**ICD-9 CM 642 maps to the following ICD-10-CM codes**

<i>O151</i>	<i>Eclampsia in labor</i>
<i>O152</i>	<i>Eclampsia in the puerperium</i>
<i>O1042</i>	<i>Pre-existing secondary hypertension complicating childbirth</i>
<i>O1043</i>	<i>Pre-existing secondary hypertension complicating the puerperium</i>
<i>O10319</i>	<i>Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester</i>
<i>O1002</i>	<i>Pre-existing essential hypertension complicating childbirth</i>
<i>O1003</i>	<i>Pre-existing essential hypertension complicating the puerperium</i>
<i>O10311</i>	<i>Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester</i>
<i>O10313</i>	<i>Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester</i>
<i>O10312</i>	<i>Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester</i>
<i>O10211</i>	<i>Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester</i>
<i>O10212</i>	<i>Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester</i>
<i>O10111</i>	<i>Pre-existing hypertensive heart disease complicating pregnancy, first trimester</i>
<i>O10213</i>	<i>Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester</i>
<i>O10113</i>	<i>Pre-existing hypertensive heart disease complicating pregnancy, third trimester</i>
<i>O10112</i>	<i>Pre-existing hypertensive heart disease complicating pregnancy, second trimester</i>

**ICD-9 CM 642 maps to the following ICD-10-CM codes (continued)**

O161	Unspecified maternal hypertension, first trimester
C162	Unspecified maternal hypertension, second trimester
O163	Unspecified maternal hypertension, third trimester
O10219	Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester
O1400	Mild to moderate pre-eclampsia, unspecified trimester
O10119	Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester
O1033	Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium
O1403	Mild to moderate pre-eclampsia, third trimester
O1032	Pre-existing hypertensive heart and chronic kidney disease complicating childbirth
O1402	Mild to moderate pre-eclampsia, second trimester
O111	Pre-existing hypertension with pre-eclampsia, first trimester
O112	Pre-existing hypertension with pre-eclampsia, second trimester
O113	Pre-existing hypertension with pre-eclampsia, third trimester
O10019	Pre-existing essential hypertension complicating pregnancy, unspecified trimester
O10013	Pre-existing essential hypertension complicating pregnancy, third trimester
O119	Pre-existing hypertension with pre-eclampsia, unspecified trimester
O169	Unspecified maternal hypertension, unspecified trimester
O10012	Pre-existing essential hypertension complicating pregnancy, second trimester
O159	Eclampsia, unspecified as to time period
O10011	Pre-existing essential hypertension complicating pregnancy, first trimester
O1493	Unspecified pre-eclampsia, third trimester
O1023	Pre-existing hypertensive chronic kidney disease complicating the puerperium
O1022	Pre-existing hypertensive chronic kidney disease complicating childbirth
O1492	Unspecified pre-eclampsia, second trimester
O1490	Unspecified pre-eclampsia, unspecified trimester
O1413	Severe pre-eclampsia, third trimester
O1410	Severe pre-eclampsia, unspecified trimester
O1412	Severe pre-eclampsia, second trimester
O1093	Unspecified pre-existing hypertension complicating the puerperium
O1500	Eclampsia in pregnancy, unspecified trimester
O1502	Eclampsia in pregnancy, second trimester
O1503	Eclampsia in pregnancy, third trimester
O1092	Unspecified pre-existing hypertension complicating childbirth
O10913	Unspecified pre-existing hypertension complicating pregnancy, third trimester
O1012	Pre-existing hypertensive heart disease complicating childbirth
O10912	Unspecified pre-existing hypertension complicating pregnancy, second trimester
O10411	Pre-existing secondary hypertension complicating pregnancy, first trimester
O10412	Pre-existing secondary hypertension complicating pregnancy, second trimester
O10911	Unspecified pre-existing hypertension complicating pregnancy, first trimester
O10413	Pre-existing secondary hypertension complicating pregnancy, third trimester
O1423	HELLP syndrome (HELLP), third trimester
O10419	Pre-existing secondary hypertension complicating pregnancy, unspecified trimester

**ICD-9 CM 642 maps to the following ICD-10-CM codes (continued)**

- O1422 HELLP syndrome (HELLP), second trimester*
- O1420 HELLP syndrome (HELLP), unspecified trimester*
- O139 Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester*
- O132 Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester*
- O131 Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester*
- O1013 Pre-existing hypertensive heart disease complicating the puerperium*
- O10919 Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester*
- O133 Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester*

**ICD-9 CM 643 maps to the following ICD-10-CM codes**

- O218 Other vomiting complicating pregnancy*
- O219 Vomiting of pregnancy, unspecified*
- O212 Late vomiting of pregnancy*
- O210 Mild hyperemesis gravidarum*
- O211 Hyperemesis gravidarum with metabolic disturbance*

**ICD-9 CM 644 maps to the following ICD-10-CM codes**

- O6012X9 Preterm labor second trimester with preterm delivery second trimester, other fetus*
- O6020X0 Term delivery with preterm labor, unspecified trimester, not applicable or unspecified*
- O6012X0 Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified*
- O6012X1 Preterm labor second trimester with preterm delivery second trimester, fetus 1*
- O6012X2 Preterm labor second trimester with preterm delivery second trimester, fetus 2*
- O6012X3 Preterm labor second trimester with preterm delivery second trimester, fetus 3*
- O6012X4 Preterm labor second trimester with preterm delivery second trimester, fetus 4*
- O6012X5 Preterm labor second trimester with preterm delivery second trimester, fetus 5*
- O6023X0 Term delivery with preterm labor, third trimester, not applicable or unspecified*
- O6013X9 Preterm labor second trimester with preterm delivery third trimester, other fetus*
- O6023X1 Term delivery with preterm labor, third trimester, fetus 1*
- O6020X9 Term delivery with preterm labor, unspecified trimester, other fetus*
- O6013X5 Preterm labor second trimester with preterm delivery third trimester, fetus 5*
- O6014X0 Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified*
- O6022X9 Term delivery with preterm labor, second trimester, other fetus*
- O6023X4 Term delivery with preterm labor, third trimester, fetus 4*
- O6014X1 Preterm labor third trimester with preterm delivery third trimester, fetus 1*
- O6023X5 Term delivery with preterm labor, third trimester, fetus 5*
- O6014X2 Preterm labor third trimester with preterm delivery third trimester, fetus 2*

**ICD-9 CM 644 maps to the following ICD-10-CM codes (continued)**

<i>O6023X2</i>	<i>Term delivery with preterm labor, third trimester, fetus 2</i>
<i>O6014X3</i>	<i>Preterm labor third trimester with preterm delivery third trimester, fetus 3</i>
<i>O6023X3</i>	<i>Term delivery with preterm labor, third trimester, fetus 3</i>
<i>O6013X1</i>	<i>Preterm labor second trimester with preterm delivery third trimester, fetus 1</i>
<i>O6022X5</i>	<i>Term delivery with preterm labor, second trimester, fetus 5</i>
<i>O6014X4</i>	<i>Preterm labor third trimester with preterm delivery third trimester, fetus 4</i>
<i>O6020X3</i>	<i>Term delivery with preterm labor, unspecified trimester, fetus 3</i>
<i>O6023X9</i>	<i>Term delivery with preterm labor, third trimester, other fetus</i>
<i>O6013X2</i>	<i>Preterm labor second trimester with preterm delivery third trimester, fetus 2</i>
<i>O6014X5</i>	<i>Preterm labor third trimester with preterm delivery third trimester, fetus 5</i>
<i>O6020X4</i>	<i>Term delivery with preterm labor, unspecified trimester, fetus 4</i>
<i>O6013X3</i>	<i>Preterm labor second trimester with preterm delivery third trimester, fetus 3</i>
<i>O6020X1</i>	<i>Term delivery with preterm labor, unspecified trimester, fetus 1</i>
<i>O6022X3</i>	<i>Term delivery with preterm labor, second trimester, fetus 3</i>
<i>O6013X4</i>	<i>Preterm labor second trimester with preterm delivery third trimester, fetus 4</i>
<i>O6020X2</i>	<i>Term delivery with preterm labor, unspecified trimester, fetus 2</i>
<i>O6022X4</i>	<i>Term delivery with preterm labor, second trimester, fetus 4</i>
<i>O6022X1</i>	<i>Term delivery with preterm labor, second trimester, fetus 1</i>
<i>O6014X9</i>	<i>Preterm labor third trimester with preterm delivery third trimester, other fetus</i>
<i>O6022X2</i>	<i>Term delivery with preterm labor, second trimester, fetus 2</i>
<i>O6020X5</i>	<i>Term delivery with preterm labor, unspecified trimester, fetus 5</i>
<i>O6013X0</i>	<i>Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified</i>
<i>O6022X0</i>	<i>Term delivery with preterm labor, second trimester, not applicable or unspecified</i>
<i>O4703</i>	<i>False labor before 37 completed weeks of gestation, third trimester</i>
<i>O4702</i>	<i>False labor before 37 completed weeks of gestation, second trimester</i>
<i>O4700</i>	<i>False labor before 37 completed weeks of gestation, unspecified trimester</i>
<i>O479</i>	<i>False labor, unspecified</i>
<i>O6000</i>	<i>Preterm labor without delivery, unspecified trimester</i>
<i>O6002</i>	<i>Preterm labor without delivery, second trimester</i>
<i>O471</i>	<i>False labor at or after 37 completed weeks of gestation</i>
<i>O6003</i>	<i>Preterm labor without delivery, third trimester</i>
<i>O6010X9</i>	<i>Preterm labor with preterm delivery, unspecified trimester, other fetus</i>
<i>O6010X5</i>	<i>Preterm labor with preterm delivery, unspecified trimester, fetus 5</i>
<i>O6010X4</i>	<i>Preterm labor with preterm delivery, unspecified trimester, fetus 4</i>
<i>O6010X3</i>	<i>Preterm labor with preterm delivery, unspecified trimester, fetus 3</i>
<i>O6010X2</i>	<i>Preterm labor with preterm delivery, unspecified trimester, fetus 2</i>
<i>O6010X1</i>	<i>Preterm labor with preterm delivery, unspecified trimester, fetus 1</i>
<i>O6010X0</i>	<i>Preterm labor with preterm delivery, unspecified trimester, not applicable or unspecified</i>

**ICD-9 CM 645 maps to the following ICD-10-CM codes**

<i>O480</i>	<i>Post-term pregnancy</i>
<i>O481</i>	<i>Prolonged pregnancy</i>

**ICD-9 CM 646 maps to the following ICD-10-CM codes (continued)**

- O2672 Subluxation of symphysis (pubis) in childbirth*
- O2673 Subluxation of symphysis (pubis) in the puerperium*
- O26833 Pregnancy related renal disease, third trimester*
- O26832 Pregnancy related renal disease, second trimester*
- O26831 Pregnancy related renal disease, first trimester*
- O29113 Cardiac arrest due to anesthesia during pregnancy, third trimester*
- O29112 Cardiac arrest due to anesthesia during pregnancy, second trimester*
- O26839 Pregnancy related renal disease, unspecified trimester*
- O29111 Cardiac arrest due to anesthesia during pregnancy, first trimester*
- O2662 Liver and biliary tract disorders in childbirth*
- O26823 Pregnancy related peripheral neuritis, third trimester*
- O26822 Pregnancy related peripheral neuritis, second trimester*
- O26821 Pregnancy related peripheral neuritis, first trimester*
- O2663 Liver and biliary tract disorders in the puerperium*
- O26829 Pregnancy related peripheral neuritis, unspecified trimester*
- O26719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester*
- O26811 Pregnancy related exhaustion and fatigue, first trimester*
- O26813 Pregnancy related exhaustion and fatigue, third trimester*
- O26812 Pregnancy related exhaustion and fatigue, second trimester*
- O26712 Subluxation of symphysis (pubis) in pregnancy, second trimester*
- O26711 Subluxation of symphysis (pubis) in pregnancy, first trimester*
- O26713 Subluxation of symphysis (pubis) in pregnancy, third trimester*
- O26819 Pregnancy related exhaustion and fatigue, unspecified trimester*
- O8620 Urinary tract infection following delivery, unspecified*
- O8622 Infection of bladder following delivery*
- O8621 Infection of kidney following delivery*
- O2640 Herpes gestationis, unspecified trimester*
- O99353 Diseases of the nervous system complicating pregnancy, third trimester*
- O26619 Liver and biliary tract disorders in pregnancy, unspecified trimester*
- O2642 Herpes gestationis, second trimester*
- O99354 Diseases of the nervous system complicating childbirth*
- O2641 Herpes gestationis, first trimester*
- O99351 Diseases of the nervous system complicating pregnancy, first trimester*
- O99352 Diseases of the nervous system complicating pregnancy, second trimester*
- O2643 Herpes gestationis, third trimester*
- O99355 Diseases of the nervous system complicating the puerperium*
- O8629 Other urinary tract infection following delivery*
- O26611 Liver and biliary tract disorders in pregnancy, first trimester*
- O26613 Liver and biliary tract disorders in pregnancy, third trimester*
- O26612 Liver and biliary tract disorders in pregnancy, second trimester*
- O8611 Cervicitis following delivery*
- O8613 Vaginitis following delivery*
- O29212 Cerebral anoxia due to anesthesia during pregnancy, second trimester*
- O29211 Cerebral anoxia due to anesthesia during pregnancy, first trimester*
- O29213 Cerebral anoxia due to anesthesia during pregnancy, third trimester*

**ICD-9 CM 646 maps to the following ICD-10-CM codes (continued)**

*023529 Salpingo-oophoritis in pregnancy, unspecified trimester*  
*08619 Other infection of genital tract following delivery*  
*029011 Aspiration pneumonitis due to anesthesia during pregnancy, first trimester*  
*029012 Aspiration pneumonitis due to anesthesia during pregnancy, second trimester*  
*029013 Aspiration pneumonitis due to anesthesia during pregnancy, third trimester*  
*02632 Retained intrauterine contraceptive device in pregnancy, second trimester*  
*023522 Salpingo-oophoritis in pregnancy, second trimester*  
*02633 Retained intrauterine contraceptive device in pregnancy, third trimester*  
*023521 Salpingo-oophoritis in pregnancy, first trimester*  
*02630 Retained intrauterine contraceptive device in pregnancy, unspecified trimester*  
*02631 Retained intrauterine contraceptive device in pregnancy, first trimester*  
*023523 Salpingo-oophoritis in pregnancy, third trimester*  
*03100X9 Papyraceous fetus, unspecified trimester, other fetus*  
*03100X4 Papyraceous fetus, unspecified trimester, fetus 4*  
*03100X3 Papyraceous fetus, unspecified trimester, fetus 3*  
*03101X1 Papyraceous fetus, first trimester, fetus 1*  
*03100X5 Papyraceous fetus, unspecified trimester, fetus 5*  
*03101X0 Papyraceous fetus, first trimester, not applicable or unspecified*  
*03101X3 Papyraceous fetus, first trimester, fetus 3*  
*03100X0 Papyraceous fetus, unspecified trimester, not applicable or unspecified*  
*03101X2 Papyraceous fetus, first trimester, fetus 2*  
*03101X5 Papyraceous fetus, first trimester, fetus 5*  
*03100X2 Papyraceous fetus, unspecified trimester, fetus 2*  
*03101X4 Papyraceous fetus, first trimester, fetus 4*  
*03100X1 Papyraceous fetus, unspecified trimester, fetus 1*  
*03101X9 Papyraceous fetus, first trimester, other fetus*  
*02940 Spinal and epidural anesthesia induced headache during pregnancy, unspecified trimester*  
*02941 Spinal and epidural anesthesia induced headache during pregnancy, first trimester*  
*023519 Infections of cervix in pregnancy, unspecified trimester*  
*02942 Spinal and epidural anesthesia induced headache during pregnancy, second trimester*  
*02943 Spinal and epidural anesthesia induced headache during pregnancy, third trimester*  
*02623 Pregnancy care for patient with recurrent pregnancy loss, third trimester*  
*023513 Infections of cervix in pregnancy, third trimester*  
*023512 Infections of cervix in pregnancy, second trimester*  
*02620 Pregnancy care for patient with recurrent pregnancy loss, unspecified trimester*  
*023511 Infections of cervix in pregnancy, first trimester*  
*02621 Pregnancy care for patient with recurrent pregnancy loss, first trimester*  
*02622 Pregnancy care for patient with recurrent pregnancy loss, second trimester*  
*029029 Pressure collapse of lung due to anesthesia during pregnancy, unspecified trimester*  
*029129 Cardiac failure due to anesthesia during pregnancy, unspecified trimester*  
*02313 Infections of bladder in pregnancy, third trimester*  
*02312 Infections of bladder in pregnancy, second trimester*  
*02311 Infections of bladder in pregnancy, first trimester*  
*02310 Infections of bladder in pregnancy, unspecified trimester*  
*02610 Low weight gain in pregnancy, unspecified trimester*  
*02611 Low weight gain in pregnancy, first trimester*

**ICD-9 CM 646 maps to the following ICD-10-CM codes (continued)**

O2612 Low weight gain in pregnancy, second trimester  
O2613 Low weight gain in pregnancy, third trimester  
O29019 Aspiration pneumonitis due to anesthesia during pregnancy, unspecified trimester  
O29119 Cardiac arrest due to anesthesia during pregnancy, unspecified trimester  
O2301 Infections of kidney in pregnancy, first trimester  
O2300 Infections of kidney in pregnancy, unspecified trimester  
O2303 Infections of kidney in pregnancy, third trimester  
O2302 Infections of kidney in pregnancy, second trimester  
O29121 Cardiac failure due to anesthesia during pregnancy, first trimester  
O29122 Cardiac failure due to anesthesia during pregnancy, second trimester  
O29123 Cardiac failure due to anesthesia during pregnancy, third trimester  
O29219 Cerebral anoxia due to anesthesia during pregnancy, unspecified trimester  
O2600 Excessive weight gain in pregnancy, unspecified trimester  
O2601 Excessive weight gain in pregnancy, first trimester  
O29022 Pressure collapse of lung due to anesthesia during pregnancy, second trimester  
O2602 Excessive weight gain in pregnancy, second trimester  
O29023 Pressure collapse of lung due to anesthesia during pregnancy, third trimester  
O2603 Excessive weight gain in pregnancy, third trimester  
O29021 Pressure collapse of lung due to anesthesia during pregnancy, first trimester  
O2330 Infections of other parts of urinary tract in pregnancy, unspecified trimester  
O2332 Infections of other parts of urinary tract in pregnancy, second trimester  
O2331 Infections of other parts of urinary tract in pregnancy, first trimester  
O1203 Gestational edema, third trimester  
O2333 Infections of other parts of urinary tract in pregnancy, third trimester  
O1202 Gestational edema, second trimester  
O1201 Gestational edema, first trimester  
O1200 Gestational edema, unspecified trimester  
O2321 Infections of urethra in pregnancy, first trimester  
O2320 Infections of urethra in pregnancy, unspecified trimester  
O2322 Infections of urethra in pregnancy, second trimester  
O2323 Infections of urethra in pregnancy, third trimester  
O9089 Other complications of the puerperium, not elsewhere classified  
O26899 Other specified pregnancy related conditions, unspecified trimester  
O1220 Gestational edema with proteinuria, unspecified trimester  
O298X3 Other complications of anesthesia during pregnancy, third trimester  
O1221 Gestational edema with proteinuria, first trimester  
O298X2 Other complications of anesthesia during pregnancy, second trimester  
O298X1 Other complications of anesthesia during pregnancy, first trimester  
O1223 Gestational edema with proteinuria, third trimester  
O1222 Gestational edema with proteinuria, second trimester  
O2343 Unspecified infection of urinary tract in pregnancy, third trimester  
O2342 Unspecified infection of urinary tract in pregnancy, second trimester  
O2341 Unspecified infection of urinary tract in pregnancy, first trimester  
O9989 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium  
O2340 Unspecified infection of urinary tract in pregnancy, unspecified trimester  
O1210 Gestational proteinuria, unspecified trimester  
O1212 Gestational proteinuria, second trimester

**ICD-9 CM 646 maps to the following ICD-10-CM codes (continued)**

*O1211 Gestational proteinuria, first trimester*  
*O1213 Gestational proteinuria, third trimester*  
*O26891 Other specified pregnancy related conditions, first trimester*  
*O26892 Other specified pregnancy related conditions, second trimester*  
*O26893 Other specified pregnancy related conditions, third trimester*  
*O2961 Failed or difficult intubation for anesthesia during pregnancy, first trimester*  
*O2960 Failed or difficult intubation for anesthesia during pregnancy, unspecified trimester*  
*O2963 Failed or difficult intubation for anesthesia during pregnancy, third trimester*  
*O2962 Failed or difficult intubation for anesthesia during pregnancy, second trimester*  
*O295X9 Other complications of spinal and epidural anesthesia during pregnancy, unspecified trimester*  
*O3103X2 Papyraceous fetus, third trimester, fetus 2*  
*O3103X3 Papyraceous fetus, third trimester, fetus 3*  
*O3102X0 Papyraceous fetus, second trimester, not applicable or unspecified*  
*O3103X0 Papyraceous fetus, third trimester, not applicable or unspecified*  
*O3103X1 Papyraceous fetus, third trimester, fetus 1*  
*O3103X4 Papyraceous fetus, third trimester, fetus 4*  
*O3103X5 Papyraceous fetus, third trimester, fetus 5*  
*O3102X5 Papyraceous fetus, second trimester, fetus 5*  
*O3102X3 Papyraceous fetus, second trimester, fetus 3*  
*O23599 Infection of other part of genital tract in pregnancy, unspecified trimester*  
*O3102X4 Papyraceous fetus, second trimester, fetus 4*  
*O3102X1 Papyraceous fetus, second trimester, fetus 1*  
*O3102X2 Papyraceous fetus, second trimester, fetus 2*  
*O3102X9 Papyraceous fetus, second trimester, other fetus*  
*O298X9 Other complications of anesthesia during pregnancy, unspecified trimester*  
*O3103X9 Papyraceous fetus, third trimester, other fetus*  
*O2391 Unspecified genitourinary tract infection in pregnancy, first trimester*  
*O2392 Unspecified genitourinary tract infection in pregnancy, second trimester*  
*O2393 Unspecified genitourinary tract infection in pregnancy, third trimester*  
*O2390 Unspecified genitourinary tract infection in pregnancy, unspecified trimester*  
*O23592 Infection of other part of genital tract in pregnancy, second trimester*  
*O23593 Infection of other part of genital tract in pregnancy, third trimester*  
*O2691 Pregnancy related conditions, unspecified, first trimester*  
*O2690 Pregnancy related conditions, unspecified, unspecified trimester*  
*O23591 Infection of other part of genital tract in pregnancy, first trimester*  
*O2693 Pregnancy related conditions, unspecified, third trimester*  
*O2692 Pregnancy related conditions, unspecified, second trimester*  
*O295X3 Other complications of spinal and epidural anesthesia during pregnancy, third trimester*  
*O295X1 Other complications of spinal and epidural anesthesia during pregnancy, first trimester*  
*O295X2 Other complications of spinal and epidural anesthesia during pregnancy, second trimester*  
*O29099 Other pulmonary complications of anesthesia during pregnancy, unspecified trimester*  
*O2991 Unspecified complication of anesthesia during pregnancy, first trimester*  
*O2992 Unspecified complication of anesthesia during pregnancy, second trimester*  
*O29093 Other pulmonary complications of anesthesia during pregnancy, third trimester*

**ICD-9 CM 646 maps to the following ICD-10-CM codes (continued)**

- O2990 Unspecified complication of anesthesia during pregnancy, unspecified trimester*
- O2686 Pruritic urticarial papules and plaques of pregnancy (PUPPP)*
- O29091 Other pulmonary complications of anesthesia during pregnancy, first trimester*
- O29092 Other pulmonary complications of anesthesia during pregnancy, second trimester*
- O29199 Other cardiac complications of anesthesia during pregnancy, unspecified trimester*
- O29293 Other central nervous system complications of anesthesia during pregnancy, third trimester*
- O29292 Other central nervous system complications of anesthesia during pregnancy, second trimester*
- O29291 Other central nervous system complications of anesthesia during pregnancy, first trimester*
- O293X2 Toxic reaction to local anesthesia during pregnancy, second trimester*
- O293X1 Toxic reaction to local anesthesia during pregnancy, first trimester*
- O2993 Unspecified complication of anesthesia during pregnancy, third trimester*
- O29191 Other cardiac complications of anesthesia during pregnancy, first trimester*
- O293X3 Toxic reaction to local anesthesia during pregnancy, third trimester*
- O29299 Other central nervous system complications of anesthesia during pregnancy, unspecified trimester*
- O293X9 Toxic reaction to local anesthesia during pregnancy, unspecified trimester*
- O99350 Diseases of the nervous system complicating pregnancy, unspecified trimester*
- O29193 Other cardiac complications of anesthesia during pregnancy, third trimester*
- O29192 Other cardiac complications of anesthesia during pregnancy, second trimester*

**ICD-9 CM 647 maps to the following ICD-10-CM codes**

- O98813 Other maternal infectious and parasitic diseases complicating pregnancy, third trimester*
- O9893 Unspecified maternal infectious and parasitic disease complicating the puerperium*
- O98812 Other maternal infectious and parasitic diseases complicating pregnancy, second trimester*
- O98811 Other maternal infectious and parasitic diseases complicating pregnancy, first trimester*
- O9813 Syphilis complicating the puerperium*
- O98911 Unspecified maternal infectious and parasitic disease complicating pregnancy, first trimester*
- O98913 Unspecified maternal infectious and parasitic disease complicating pregnancy, third trimester*
- O9892 Unspecified maternal infectious and parasitic disease complicating childbirth*
- O98912 Unspecified maternal infectious and parasitic disease complicating pregnancy, second trimester*
- O98919 Unspecified maternal infectious and parasitic disease complicating pregnancy, unspecified trimester*
- O9812 Syphilis complicating childbirth*
- O9852 Other viral diseases complicating childbirth*
- O9853 Other viral diseases complicating the puerperium*
- O98819 Other maternal infectious and parasitic diseases complicating pregnancy, unspecified trimester*
- O9823 Gonorrhea complicating the puerperium*
- O9822 Gonorrhea complicating childbirth*
- O9862 Protozoal diseases complicating childbirth*
- O9863 Protozoal diseases complicating the puerperium*

**ICD-9 CM 647 maps to the following ICD-10-CM codes (continued)**

- O98711 Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester*
- O9873 Human immunodeficiency virus [HIV] disease complicating the puerperium*
- O98713 Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester*
- O9872 Human immunodeficiency virus [HIV] disease complicating childbirth*
- O98712 Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester*
- O98612 Protozoal diseases complicating pregnancy, second trimester*
- O98611 Protozoal diseases complicating pregnancy, first trimester*
- O98613 Protozoal diseases complicating pregnancy, third trimester*
- O98413 Viral hepatitis complicating pregnancy, third trimester*
- O98619 Protozoal diseases complicating pregnancy, unspecified trimester*
- O98511 Other viral diseases complicating pregnancy, first trimester*
- O98419 Viral hepatitis complicating pregnancy, unspecified trimester*
- O9832 Other infections with a predominantly sexual mode of transmission complicating childbirth*
- O9833 Other infections with a predominantly sexual mode of transmission complicating the puerperium*
- O98519 Other viral diseases complicating pregnancy, unspecified trimester*
- O98512 Other viral diseases complicating pregnancy, second trimester*
- O98719 Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester*
- O98513 Other viral diseases complicating pregnancy, third trimester*
- O98411 Viral hepatitis complicating pregnancy, first trimester*
- O98412 Viral hepatitis complicating pregnancy, second trimester*
- O98019 Tuberculosis complicating pregnancy, unspecified trimester*
- O98113 Syphilis complicating pregnancy, third trimester*
- O98112 Syphilis complicating pregnancy, second trimester*
- O98111 Syphilis complicating pregnancy, first trimester*
- O9883 Other maternal infectious and parasitic diseases complicating the puerperium*
- O9882 Other maternal infectious and parasitic diseases complicating childbirth*
- O98012 Tuberculosis complicating pregnancy, second trimester*
- O98011 Tuberculosis complicating pregnancy, first trimester*
- O98119 Syphilis complicating pregnancy, unspecified trimester*
- O9802 Tuberculosis complicating childbirth*
- O9803 Tuberculosis complicating the puerperium*
- O98013 Tuberculosis complicating pregnancy, third trimester*
- O98319 Other infections with a predominantly sexual mode of transmission complicating pregnancy, unspecified trimester*
- O98213 Gonorrhea complicating pregnancy, third trimester*
- O99834 Other infection carrier state complicating childbirth*
- O99835 Other infection carrier state complicating the puerperium*
- O98211 Gonorrhea complicating pregnancy, first trimester*
- O98212 Gonorrhea complicating pregnancy, second trimester*
- O98312 Other infections with a predominantly sexual mode of transmission complicating pregnancy, second trimester*
- O99830 Other infection carrier state complicating pregnancy*
- O98313 Other infections with a predominantly sexual mode of transmission complicating pregnancy, third trimester*

**ICD-9 CM 647 maps to the following ICD-10-CM codes (continued)**

- 09842 Viral hepatitis complicating childbirth*
- 09831 Other infections with a predominantly sexual mode of transmission complicating pregnancy, first trimester*
- 09843 Viral hepatitis complicating the puerperium*
- 09821 Gonorrhea complicating pregnancy, unspecified trimester*

**ICD-9 CM 648 maps to the following ICD-10-CM codes**

- 099019 Anemia complicating pregnancy, unspecified trimester*
- 099613 Diseases of the digestive system complicating pregnancy, third trimester*
- 099612 Diseases of the digestive system complicating pregnancy, second trimester*
- 09081 Anemia of the puerperium*
- 099619 Diseases of the digestive system complicating pregnancy, unspecified trimester*
- 099411 Diseases of the circulatory system complicating pregnancy, first trimester*
- 099412 Diseases of the circulatory system complicating pregnancy, second trimester*
- 099413 Diseases of the circulatory system complicating pregnancy, third trimester*
- 099011 Anemia complicating pregnancy, first trimester*
- 099013 Anemia complicating pregnancy, third trimester*
- 099012 Anemia complicating pregnancy, second trimester*
- 099611 Diseases of the digestive system complicating pregnancy, first trimester*
- 099419 Diseases of the circulatory system complicating pregnancy, unspecified trimester*
- 09952 Diseases of the respiratory system complicating childbirth*
- 09953 Diseases of the respiratory system complicating the puerperium*
- 099820 Streptococcus B carrier state complicating pregnancy*
- 099824 Streptococcus B carrier state complicating childbirth*
- 099825 Streptococcus B carrier state complicating the puerperium*
- 09A119 Malignant neoplasm complicating pregnancy, unspecified trimester*
- 09A411 Sexual abuse complicating pregnancy, first trimester*
- O253 Malnutrition in the puerperium*
- O252 Malnutrition in childbirth*
- 09A413 Sexual abuse complicating pregnancy, third trimester*
- 09A412 Sexual abuse complicating pregnancy, second trimester*
- 09963 Diseases of the digestive system complicating the puerperium*
- 09962 Diseases of the digestive system complicating childbirth*
- 099810 Abnormal glucose complicating pregnancy*
- 09A211 Injury, poisoning and certain other consequences of external causes complicating pregnancy, first trimester*
- 09A212 Injury, poisoning and certain other consequences of external causes complicating pregnancy, second trimester*
- 09A213 Injury, poisoning and certain other consequences of external causes complicating pregnancy, third trimester*
- 099815 Abnormal glucose complicating the puerperium*
- 099814 Abnormal glucose complicating childbirth*
- 09A219 Injury, poisoning and certain other consequences of external causes complicating pregnancy, unspecified trimester*

**ICD-9 CM 648 maps to the following ICD-10-CM codes (continued)**

O24012 *Pre-existing diabetes mellitus, type 1, in pregnancy, second trimester*  
O24013 *Pre-existing diabetes mellitus, type 1, in pregnancy, third trimester*  
O24019 *Pre-existing diabetes mellitus, type 1, in pregnancy, unspecified trimester*  
O9A319 *Physical abuse complicating pregnancy, unspecified trimester*  
O9972 *Diseases of the skin and subcutaneous tissue complicating childbirth*  
O9A513 *Psychological abuse complicating pregnancy, third trimester*  
O9973 *Diseases of the skin and subcutaneous tissue complicating the puerperium*  
O9A519 *Psychological abuse complicating pregnancy, unspecified trimester*  
O9A419 *Sexual abuse complicating pregnancy, unspecified trimester*  
O9902 *Anemia complicating childbirth*  
O9903 *Anemia complicating the puerperium*  
O24913 *Unspecified diabetes mellitus in pregnancy, third trimester*  
O24811 *Other pre-existing diabetes mellitus in pregnancy, first trimester*  
O24911 *Unspecified diabetes mellitus in pregnancy, first trimester*  
O24912 *Unspecified diabetes mellitus in pregnancy, second trimester*  
O24819 *Other pre-existing diabetes mellitus in pregnancy, unspecified trimester*  
O9A53 *Psychological abuse complicating the puerperium*  
O24812 *Other pre-existing diabetes mellitus in pregnancy, second trimester*  
O9A52 *Psychological abuse complicating childbirth*  
O24813 *Other pre-existing diabetes mellitus in pregnancy, third trimester*  
O24419 *Gestational diabetes mellitus in pregnancy, unspecified control*  
O24011 *Pre-existing diabetes mellitus, type 1, in pregnancy, first trimester*  
O24410 *Gestational diabetes mellitus in pregnancy, diet controlled*  
O24919 *Unspecified diabetes mellitus in pregnancy, unspecified trimester*  
O24414 *Gestational diabetes mellitus in pregnancy, insulin controlled*  
O99312 *Alcohol use complicating pregnancy, second trimester*  
O9A42 *Sexual abuse complicating childbirth*  
O99311 *Alcohol use complicating pregnancy, first trimester*  
O9A43 *Sexual abuse complicating the puerperium*  
O99314 *Alcohol use complicating childbirth*  
O24424 *Gestational diabetes mellitus in childbirth, insulin controlled*  
O99313 *Alcohol use complicating pregnancy, third trimester*  
O2433 *Unspecified pre-existing diabetes mellitus in the puerperium*  
O99310 *Alcohol use complicating pregnancy, unspecified trimester*  
O2432 *Unspecified pre-existing diabetes mellitus in childbirth*  
O24420 *Gestational diabetes mellitus in childbirth, diet controlled*  
O24429 *Gestational diabetes mellitus in childbirth, unspecified control*  
O99315 *Alcohol use complicating the puerperium*  
O99285 *Endocrine, nutritional and metabolic diseases complicating the puerperium*  
O99519 *Diseases of the respiratory system complicating pregnancy, unspecified trimester*  
O9A511 *Psychological abuse complicating pregnancy, first trimester*  
O99513 *Diseases of the respiratory system complicating pregnancy, third trimester*  
O9A512 *Psychological abuse complicating pregnancy, second trimester*  
O99511 *Diseases of the respiratory system complicating pregnancy, first trimester*  
O99512 *Diseases of the respiratory system complicating pregnancy, second trimester*

**ICD-9 CM 648 maps to the following ICD-10-CM codes (continued)**

09A32	<i>Physical abuse complicating childbirth</i>
099325	<i>Drug use complicating the puerperium</i>
024434	<i>Gestational diabetes mellitus in the puerperium, insulin controlled</i>
09A33	<i>Physical abuse complicating the puerperium</i>
099324	<i>Drug use complicating childbirth</i>
099323	<i>Drug use complicating pregnancy, third trimester</i>
099322	<i>Drug use complicating pregnancy, second trimester</i>
099321	<i>Drug use complicating pregnancy, first trimester</i>
024430	<i>Gestational diabetes mellitus in the puerperium, diet controlled</i>
099320	<i>Drug use complicating pregnancy, unspecified trimester</i>
099719	<i>Diseases of the skin and subcutaneous tissue complicating pregnancy, unspecified trimester</i>
099280	<i>Endocrine, nutritional and metabolic diseases complicating pregnancy, unspecified trimester</i>
099283	<i>Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester</i>
099284	<i>Endocrine, nutritional and metabolic diseases complicating childbirth</i>
024439	<i>Gestational diabetes mellitus in the puerperium, unspecified control</i>
099281	<i>Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester</i>
099282	<i>Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester</i>
09A312	<i>Physical abuse complicating pregnancy, second trimester</i>
09A311	<i>Physical abuse complicating pregnancy, first trimester</i>
09A313	<i>Physical abuse complicating pregnancy, third trimester</i>
099713	<i>Diseases of the skin and subcutaneous tissue complicating pregnancy, third trimester</i>
099711	<i>Diseases of the skin and subcutaneous tissue complicating pregnancy, first trimester</i>
099712	<i>Diseases of the skin and subcutaneous tissue complicating pregnancy, second trimester</i>
02413	<i>Pre-existing diabetes mellitus, type 2, in the puerperium</i>
02412	<i>Pre-existing diabetes mellitus, type 2, in childbirth</i>
09A113	<i>Malignant neoplasm complicating pregnancy, third trimester</i>
09A112	<i>Malignant neoplasm complicating pregnancy, second trimester</i>
09A111	<i>Malignant neoplasm complicating pregnancy, first trimester</i>
09A22	<i>Injury, poisoning and certain other consequences of external causes complicating childbirth</i>
09A23	<i>Injury, poisoning and certain other consequences of external causes complicating the puerperium</i>
02492	<i>Unspecified diabetes mellitus in childbirth</i>
02493	<i>Unspecified diabetes mellitus in the puerperium</i>
02513	<i>Malnutrition in pregnancy, third trimester</i>
02511	<i>Malnutrition in pregnancy, first trimester</i>
02512	<i>Malnutrition in pregnancy, second trimester</i>
02510	<i>Malnutrition in pregnancy, unspecified trimester</i>
099343	<i>Other mental disorders complicating pregnancy, third trimester</i>
0906	<i>Postpartum mood disturbance</i>
099342	<i>Other mental disorders complicating pregnancy, second trimester</i>
02402	<i>Pre-existing diabetes mellitus, type 1, in childbirth</i>
099341	<i>Other mental disorders complicating pregnancy, first trimester</i>
099340	<i>Other mental disorders complicating pregnancy, unspecified trimester</i>
02403	<i>Pre-existing diabetes mellitus, type 1, in the puerperium</i>
0330	<i>Maternal care for disproportion due to deformity of maternal pelvic bones</i>

**ICD-9 CM 648 maps to the following ICD-10-CM codes (continued)**

- O24319 Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester*
- O99345 Other mental disorders complicating the puerperium*
- O99344 Other mental disorders complicating childbirth*
- O24313 Unspecified pre-existing diabetes mellitus in pregnancy, third trimester*
- O2482 Other pre-existing diabetes mellitus in childbirth*
- O9A12 Malignant neoplasm complicating childbirth*
- O9A13 Malignant neoplasm complicating the puerperium*
- O2483 Other pre-existing diabetes mellitus in the puerperium*
- O24311 Unspecified pre-existing diabetes mellitus in pregnancy, first trimester*
- O24312 Unspecified pre-existing diabetes mellitus in pregnancy, second trimester*
- O24112 Pre-existing diabetes mellitus, type 2, in pregnancy, second trimester*
- O24111 Pre-existing diabetes mellitus, type 2, in pregnancy, first trimester*
- O24113 Pre-existing diabetes mellitus, type 2, in pregnancy, third trimester*
- O24119 Pre-existing diabetes mellitus, type 2, in pregnancy, unspecified trimester*
- O9943 Diseases of the circulatory system complicating the puerperium*
- O9942 Diseases of the circulatory system complicating childbirth*
- O905 Postpartum thyroiditis*

**ICD-9 CM 651 maps to the following ICD-10-CM codes**

- O3133X0 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, not applicable or unspecified*
- O3113X5 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5*
- O3133X2 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 2*
- O3133X1 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 1*
- O3113X2 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2*
- O3113X1 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1*
- O30201 Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester*
- O3113X4 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4*
- O3113X3 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3*
- O3113X0 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified*
- O30202 Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester*
- O3133X9 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, other fetus*
- O30203 Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester*
- O3133X4 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 4*
- O3133X3 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 3*
- O30209 Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester*

**ICD-9 CM 651 maps to the following ICD-10-CM codes**

- O3133X5 Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 5*
- O30102 Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester*
- O3123X5 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5*
- O30101 Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester*
- O3123X4 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4*
- O3123X3 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3*
- O3123X2 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2*
- O3123X9 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus*
- O30009 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester*
- O30109 Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester*
- O3123X1 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1*
- O3113X9 Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus*
- O30003 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester*
- O3123X0 Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not applicable or unspecified*
- O30002 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester*
- O30001 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester*
- O30103 Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester*
- O3131X5 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 5*
- O3121X3 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 3*
- O3121X2 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 2*
- O3131X9 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, other fetus*
- O3121X1 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 1*
- O30211 Quadruplet pregnancy with two or more monochorionic fetuses, first trimester*
- O3121X0 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, not applicable or unspecified*
- O30212 Quadruplet pregnancy with two or more monochorionic fetuses, second trimester*
- O30213 Quadruplet pregnancy with two or more monochorionic fetuses, third trimester*
- O3131X0 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, not applicable or unspecified*
- O3121X5 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 5*

**ICD-9 CM 651 maps to the following ICD-10-CM codes (continued)**

- O3121X4 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 4*
- O3131X3 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 3*
- O3131X4 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 4*
- O30219 Quadruplet pregnancy with two or more monochorionic fetuses, unspecified trimester*
- O3121X9 Continuing pregnancy after intrauterine death of one fetus or more, first trimester, other fetus*
- O3131X1 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 1*
- O3131X2 Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 2*
- O30111 Triplet pregnancy with two or more monochorionic fetuses, first trimester*
- O30113 Triplet pregnancy with two or more monochorionic fetuses, third trimester*
- O30112 Triplet pregnancy with two or more monochorionic fetuses, second trimester*
- O30019 Twin pregnancy, monochorionic/monoamniotic, unspecified trimester*
- O30119 Triplet pregnancy with two or more monochorionic fetuses, unspecified trimester*
- O30012 Twin pregnancy, monochorionic/monoamniotic, second trimester*
- O30011 Twin pregnancy, monochorionic/monoamniotic, first trimester*
- O30013 Twin pregnancy, monochorionic/monoamniotic, third trimester*
- O30099 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester*
- O30819 Other specified multiple gestation with two or more monochorionic fetuses, unspecified trimester*
- O3090 Multiple gestation, unspecified, unspecified trimester*
- O3091 Multiple gestation, unspecified, first trimester*
- O3092 Multiple gestation, unspecified, second trimester*
- O3093 Multiple gestation, unspecified, third trimester*
- O30813 Other specified multiple gestation with two or more monochorionic fetuses, third trimester*
- O30812 Other specified multiple gestation with two or more monochorionic fetuses, second trimester*
- O30811 Other specified multiple gestation with two or more monochorionic fetuses, first trimester*
- O30123 Triplet pregnancy with two or more monoamniotic fetuses, third trimester*
- O30122 Triplet pregnancy with two or more monoamniotic fetuses, second trimester*
- O30121 Triplet pregnancy with two or more monoamniotic fetuses, first trimester*
- O30299 Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester*
- O30293 Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester*
- O30129 Triplet pregnancy with two or more monoamniotic fetuses, unspecified trimester*
- O30292 Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester*
- O30291 Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester*
- O30899 Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, unspecified trimester*
- O30809 Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester*

**ICD-9 CM 651 maps to the following ICD-10-CM codes (continued)**

- O30892 Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, second trimester*
- O30891 Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, first trimester*
- O30893 Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, third trimester*
- O30801 Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, first trimester*
- O30803 Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, third trimester*
- O30802 Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, second trimester*
- O30091 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester*
- O30092 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester*
- O30093 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester*
- O30039 Twin pregnancy, monochorionic/diamniotic, unspecified trimester*
- O318X14 Other complications specific to multiple gestation, first trimester, fetus 4*
- O318X15 Other complications specific to multiple gestation, first trimester, fetus 5*
- O318X19 Other complications specific to multiple gestation, first trimester, other fetus*
- O30031 Twin pregnancy, monochorionic/diamniotic, first trimester*
- O30032 Twin pregnancy, monochorionic/diamniotic, second trimester*
- O30822 Other specified multiple gestation with two or more monoamniotic fetuses, second trimester*
- O30823 Other specified multiple gestation with two or more monoamniotic fetuses, third trimester*
- O30821 Other specified multiple gestation with two or more monoamniotic fetuses, first trimester*
- O30033 Twin pregnancy, monochorionic/diamniotic, third trimester*
- O3122X9 Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus*
- O3132X5 Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 5*
- O3132X4 Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 4*
- O3120X0 Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, not applicable or unspecified*
- O3122X5 Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5*
- O3120X1 Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 1*
- O3132X9 Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, other fetus*
- O30829 Other specified multiple gestation with two or more monoamniotic fetuses, unspecified trimester*
- O3120X2 Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 2*
- O3122X3 Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3*
- O3120X3 Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 3*

**ICD-9 CM 651 maps to the following ICD-10-CM codes (continued)**

<i>O3122X4</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4</i>
<i>O3120X4</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 4</i>
<i>O3122X1</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1</i>
<i>O3120X5</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 5</i>
<i>O3122X2</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2</i>
<i>O3122X0</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified</i>
<i>O3120X9</i>	<i>Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, other fetus</i>
<i>O3132X1</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 1</i>
<i>O318X11</i>	<i>Other complications specific to multiple gestation, first trimester, fetus 1</i>
<i>O318X10</i>	<i>Other complications specific to multiple gestation, first trimester, not applicable or unspecified</i>
<i>O3132X0</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, not applicable or unspecified</i>
<i>O3132X3</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 3</i>
<i>O318X13</i>	<i>Other complications specific to multiple gestation, first trimester, fetus 3</i>
<i>O3132X2</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 2</i>
<i>O318X12</i>	<i>Other complications specific to multiple gestation, first trimester, fetus 2</i>
<i>O318X93</i>	<i>Other complications specific to multiple gestation, unspecified trimester, fetus 3</i>
<i>O318X92</i>	<i>Other complications specific to multiple gestation, unspecified trimester, fetus 2</i>
<i>O318X91</i>	<i>Other complications specific to multiple gestation, unspecified trimester, fetus 1</i>
<i>O318X90</i>	<i>Other complications specific to multiple gestation, unspecified trimester, not applicable or unspecified</i>
<i>O318X99</i>	<i>Other complications specific to multiple gestation, unspecified trimester, other fetus</i>
<i>O318X95</i>	<i>Other complications specific to multiple gestation, unspecified trimester, fetus 5</i>
<i>O318X94</i>	<i>Other complications specific to multiple gestation, unspecified trimester, fetus 4</i>
<i>O30229</i>	<i>Quadruplet pregnancy with two or more monoamniotic fetuses, unspecified trimester</i>
<i>O318X39</i>	<i>Other complications specific to multiple gestation, third trimester, other fetus</i>
<i>O30223</i>	<i>Quadruplet pregnancy with two or more monoamniotic fetuses, third trimester</i>
<i>O30222</i>	<i>Quadruplet pregnancy with two or more monoamniotic fetuses, second trimester</i>
<i>O30221</i>	<i>Quadruplet pregnancy with two or more monoamniotic fetuses, first trimester</i>
<i>O3130X3</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 3</i>
<i>O3130X2</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 2</i>
<i>O3130X5</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 5</i>
<i>O3130X4</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 4</i>
<i>O3130X1</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 1</i>
<i>O3130X0</i>	<i>Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, not applicable or unspecified</i>

**ICD-9 CM 651 maps to the following ICD-10-CM codes (continued)**

- O318X33 Other complications specific to multiple gestation, third trimester, fetus 3*
- O318X32 Other complications specific to multiple gestation, third trimester, fetus 2*
- O318X35 Other complications specific to multiple gestation, third trimester, fetus 5*
- O318X34 Other complications specific to multiple gestation, third trimester, fetus 4*
- O3130X9 Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, other fetus*
- O318X31 Other complications specific to multiple gestation, third trimester, fetus 1*
- O30199 Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester*
- O318X30 Other complications specific to multiple gestation, third trimester, not applicable or unspecified*
- O3110X9 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus*
- O318X29 Other complications specific to multiple gestation, second trimester, other fetus*
- O3110X5 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5*
- O3110X4 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4*
- O30049 Twin pregnancy, dichorionic/diamniotic, unspecified trimester*
- O30191 Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester*
- O318X25 Other complications specific to multiple gestation, second trimester, fetus 5*
- O30192 Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester*
- O30193 Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester*
- O3110X1 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1*
- O3110X0 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified*
- O3110X3 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3*
- O3110X2 Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2*
- O30041 Twin pregnancy, dichorionic/diamniotic, first trimester*
- O30042 Twin pregnancy, dichorionic/diamniotic, second trimester*
- O30043 Twin pregnancy, dichorionic/diamniotic, third trimester*
- O3111X3 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3*
- O3111X4 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4*
- O3111X5 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5*
- O3112X0 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified*
- O3112X1 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1*
- O3111X9 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus*
- O318X24 Other complications specific to multiple gestation, second trimester, fetus 4*
- O318X23 Other complications specific to multiple gestation, second trimester, fetus 3*

***ICD-9 CM 651 maps to the following ICD-10-CM codes (continued)***

- O318X22 Other complications specific to multiple gestation, second trimester, fetus 2*
- O3112X9 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus*
- O318X21 Other complications specific to multiple gestation, second trimester, fetus 1*
- O318X20 Other complications specific to multiple gestation, second trimester, not applicable or unspecified*
- O3112X2 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2*
- O3111X0 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified*
- O3112X3 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3*
- O3111X1 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1*
- O3112X4 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4*
- O3111X2 Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2*
- O3112X5 Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5*

***ICD-9 CM 652 maps to the following ICD-10-CM codes***

- O648XX5 Obstructed labor due to other malposition and malpresentation, fetus 5*
- O648XX4 Obstructed labor due to other malposition and malpresentation, fetus 4*
- O323XX9 Maternal care for face, brow and chin presentation, other fetus*
- O648XX3 Obstructed labor due to other malposition and malpresentation, fetus 3*
- O648XX9 Obstructed labor due to other malposition and malpresentation, other fetus*
- O323XX5 Maternal care for face, brow and chin presentation, fetus 5*
- O648XX2 Obstructed labor due to other malposition and malpresentation, fetus 2*
- O648XX1 Obstructed labor due to other malposition and malpresentation, fetus 1*
- O648XX0 Obstructed labor due to other malposition and malpresentation, not applicable or unspecified*
- O323XX3 Maternal care for face, brow and chin presentation, fetus 3*
- O323XX4 Maternal care for face, brow and chin presentation, fetus 4*
- O323XX1 Maternal care for face, brow and chin presentation, fetus 1*
- O323XX2 Maternal care for face, brow and chin presentation, fetus 2*
- O323XX0 Maternal care for face, brow and chin presentation, not applicable or unspecified*
- O322XX5 Maternal care for transverse and oblique lie, fetus 5*
- O322XX4 Maternal care for transverse and oblique lie, fetus 4*
- O322XX9 Maternal care for transverse and oblique lie, other fetus*
- O644XX9 Obstructed labor due to shoulder presentation, other fetus*
- O644XX0 Obstructed labor due to shoulder presentation, not applicable or unspecified*
- O644XX1 Obstructed labor due to shoulder presentation, fetus 1*
- O644XX2 Obstructed labor due to shoulder presentation, fetus 2*
- O644XX3 Obstructed labor due to shoulder presentation, fetus 3*

**ICD-9 CM 652 maps to the following ICD-10-CM codes (continued)**

*O644XX4 Obstructed labor due to shoulder presentation, fetus 4*  
*O644XX5 Obstructed labor due to shoulder presentation, fetus 5*  
*O322XX2 Maternal care for transverse and oblique lie, fetus 2*  
*O322XX3 Maternal care for transverse and oblique lie, fetus 3*  
*O322XX0 Maternal care for transverse and oblique lie, not applicable or unspecified*  
*O322XX1 Maternal care for transverse and oblique lie, fetus 1*  
*O645XX0 Obstructed labor due to compound presentation, not applicable or unspecified*  
*O645XX1 Obstructed labor due to compound presentation, fetus 1*  
*O645XX2 Obstructed labor due to compound presentation, fetus 2*  
*O645XX3 Obstructed labor due to compound presentation, fetus 3*  
*O645XX4 Obstructed labor due to compound presentation, fetus 4*  
*O645XX5 Obstructed labor due to compound presentation, fetus 5*  
*O649XX5 Obstructed labor due to malposition and malpresentation, unspecified, fetus 5*  
*O329XX4 Maternal care for malpresentation of fetus, unspecified, fetus 4*  
*O649XX4 Obstructed labor due to malposition and malpresentation, unspecified, fetus 4*  
*O329XX3 Maternal care for malpresentation of fetus, unspecified, fetus 3*  
*O329XX5 Maternal care for malpresentation of fetus, unspecified, fetus 5*  
*O649XX9 Obstructed labor due to malposition and malpresentation, unspecified, other fetus*  
*O329XX9 Maternal care for malpresentation of fetus, unspecified, other fetus*  
*O645XX9 Obstructed labor due to compound presentation, other fetus*  
*O649XX1 Obstructed labor due to malposition and malpresentation, unspecified, fetus 1*  
*O329XX0 Maternal care for malpresentation of fetus, unspecified, not applicable or unspecified*  
*O649XX0 Obstructed labor due to malposition and malpresentation, unspecified, not applicable or unspecified*  
*O649XX3 Obstructed labor due to malposition and malpresentation, unspecified, fetus 3*  
*O329XX2 Maternal care for malpresentation of fetus, unspecified, fetus 2*  
*O329XX1 Maternal care for malpresentation of fetus, unspecified, fetus 1*  
*O649XX2 Obstructed labor due to malposition and malpresentation, unspecified, fetus 2*  
*O666 Obstructed labor due to other multiple fetuses*  
*O321XX0 Maternal care for breech presentation, not applicable or unspecified*  
*O321XX2 Maternal care for breech presentation, fetus 2*  
*O321XX1 Maternal care for breech presentation, fetus 1*  
*O321XX3 Maternal care for breech presentation, fetus 3*  
*O321XX4 Maternal care for breech presentation, fetus 4*  
*O321XX5 Maternal care for breech presentation, fetus 5*  
*O321XX9 Maternal care for breech presentation, other fetus*  
*O324XX9 Maternal care for high head at term, other fetus*  
*O643XX9 Obstructed labor due to brow presentation, other fetus*  
*O326XX9 Maternal care for compound presentation, other fetus*  
*O642XX0 Obstructed labor due to face presentation, not applicable or unspecified*  
*O642XX1 Obstructed labor due to face presentation, fetus 1*  
*O642XX2 Obstructed labor due to face presentation, fetus 2*  
*O642XX3 Obstructed labor due to face presentation, fetus 3*  
*O642XX4 Obstructed labor due to face presentation, fetus 4*  
*O326XX1 Maternal care for compound presentation, fetus 1*

**ICD-9 CM 652 maps to the following ICD-10-CM codes (continued)**

*O326XX0 Maternal care for compound presentation, not applicable or unspecified*  
*O642XX5 Obstructed labor due to face presentation, fetus 5*  
*O328XX0 Maternal care for other malpresentation of fetus, not applicable or unspecified*  
*O326XX3 Maternal care for compound presentation, fetus 3*  
*O326XX2 Maternal care for compound presentation, fetus 2*  
*O328XX1 Maternal care for other malpresentation of fetus, fetus 1*  
*O326XX5 Maternal care for compound presentation, fetus 5*  
*O642XX9 Obstructed labor due to face presentation, other fetus*  
*O326XX4 Maternal care for compound presentation, fetus 4*  
*O643XX4 Obstructed labor due to brow presentation, fetus 4*  
*O643XX5 Obstructed labor due to brow presentation, fetus 5*  
*O643XX2 Obstructed labor due to brow presentation, fetus 2*  
*O324XX1 Maternal care for high head at term, fetus 1*  
*O328XX9 Maternal care for other malpresentation of fetus, other fetus*  
*O643XX3 Obstructed labor due to brow presentation, fetus 3*  
*O324XX0 Maternal care for high head at term, not applicable or unspecified*  
*O643XX0 Obstructed labor due to brow presentation, not applicable or unspecified*  
*O324XX3 Maternal care for high head at term, fetus 3*  
*O328XX2 Maternal care for other malpresentation of fetus, fetus 2*  
*O328XX3 Maternal care for other malpresentation of fetus, fetus 3*  
*O643XX1 Obstructed labor due to brow presentation, fetus 1*  
*O324XX2 Maternal care for high head at term, fetus 2*  
*O328XX4 Maternal care for other malpresentation of fetus, fetus 4*  
*O324XX5 Maternal care for high head at term, fetus 5*  
*O328XX5 Maternal care for other malpresentation of fetus, fetus 5*  
*O324XX4 Maternal care for high head at term, fetus 4*  
*O641XX4 Obstructed labor due to breech presentation, fetus 4*  
*O641XX5 Obstructed labor due to breech presentation, fetus 5*  
*O641XX9 Obstructed labor due to breech presentation, other fetus*  
*O641XX3 Obstructed labor due to breech presentation, fetus 3*  
*O641XX2 Obstructed labor due to breech presentation, fetus 2*  
*O641XX1 Obstructed labor due to breech presentation, fetus 1*  
*O641XX0 Obstructed labor due to breech presentation, not applicable or unspecified*  
*O320XX0 Maternal care for unstable lie, not applicable or unspecified*  
*O320XX1 Maternal care for unstable lie, fetus 1*  
*O320XX3 Maternal care for unstable lie, fetus 3*  
*O320XX2 Maternal care for unstable lie, fetus 2*  
*O320XX5 Maternal care for unstable lie, fetus 5*  
*O320XX4 Maternal care for unstable lie, fetus 4*  
*O320XX9 Maternal care for unstable lie, other fetus*

**ICD-9 CM 653 maps to the following ICD-10-CM codes**

*O334XX5 Maternal care for disproportion of mixed maternal and fetal origin, fetus 5*  
*O334XX9 Maternal care for disproportion of mixed maternal and fetal origin, other fetus*  
*O333XX2 Maternal care for disproportion due to outlet contraction of pelvis, fetus 2*  
*O333XX3 Maternal care for disproportion due to outlet contraction of pelvis, fetus 3*  
*O333XX0 Maternal care for disproportion due to outlet contraction of pelvis, not applicable or unspecified*  
*O333XX1 Maternal care for disproportion due to outlet contraction of pelvis, fetus 1*  
*O654 Obstructed labor due to fetopelvic disproportion, unspecified*  
*O333XX9 Maternal care for disproportion due to outlet contraction of pelvis, other fetus*  
*O652 Obstructed labor due to pelvic inlet contraction*  
*O653 Obstructed labor due to pelvic outlet and mid-cavity contraction*  
*O650 Obstructed labor due to deformed pelvis*  
*O651 Obstructed labor due to generally contracted pelvis*  
*O333XX5 Maternal care for disproportion due to outlet contraction of pelvis, fetus 5*  
*O333XX4 Maternal care for disproportion due to outlet contraction of pelvis, fetus 4*  
*O334XX0 Maternal care for disproportion of mixed maternal and fetal origin, not applicable or unspecified*  
*O334XX3 Maternal care for disproportion of mixed maternal and fetal origin, fetus 3*  
*O334XX4 Maternal care for disproportion of mixed maternal and fetal origin, fetus 4*  
*O334XX1 Maternal care for disproportion of mixed maternal and fetal origin, fetus 1*  
*O334XX2 Maternal care for disproportion of mixed maternal and fetal origin, fetus 2*  
*O335XX9 Maternal care for disproportion due to unusually large fetus, other fetus*  
*O330 Maternal care for disproportion due to deformity of maternal pelvic bones*  
*O331 Maternal care for disproportion due to generally contracted pelvis*  
*O332 Maternal care for disproportion due to inlet contraction of pelvis*  
*O337 Maternal care for disproportion due to other fetal deformities*  
*O338 Maternal care for disproportion of other origin*  
*O336XX9 Maternal care for disproportion due to hydrocephalic fetus, other fetus*  
*O339 Maternal care for disproportion, unspecified*  
*O336XX5 Maternal care for disproportion due to hydrocephalic fetus, fetus 5*  
*O336XX3 Maternal care for disproportion due to hydrocephalic fetus, fetus 3*  
*O662 Obstructed labor due to unusually large fetus*  
*O662 Obstructed labor due to unusually large fetus*  
*O336XX4 Maternal care for disproportion due to hydrocephalic fetus, fetus 4*  
*O336XX1 Maternal care for disproportion due to hydrocephalic fetus, fetus 1*  
*O336XX2 Maternal care for disproportion due to hydrocephalic fetus, fetus 2*  
*O336XX0 Maternal care for disproportion due to hydrocephalic fetus, not applicable or unspecified*  
*O335XX4 Maternal care for disproportion due to unusually large fetus, fetus 4*  
*O335XX5 Maternal care for disproportion due to unusually large fetus, fetus 5*  
*O335XX2 Maternal care for disproportion due to unusually large fetus, fetus 2*  
*O335XX3 Maternal care for disproportion due to unusually large fetus, fetus 3*  
*O335XX0 Maternal care for disproportion due to unusually large fetus, not applicable or unspecified*  
*O335XX1 Maternal care for disproportion due to unusually large fetus, fetus 1*

**ICD-9 CM 654 maps to the following ICD-10-CM codes**

034519	<i>Maternal care for incarceration of gravid uterus, unspecified trimester</i>
034539	<i>Maternal care for retroversion of gravid uterus, unspecified trimester</i>
03410	<i>Maternal care for benign tumor of corpus uteri, unspecified trimester</i>
03430	<i>Maternal care for cervical incompetence, unspecified trimester</i>
03432	<i>Maternal care for cervical incompetence, second trimester</i>
03431	<i>Maternal care for cervical incompetence, first trimester</i>
034511	<i>Maternal care for incarceration of gravid uterus, first trimester</i>
03470	<i>Maternal care for abnormality of vulva and perineum, unspecified trimester</i>
034531	<i>Maternal care for retroversion of gravid uterus, first trimester</i>
03471	<i>Maternal care for abnormality of vulva and perineum, first trimester</i>
034513	<i>Maternal care for incarceration of gravid uterus, third trimester</i>
03472	<i>Maternal care for abnormality of vulva and perineum, second trimester</i>
034512	<i>Maternal care for incarceration of gravid uterus, second trimester</i>
034533	<i>Maternal care for retroversion of gravid uterus, third trimester</i>
03473	<i>Maternal care for abnormality of vulva and perineum, third trimester</i>
034532	<i>Maternal care for retroversion of gravid uterus, second trimester</i>
03433	<i>Maternal care for cervical incompetence, third trimester</i>
034599	<i>Maternal care for other abnormalities of gravid uterus, unspecified trimester</i>
03411	<i>Maternal care for benign tumor of corpus uteri, first trimester</i>
0658	<i>Obstructed labor due to other maternal pelvic abnormalities</i>
03412	<i>Maternal care for benign tumor of corpus uteri, second trimester</i>
0659	<i>Obstructed labor due to maternal pelvic abnormality, unspecified</i>
03413	<i>Maternal care for benign tumor of corpus uteri, third trimester</i>
03421	<i>Maternal care for scar from previous cesarean delivery</i>
03401	<i>Maternal care for unspecified congenital malformation of uterus, first trimester</i>
03400	<i>Maternal care for unspecified congenital malformation of uterus, unspecified trimester</i>
034591	<i>Maternal care for other abnormalities of gravid uterus, first trimester</i>
03403	<i>Maternal care for unspecified congenital malformation of uterus, third trimester</i>
034592	<i>Maternal care for other abnormalities of gravid uterus, second trimester</i>
03402	<i>Maternal care for unspecified congenital malformation of uterus, second trimester</i>
034593	<i>Maternal care for other abnormalities of gravid uterus, third trimester</i>
03443	<i>Maternal care for other abnormalities of cervix, third trimester</i>
03442	<i>Maternal care for other abnormalities of cervix, second trimester</i>
03441	<i>Maternal care for other abnormalities of cervix, first trimester</i>
034529	<i>Maternal care for prolapse of gravid uterus, unspecified trimester</i>
03440	<i>Maternal care for other abnormalities of cervix, unspecified trimester</i>
03482	<i>Maternal care for other abnormalities of pelvic organs, second trimester</i>
03483	<i>Maternal care for other abnormalities of pelvic organs, third trimester</i>
03462	<i>Maternal care for abnormality of vagina, second trimester</i>
03480	<i>Maternal care for other abnormalities of pelvic organs, unspecified trimester</i>
03463	<i>Maternal care for abnormality of vagina, third trimester</i>
03481	<i>Maternal care for other abnormalities of pelvic organs, first trimester</i>
03460	<i>Maternal care for abnormality of vagina, unspecified trimester</i>
03461	<i>Maternal care for abnormality of vagina, first trimester</i>

**ICD-9 CM 654 maps to the following ICD-10-CM code (continued)**

- O34523 Maternal care for prolapse of gravid uterus, third trimester*
- O34522 Maternal care for prolapse of gravid uterus, second trimester*
- O34521 Maternal care for prolapse of gravid uterus, first trimester*
- O3493 Maternal care for abnormality of pelvic organ, unspecified, third trimester*
- O3492 Maternal care for abnormality of pelvic organ, unspecified, second trimester*
- O3491 Maternal care for abnormality of pelvic organ, unspecified, first trimester*
- O3429 Maternal care due to uterine scar from other previous surgery*
- O3490 Maternal care for abnormality of pelvic organ, unspecified, unspecified trimester*

**ICD-9 CM 655 maps to the following ICD-10-CM code**

- O353XX0 Maternal care for (suspected) damage to fetus from viral disease in mother, not applicable or unspecified*
- O350XX0 Maternal care for (suspected) central nervous system malformation in fetus, not applicable or unspecified*
- O354XX0 Maternal care for (suspected) damage to fetus from alcohol, not applicable or unspecified*
- O359XX0 Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or unspecified*
- O368120 Decreased fetal movements, second trimester, not applicable or unspecified*
- O352XX0 Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified*
- O355XX0 Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified*
- O368130 Decreased fetal movements, third trimester, not applicable or unspecified*
- O368190 Decreased fetal movements, unspecified trimester, not applicable or unspecified*
- O358XX0 Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified*
- O351XX0 Maternal care for (suspected) chromosomal abnormality in fetus, not applicable or unspecified*
- O356XX0 Maternal care for (suspected) damage to fetus by radiation, not applicable or unspecified*

**ICD-9 CM 656 maps to the following ICD-10-CM code**

- O360120 Maternal care for anti-D [Rh] antibodies, second trimester, not applicable or unspecified*
- O360190 Maternal care for anti-D [Rh] antibodies, unspecified trimester, not applicable or unspecified*
- O364XX0 Maternal care for intrauterine death, not applicable or unspecified*
- O368930 Maternal care for other specified fetal problems, third trimester, not applicable or unspecified*
- O365990 Maternal care for other known or suspected poor fetal growth, unspecified trimester, not applicable or unspecified*
- O361190 Maternal care for Anti-A sensitization, unspecified trimester, not applicable or unspecified*
- O361920 Maternal care for other isoimmunization, second trimester, not applicable or unspecified*
- O365130 Maternal care for known or suspected placental insufficiency, third trimester, not applicable or unspecified*
- O360910 Maternal care for other rhesus isoimmunization, first trimester, not applicable or unspecified*
- O361110 Maternal care for Anti-A sensitization, first trimester, not applicable or unspecified*

**ICD-9 CM 656 maps to the following ICD-10-CM code (continued)**

- O365910 Maternal care for other known or suspected poor fetal growth, first trimester, not applicable or unspecified*
- O360110 Maternal care for anti-D [Rh] antibodies, first trimester, not applicable or unspecified*
- O360930 Maternal care for other rhesus isoimmunization, third trimester, not applicable or unspecified*
- O365190 Maternal care for known or suspected placental insufficiency, unspecified trimester, not applicable or unspecified*
- O361930 Maternal care for other isoimmunization, third trimester, not applicable or unspecified*
- O43102 Malformation of placenta, unspecified, second trimester*
- O43101 Malformation of placenta, unspecified, first trimester*
- O43103 Malformation of placenta, unspecified, third trimester*
- O360920 Maternal care for other rhesus isoimmunization, second trimester, not applicable or unspecified*
- O365120 Maternal care for known or suspected placental insufficiency, second trimester, not applicable or unspecified*
- O365920 Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified*
- O3690X0 Maternal care for fetal problem, unspecified, unspecified trimester, not applicable or unspecified*
- O3660X0 Maternal care for excessive fetal growth, unspecified trimester, not applicable or unspecified*
- O361130 Maternal care for Anti-A sensitization, third trimester, not applicable or unspecified*
- O3691X0 Maternal care for fetal problem, unspecified, first trimester, not applicable or unspecified*
- O3692X0 Maternal care for fetal problem, unspecified, second trimester, not applicable or unspecified*
- O43199 Other malformation of placenta, unspecified trimester*
- O3663X0 Maternal care for excessive fetal growth, third trimester, not applicable or unspecified*
- O3662X0 Maternal care for excessive fetal growth, second trimester, not applicable or unspecified*
- O3661X0 Maternal care for excessive fetal growth, first trimester, not applicable or unspecified*
- O368910 Maternal care for other specified fetal problems, first trimester, not applicable or unspecified*
- O43019 Fetomaternal placental transfusion syndrome, unspecified trimester*
- O3693X0 Maternal care for fetal problem, unspecified, third trimester, not applicable or unspecified*
- O365110 Maternal care for known or suspected placental insufficiency, first trimester, not applicable or unspecified*
- O368990 Maternal care for other specified fetal problems, unspecified trimester, not applicable or unspecified*
- O43011 Fetomaternal placental transfusion syndrome, first trimester*
- O360130 Maternal care for anti-D [Rh] antibodies, third trimester, not applicable or unspecified*
- O770 Labor and delivery complicated by meconium in amniotic fluid*
- O365930 Maternal care for other known or suspected poor fetal growth, third trimester, not applicable or unspecified*
- O361990 Maternal care for other isoimmunization, unspecified trimester, not applicable or unspecified*
- O68 Labor and delivery complicated by abnormality of fetal acid-base balance*
- O360990 Maternal care for other rhesus isoimmunization, unspecified trimester, not applicable or unspecified*
- O43811 Placental infarction, first trimester*

**ICD-9 CM 656 maps to the following ICD-10-CM code (continued)**

<i>O43812</i>	<i>Placental infarction, second trimester</i>
<i>O43813</i>	<i>Placental infarction, third trimester</i>
<i>O368920</i>	<i>Maternal care for other specified fetal problems, second trimester, not applicable or unspecified</i>
<i>O4393</i>	<i>Unspecified placental disorder, third trimester</i>
<i>O43819</i>	<i>Placental infarction, unspecified trimester</i>
<i>O361120</i>	<i>Maternal care for Anti-A sensitization, second trimester, not applicable or unspecified</i>
<i>O4392</i>	<i>Unspecified placental disorder, second trimester</i>
<i>O361910</i>	<i>Maternal care for other isoimmunization, first trimester, not applicable or unspecified</i>
<i>O4391</i>	<i>Unspecified placental disorder, first trimester</i>

**ICD-9 CM 657 maps to the following ICD-10-CM code**

<i>O403XX4</i>	<i>Polyhydramnios, third trimester, fetus 4</i>
<i>O403XX5</i>	<i>Polyhydramnios, third trimester, fetus 5</i>
<i>O403XX0</i>	<i>Polyhydramnios, third trimester, not applicable or unspecified</i>
<i>O403XX1</i>	<i>Polyhydramnios, third trimester, fetus 1</i>
<i>O403XX2</i>	<i>Polyhydramnios, third trimester, fetus 2</i>
<i>O402XX9</i>	<i>Polyhydramnios, second trimester, other fetus</i>
<i>O403XX3</i>	<i>Polyhydramnios, third trimester, fetus 3</i>
<i>O402XX4</i>	<i>Polyhydramnios, second trimester, fetus 4</i>
<i>O402XX3</i>	<i>Polyhydramnios, second trimester, fetus 3</i>
<i>O402XX5</i>	<i>Polyhydramnios, second trimester, fetus 5</i>
<i>O403XX9</i>	<i>Polyhydramnios, third trimester, other fetus</i>
<i>O402XX0</i>	<i>Polyhydramnios, second trimester, not applicable or unspecified</i>
<i>O402XX2</i>	<i>Polyhydramnios, second trimester, fetus 2</i>
<i>O402XX1</i>	<i>Polyhydramnios, second trimester, fetus 1</i>
<i>O401XX9</i>	<i>Polyhydramnios, first trimester, other fetus</i>
<i>O409XX9</i>	<i>Polyhydramnios, unspecified trimester, other fetus</i>
<i>O401XX2</i>	<i>Polyhydramnios, first trimester, fetus 2</i>
<i>O409XX1</i>	<i>Polyhydramnios, unspecified trimester, fetus 1</i>
<i>O401XX3</i>	<i>Polyhydramnios, first trimester, fetus 3</i>
<i>O409XX0</i>	<i>Polyhydramnios, unspecified trimester, not applicable or unspecified</i>
<i>O401XX4</i>	<i>Polyhydramnios, first trimester, fetus 4</i>
<i>O401XX5</i>	<i>Polyhydramnios, first trimester, fetus 5</i>
<i>O409XX5</i>	<i>Polyhydramnios, unspecified trimester, fetus 5</i>
<i>O409XX4</i>	<i>Polyhydramnios, unspecified trimester, fetus 4</i>
<i>O401XX0</i>	<i>Polyhydramnios, first trimester, not applicable or unspecified</i>
<i>O409XX3</i>	<i>Polyhydramnios, unspecified trimester, fetus 3</i>
<i>O409XX2</i>	<i>Polyhydramnios, unspecified trimester, fetus 2</i>
<i>O401XX1</i>	<i>Polyhydramnios, first trimester, fetus 1</i>

**ICD-9 CM 658 maps to the following ICD-10-CM code**

<i>O4193X1</i>	<i>Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 1</i>
<i>O4193X0</i>	<i>Disorder of amniotic fluid and membranes, unspecified, third trimester, not applicable or unspecified</i>
<i>O42919</i>	<i>Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, unspecified trimester</i>
<i>O42912</i>	<i>Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, second trimester</i>
<i>O42911</i>	<i>Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, first trimester</i>
<i>O42913</i>	<i>Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, third trimester</i>
<i>O4191X0</i>	<i>Disorder of amniotic fluid and membranes, unspecified, first trimester, not applicable or unspecified</i>
<i>O4191X1</i>	<i>Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 1</i>
<i>O4191X2</i>	<i>Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 2</i>
<i>O4191X3</i>	<i>Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 3</i>
<i>O418X39</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, other fetus</i>
<i>O418X30</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, not applicable or unspecified</i>
<i>O418X31</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, fetus 1</i>
<i>O418X32</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, fetus 2</i>
<i>O418X33</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, fetus 3</i>
<i>O418X34</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, fetus 4</i>
<i>O418X35</i>	<i>Other specified disorders of amniotic fluid and membranes, third trimester, fetus 5</i>
<i>O4212</i>	<i>Full-term premature rupture of membranes, onset of labor more than 24 hours following rupture</i>
<i>O4210</i>	<i>Premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified weeks of gestation</i>
<i>O4290</i>	<i>Premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, unspecified weeks of gestation</i>
<i>O4292</i>	<i>Full-term premature rupture of membranes, unspecified as to length of time between rupture and onset of labor</i>
<i>O42119</i>	<i>Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified trimester</i>
<i>O42113</i>	<i>Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester</i>
<i>O42112</i>	<i>Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester</i>
<i>O42111</i>	<i>Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, first trimester</i>
<i>O4200</i>	<i>Premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified weeks of gestation</i>
<i>O4202</i>	<i>Full-term premature rupture of membranes, onset of labor within 24 hours of rupture</i>
<i>O411429</i>	<i>Placentitis, second trimester, other fetus</i>
<i>O411294</i>	<i>Chorioamnionitis, unspecified trimester, fetus 4</i>

**ICD-9 CM 658 maps to the following ICD-10-CM code**

- O42012 Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, second trimester*
- O411295 Chorioamnionitis, unspecified trimester, fetus 5*
- O42013 Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, third trimester*
- O411425 Placentitis, second trimester, fetus 5*
- O411299 Chorioamnionitis, unspecified trimester, other fetus*
- O4192X0 Disorder of amniotic fluid and membranes, unspecified, second trimester, not applicable or unspecified*
- O411423 Placentitis, second trimester, fetus 3*
- O4192X1 Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 1*
- O411424 Placentitis, second trimester, fetus 4*
- O42011 Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, first trimester*
- O4192X2 Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 2*
- O4190X0 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, not applicable or unspecified*
- O411014 Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4*
- O411229 Chorioamnionitis, second trimester, other fetus*
- O411015 Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5*
- O411012 Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2*
- O411013 Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3*
- O411290 Chorioamnionitis, unspecified trimester, not applicable or unspecified*
- O4190X4 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 4*
- O411010 Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified*
- O411011 Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1*
- O4190X3 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 3*
- O411225 Chorioamnionitis, second trimester, fetus 5*
- O411291 Chorioamnionitis, unspecified trimester, fetus 1*
- O4190X2 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 2*
- O411292 Chorioamnionitis, unspecified trimester, fetus 2*
- O42019 Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified trimester*
- O4190X1 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 1*
- O411293 Chorioamnionitis, unspecified trimester, fetus 3*
- O411221 Chorioamnionitis, second trimester, fetus 1*
- O411222 Chorioamnionitis, second trimester, fetus 2*
- O411223 Chorioamnionitis, second trimester, fetus 3*
- O411224 Chorioamnionitis, second trimester, fetus 4*
- O411019 Infection of amniotic sac and membranes, unspecified, first trimester, other fetus*

**ICD-9 CM 658 maps to the following ICD-10-CM code (continued)**

0411220	<i>Chorioamnionitis, second trimester, not applicable or unspecified</i>
0411422	<i>Placentitis, second trimester, fetus 2</i>
0411421	<i>Placentitis, second trimester, fetus 1</i>
0411420	<i>Placentitis, second trimester, not applicable or unspecified</i>
0755	<i>Delayed delivery after artificial rupture of membranes</i>
0411491	<i>Placentitis, unspecified trimester, fetus 1</i>
0411490	<i>Placentitis, unspecified trimester, not applicable or unspecified</i>
0411419	<i>Placentitis, first trimester, other fetus</i>
0411412	<i>Placentitis, first trimester, fetus 2</i>
0411413	<i>Placentitis, first trimester, fetus 3</i>
0411414	<i>Placentitis, first trimester, fetus 4</i>
0411415	<i>Placentitis, first trimester, fetus 5</i>
0411023	<i>Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3</i>
0411499	<i>Placentitis, unspecified trimester, other fetus</i>
0411024	<i>Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4</i>
0411025	<i>Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5</i>
0411219	<i>Chorioamnionitis, first trimester, other fetus</i>
0411495	<i>Placentitis, unspecified trimester, fetus 5</i>
0411020	<i>Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified</i>
0411494	<i>Placentitis, unspecified trimester, fetus 4</i>
0411021	<i>Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1</i>
04103X9	<i>Oligohydramnios, third trimester, other fetus</i>
0411215	<i>Chorioamnionitis, first trimester, fetus 5</i>
0411493	<i>Placentitis, unspecified trimester, fetus 3</i>
0411022	<i>Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2</i>
0411214	<i>Chorioamnionitis, first trimester, fetus 4</i>
0411492	<i>Placentitis, unspecified trimester, fetus 2</i>
0411212	<i>Chorioamnionitis, first trimester, fetus 2</i>
0411213	<i>Chorioamnionitis, first trimester, fetus 3</i>
0411210	<i>Chorioamnionitis, first trimester, not applicable or unspecified</i>
0411090	<i>Infection of amniotic sac and membranes, unspecified, unspecified trimester, not applicable or unspecified</i>
0411211	<i>Chorioamnionitis, first trimester, fetus 1</i>
0411091	<i>Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 1</i>
04103X5	<i>Oligohydramnios, third trimester, fetus 5</i>
04102X1	<i>Oligohydramnios, second trimester, fetus 1</i>
04103X4	<i>Oligohydramnios, third trimester, fetus 4</i>
0411092	<i>Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 2</i>
04102X0	<i>Oligohydramnios, second trimester, not applicable or unspecified</i>
0411093	<i>Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 3</i>
04103X3	<i>Oligohydramnios, third trimester, fetus 3</i>
0411094	<i>Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 4</i>
04103X2	<i>Oligohydramnios, third trimester, fetus 2</i>

**ICD-9 CM 658 maps to the following ICD-10-CM code (continued)**

*O411095 Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 5*  
*O4103X1 Oligohydramnios, third trimester, fetus 1*  
*O411029 Infection of amniotic sac and membranes, unspecified, second trimester, other fetus*  
*O4103X0 Oligohydramnios, third trimester, not applicable or unspecified*  
*O4102X5 Oligohydramnios, second trimester, fetus 5*  
*O4102X4 Oligohydramnios, second trimester, fetus 4*  
*O411411 Placentitis, first trimester, fetus 1*  
*O4102X3 Oligohydramnios, second trimester, fetus 3*  
*O411410 Placentitis, first trimester, not applicable or unspecified*  
*O411099 Infection of amniotic sac and membranes, unspecified, unspecified trimester, other fetus*  
*O4102X2 Oligohydramnios, second trimester, fetus 2*  
*O4102X9 Oligohydramnios, second trimester, other fetus*  
*O4101X0 Oligohydramnios, first trimester, not applicable or unspecified*  
*O4100X5 Oligohydramnios, unspecified trimester, fetus 5*  
*O4100X4 Oligohydramnios, unspecified trimester, fetus 4*  
*O4101X2 Oligohydramnios, first trimester, fetus 2*  
*O4101X1 Oligohydramnios, first trimester, fetus 1*  
*O4100X9 Oligohydramnios, unspecified trimester, other fetus*  
*O418X29 Other specified disorders of amniotic fluid and membranes, second trimester, other fetus*  
*O411032 Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2*  
*O411033 Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3*  
*O411030 Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified*  
*O4101X9 Oligohydramnios, first trimester, other fetus*  
*O411031 Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1*  
*O4100X1 Oligohydramnios, unspecified trimester, fetus 1*  
*O4101X4 Oligohydramnios, first trimester, fetus 4*  
*O4100X0 Oligohydramnios, unspecified trimester, not applicable or unspecified*  
*O4101X3 Oligohydramnios, first trimester, fetus 3*  
*O4100X3 Oligohydramnios, unspecified trimester, fetus 3*  
*O411034 Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4*  
*O4100X2 Oligohydramnios, unspecified trimester, fetus 2*  
*O4101X5 Oligohydramnios, first trimester, fetus 5*  
*O411035 Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5*  
*O411039 Infection of amniotic sac and membranes, unspecified, third trimester, other fetus*  
*O418X25 Other specified disorders of amniotic fluid and membranes, second trimester, fetus 5*  
*O418X24 Other specified disorders of amniotic fluid and membranes, second trimester, fetus 4*  
*O418X23 Other specified disorders of amniotic fluid and membranes, second trimester, fetus 3*  
*O418X22 Other specified disorders of amniotic fluid and membranes, second trimester, fetus 2*  
*O418X21 Other specified disorders of amniotic fluid and membranes, second trimester, fetus 1*  
*O418X20 Other specified disorders of amniotic fluid and membranes, second trimester, not applicable or unspecified*  
*O418X19 Other specified disorders of amniotic fluid and membranes, first trimester, other fetus*  
*O411434 Placentitis, third trimester, fetus 4*  
*O418X94 Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 4*

**ICD-9 CM 658 maps to the following ICD-10-CM code (continued)**

*0411435 Placentitis, third trimester, fetus 5*  
*0418X93 Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 3*  
*0418X92 Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 2*  
*0418X91 Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 1*  
*0418X15 Other specified disorders of amniotic fluid and membranes, first trimester, fetus 5*  
*0418X90 Other specified disorders of amniotic fluid and membranes, unspecified trimester, not applicable or unspecified*  
*0411439 Placentitis, third trimester, other fetus*  
*0411239 Chorioamnionitis, third trimester, other fetus*  
*0418X99 Other specified disorders of amniotic fluid and membranes, unspecified trimester, other fetus*  
*0418X95 Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 5*  
*0411230 Chorioamnionitis, third trimester, not applicable or unspecified*  
*04190X9 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, other fetus*  
*04193X5 Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 5*  
*0411231 Chorioamnionitis, third trimester, fetus 1*  
*04193X4 Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 4*  
*04193X3 Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 3*  
*04193X2 Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 2*  
*0411234 Chorioamnionitis, third trimester, fetus 4*  
*04190X5 Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 5*  
*04193X9 Disorder of amniotic fluid and membranes, unspecified, third trimester, other fetus*  
*0411235 Chorioamnionitis, third trimester, fetus 5*  
*0411232 Chorioamnionitis, third trimester, fetus 2*  
*0411233 Chorioamnionitis, third trimester, fetus 3*  
*0418X12 Other specified disorders of amniotic fluid and membranes, first trimester, fetus 2*  
*04191X4 Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 4*  
*0418X11 Other specified disorders of amniotic fluid and membranes, first trimester, fetus 1*  
*04191X5 Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 5*  
*04192X9 Disorder of amniotic fluid and membranes, unspecified, second trimester, other fetus*  
*0418X14 Other specified disorders of amniotic fluid and membranes, first trimester, fetus 4*  
*0418X13 Other specified disorders of amniotic fluid and membranes, first trimester, fetus 3*  
*0411431 Placentitis, third trimester, fetus 1*  
*0411430 Placentitis, third trimester, not applicable or unspecified*  
*04191X9 Disorder of amniotic fluid and membranes, unspecified, first trimester, other fetus*  
*04192X5 Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 5*  
*0411433 Placentitis, third trimester, fetus 3*  
*0418X10 Other specified disorders of amniotic fluid and membranes, first trimester, not applicable or unspecified*  
*04192X4 Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 4*  
*0411432 Placentitis, third trimester, fetus 2*  
*04192X3 Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 3*

**ICD-9 CM 671 maps to the following ICD-10-CM code**

<i>O2292</i>	<i>Venous complication in pregnancy, unspecified, second trimester</i>
<i>O2293</i>	<i>Venous complication in pregnancy, unspecified, third trimester</i>
<i>O2223</i>	<i>Superficial thrombophlebitis in pregnancy, third trimester</i>
<i>O2202</i>	<i>Varicose veins of lower extremity in pregnancy, second trimester</i>
<i>O2201</i>	<i>Varicose veins of lower extremity in pregnancy, first trimester</i>
<i>O2290</i>	<i>Venous complication in pregnancy, unspecified, unspecified trimester</i>
<i>O2291</i>	<i>Venous complication in pregnancy, unspecified, first trimester</i>
<i>O2203</i>	<i>Varicose veins of lower extremity in pregnancy, third trimester</i>
<i>O2200</i>	<i>Varicose veins of lower extremity in pregnancy, unspecified trimester</i>
<i>O2220</i>	<i>Superficial thrombophlebitis in pregnancy, unspecified trimester</i>
<i>O2221</i>	<i>Superficial thrombophlebitis in pregnancy, first trimester</i>
<i>O2222</i>	<i>Superficial thrombophlebitis in pregnancy, second trimester</i>
<i>O2242</i>	<i>Hemorrhoids in pregnancy, second trimester</i>
<i>O2241</i>	<i>Hemorrhoids in pregnancy, first trimester</i>
<i>O2243</i>	<i>Hemorrhoids in pregnancy, third trimester</i>
<i>O2240</i>	<i>Hemorrhoids in pregnancy, unspecified trimester</i>
<i>O878</i>	<i>Other venous complications in the puerperium</i>
<i>O879</i>	<i>Venous complication in the puerperium, unspecified</i>
<i>O872</i>	<i>Hemorrhoids in the puerperium</i>
<i>O873</i>	<i>Cerebral venous thrombosis in the puerperium</i>
<i>O874</i>	<i>Varicose veins of lower extremity in the puerperium</i>
<i>O870</i>	<i>Superficial thrombophlebitis in the puerperium</i>
<i>O2213</i>	<i>Genital varices in pregnancy, third trimester</i>
<i>O2212</i>	<i>Genital varices in pregnancy, second trimester</i>
<i>O871</i>	<i>Deep phlebothrombosis in the puerperium</i>
<i>O2210</i>	<i>Genital varices in pregnancy, unspecified trimester</i>
<i>O2211</i>	<i>Genital varices in pregnancy, first trimester</i>
<i>O228X1</i>	<i>Other venous complications in pregnancy, first trimester</i>
<i>O228X2</i>	<i>Other venous complications in pregnancy, second trimester</i>
<i>O228X3</i>	<i>Other venous complications in pregnancy, third trimester</i>
<i>O2232</i>	<i>Deep phlebothrombosis in pregnancy, second trimester</i>
<i>O2233</i>	<i>Deep phlebothrombosis in pregnancy, third trimester</i>
<i>O2230</i>	<i>Deep phlebothrombosis in pregnancy, unspecified trimester</i>
<i>O2231</i>	<i>Deep phlebothrombosis in pregnancy, first trimester</i>
<i>O2253</i>	<i>Cerebral venous thrombosis in pregnancy, third trimester</i>
<i>O228X9</i>	<i>Other venous complications in pregnancy, unspecified trimester</i>
<i>O2252</i>	<i>Cerebral venous thrombosis in pregnancy, second trimester</i>
<i>O2251</i>	<i>Cerebral venous thrombosis in pregnancy, first trimester</i>
<i>O2250</i>	<i>Cerebral venous thrombosis in pregnancy, unspecified trimester</i>

**ICD-9 CM 673 maps to the following ICD-10-CM code**

<i>O8802</i>	<i>Air embolism in childbirth</i>
<i>O8803</i>	<i>Air embolism in the puerperium</i>
<i>O88019</i>	<i>Air embolism in pregnancy, unspecified trimester</i>
<i>O88311</i>	<i>Pyemic and septic embolism in pregnancy, first trimester</i>
<i>O88312</i>	<i>Pyemic and septic embolism in pregnancy, second trimester</i>
<i>O8832</i>	<i>Pyemic and septic embolism in childbirth</i>
<i>O88313</i>	<i>Pyemic and septic embolism in pregnancy, third trimester</i>
<i>O88219</i>	<i>Thromboembolism in pregnancy, unspecified trimester</i>
<i>O8833</i>	<i>Pyemic and septic embolism in the puerperium</i>
<i>O88212</i>	<i>Thromboembolism in pregnancy, second trimester</i>
<i>O88012</i>	<i>Air embolism in pregnancy, second trimester</i>
<i>O88013</i>	<i>Air embolism in pregnancy, third trimester</i>
<i>O88213</i>	<i>Thromboembolism in pregnancy, third trimester</i>
<i>O88011</i>	<i>Air embolism in pregnancy, first trimester</i>
<i>O88319</i>	<i>Pyemic and septic embolism in pregnancy, unspecified trimester</i>
<i>O88211</i>	<i>Thromboembolism in pregnancy, first trimester</i>
<i>O88819</i>	<i>Other embolism in pregnancy, unspecified trimester</i>
<i>O88113</i>	<i>Amniotic fluid embolism in pregnancy, third trimester</i>
<i>O88112</i>	<i>Amniotic fluid embolism in pregnancy, second trimester</i>
<i>O88111</i>	<i>Amniotic fluid embolism in pregnancy, first trimester</i>
<i>O8823</i>	<i>Thromboembolism in the puerperium</i>
<i>O88119</i>	<i>Amniotic fluid embolism in pregnancy, unspecified trimester</i>
<i>O8812</i>	<i>Amniotic fluid embolism in childbirth</i>
<i>O8813</i>	<i>Amniotic fluid embolism in the puerperium</i>
<i>O8822</i>	<i>Thromboembolism in childbirth</i>
<i>O88811</i>	<i>Other embolism in pregnancy, first trimester</i>
<i>O88812</i>	<i>Other embolism in pregnancy, second trimester</i>
<i>O88813</i>	<i>Other embolism in pregnancy, third trimester</i>
<i>O8883</i>	<i>Other embolism in the puerperium</i>
<i>O8882</i>	<i>Other embolism in childbirth</i>

**ICD-9 CM 675 maps to the following ICD-10-CM code**

<i>O91219</i>	<i>Nonpurulent mastitis associated with pregnancy, unspecified trimester</i>
<i>O91111</i>	<i>Abscess of breast associated with pregnancy, first trimester</i>
<i>O91112</i>	<i>Abscess of breast associated with pregnancy, second trimester</i>
<i>O91019</i>	<i>Infection of nipple associated with pregnancy, unspecified trimester</i>
<i>O91113</i>	<i>Abscess of breast associated with pregnancy, third trimester</i>
<i>O91119</i>	<i>Abscess of breast associated with pregnancy, unspecified trimester</i>
<i>O9122</i>	<i>Nonpurulent mastitis associated with the puerperium</i>
<i>O91011</i>	<i>Infection of nipple associated with pregnancy, first trimester</i>
<i>O91012</i>	<i>Infection of nipple associated with pregnancy, second trimester</i>
<i>O91013</i>	<i>Infection of nipple associated with pregnancy, third trimester</i>

**ICD-9 CM 675 maps to the following ICD-10-CM code (continued)**

<i>09102</i>	<i>Infection of nipple associated with the puerperium</i>
<i>09112</i>	<i>Abscess of breast associated with the puerperium</i>
<i>09113</i>	<i>Abscess of breast associated with lactation</i>
<i>091213</i>	<i>Nonpurulent mastitis associated with pregnancy, third trimester</i>
<i>09123</i>	<i>Nonpurulent mastitis associated with lactation</i>
<i>091212</i>	<i>Nonpurulent mastitis associated with pregnancy, second trimester</i>
<i>09103</i>	<i>Infection of nipple associated with lactation</i>
<i>091211</i>	<i>Nonpurulent mastitis associated with pregnancy, first trimester</i>

**ICD-9 CM 676 maps to the following ICD-10-CM code**

<i>09213</i>	<i>Cracked nipple associated with lactation</i>
<i>09212</i>	<i>Cracked nipple associated with the puerperium</i>
<i>09203</i>	<i>Retracted nipple associated with lactation</i>
<i>09229</i>	<i>Other disorders of breast associated with pregnancy and the puerperium</i>
<i>09202</i>	<i>Retracted nipple associated with the puerperium</i>
<i>092013</i>	<i>Retracted nipple associated with pregnancy, third trimester</i>
<i>092011</i>	<i>Retracted nipple associated with pregnancy, first trimester</i>
<i>092012</i>	<i>Retracted nipple associated with pregnancy, second trimester</i>
<i>092113</i>	<i>Cracked nipple associated with pregnancy, third trimester</i>
<i>092112</i>	<i>Cracked nipple associated with pregnancy, second trimester</i>
<i>092111</i>	<i>Cracked nipple associated with pregnancy, first trimester</i>
<i>09220</i>	<i>Unspecified disorder of breast associated with pregnancy and the puerperium</i>
<i>09270</i>	<i>Unspecified disorders of lactation</i>
<i>0925</i>	<i>Suppressed lactation</i>
<i>0924</i>	<i>Hypogalactia</i>
<i>092019</i>	<i>Retracted nipple associated with pregnancy, unspecified trimester</i>
<i>0926</i>	<i>Galactorrhea</i>
<i>0923</i>	<i>Agalactia</i>
<i>092119</i>	<i>Cracked nipple associated with pregnancy, unspecified trimester</i>
<i>09279</i>	<i>Other disorders of lactation</i>

**Exhibit 2** - Preventive Pediatric Care Services

Preventive pediatric care is defined as screening and diagnostic services to identify congenital physical or mental disorders, routine examinations performed in the absence of complaints, and screening or treatment designed to avert various infectious and communicable diseases from ever occurring in children under age 21. This includes immunizations, screening tests for congenital disorders, well child visits, preventive medicine visits, preventive dental care, and screening and preventive treatment for infectious and communicable diseases.

ICD-9-CM Diagnosis Codes (Volumes 1 and 2) - for Services before ICD-10 is Implemented

ICD-9-CM Code	Description	Immunizations	Screening Tests for Congenital Disorders	Well Child or Preventive Medicine Visits	Preventive Dental Care	Screening or Preventive Treatment for Infectious and Communicable Diseases
V01	Contact with or exposure to communicable disease					X
V02	Carrier or suspected carrier of infectious disease					X
V03 - V06	Need for prophylactic vaccination against bacterial, viral, and other communicable diseases	X				X
V07	Need for isolation and other prophylactic measures	X				X
V20	Health supervision of infant or child			X		
V70.0	Routine general medical examination			X		
V72.0 -V72.3	Routine examination of specific organ system			X		
V73 - V75 V77.0 - V77-7 V78.1- V78.3 V79.8 V82.3 - V82.4	Special screening exams/tests for infectious and communicable diseases or communicable defects		X			X

**ICD-10-CM Diagnosis Codes for Preventive Pediatric Care Services****ICD-9 CM V01 maps to the following ICD-10-CM codes**

- Z20820 Contact with and (suspected) exposure to varicella
- Z20810 Contact with and (suspected) exposure to anthrax
- Z203 Contact with and (suspected) exposure to rabies
- Z202 Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
- Z201 Contact with and (suspected) exposure to tuberculosis
- Z207 Contact with and (suspected) exposure to pediculosis, acariasis and other infestations
- Z2001 Contact with and (suspected) exposure to intestinal infectious diseases due to *Escherichia coli* (*E. coli*)
- Z206 Contact with and (suspected) exposure to human immunodeficiency virus [HIV]
- Z205 Contact with and (suspected) exposure to viral hepatitis
- Z204 Contact with and (suspected) exposure to rubella
- Z209 Contact with and (suspected) exposure to unspecified communicable disease
- Z2009 Contact with and (suspected) exposure to other intestinal infectious diseases
- Z20818 Contact with and (suspected) exposure to other bacterial communicable diseases
- Z20828 Contact with and (suspected) exposure to other viral communicable diseases
- Z2089 Contact with and (suspected) exposure to other communicable diseases
- Z20811 Contact with and (suspected) exposure to meningococcus

**ICD-9 CM V02 maps to the following ICD-10-CM codes**

- Z221 Carrier of other intestinal infectious diseases
- Z220 Carrier of typhoid
- Z2239 Carrier of other specified bacterial diseases
- Z229 Carrier of infectious disease, unspecified
- Z228 Carrier of other infectious diseases
- Z226 Carrier of human T-lymphotropic virus type-1 [HTLV-1] infection
- Z224 Carrier of infections with a predominantly sexual mode of transmission
- Z222 Carrier of diphtheria
- Z22330 Carrier of Group B streptococcus
- Z2250 Carrier of unspecified viral hepatitis
- O99820 *Streptococcus B* carrier state complicating pregnancy
- Z2251 Carrier of viral hepatitis B
- Z2252 Carrier of viral hepatitis C
- Z22321 Carrier or suspected carrier of Methicillin susceptible *Staphylococcus aureus*
- Z22322 Carrier or suspected carrier of Methicillin resistant *Staphylococcus aureus*
- O99824 *Streptococcus B* carrier state complicating childbirth
- Z22338 Carrier of other streptococcus
- Z2231 Carrier of bacterial disease due to meningococci
- O99825 *Streptococcus B* carrier state complicating the puerperium
- Z2259 Carrier of other viral hepatitis

***ICD-9 CM V03 maps to the following ICD-10-CM code***

*Z23 Encounter for immunization*

***ICD-9 CM V04 maps to the following ICD-10-CM code***

*Z23 Encounter for immunization*

***ICD-9 CM V05 maps to the following ICD-10-CM code***

*Z23 Encounter for immunization*

***ICD-9 CM V06 maps to the following ICD-10-CM code***

*Z23 Encounter for immunization*

***ICD-9 CM V07 maps to the following ICD-10-CM codes***

*Z5189 Encounter for other specified aftercare*

*Z79890 Hormone replacement therapy (postmenopausal)*

*Z79818 Long term (current) use of other agents affecting estrogen receptors and estrogen levels*

*Z79811 Long term (current) use of aromatase inhibitors*

*Z418 Encounter for other procedures for purposes other than remedying health state*

*Z79810 Long term (current) use of selective estrogen receptor modulators (SERMs)*

***ICD-9 CM V20 maps to the following ICD-10-CM code***

*Z00129 Encounter for routine child health examination without abnormal findings*

*Z762 Encounter for health supervision and care of other healthy infant and child*

*Z00121 Encounter for routine child health examination with abnormal findings*

*Z761 Encounter for health supervision and care of foundling*

*Z00110 Health examination for newborn under 8 days old*

*Z00111 Health examination for newborn 8 to 28 days old*

***ICD-9 CM V70.0 maps to the following ICD-10-CM codes***

*Z0001 Encounter for general adult medical examination with abnormal findings*

*Z0000 Encounter for general adult medical examination without abnormal findings*

**ICD-9-CM V72.0 maps to the following ICD-10 CM codes**

- Z0101     *Encounter for examination of eyes and vision with abnormal findings*  
Z0100     *Encounter for examination of eyes and vision without abnormal findings*

**ICD-9 CM V72.3 maps to the following ICD-10-CM codes**

- Z01419    *Encounter for gynecological examination (general) (routine) without abnormal findings*  
Z0142     *Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear*  
Z01411    *Encounter for gynecological examination (general) (routine) with abnormal findings*

**ICD-9-CM V73 maps to the following ICD-10 CM codes**

- Z118       *Encounter for screening for other infectious and parasitic diseases*  
Z1159     *Encounter for screening for other viral diseases*  
Z114       *Encounter for screening for human immunodeficiency virus [HIV]*  
Z1151     *Encounter for screening for human papillomavirus (HPV)*

**ICD-9-CM V74 maps to the following ICD-10 CM codes**

- Z118       *Encounter for screening for other infectious and parasitic diseases*  
Z113       *Encounter for screening for infections with a predominantly sexual mode of transmission*  
Z112       *Encounter for screening for other bacterial diseases*  
Z111       *Encounter for screening for respiratory tuberculosis*  
Z110       *Encounter for screening for intestinal infectious diseases*

**ICD-9-CM V75 maps to the following ICD-10 CM codes**

- Z116       *Encounter for screening for other protozoal diseases and helminthiases*  
Z119       *Encounter for screening for infectious and parasitic diseases, unspecified*  
Z118       *Encounter for screening for other infectious and parasitic diseases*  
Z110       *Encounter for screening for intestinal infectious diseases*

***ICD-9-CM V77 maps to the following ICD-10 CM codes***

- Z1329      Encounter for screening for other suspected endocrine disorder*
- Z131      Encounter for screening for diabetes mellitus*
- Z13220    Encounter for screening for lipid disorders*
- Z1389    Encounter for screening for other disorder*
- Z1321    Encounter for screening for nutritional disorder*
- Z13228    Encounter for screening for other metabolic disorders*

***ICD-9-CM V77.7 maps to the following ICD-10 CM codes***

- Z13228    Encounter for screening for other metabolic disorders*

***ICD-9-CM V78.1 maps to the following ICD-10 CM codes***

- Z130      Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism*

***ICD-9-CM V78.3 maps to the following ICD-10 CM codes***

- Z130      Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism*

***ICD-9-CM V79.8 maps to the following ICD-10 CM codes***

- Z134      Encounter for screening for certain developmental disorders in childhood*

***ICD-9-CM V82.3 maps to the following ICD-10 CM codes***

- Z13828    Encounter for screening for other musculoskeletal disorder*

***ICD-9-CM V82.4 maps to the following ICD-10 CM codes***

- Z1389    Encounter for screening for other disorder*