

<b>CMS Manual System</b>	<b>Department of Health &amp; Human Services (DHHS)</b>
<b>Pub 100-04 Medicare Claims Processing</b>	<b>Centers for Medicare &amp; Medicaid Services (CMS)</b>
<b>Transmittal 1996</b>	<b>Date: July 2, 2010</b>
	<b>Change Request 7006</b>

**SUBJECT: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)**

**I. SUMMARY OF CHANGES:** This instruction is CMS' annual reminder to the Medicare contractors of the ICD-9-CM update that is effective for the dates of service on and after October 1, 2010. This Recurring Update Notification applies to Chapter 23, Section 10.2.

**EFFECTIVE DATE: \*October 1, 2010**

**IMPLEMENTATION DATE: October 4, 2010**

*Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.*

**II. CHANGES IN MANUAL INSTRUCTIONS:** (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-*Only One Per Row.*

<b>R/N/D</b>	<b>CHAPTER / SECTION / SUBSECTION / TITLE</b>
N/A	

**III. FUNDING:**

**For Fiscal Intermediaries (FIs), Regional Home Health Intermediaries (RHHIs) and/or Carriers:**

No additional funding will be provided by CMS; contractor activities are to be carried out within their operating budgets.

**For Medicare Administrative Contractors (MACs):**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

**IV. ATTACHMENT:**

**Recurring Update Notification**

*\*Unless otherwise specified, the effective date is the date of service.*

# Attachment – Recurring Update Notification

Pub. 100-04	Transmittal: 1996	Date: July 2, 2010	Change Request: 7006
-------------	-------------------	--------------------	----------------------

**SUBJECT: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)**

**Effective Date:** October 1, 2010

**Implementation Date:** October 4, 2010

## I. GENERAL INFORMATION

### A. Background:

Effective October 1, 2003 an ICD-9-CM code is required on all paper and electronic claims billed to Medicare carriers/A/B MACs with the exception of ambulance claims (specialty type 59).

The ICD-9-CM codes are updated annually as stated in Pub. 100-04, Chapter 23, Section 10.2. The CMS sends the ICD-9-CM Addendum out to the regional offices and Medicare contractors/A/B MACs annually.

### B. Policy:

This instruction serves as a reminder to A/B MACs/Carriers/FIs that the annual ICD-9-CM coding update is effective for dates of service on or after October 1, 2010 (effective for discharges on or after October 1, 2010 for institutional providers).

An ICD-9-CM code is required for all professional claims, e.g., physicians, non-physician practitioners, independent clinical diagnostic laboratories, occupational and physical therapists, independent diagnostic testing facilities, audiologist, ambulatory surgical centers (ASCs), and for all institutional claims. However, an ICD-9-CM code is not required for ambulance supplier claims.

The CMS posts the new, revised, and discontinued ICD-9-CM diagnosis codes on the CMS Web site at [http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/07\\_summarytables.asp#TopOfPage](http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/07_summarytables.asp#TopOfPage) on an annual basis. The updated diagnosis codes are effective for dates of service/discharges on and after October 1. Providers can view the new updated codes at this site in June. Providers can also visit the National Center for Health Statistics (NCHS) Web site at <http://www.cdc.gov/nchs/icd.htm>. The NCHS will post the new ICD-9-CM Addendum on their web in June. Providers are also encouraged to purchase a new ICD-9-CM book or CD-ROM on an annual basis.

## II. BUSINESS REQUIREMENTS TABLE

*Use "Shall" to denote a mandatory requirement*

Number	Requirement	Responsibility (place an "X" in each applicable column)									
		A / B	D / M	F / I	C / R	R / H	Shared-System Maintainers				OTHER
7006.1	Contractors shall install and accept the new and revised Fiscal Year 2011 ICD-9-CM codes in order to process claims with dates of service on or after October 1, 2010.	X	X	X	X	X		X	X		
7006.2	For institutional providers, FI/MACs shall accept the new and revised codes for claims with discharges on or after October 1, 2010.	X		X							
7006.3	Contractors shall review reason codes and local edits that contain ICD-9-CM codes and update if necessary.	X		X							
7006.4	Contractors shall review local edits that contain ICD-9-CM codes and update if necessary.	X			X						

### III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility (place an "X" in each applicable column)									
		A / B	D / M	F / I	C / R	R / H	Shared-System Maintainers				OTHER
7006.5	A provider education article related to this instruction will be available at <a href="http://www.cms.hhs.gov/MLNMattersArticles/">http://www.cms.hhs.gov/MLNMattersArticles/</a> shortly after the CR is released. You will receive notification of the article release via the established "MLN Matters" listserv. Contractors shall post this article, or a direct link to this article, on their Web site and include information about it in a listserv message within one week of the availability of the provider education article. In addition, the provider education article shall be included in your next regularly scheduled bulletin. Contractors are free to supplement MLN Matters articles with localized information that would benefit their provider community in billing and administering the Medicare program correctly.	X	X	X	X	X					

### IV. SUPPORTING INFORMATION

**Section A: For any recommendations and supporting information associated with listed requirements, use the box below:**

Use "Should" to denote a recommendation.

<b>X-Ref Requirement Number</b>	<b>Recommendations or other supporting information:</b>
7006.1	If needed, A/B MACs & Carriers can refer to CR 6798 (MCS Changes Needed to Automate the Annual Update to the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)) for information about the MCS creation of the ICD-9-CM automated file.

**Section B: For all other recommendations and supporting information, use this space:**

Grouper 28, Medicare Code Editor v27, and Integrated Outpatient Code Editor v11.3.

Dependencies: Two attachments: the tables and the Addendum.

**V. CONTACTS**

**Pre-Implementation Contact(s):** April Billingsley, [april.billingsley@cms.hhs.gov](mailto:april.billingsley@cms.hhs.gov), 410-786-0140 (carrier), Sarah Shirey-Losso, [sarah.shirey-losso@cms.hhs.gov](mailto:sarah.shirey-losso@cms.hhs.gov), 410-786-0187 (FI), and Tracey Herring, [tracey.herring@cms.hhs.gov](mailto:tracey.herring@cms.hhs.gov), 410-786-7169 (DMEPOS claims processing issues)

**Post-Implementation Contact(s):** Appropriate Project Officer

**VI. FUNDING**

**Section A: For *Fiscal Intermediaries (FIs)*, *Regional Home Health Intermediaries (RHHIs)*, and/or *Carriers*:**

No additional funding will be provided by CMS; contractor activities are to be carried out within their operating budgets.

**Section B: For *Medicare Administrative Contractors (MACs)*, include the following statement:**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

**Attachments: (9)**

NEW DIAGNOSIS CODES  
Effective October 1, 2010

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: [www.cdc.gov/nchs/icd9.htm](http://www.cdc.gov/nchs/icd9.htm)

<b>Diagnosis Code</b>	<b>Description</b>
237.73	Schwannomatosis
237.78	Other neurofibromatosis
275.01	Hereditary hemochromatosis
275.02	Hemochromatosis due to repeated red blood cell transfusions
275.03	Other hemochromatosis
275.09	Other disorders of iron metabolism
276.61	Transfusion associated circulatory overload
276.69	Other fluid overload
278.03	Obesity hypoventilation syndrome
287.41	Posttransfusion purpura
287.49	Other secondary thrombocytopenia
447.70	Aortic ectasia, unspecified site
447.71	Thoracic aortic ectasia
447.72	Abdominal aortic ectasia
447.73	Thoracoabdominal aortic ectasia
560.32	Fecal impaction
724.03	Spinal stenosis, lumbar region, with neurogenic claudication
752.31	Agenesis of uterus
752.32	Hypoplasia of uterus
752.33	Unicornuate uterus
752.34	Bicornuate uterus
752.35	Septate uterus
752.36	Arcuate uterus
752.39	Other anomalies of uterus
752.43	Cervical agenesis
752.44	Cervical duplication
752.45	Vaginal agenesis
752.46	Transverse vaginal septum
752.47	Longitudinal vaginal septum
780.33	Post traumatic seizures
780.66	Febrile nonhemolytic transfusion reaction
784.92	Jaw pain
786.30	Hemoptysis, unspecified
786.31	Acute idiopathic pulmonary hemorrhage in infants [AIPHI]
786.39	Other hemoptysis
787.60	Full incontinence of feces
787.61	Incomplete defecation
787.62	Fecal smearing
787.63	Fecal urgency
799.50	Unspecified signs and symptoms involving cognition

NEW DIAGNOSIS CODES  
Effective October 1, 2010

<b>Diagnosis Code</b>	<b>Description</b>
799.51	Attention or concentration deficit
799.52	Cognitive communication deficit
799.53	Visuospatial deficit
799.54	Psychomotor deficit
799.55	Frontal lobe and executive function deficit
799.59	Other signs and symptoms involving cognition
970.81	Poisoning by cocaine
970.89	Poisoning by other central nervous system stimulants
999.60	ABO incompatibility reaction, unspecified
999.61	ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed
999.62	ABO incompatibility with acute hemolytic transfusion reaction
999.63	ABO incompatibility with delayed hemolytic transfusion reaction
999.69	Other ABO incompatibility reaction
999.70	Rh incompatibility reaction, unspecified
999.71	Rh incompatibility with hemolytic transfusion reaction not specified as acute or delayed
999.72	Rh incompatibility with acute hemolytic transfusion reaction
999.73	Rh incompatibility with delayed hemolytic transfusion reaction
999.74	Other Rh incompatibility reaction
999.75	Non-ABO incompatibility reaction, unspecified
999.76	Non-ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed
999.77	Non-ABO incompatibility with acute hemolytic transfusion reaction
999.78	Non-ABO incompatibility with delayed hemolytic transfusion reaction
999.79	Other non-ABO incompatibility reaction
999.80	Transfusion reaction, unspecified
999.83	Hemolytic transfusion reaction, incompatibility unspecified
999.84	Acute hemolytic transfusion reaction, incompatibility unspecified
999.85	Delayed hemolytic transfusion reaction, incompatibility unspecified
E000.2	Volunteer activity
V11.4	Personal history of combat and operational stress reaction
V13.23	Personal history of vaginal dysplasia
V13.24	Personal history of vulvar dysplasia
V13.62	Personal history of other (corrected) congenital malformations of genitourinary system
V13.63	Personal history of (corrected) congenital malformations of nervous system
V13.64	Personal history of (corrected) congenital malformations of eye, ear, face and neck
V13.65	Personal history of (corrected) congenital malformations of heart and circulatory system
V13.66	Personal history of (corrected) congenital malformations of respiratory system
V13.67	Personal history of (corrected) congenital malformations of digestive system
V13.68	Personal history of (corrected) congenital malformations of integument, limbs, and

NEW DIAGNOSIS CODES  
Effective October 1, 2010

Diagnosis Code	Description
	musculoskeletal system
V15.53	Personal history of retained foreign body fully removed
V25.11	Encounter for insertion of intrauterine contraceptive device
V25.12	Encounter for removal of intrauterine contraceptive device
V25.13	Encounter for removal and reinsertion of intrauterine contraceptive device
V49.86	Do not resuscitate status
V62.85	Homicidal ideation
V85.41	Body Mass Index 40.0-44.9, adult
V85.42	Body Mass Index 45.0-49.9, adult
V85.43	Body Mass Index 50.0-59.9, adult
V85.44	Body Mass Index 60.0-69.9, adult
V85.45	Body Mass Index 70 and over, adult
V88.11	Acquired total absence of pancreas
V88.12	Acquired partial absence of pancreas
V90.01	Retained depleted uranium fragments
V90.09	Other retained radioactive fragments
V90.10	Retained metal fragments, unspecified
V90.11	Retained magnetic metal fragments
V90.12	Retained nonmagnetic metal fragments
V90.2	Retained plastic fragments
V90.31	Retained animal quills or spines
V90.32	Retained tooth
V90.33	Retained wood fragments
V90.39	Other retained organic fragments
V90.81	Retained glass fragments
V90.83	Retained stone or crystalline fragments
V90.89	Other specified retained foreign body
V90.9	Retained foreign body, unspecified material
V91.00	Twin gestation, unspecified number of placenta, unspecified number of amniotic sacs
V91.01	Twin gestation, monochorionic/monoamniotic (one placenta, one amniotic sac)
V91.02	Twin gestation, monochorionic/diamniotic (one placenta, two amniotic sacs)
V91.03	Twin gestation, dichorionic/diamniotic (two placentae, two amniotic sacs)
V91.09	Twin gestation, unable to determine number of placenta and number of amniotic sacs
V91.10	Triplet gestation, unspecified number of placenta and unspecified number of amniotic sacs
V91.11	Triplet gestation, with two or more monochorionic fetuses
V91.12	Triplet gestation, with two or more monoamniotic fetuses
V91.19	Triplet gestation, unable to determine number of placenta and number of amniotic sacs
V91.20	Quadruplet gestation, unspecified number of placenta and unspecified number of amniotic sacs

NEW DIAGNOSIS CODES  
Effective October 1, 2010

<b>Diagnosis Code</b>	<b>Description</b>
V91.21	Quadruplet gestation, with two or more monochorionic fetuses
V91.22	Quadruplet gestation, with two or more monoamniotic fetuses
V91.29	Quadruplet gestation, unable to determine number of placenta and number of amniotic sacs
V91.90	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs
V91.91	Other specified multiple gestation, with two or more monochorionic fetuses
V91.92	Other specified multiple gestation, with two or more monoamniotic fetuses
V91.99	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs

## NEW PROCEDURE CODES

Effective October 1, 2010

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: [www.cms.hhs.gov/ICD9ProviderDiagnosticCodes](http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes)

<b>Procedure Code</b>	<b>Description</b>
00.60	Insertion of drug-eluting stent(s) of superficial femoral artery
32.27	Bronchoscopic bronchial thermoplasty, ablation of airway smooth muscle
39.81	Implantation or replacement of carotid sinus stimulation device, total system
39.82	Implantation or replacement of carotid sinus stimulation lead(s) only
39.83	Implantation or replacement of carotid sinus stimulation pulse generator only
39.84	Revision of carotid sinus stimulation lead(s) only
39.85	Revision of carotid sinus stimulation pulse generator
39.86	Removal of carotid sinus stimulation device, total system
39.87	Removal of carotid sinus stimulation lead(s) only
39.88	Removal of carotid sinus stimulation pulse generator only
39.89	Other operations on carotid body, carotid sinus and other vascular bodies
81.88	Reverse total shoulder replacement

## INVALID DIAGNOSIS CODES

Effective October 1, 2010

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: [www.cdc.gov/nchs/icd9.htm](http://www.cdc.gov/nchs/icd9.htm)

<b>Diagnosis Code</b>	<b>Description</b>
275.0	Disorders of iron metabolism
276.6	Fluid overload
287.4	Secondary thrombocytopenia
752.3	Other anomalies of uterus
786.3	Hemoptysis
787.6	Incontinence of feces
970.8	Poisoning by other specified central nervous system stimulants
999.6	ABO incompatibility reaction
999.7	Rh incompatibility reaction
V25.1	Encounter for insertion of intrauterine contraceptive device
V85.4	Body Mass Index 40 and over, adult

INVALID PROCEDURE CODES

Effective October 1, 2010

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: [www.cms.hhs.gov/ICD9ProviderDiagnosticCodes](http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes)

<b>Procedure Code</b>	<b>Description</b>
39.8	Operations on carotid body, carotid sinus and other vascular bodies

## REVISED DIAGNOSIS CODE TITLES

Effective October 1, 2010

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: [www.cdc.gov/nchs/icd9.htm](http://www.cdc.gov/nchs/icd9.htm)

<b>Diagnosis Code</b>	<b>Description</b>
629.81	Recurrent pregnancy loss without current pregnancy
646.30	Recurrent pregnancy loss, unspecified as to episode of care or not applicable
646.31	Recurrent pregnancy loss, delivered, with or without mention of antepartum condition
646.33	Recurrent pregnancy loss, antepartum condition or complication
724.02	Spinal stenosis, lumbar region, without neurogenic claudication
781.8	Neurologic neglect syndrome
E017.0	Roller coaster riding
V13.61	Personal history of (corrected) hypospadias
V13.69	Personal history of other (corrected) congenital malformations
V26.35	Encounter for testing of male partner of female with recurrent pregnancy loss

## REVISED PROCEDURE CODE TITLES

Effective October 1, 2010

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: [www.cms.hhs.gov/ICD9ProviderDiagnosticCodes](http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes)

<b>Procedure Code</b>	<b>Description</b>
00.55	Insertion of drug-eluting stent(s) of other peripheral vessel(s)
81.80	Other total shoulder replacement
99.14	Injection or infusion of immunoglobulin

FY 2011 Final Addenda  
Volume 3, Procedures  
Effective October 1, 2010

**Tabular**

Revise code title	00.55 Insertion of drug-eluting <del>peripheral vessel</del> stent(s) <u>of other peripheral vessel(s)</u>
Add exclusion term	Excludes: <u>insertion of drug-eluting stent(s) of superficial femoral artery (00.60)</u>
Revise exclusion term	<del>that for aneurysm repair</del> <u>that for other endovascular procedure (39.71-39.79)</u>
New code	00.60 Insertion of drug-eluting stent(s) of superficial femoral artery Code also any: angioplasty or atherectomy of other non-coronary vessel(s) (39.50) non-drug-eluting peripheral stents (39.90) number of vascular stents inserted (00.45-00.48) number of vessels treated (00.40-00.43) procedure on vessel bifurcation (00.44) Excludes: insertion of drug-eluting stent(s) of other peripheral vessel (00.55) that for other endovascular procedure (39.71-39.79)
New code	01.20 Cranial implantation or replacement of neurostimulator pulse generator Code also any associated lead implantation (02.93) Excludes: implantation or replacement of subcutaneous neurostimulator pulse generator (86.94 -86.98)
New code	01.29 Removal of cranial neurostimulator pulse generator
Add inclusion term	01.59 Other excision or destruction of lesion or tissue of brain <u>Amygdalohippocampectomy</u>
	02.93 Implantation or replacement of intracranial neurostimulator lead(s)

Revise code also note	Code also any:
Add code also note	<u>insertion of cranial implantation or replacement of neurostimulator pulse generator (01.20)</u>
Revise code also note	insertion of <u>subcutaneous</u> neurostimulator pulse generator (86.94-86.98)
	04.92 Implantation or replacement of peripheral neurostimulator lead(s)
Add exclusion term	<u>Excludes: implantation or replacement of carotid sinus stimulation lead(s) (39.82)</u>
	07 Operations on other endocrine glands
	Excludes:
	operations on:
Revise exclusion term	aortic and carotid bodies (39.81-39.89)
	17.71 Non-coronary intra-operative fluorescence vascular angiography [IFVA]
	Intraoperative laser arteriogram
	SPY arteriogram
	SPY arteriography
New code	Excludes: intra-operative coronary fluorescence vascular angiography (88.59)
	32.26 Other and unspecified ablation of lung lesion or tissue
Add exclusion term	<u>Excludes: bronchoscopic bronchial thermoplasty, ablation of smooth airway muscle (32.27)</u>
	32.27 Bronchoscopic bronchial thermoplasty, ablation of airway smooth muscle
	33.24 Closed [endoscopic] biopsy of bronchus
Revise inclusion term	Transbronchoscopic needle aspiration [TBNA] <u>of bronchus</u>
Add exclusion term	Excludes: <u>mini-bronchoalveolar lavage [mini-BAL] (33.29)</u>
	33.27 Closed endoscopic biopsy of lung
Add inclusion term	<u>Transbronchoscopic needle aspiration [TBNA] of</u>

lung

Add exclusion term	33.29 Other diagnostic procedures on lung and bronchus Excludes: <u>bronchoalveolar lavage [BAL] (33.24)</u>
Add inclusion term Add inclusion term	33.73 Endoscopic insertion or replacement of bronchial valve(s), multiple lobes <u>Endobronchial airflow redirection valve</u> <u>Intrabronchial airflow redirection valve</u>
Add exclusion term	35.24 Other replacement of mitral valve <u>Excludes: percutaneous repair with implant or leaflet clip (35.97)</u>
Revise code title Delete inclusion term Add inclusion term Add exclusion term	35.96 Percutaneous <u>balloon</u> valvuloplasty <del>Percutaneous balloon valvuloplasty</del> <u>Balloon dilation of valve</u> <u>Excludes: mitral valve repair with implant (35.97)</u>
New code	35.97 Percutaneous mitral valve repair with implant Endovascular mitral valve repair Implantation of mitral valve leaflet clip Transcatheter mitral valve repair Code also any transesophageal echocardiography [TEE] (88.72) Excludes: percutaneous balloon valvuloplasty (35.96)
Revise code also note	37.3 Pericardiectomy and excision of lesion of heart Code also cardiopulmonary bypass [extracorporeal circulation] [heart-lung machine], <u>if performed</u> (39.61)
Revise inclusion term	37.33 Excision or destruction of other lesion or tissue of heart, open approach <u>Ablation or incision</u> of heart tissue (cryoablation) (electrocautery) (laser) (microwave) (radiofrequency) (resection) ( <u>ultrasound</u> ), open chest approach
Delete inclusion term Add inclusion term	<del>Modified maze procedure, transthoracic approach</del> <u>That by median sternotomy</u>

Add inclusion term	<u>That by thoracotomy without use of thoracoscope</u>
	Excludes: ablation, excision, or destruction of lesion or tissue of heart:
Add exclusion term	<u>thoracoscopic approach (37.37)</u>
Revise code title	37.34 Excision or destruction of other lesion or tissue of heart, <del>other</del> <u>endovascular</u> approach
Revise inclusion term	Ablation of heart tissue (cryoablation) (electrocautery) (laser) (microwave) (radiofrequency) ( <del>resection</del> ) ( <u>ultrasound</u> ), via peripherally inserted catheter
Revise inclusion term	Modified maze procedure, <del>endovascular</del> <u>percutaneous</u> approach
Add exclusion term	<u>Excludes: ablation, excision or destruction of lesion of tissue of heart:</u> <u>open approach (37.33)</u> <u>thoracoscopic approach (37.37)</u>
New code	37.37 Excision or destruction of other lesion or tissue of heart, thoracoscopic approach Ablation or incision of heart tissue (cryoablation) (electrocautery) (laser) (microwave) (radiofrequency) (resection) (ultrasound) , via thoracoscope Modified maze procedure, thoracoscopic approach That via thoroscopically-assisted approach (without thoracotomy) (with port access) (with sub-xiphoid incision) Excludes: ablation, excision or destruction of lesion or tissue of heart: open approach (37.33) endovascular approach (37.34) thoracoscopic excision or destruction of left atrial appendage [LAA] (37.36)
Delete inclusion term	37.62 Insertion of temporary non-implantable extracorporeal circulatory assist device <del>Acute circulatory support device</del>
Delete inclusion term	<del>Short-term circulatory support (up to six hours)</del>
	38.93 Venous catheterization, not elsewhere classified

Add exclusion term	Excludes: <u>that with guidance (electrocardiogram)</u> <u>(fluoroscopy) (ultrasound) (38.97)</u>
New code	38.97 Central venous catheter placement with guidance Includes guidance by: electrocardiogram fluoroscopy ultrasound
New category	39.8 Operations on carotid body, carotid sinus and other vascular bodies
Delete inclusion term	<del>Chemodectomy</del>
Delete inclusion term	<del>Denervation of:</del>
Delete inclusion term	<del>aortic body</del>
Delete inclusion term	<del>carotid body</del>
Delete inclusion term	<del>Electronic stimulator</del>
Delete inclusion term	<del>Glomectomy, carotid</del>
Delete inclusion term	<del>Implantation or replacement of carotid sinus baroreflex activation device</del>
Delete excludes term	Excludes: <del>replacement of carotid sinus lead(s) only (04.92)</del>
New code	39.81 Implantation or replacement of carotid sinus stimulation device, total system Carotid sinus baroreflex activation device Implantation of carotid sinus stimulator and lead(s) Includes: carotid explorations Excludes: implantation or replacement of carotid sinus stimulation lead(s) only (39.82) implantation or replacement of carotid sinus stimulation pulse generator only (39.83)
New code	39.82 Implantation or replacement of carotid sinus stimulation lead(s) only Excludes: implantation or replacement of carotid sinus stimulation device, total system (39.81)
New code	39.83 Implantation or replacement of carotid sinus stimulation pulse generator only Excludes: implantation or replacement of carotid sinus stimulation device, total system (39.81)

New code	39.84	Revision of carotid sinus stimulation lead(s) only Repair of electrode [removal with re-insertion] Repositioning of lead(s) [electrode]
New code	39.85	Revision of carotid sinus stimulation pulse generator Debridement and reforming pocket (skin and subcutaneous tissue) Relocation of pocket [creation of new pocket] Repositioning of pulse generator Revision of carotid sinus stimulation pulse generator pocket
New code	39.86	Removal of carotid sinus stimulation device, total system
New code	39.87	Removal of carotid sinus stimulation lead(s) only
New code	39.88	Removal of carotid sinus stimulation pulse generator only
New code	39.89	Other operations on carotid body, carotid sinus and other vascular bodies Chemodectomy Denervation of: aortic body carotid body Glomectomy, carotid Excludes: excision of glomus jugulare (20.51)
Add inclusion term	40.11	Biopsy of lymphatic structure <u>Transbronchoscopic needle aspiration [TBNA] of lymph node</u>
Add inclusion term	53.59	Repair of other hernia of anterior abdominal wall <u>That by laparoscopic approach</u>
Add exclusion term	78.5	Internal fixation of bone without fracture reduction Excludes: <u>insertion of sternal fixation device with rigid plates (84.94)</u>

81.0 Spinal fusion

Add note

Note: Spinal fusion is classified by the anatomic portion (column) fused and the technique (approach) used to perform the fusion.

For the anterior column, the body (corpus) of adjacent vertebrae are fused (interbody fusion). The anterior column can be fused using an anterior, lateral, or posterior technique.

For the posterior column, posterior structures of adjacent vertebrae are fused (pedicle, lamina, facet, transverse process, or “gutter” fusion). A posterior column fusion can be performed using a posterior, posterolateral, or lateral transverse technique.

Revise code title

81.02 Other cervical fusion of the ; anterior column,  
anterior technique

Revise inclusion term

Arthrodesis of C2 level or below:  
anterior (~~interbody technique~~) fusion

Revise code title

81.03 Other cervical fusion of the ; posterior column,  
posterior technique

Revise inclusion term

Arthrodesis of C2 level or below: , posterolateral technique

Delete inclusion term

~~posterior (interbody) technique~~

Delete inclusion term

~~posterolateral technique~~

Revise code title

81.04 Dorsal and dorsolumbar fusion of the ; anterior column,  
anterior technique

Revise inclusion term

Arthrodesis of thoracic or thoracolumbar region:  
anterior (~~interbody technique~~) fusion

Add inclusion term

Extracavitary technique

Revise code title

81.05 Dorsal and dorsolumbar fusion of the ; posterior column,  
posterior technique

Revise inclusion term

Arthrodesis of thoracic or thoracolumbar region: ,  
posterolateral technique

Delete inclusion term

~~posterior (interbody) technique~~

Delete inclusion term

~~posterolateral technique~~

<p>Revise code title</p> <p>Revise inclusion term</p> <p>Add inclusion term</p> <p>Add inclusion term</p> <p>Add inclusion term</p> <p>Add inclusion term</p>	<p>81.06 Lumbar and lumbosacral fusion of the <u>anterior column</u>, anterior technique</p> <p style="padding-left: 20px;">Arthrodesis of lumbar or lumbosacral region:</p> <p style="padding-left: 40px;"><del>anterior (interbody technique) fusion</del></p> <p style="padding-left: 40px;"><u>retroperitoneal</u></p> <p style="padding-left: 40px;"><u>transperitoneal</u></p> <p style="padding-left: 40px;"><u>Direct lateral interbody fusion [DLIF]</u></p> <p style="padding-left: 40px;"><u>Extreme lateral interbody fusion [XLIF]</u></p>
<p>Add inclusion term</p> <p>Add inclusion term</p> <p>Add inclusion term</p>	<p>81.07 Lumbar and lumbosacral fusion of the <u>posterior column</u>, <del>posterior or lateral-transverse process</del> technique</p> <p style="padding-left: 20px;"><u>Facet fusion</u></p> <p style="padding-left: 20px;"><u>Posterolateral technique</u></p> <p style="padding-left: 20px;"><u>Transverse process technique</u></p>
<p>Revise code title</p> <p>Revise inclusion term</p> <p>Revise inclusion term</p> <p>Delete inclusion term</p> <p>Add inclusion term</p>	<p>81.08 Lumbar and lumbosacral fusion of the <u>anterior column</u>, posterior technique</p> <p style="padding-left: 20px;">Arthrodesis of lumbar or lumbosacral region:</p> <p style="padding-left: 40px;"><del>posterior (interbody) technique fusion</del></p> <p style="padding-left: 40px;"><del>posterolateral technique</del></p> <p style="padding-left: 40px;"><u>Axial lumbar interbody fusion [AxiaLIF]</u></p>
<p>Add note</p>	<p>81.3 Refusion of spine</p> <p><u>Note: Spine fusion is classified by the anatomic portion (column) fused and the technique (approach) used to perform the fusion.</u></p> <p><u>For the anterior column, the body (corpus) of adjacent vertebrae are fused (interbody fusion). The anterior column can be fused using an anterior, lateral, or posterior technique.</u></p> <p><u>For the posterior column, posterior structures of adjacent vertebrae are fused (pedicle, lamina, facet, transverse process, or “gutter” fusion). A posterior column fusion can be performed using a posterior, posterolateral, or lateral transverse technique.</u></p>
<p>Revise code title</p>	<p>81.32 Refusion of other cervical spine, <u>anterior column</u>,</p>

		anterior technique
Revise inclusion term		Arthrodesis of C2 level or below: anterior ( <del>interbody technique</del> ) <u>fusion</u>
Revise code title	81.33	Refusion of other cervical spine, <u>posterior column</u> , posterior technique
Revise inclusion term		Arthrodesis of C2 level or below: , <u>posterolateral technique</u>
Delete inclusion term		<del>Posterior (interbody) technique</del>
Delete inclusion term		<del>Posterolateral technique</del>
Revise code title	81.34	Refusion of dorsal and dorsolumbar spine, <u>anterior column</u> , anterior technique
Revise inclusion term		Arthrodesis of thoracic or thoracolumbar region: anterior ( <del>interbody technique</del> ) <u>fusion</u>
Add inclusion term		<u>Extracavitary technique</u>
Revise code title	81.35	Refusion of dorsal and dorsolumbar spine, <u>posterior column</u> , posterior technique
Revise inclusion term		Arthrodesis of thoracic or thoracolumbar region: , <u>posterolateral technique</u>
Delete inclusion term		<del>posterior (interbody) technique</del>
Delete inclusion term		<del>posterolateral technique</del>
Revise code title	81.36	Refusion of lumbar and lumbosacral spine, <u>anterior column</u> , anterior technique
Revise inclusion term		Arthrodesis of lumbar or lumbosacral region: anterior ( <del>interbody technique</del> ) <u>fusion</u>
Add inclusion term		<u>retroperitoneal</u>
Add inclusion term		<u>transperitoneal</u>
Add inclusion term		<u>Direct lateral interbody fusion [DLIF]</u>
Add inclusion term		<u>Extreme lateral interbody fusion [XLIF]</u>
Revise code title	81.37	Refusion of lumbar and lumbosacral spine, <u>posterior column</u> , <del>posterior or lateral transverse</del> <del>process</del> technique
Add inclusion term		<u>Facet fusion</u>
Add inclusion term		<u>Posterolateral technique</u>
Add inclusion term		<u>Transverse process technique</u>
Revise code title	81.38	Refusion of lumbar and lumbosacral spine, <u>anterior</u>

Revise inclusion term	<u>column, posterior technique</u>
Revise inclusion term	Arthrodesis of lumbar or lumbosacral region: ,
Delete inclusion term	<u>posterior (interbody) technique fusion</u>
Add inclusion term	<u>posterolateral technique</u>
	<u>Axial lumbar interbody fusion [AxiaLIF]</u>
Revise code title	81.80 <u>Other</u> <del>F</del> total shoulder replacement
Add exclusion term	<u>Excludes: reverse total shoulder replacement (81.88)</u>
	81.83 Other repair of shoulder
Delete inclusion term	<u>Revision of arthroplasty of shoulder</u>
New code	81.88 Reverse total shoulder replacement
	Reverse ball-and-socket of the shoulder
	Excludes: conversion of prior (failed) total shoulder replacement (arthroplasty) to reverse total shoulder replacement (81.97)
	81.97 Revision of joint replacement of upper extremity
Add inclusion term	<u>Revision of arthroplasty of shoulder</u>
Revise code title	83.21 <u>Open B</u> biopsy of soft tissue
Revise exclusion term	Excludes: <u>closed</u> biopsy of skin and subcutaneous tissue (86.11)
New code	84.94 Insertion of sternal fixation device with rigid plates
	Excludes: insertion of sternal fixation device for internal fixation of fracture (79.39)
	internal fixation of bone without fracture reduction (78.59)
	85.51 Unilateral injection into breast for augmentation
Add exclusion term	<u>Excludes: injection of fat graft of breast (85.55)</u>
	85.52 Bilateral injection into breast for augmentation
Add exclusion term	<u>Excludes: injection of fat graft of breast (85.55)</u>

New code	85.55 Fat graft to breast Includes: extraction of fat for autologous graft Autologous fat transplantation or transfer Fat graft to breast NOS Fat graft to breast with or without use of enriched graft Micro-fat grafting Excludes: that with reconstruction of breast (85.70 – 85.79)
Revise exclusion term	85.92 Injection of therapeutic agent into breast Excludes: that for augmentation of breast (85.51-85.52, <u>85.55</u> )
Revise code title	86.11 <u>Closed</u> <del>B</del> biopsy of skin and subcutaneous tissue
Add exclusion term	86.83 Size reduction plastic operation <u>Excludes: liposuction to harvest fat graft (86.90)</u>
New code	86.87 Fat graft of skin and subcutaneous tissue Includes: extraction of fat for autologous graft Autologous fat transplantation or transfer Fat graft NOS Fat graft of skin and subcutaneous tissue with or without use of enriched graft Micro-fat grafting Excludes: fat graft to breast (85.55)
New code	86.90 Extraction of fat for graft or banking Harvest of fat for extraction of cells for future use Liposuction to harvest fat graft Excludes: that with graft at same operative episode (85.55, 86.87)
Add exclusion term	86.94 Insertion or replacement of single array neurostimulator pulse generator, not specified as rechargeable Excludes: <u>cranial implantation or replacement of neurostimulator pulse generator (01.20)</u>
Add exclusion term	86.95 Insertion or replacement of dual array neurostimulator pulse generator, not specified as rechargeable Excludes: <u>cranial implantation or replacement of neurostimulator</u>

pulse generator (01.20)

86.96 Insertion or replacement of other neurostimulator pulse generator  
Add exclusion term Excludes: cranial implantation or replacement of neurostimulator pulse generator (01.20)

86.97 Insertion or replacement of single array rechargeable neurostimulator pulse generator  
Add exclusion term Excludes: cranial implantation or replacement of neurostimulator pulse generator (01.20)

86.98 Insertion or replacement of dual array rechargeable neurostimulator pulse generator  
Add exclusion term Excludes: cranial implantation or replacement of neurostimulator pulse generator (01.20)

Revise code title 88.59 Intra-operative coronary fluorescence vascular angiography

Revise code title 99.14 Injection or infusion of ~~gamma globulin~~ immunoglobulin  
Add inclusion term Injection or infusion of gamma globulin

## **Index**

Ablation  
lesion  
heart  
maze procedure (Cox-maze)  
endovascular approach 37.34  
Revise subterm open (~~trans-thoracic~~)-approach 37.33  
Add subterm thoracoscopic approach 37.37  
Delete term ~~trans-thoracic approach 37.33~~  
Add subterm thoracoscopic approach 37.37  
lung 32.26  
Add subterm bronchoscopic thermoplasty 32.27

Revise subterm Acromioplasty 81.83  
total replacement, NEC 81.80

Add subterm	<u>other 81.80</u>
Add subterm	<u>reverse 81.88</u>
Add term	<u>Amygdalohippocampectomy 01.59</u>
Revise subterm	Angiocardiology (selective) 88.50
Revise subterm	intra-operative <u>coronary</u> fluorescence vascular 88.59
Revise subterm	SPY, <u>coronary</u> 88.59
Add subterm	Angiography (arterial) – <i>see also</i> Arteriography 88.40
Add subterm	<u>by magnetic resonance – see Imaging, magnetic resonance, by site</u>
Add subterm	<u>non-coronary, intra-operative fluorescence 17.71</u>
Revise subterm	Arteriography (contrast) (fluoroscopic) (retrograde) 88.40
Revise subterm	SPY, <u>coronary</u> 88.59
Add subterm	Arthrodesis (compression) (extra-articular) (intra-articular)
Revise indent/subterm	(with bone graft) (with fixation device) 81.20
Revise indent/subterm	lumbosacral, lumbar NEC 81.08
Add subterm	anterior <u>column</u> (interbody);
Revise indent/subterm	anterolateral ( <u>anterior</u> ) technique 81.06
Revise indent/subterm	posterior ( <del>interbody</del> ), <del>posterolateral</del> technique 81.08
Add subterm	<u>axial lumbar interbody fusion [AxiaLIF®] 81.08</u>
Add subterm	<u>direct lateral interbody fusion [DLIF] 81.06</u>
Add subterm	<u>extreme lateral interbody fusion [XLIF®] 81.06</u>
Add subterm	<u>facet 81.07</u>
Revise subterm	Arthroplasty (with fixation device) (with traction) 81.96
Add subterm	shoulder 81.83
Add subterm	prosthetic replacement (partial) 81.81
Revise subterm	total, <u>NEC 81.80</u>
Add subterm	<u>other 81.80</u>
Add subterm	<u>reverse 81.88</u>
Revise subterm	Biopsy
Add subterm	soft tissue NEC <del>83.21</del> <u>86.11</u>
Add subterm	<u>closed (needle) (punch) 86.11</u>
Add subterm	<u>open 83.21</u>

Revise term	Chemodectomy 39.89
	Creation – <i>see also</i> Formation
Add subterm	conduit <u>apical-aortic (AAC) 35.93</u>
	Denervation
Revise subterm	aortic body 39.89
Revise subterm	carotid body 39.89
	Destruction
	lesion
	heart
Add subterm	<u>by thoracoscopic approach 37.37</u>
Add subterm	<u>tissue of heart -<i>see</i> Excision, lesion, heart</u>
	Embolization (transcatheter)
	artery (selective) 38.80
	by
	endovascular approach 39.79
Revise subterm	head and neck vessels <u>39.72</u>
	coil, endovascular 39.79
Revise subterm	head and neck <u>39.75</u>
	Excision
Revise subterm	carotid body (lesion) (partial) (total) 39.89
	lesion
Revise subterm	heart <u>37.33 37.34</u>
Add subterm	<u>Cox-maze, open 37.33</u>
Add subterm	<u>maze, modified, endovascular 37.34</u>
Add subterm	<u>maze, modified, open 37.33</u>
Add subterm	<u>open 37.33</u>
Add subterm	<u>other approach, closed 37.34</u>
	Exploration
Revise subterm	carotid body 39.89
	Extraction
Add subterm	<u>fat for graft or banking 86.90</u>

Fixation

bone

internal (without fracture reduction) 78.50

thorax (ribs) (sternum) 78.51

Add subterm

sternal fixation device with rigid plates 84.94

Formation

conduit

Add subterm

apical-aortic (AAC) 35.93

Fusion

Revise subterm

spinal, NOS (with graft) (with internal fixation) (with instrumentation) 81.00

Add subterm

axial lumbar interbody fusion [AxiaLIF®] 81.08

cervical (C2 level or below) NEC 81.02

Revise subterm

anterior column (interbody), anterolateral (anterior) technique 81.02

Revise subterm

posterior column (~~interbody~~), posterolateral (posterior) technique 81.03

Add subterm

direct lateral interbody fusion [DLIF] 81.06

Revise subterm

dorsal, dorsolumbar NEC 81.05

anterior column (interbody), anterolateral (anterior) (extracavitary) technique 81.04

Revise subterm

posterior column (~~interbody~~), posterolateral (posterior) technique 81.05

Add subterm

extreme lateral interbody fusion [XLIF®] 81.06

Add subterm

facet 81.07

Revise subterm

lumbar, lumbosacral NEC 81.08

Revise subterm

anterior column (interbody);

Revise indent/subterm

anterolateral (anterior) technique 81.06

Revise indent/subterm

posterior (~~interbody~~), posterolateral technique 81.08

Revise indent

for pseudarthrosis 81.38

Add subterm

posterior column, posterior (posterolateral) (transverse process) technique 81.07

Glenoplasty, shoulder 81.83

with

Revise subterm

total replacement, NEC 81.80

Add subterm

other 81.80

Add subterm

reverse 81.88

Revise subterm	Glomectomy carotid <u>39.89</u>
Add subterm	Graft, grafting breast ( <i>see also</i> Mammoplasty) 85.89 <u>fat graft 85.55</u>
Add subterm	skin (partial-thickness) (split-thickness) 86.69 <u>fat 86.87</u>
Add subterm	Harvesting <u>fat for grafting or banking 86.90</u>
Add subterm	Implant, implantation <u>chemotherapeutic agent 00.10</u> device
Add subterm	<u>MitraClip® percutaneous mitral valve leaflet clip 35.97</u>
Add subterm	<u>sternal fixation device with rigid plates 84.94</u>
Revise subterm	electrode(s) carotid sinus <u>39.82</u>
Add subterm	<u>with synchronous pulse generator implantation (total system) 39.81</u>
Revise subterm	electronic stimulator carotid sinus <u>39.83</u>
Add subterm	<u>with synchronous lead(s) implantation (total system) 39.81</u>
Revise subterm	joint (prosthesis) (silastic) (Swanson type) NEC 81.96
Add subterm	shoulder (partial) 81.81
Add subterm	total replacement, <u>NEC 81.80</u>
Add subterm	<u>other 81.80</u>
Add subterm	<u>reverse 81.88</u>
Delete subterm	neurostimulator electrodes <del>carotid sinus 39.8</del>
Revise subterm	pulse generator ( <u>subcutaneous</u> ) 86.96
Add subterm	<u>cranial 01.20</u>
Revise subterm	pacemaker carotid sinus <u>39.89</u>
Revise subterm	prosthesis, prosthetic device joint (Swanson type) NEC 81.96
Add subterm	shoulder (partial) 81.81
Add subterm	total, <u>NEC 81.80</u>
Add subterm	<u>other 81.80</u>
Add subterm	<u>reverse 81.88</u>

Revise subterm	<u>Rheos™ carotid sinus baroreflex activation device 39.81</u>
	stimulator
Add subterm	<u>electrodes</u>
Revise subterm/indent	carotid sinus ( <u>baroreflex activation device</u> ) <del>39.8</del>
	<u>39.82</u>
Add subterm	<u>with synchronous pulse generator implantation</u>
	<u>(total system) 39.81</u>
Add subterm	<u>pulse generator</u>
Add subterm	<u>carotid sinus (baroreflex activation device) 39.83</u>
Add subterm	<u>with synchronous electrode(s) implantation (total</u>
	<u>system) 39.81</u>
	Incision (and drainage)
Revise subterm	carotid body <u>39.89</u>
	Infusion (intra-arterial) (intravenous)
Add subterm	<u>IgG (immunoglobulin) 99.14</u>
Add subterm	<u>immunoglobulin (IgG) (IVIG) (IVIg) 99.14</u>
Add subterm	<u>IVIG (immunoglobulin) (IVIg) 99.14</u>
	Injection (into) (hypodermically) (intramuscularly)
	(intravenously) (acting locally or systemically)
Add subterm	<u>IgG (immunoglobulin) 99.14</u>
Add subterm	<u>immunoglobulin (IgG) (IVIG) (IVIg) 99.14</u>
Add subterm	<u>IVIG (immunoglobulin) (IVIg) 99.14</u>
	Insertion
	catheter
	central venous NEC 38.93
Add subterm	<u>with guidance 38.97</u>
	device
Add subterm	<u>MitraClip® mitral leaflet clip 35.97</u>
Add subterm	<u>sternal fixation device with rigid plates 84.94</u>
	pacemaker
Revise subterm	carotid <u>39.89</u>
	prosthesis, prosthetic device
	shoulder
Revise subterm	total, <u>NEC 81.80</u>
Add subterm	<u>other 81.80</u>
Add subterm	<u>reverse 81.88</u>
	stent(s) (stent graft)
	artery (bare) (bonded) (drug-coated) (non-drug-eluting)

Add subterm femoral artery, superficial 39.90  
 Add subterm drug-eluting 00.60  
 Add subterm non-drug-eluting 39.90  
 non-coronary vessel  
 Add subterm femoral artery, superficial 39.90  
 Add subterm drug-eluting 00.60  
 Add subterm non-drug-eluting 39.90  
 peripheral 39.90  
 Add subterm femoral artery, superficial, drug-eluting 00.60  
 Add subterm sternal fixation device with rigid plates 84.94

#### Lavage

bronchus NEC 96.56  
 Revise subterm diagnostic (endoscopic) bronchoalveolar lavage (BAL) 33.24  
 Add subterm bronchoalveolar lavage (BAL) 33.24  
 Add subterm mini-bronchoalveolar lavage (mini-BAL) 33.29

Add term Maze procedure  
 Add subterm Cox-maze, open 37.33  
 Add subterm maze, modified, endovascular 37.34  
 Add subterm maze, modified, open 37.33

Add term MitraClip® mitral valve leaflet clip 35.97

#### Operation

Revise subterm aortic body NEC 39.89  
 Revise subterm carotid body or gland NEC 39.89  
 maze procedure (ablation or destruction of heart tissue)  
 Add subterm by median sternotomy 37.33  
 Add subterm by thoracotomy without thoracoscope 37.33  
 Delete subterm trans-thoracic approach 37.33

#### Refusion

spinal, NOS 81.30  
 Add subterm axial lumbar interbody fusion [AxiaLIF®] 81.38  
 cervical (C2 level or below) NEC 81.32  
 Revise subterm anterior column (interbody), anterolateral (anterior) technique 81.32  
 Revise subterm posterior column (interbody), posterolateral (posterior) technique 81.33  
 Add subterm direct lateral interbody fusion [DLIF] 81.36

dorsal, dorsolumbar NEC 81.35

Revise subterm anterior column (interbody), anterolateral (anterior) (extracavitary) technique 81.34

Revise subterm posterior column (~~interbody~~), posterolateral (posterior) technique 81.35

Add subterm extreme lateral interbody fusion [XLIF®] 81.36

Add subterm facet 81.37

Revise subterm lumbar, lumbosacral NEC 81.38

Revise subterm anterior column (interbody);

Revise indent/subterm anterolateral (anterior) technique 81.36

Revise indent/subterm posterior (~~interbody~~); ~~posterolateral~~ technique 81.38

Add subterm posterior column, posterior (posterolateral) (transverse process) technique 81.37

Removal – *see also* Excision

electrodes

Revise subterm carotid sinus ~~04.93~~ 39.87

Add subterm with synchronous pulse generator removal (total system) 39.86

Revise subterm with synchronous replacement ~~04.92~~ 39.82

neurostimulator

electrodes

Delete subterm ~~carotid sinus 04.93~~

Delete subterm ~~with synchronous replacement 04.92~~

Revise subterm pulse generator (subcutaneous single array, dual array) 86.05

Add subterm cranial 01.29

Add subterm with synchronous replacement 01.20

pulse generator

Add subterm carotid sinus 39.88

Add subterm with synchronous electrode removal (total system) 39.86

Add subterm with synchronous replacement 39.83

Repair

heart

valve (cusps) (open heart technique) 35.10

mitral (without replacement) 35.12

with

Add subterm leaflet clip implant 35.97

Add subterm MitraClip® 35.97

Add subterm balloon, percutaneous 35.96

Add subterm endovascular repair with implant 35.97

Add subterm percutaneous with leaflet clip implant 35.97

hernia NEC 53.9

Revise subterm anterior abdominal wall NEC (laparoscopic without graft or prosthesis) 53.59

inguinal (unilateral) 53.00

bilateral 53.10

direct

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.11

direct and indirect

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.13

indirect

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.12

direct (unilateral)

and indirect (unilateral)

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.01

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.01

indirect (unilateral)

Revise subterm other and open (laparoscopic without graft or prosthesis) 53.02

Revise subterm ventral (laparoscopic without graft or prosthesis) 53.59

incisional 53.51

Add subterm (laparoscopic without graft or prosthesis) 53.59

#### Replacement

electrode(s) – *see* Implant, electrode or lead by site or name of device

Revise subterm carotid sinus ~~04.92~~–39.82

Add subterm with synchronous pulse generator replacement (total system) 39.81

Revise subterm Rheos™ carotid sinus baroreflex activation device 39.81

shoulder NEC 81.83

Revise subterm total, NEC 81.80

Add subterm other 81.80

Add subterm reverse 81.88

stimulator

Add subterm electrode(s)

Revise subterm/indent carotid sinus ~~39.8~~ 39.82

Add subterm with synchronous pulse generator replacement (total

Add subterm system) 39.81  
Add subterm pulse generator  
Add subterm carotid sinus 39.83  
Add subterm with synchronous electrode(s) replacement (total system) 39.81

#### Revision

    pocket  
Add subterm carotid sinus stimulation pulse generator 39.85  
Add subterm with initial insertion of pulse generator - omit code  
Add subterm stimulator  
Add subterm electrode(s)  
Add subterm carotid sinus 39.84  
Add subterm pulse generator  
Add subterm carotid sinus 39.85

#### Stripping

Revise subterm carotid sinus 39.89

#### Thermoplasty

Add term  
Add subterm bronchoscopic, bronchial (lung) 32.27

#### Valvuloplasty

Revise subterm heart, unspecified (~~open heart technique~~) (without valve replacement) 35.10  
Add subterm balloon, percutaneous 35.96  
Revise subterm mitral valve (~~35.12~~)  
Add subterm balloon, percutaneous repair 35.96  
Add subterm endovascular repair with implant 35.97  
Add subterm open, without replacement 35.12  
Add subterm percutaneous repair  
Add subterm with implant (leaflet clip) 35.97  
Add subterm transcatheter repair with implant 35.97  
Add subterm open heart technique 35.10

#### Wang needle aspiration biopsy

Add subterm lung 33.27

**ICD-9-CM  
DIAGNOSIS TABULAR ADDENDA  
OCTOBER 1, 2010**

1. INFECTIOUS AND PARASITIC DISEASES (001-139)

- Revise Excludes: influenza (487.0-487.8, 488.01-488.19)
- 008 Intestinal infections due to other organisms
- 008.8 Other organism, not elsewhere classified
- Revise Excludes: influenza with involvement of gastrointestinal tract  
(487.8, 488.09, 488.19)
- 189 Malignant neoplasm of kidney and other and unspecified urinary organs
- Revise Excludes: malignant carcinoid tumor of kidney (209.24)
- 225 Benign neoplasm of brain and other parts of nervous system
- Revise Excludes: neurofibromatosis (237.70-237.79)
- 237 Neoplasm of uncertain behavior of endocrine glands and nervous system
- 237.7 Neurofibromatosis
- Delete ~~von Recklinghausen's disease~~
- New code 237.73 Schwannomatosis
- New code 237.79 Other neurofibromatosis
- 244 Acquired hypothyroidism
- 244.2 Iodine hypothyroidism
- Add Excludes: hypothyroidism resulting from administration of radioactive iodine (244.1)

	251	Other disorders of pancreatic internal secretion
	251.3	Postsurgical hypoinsulinemia
Revise		Use additional code to identify (any associated): acquired absence of pancreas ( <u>V88.11-V88.12</u> )
	275	Disorders of mineral metabolism
	275.0	Disorders of iron metabolism
Delete		<del>Bronzed diabetes</del>
Delete		<del>Hemochromatosis</del>
Delete		<del>Pigmentary cirrhosis (of liver)</del>
New code	275.01	Hereditary hemochromatosis Bronzed diabetes Pigmentary cirrhosis (of liver) Primary (hereditary) hemochromatosis
New code	275.02	Hemochromatosis due to repeated red blood cell transfusions Iron overload due to repeated red blood cell transfusions Transfusion (red blood cell) associated hemochromatosis
New code	275.03	Other hemochromatosis Hemochromatosis NOS
New code	275.09	Other disorders of iron metabolism
	276	Disorders of fluid, electrolyte, and acid-base balance
	276.6	Fluid overload
Delete		<del>Fluid retention</del>
New code	276.61	Transfusion associated circulatory overload Fluid overload due to transfusion (blood) (blood components) TACO
New code	276.69	Other fluid overload Fluid retention

	277	Other and unspecified disorders of metabolism
		277.7 Dysmetabolic syndrome X
Revise		Use additional code for associated manifestation, such as: obesity (278.00-278.03)
	278	Overweight, obesity and other hyperalimentation
		278.0 Overweight and obesity
New code	278.03	Obesity hypoventilation syndrome Pickwickian syndrome
	279	Disorders involving the immune mechanism
Add		Use additional code for associated manifestations
	285	Other and unspecified anemias
		285.2 Anemia of chronic disease
		285.22 Anemia in neoplastic disease
Add		Excludes: aplastic anemia due to antineoplastic chemotherapy (284.89)
	287	Purpura and other hemorrhagic conditions
		287.4 Secondary thrombocytopenia
Delete		<del>Posttransfusion purpura</del>
Delete		<del>Thrombocytopenia (due to):</del>
Delete		<del>dilutional</del>
Delete		<del>drugs</del>
Delete		<del>extracorporeal circulation of blood</del>
Delete		<del>massive blood transfusion</del>
Delete		<del>platelet alloimmunization</del>
New code	287.41	Posttransfusion purpura Posttransfusion purpura from whole blood (fresh) or blood products PTP

New code	287.49	Other secondary thrombocytopenia Thrombocytopenia (due to): dilutional drugs extracorporeal circulation of blood massive blood transfusion platelet alloimmunization secondary NOS
	307	Special symptoms or syndromes, not elsewhere classified
Revise	307.0	<del>Stuttering</del> <u>Adult onset fluency disorder</u>
Add		Excludes: childhood onset fluency disorder (315.35)
Revise		<del>stuttering</del> (fluency disorder) due to late effect of cerebrovascular accident (438.14)
Add		fluency disorder in conditions classified elsewhere (784.52)
	307.7	Encopresis
Revise		Excludes: encopresis of unspecified cause ( <u>787.60-787.63</u> )
	308	Acute reaction to stress
Add		Includes: combat and operational stress reaction
	315	Specific delays in development
	315.3	Developmental speech or language disorder
New code	315.35	Childhood onset fluency disorder Cluttering NOS Stuttering NOS
		Excludes: adult onset fluency disorder (307.0) fluency disorder due to late effect of cerebrovascular accident (438.14) fluency disorder in conditions classified elsewhere (784.52)
	315.39	Other
Delete		Excludes: <del>stammering and stuttering</del> (307.0)

	337	Disorders of the autonomic nervous system
		337.3 Autonomic dysreflexia
Revise		Use additional code to identify the cause, such as: fecal impaction ( <u>560.32</u> )
	345	Epilepsy and recurrent seizures
Delete		Excludes: <del>progressive myoclonic epilepsy (333.2)</del>
	360	Disorders of the globe
		360.5 Retained (old) intraocular foreign body, magnetic
Add		Use additional code to identify foreign body (V90.11)
		360.6 Retained (old) intraocular foreign body, nonmagnetic
Add		Use additional code to identify foreign body (V90.01-V90.10, V90.12, V90.2-V90.9)
	365	Glaucoma
		365.4 Glaucoma associated with congenital anomalies, dystrophies, and systemic syndromes
		365.44 Glaucoma associated with systemic syndromes
Revise		Code first associated disease, as: neurofibromatosis ( <u>237.70-237.79</u> )
	374	Other disorder of eyelids
		374.8 Other disorders of eyelid
		374.86 Retained foreign body of eyelid
Add		Use additional code to identify foreign body (V90.01-V90.9)

	376	Disorder of the orbit
		376.6 Retained (old) foreign body following penetrating wound of orbit
Add		Use additional code to identify foreign body (V90.01-V90.9)
	382	Suppurative and unspecified otitis media
		382.0 Acute suppurative otitis media
		382.02 Acute suppurative otitis media in diseases classified elsewhere
Revise		Code first underlying disease, as: influenza (487.8, <u>488.09</u> , <u>488.19</u> )
	385	Other disorders of middle ear and mastoid
		385.8 Other disorders of middle ear and mastoid
		385.83 Retained foreign body of middle ear
Add		Use additional code to identify foreign body (V90.01-V90.9)
Revise	403	Hypertensive chronic kidney disease any condition classifiable to 585 <u>and 587</u> with any condition classifiable to 401
	416	Chronic pulmonary heart disease
		416.0 Primary pulmonary hypertension
Add		Excludes: pulmonary hypertension NOS (416.8)
Add		secondary pulmonary hypertension (416.8)
Add		416.8 Other chronic pulmonary heart diseases Pulmonary hypertension NOS

	422	Acute myocarditis
		422.0 Acute myocarditis in diseases classified elsewhere
		Code first underlying disease, as:
Revise		myocarditis (acute): influenzal (487.8, <u>488.09, 488.19</u> )
	428	Heart failure
		428.0 Congestive heart failure, unspecified
Revise		Excludes: fluid overload NOS ( <u>276.69</u> )
	438	Late effects of cerebrovascular disease
		438.1 Speech and language deficits
		438.14 Fluency disorder
Revise		Stuttering <u>due to late effect of</u> <u>cerebrovascular accident</u>
	441	Aortic aneurysm and dissection
Add		Excludes: aortic ectasia (447.70-447.73)
	447	Other disorders of arteries and arterioles
		447.7 Aortic ectasia
New subcategory		Ectasis aorta
		Excludes: aortic aneurysm and dissection (441.00-441.9)
New code	447.70	Aortic ectasia, unspecified site
New code	447.71	Thoracic aortic ectasia
New code	447.72	Abdominal aortic ectasia
New code	447.73	Thoracoabdominal aortic ectasia

453 Other venous embolism and thrombosis

453.5 Chronic venous embolism and thrombosis of deep vessels of lower extremity

453.51 Chronic venous embolism and thrombosis of deep vessels of proximal lower extremity

Add Femoral  
Add Iliac  
Add Popliteal  
Add Thigh  
Add Upper leg NOS

453.52 Chronic venous embolism and thrombosis of deep vessels of distal lower extremity

Add Calf  
Add Lower leg NOS  
Add Peroneal  
Add Tibial

453.6 Venous embolism and thrombosis of superficial vessels of lower extremity

Add Use additional code, if applicable, for associated long-term (current) use of anticoagulants (V58.61)

ACUTE RESPIRATORY INFECTIONS (460-466)

Revise Excludes: pneumonia and influenza (480.0-488.19)

462 Acute pharyngitis

Revise Excludes: that specified as (due to):  
influenza (487.1, 488.02, 488.12)

464 Acute laryngitis and tracheitis

Revise Excludes: that associated with influenza (487.1, 488.02, 488.12)

464.0 Acute laryngitis

Revise Excludes: influenzal laryngitis (487.1, 488.02, 488.12)

465 Acute upper respiratory infections of multiple or unspecified sites

Revise Excludes: upper respiratory infection due to:  
influenza (487.1, 488.02, 488.12)

480 Viral pneumonia

480.8 Pneumonia due to other virus not elsewhere classified

Delete Excludes: ~~influenza with pneumonia, any form (487.0)~~

484 Pneumonia in infectious diseases classified elsewhere

Delete Excludes: ~~influenza with pneumonia, any form (487.0)~~

486 Pneumonia, organism unspecified

Delete Excludes: ~~influenza with pneumonia, any form (487.0)~~

487 Influenza

Revise Excludes: influenza due to novel 2009 H1N1 [swine] influenza virus  
(488.11-488.19)

Revise influenza due to identified avian influenza virus  
(488.01-488.09)

Revise influenza due to identified novel H1N1 influenza virus  
(488.11-488.19)

Add 487.1 With other respiratory manifestations  
Influenza NEC

488 Influenza due to certain identified influenza viruses

488.0 Influenza due to identified avian influenza virus

New code                      488.01      Influenza due to identified avian influenza virus  
with pneumonia  
Avian influenzal:  
    bronchopneumonia  
    pneumonia  
Influenza due to identified avian influenza  
virus with pneumonia, any form

Use additional code to identify the type of pneumonia  
(480.0-480.9, 481, 482.0-482.9, 483.0-483.8, 485)

New code                      488.02      Influenza due to identified avian influenza virus  
with other respiratory manifestations  
Avian influenzal:  
    laryngitis  
    pharyngitis  
    respiratory infection (acute) (upper)  
Identified avian influenza NOS

New code                      488.09      Influenza due to identified avian influenza virus  
with other manifestations  
Avian influenza with involvement of  
    gastrointestinal tract  
Encephalopathy due to identified avian  
influenza

Excludes: "intestinal flu" [viral gastroenteritis] (008.8)

488.1 Influenza due to identified novel H1N1 influenza virus

New code

488.11 Influenza due to identified novel H1N1 influenza virus with pneumonia  
Influenza due to identified novel H1N1 with pneumonia, any form  
Novel H1N1 influenzal:  
bronchopneumonia  
pneumonia

Use additional code to identify the type of pneumonia  
(480.0-480.9, 481, 482.0-482.9, 483.0-483.8, 485)

New code

488.12 Influenza due to identified novel H1N1 influenza virus with other respiratory manifestations  
Novel H1N1 influenza NOS  
Novel H1N1 influenzal:  
laryngitis  
pharyngitis  
respiratory infection (acute) (upper)

New code

488.19 Influenza due to identified novel H1N1 influenza virus with other manifestations  
Encephalopathy due to identified novel H1N1 influenza  
Novel H1N1 influenza with involvement of gastrointestinal tract

Excludes: "intestinal flu" [viral gastroenteritis] (008.8)

514 Pulmonary congestion and hypostasis

Excludes: hypostatic pneumonia due to or specified as a specific type of pneumonia - code to the type of pneumonia (480.0-480.9, 481, 482.0-482.9, 483.0-483.8, 485, 486, 487.0, 488.01, 488.11)

Revise

	516	Other alveolar and parietoalveolar pneumonopathy
	516.1	Idiopathic pulmonary hemosiderosis
Revise		Code first underlying disease ( <u>275.01-275.09</u> )
Add		Excludes: acute idiopathic pulmonary hemorrhage in infants [AIPHI] (786.31)
	552	Other hernia of abdominal cavity, with obstruction, but without mention of gangrene
	552.8	Hernia of other specified sites, with obstruction
Delete		<del>Excludes: hernia due to adhesion with obstruction (560.81)</del>
	560	Intestinal obstruction without mention of hernia
	560.3	Impaction of intestine
New code	560.32	Fecal impaction
		Excludes: constipation (564.00-564.09) incomplete defecation (787.61)
Delete	560.39	Other <del>Fecal impaction</del>
	564	Functional digestive disorders, not elsewhere classified
	564.0	Constipation
Add		Excludes: fecal impaction (560.32)
Add		incomplete defecation (787.61)
	569	Other disorders of intestine
	569.4	Other specified disorders of rectum and anus
	569.43	Anal sphincter tear (healed) (old)
Revise		Use additional code for any associated fecal incontinence ( <u>787.60-787.63</u> )

	569.49	Other
Add		Use additional code for associated fecal incontinence (787.60-787.63)
Delete		Excludes: <del>incontinence of sphincter ani (787.6)</del>
	572	Liver abscess and sequelae of chronic liver disease
	572.3	Portal hypertension
Add		Use additional code for any associated complications, such as: portal hypertensive gastropathy (537.89)
	583	Nephritis and nephropathy, not specified as acute or chronic
	583.6	With lesion of renal cortical necrosis
Revise		Nephropathy NOS with (renal) cortical <u>necrosis</u>
	618	Genital prolapse
	618.0	Prolapse of vaginal walls without mention of uterine prolapse
	618.04	Rectocele
Add		Use additional code for associated fecal incontinence (787.60-787.63)
	621	Disorders of uterus, not elsewhere classified
	621.4	Hematometra
Revise		Excludes: that in congenital anomaly (752.2- <u>752.39</u> )
	626	Disorders of menstruation and other abnormal bleeding from female genital tract
Add		Excludes: precocious puberty (259.1)

	629	Other disorders of female genital organs
	629.8	Other specified disorders of female genital organs
Revise	629.81	<del>Habitual aborter</del> <u>Recurrent pregnancy loss</u> without current pregnancy
Revise		Excludes: <del>habitual aborter</del> <u>recurrent pregnancy loss</u> with current pregnancy (646.3)
	646	Other complications of pregnancy, not elsewhere classified
Revise	646.3	<del>Habitual aborter</del> <u>Recurrent pregnancy loss</u>
	649	Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium
	649.1	Obesity complicating pregnancy, childbirth, or the puerperium
Revise		Use additional code to identify the obesity ( <u>278.00- 278.03</u> )
	651	Multiple gestation
Add		Use additional code to specify placenta status (V91.00-V91.99)
	664	Trauma to perineum and vulva during delivery
Add	664.8	Other specified trauma to perineum and vulva Periurethral trauma
	665	Other obstetrical trauma
	665.5	Other injury to pelvic organs
Add		Excludes: periurethral trauma (664.8)
	670	Major puerperal infection
	670.2	Puerperal sepsis
Add		Use additional code to identify severe sepsis (995.92) and any associated acute organ dysfunction, if applicable

	671	Venous complications in pregnancy and the puerperium
		671.2 Superficial thrombophlebitis
Add		Use additional code to identify the superficial thrombophlebitis (453.6, 453.71, 453.81)
	709	Other disorders of skin and subcutaneous tissue
		709.4 Foreign body granuloma of skin and subcutaneous tissue
Add		Use additional code to identify foreign body (V90.01-V90.9)
	713	Arthropathy associated with other disorders classified elsewhere
		713.0 Arthropathy associated with other endocrine and metabolic disorders
Revise		Code first underlying disease, as: hemochromatosis ( <u>275.01-275.09</u> )
	721	Spondylosis and allied disorders
		721.4 Thoracic or lumbar spondylosis with myelopathy
		721.42 Lumbar region
Delete		<del>Spondylogenic compression of lumbar spinal cord</del>
	724	Other and unspecified disorders of back
		724.0 Spinal stenosis, other than cervical
Revise		724.02 Lumbar region, <u>without neurogenic claudication</u>
Add		Lumbar region NOS
New code		724.03 Lumbar region, with neurogenic claudication

	728	Disorders of muscle, ligament, and fascia
	728.8	Other disorders of muscle, ligament, and fascia
	728.82	Foreign body granuloma of muscle
Add		Use additional code to identify foreign body (V90.01-V90.9)
	729	Other disorders of soft tissues
	729.6	Residual foreign body in soft tissue
Add		Use additional code to identify foreign body (V90.01-V90.9)
	737	Curvature of spine
	737.4	Curvature of spine associated with other conditions
Revise		Code first associated condition, as: neurofibromatosis (237.70-237.79)
	742	Other congenital anomalies of nervous system
	742.8	Other specified anomalies of nervous system
Revise		Excludes: neurofibromatosis (237.70-237.79)
	748	Congenital anomalies of respiratory system
	748.1	Other anomalies of nose
Revise		Congenital: <u>perforation</u> of wall of nasal sinus
	751	Other congenital anomalies of digestive system
	751.2	Atresia and stenosis of large intestine, rectum, and anal canal
Revise		Absence: large <u>intestine</u> , congenital
	751.3	Hirschsprung's disease and other congenital functional disorders of colon
Revise		<u>Macrocolon</u>

752 Congenital anomalies of genital organs

752.3 Other anomalies of uterus

Delete ~~Absence, congenital, of uterus~~  
Delete ~~Agenesis of uterus~~  
Delete ~~Aplasia of uterus~~  
Delete ~~Bicornuate uterus~~  
Delete ~~Uterus unicornis~~  
Delete ~~Uterus with only one functioning horn~~

New code 752.31 Agenesis of uterus  
Congenital absence of uterus  
New code 752.32 Hypoplasia of uterus  
New code 752.33 Unicornuate uterus  
Unicornuate uterus with or without a separate  
uterine horn  
Uterus with only one functioning horn  
New code 752.34 Bicornuate uterus  
Bicornuate uterus, complete or partial  
New code 752.35 Septate uterus  
Septate uterus, complete or partial  
New code 752.36 Arcuate uterus  
New code 752.39 Other anomalies of uterus  
Aplasia of uterus NOS  
Müllerian anomaly of the uterus, NEC

Excludes: anomaly of uterus due to exposure to  
diethylstilbestrol [DES] in utero (760.76)  
didelphic uterus (752.2)  
doubling of uterus (752.2)

752.4 Anomalies of cervix, vagina, and external female genitalia

New code 752.43 Cervical agenesis  
Cervical hypoplasia  
New code 752.44 Cervical duplication  
New code 752.45 Vaginal agenesis  
Agenesis of vagina, total or partial  
New code 752.46 Transverse vaginal septum  
New code 752.47 Longitudinal vaginal septum  
Longitudinal vaginal septum with or without  
obstruction

	752.49	Other anomalies of cervix, vagina, and external female genitalia
Revise		Absence of <del>cervix</del> , clitoris, <del>vagina</del> , or vulva
Revise		Agensis of <del>cervix</del> , clitoris, <del>vagina</del> , or vulva
Add		Anomalies of cervix, NEC
Add		Anomalies of hymen, NEC
Add		Müllerian anomalies of the cervix and vagina, NEC
	753	Congenital anomalies of urinary system
	753.4	Other specified anomalies of ureter
Revise		<u>Deviation</u> of ureter
	759	Other and unspecified congenital anomalies
	759.6	Other hamartoses, NEC
Revise		Excludes: neurofibromatosis (237.70-237.79)
	763	Fetus or newborn affected by other complications of labor and delivery
	763.5	Maternal anesthesia and analgesia
Revise		Reactions and intoxications from maternal opiates and <u>tranquilizers</u> during labor and delivery
	771	Infections specific to the perinatal period
	771.8	Other infections specific to the perinatal period
Revise		Use additional code to identify organism <u>or specific infection</u> ( <del>041.00-041.9</del> )
	780	General symptoms
	780.3	Convulsions
New code	780.33	Post traumatic seizures
		Excludes: post traumatic epilepsy (345.00-345.91)

	780.6	Fever and other physiologic disturbances of temperature regulation
	780.62	Postprocedural fever
Add		Excludes: posttransfusion fever (780.66)
New code	780.66	Febrile nonhemolytic transfusion reaction FNHTR Posttransfusion fever
	781	Symptoms involving nervous and musculoskeletal systems
Revise	781.8	Neurologic neglect <u>syndrome</u>
Add		Excludes: visuospatial deficit (799.53)
	782	Symptoms involving skin and other integumentary tissue
	782.3	Edema
Revise		Excludes: fluid retention ( <u>276.69</u> )
	784	Symptoms involving head and neck
	784.5	Other speech disturbance
Revise		Excludes: <del>stammering and</del> stuttering (315.35)
Delete		<del>that of nonorganic origin (307.0, 307.9)</del>
New code	784.52	Fluency disorder in conditions classified elsewhere Stuttering in conditions classified elsewhere
		Code first underlying disease or condition, such as: Parkinson's disease (332.0)
		Excludes: adult onset fluency disorder (307.0) childhood onset fluency disorder (315.35) fluency disorder due to late effect of cerebrovascular accident (438.14)

	784.8	Hemorrhage from throat
Revise		Excludes: hemoptysis ( <u>786.30-786.39</u> )
	784.9	Other symptoms involving head and neck
New code	784.92	Jaw pain Mandibular pain Maxilla pain
		Excludes: temporomandibular joint arthralgia (524.62)
	786	Symptoms involving respiratory system and other chest symptoms
	786.2	Cough
Revise		Excludes: cough: with hemorrhage ( <u>786.39</u> )
	786.3	Hemoptysis
Delete		<del>Cough with hemorrhage</del>
Delete		<del>Pulmonary hemorrhage NOS</del>
Delete		<del>Excludes: pulmonary hemorrhage of newborn (770.3)</del>
New code	786.30	Hemoptysis, unspecified Pulmonary hemorrhage NOS
New code	786.31	Acute idiopathic pulmonary hemorrhage in infants [AIPHI] Acute idiopathic pulmonary hemorrhage in infant over 28 days old
		Excludes: pulmonary hemorrhage of newborn under 28 days old (770.3) von Willebrand's disease (286.4)
New code	786.39	Other hemoptysis Cough with hemorrhage

	787	Symptoms involving digestive system
	787.6	Incontinence of feces
New code	787.60	Full incontinence of feces Fecal incontinence NOS
New code	787.61	Incomplete defecation
		Excludes: constipation (564.00-564.09) fecal impaction (560.32)
New code	787.62	Fecal smearing Fecal soiling
New code	787.63	Fecal urgency
	796	Other nonspecific abnormal findings
	796.0	Nonspecific abnormal toxicological findings
Add		Use additional code for retained foreign body, if applicable, (V90.01-V90.9)
	799	Other ill-defined and unknown causes of morbidity and mortality
New Subcategory	799.5	Signs and symptoms involving cognition
		Excludes: amnesia (780.93) amnesic syndrome (294.0) attention deficit disorder (314.00-314.01) late effects of cerebrovascular disease (438) memory loss (780.93) mild cognitive impairment, so stated (331.83) specific problems in developmental delay (315.00- 315.9) transient global amnesia (437.7) visuospatial neglect 781.8
New code	799.51	Attention or concentration deficit
New code	799.52	Cognitive communication deficit
New code	799.53	Visuospatial deficit

New code 799.54 Psychomotor deficit

New code 799.55 Frontal lobe and executive function deficit

New code 799.59 Other signs and symptoms involving cognition

799.8 Other ill-defined conditions

799.82 Apparent life threatening event in infant

Add Code first confirmed diagnosis, if known

Revise Use additional code(s) for associated signs and symptoms if no confirmed diagnosis established, or if signs and symptoms are not associated routinely with confirmed diagnosis, or provide additional information for cause of ALTE

Delete ~~Excludes: signs and symptoms associated with a confirmed diagnosis—code to confirmed diagnosis~~

17. INJURY AND POISONING (800-999)

Add Use additional code for retained foreign body, if applicable, V90.01-V90.9)

836 Dislocation of knee

836.5 Other dislocation of knee, closed

Revise 836.51 Anterior dislocation of tibia, proximal end  
Posterior dislocation of femur, distal end,  
closed

Revise 836.52 Posterior dislocation of tibia, proximal end  
Anterior dislocation of femur, distal end,  
closed

836.6 Other dislocation of knee, open

Add 836.61 Anterior dislocation of tibia, proximal end  
Posterior dislocation of femur, distal end,  
open

Add 836.62 Posterior dislocation of tibia, proximal end  
Anterior dislocation of femur, distal end,  
open

SPRAINS AND STRAINS OF JOINTS AND ADJACENT MUSCLES (840-848)

Revise Includes: avulsion of joint capsule, ligament, muscle, tendon  
Revise hemarthrosis of joint capsule, ligament, muscle, tendon  
Revise laceration of joint capsule, ligament, muscle, tendon  
Revise rupture of joint capsule, ligament, muscle, tendon  
Revise sprain of joint capsule, ligament, muscle, tendon  
Revise strain of joint capsule, ligament, muscle, tendon  
Revise tear of joint capsule, ligament, muscle, tendon

970 Poisoning by central nervous system stimulants

970.8 Other specified central nervous system stimulants

New code 970.81 Cocaine  
Crack

New code 970.89 Other central nervous system stimulants

TOXIC EFFECTS OF SUBSTANCES CHIEFLY NONMEDICINAL AS TO SOURCE  
(980-989)

Add Use additional code to identify:  
Add personal history of retained foreign body fully removed (V15.53)  
Add retained foreign body status, if applicable (V90.01-V90.9)

992 Effects of heat and light

992.0 Heat stroke and sunstroke

Add Use additional code(s) to identify any associated complication of  
heat stroke, such as:  
Add alterations of consciousness (780.01-780.09)  
Add systemic inflammatory response syndrome (995.93-995.94)

995 Certain adverse effects not elsewhere classified

Revise	995.2	Other and unspecified adverse effect of drug, medicinal and biological substance <del>(due) to correct medicinal substance properly administered</del>
Delete		<del>Adverse effect to correct medicinal substance properly administered</del>
Delete		<del>Allergic reaction to correct medicinal substance properly administered</del>
Delete		<del>Hypersensitivity to correct medicinal substance properly administered</del>
Delete		<del>Idiosyncrasy due to correct medicinal substance properly administered</del>
Delete		<del>Drug:</del>
Delete		<del>hypersensitivity NOS</del>
Delete		<del>reaction NOS</del>
Add	995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance Unspecified adverse effect of unspecified medicinal substance properly administered
Add	995.27	Other drug allergy Allergic reaction NEC (due) to correct medical substance properly administered
Add		Hypersensitivity (due) to correct medical substance properly administered
Add	995.29	Unspecified adverse effect of other drug, medicinal and biological substance Unspecified adverse effect of medicinal substance NEC properly administered
	995.9	Systemic inflammatory response syndrome (SIRS)
	995.94	Systemic inflammatory response syndrome due to non-infectious process with acute organ dysfunction
Add		Code first underlying conditions, such as: heat stroke (992.0)

	998	Other complications of procedures, not elsewhere classified
Add		Excludes: fluid overload due to transfusion (blood) (276.61) TACO (276.61) transfusion associated circulatory overload (276.61)
	999	Complications of medical care, not elsewhere classified
Revise	999.6	<u>ABO incompatibility reaction due to transfusion of blood or blood products</u>
Delete		<del>Incompatible blood transfusion</del>
Delete		<del>Reaction to blood group incompatibility in infusion or transfusion</del>
New code	999.60	ABO incompatibility reaction, unspecified ABO incompatible blood transfusion NOS Reaction to ABO incompatibility from transfusion NOS
New code	999.61	ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed ABO incompatibility with hemolytic transfusion reaction at unspecified time after transfusion Hemolytic transfusion reaction (HTR) due to ABO incompatibility
New code	999.62	ABO incompatibility with acute hemolytic transfusion reaction ABO incompatibility with hemolytic transfusion reaction less than 24 hours after transfusion Acute hemolytic transfusion reaction (AHTR) due to ABO incompatibility
New code	999.63	ABO incompatibility with delayed hemolytic transfusion reaction ABO incompatibility with hemolytic transfusion reaction 24 hours or more after transfusion Delayed hemolytic transfusion reaction (DHTR) due to ABO incompatibility

New code	999.69	Other ABO incompatibility reaction Delayed serologic transfusion reaction (DSTR) from ABO incompatibility Other ABO incompatible blood transfusion Other reaction to ABO incompatibility from transfusion
Revise	999.7	<u>Rh and other non-ABO incompatibility reaction due to transfusion of blood or blood products</u>
Delete		<del>Reactions due to Rh factor in infusion or transfusion</del>
New code	999.70	Rh incompatibility reaction, unspecified Reaction due to Rh factor in transfusion NOS Rh incompatible blood transfusion NOS Unspecified reaction due to incompatibility related to Rh antigens (C) (c) (D) (E) (e) Unspecified reaction to Rh incompatibility
New code	999.71	Rh incompatibility with hemolytic transfusion reaction not specified as acute or delayed Hemolytic transfusion reaction (HTR) due to Rh incompatibility HTR due to incompatibility related to Rh antigens (C) (c) (D) (E) (e), not specified as acute or delayed Rh incompatibility with hemolytic transfusion reaction at unspecified time after transfusion
New code	999.72	Rh incompatibility with acute hemolytic transfusion reaction Acute hemolytic transfusion reaction (AHTR) due to Rh incompatibility AHTR due to incompatibility related to Rh antigens (C) (c) (D) (E) (e) Rh incompatibility with hemolytic transfusion reaction less than 24 hours after transfusion

New code	999.73	Rh incompatibility with delayed hemolytic transfusion reaction Delayed hemolytic transfusion reaction (DHTR) due to Rh incompatibility DHTR due to incompatibility related to Rh antigens (C) (c) (D) (E) (e) Rh incompatibility with hemolytic transfusion reaction 24 hours or more after transfusion
New code	999.74	Other Rh incompatibility reaction Delayed serologic transfusion reaction (DSTR) from Rh incompatibility Other reaction due to incompatibility related to Rh antigens (C) (c) (D) (E) (e) Other reaction to Rh incompatible blood transfusion
New code	999.75	Non-ABO incompatibility reaction, unspecified Non-ABO incompatible blood transfusion NOS Reaction to non-ABO antigen incompatibility from transfusion NOS Unspecified reaction due to incompatibility related to minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)
New code	999.76	Non-ABO incompatibility with hemolytic transfusion reaction not specified as acute or delayed Hemolytic transfusion reaction (HTR) due to non-ABO incompatibility HTR from incompatibility related to minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) Non-ABO incompatibility with hemolytic transfusion reaction at unspecified time after transfusion

New code	999.77	Non-ABO incompatibility with acute hemolytic transfusion reaction Acute hemolytic transfusion reaction (AHTR) due to non-ABO incompatibility AHTR from incompatibility related to minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) Non-ABO incompatibility with hemolytic transfusion reaction less than 24 hours after transfusion
New code	999.78	Non-ABO incompatibility with delayed hemolytic transfusion reaction Delayed hemolytic transfusion reaction (DHTR) due to non-ABO incompatibility DHTR from incompatibility related to minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) Non-ABO incompatibility with hemolytic transfusion reaction 24 hours or more after transfusion
New code	999.79	Other non-ABO incompatibility reaction Delayed serologic transfusion reaction (DSTR) from non-ABO incompatibility Other non-ABO incompatible blood transfusion Other reaction due to incompatibility related to minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) Other reaction to non-ABO incompatibility from transfusion
Revise	999.8	<u>Other and unspecified</u> infusion and transfusion reaction
Add		Excludes: ABO incompatibility reactions (999.60-999.69)
Add		febrile nonhemolytic transfusion reaction (FNHTR) (780.66)
Add		hemochromatosis due to repeated red blood cell transfusions (275.02)
Add		non-ABO incompatibility reactions (999.70-999.79)
Add		posttransfusion purpura (287.41)
Add		Rh incompatibility reactions (999.70-999.74)
Add		transfusion associated circulatory overload (TACO) (276.61)

New code	999.80	Transfusion reaction, unspecified Incompatible blood transfusion NOS Reaction to blood group incompatibility in infusion or transfusion NOS
New code	999.83	Hemolytic transfusion reaction, incompatibility unspecified Hemolytic transfusion reaction (HTR) with antigen incompatibility unspecified, not specified as acute or delayed HTR with incompatibility unspecified at unspecified time after transfusion
New code	999.84	Acute hemolytic transfusion reaction, incompatibility unspecified Acute hemolytic transfusion reaction (AHTR) with antigen incompatibility unspecified AHTR, incompatibility unspecified
New code	999.85	Delayed hemolytic transfusion reaction, incompatibility unspecified Delayed hemolytic transfusion reaction (DHTR) with antigen incompatibility unspecified DHTR, incompatibility unspecified
Delete	999.89	Other transfusion reaction <del>Transfusion reaction NOS</del>
Add		Delayed serologic transfusion reaction (DSTR), incompatibility unspecified

Revise section heading

SUPPLEMENTARY CLASSIFICATION OF FACTORS INFLUENCING HEALTH  
STATUS AND CONTACT WITH HEALTH SERVICES (V01-V90)

Revise	V07	Need for isolation and other prophylactic <u>or treatment</u> measures
Add		Excludes: long-term (current) (prophylactic) use of certain specific drugs (V58.61-V58.69)
Revise	V07.5	<del>Prophylactic use of</del> Use of agents affecting estrogen receptors and estrogen levels

Revise	V07.51	<del>Prophylactic</del> Use of selective estrogen receptor modulators (SERMs)
Revise		<del>Prophylactic</del> Use of:
Revise	V07.52	<del>Prophylactic</del> Use of aromatase inhibitors
Revise		<del>Prophylactic</del> Use of:
Revise	V07.59	<del>Prophylactic</del> Use of other agents affecting estrogen receptors and estrogen levels
Revise		<del>Prophylactic</del> Use of:
Revise	V07.8	Other specified prophylactic <u>or treatment</u> measure
Revise	V07.9	Unspecified prophylactic <u>or treatment</u> measure
	V10	Personal history of malignant neoplasm
	V10.5	Urinary organs
Add		Excludes: personal history of malignant carcinoid tumor (V10.91)
Add		personal history of malignant neuroendocrine tumor (V10.91)
	V11	Personal history of mental disorder
New code	V11.4	Combat and operational stress reaction
	V13	Personal history of other diseases
	V13.2	Other genital system and obstetric disorders
Revise		Excludes: <del>habitual aborter</del> <u>recurrent pregnancy loss</u> (646.3)
New code	V13.23	Personal history of vaginal dysplasia
		Personal history of conditions classifiable to 623.0
		Excludes: personal history of malignant neoplasm of vagina (V10.44)

New code	V13.24	Personal history of vulvar dysplasia Personal history of conditions classifiable to 624.01-624.02
		Excludes: personal history of malignant neoplasm of vulva (V10.44)
Revise	V13.6	Congenital <u>(corrected)</u> malformations
Revise	V13.61	<u>Personal history of (corrected)</u> hHypospadias
New code	V13.62	Personal history of other (corrected) congenital malformations of genitourinary system
New code	V13.63	Personal history of (corrected) congenital malformations of nervous system
New code	V13.64	Personal history of (corrected) congenital malformations of eye, ear, face and neck Corrected cleft lip and palate
New code	V13.65	Personal history of (corrected) congenital malformations of heart and circulatory system
New code	V13.66	Personal history of (corrected) congenital malformations of respiratory system
New code	V13.67	Personal history of (corrected) congenital malformations of digestive system
New code	V13.68	Personal history of (corrected) congenital malformations of integument, limbs, and musculoskeletal systems
Revise	V13.69	<u>Personal history of other (corrected)</u> congenital malformations

	V15	Other personal history presenting hazards to health
		V15.5 Injury
New code	V15.53	Personal history of retained foreign body fully removed
	V15.8	Other specified personal history presenting hazards to health
	V15.89	Other
Revise		Excludes: contact with and (suspected)→ exposure to <del>other potentially</del> <u>other potentially</u> hazardous substances (V87.39)
	V23	Supervision of high-risk pregnancy
	V23.2	Pregnancy with history of abortion
Revise		Excludes: <del>habitual aborter</del> <u>recurrent pregnancy loss</u> ;
	V25	Encounter for contraceptive management
Revise	V25.1	<u>Encounter for insertion or removal</u> of intrauterine contraceptive device
Add		Excludes: encounter for routine checking of intrauterine contraceptive device (V25.42)
New code	V25.11	Encounter for insertion of intrauterine contraceptive device
New code	V25.12	Encounter for removal of intrauterine contraceptive device
New code	V25.13	Encounter for removal and reinsertion of intrauterine contraceptive device Encounter for replacement of intrauterine contraceptive device
	V25.4	Surveillance of previously prescribed contraceptive methods

Delete	<del>Excludes: presence of intrauterine contraceptive device as incidental finding (V45.5)</del>
Revise	V25.42    Intrauterine contraceptive device Checking, <del>reinsertion, or removal</del> of intrauterine device
Add	Excludes: insertion or removal of intrauterine contraceptive device (V25.11-V25.13)
Add	presence of intrauterine contraceptive device as incidental finding (V45.5)
	V26    Procreative management
	V26.3    Genetic counseling and testing
	V26.32    Other genetic testing of female
Revise	Use additional code to identify <del>habitual aborter</del> <u>recurrent pregnancy loss</u> (629.81, 646.3)
Revise	V26.35    Encounter for testing of male partner of <del>habitual aborter</del> <u>female with recurrent pregnancy loss</u>
	V45    Other postprocedural states
	V45.0    Cardiac device in situ
	V45.01    Cardiac pacemaker
Add	Excludes: cardiac defibrillator with synchronous cardiac pacemaker (V45.02)
Add	V45.02    Automatic implantable cardiac defibrillator With synchronous cardiac pacemaker
	V45.5    Presence of contraceptive device
Delete	<del>Excludes: checking, reinsertion, or removal of device (V25.42) complication from device (996.32) insertion of device (V25.1)</del>

	V45.51	Intrauterine contraceptive device
Add		Excludes: checking of device (V25.42)
Add		complication from device (996.32)
Add		insertion and removal of device (V25.11- V25.13)
	V45.7	Acquired absence of organ
	V45.79	Other acquired absence of organ
Add		Excludes: acquired absence of pancreas (V88.11-V88.12)
	V46	Other dependence on machines and devices
	V46.3	Wheelchair dependence
Revise		Code first cause of dependence, such as: obesity ( <u>278.00-278.03</u> )
	V49	Other conditions influencing health status
	V49.8	Other specified conditions influencing health status
New code	V49.86	Do not resuscitate status
New code	V49.87	Physical restraints status
		Excludes: restraint due to a procedure – omit code
	V53	Fitting and adjustment of other device
	V53.3	Cardiac device
	V53.31	Cardiac pacemaker
Add		Excludes: automatic implantable cardiac defibrillator with synchronous cardiac pacemaker (V53.32)
Add	V53.32	Automatic implantable cardiac defibrillator With synchronous cardiac pacemaker

	V55	Attention to artificial openings
Revise		Excludes: complications of external stoma (519.00-519.09, 569.60-569.69, <del>997.4</del> , 997.5)
	V58	Encounter for other and unspecified procedures and aftercare
	V58.6	Long-term (current) drug use
Add		Long-term (current) prophylactic drug use
Revise		Excludes: <del>prophylactic</del> use of agents affecting estrogen receptors and estrogen levels (V07.51-V07.59)
	V62	Other psychosocial circumstances
	V62.8	Other psychological or physical stress, not elsewhere classified
New code	V62.85	Homicidal ideation
	V76	Special screening for malignant neoplasms
	V76.5	Intestine
	V76.51	Colon
Add		Screening colonoscopy NOS
	V85	Body mass index (BMI)
	V85.4	Body Mass Index 40 and over, adult
New code	V85.41	Body Mass Index 40.0-44.9, adult
New code	V85.42	Body Mass Index 45.0-49.9, adult
New code	V85.43	Body Mass Index 50.0-59.9, adult
New code	V85.44	Body Mass Index 60.0-69.9, adult
New code	V85.45	Body Mass Index 70 and over, adult
	V87	Other specified personal exposures and history presenting hazards to health
	V87.3	Contact with and (suspected) exposure to other potentially hazardous substances
Add		Excludes: personal history of retained foreign body fully removed (V15.53)

	V88	Acquired absence of other organs and tissue
New subcategory	V88.1	Acquired absence of pancreas
		Use additional code to identify any associated: insulin use (V58.67) secondary diabetes mellitus (249.00-249.91)
New code	V88.11	Acquired total absence of pancreas Acquired absence of pancreas NOS
New code	V88.12	Acquired partial absence of pancreas
New Section	RETAINED FOREIGN BODY (V90)	
New Category	V90	Retained foreign body Embedded fragment (status) Embedded splinter (status) Retained foreign body status
		Excludes: artificial joint prosthesis status (V43.60-V43.69) foreign body accidentally left during a procedure (998.4) foreign body entering through orifice (930.0-939.9) in situ cardiac devices (V45.00-V45.09) organ or tissue replaced by other means (V43.0-V43.89) organ or tissue replaced by transplant (V42.0-V42.9) personal history of retained foreign body removed (V15.53) superficial foreign body (splinter) (categories 910-917 and 919 with 4 <sup>th</sup> character 6 or 7, 918.0)
New subcategory	V90.0	Retained radioactive fragment
New code	V90.01	Retained depleted uranium fragments
New code	V90.09	Other retained radioactive fragments Other retained depleted isotope fragments Retained nontherapeutic radioactive fragments
New subcategory	V90.1	Retained metal fragments
		Excludes: retained radioactive metal fragments (V90.01-V90.09)
New code	V90.10	Retained metal fragments, unspecified Retained metal fragment NOS
New code	V90.11	Retained magnetic metal fragments
New code	V90.12	Retained nonmagnetic metal fragments

New code	V90.2	Retained plastic fragments Acrylics fragments Diethylhexylphthalates fragments Isocyanate fragments
New subcategory	V90.3	Retained organic fragments
New code	V90.31	Retained animal quills or spines
New code	V90.32	Retained tooth
New code	V90.33	Retained wood fragments
New code	V90.39	Other retained organic fragments
New subcategory	V90.8	Other specified retained foreign body
New code	V90.81	Retained glass fragments
New code	V90.83	Retained stone or crystalline fragments Retained concrete or cement fragments
New code	V90.89	Other specified retained foreign body
New code	V90.9	Retained foreign body, unspecified material
New Section	MULTIPLE GESTATION PLACENTA STATUS (V91)	
New category	V91	Multiple gestation placenta status  Code first multiple gestation (651.0-651.9)
New subcategory	V91.0	Twin gestation placenta status
New code	V91.00	Twin gestation, unspecified number of placenta, unspecified number of amniotic sacs
New code	V91.01	Twin gestation, monochorionic/monoamniotic (one placenta, one amniotic sac)
New code	V91.02	Twin gestation, monochorionic/diamniotic (one placenta, two amniotic sacs)
New code	V91.03	Twin gestation, dichorionic/diamniotic (two placentae, two amniotic sacs)
New code	V91.09	Twin gestation, unable to determine number of placenta and number of amniotic sacs
New subcategory	V91.1	Triplet gestation placenta status
New code	V91.10	Triplet gestation, unspecified number of placenta and unspecified number of amniotic sacs
New code	V91.11	Triplet gestation, with two or more monochorionic fetuses

New code	V91.12	Triplet gestation, with two or more monoamniotic fetuses
New code	V91.19	Triplet gestation, unable to determine number of placenta and number of amniotic sacs
New subcategory	V91.2	Quadruplet gestation placenta status
New code	V91.20	Quadruplet gestation, unspecified number of placenta and unspecified number of amniotic sacs
New code	V91.21	Quadruplet gestation, with two or more monochorionic fetuses
New code	V91.22	Quadruplet gestation, with two or more monoamniotic fetuses
New code	V91.29	Quadruplet gestation, unable to determine number of placenta and number of amniotic sacs
New subcategory	V91.9	Other specified multiple gestation placenta status Placenta status for multiple gestations greater than quadruplets
New code	V91.90	Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs
New code	V91.91	Other specified multiple gestation, with two or more monochorionic fetuses
New code	V91.92	Other specified multiple gestation, with two or more monoamniotic fetuses
New code	V91.99	Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs

E000 External cause status

New code E000.2 Volunteer activity

Excludes: activity of child or other family member assisting in compensated work of other family member (E000.8)

Add E000.8 Other external cause status  
Activity of child or other family member assisting in compensated work of other family member

Delete ~~Volunteer activity~~

E017 Activities involving roller coasters and other types of external motion

Revise E017.0 Roller coaster riding

TRANSPORT ACCIDENTS (E800-E848)

Definitions and examples related to transport accidents

(q) pedestrian conveyance is any human powered device by which a pedestrian may move other than by walking or by which a walking person may move another pedestrian.

Add Includes: motorized mobility scooter  
Revise wheelchair (electric)

Revise PLACE OF OCCURRENCE (E849)

E865 Accidental poisoning from poisonous foodstuffs and poisonous plants

Revise Excludes: anaphylactic shock due to adverse food reaction (995.60-995.69)

E884 Other fall from one level to another

Add E884.3 Fall from wheelchair  
Add Fall from motorized mobility scooter  
Fall from motorized wheelchair

E885 Fall on same level from slipping, tripping, or stumbling

E885.0 Fall from (nonmotorized) scooter

Add Excludes: fall from motorized mobility scooter (E884.3)

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

ABO

incompatibility (*due to transfusion of blood or blood products*) ~~reaction 999.6~~  
with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.61  
24 hours or more after transfusion 999.63  
acute 999.62  
delayed 999.63  
less than 24 hours after transfusion 999.62  
unspecified time after transfusion 999.61  
reaction 999.60  
specified NEC 999.69

Absence (organ or part) (complete or partial)

cervix (acquired) (uteri) V88.01  
congenital **752.43**  
pancreas (congenital) 751.7  
acquired (postoperative) (posttraumatic) **V88.11**  
partial **V88.12**  
total **V88.11**

uterus (acquired) V88.01

congenital **752.31**

vagina, congenital **752.45**

Accessory (congenital)

cervix **752.44**  
external os **752.44**

Administration, prophylactic

antibiotics, ***long-term*** **V58.62**  
**short-term use - omit code**

Admission (encounter)

for

adjustment (of)

cardiac device V53.39

defibrillator, automatic implantable (***with synchronous cardiac pacemaker***) V53.32

device, unspecified type V53.90

cardiac V53.39

defibrillator, automatic implantable (***with synchronous cardiac pacemaker***) V53.32

~~intrauterine contraceptive V25.1~~

~~intrauterine contraceptive device V25.1~~

fitting (of)

device, unspecified type V53.90

intrauterine contraceptive ~~V25.1~~

insertion **V25.11**

removal **V25.12**

and reinsertion **V25.13**

replacement **V25.13**

intrauterine contraceptive device ~~V25.1~~

insertion **V25.11**

removal **V25.12**

and reinsertion **V25.13**

replacement **V25.13**

insertion (of)

intrauterine contraceptive device **V25.11**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Admission (encounter) (cont)  
for (cont)  
  intrauterine device  
    insertion V25.11  
    removal V25.12  
      and reinsertion V25.13  
    replacement V25.13  
  prophylactic  
    administration of  
      antibiotics, *long-term* V58.62  
      short-term use - omit code  
  removal of  
    device  
      intrauterine contraceptive V25.12  
      intrauterine contraceptive device V25.12  
    replacement of intrauterine contraceptive device V25.13  
  therapy  
    long-term (current) (*prophylactic*) drug use NEC V58.69  
    antibiotics V58.62  
      short-term use - omit code  
  treatment  
    measure V07.9  
      specified type NEC V07.8

Aftercare V58.9  
  cardiac device V53.39  
    defibrillator, automatic implantable (*with synchronous cardiac pacemaker*) V53.32  
    defibrillator, automatic implantable cardiac (*with synchronous cardiac pacemaker*) V53.32

Agensis - see also Absence, by site, congenital  
  cervix 752.43  
  uterus 752.31  
  vagina (*total*) (*partial*) 752.45

**AHTR (acute hemolytic transfusion reaction) - see Complications, transfusion**

AIN I (*anal intraepithelial neoplasia I*) (histologically confirmed) 569.44  
AIN II (*anal intraepithelial neoplasia II*) (histologically confirmed) 569.44  
AIN III (*anal intraepithelial neoplasia III*) 230.6

**AIPHI (acute idiopathic pulmonary hemorrhage in infants (over 28 days old) 786.31**

Allergy, allergic (reaction) 995.3  
  anaphylactic shock 995.0

Aneurysm ...  
  jugular vein (*acute*) 453.89  
    chronic 453.76

Anomaly, anomalous (congenital) (unspecified type) 759.9  
  specified type NEC  
    Müllerian  
      cervix 752.49  
      uterus 752.39  
      vagina 752.49  
      uterus (*Müllerian*) 752.39  
  uterus 752.39  
    with only one functioning horn 752.33

Anteversion  
  uterus, uterine (cervix) (postinfectious) (postpartal, old) 621.6  
  congenital 752.39

Aortectasia 441.9 (*see also Ectasia, aortic*) 447.70  
  with aneurysm 441.9

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Aplasia - see also Agenesis  
uterus **752.39**

**Arcuate uterus 752.36**

Arcuatus uterus **752.36**

Arteriosclerosis, arteriosclerotic ...  
**iliac 440.8**

Arthritis, arthritic...  
due to or associated with  
hemochromatosis **275.03** [713.0]

Atresia, atretic (congenital) 759.89  
cervix (acquired) 622.4  
congenital **752.43**  
uterus **752.31**  
vagina (acquired) 623.2  
congenital ***(total) (partial) 752.45***

Balbuties, balbutio ***(see also Disorder, fluency) 315.35***

Bicornuate or bicornis uterus ***(complete) (partial) 752.34***

Bifid (congenital) - see also Imperfect, closure  
uterus **752.34**

Biforis uterus (suprasimplex) **752.34**

Bird  
flu ***(see also Influenza, avian) 488.02***

Blister - see also Injury, superficial, by site  
**fracture -omit code**

Blood  
spitting (see also Hemoptysis) **786.30**

BMI (body mass index)  
adult  
~~40.0-44.9 and over~~ **V85.41**  
**45.0-49.9 V85.42**  
**50.0-59.9 V85.43**  
**60.0-69.9 V85.44**  
**70 and over V85.45**

Body, bodies  
mass index (BMI)  
adult  
~~40.0-44.9 and over~~ **V85.41**  
**45.0-49.9 V85.42**  
**50.0-59.9 V85.43**  
**60.0-69.9 V85.44**  
**70 and over V85.45**

Bronchiolitis ...  
with  
influenza, flu, or grippe ***(see also Influenza) 487.1***  
influenzal ***(see also Influenza) 487.1***

Bronchitis ...  
with  
influenza, flue, or grippe ***(see also Influenza) 487.1***  
grippal ***(see also Influenza) 487.1***  
influenzal ***(see also Influenza) 487.1***

Bronchorrhagia **786.30**

Bronze, bronzed  
diabetes **275.01**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Cardiac - see also condition  
device  
defibrillator, automatic implantable (**with synchronous cardiac pacemaker**) V45.02

Cataphasia (**see also Disorder, fluency**) 315.35

Catarrh, catarrhal (inflammation) (see also condition) 460  
epidemic (**see also Influenza**) 487.1

Cerebromalacia (see also Softening, brain) **348.89**  
**due to cerebrovascular accident 438.89**

CIN I (**cervical intraepithelial neoplasia I**) 622.11  
CIN II (**cervical intraepithelial neoplasia II**) 622.12  
CIN III (**cervical intraepithelial neoplasia III**) 233.1

Cirrhosis, cirrhotic 571.5  
due to  
bronzed diabetes **275.01**  
hemochromatosis (**see also Hemochromatosis**) **275.03**  
liver (chronic) (hepatolienal) (hypertrophic) (nodular) (splenomegalic) (unilobar) 571.5  
pigmentary **275.01**  
pigment, pigmentary (of liver) **275.01**

Cluttering (**see also Disorder, fluency**) 315.35

Cold 460  
with influenza, flu, or grippe (**see also Influenza**) 487.1  
bronchus or chest - see Bronchitis  
with grippe or influenza (**see also Influenza**) 487.1  
grippy (**see also Influenza**) 487.1

Communication  
abnormal - see also Fistula  
congenital, between uterus and  
anterior abdominal wall **752.39**  
bladder **752.39**  
intestine **752.39**  
rectum **752.39**

Complications  
graft ...  
corneal NEC 996.79  
**retroprosthetic membrane 996.51**  
transfusion (blood) (lymphocytes) (plasma) ~~NEC 999.80~~  
**febrile nonhemolytic reaction (FNHTR) 780.66**  
**hemolytic reaction, incompatibility unspecified 999.83**  
**acute 999.84**  
**delayed 999.85**  
incompatibility reaction  
ABO **999.60**  
**with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.61**  
**acute 999.62**  
**delayed 999.63**  
**specified type NEC 999.69**  
**non-ABO (minor antigens) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) 999.75**  
**with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.76**  
**acute 999.77**  
**delayed 999.78**  
**specified type NEC 999.79**  
Rh **antigen (C) (c) (D) (E) (e) (factor) 999.70**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Complications (cont)  
transfusion... (cont)  
    incompatibility reaction (cont)  
        Rh... (cont)  
            **with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.71**  
                **acute 999.72**  
                **delayed 999.73**  
                **specified type NEC 999.74**  
                **specified reaction NEC 999.89**

Contraception, contraceptive  
device (in situ) V45.59  
    insertion **V25.11**  
    reinsertion **V25.13**  
    removal **V25.12**  
        **and reinsertion V25.13**  
        **replacement V25.13**  
insertion  
    intrauterine contraceptive device **V25.11**

Coryza (acute) 460  
    with grippe or influenza (**see also Influenza**) 487.1

Cough 786.2  
    with hemorrhage (see also Hemoptysis) **786.39**  
    bronchial 786.2  
        with grippe or influenza (**see also Influenza**) 487.1  
    hemorrhagic **786.39**

Cyst (mucus) (retention) (serous) (simple)  
    embryonal  
        uterus **752.39**  
    uterus (body) (corpus) (recurrent) 621.8  
    embryonal **752.39**

Deficiency, deficient  
    **dihydropyrimidine dehydrogenase (DPD) 277.6**

Deficit  
    **attention 799.51**  
    **cognitive communication 799.52**  
    **concentration 799.51**  
    **executive function 799.55**  
    **frontal lobe 799.55**  
    **psychomotor 799.54**  
    **visuospatial 799.53**

Deformity 738.9  
    uterus (congenital) **752.39**

Delirium, delirious 780.09  
    acute (~~psychotic~~) **780.09**  
        **due to conditions classified elsewhere 293.0**

Delivery  
    complicated (by) NEC 669.9  
    laceration 664.9  
        peritoneum (**pelvic**) 665.5  
    rupture - see also Delivery, complicated, laceration  
        peritoneum (**pelvic**) 665.5  
    trauma (obstetrical) NEC 665.9  
        **periurethral 664.8**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Depression 311  
    **major 296.2**  
        **recurrent episode 296.3**  
        **single episode 296.2**

**DHTR (delayed hemolytic transfusion reaction) - see Complications, transfusion**

Diabetes, diabetic ...  
    with  
        **loss of protective sensation (LOPS) - see Diabetes, neuropathy**  
    bronze, bronzed 275.01  
    hemochromatosis (*see also Hemochromatosis*) 275.03

**Dihydropyrimidine dehydrogenase disease (DPD) 277.6**

Dilatation  
    aorta (focal) (general) (~~see also Aneurysm, aorta~~) 441.9 (*see also Ectasia, aortic*) 447.70  
        **with aneurysm 441.9**

Disease, diseased - see also Syndrome

iron  
    metabolism (*see also Hemochromatosis*) 275.03  
    storage (*see also Hemochromatosis*) 275.03  
    **microvillus inclusion (MVD) 751.5**  
    Recklinghausen-Applebaum (hemochromatosis) (*see also Hemochromatosis*) 275.03  
    von Recklinghausen-Applebaum (hemochromatosis) (*see also Hemochromatosis*) 275.03

Disorder - see also Disease

**fluency 315.35**  
        **adult onset 307.0**  
        **childhood onset 315.35**  
        **due to late effect of cerebrovascular accident 438.14**  
        **in conditions classified elsewhere 784.52**

iron, metabolism 275.09  
    **specified type NEC 275.09**

metabolism NEC 277.9  
    hemochromatosis (*see also Hemochromatosis*) 275.03  
    iron 275.09  
    storage, iron 275.09

Displacement, displaced  
    uterus, uterine (see also Malposition, uterus) 621.6  
        congenital 752.39

Distortion (congenital)  
    uterus 752.39

Disturbance - see also Disease  
    metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9  
        general 277.9  
            iron 275.09  
            iron 275.09

Division  
    cervix uteri 622.8  
        external os into two openings by frenum 752.44  
        external (cervical) into two openings by frenum 752.44

Double  
    external (cervical) os 752.44  
    vagina 752.47

**DPD (dihydropyrimidine dehydrogenase deficiency) 277.6**

Drug - see also condition  
    adverse effect-**NEC**, correct substance properly administered 995.20  
    therapy (maintenance) status NEC  
        long-term (current) (*prophylactic*) use V58.69

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

DSTR (delayed serologic transfusion reaction)

due to or resulting from  
incompatibility

ABO 999.69

non-ABO antigen (minor) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) 999.79

Rh antigen (C) (c) (D) (E) (e) 999.74

Duplication - see also Accessory

cervical, cervix **752.44**

vagina **752.47**

Dysplasia - see also Anomaly

anus 569.44

intraepithelial neoplasia I (**AIN I**) (histologically confirmed) 569.44

intraepithelial neoplasia II (**AIN II**) (histologically confirmed) 569.44

intraepithelial neoplasia III (**AIN III**) 230.6

cervix (uteri) 622.10

cervical intraepithelial neoplasia I (**CIN I**) 622.11

cervical intraepithelial neoplasia II (**CIN II**) 622.12

cervical intraepithelial neoplasia III (**CIN III**) 233.1

vulva 624.8

intraepithelial neoplasia I (**VIN I**) 624.01

intraepithelial neoplasia II (**VIN II**) 624.02

intraepithelial neoplasia III (**VIN III**) 233.32

Ectasia, ectasis

annuloaortic 424.1

aorta (~~see also Aneurysm, aorta~~) 441.9 (see also Ectasia, aortic) **447.70**

with aneurysm 441.9

aortic 447.70

with aneurysm 441.9

abdominal 447.72

thoracic 447.71

thoracoabdominal 447.73

Edema, edematous 782.3

brain (**cytotoxic**) (**vasogenic**) 348.5

Elevation

Rh titer (see also Complications, transfusion) **999.70**

Embedded ~~tooth, teeth~~ **520.6**

fragment (status) - see Foreign body, retained

splinter (status) - see Foreign body, retained

tooth, teeth **520.6**

Embolism 444.9

vein 453.9

antecubital (**acute**) **453.81**

~~acute 453.81~~

axillary (**acute**) **453.84**

~~acute 453.84~~

basilic (**acute**) **453.81**

~~acute 453.81~~

brachial (**acute**) **453.82**

~~acute 453.82~~

brachiocephalic (**acute**) (innominate) **453.87**

~~acute 453.87~~

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

- Embolism (cont)
  - vein (cont)
    - cephalic (***acute***) **453.81**  
~~acute 453.81~~
    - internal jugular (***acute***) **453.86**  
~~acute 453.86~~
    - radial (***acute***) **453.82**  
~~acute 453.82~~
    - subclavian (***acute***) **453.85**  
~~acute 453.85~~
    - superior vena cava (***acute***) **453.87**  
~~acute 453.87~~
    - thoracic (***acute***) **453.87**  
~~acute 453.87~~
    - ulnar (***acute***) **453.82**  
~~acute 453.82~~
  - vena cava
    - inferior **453.2**
    - superior (***acute***) **453.87**  
**453.87**
- Encephalitis...
  - influenzal (***see also Influenza***) 487.8 [323.41]
- Encephalomalacia (brain) (cerebellar) (cerebral) (cerebrospinal) (see also Softening, brain) **348.89**
- Encephalopathy (acute) 348.30
  - due to
    - influenza (virus) (***see also Influenza***) 487.8  
**identified**
      - avian **488.09**
      - novel H1N1 **488.19**
- Encopresis (see also Incontinence, feces) **787.60**
- Enteritis ...
  - influenzal (***see also Influenza***) 487.8
- Ethmoiditis (chronic) (nonpurulent) (purulent) (see also Sinusitis, ethmoidal) 473.2
  - influenzal (***see also Influenza***) 487.1
- Febrile (see also Pyrexia) 780.60
  - nonhemolytic transfusion reaction (FNHTR) 780.66**
- Fecalith (impaction) **560.32**
- Fetalis uterus **752.39**
- Fever 780.60
  - posttransfusion 780.66**
- Findings, (abnormal), without diagnosis (examination) (laboratory test) 796.4
  - cervical
    - non-atypical endometrial cells 795.09**
  - Papanicolaou (smear) 796.9
    - cervix 795.00
      - with
        - non-atypical endometrial cells 795.09**
        - non-atypical endometrial cells 795.09**
- Fistula (sinus) 686.9
  - abdominouterine 619.2
    - congenital **752.39**
  - entero-uterine 619.1
    - congenital **752.39**

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

Fistula (cont)

- rectouterine 619.1
  - congenital **752.39**
- uteroabdominal (anterior wall) 619.2
  - congenital **752.39**
- uterointestinal 619.1
  - congenital **752.39**
- uterorectal 619.1
  - congenital **752.39**
- uterovesical 619.0
  - congenital **752.39**
- vesicouterine 619.0
  - congenital **752.39**

Fitting (of)

- defibrillator, automatic implantable cardiac **(with synchronous cardiac pacemaker)** V53.32
- device, unspecified type V53.90
  - cardiac
    - defibrillator, automatic implantable **(with synchronous cardiac pacemaker)** V53.32
- intrauterine contraceptive ~~V25.4~~
  - insertion V25.11**
  - removal V25.12**
  - and reinsertion V25.13**
  - replacement V25.13**
- intrauterine contraceptive device ~~V25.4~~
  - insertion V25.11**
  - removal V25.12**
  - and reinsertion V25.13**
  - replacement V25.13**

Flu - see also Influenza

- bird **(see also Influenza, avian) 488.02**
- swine **(see also Influenza, novel H1N1) 488.12**

Fluid

- retention **276.69**

**FNHTR (febrile nonhemolytic transfusion reaction) 780.66**

Foreign body

- retained (old) (nonmagnetic) (in) **V90.9**
  - fragment(s)**
    - acrylics V90.2**
    - animal quills V90.31**
    - animal spines V90.31**
    - cement V90.83**
    - concrete V90.83**
    - crystalline V90.83**
    - depleted**
      - isotope V90.09**
      - uranium V90.01**
    - diethylhexylphthalates V90.2**
    - glass V90.81**
    - isocyanate V90.2**
    - metal V90.10**
      - magnetic V90.11**
      - nonmagnetic V90.12**
    - organic NEC V90.39**
    - plastic V90.2**

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

Foreign body (cont)  
retained... (cont)  
fragment(s) (cont)  
radioactive  
nontherapeutic V90.09  
specified NEC V90.09  
stone V90.83  
tooth V90.32  
wood V90.33  
specified NEC V90.89

Fracture ...  
pelvis, pelvic (bone(s)) (with visceral injury) (closed) 808.8  
multiple ~~(with disruption of pelvic circle)~~ with disruption of pelvic circle 808.43

Frenum  
external os 752.44

Genetic  
susceptibility to  
neoplasia  
multiple endocrine (MEN) V84.81

Gestation (period) - see also Pregnancy  
multiple  
placenta status  
quadrupelet  
two or more monoamniotic fetuses V91.22  
two or more monochorionic fetuses V91.21  
unable to determine number of placenta and number of amniotic sacs V91.29  
unspecified number of placenta and unspecified number of amniotic sacs V91.20  
specified (greater than quadrupelets) NEC  
two or more monoamniotic fetuses V91.92  
two or more monochorionic fetuses V91.91  
unable to determine number of placenta and number of amniotic sacs V91.99  
unspecified number of placenta and unspecified number of amniotic sacs V91.90

triplet  
two or more monoamniotic fetuses V91.12  
two or more monochorionic fetuses V91.11  
unable to determine number of placenta and number of amniotic sacs V91.19  
unspecified number of placenta, unspecified number of amniotic sacs V91.10

twin  
dichorionic/diamniotic (two placentae, two amniotic sacs) V91.03  
monochorionic/diamniotic (one placenta, two amniotic sacs) V91.02  
monochorionic/monoamniotic (one placenta, one amniotic sac) V91.01  
unable to determine number of placenta and number of amniotic sacs V91.09  
unspecified number of placenta, unspecified number of amniotic sacs V91.00

Grippe, grippal - see also Influenza  
intestinal (see also Influenza) 487.8  
Grippy cold (see also Influenza) 487.1  
Hanot-Chauffard (-Troisier) syndrome (bronze diabetes) 275.01  
Hemochromatosis (acquired) ~~(diabetic)~~ ~~(hereditary)~~ (liver) (myocardium) ~~(primary idiopathic)~~  
(secondary) 275.03  
diabetic 275.01  
due to repeated red blood cell transfusions 275.02  
hereditary 275.01  
primary idiopathic 275.01  
specified NEC 275.03  
transfusion associated (red blood cell) 275.02

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Hemoptysis **786.30**  
    **specified NEC 786.39**

Hemorrhage, hemorrhagic (nontraumatic) 459.0  
    bronchus (cause unknown) (see also Hemorrhage, lung) **786.30**  
    lung **786.30**  
    mediastinum **786.30**  
    pulmonary (***see also Hemorrhage, lung***) **786.30**  
        **acute idiopathic in infants (AIPHI) (over 28 days old) 786.31**  
    respiratory tract (see also Hemorrhage, lung) **786.30**

Hemosiderosis **275.09**  
    dietary **275.09**  
    pulmonary (idiopathic) **275.09** [516.1]  
    transfusion NEC **275.02**

Hernia, hernial (acquired) (recurrent) 553.9  
    due to adhesion with obstruction **552.9**

History (personal) of  
    allergy (***to***) **V15.09**  
    **anaphylactic shock V15.09**  
    **cleft lip and palate, corrected V13.64**  
    **combat and operational stress reaction V11.4**  
    congenital malformation (***corrected***) ~~V13.69~~  
        **circulatory system V13.65**  
        **digestive system V13.67**  
        **ear V13.64**  
        **eye V13.64**  
        **face V13.64**  
        **genitourinary system V13.62**  
        **heart V13.65**  
        **integument V13.68**  
        **limbs V13.68**  
        **musculoskeletal V13.68**  
        **neck V13.64**  
        **nervous system V13.63**  
        **respiratory system V13.66**  
        **specified type NEC V13.69**

dysplasia  
    **vaginal (conditions classifiable to 623.0) V13.23**  
    **vulvar (conditions classifiable to 624.01-624.02) V13.24**

family  
    disease or disorder (of)  
        endocrine V18.19  
            multiple neoplasia (***MEN***) syndrome V18.11  
    endocrine disease V18.19  
        multiple neoplasia (***MEN***) syndrome V18.11  
    multiple  
        endocrine neoplasia (***MEN***) syndrome V18.11  
    **foreign body fully removed V15.53**  
    hypospadias (***corrected***) V13.61

**Homicidal ideation V62.85**

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

HTR (hemolytic transfusion reaction)  
due to or resulting from  
incompatibility

ABO 999.61

acute 999.62

delayed 999.63

non-ABO antigen (minor) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) 999.76

acute 999.77

delayed 999.78

Rh antigen (C) (c) (D) (E) (e) 999.71

acute 999.72

delayed 999.73

Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy  
due to correct medical substance properly administered 995.27

Hypertension, hypertensive.....Malignant..... Benign ... Unspecified  
with

renal (kidney) involvement (~~only conditions classifiable to 585~~

**(only conditions classifiable to 585, 587)**

(excludes conditions classifiable to 584)

(see also Hypertension, kidney) ..... 403.00 ..... 403.10 ..... 403.90

pulmonary (artery) (secondary) ..... 416.8

**Hypertensive urgency - see Hypertension**

Hypervolemia 276.69

**Hypoperfusion (in)**

newborn 779.89

Hypoplasia, hypoplasia 759.89

cervix (uteri) 752.43

uterus 752.32

vagina 752.45

Hypoventilation 786.09

**obesity 278.03**

Ideation

**homicidal V62.85**

Immunization

Rh factor

from transfusion (see also Complications, transfusion) 999.70

Impaction, impacted

bowel, colon, rectum 560.30

fecal 560.32

fecal, feces 560.32

intestine(s) 560.30

fecal 560.32

Imperfect

closure (congenital)

genitalia, genital organ(s) or system

female 752.89

uterus 752.39

uterus (with communication to bladder, intestine, or rectum) 752.39

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Incompatibility

ABO

infusion or transfusion reaction (**see also Complications, transfusion**) **999.60**

blood (group) (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) NEC

infusion or transfusion reaction (**see also Complications, transfusion**) **999.75**

**non-ABO** (**see also Complications, transfusion**) **999.75**

Rh (**antigen**) (**C**) (**c**) (**D**) (**E**) (**e**) (blood group) (factor)

infusion or transfusion reaction (**see also Complications, transfusion**) **999.70**

Incomplete - see also condition

**defecation 787.61**

Incontinence 788.30

anal sphincter **787.60**

feces, **fecal 787.60**

rectal **787.60**

Induration, indurated

lung (black) (brown) (chronic) (fibroid) (see also Fibrosis, lung) 515

essential brown **275.09** [516.1]

Infection, infected, infective (opportunistic) 136.9

respiratory 519.8

influenzal (acute) (upper) (**see also Influenza**) 487.1

upper (acute) (infectious) NEC 465.9

with flu, grippe, or influenza (**see also Influenza**) 487.1

influenzal (**see also Influenza**) 487.1

retrovirus 079.50

human immunodeficiency virus type 2 (**HIV 2**) 079.53

human T-cell lymphotropic virus type I (**HTLV-I**) 079.51

human T-cell lymphotropic virus type II (**HTLV-II**) 079.52

Infiltrate, infiltration

with an iron compound **275.09**

Influenza, influenzal 487.1

A/H5N1 (**see also Influenza, avian**) **488.02**

avian **488.02**

**with involvement of gastrointestinal tract 488.09**

**bronchopneumonia 488.01**

**laryngitis 488.02**

**manifestations NEC 488.09**

**respiratory 488.02**

**pharyngitis 488.02**

**pneumonia (any form classifiable to 480-483, 485-486) 488.01**

**respiratory infection (acute) (upper) 488.02**

due to identified

avian influenza virus **488.02**

**with**

**manifestations NEC 488.09**

**respiratory 488.02**

**pneumonia (any form classifiable to 480-483, 485-486) 488.01**

novel H1N1 influenza virus **488.12**

**with**

**manifestations NEC 488.19**

**respiratory 488.12**

**pneumonia 488.11**

novel (2009) H1N1 **488.12**

**with involvement of gastrointestinal tract 488.19**

**bronchopneumonia 488.11**

**laryngitis 488.12**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Influenza, influenzal (cont)  
  novel (2009) H1N1 (cont)  
    **manifestations NEC 488.19**  
    **respiratory 488.12**  
    **pharyngitis 488.12**  
    **pneumonia (any form classifiable to 480-483, 485-486) 488.11**  
    **respiratory infection (acute) (upper) 488.12**  
  novel A/H1N1 (see also Influenza, novel H1N1) 488.12  
Influenza-like disease (see also Influenza) 487.1  
Injury 959.9  
  periurethral tissue  
    complicating delivery **664.8**  
Insertion  
  intrauterine contraceptive device **V25.11**  
Intoxication  
  water **276.69**  
Intrauterine contraceptive device  
  insertion **V25.11**  
  reinsertion **V25.13**  
    **and reinsertion V25.13**  
  removal **V25.12**  
  **replacement V25.13**  
Iron  
  metabolism disease **275.09**  
  storage disease **275.09**  
Ischemia, ischemic 459.9  
  **demand 411.89**  
  **supply (see also Angina) 414.9**  
Laceration - see also Wound, open, by site  
  periurethral tissue  
    obstetrical trauma **664.8**  
Laryngitis ...  
  with  
    influenza, flu, or grippe (see also Influenza) 487.1  
    influenzal (see also Influenza) 487.1  
Laryngotracheitis (acute) (infectional) (viral) (see also Laryngitis) 464.20  
  influenzal (see also Influenza) 487.1  
Lateroversion  
  uterus, uterine (cervix) (postinfectional) (postpartal, old) 621.6  
  congenital **752.39**  
Long-term (current) (prophylactic) drug use V58.69  
Loss  
  control, sphincter, rectum **787.60**  
  **recurrent pregnancy - see Pregnancy, management affected by, abortion, habitual**  
Malnutrition (calorie) 263.9  
  degree  
    mild (protein) 263.1  
    moderate (protein) 263.0  
  mild (protein) 263.1  
  moderate (protein) 263.0  
  protein-calorie 263.9  
    **mild 263.1**  
    **moderate 263.0**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Malposition  
  congenital  
    uterus **752.39**  
    uterus (acquired) (acute) (adherent) (any degree) (asymptomatic) (postinfectious) (postpartal, old)  
      621.6  
    congenital **752.39**

Melanemia **275.09**

Meningismus (infectious) (pneumococcal) 781.6  
  influenzal NEC (**see also Influenza**) 487.8

Menstruation  
  precocious **259.1**

**Microvillus inclusion disease (MVD) 751.5**  
**MVD (microvillus inclusion disease) 751.5**

Myocardiopathy...  
  due to  
    influenza (**see also Influenza**) 487.8 [425.8]

Myocarditis (fibroid) (interstitial) (old) (progressive) (senile) (with arteriosclerosis) 429.0  
  due to or in  
    influenza (**see also Influenza**) 487.8 [422.0]  
  influenzal (**see also Influenza**) 487.8 [422.0]

Neoplasia  
  anal intraepithelial I (**AIN I**) (histologically confirmed) 569.44  
  anal intraepithelial II (**AIN II**) (histologically confirmed) 569.44  
  anal intraepithelial III (**AIN III**) 230.6  
  multiple endocrine (**MEN**)  
  vaginal intraepithelial I (**VAIN I**) 623.0  
  vaginal intraepithelial II (**VAIN II**) 623.0  
  vaginal intraepithelial III (**VAIN III**) 233.31  
  vulvar intraepithelial I (**VIN I**) 624.01  
  vulvar intraepithelial II (**VIN II**) 624.02  
  vulvar intraepithelial III (**VIN III**) 233.32

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic.....	199.1	199.1	234.9	229.9	238.9	239.9
<del>colon - see also Neoplasm, intestine, large and rectum</del> .....	<del>154.0</del>	<del>197.5</del>	<del>230.4</del>	<del>211.4</del>	<del>235.2</del>	<del>239.0</del>
<b>colon - see also Neoplasm, intestine, large</b> .....	<b>153.9</b>	<b>197.5</b>	<b>230.3</b>	<b>211.3</b>	<b>235.2</b>	<b>239.0</b>
<b>with rectum</b> .....	<b>154.0</b>	<b>197.5</b>	<b>230.4</b>	<b>211.4</b>	<b>235.2</b>	<b>239.0</b>
lymph, lymphatic						
gland (secondary) .....	-	196.9	-	229.0	238.8	239.89
lower limb.....	-	196.5	-	229.0	238.8	<u><b>239.9</b></u>

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Neurofibromatosis (multiple) (M9540/1) 237.70  
    **Schwannomatosis 237.73**  
    **specified type NEC 237.79**

Neurosis, neurotic 300.9  
    oral (**see also Disorder, fluency**) **315.35**

Obesity (constitutional) (exogenous) (familial) (nutritional) (simple) 278.00  
    **hypoventilation syndrome 278.03**

Obstruction, obstructed, obstructive  
    fecal **560.32**

Occlusion  
    vena cava  
        superior (**acute**) **453.87**  
        **acute** **453.87**

Otitis 382.9  
    media (hemorrhagic) (staphylococcal) (streptococcal) 382.9  
    acute 382.9  
        necrotizing 382.00  
            in  
                influenza (**see also Influenza**) 487.8 [382.02]  
                suppurative 382.00  
                due to  
                    influenza (**see also Influenza**) 487.8 [382.02]

Overload  
    fluid **276.69**  
        **due to transfusion (blood) (blood components) 276.61**  
        **iron, due to repeated red blood cell transfusions 275.02**  
        **transfusion associated circulatory (TACO) 276.61**

Pain(s) (see also Painful) 780.96  
    jaw **784.92**  
        **mandible, mandibular 784.92**  
        maxilla **784.92**

Papulosis, ~~malignant~~ **447.8**  
    **lymphomatoid 709.8**  
    **malignant 447.8**

Persistence, persistent (congenital) 759.89  
    Rhesus (Rh) titer (**see also Complications, transfusion**) **999.70**

Pharyngitis ...  
    with influenza, flu, or grippe (**see also Influenza**) 487.1  
    influenzal (**see also Influenza**) 487.1

Pickwickian syndrome (cardiopulmonary obesity) **278.03**

Pleurisy ...  
    with  
        influenza, flu, or grippe (**see also Influenza**) 487.1  
        influenzal (**see also Influenza**) 487.1

Pneumonia ...  
    with influenza, flu, or grippe 487.0  
        **due to**  
            **identified (virus)**  
                **avian 488.01**  
                **novel H1N1 488.11**  
    atypical (disseminated) (focal) (primary) 486  
        with influenza (**see also Influenza**) 487.0  
    basal, basic, basilar - see Pneumonia, **by type**

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

Pneumonia ... (cont)  
broncho-, bronchial ...  
with influenza 487.0  
due to  
identified (virus)  
avian 488.01  
novel H1N1 488.11  
influenzal (see also Influenza) 487.0  
cryptogenic organizing 516.8  
due to  
influenza (see also Influenza) 487.0  
grippal (see also Influenza) 487.0  
influenzal (broncho) (lobar) (virus) (see also Influenza) 487.0  
interstitial 516.8  
with influenzal (see also Influenza) 487.0  
lobar (diplococcal) (disseminated) (double) (interstitial) (pneumococcal, any type) 481  
with influenza (see also Influenza) 487.0  
influenzal (see also Influenza) 487.0  
multilobar - see Pneumonia, by type  
viral, virus (broncho) (interstitial) (lobar) 480.9  
with influenza, flu, or grippe (see also Influenza) 487.0  
Pneumorrhagia 786.30  
Poisoning (acute) - see also Table of Drugs and Chemicals  
water 276.69  
Polioencephalitis (acute) (bulbar) (see also Poliomyelitis, bulbar) 045.0  
influenzal (see also Influenza) 487.8  
Precocious  
menstruation 259.1  
Pregnancy (single) (uterine) (without sickness) V22.2  
complicated (by) 646.9  
genital herpes (asymptomatic) (history of) (inactive) 647.6  
pneumonia 648.9  
management affected by  
previous  
recurrent pregnancy loss 646.3  
recurrent pregnancy loss 646.3  
Prolapse, prolapsed  
uterus ...  
congenital 752.39  
Prophylactic  
administration of  
~~agents affecting estrogen receptors and estrogen levels NEC V07.59~~  
~~anastrozole (Arimidex) V07.52~~  
~~antibiotics, long-term V58.62~~  
~~short-term - omit code~~  
~~aromatase inhibitors V07.52~~  
~~estrogen receptor downregulators V07.59~~  
~~exemestane (Aromasin) V07.52~~  
~~fulvestrant (Faslodex) V07.59~~  
~~gonadotropin-releasing hormone (GnRH) agonist V07.59~~  
~~goserelin acetate (Zoladex) V07.59~~  
~~letrozole (Femara) V07.52~~  
~~leuprolide acetate (leuprorelin) (Lupron) V07.59~~  
~~megestrol acetate (Megace) V07.59~~  
~~raloxifene (Evista) V07.51~~  
~~selective estrogen receptor modulators (SERMs) V07.51~~

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

Prophylactic (cont)  
administration of (cont)  
~~tamoxifen (Nolvadex) V07.51~~  
~~toremifene (Fareston) V07.51~~  
Pseudoinfluenza (see also Influenza) 487.1  
**PTP (posttransfusion purpura) 287.41**  
Puerperal  
fever **672**  
Purpura 287.2  
posttransfusion (**PTP**)**287.41**  
**from whole blood (fresh) or blood products 287.41**  
Reaction  
allergic (see also Allergy) 995.3  
**due to correct medical substance properly administered 995.27**  
incompatibility  
blood group (see also Complications, transfusion) **999.80**  
**ABO (due to transfusion of blood or blood products) (see also Complications, transfusion) 999.60**  
**minor blood group 999.89**  
**non-ABO (see also Complications, transfusion) 999.75**  
Rh **antigen (C) (c) (D) (E) (e)** (factor) (infusion) (transfusion) (see also Complications, transfusion) **999.70**  
transfusion (blood) (bone marrow) (lymphocytes) (allergic) (see also Complications, transfusion) **999.80**  
Recklinghausen-Applebaum disease (hemochromatosis) **275.03**  
Recurrent - see condition  
**pregnancy loss - see Pregnancy, management affected by, abortion, habitual**  
Reinsertion, contraceptive device V25.42  
**intrauterine V25.13**  
Removal (of)  
device - see also Fitting (of)  
contraceptive **V25.12**  
**with reinsertion V25.13**  
Retention, retained  
fluid **276.69**  
Reticulosis (skin)  
**Sézary's** (M9701/3) 202.2  
**Retroprosthetic membrane 996.51**  
Retroversion, retroverted  
uterus, uterine ...  
congenital **752.39**  
Rh **antigen (C) (c) (D) (E) (e)** (factor)  
incompatibility, immunization, or sensitization  
transfusion reaction (see also Complications, transfusion) **999.70**  
titer elevated (see also Complications, transfusion) **999.70**  
transfusion reaction (see also Complications, transfusion) **999.70**  
Rheumatism, rheumatic (acute NEC) 729.0  
gout **714.0**  
Rokitansky-Kuster-Hauser syndrome (congenital absence vagina) **752.45**  
Rudimentary (congenital) - see also Agenesis  
cervix uteri **752.43**  
uterine horn **752.39**  
uterus **752.39**  
solid or with cavity **752.39**  
vagina **752.45**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

**Schwannomatosis 237.73**

Screening (for) V82.9

**colonoscopy V76.51**

Seizure(s) 780.39

**post traumatic 780.33**

Septum, septate (congenital) - see also Anomaly, specified type NEC

uterus (see also Double, uterus) **(complete) (partial) 752.35**

vagina **752.49**

**longitudinal (with or without obstruction) 752.47**

**transverse 752.46**

Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9

with influenza, flu, or grippe **(see also Influenza)** 487.1

influenzal **(see also Influenza)** 487.1

**Smearing, fecal 787.62**

Softening

brain (necrotic) (progressive) **348.89**

**due to cerebrovascular accident 438.89**

**Soiling, fecal 787.62**

Sore

throat 462

with influenza, flu, or grippe **(see also Influenza)** 487.1

influenzal **(see also Influenza)** 487.1

Spitting blood (see also Hemoptysis) **786.30**

Sputum, abnormal (amount) (color) (excessive) (odor) (purulent) 786.4

bloody **786.30**

Squamous - see also condition

epithelium in

uterine mucosa (congenital) **752.39**

Stammering **(see also Disorder, fluency) 315.35**

Status (post)

cardiac

device (in situ) V45.00

defibrillator, automatic implantable **(with synchronous cardiac pacemaker)** V45.02

defibrillator, automatic implantable cardiac **(with synchronous cardiac pacemaker)** V45.02

**do not resuscitate V49.86**

**embedded**

**fragment - see Foreign body, retained**

**splinter - see Foreign body, retained**

**physical restraints V49.87**

**retained foreign body - see Foreign body, retained**

Stenosis (cicatricial) - see also Stricture

spinal 724.00

lumbar, lumbosacral **(without neurogenic claudication)** 724.02

**with neurogenic claudication 724.03**

Stercolith (see also Fecalith) **560.32**

Stuttering **315.35**

**adult onset 307.0**

**childhood onset 315.35**

**in conditions classified elsewhere 784.52**

Subseptus uterus **752.35**

Susceptibility

genetic

to

neoplasia

multiple endocrine **(MEN)** V84.81

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

Symptoms, specified (general) NEC 780.99  
  **cognition 799.59**  
  **jaw 784.92**  
  joint NEC 719.60  
    **temporomandibular 524.69**  
    **maxilla 784.92**

Syndrome - see also Disease  
  cardiopulmonary obesity **278.03**  
  Hanot-Chauffard (-Troisier) (bronze diabetes) **275.01**  
  influenza-like (*see also Influenza*) 487.1  
  **obesity hypoventilation 278.03**  
  Pickwickian (cardiopulmonary obesity) **278.03**  
  **Poland 756.81**  
  Rokitansky-Kuster-Hauser (congenital absence, vagina) **752.45**  
  Troisier-Hanot-Chauffard (bronze diabetes) **275.01**  
  water retention **276.69**

**TACO (transfusion associated circulatory overload) 276.61**

Tear, torn (traumatic) - see also Wound, open, by site  
  periurethral tissue  
    obstetrical trauma **664.8**

Test(s)  
  laboratory V72.60  
  male partner of **female with recurrent pregnancy loss** V26.35

Thrombocytopenia, thrombocytopenic 287.5  
  dilutional **287.49**  
  due to  
    drugs **287.49**  
    extracorporeal circulation of blood **287.49**  
    massive blood transfusion **287.49**  
    platelet alloimmunization **287.49**  
  secondary **NEC 287.49**

Thrombosis, thrombotic ...  
  iliac (**acute**) (vein) 453.89  
    **chronic 453.79**

  jugular (bulb)  
    external (**acute**) **453.89**  
      ~~**acute 453.89**~~  
    internal (**acute**) **453.86**  
      ~~**acute 453.86**~~

  vein  
    antecubital (**acute**) **453.81**  
      ~~**acute 453.81**~~  
    axillary (**acute**) **453.84**  
      ~~**acute 453.84**~~  
    basilic (**acute**) **453.81**  
      ~~**acute 453.81**~~  
    brachial (**acute**) **453.82**  
      ~~**acute 453.82**~~  
    brachiocephalic (innominate) (**acute**) **453.87**  
      ~~**acute 453.87**~~  
    cephalic (**acute**) **453.81**  
      ~~**acute 453.81**~~  
    internal jugular (**acute**) **453.86**  
      ~~**acute 453.86**~~  
    radial (**acute**) **453.82**  
      ~~**acute 453.82**~~

ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010

- Thrombosis, thrombotic (cont)  
vein (cont)  
    specified site NEC **(acute) 453.89**  
        ~~acute 453.89~~  
    subclavian **(acute) 453.85**  
        ~~acute 453.85~~  
    superior vena cava **(acute) 453.87**  
        ~~acute 453.87~~  
    thoracic **(acute) 453.87**  
        ~~acute 453.87~~  
    ulnar **(acute) 453.82**  
        ~~acute 453.82~~  
vena cava  
    superior **(acute) 453.87**  
        ~~acute 453.87~~
- Tonsillitis...  
    with influenza, flu, or grippe **(see also Influenza) 487.1**  
    influenzal **(see also Influenza) 487.1**
- Tracheitis...  
    influenzal **(see also Influenza) 487.1**
- Tracheobronchitis (see also Bronchitis) 490  
    influenzal **(see also Influenza) 487.1**
- Transfusion, blood  
    incompatible **(see also Complications, transfusion) 999.80**  
        ABO **(see also Complications, transfusion) 999.60**  
        non-ABO (see also Complications, transfusion) 999.75  
        Rh (antigen) (C) (c) (D) (E) (e) (see also Complications, transfusion) 999.70
- Troisier-Hanot-Chauffard syndrome (bronze diabetes) **275.01**
- Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature  
    stromal  
        endometrium (endometrial) 236.0
- Uterus  
    Unicornis uterus **752.33**  
    Unicornuate uterus (with or without a separate uterine horn) 752.33  
    Unicorporeus uterus **752.39**  
    Uniformis uterus **752.39**  
    Unilateralis uterus **752.39**
- Urgency  
    fecal 787.63  
    hypertensive - see Hypertension
- Use of  
    agents affecting estrogen receptors and estrogen levels NEC V07.59  
    anastrozole (Arimidex) V07.52  
    aromatase inhibitors V07.52  
    estrogen receptor downregulators V07.59  
    exemestane (Aromasin) V07.52  
    fulvestrant (Faslodex) V07.59  
    gonadotropin-releasing hormone (GnRH) agonist **V07.59**  
    goserelin acetate (Zoladex) **V07.59**  
    letrozole (Femara) **V07.52**  
    leuprolide acetate (leuprorelin) (Lupron) **V07.59**  
    megestrol acetate (Megace) **V07.59**  
    raloxifene (Evista) **V07.51**  
    selective estrogen receptor modulators (SERMs) **V07.51**  
    tamoxifen (Nolvadex) **V07.51**  
    toremifene (Fareston) **V07.51**

**ICD-9-CM Index to Diseases Addenda (FY11)  
Effective October 1, 2010**

Uterus - see ***also*** condition

**with only one functioning horn 752.33**

Vomiting 787.03

newborn 779.33

***bilious*** 779.32

von Recklinghausen-Applebaum disease (hemochromatosis) ***(see also Hemochromatosis) 275.03***

Water

intoxication **276.69**

loading **276.69**

poisoning **276.69**

Widening aorta ~~(see also Aneurysm, aorta) 441.9~~ ***(see also Ectasia, aortic) 447.70***

**with aneurysm 441.9**

Worn out (see also Exhaustion) 780.79

cardiac defibrillator ***(with synchronous cardiac pacemaker)*** V53.32

**ICD-9-CM Index to External Causes of Injury Addenda (FY11)  
Effective October 1, 2010**

Activity (involving) E030  
external motion NEC E017.9  
roller coaster E017.0  
riding  
roller coaster E017.0  
roller coaster riding E017.0

Activity status E000.9  
**child assisting in compensated work of other family member E000.8**  
**family member assisting in compensated work of other family member E000.8**  
volunteer E000.2

Bending, injury ~~in E927.8~~  
**due to**  
**repetitive movement E927.3**  
**sudden strenuous movement E927.0**

Blast (air)  
in  
war operations E993.9  
from nuclear explosion ~~(see also War operations, injury due to, nuclear weapons) E996.0 -~~  
see War operation, injury due to, nuclear weapons

Exhaustion  
due to excessive exertion E927.2

External cause status E000.9  
**child assisting in compensated work of other family member E000.8**  
**family member assisting in compensated work of other family member E000.8**  
volunteer E000.2

Fall, falling (accidental) E888.9  
from, off  
**motorized**  
**mobility scooter E884.3**  
**wheelchair E884.3**  
scooter (nonmotorized) E885.0  
**motorized mobility E884.3**  
wheelchair (electric) (motorized) E884.3

Injury, injured (accidental(ly)) NEC E928.9  
by, caused by, from  
bending ~~E927.8~~  
**due to**  
**repetitive movement E927.3**  
**sudden strenuous movement E927.0**  
straining ~~E927.8~~  
**due to**  
**repetitive movement E927.3**  
**sudden strenuous movement E927.0**  
twisting ~~E927.8~~  
**due to**  
**repetitive movement E927.3**  
**sudden strenuous movement E927.0**

Lifting, injury ~~in E927.8~~  
**due to**  
**repetitive movement E927.3**  
**sudden strenuous movement E927.0**

Overexertion E927.9  
from  
lifting ~~E927.8~~  
repetitive movement E927.3  
sudden strenuous movement E927.0

**ICD-9-CM Index to External Causes of Injury Addenda (FY11)  
Effective October 1, 2010**

Overexertion (cont)

from (cont)

pulling-~~E927.8~~

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

pushing-~~E927.8~~

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

**specified NEC E927.8**

Pulling, injury in-~~E927.8~~

**due to**

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

Pushing (injury in) (overexertion) E927.8

**due to**

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

**Repetitive movements NEC E927.8**

Straining, injury in-~~E927.8~~

**due to**

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

Strenuous movements (in recreational or other activities) **NEC** E927.8

Twisting, **injury** in-~~E927.8~~

**due to**

**repetitive movement E927.3**

**sudden strenuous movement E927.0**

War operations (during hostilities) (injury) (by) (in) E995.9

blast (air) (effects) E993.9

from nuclear explosion-~~(see also War operations, injury due to, nuclear weapons) E996.1 - see~~

**War operation, injury due to, nuclear weapons**

**ICD-9-CM Table of Drugs and Chemicals Addenda (FY11)  
Effective October 1, 2010**

<u>Substance</u>	<u>Poisoning</u>	<u>Accident</u>	<u>Therapeutic Use</u>	<u>Suicide Attempt</u>	<u>Assault</u>	<u>Undetermined</u>
Ammonia (fumes) (gas) (vapor)	987.8	E869.8	-	E952.8	E962.2	E982.8
spirit, aromatic	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Catha (edulis)	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Central nervous system						
stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Cerebral stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Coca (leaf)	<b><u>970.81</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Cocaine (hydrochloride) (salt)	<b><u>970.81</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Crack	<b><u>970.81</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
<b><u>Dekalin</u></b>	982.0	E862.4	-	E950.9	E962.1	E980.9
Drug	977.9	E858.9	E947.9	E950.5	E962.0	E980.5
28:20 respiratory and cerebral stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Fencamfamin	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Gas	987.9	E869.9	-	E952.9	E962.2	E982.9
utility ...	987.1	E868.1	-	E951.8	E962.2	E981.8
incomplete combustion of-see Carbon, monoxide, fuel, <b><u>utility</u></b>						
Gelsemine	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
<b><u>Immu-G</u></b>	<b><u>964.6</u></b>	<b><u>E858.2</u></b>	<b><u>E934.6</u></b>	<b><u>E950.4</u></b>	<b><u>E962.0</u></b>	<b><u>E980.4</u></b>
<b><u>Immuglobin</u></b>	<b><u>964.6</u></b>	<b><u>E858.2</u></b>	<b><u>E934.6</u></b>	<b><u>E950.4</u></b>	<b><u>E962.0</u></b>	<b><u>E980.4</u></b>
Pipradrol	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Stimulants (central nervous system)	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
Strychnine (rodenticide) (salts)	989.1	E863.7	-	E950.6	E962.1	E980.7
medicinal NEC	<b><u>970.89</u></b>	E854.3	E940.8	E950.4	E962.0	E980.4
<b>Zyprexa</b>	<b><u>969.3</u></b>	<b><u>E853.8</u></b>	<b><u>E939.3</u></b>	<b><u>E950.3</u></b>	<b><u>E962.0</u></b>	<b><u>E980.3</u></b>