



All Transmissions Overview

CMS MAPD Transmissions To and From
Medicare Advantage and Prescription Drug Plans

Version 23

November 17, 2010

CMS MAPD Transmissions Inventory

CMS MAPD Transmissions To & From the Plans

Copyright © 2010 All Rights Reserved.

No part of this copyrighted work may be reproduced, modified, or distributed in any form or by any means or stored in any database or retrieval system, without the prior written permission of the Centers for Medicare and Medicaid Services. All Trademarks, Registered Trademarks, Service Marks, brand and product names, and third party information used in this document are the property of their respective business owners.

Document Approval:

Nathan O'Donnell Date
CSMM Project Director
QSSInc.

Jeanette James Date
Government Task Lead
CMS

Revision History and Change Description Log

Revision	Date	Revision/Change Description	Pages Affected
Draft	10/17/2005	Baseline DRAFT Release	All
V1.0	10/19/2005		All
V2.0	10/30/2005	Correction of file names and reformatting	All
V3.0	12/01/2005	Cover Page and Approval page added Reformat for 508 compliance Correction of two file names	Pg. ii, 2, 5
V4.0	02/07/2006	Correction of two file names	Pg. 4
V5.0	04/04/2006	Addition of ECRS, PDE, and FERAS, and RAS files and reports. Correction of Risk Adjustment Part D Model Output report names. Addition of new LISPRMD report. Corrections of two file names. Addition of Monthly Full Enrollment File. Changed title to 'All Transmissions Overview' for consistency with the PCUG V. 1.2	All
V6.0	05/22/2006	Corrections of BCSS file names. Addition of Enrollment Transmission Message, NoRX, LIS/LEP, and CTM files.	Pg. 2, 3, 4, 12
V7.0	11/16/2006	Updates for January, 2007 inbound transmissions	Pg. 1, 5 and 6
V8.0	01/22/2007	Update for January and February outbound transmissions	Pg. 1, 5, 6, 7 and 8
V9.0	02/28/2007	Added note regarding CTM file	Pg. 4
V10.0	04/04/2007	Updates for April 2007 outbound file transmissions	Pg. 2-4; 6-8; 12-26. 28

CMS MAPD Transmissions Inventory

Revision	Date	Revision/Change Description	Pages Affected
V11.0	5/3/2007	Changed monthly report file names to include a default of "01" in the day field of the date stamp and added an explanation in the description column; changed "PRN" to "as needed" ; changed items #10 & 11 to a frequency of weekly	Pg. 1, 2, 4, 5, 6, 13-25, 27
V12.0	05/21/2007	Added date node in the new transmission file names effective April 2007 in the BCSS	Pg. 3
V13.0	08/22/2007	Updates for August 2007 4Rx changes Added RAS Mors Yearly Reports Added Loss of Subsidy (Deemed Status) Data File Removed HPMS Complaints Tracking Module Data file (old #12) – renumbered remaining reports	Pg. 1, 4, 5, 18-19
V14.0	12/10/2007	Updates for 2007 November release Added PCUG Appendix E Layouts and/or Appendix I Reports references to selected files Added PDP Loss Data File Added PDP Gain Data File	All
V15.0	04/18/2008	Updates for April 2008 release	All
V16.0	08/18/2008	Updates for June, July and August 2008 release	All
V17.0	12/23/2008	Updates for November 2008 release Added September Preliminary PDP Notification File for Plans Losing Beneficiary to Reassignment	Pg. 22
V18.0	05/21/2009	Updates for May 2009 release	All
V19.0	07/24/2009	Updates for July 2009 release	All
V20.0	11/17/2009	Updates for November 2009 release	All
V21.0	04/21/2010	Updates for April 2010 release	All
V22.0	07/27/2010	No Changes	N/A
V23.0	11/17/2010	Updates for the November 2010 release	Pg. 27

CMS MAPD Transmissions Inventory

This page is intentionally left blank.

J: All Transmissions Overview

Table J-1 - All Transmissions Overview

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
Plan Submittals to CMS						
1	<p>MARx Batch Input Transaction Data File</p> <p>Header Record</p> <p>Enrollment Transaction (Employer & Plan - 60/61/62) Detail Record</p> <p>Disenrollment Transaction (51/54) Detail Record</p> <p>Plan Elections (PBP Change) Transaction (71) Detail Record</p> <p>4Rx Data Update (72)</p> <p>NUNCMO Update (73)</p> <p>Other Enrollment record Update (74)</p> <p>Premium Withhold Option Update (75)</p> <p>PCUG Record Layout – E.7</p>	<p>Enrollment Transaction file to CMS MARx system requesting new enrollment, disenrollment, changes, etc.</p> <p>Only the 1-800-Medicare group submits a Part D Opt-Out (41) transaction.</p>	MARx	Data File	Batch - Daily PRN	<p>Gentran mailbox: ** [GUID].[RACFID].MARX.D.xxxxx.FUTURE.[P/T][.ZIP]</p> <p>Note: FUTURE is part of the filename and does not change.</p> <p>Connect:Direct: P#EFT.IN.uuuuuuu.MARXTR.DYYMMDD.THHMSST</p> <p>Note: DYYMMDD.THHMSST must be coded as shown, as it is a literal</p>
2	<p>Batch Eligibility Query (BEQ) Request File</p> <p>Header Record</p> <p>Detail Record</p> <p>Trailer Record</p> <p>PCUG Record Layout – E.22</p>	<p>File of transactions submitted by plans to request eligibility information for prospective Plan enrollees.</p> <p>Used to do initial eligibility checks against CMS MBD system to verify member is Part A./B eligible</p>	MBD	Data File	PRN (Plans can send multiple files in a day)	<p>Gentran mailbox: ** [GUID].[RACFID].MBD.D.xxxxx.BEQ.[P/T][.ZIP]</p> <p>Connect:Direct: P#EFT.IN.PLxxxxx.BEQ4RX.DYYMMDD.THHMSST</p> <p>Note: DYYMMDD.THHMSST must be coded as shown, as it is a literal</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pccccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
3	ECRS Batch Submittal File	File used by plans to submit other healthcare information (OHI) to CMS (rather than submittal through the ECRS on-line system)	ECRS	Data File	Daily	Gentran mailbox: [GUID].[RACFID].ECRS.D.ccccc.FUTURE.[P/T] [.ZIP] Connect:Direct: TRANSMITTED TO GHI
4	Prescription Drug Event (PDE) Submittal File	File of transactions submitted by the plans with Prescription Drug Events.	PDE	Data File	Can be Daily	Gentran mailbox: [GUID].[RACFID].PDE.D.ccccc.FUTURE.[P/T] [.ZIP] Connect:Direct: TRANSMITTED TO PALMETTO
5	RAPS Submittal File	File of transactions submitted by the plans with diagnoses for FFS beneficiaries	RAPS	Data File	Daily	Gentran mailbox: [GUID].[RACFID].RAPS.D.ccccc.FUTURE.[P/T] [.ZIP] Connect:Direct: TRANSMITTED TO PALMETTO
CMS Transmittals to the Users (Submitters)						
6	Failed Transaction Data File Header Record Failed Record	This report is no longer generated as a result of the November 2009 software release. Failed Records are now reported on the Batch Completion Status Summary (BCSS) data file.	MARx	Data File	Response to transaction batch file	<u>Obsolete</u>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
	<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p>	<p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p>				<p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>
7	<p>Batch Completion Status Summary Data File</p> <p>Summary Record Rejected Records Accepted Records</p> <p>PCUG Record Layout – E.3</p>	<p>Data file sent to the submitter once a batch of submitted transactions has been processed. Provides a count of all transactions within the batch and details the number of rejected and accepted transactions. It provides an image of the rejected and accepted transactions. <i>(As of 4/17/08 one of these will be produced for each submitted batch)</i></p>	MARx	Data File	Once batch is processed	<p><u>Gentran mailbox:</u> P.uuuuuuu.BATCHSTD.Annnnn.Bnnnnn.Thhmmss.pn</p> <p><u>Connect:Direct [Mainframe]:</u> zzzzzzzz.uuuuuuu.BATCHSTD.Annnnn.Bnnnnn.Thhmmss</p> <p><u>Connect:Direct [Non-mainframe]:</u> [directory]uuuuuuu.BATCHSTD.Annnnn.Bnnnnn.Thhmmss</p>
8	<p>Enrollment Transmission Message File (STATUS)</p> <p>Normal Processing Error Condition Retro Files Capture Mode</p> <p>PCUG Sample Report – I.15</p>	<p>Summary of the batch enrollment transaction file providing counts of transactions by type. It will contain a unique Batch ID that can be used to associate submissions to the Batch Completion Status Summary. Plans should use this file to monitor the successful (or unsuccessful) receipt of their batch transaction files. Plans submitting RETRO batch files will receive two STATUS files. The first, at the time of submission, acknowledges receipt of the RETRO batch file. The second indicates either approval by CMS and subsequent processing or disapproval by CMS and subsequent rejection.</p>	MARx	Report	Response to transaction batch file	<p><u>Gentran mailbox:</u> P.uuuuuuu.STATUS.Dyymmdd.Thhmsst.pn</p> <p><u>Connect:Direct [Mainframe]:</u> zzzzzzzz.uuuuuuu.STATUS.Dyymmdd.Thhmsst</p> <p><u>Connect:Direct [Non-mainframe]:</u> [directory]uuuuuuu.STATUS.Dyymmdd.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key:						
	[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.	pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
CMS Transmittals to the Plans						
9	Coordination of Benefits (Validated Other Insurer Information) Data File Detail Record Primary Record Supplemental Record PCUG Record Layout – E.6	File containing members' primary and secondary coverage that has been validated through COB processing. MARx forwards this report whenever a plan's enrollees are affected. It may be as often as daily. The enrollees included on the report are those newly enrolled who have known Other Health Insurance (OHI) and those plan enrollees with changes to their OHI.	MBD (MARx)	Data File	As Needed (can be daily)	<u>Gentran mailbox:</u> P.Rxxxx.MARXCOB.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.MARXCOB.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.MARXCOB.Dyymmdd.Thhmsst
10	MA Full Dual Auto Assignment Notification File Header Record Detail Record (Transaction) Trailer Record PCUG Record Layout – E.24	Monthly file of Full Dual Beneficiaries in an existing plan.	MBD	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.#ADUA4.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.#ADUA4.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.#ADUA4.Dyymmdd.Thhmsst
11	Auto Assignment (PDP) Address Notification File Header Record Detail Record(s) Trailer Record PCUG Record Layout – E.25	Monthly file of addresses of Beneficiaries who have been either Auto Assigned or Facilitated Assigned to PDPs	MBD	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.#APDP4.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.#APDP4.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.#APDP4.Dyymmdd.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
12	<p>NoRx File</p> <p>Header Record Detail Record Trailer Record</p> <p>PCUG Record Layout – E.21</p>	<p>File containing records identifying those enrollees that do not currently have 4Rx information stored in CMS files. A Detail Record Type containing a value of "NRX" in positions 1 – 3 of the file layout will indicate that this record is a request for your organization to send CMS 4Rx information for the beneficiary.</p>	MBD	Data File	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.#NORX.Dyymmdd.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.#NORX.Dyymmdd.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.#NORX.Dyymmdd.Thhmsst</p>
13	<p>Batch Eligibility Query (BEQ) Request File Acknowledgment (Accept/Reject)</p> <p>PCUG Sample Report – I.16</p>	<p>MBD will determine if a BEQ Request File is Accepted or Rejected. MBD will issue an email acknowledgment of receipt and status to the Sending Entity. If Accepted the file will be processed. If Rejected, the email shall inform the Sending Entity of the first File Error Condition that caused the BEQ Request File to be Rejected. A rejected file will not be returned.</p>	MBD	E-mail	Response to BEQ	N/A
14	<p>Batch Eligibility Query (BEQ) Response File</p> <p>Header Record Detail Record (Transaction) Trailer Record</p> <p>PCUG Record Layout – E.23</p>	<p>File containing records produced as a result of processing the transactions of accepted BEQ Request files. Detail records for all submitted records that were successfully processed will contain Processed Flag = Y. Detail records for all submitted records that were not successfully processed contain Processed Flag = N.</p>	MBD	Data File	Response to BEQ	<p><u>Gentran mailbox:</u> P.Rxxxx.#BQN4.Dyymmdd.Thhmsst.pn</p> <p><u>Connect:Direct [Mainframe]:</u> zzzzzzz.Rxxxx.#BQN4.Dyymmdd.Thhmsst</p> <p><u>Connect:Direct [Non-mainframe]:</u> [directory]Rxxxx.#BQN4.Dyymmdd.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
15	ECRS Data File	File containing errors and statuses of ECRS submissions.	ECRS	Data File	Daily	<p>Gentran mailbox: PCOB.BA.ECRS.ccccc.RESPONSE.ssssss</p> <p>Connect:Direct: TRANSMITTED FROM GHI</p>
16	Prescription Drug Event (PDE) PDFS Response Data File	File containing responses if files are accepted or rejected.	PDE	Data File	Daily	<p>Gentran mailbox: RSP.PDFS_RESP_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>
17	Prescription Drug Event (PDE) DDPS Return Data File	File provides feedback on every record processed in a batch. Up to 10 specific errors are reported for each PDE in the file.	PDE	Data File	Daily	<p>Gentran mailbox: RPT.DDPS_TRANS_VALIDATION_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
18	Prescription Drug Event (PDE) DDPS Transaction Error Summary Data File	File provides frequency of occurrence for each error code encountered during the processing of a PDE file. The percentage to the total errors is also computed and displayed for each error code.	PDE	Data File	Daily	<p>Gentran mailbox: RPT.DDPS_ERROR_SUMMARY_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>
19	Front-End Risk Adjustment System (FERAS) Response Reports	Report indicates that the file was accepted or rejected by the Front-End Risk Adjustment System.	FERAS	Report	Daily	<p>Gentran mailbox: RSP.FERAS_RESP_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>
20	Front-End Risk Adjustment System (FERAS) Response Data Files	File will contain all of the submitted transactions whether or not the file contains errors.	FERAS	Data File	Daily	<p>Gentran mailbox: RPT.RAPS_RETURN_FLAT_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>
21	Front-End Risk Adjustment System (FERAS) Response Reports Transaction Error Report	Report lists the transactions that contained errors and identifies the errors that were found.	FERAS	Report	Daily	<p>Gentran mailbox: RPT.RAPS_ERRORRPT_ssssss</p> <p>Connect:Direct: TRANSMITTED FROM PALMETTO</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files	Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file			
22	Front-End Risk Adjustment System (FERAS) Response Reports Transaction Summary Report	Report contains all of the transactions submitted, whether accepted or rejected.	FERAS	Report	Daily	Gentran mailbox: RPT.RAPS_SUMMARY_ ssssss Connect:Direct: TRANSMITTED FROM PALMETTO
23	Front-End Risk Adjustment System (FERAS) Response Reports Duplicate Diagnosis Cluster Report	Report identifies diagnosis clusters with 502 error message, clusters accepted, but not stored.	FERAS	Report	Daily	Gentran mailbox: RPT.RAPS_DUPDX_RPT_ ssssss Connect:Direct: TRANSMITTED FROM PALMETTO
Weekly Transmittals (Data & Reports)						
24	Transaction Reply / Weekly Activity Report (Weekly TRR) PCUG Sample Report – I.14	Report listing all of the transactions that MARx processed for a plan in the week regardless of source, and gives a final disposition code for each transaction.	MARx	Report	Weekly	Gentran mailbox: P.Rxxxxx.TRWEEKR.Dyyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxxx.TRWEEKR.Dyyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRWEEKR.Dyyymmdd.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
25	<p>Transaction Reply Weekly Activity Data File</p> <p>PCUG Record Layout – E.15</p>	Data file version of the Transaction Reply Weekly Activity Report.	MARx	Data File	Weekly	<p><u>Gentran mailbox:</u> P.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst</p>
26	<p>LIS Weekly Activity History Data File</p> <p>Header Beneficiary Enrollment Period Beneficiary Active LIS Trailer</p> <p>PCUG Record Layout – E.27</p>	The Weekly Low-Income Subsidy (LIS) Activity History Data File reports full LIS profiles of prospectively, currently, and previously enrolled Part D beneficiaries. The profiles are created at the end of each week in which the LIS activity occurs. Data files are sent to those contracts that supported the Part D beneficiary's enrollment over some or all of the LIS activity period.	MARx	Data File	Weekly	<p><u>Gentran mailbox:</u> P.Rxxxxx.LISAHD.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.LISAHD.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.LISAHD.Dyymmdd.Thhmsst</p>
27	<p>LIS / Part D Premium Data File</p> <p>PCUG Record Layout – E.19</p>	The data in the report reflects LIS info, premium subsidy levels, Low-income co-pay levels, etc. for all beneficiaries who have a low-income designation enrolled in a plan. This data file is produced bi-weekly. It is not automatically transmitted to the plans. Through the MARx UI plans can request or reorder this data file.	MARx	Data File	Biweekly	<p><u>Gentran mailbox:</u> P.Rxxxxx.LISPRMD.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.LISPRMD.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.LISPRMD.Dyymmdd.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pccccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
Monthly Transmittals (Data & Reports)						
28	Transaction Reply / Monthly Activity Report (Monthly TRR) PCUG Sample Report – I.14	Report listing all of the transactions that MARx processed for a plan in the month, regardless of source, and gives a final disposition code for each transaction. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.TRNREPLY.Dyymm01.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRNREPLY.Dyymm01.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRNREPLY.Dyymm01.Thhmsst
29	Transaction Reply Weekly / Monthly Activity Data File PCUG Record Layout – E.15	Data file version of the Transaction Reply Monthly Activity Report. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.TRNDATA.Dyymm01.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRNDATA.Dyymm01.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRNDATA.Dyymm01.Thhmsst
30	Part C Monthly Membership Detail Report (Non Drug Report) aka: Monthly Membership Report (MMR) PCUG Sample Report – I.6	Report listing every Part C Medicare member of the contract and providing details about the payments and adjustments made for each. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.MONMEMR.Dyymm01.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMR.Dyymm01.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMR.Dyymm01.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTT." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
31	<p>Part D Monthly Membership Detail Report (Drug Report)</p> <p>aka: Monthly Membership Report (MMR)</p> <p>PCUG Sample Report – I.5</p>	<p>Report listing every Part D Medicare member of the contract and providing details about the payments and adjustments made for each.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p>Gentran mailbox: P.Rxxxxx.MONMEDR.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEDR.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEDR.Dyymm01.Thhmsst</p>
32	<p>Monthly Membership Detail Data File</p> <p>PCUG Record Layout – E.9</p>	<p>Data file version of the Monthly Membership Detail Reports. This file contains the data for both Part C and Part D members.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Data File	Monthly	<p>Gentran mailbox: P.Rxxxxx.MONMEMD.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMD.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMD.Dyymm01.Thhmsst</p>
33	<p>Monthly Membership Summary Report</p> <p>PCUG Sample Report – I.7</p>	<p>Report summarizing payments to a plan for the month, in several categories, and adjustments, by all adjustment categories. This report contains data for both Part C and Part D members.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p>Gentran mailbox: P.Rxxxxx.MONMEMSR.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMSR.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMSR.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
34	<p>Monthly Membership Summary Data File</p> <p>PCUG Record Layout – E.10</p>	<p>Data file version of the Monthly Membership Summary Report for both Part C and Part D members.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Data File	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxxx.MONMEMSD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.MONMEMSD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.MONMEMSD.Dyymm01.Thhmsst</p>
35	<p>RAS RxHCC Model Output Report</p> <p>AKA: Part D Risk Adjustment Model Output Report</p> <p>PCUG Sample Report – I.10</p>	<p>Report showing the Part D risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	RAS (MARx)	Report (.pdf)	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxxx.PTDMODR.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.PTDMODR.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.PTDMODR.Dyymm01.Thhmsst</p>
36	<p>RAS RxHCC Model Output Data File</p> <p>AKA: Part D Risk Adjustment Model Output Data File</p> <p>Header Record Detail / Beneficiary Record Format Trailer Record</p> <p>PCUG Record Layout – E.14</p>	<p>Data file version of the RAS RxHCC Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	RAS (MARx)	Data File	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxxx.PTDMODD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.PTDMODD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.PTDMODD.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files		Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file		
37	Part C Risk Adjustment Model Output Report PCUG Sample Report – I.9	Report showing the Hierarchical Condition Codes (HCCs) used by the Risk Adjustment System (RAS) to calculate Part C risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Report	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.HCCMODR.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.HCCMODR.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.HCCMODR.Dyymm01.Thhmsst
38	Part C Risk Adjustment Model Output Data File Header Record Detail Record Trailer Record PCUG Record Layout – E.13	Data file version of the Risk Adjustment Model Output Report Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.HCCMODD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.HCCMODD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.HCCMODD.Dyymm01.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTT." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
39	BIPA 606 Payment Reduction Report PCUG Sample Report – I.1	<p>Report listing members for whom the plan is paying a portion of the Part B premium. Generated only if there are pre-2006 adjustments that involve BIPA 606 premium reductions.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly, if applicable	<p><u>Gentran mailbox:</u> P.Rxxxx.BIPA606R.Dyymm01.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.BIPA606R.Dyymm01.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BIPA606R.Dyymm01.Thhmsst</p>
40	BIPA 606 Payment Reduction Data File PCUG Record Layout – E.4	<p>Data file version of the BIPA 606 Reduction Report.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Data File	Monthly, if applicable	<p><u>Gentran mailbox:</u> P.Rxxxx.BIPA606D.Dyymm01.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.BIPA606D.Dyymm01.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BIPA606D.Dyymm01.Thhmsst</p>
41	Bonus Payment Report PCUG Sample Report – I.2	<p>Report listing members for whom the plan is to be paid a bonus. (Plans are paid a bonus for extending services to beneficiaries in some underserved areas.) Generated only if there are pre-2006 adjustments that involve bonus payments.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly, if applicable	<p><u>Gentran mailbox:</u> P.Rxxxx.BONUSRPT.Dyymm01.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.BONUSRPT.Dyymm01.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BONUSRPT.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTT." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
42	Bonus Payment Data File PCUG Record Layout – E.5	<p>Data file version of the Bonus Payment Report</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Data File	Monthly, if applicable	<p>Gentran mailbox: P.Rxxxxx.BONUSDAT.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rxxxxx.BONUSDAT.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.BONUSDAT.Dyymm01.Thhmsst</p>
43	Demographic Report PCUG Sample Report – I.3	<p>Summary, by state and county, of the membership of the plan. Members are counted in categories that parallel the factors used in calculating the demographic payment, as well as ESRD and hospice status.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p>Gentran mailbox: P.Rxxxxx.DEMOGRPH.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rxxxxx.DEMOGRPH.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.DEMOGRPH.Dyymm01.Thhmsst</p>
44	Monthly Summary of Bills Report PCUG Sample Report – I.8	<p>Report summarizing all Medicare fee-for-service activity, both Part A and Part B, for beneficiaries enrolled in the contract</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p>Gentran mailbox: P.Rxxxxx.SUMBILLS.Dyymm01.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rxxxxx.SUMBILLS.Dyymm01.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rxxxxx.SUMBILLS.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pccccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
45	<p>HMO Bill Itemization Report</p> <p>PCUG Sample Report – I.4</p>	<p>Report listing the Part A bills that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.BILLITEM.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.BILLITEM.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BILLITEM.Dyymm01.Thhmsst</p>
46	<p>Part B Claims Data File</p> <p>Record Type 1 Record Type 2</p> <p>PCUG Record Layout – E.12</p>	<p>Data file listing the Part B physician and supplier claims and Part B home health claims that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Data File	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.CLAIMDAT.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.CLAIMDAT.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.CLAIMDAT.Dyymm01.Thhmsst</p>
47	<p>Payment Records Report</p> <p>PCUG Sample Report – I.11</p>	<p>Report listing the Part B physician and supplier claims that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	MARx	Report	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.PAYRECDS.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PAYRECDS.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.PAYRECDS.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
48	<p>Monthly Premium Withholding Report Data File (MPWR)</p> <p>Header Record Detail Record Trailer - T1 - Total at segment level Trailer - T2 - Total at PBP level Trailer - T3 - Total at contract level</p> <p>PCUG Record Layout – E.11</p>	<p>Monthly reconciliation file of premiums withheld from SSA, RRB, or OPM checks. Includes Part C and Part D premiums and any Part D Late Enrollment Penalties. This file is produced by the Premium Withhold System (PWS). MARx makes this report available to plans as part of the month-end processing.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month</p>	PWS (MARx)	Data File	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.MPWRD.Dyymm01.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.MPWRD.Dyymm01.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.MPWRD.Dyymm01.Thhmsst</p>
49	<p>Plan Payment Report (APPS Payment Letter)</p> <p>PCUG Sample Report – I.12</p>	<p>Report itemizing the final monthly payment to the plan. This report is produced by the Automated Plan Payment System (APPS) when final payments are calculated. MARx makes this report available to plans as part of the month-end processing.</p> <p>Note: The date in the file name will default to "01" denoting the first day of the current payment month.</p>	APPS	Report	Monthly	<p><u>Gentran mailbox:</u> P.Rxxxx.PLANPAY.Dyymm01.Thhmsst.pn</p> <p><u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PLANPAY.Dyymm01.Thhmsst</p> <p><u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.PLANPAY.Dyymm01.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files			Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file	
50	Plan Payment Report (APPS Payment Letter) Data File PCUG Record Layout – E.26	This data file itemizes the final monthly payment to the MCO. This data file and subsequent report is produced by the Automated Plan Payment System (APPS) when final payments are calculated. CMS makes this report available to MCO's as part of month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	APPS	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.PPRD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PPRD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory].Rxxxx.PPRD.Dyymm01.Thhmsst
51	Interim APPS Plan Payment Report PCUG Sample Report – I.13	When a Plan is approved for an interim payment outside of the normal monthly process, an interim Plan Payment Report will be distributed to that Plan. The report will contain the amount and reason for the interim payment. These reports can also be requested via the MARx user interface under the weekly report section of the menu.	APPS	Report	As needed	<u>Gentran mailbox:</u> P.Rxxxx.PLNPAYI.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PLNPAYI.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory].Rxxxx.PLNPAYI.Dyymm01.Thhmsst
52	Interim APPS Plan Payment Report Data File PCUG Sample Layout – E.26	The Interim APPS Plan Payment Data File and Report is provided when a Plan is approved for an interim payment outside of the normal monthly process. The data file / report will contain the amount and reason for the interim payment to the Plan.	APPS	Data File	As needed	<u>Gentran mailbox:</u> P.Rxxxx.PPRID.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PPRID.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory].Rxxxx.PPRID.Dyymmdd.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions	
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files			Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file		
53	820 Format Payment Advice Data File PCUG Record Layout – E.1	HIPAA-Compliant version of the Plan Payment Report. This data file itemizes the final monthly payment to the plan. <i>This data file is not available through MARx.</i> Note: The date in the file name will default to "01" denoting the first day of the current payment month	APPS	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.PLAN820D.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.PLAN820D.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.PLAN820D.Dyymm01.Thhmsst	
54	Monthly Full Enrollment Data File PCUG Record Layout – E.16	File includes all active membership for a plan on the date the file was run. This file is considered a definitive statement of current plan enrollment. This file uses the same format as the weekly TRR. CMS will announce the availability of each month's file. Note: The date in the file name will default to "01" denoting the first day of the current payment month and can be used to distinguish this file from the Loss of Subsidy (Deemed Status) Data File	MARx	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.FEFD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.FEFD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.FEFD.Dyymm01.Thhmsst	
55	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for covered drugs.	PDE	Data File	Monthly	<u>Gentran mailbox:</u> RPT.DDPS.CUM_BENE_ACT_COV_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO	

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
56	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for enhanced drugs.	PDE	Data File	Monthly	<u>Gentran mailbox:</u> RPT.DDPS_CUM_BENE_ACT_ENH_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
57	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for over-the-counter drugs.	PDE	Data File	Monthly	<u>Gentran mailbox:</u> RPT.DDPS_CUM_BENE_ACT_OTC_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
58	Front-End Risk Adjustment System (FERAS) Response Reports Monthly Plan Activity Report	Report provides monthly summary of the status of submissions by submitter and plan number.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RPT.RAPS_MONTHLY_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
59	Front-End Risk Adjustment System (FERAS) Response Reports Cumulative Plan Activity Report	Report provides cumulative summary of the status of submissions by Submitter ID and plan number.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RPT.RAPS_CUMULATIVE_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
60	Front-End Risk Adjustment System (FERAS) Response Reports Frequency Report Monthly Report	Report provides monthly summary of all errors on all file submissions within the month.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RAPS_ERRORFREQ_MNTH_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
61	LIS/LEP Data File Header Record Detail Record Trailer Record PCUG Record Layout – E.17	This report provides information on low-income subsidized beneficiaries and on direct-billed beneficiaries with late enrollment penalties. Note: The date in the file name will default to "01" denoting the first day of the current payment month.	MARx	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.LISLEPD.Dyymm01.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.LISLEPD.Dyymm01.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.LISLEPD.Dyymm01.Thhmsst
62	LIS History Data File (LISHIST) PCUG Record Layout – E.20	This file supplements existing files that provide LIS notifications. It provides a complete picture of a beneficiary's LIS eligibility over a period of time not to exceed 36 months. Note: The date in the file name will default to "dd" denoting the day of the calendar month	MARx	Data File	Monthly	<u>Gentran mailbox:</u> P.Rxxxx.LISHIST.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.LISHIST.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.LISHIST.Dyymmdd.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
63	<p>Agent Broker Compensation Data File</p> <p>PCUG Record Layout – E.29</p>	<p>This data file provides six-year broker compensation cycle-year counts. Data is sent to plans 1) when a beneficiary enrolls, 2) each January when the cycle-year count increments and 3) as necessary when retroactive change affects the compensation cycle.</p> <p>The 6-year Broker Compensation Report Data File" can also be re-ordered by plans via the UI.</p>	MARx	Data File	Monthly, generally with the first weekly TRR of the month	<p>Gentran mailbox: P.Rnnnnn.COMPRPT.Dyymmdd.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rnnnnn.COMPRPT.Dyymmdd.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory]Rnnnnn.COMPRPT.Dyymmdd.Thhmsst</p>
64	<p>Monthly MSP Information Data File</p> <p>PCUG Record Layout – E.30</p>	<p>This data file is sent directly to Plans on the first Monday after the MARx month-end processing completes. This file contains a subset of information to allow Plans to reconcile payment; the full monthly MSP COB file that will be distributed at the beginning of each month will contain more detail.</p>	MDB	Data File	Monthly	<p>Gentran mailbox: P.Rxxxx.MSPCOBAD.Dyymmdd.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rxxxx.MSPCOBAD.Dyymmdd.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory].Rxxxx.MSPCOBAD.Dyymmdd.Thhmsst</p>
65	<p>Other Health Coverage Information Data File</p>	<p>CMS will provide plans with a file listing the beneficiaries who are enrolled in their plan(s) where Medicare is listed secondary. As a monthly report, this vehicle will provide Plans with regular updates to the MSP data.</p>	MDB	Data File	Monthly	<p>Gentran: P.Rxxxx.MSPCOBMA.Dyymmdd.Thhmsst.pn</p> <p>Connect:Direct (Mainframe): zzzzzzz.Rxxxx.MSPCOBMA.Dyymmdd.Thhmsst</p> <p>Connect:Direct (Non-Mainframe): [directory].Rxxxx.MSPCOBMA.Dyymmdd.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pccccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
Quarterly Report						
66	Front-End Risk Adjustment System (FERAS) Response Reports Frequency Report Quarterly Report	Report provides quarterly summary of all errors on all file submissions within the 3-month quarter.	FERAS	Report	Quarterly	<p>Gentran mailbox: RAPS_ERRORFREQ_QTR_ssssss Connect:Direct: TRANSMITTED FROM PALMETTO</p>
Yearly Reports						
67	RAS Final Yearly Model Output Report, Part D	Report showing the year end Part D risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Report (.pdf)	Yearly	<p>Gentran mailbox: P.Rxxxx.PTDMOFR.Yeeee.Cvvvv.Thhmmss.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxx.PTDMOFR.Yeeee.Cvvvv.Thhmmss Connect:Direct (Non-Mainframe): [directory]Rxxxx.PTDMOFR.Yeeee.Cvvvv.Thhmmss</p>
68	RAS Final Yearly Model Output Data File, Part D	Data file version of the year end Part D RAS Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Data File	Yearly	<p>Gentran mailbox: P.Rxxxx.PTDMOFD.Yeeee.Cvvvv.Thhmmss.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxx.PTDMOFD.Yeeee.Cvvvv.Thhmmss Connect:Direct (Non-Mainframe): [directory]Rxxxx.PTDMOFD.Yeeee.Cvvvv.Thhmmss</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
	Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files		Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file	
69	RAS Final Yearly Model Output Report, Part C	Report showing the year end Part C risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Report (.pdf)	Yearly	Gentran mailbox: P.Rxxxx.HCCMOFR.Yeeee.Cvvvv.Thhmmss.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxx.HCCMOFR.Yeeee.Cvvvv.Thhmmss Connect:Direct (Non-Mainframe): [directory]Rxxxx.HCCMOFR.Yeeee.Cvvvv.Thhmmss
70	RAS Final Yearly Model Output Data File, Part C	Data file version of the year end Part C RAS Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Data File	Yearly	Gentran mailbox: P.Rxxxx.HCCMOFD.Yeeee.Cvvvv.Thhmmss.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxx.HCCMOFD.Yeeee.Cvvvv.Thhmmss Connect:Direct (Non-Mainframe): [directory]Rxxxx.HCCMOFD.Yeeee.Cvvvv.Thhmmss
71	Loss of Subsidy Data File PCUG Record Layout – E.18	The first file is sent in September and identifies members who will receive a joint CMS and SSA letter informing them they will no longer be deemed for the following year. The second file is sent in December and is an updated version of the September file, indicating those beneficiaries who still do not have deemed status for the following year. The data file will have record length of 500 bytes. The TRC used for this special file type is 996. TRC 996 indicates the loss of deeming, which means the beneficiary will not be redeemed for the upcoming period.	MARx	Data File	Twice Yearly	Gentran mailbox: P.Rxxxx.EOYLOSD.Dyyymmdd.Thhmmssst.pn Connect:Direct (Mainframe): zzzzzzz.Rxxxx.EOYLOSD.Dyyymmdd.Thhmmssst Connect:Direct (Non-Mainframe): [directory]Rxxxx.EOYLOSD.Dyyymmdd.Thhmmssst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.		pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files				Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file
72	PDP Loss Data File	Once a year notification file, sent by CMS providing a preliminary listing of LIS-eligible beneficiaries whom CMS will reassign to a new PDP or to a new PBP within the same plan sponsor effective January 1, 2008. The LOSS file will notify PDPs of their members who will be reassigned to other Plans. These members are classified as losing members.	MBD	Data File	Yearly	Gentran mailbox: P.Rxxxxx.APDP5.LOSS.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.APDP5.LOSS.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.APDP5.LOSS.Dyymmdd.Thhmsst
73	PDP Gain Data File	Once a year notification file, sent by CMS providing a preliminary listing of LIS-eligible beneficiaries whom CMS will reassign to a new PDP or to a new PBP within the same plan sponsor effective January 1, 2008. The GAIN file will notify PDPs of members they will gain as a result of the yearly reassignment. These members are classified as gaining members.	MBD	Data File	Yearly	Gentran mailbox: P.Rxxxxx.APDP5.GAIN.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.APDP5.GAIN.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.APDP5.GAIN.Dyymmdd.Thhmsst

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p> <p>pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p> <p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>						
74	<p>September Preliminary PDP Notification File for Plans Losing Beneficiaries to Reassignment</p> <p>PCUG Record Layout – E.2</p>	<p>This file is sent to PDPs losing beneficiaries to reassignment due to premium increase (i.e., the premium going above LIS benchmark in the next year, or going from basic to enhanced benefit). It is a preliminary list of those CMS expects the plan to lose due to reassignment. It is used to help PDPs target the appropriate Annual Notice of Change to these beneficiaries.</p> <p>Please note the file does not include individuals who may regain deemed status in October, nor those whom a State Pharmaceutical Assistance Program (SPAP) may reassign if it has the authority to enroll on behalf of its members.</p>	MBD	Data File	Yearly	<p><u>Gentran mailbox:</u> P.Rxxxx.APDP5.PRLIM.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.APDP5.PRLIM.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.APDP5.PRLIM.Dyymmdd.Thhmsst</p>
75	<p>Long Term Institutionalized Resident Report</p> <p>PCUG Record Layout – E.28</p>	<p>The Long Term Institutionalized (LTI) Resident Report provides Part D sponsors a list of their beneficiaries who are LTI residents during July and January of each year. This report contains basic information on the beneficiaries and their institutions (Skilled Nursing Home or Nursing Home).</p>	MDS	Report	Twice Yearly	<p><u>Gentran mailbox:</u> P.Rxxxx.LTCRPT.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzz.Rxxxx.LTCRPT.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.LTCRPT.Dyymmdd.Thhmsst</p>

CMS MAPD Transmissions Inventory

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
	<p>Dataset naming conventions key:</p> <p>[GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files.</p>	<p>pn = Processing number of varying length assigned to the file by Gentran ccccc = Contract number Pccccc = Plan Contract Number for C:D Uuuu-uuuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvv = Sequence counter for final yearly RAS files</p>				<p>Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file</p>
76	<p>No Premium Due Data File PCUG Record Layout – E.32</p>	<p>The no premium due data file reports members that had a Part C premium, but will no longer have the Part C premium in the upcoming year. This data file is produced during MARx end of year processing.</p>	MARx	Data File	Yearly	<p>P.Rxxxxx.SPCLPEX.Dyyymmdd.Thhmsst.pn</p>