

Research Data Distribution Center

LDS Carrier Claim Record

Data Dictionary

Variable Name

Label

CLAIM_NO

CLAIM NUMBER

The unique number used to identify a unique claim.

SAS ALIAS: CLAIM_NO
STANDARD ALIAS: CLAIM_NO

DSYSRTKY

DESY SORT KEY

This field contains the key to link data for each beneficiary across all claim files.

SAS ALIAS: DSYSRTKY
STANDARD ALIAS: DESY_SORT_KEY

REC_LVL

NCH Near-Line Record Version Code

The code indicating the record version of the Nearline file where the institutional, carrier or DMERC claims data are stored:

DB2 ALIAS: NCH_REC_VRSN_CD
SAS ALIAS: REC_LVL
STANDARD ALIAS: NCH_NEAR_LINE_REC_VRSN_CD
TITLE ALIAS: NCH_VERSION

CODES:

A = Record format as of January 1991
B = Record format as of April 1991
C = Record format as of May 1991
D = Record format as of January 1992
E = Record format as of March 1992
F = Record format as of May 1992
G = Record format as of October 1993
H = Record format as of September 1998
I = Record format as of July 2000

COMMENT:

Prior to Version H this field was named:
CLM_NEAR_LINE_REC_VRSN_CD

SOURCE:

NCH

RIC_CD

NCN Near Line Record Identification Code

A code defining the type of claim record being processed.
COMMON ALIAS: RIC

DBS ALAIS: NEAR_LINE_RIC_CD
SAS ALIAS: RIC_CD
STANDARD ALIAS: NHC_NEAR_LINE_RIC_CD
TITLE ALIAS: RIC

CODES:

REFER TO: NCH_NEAR_LINE_RIC_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
RIC_CD

SOURCE:
NCH

Variable Name

Label

CLM_TYPE

NCH Claim Type Code

The code used to identify the type of claim record being processed in NCH.

NOTE1: During the Version H conversion this field was populated with data through- out history (back to service year 1991).

NOTE2: During the Version I conversion this field was expanded to include inpatient 'full' encounter claims (for service dates after 6/30/97). Placeholders for Physician and Outpatient encounters (available in NMUD) have also been added.

DB2 ALIAS: NCH_CLM_TYPE_CD
SAS ALIAS: CLM_TYPE
STANDARD ALIAS: ULTCARRI_NCH_CLM_TYPE_CD
SYSTEM ALIAS: LTTYE
TITLE ALIAS: CLAIM_TYPE

DERIVATION:
FFS CLAIM TYPE CODES DERIVED FROM:
NCH CLM_NEAR_LINE_RIC_CD
NCH PMT_EDIT_RIC_CD
NCH CLM_TRANS_CD
NCH PRVDR_NUM

INPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(Pre-HDC processing -- AVAILABLE IN NCH) CLM_MCO_PD_SW
CLM_RLT_COND_CD
MCO_CNTRCT_NUM
MCO_OPTN_CD
MCO_PRD_EFCTV_DT
MCO_PRD_TRMNTN_DT

INPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(HDC processing -- AVAILABLE IN NMUD)
FI_NUM

INPATIENT 'ABBREVIATED' ENCOUNTER TYPE CODE DERIVED FROM: (HDC processing -- AVAILABLE IN NMUD)
FI_NUM
CLM_FAC_TYPE_CD
CLM_SRVC_CLSFCTN_TYPE_CD
CLM_FREQ_CD

NOTE: From 7/1/97 to the start of HDC processing(?), abbreviated inpatient encounter claims are not available in NCH or NMUD.

PHYSICIAN 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(AVAILABLE IN NMUD)
CARR_NUM

Variable Name

Label

CLM_DEMO_ID_NUM

OUTPATIENT 'FULL' ENCOUNTER TYPE CODE
DERIVED FROM:
(AVAILABLE IN NMUD)
FI_NUM

OUTPATIENT 'ABBREVIATED' ENCOUNTER TYPE
DERIVED FROM: (AVAILABLE IN NMUD)
FI_NUM
CLM_FAC_TYPE_CD
CLM_SRVC_CLSFCTN_TYPE_CD
CLM_FREQ_CD

DERIVATION RULES:

SET CLM_TYPE_CD TO 10 (HHA CLAIM) WHERE THE
FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V','W' OR 'U'
2. PMT_EDIT_RIC_CD EQUAL 'F'
3. CLM_TRANS_CD EQUAL '5'

SET CLM_TYPE_CD TO 20 (SNF NON-SWING BED
CLAIM)

WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM IS NOT 'U', 'W',
'Y' OR 'Z'

SET CLM_TYPE_CD TO 30 (SNF SWING BED CLAIM)

WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM EQUAL 'U', 'W', 'Y'
OR 'Z'

SET CLM_TYPE_CD TO 40 (OUTPATIENT CLAIM)

WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'W'
2. PMT_EDIT_RIC_CD EQUAL 'D'
3. CLM_TRANS_CD EQUAL '6'

SET CLM_TYPE_CD TO 41 (OUTPATIENT 'FULL'
ENCOUNTER CLAIM -- AVAILABLE IN NMUD) WHERE
THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'W'
2. PMT_EDIT_RIC_CD EQUAL 'D'
3. CLM_TRANS_CD EQUAL '6'
4. FI_NUM = 80881

SET CLM_TYPE_CD TO 42 (OUTPATIENT
ENCOUNTER CLAIMS -- AVAILABLE IN NMUD)

1. FI_NUM = 80881
2. CLM_FAC_TYPE_CD = '1' OR '8';
CLM_SRVC_CLSFCTN_TYPE_CD = '2', '3' OR '4'
& CLM_FREQ_CD = 'Z', 'Y' OR 'X'

Variable Name

Label

SET CLM_TYPE_CD TO 50 (HOSPICE CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'I'
3. CLM_TRANS_CD EQUAL 'H'

SET CLM_TYPE_CD TO 60 (INPATIENT CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '1' '2' OR '3'

SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL'
ENCOUNTER
CLAIM - PRIOR TO HDC PROCESSING - AFTER 6/30/97
- 12/4/00) WHERE THE FOLLOWING CONDITIONS ARE
MET:

1. CLM_MCO_PD_SW = '1'
 2. CLM_RLT_COND_CD = '04'
 3. MCO_CNTRCT_NUM
MCO_OPTN_CD = 'C'
- CLM_FROM_DT & CLM_THRU_DT ARE WITHIN
THE MCO_PRD_EFCTV_DT &
MCO_PRD_TRMNTN_DT ENROLLMENT PERIODS

SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL'
ENCOUNTER
CLAIM -- EFFECTIVE WITH HDC PROCESSING) WHERE
THE

- FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
 2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
 3. CLM_TRANS_CD EQUAL '1' '2' OR '3'
 4. FI_NUM = 80881

SET CLM_TYPE_CD TO 62 (INPATIENT 'ABBREVIATED'
ENCOUNTER CLAIM -- AVAILABLE IN NMUD) WHERE
THE FOLLOWING CONDITIONS ARE MET:

1. FI_NUM = 80881 AND
2. CLM_FAC_TYPE_CD = '1'; CLM_SRVC_CLSFCTN_
TYPE_CD = '1'; CLM_FREQ_CD = 'Z'

SET CLM_TYPE_CD TO 71 (RIC O non-DMEPOS CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'O'
2. HCPCS_CD not on DMEPOS table

SET CLM_TYPE_CD TO 72 (RIC O DMEPOS CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:

1. CLM_NEAR_LINE_RIC_CD EQUAL 'O'
2. HCPCS_CD on DMEPOS table (NOTE: if one
or more line item(s) match the HCPCS on the
DMEPOS table).

SET CLM_TYPE_CD TO 73 (PHYSICIAN ENCOUNTER
CLAIM--
EFFECTIVE WITH HDC PROCESSING) WHERE THE
FOLLOWING

Variable Name

Label

CONDITIONS ARE MET:
1. CARR_NUM = 80882 AND
2. CLM_DEMO_ID_NUM = 38

SET CLM_TYPE_CD TO 81 (RIC M non-DMEPOS CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'M'
2. HCPCS_CD not on DMEPOS table

SET CLM_TYPE_CD TO 82 (RIC M DMEPOS DMERC CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'M'
2. HCPCS_CD on DMEPOS table (NOTE: if one or more line item(s) match the HCPCS on the DMEPOS table).

CODES:
REFER TO: NCH_CLM_TYPE_TB
IN THE CODES APPENDIX

SOURCE:
NCH

STATE_CD

Beneficiary Residence SSA Standard State Code

The SSA standard state code of a beneficiary's residence.
DA3 ALIAS: SSA_STANDARD_STATE_CODE DB2
ALIAS: BENE_SSA_STATE_CD
SAS ALIAS: STATE_CD
STANDARD ALIAS: BENE_RSDNC_SSA_STD_STATE_CD
TITLE ALIAS: BENE_STATE_CD

EDIT-RULES:
OPTIONAL: MAY BE BLANK

CODES:
REFER TO: GEO_SSA_STATE_TB
IN THE CODES APPENDIX

COMMENT:
1. Used in conjunction with a county code, as selection criteria for the determination of payment rates for HMO reimbursement.
2. Concerning individuals directly billable for Part B and/or Part A premiums, this element is used to determine if the beneficiary will receive a bill in English or Spanish.
3. Also used for special studies.

SOURCE:
SSA/EDB

THRU_DT

Claim Through Date

The last day on the billing statement covering services rendered to the beneficiary (a.k.a 'Statement Covers Thru Date').

For the ENCRYPTED Standard View of the

Variable Name

Label

Carrier files, the claim through date is coded as when the claim through date occurred.

NOTE: For Home Health PPS claims, the 'from' date and the 'thru' date on the RAP (initial claim) must always match.

8 DIGITS UNSIGNED

DB2 ALIAS: CLM_THRU_DT
SAS ALIAS: THRU_DT
STANDARD ALIAS: CLM_THRU_DT
TITLE ALIAS: THRU_DATE

EDIT-RULES FOR ENCRYPTED DATA:
CCYYMMDD WHERE CCYY REPRESENTS THE YEAR.

SOURCE:
CWF

SGMT_CNT

Claim Total Segment Count

Effective with Version I, the count used to identify the total number of segments associated with a given claim. Each claim could have up to 10 segments.

2 DIGITS UNSIGNED
DB2 ALIAS: TOT_SGMT_CNT
SAS ALIAS: SGMT_CNT
STANDARD ALIAS:
CLM_TOT_SGMT_CNT
TITLE ALIAS: SEGMENT_COUNT
SOURCE:
CWF

SGMT_NUM

Claim Segment Number

Effective with Version I, the number used to identify an actual record/segment (1 - 10) associated with a given claim.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). For institutional claims prior to 7/00, this number will be either 1 or 2. For noninstitutional claims, the number will always be 1.

2 DIGITS UNSIGNED
DB2 ALIAS: CLM_SGMT_NUM
SAS ALIAS: SGMT_NUM
STANDARD ALIAS:
CLM_SGMT_NUM
TITLE ALIAS: SEGMENT_NUMBER
SOURCE:
CWF

Variable Name

Label

CNTY_CD

Beneficiary Residence SSA Standard County Code

The SSA standard county code of a beneficiary's residence. DA3 ALIAS: SSA_STANDARD_COUNTY_CODE
DB2 ALIAS: BENE_SSA_CNTY_CD
SAS ALIAS: CNTY_CD
STANDARD ALIAS: BENE_RSDNC_SSA_STD_CNTY_CD
TITLE ALIAS: BENE_COUNTY_CD

EDIT-RULES:
OPTIONAL: MAY BE BLANK

SOURCE:
SSA/EDB

CARR_NUM

Carrier Number

The identification number assigned by HCFA to a carrier authorized to process claims from a physician or supplier.

DB2 ALIAS: CARR_NUM
SAS ALIAS: CARR_NUM
STANDARD ALIAS: CARR_NUM
SYSTEM ALIAS: LTCARR
TITLE ALIAS: CARRIER

CODES:
REFER TO: CARR_NUM_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
FICARR_IDENT_NUM.

SOURCE:
CWF

SEX

Beneficiary Sex Identification Code

The sex of a beneficiary. COMMON ALIAS: SEX_CD
DA3 ALIAS: SEX_CODE
DB2 ALIAS: BENE_SEX_IDENT_CD
SAS ALIAS: SEX
STANDARD ALIAS: BENE_SEX_IDENT_CD
SYSTEM ALIAS: LTSEX
TITLE ALIAS: SEX_CD

EDIT-RULES:
REQUIRED FIELD

CODES:
1 = Male
2 = Female
0 = Unknown

SOURCE:
SSA,RRB,EDB

Variable Name

Label

RACE

Beneficiary Race Code

The race of a beneficiary. DA3
ALIAS: RACE_CODE DB2
ALIAS: BENE_RACE_CD
SAS ALIAS: RACE
STANDARD ALIAS: BENE_RACE_CD
SYSTEM ALIAS: LTRACE
TITLE ALIAS: RACE_CD

CODES:

0 = Unknown
1 = White
2 = Black
3 = Other
4 = Asian
5 = Hispanic
6 = North American Native

SOURCE:

SSA

BENE_DOB

Beneficiary Birth Date

The beneficiary's date of birth.
For the ENCRYPTED Standard View of
the Carrier files, the beneficiary's
date of birth (age) is coded as a range.

8 DIGITS UNSIGNED

DB2 ALIAS: BENE_BIRTH_DT
SAS ALIAS: BENE_DOB
STANDARD ALIAS: BENE_BIRTH_DT
TITLE ALIAS: BENE_BIRTH_DATE

EDIT-RULES FOR ENCRYPTED

DATA: 0000000R

WHERE R HAS ONE OF THE FOLLOWING VALUES.

0 = Unknown
1 = <65
2 = 65 thru 69
3 = 70 thru 74
4 = 75 thru 79
5 = 80 thru 84
6 = >84

SOURCE:

CWF

MS_CD

CWF Beneficiary Medicare Status Code

The CWF-derived reason for a beneficiary's entitlement
to Medicare benefits, as of the reference date
(CLM_THRU_DT).

COBOL ALIAS: MSC
COMMON ALIAS: MSC
DB2 ALIAS: BENE_MDCR_STUS_CD
SAS ALIAS: MS_CD
STANDARD ALIAS: CWF_BENE_MDCR_STUS_CD

Variable Name

Label

SYSTEM ALIAS: LTMSC
TITLE ALIAS: MSC

DERIVATION:
CWF derives MSC from the following:
1. Date of Birth
2. Claim Through Date
3. Original/Current Reasons for entitlement
4. ESRD Indicator
5. Beneficiary Claim Number
Items 1,3,4,5 come from the CWF Beneficiary Master Record; item 2 comes from the FI/Carrier claim record. MSC is assigned as follows:

MSC	OASI	DIB	ESRD	AGE	BIC
10	YES	N/A	NO	65 and over	N/A
11	YES	N/A	YES	65 and over	N/A
20	NO	YES	NO	under 65	N/A
21	NO	YES	YES	under 65	N/A
31	NO	NO	YES	any age	T.

CODES:
10 = Aged without ESRD
11 = Aged with ESRD
20 = Disabled without ESRD
21 = Disabled with ESRD
31 = ESRD only

COMMENT:
Prior to Version H this field was named: BENE_MDCR_STUS_CD. The name has been changed to distinguish this CWF-derived field from the EDB-derived MSC (BENE_MDCR_STUS_CD).

SOURCE:
CWF

PDGNS_CD

Claim Principal Diagnosis Code

The ICD-9-CM diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record chiefly responsible for the services provided.

NOTE: Effective with Version H, this data is also redundantly stored as the first occurrence of the diagnosis trailer.

DB2 ALIAS: PRNCPAL_DGNS_CD
SAS ALIAS: PDGNS_CD
STANDARD ALIAS: CLM_PRNCPAL_DGNS_CD
TITLE ALIAS: PRINCIPAL_DIAGNOSIS

EDIT-RULES:
ICD-9-CM

SOURCE:
CWF

Variable Name

Label

PMTDNLCD

Carrier Claim Payment Denial Code

The code on a noninstitutional claim indicating to whom payment was made or if the claim was denied.

DB2 ALIAS: CARR_PMT_DNL_CD

SAS ALIAS: PMTDNLCD

STANDARD ALIAS: CARR_CLM_PMT_DNL_CD

TITLE ALIAS: PMT_DENIAL_CD

CODES:

REFER TO: CARR_CLM_PMT_DNL_TB

IN THE CODES APPENDIX

COMMENT:

Prior to Version H this field was named:

CWFB_CLM_PMT_DNL_CD.

SOURCE:

CWF

TRTMT_CD

Claim Excepted/Nonexcepted Medical Treatment Code

Effective with Version I, the code used to identify whether or not the medical care or treatment received by a beneficiary, who has elected care from a Religious Nonmedical Health Care Institution (RNHCI), is excepted or nonexcepted. Excepted is medical care or treatment that is received involuntarily or is re-quired under Federal, State or local law. Nonexcepted is defined as medical care or treatment other than excepted.

DB2 ALIAS: EXCPTD_NEXCPTD_CD

SAS ALIAS: TRTMT_CD

STANDARD ALIAS: CLM_EXCPTD_NEXCPTD_TRTMT_CD

TITLE ALIAS: EXCPTD_NEXCPTD_CD

CODES:

0 = No Entry

1 = Excepted

2 = Nonexcepted

SOURCE:

CWF

PMT_AMT

Claim Payment Amount

Amount of payment made from the Medicare trust fund for the services covered by the claim record.

Generally, the amount

is calculated by the FI or carrier; and represents what was

paid to the institutional provider, physician, or supplier,

with the exceptions noted below. **NOTE: In some

situations, a negative claim payment amount may be

sent; e.g., (1) when a beneficiary is charged the full

deductible during a short stay and the deductible

the amount Medicare pays; or (2) when a beneficiary is

charged a coinsurance amount during a long stay and

the coinsurance amount exceeds the amount Medicare

pays (most

prevalent situation involves psych hospitals who are paid

daily per diem rate no matter what the charges are.)

Variable Name

Label

Under IP PPS, inpatient hospital services are paid based a predetermined rate per discharge, using the DRG classification system and the PRICER program. On the PPS claim, the payment amount includes the DRG approved payment amount, disproportionate share 5/1/86), indirect medical education (since 10/1/88), total PPS capital (since 10/1/91). It does NOT include the pass thru amounts (i.e., capital-related costs, direct medical education costs, kidney acquisition costs, bad debts); or any beneficiary-paid amounts (i.e., deductibles and coinsurance); or any other payer reimbursement.

Under SNF PPS, SNFs will classify beneficiaries using the patient classification system known as RUGS III. For the SNF PPS claim, the SNF PRICER will calculate/return the rate for each revenue center line item with revenue center '0022'; multiply the rate times the units count; and then sum the amount payable for all lines with revenue center code '0022' to determine the total claim payment amount.

Under Outpatient PPS, the national ambulatory payment classification (APC) rate that is calculated for each APC group is the basis for determining the total payment. The Medicare payment amount takes into account the wage adjustment and the beneficiary deductible and amounts. NOTE: There is no CWF edit check to validate the revenue center Medicare payment amount equals the claim level Medicare payment amount.

Under Home Health PPS, beneficiaries will be classified an appropriate case mix category known as the Home Resource Group. A HIPPS code is then generated corresponding to the case mix category (HHRG).

For the RAP, the PRICER will determine the payment appropriate to the HIPPS code by computing 60% (for first episode) or 50% (for subsequent episodes) of the case episode payment. The payment is then wage index

For the final claim, PRICER calculates 100% of the due, because the final claim is processed as an to the RAP, reversing the RAP payment in full. Although final claim will show 100% payment amount, the provider actually receive the 40% or 50% payment.

Exceptions: For claims involving demos and BBA data, the amount reported in this field may not just represent the actual provider payment.

For demo Ids '01','02','03','04' -- claims contain amount paid to the provider, except that special 'differentials' paid outside the normal payment system are not included.

For demo Ids '05','15' -- encounter data 'claims' contain amount Medicare would have paid under FFS, instead of the actual payment to the MCO.

Variable Name

Label

For demo Ids '06','07','08' -- claims contain actual provider payment but represent a special negotiated bundled payment for both Part A and Part B services. To identify what the conventional provider Part A payment would have been, check value code = 'Y4'. The related noninstitutional (physician/supplier) claims contain what would have been paid had there been no demo.

For BBA encounter data (non-demo) -- 'claims' contain amount Medicare would have paid under FFS, instead of the actual payment to the BBA plan.

9.2 DIGITS SIGNED

COMMON ALIAS: REIMBURSEMENT

DB2 ALIAS: CLM_PMT_AMT

SAS ALIAS: PMT_AMT

STANDARD ALIAS: CLM_PMT_AMT

TITLE ALIAS: REIMBURSEMENT

EDIT-RULES:

+9(9).99

COMMENT:

Prior to Version H the size of this field was S9(7)V99. Als the noninstitutional claim records carried this field as a I item. Effective with Version H, this element is a claim lev field across all claim types (and the line item field has been renamed.)

SOURCE:

CWF

LIMITATIONS:

Prior to 4/6/93, on inpatient, outpatient, and physician/supplier claims containing a CLM_DISP_CD of '02', the amount shown as the Medicare reimbursement does not take into consideration any CWF automatic adjustments (involving erroneous deductibles in most cases). In as many as 30% of the claims (30% IP, 15% OP, 5% PART B), the reimbursement reported on the claims may be over or under the actual Medicare payment amount.

PRPAYAMT

Carrier Claim Primary Payer Paid Amount

Effective with Version H, the amount of a payment made on behalf of a Medicare bene- ficiary by a primary payer other than Medicare, that the provider is applying to covered Medicare charges on a non-institutional claim.

NOTE: During the Version H conversion, this field was populated with data throughout history (back to service year 1991) by summing up the line item primary payer amounts.

9.2 DIGITS SIGNED

DB2 ALIAS: CARR_PRMRY_PYR_AMT

SAS ALIAS: PRPAYAMT

STANDARD ALIAS: CARR_CLM_PRMRY_PYR_PD_AMT

TITLE ALIAS: PRIMARY_PAYER_AMOUNT

EDIT-RULES:

+9(9).99

SOURCE: CWF

Variable Name

Label

RFR_UPIN

Carrier Claim Referring UPIN Number

The unique physician identification number (UPIN) of the physician who referred the beneficiary to the physician who performed the Part B services.

This field is ENCRYPTED for the ENCRYPTED Standard View of the Carrier file.

COMMON ALIAS: REFERRING_PHYSICIAN_UPIN
DB2 ALIAS: CARR_RFRG_UPIN_NUM
SAS ALIAS: RFR_UPIN
STANDARD ALIAS: CARR_CLM_RFRG_UPIN_NUM
TITLE ALIAS: REFERRING_PHYSICIAN_UPIN

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_RFRG_UPIN_NUM.

SOURCE:
CWF

ASGMNTCD

Carrier Claim Provider Assignment Indicator Switch

A switch indicating whether or not the provider accepts assignment for the noninstitutional claim.

DB2 ALIAS: PRVDR_ASGNMT_SW
SAS ALIAS: ASGMNTCD
STANDARD ALIAS:
CARR_CLM_PRVDR_ASGNMT_IND_SW
TITLE ALIAS: ASSIGNMENT_SW

CODES:
A = Assigned claim
N = Non-assigned claim

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_PRVDR_ASGNMT_IND_SW.

SOURCE:
CWF

PROV_PMT

NCH Claim Provider Payment Amount

Effective with Version H, the total payments made to the provider for this claim (sum of line item provider payment amounts.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: NCH_PRVDR_PMT_AMT
SAS ALIAS: PROV_PMT
STANDARD ALIAS: NCH_CLM_PRVDR_PMT_AMT
TITLE ALIAS: PRVDR_PMT

EDIT-RULES:
+9(9).99

SOURCE:
NCH QA Process

Variable Name

Label

BENE_PMT

NCH Claim Beneficiary Payment Amount

Effective with Version H, the total payments made to the beneficiary for this claim (sum of line payment amounts to the beneficiary.)

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data.

Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: NCH_BENE_PMT_AMT

SAS ALIAS: BENE_PMT

STANDARD ALIAS: NCH_CLM_BENE_PMT_AMT

TITLE ALIAS: BENE_PMT

EDIT-RULES:

+9(9).99

SOURCE:

NCH QA Process

BENEPAID

Carrier Claim Beneficiary Paid Amount

Effective with Version H, the amount paid by the beneficiary for the non-institutional Part B services.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data.

Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: CARR_BENE_PD_AMT

SAS ALIAS: BENEPAID

STANDARD ALIAS: CARR_CLM_BENE_PD_AMT

TITLE ALIAS: BENE_PD_AMT

EDIT-RULES:

+9(9).99

SOURCE:

CWF

SBMTCHRG

NCH Carrier Claim Submitted Charge Amount

Effective with Version H, the total submitted charges on the claim (the sum of line item submitted charges).

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

9.2 DIGITS SIGNED

DB2 ALIAS: CARR_SBMT_CHRG_AMT

SAS ALIAS: SBMTCHRG

STANDARD ALIAS: NCH_CARR_SBMT_CHRG_AMT

TITLE ALIAS: SBMT_CHRG

EDIT-RULES:

+9(9).99

SOURCE:

NCH QA Process

Variable Name

Label

ALOWCHRG

NCH Carrier Claim Allowed Charge Amount

Effective with Version H, the total allowed charges on the claim (the sum of line item allowed charges).

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

9.2 DIGITS SIGNED

DB2 ALIAS: CARR_ALOW_CHRG_AMT
SAS ALIAS: ALOWCHRG
STANDARD ALIAS: NCH_CARR_ALOW_CHRG_AMT
TITLE ALIAS: ALOW_CHRG

EDIT-RULES:
+9(9).99

SOURCE:
NCH QA Process

DEDAPPLY

Carrier Claim Cash Deductible Applied Amount

Effective with Version H, the amount of the cash deductible as submitted on the claim.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: CASH_DDCTBL_AMT
SAS ALIAS: DEDAPPLY
STANDARD ALIAS:
CARR_CLM_CASH_DDCTBL_APPLY_AMT
TITLE ALIAS: CASH_DDCTBL

EDIT-RULES:
+9(9).99

SOURCE:
CWF

RFR_PRFL

Carrier Claim Referring PIN Number

Carrier-assigned identification (profiling) number of the physician who referred the beneficiary to the physician that performed the Part B services.

This field is ENCRYPTED for the ENCRYPTED Standard View of the Carrier File.

COMMON ALIAS: REFERRING_PHYSICIAN_PIN
DB2 ALIAS: CARR_RFRG_PIN_NUM
SAS ALIAS: RFR_PRFL
STANDARD ALIAS: CARR_CLM_RFRG_PIN_NUM
TITLE ALIAS: RFRG_PIN

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_RFRG_PHYSN_PRFLG_NUM.

SOURCE:
CWF

Variable Name

Label

CPO_PROV

Care Plan Oversight (CPO) Provider Number

Effective with NCH weekly process date 3/7/97, the Medicare provider number of the HHA or Hospice rendering Medicare covered services during period the physician is providing care plan oversight. The purpose of this field is to ensure compliance with the CPO requirement that the beneficiary must be receiving covered HHA or Hospice services during the billing period. There can be only one CPO provider number per claim, and no other services but CPO physician services are to be reported on the claim. This field is only present on the non-DMERC processed carrier claim.

NOTE: On the Version G format, this field is stored as a redefinition of the NEAR_LINE_ORGNL_BENE_CAN_NUM (the first 3 positions contain 'CPO', followed by the 6-position provider number). During the Version H conversion the data was moved to this dedicated field.

DB2 ALIAS: CPO_PRVDR_NUM
SAS ALIAS: CPO_PROV
STANDARD ALIAS: CPO_PRVDR_NUM
TITLE ALIAS: CPO_PRVDR
SOURCE:
CWF

BLDFRNSH

Claim Blood Pints Furnished Quantity

Number of whole pints of blood furnished to the beneficiary, as reported on the carrier claim (non-

3 DIGITS SIGNED

DB2 ALIAS: BLOOD_PT_FRNSH_QTY
SAS ALIAS: BLDFRNSH
STANDARD ALIAS: CLM_BLOOD_PT_FRNSH_QTY
TITLE ALIAS: BLOOD_PINTS_FURNISHED

EDIT-RULES:
NUMERIC

COMMENT:
Prior to Version H this field was stored in a blood trailer. Version H eliminated the blood trailer.

SOURCE:
CWF

Variable Name

Label

BLD_DED

Claim Blood Deductible Pints Quantity

The quantity of blood pints applied (blood deductible) as reported on the carrier claim (non-DMERC).

3 DIGITS SIGNED

DB2 ALIAS: BLOOD_DDCTBL_PT

SAS ALIAS: BLD_DED

STANDARD ALIAS: CLM_BLOOD_DDCTBL_PT_QTY

TITLE ALIAS: BLOOD_PINTS_DEDUCTIBLE

EDIT-RULES:

NUMERIC

COMMENT:

Prior to Version H this field was stored in a blood trailer. Version H eliminated the blood trailer.

SOURCE:

CWF

CDGNCNT

Carrier Claim Diagnosis Code Count

The count of the number of diagnosis codes (both principal and other) reported on an carrier claim. The purpose of this count is to indicate how many claim diagnosis trailers are present.

1 DIGIT UNSIGNED

DB2 ALIAS: CARR_DGNS_CD_CNT

SAS ALIAS: CDGNCNT

STANDARD ALIAS: CARR_CLM_DGNS_CD_CNT

EDIT-RULES:

RANGE: 0 TO 4

COMMENT:

Prior to Version H this field was named: CLM_DGNS_CD_CNT.

SOURCE:

NCH

CLINECNT

Carrier Claim Line Count

The count of the number of line items reported on the carrier claim. The purpose of this count is to indicate how many line item trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: CARR_CLM_LINE_CNT

SAS ALIAS: CLINECNT

STANDARD ALIAS: CARR_CLM_LINE_CNT

EDIT-RULES:

RANGE: 1 TO 13

COMMENT:

Prior to Version H this field was named: CWFB_CLM_NUM_LINE_ITM_CNT.

SOURCE:

CWFB CLAIMS

Variable Name

Label

DGNSCD{x}

Claim Diagnosis Code

where { x } ranges from 1 to 4 (1 to 8 beginning in 2007)

The ICD-9-CM based code identifying the beneficiary's principal or other diagnosis (including E code).

NOTE:

Prior to Version H, the principal diagnosis code was not stored with the 'OTHER' diagnosis codes. During the Version H conversion the CLM_PRNCPAL_DGNS_CD was added as the first occurrence.

DB2 ALIAS: CLM_DGNS_CD

SAS ALIAS: DGNSCD{x}

STANDARD ALIAS: CLM_DGNS_CD{x}

TITLE ALIAS: DIAGNOSIS

EDIT-RULES:

ICD-9-CM

COMMENT:

Prior to Version H this field was named: CLM_OTHR_DGNS_CD.

PRFRFL{x}

Carrier Line Performing PIN Number

where { x } ranges from 1 to 13

The profiling identification number (PIN) of the physician\supplier who performed the service for this line item on the carrier claim (non-DMERC).

This field is ENCRYPTED for the ENCRYPTED Standard View of the Carrier file.

COMMON ALIAS:

PHYSICIAN/SUPPLIER_PROVIDER_NUM

DB2 ALIAS: LINE_PRFRMG_PIN

SAS ALIAS: PRFPRFL{x}

STANDARD ALIAS: CARR_LINE_PRFRMG_PIN_NUM{x}

TITLE ALIAS: PRFRMG_PIN

COMMENT:

Prior to Version H this field was named: CWFB_PRFRMG_PRVDR_PRFLG_NUM.

SOURCE:

CWF

Variable Name

Label

PRFUPN{x}

Carrier Line Performing UPIN Number

where { x } ranges from 1 to 13

The unique physician identification number (UPIN) of the physician who performed the service for this line item on the carrier claim (non-DMERC).

This field is ENCRYPTED for the ENCRYPTED Standard View of the Carrier file.

DB2 ALIAS: LINE_PRFRMG_UPIN
SAS ALIAS: PRFUPIN{x}
STANDARD ALIAS: CARR_LINE_PRFRMG_UPIN_NUM{x}
TITLE ALIAS: PRFRMG_UPIN

COMMENT:
Prior to Version H this field was named:
CWFB_PRFRMG_PRVDR_UPIN_NUM.

SOURCE:
CWF

PRVSTT{x}

Line NCH Provider State Code

where { x } ranges from 1 to 13

Effective with Version H, the two position SSA state code where provider facility is located.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

DB2 ALIAS: LINE_PRVDR_STATE
SAS ALIAS: PRVSTT{x}
STANDARD ALIAS: LINE_NCH_PRVDR_STATE_CD{x}
TITLE ALIAS: PRVDR_STATE

DERIVATION:
DERIVED FROM:
CARR_LINE_PRFRMG_PRVDR_ZIP_CD

DERIVATION RULES:

Use the first three positions of the provider zip code to derive the LINE_NCH_PRVDR_STATE_CD from a crosswalk file. Where a match is not achieved this field will be blank.

CODES:
REFER TO: GEO_SSA_STATE_TB

SOURCE:
NCH

Variable Name

Label

HCFPCL{x}

Line HCFA Provider Specialty Code

where { x } ranges from 1 to 13

HCFA specialty code used for pricing the line item service on the noninstitutional claim.

DB2 ALIAS: HCFA_SPCLTY_CD
SAS ALIAS: HCFPCL{x}
STANDARD ALIAS: LINE_HCFA_PRVDR_SPCLTY_CD{x}
TITLE ALIAS: HCFA_PRVDR_SPCLTY

CODES:
REFER TO: HCFA_PRVDR_SPCLTY_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_HCFA_PRVDR_SPCLTY_CD.

SOURCE:
CWF

PRTPTG{x}

Line Provider Participating Indicator Code

where { x } ranges from 1 to 13

Code indicating whether or not a provider is participating or accepting assignment for this line item service on the noninstitutional claim.

DB2 ALIAS: PRVDR_PRTCPTG_CD
SAS ALIAS: PRTPTG{x}
STANDARD ALIAS: LINE_PRVDR_PRTCPTG_IND_CD{x}
TITLE ALIAS: PRVDR_PRTCPTG_IND

CODES:
REFER TO: LINE_PRVDR_PRTCPTG_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PRVDR_PRTCPTG_IND_CD.

SOURCE:
CWF

ASTTCD{x}

Carrier Line Reduced Payment Physician Assistant Code

where { x } ranges from 1 to 13

Effective 1/92, the code on the carrier (non-DMERC) line item that identifies claims that have been paid a reduced fee schedule amount (65%, 75% or 85%) because a physician's assistant performed the services.

COMMON ALIAS: PA_65/75/85%_FEE
DB2 ALIAS: PHYSN_ASTNT_CD
SAS ALIAS: ASTTCD{x}
STANDARD ALIAS:
CARR_LINE_RDCD_PHYSN_ASTNT_CD{x}
TITLE ALIAS: PHYSN_ASTNT_CD

CODES:
REFER TO: CARR_LINE_RDCD_PHYSN_ASTNT_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_RDCD_PMT_PHYSN_ASTNT_CD.

SOURCE:
CWF

Variable Name

Label

SRVCNT{x}

where { x } ranges from 1 to 13

Line Service Count

The count of the total number of services processed for the line item on the non-institutional claim.

3 DIGITS SIGNED

DB2 ALIAS: SRVC_CNT

SAS ALIAS: SRVCNT{x}

STANDARD ALIAS: LINE_SRVC_CNT{x}

EDIT - RULES:

+999

COMMENT:

Prior to Version H this field was named:
CWFB_SRVC_CNT.

SOURCE:

CWF

TYPVCB{x}

where { x } ranges from 1 to 13

Line HCFA Type Service Code

Code indicating the type of service, as defined in the HCFA Medicare Carrier Manual, for this line item on the non-institutional claim.

DB2 ALIAS: HCFA_TYPE_SRVC_CD

SAS ALIAS: TYPVCB{x}

STANDARD ALIAS:

LINE_HCFA_TYPE_SRVC_CD {x}

SYSTEM ALIAS: LTTOS

TITLE ALIAS: HCFA_TYPE_SRVC

EDIT-RULES:

The only type of service codes applicable to DMERC claims are: 1, 9, A, E, G, H, J, K, L, M, P, R, and S.

CODES:

REFER TO: HCFA_TYPE_SRVC_TB
IN THE CODES APPENDIX

COMMENT:

Prior to Version H this field was named:
CWFB_HCFA_TYPE_SRVC_CD.

SOURCE:

CWF

Variable Name

Label

PLCRVC{x}

Line Place Of Service Code

where { x } ranges from 1 to 13

The code indicating the place of service, as defined in the Medicare Carrier Manual, for this line item on the noninstitutional claim.

COMMON ALIAS: POS
DB2 ALIAS: LINE_PLC_SRVC_CD
SAS ALIAS: PLCRVC{x}
STANDARD ALIAS: LINE_PLC_SRVC_CD{x}
TITLE ALIAS: PLC_SRVC

CODES:
REFER TO: LINE_PLC_SRVC_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PLC_SRVC_CD.

SOURCE:
CWF

LCLYCD{x}

Carrier Line Pricing Locality Code

where { x } ranges from 1 to 13

Code denoting the carrier-specific locality used for pricing the service for this line item on the carrier claim (non-DMERC).

DB2 ALIAS: PRCNG_LCLTY_CD
SAS ALIAS: LCLYCD{x}
STANDARD ALIAS: CARR_LINE_PRCNG_LCLTY_CD{x}
TITLE ALIAS: PRICING_LOCALITY

EDIT-RULES:
CARRIER INFORMATION FILE
COMMENT:
Prior to Version H this field was named:
CWFB_CARR_PRCNG_LCLTY_CD.

SOURCE:
CWF

Variable Name

Label

EXDT2_{x}

Line Last Expense Date

where { x } ranges from 1 to 13

The ending date (last expense) for the line item service on the non-institutional claim.

8 DIGITS UNSIGNED

COBOL ALIAS: LST_EXP_DT

DB2 ALIAS: LINE_LAST_EXPNS_DT

SAS ALIAS: EXDT2_{x}

STANDARD ALIAS: LINE_LAST_EXPNS_DT{x}

TITLE ALIAS: LAST_EXPNS_DT

EDIT-RULES FOR ENCRYPTED DATA:

CCYYMMDD WHERE CCYY REPRESENTS THE YEAR.

COMMENT:

Prior to Version H this field was named:

CWFB_LAST_EXPNS_DT.

SOURCE:

CWF

HCPCSD{x}

Line HCPCS Code

where { x } ranges from 1 to 13

The Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS) is a collection of codes that represent procedures, supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs. The codes are divided into three levels, or groups, as described below:

DB2 ALIAS: LINE_HCPCS_CD

SAS ALIAS: HCPCS_CD

STANDARD ALIAS: LINE_HCPCS_CD

TITLE ALIAS: HCPCS_CD

COMMENT:

Prior to Version H this line item field was named: HCPCS_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and non-institutional: LINE).

Level I

Codes and descriptors copyrighted by the American Medical Association's Current Procedural Terminology, Fourth Edition (CPT-4). These are 5 position numeric codes representing physician and non-physician services.

**** Note: ****

CPT-4 codes including both long and short descriptions shall be used in accordance with the HCFA/AMA agreement. Any other use violates the AMA copyright.

Variable Name

Label

Level II

Includes codes and descriptors copyrighted by the American Dental Association's Current Dental Terminology, Second Edition (CDT-2). These are 5 position alpha-numeric codes comprising the D series. All other level II codes and descriptors are approved and maintained jointly by the alpha-numeric editorial panel (consisting of HCFA, the Health Insurance Association of America, and the Blue Cross and Blue Shield Association). These are 5 position alpha-numeric codes representing primarily items and non-physician services that are not represented in the level I codes.

Level III

Codes and descriptors developed by Medicare carriers for use at the local (carrier) level. These are 5 position alpha-numeric codes in the W, X, Y or Z series representing physician and non-physician services that are not represented in the level I or level II codes.

MDCD1_{x}

Line HCPCS Initial Modifier Code

where { x } ranges from 1 to 13

A first modifier to the HCPCS procedure code to enable a more specific procedure identification for the line item on the non-institutional claim.

DB2 ALIAS: HCPCS_1ST_MDFR_CD

SAS ALIAS: MDCD1_{x}

STANDARD ALIAS: LINE_HCPCS_INITL_MDFR_CD{x}

TITLE ALIAS: INITIAL_MODIFIER

EDIT-RULES:

CARRIER INFORMATION FILE

COMMENT:

Prior to Version H this field was named: HCPCS_INITL_MDFR_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and non-institutional: LINE).

SOURCE:

CWF

MDCD2_{x}

Line HCPCS Second Modifier Code

where { x } ranges from 1 to 13

A second modifier to the HCPCS procedure code to make it more specific than the first modifier code to identify the line item procedures for this claim.

DB2 ALIAS: HCPCS_2ND_MDFR_CD

SAS ALIAS: MDCD2_{x}

STANDARD ALIAS: LINE_HCPCS_2ND_MDFR_CD{x}

TITLE ALIAS: SECOND_MODIFIER

EDIT-RULES:

CARRIER INFORMATION FILE

COMMENT:

Prior to Version H this field was named: HCPCS_2ND_MDFR_CD. With Version H, a prefix

Variable Name

Label

was added to denote the location of this field on each claim type (institutional: REV_CNTR and noninstitutional: LINE).

SOURCE:
CWF

BETOS{x}

Line NCH BETOS Code

where { x } ranges from 1 to 13

Effective with Version H, the Berenson-Eggers type of service (BETOS) for the procedure code based on generally agreed upon clinically meaningful groupings of procedures and services. This field is included as a line item on the noninstitutional claim.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

DB2 ALIAS: LINE_NCH_BETOS_CD
SAS ALIAS: BETOS{x}
STANDARD ALIAS: LINE_NCH_BETOS_CD{x}
SYSTEM ALIAS: LTBETOS
TITLE ALIAS: BETOS

DERIVATION:
DERIVED FROM:
LINE_HCPCS_CD
LINE_HCPCS_INITL_MDFR_CD
LINE_HCPCS_2ND_MDFR_CD
HCPCS MASTER FILE

DERIVATION RULES:
Match the HCPCS on the claim to the HCPCS on the HCPCS Master File to obtain the BETOS code.

CODES:
REFER TO: BETOS_TB
IN THE CODES APPENDIX

SOURCE:
NCH

LNID{x}

Line IDE Number

where { x } ranges from 1 to 13

Effective with Version H, the exemption number assigned by the Food and Drug Administration (FDA) to an investigational device after a manufacturer has been approved by FDA to conduct a clinical trial on that device. HCFA established a new policy of covering certain IDE's which was implemented in claims processing on 10/1/96 (which is NCH weekly process 10/4/96) for service dates beginning 10/1/95.

NOTE: Prior to Version H a dummy line item was created in the last occurrence of line item group to store IDE. The IDE number was housed in two fields: HCPCS code and HCPCS initial modifier; the second modifier contained the value 'ID'. There will be only one distinct IDE number reported on the non-institutional claim. During the Version H conversion, the IDE was moved from the dummy line item to its own dedicated field for each line item (i.e., the IDE was repeated on all line items on the claim.)

Variable Name

Label

DB2 ALIAS: LINE_IDE_NUM
SAS ALIAS: LNID{x}
STANDARD ALIAS: LINE_IDE_NUM{x}
TITLE ALIAS: IDE_NUMBER

SOURCE:
CWF

NDC_CD{x}

Line National Drug Code

where { x } ranges from 1 to 13

Effective 1/1/94 on the DMERC claim, the National Drug Code identifying the oral anti-cancer drugs. Effective with Version H, this line item field was added as a placeholder on the carrier claim.

DB2 ALIAS: LINE_NATL_DRUG_CD
SAS ALIAS: NDC_CD
STANDARD ALIAS: LINE_NATL_DRUG_CD
TITLE ALIAS: NDC_CD

SOURCE:
CWF

LNPMT{x}

Line NCH Payment Amount

where { x } ranges from 1 to 13

Amount of payment made from the trust funds (after deductible and coinsurance amounts have been paid) for the line item service on the non-institutional claim.

9.2 DIGITS SIGNED

COMMON ALIAS: REIMBURSEMENT
DB2 ALIAS: LINE_NCH_PMT_AMT
SAS ALIAS: LNPMT{x}
STANDARD ALIAS: LINE_NCH_PMT_AMT{x}
TITLE ALIAS: REIMBURSEMENT

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this line item field was named:

CLM_PMT_AMT and the size of this field was S9(7)V99.

SOURCE:
NCH

LBNPMT{x}

Line Beneficiary Payment Amount

where { x } ranges from 1 to 13

Effective with Version H, the payment (reimbursement) made to the beneficiary related to the line item service on the noninstitutional claim.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_BENE_PMT_AMT
SAS ALIAS: LBNPMT{x}

Variable Name

Label

STANDARD ALIAS: LINE_BENE_PMT_AMT{x}
TITLE ALIAS: BENE_PMT_AMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

LPRPMT{x}

Line Provider Payment Amount

where { x } ranges from 1 to 13

Effective with Version H, the payment made to the provider for the line item service on the noninstitutional

NOTE: Beginning with NCH weekly process date

10/3/97 this field was populated with data.
Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_PRVDR_PMT_AMT
SAS ALIAS: LPRPMT{x}
STANDARD ALIAS: LINE_PRVDR_PMT_AMT{x}
TITLE ALIAS: PRVDR_PMT_AMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

LDDMT{x}

Line Beneficiary Part B Deductible Amount

where { x } ranges from 1 to 13

The amount of money for which the carrier has determined that the beneficiary is liable for the Part B for the line item service on the noninstitutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_DDCTBL_AMT
SAS ALIAS: LDDMT{x}
STANDARD ALIAS: LINE_BENE_PTB_DDCTBL_AMT{x}
TITLE ALIAS: PTB_DED_AMT

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this field was named: BENE_PTB_DDCTBL_LBLTY_AMT and the size of the field was S9(3)V99.

SOURCE:
CWF

Variable Name

Label

LPRYCD{x}

Line Beneficiary Primary Payer Code

where {x} ranges from 1 to 13

The code specifying a federal non-Medicare program or other source that has primary responsibility for the payment of the Medicare beneficiary's medical bills relating to the line item service on the noninstitutional claim.

DB2 ALIAS: LINE_PRMRY_PYR_CD
SAS ALIAS: LPRYCD{x}
STANDARD ALIAS: LINE_BENE_PRMRY_PYR_CD{x}
TITLE ALIAS: PRIMARY_PAYER_CD

CODES:
REFER TO: BENE_PRMRY_PYR_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named: BENE_PRMRY_PYR_CD.

SOURCE:
CWF,VA,DOL,SSA

LPRDMT{x}

Line Beneficiary Primary Payer Paid Amount

where {x} ranges from 1 to 13

The amount of a payment made on behalf of a Medicare beneficiary by a primary payer other than Medicare, that the provider is applying to covered Medicare charges for to the line ITEM SERVICE ON THE NONINSTITUTIONAL.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_PRMRY_PYR_PD
SAS ALIAS: LPRDMT{x}
STANDARD ALIAS: LINE_BENE_PRMRY_PYR_PD_AMT{x}
TITLE ALIAS: PRMRY_PYR_PD

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this field was named: BENE_PRMRY_PYR_PMT_AMT and the field size was S9(5)V99.

SOURCE:
CWF

Variable Name

Label

CNMT{x}

Line Coinsurance Amount

where { x } ranges from 1 to 13

Effective with Version H, the beneficiary coinsurance liability amount for this line item service on the noninstitutional claim.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_COINSRNC_AMT
SAS ALIAS: CNMT{x}
STANDARD ALIAS: LINE_COINSRNC_AMT{x}
TITLE ALIAS: COINSRNC_AMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

LLMTMT{x}

Carrier Line Psychiatric, Occupational Therapy, Physical

where { x } ranges from 1 to 13

For type of service psychiatric, occupational therapy or physical therapy, the amount of allowed charges applied toward the limit cap for this line item service on the noninstitutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: PSYCH_OT_PT_LMT
SAS ALIAS: LLMTMT{x}
STANDARD ALIAS:
CARR_LINE_PSYCH_OT_PT_LMT_AMT{x}
TITLE ALIAS: PSYCH_OT_PT_LIMIT

EDIT-CODES:
+9(9).99

COMMENT:
Prior to Version H this field was named: CWFB_PSYCH_OT_PT_LMT_AMT and the field size was S9(5)V99.

SOURCE:
CWF

Variable Name

Label

LNTAMT{x}

Line Interest Amount

where { x } ranges from 1 to 13

Amount of interest to be paid for this line item service on the noninstitutional claim.

**NOTE: This is not included in the line item NCH payment (reimbursement) amount.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_INTRST_AMT

SAS ALIAS: LNTAMT{x}

STANDARD ALIAS: LINE_INTRST_AMT{x}

TITLE ALIAS: INTRST_AMT

EDIT-RULES:

+9(9).99

COMMENT:

Prior to Version H this field was named: CWFB_INTRST_AMT and the field size was S9(5)V99.

SOURCE:

CWF

PRPYLW{x}

Line Primary Payer Allowed Charge Amount

where { x } ranges from 1 to 13

Effective with Version H, the primary payer allowed charge amount for the line item service on the

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: PRMRY_PYR_ALLOW_AMT

SAS ALIAS: PRPYLW{x}

STANDARD ALIAS:

LINE_PRMRY_PYR_ALLOW_CHRG_AMT{x}

TITLE ALIAS: PRMRY_PYR_ALLOW_CHRG

EDIT-RULES:

+9(9).99

SOURCE:

CWF

PNLYMT{x}

Line 10% Penalty Reduction Amount

where { x } ranges from 1 to 13

Effective with Version H, the 10% payment reduction amount (applicable to a late filing claim) for the line item on the non-institutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: TENPCT_PNLTY_AMT

SAS ALIAS: PNLTYAMT

STANDARD ALIAS: LINE_10PCT_PNLTY_RDCTN_AMT

TITLE ALIAS: TENPCT_PNLTY

EDIT-RULES:

+9(9).99

SOURCE: CWF

Variable Name

Label

LBLDDD{x}

Carrier Line Blood Deductible Pints Quantity

where {x} ranges from 1 to 13

The blood pints quantity (deductible) for the line item on the carrier claim (non-DMERC).
3 DIGITS SIGNED

DB2 ALIAS: LINE_BLOOD_DDCTBL
SAS ALIAS: LBLDDD{x}
STANDARD ALIAS: CARR_LINE_BLOOD_DDCTBL_QTY{x}
TITLE ALIAS: BLOOD_DDCTBL

EDIT -
RULES: +999

COMMENT:
Prior to Version H this field was named:
CWFB_LINE_BLOOD_DDCTBL_QTY.

SOURCE:
CWF

LSBCHG{x}

Line Submitted Charge Amount

where {x} ranges from 1 to 13

The amount of submitted charges for the line item service on the noninstitutional claim.
9.2 DIGITS SIGNED

DB2 ALIAS: LINE_SBMT_CHRG_AMT
SAS ALIAS: LSBCHG{x}
STANDARD ALIAS: LINE_SBMT_CHRG_AMT{x}
TITLE ALIAS: SBMT_CHRG

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this field was named:
CWFB_SBMT_CHRG_AMT and the field size was
S9(5)V99.

SOURCE:
CWF

Variable Name

Label

LLWCHG{x}

Line Allowed Charge Amount

where { x } ranges from 1 to 13

The amount of allowed charges for the line item service on the noninstitutional claim. This charge is used to compute pay to providers or reimbursement to beneficiaries. **NOTE: The allowed charge is determined by the lower of three charges: prevailing, customary or actual.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_ALOW_CHRG_AMT
SAS ALIAS: LLWCHG{x}
STANDARD ALIAS: LINE_ALOW_CHRG_AMT{x}
TITLE ALIAS: ALOW_CHRG

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this field was named:
CWFB_ALOW_CHRG_AMT and the field size was
S9(5)V99.

SOURCE:
CWF

LABNUM{x}

Carrier Line Clinical Lab Number

where { x } ranges from 1 to 13

The identification number assigned to the clinical laboratory providing services for the line item on the carrier claim (non-DMERC).

DB2 ALIAS: CLNCL_LAB_NUM
SAS ALIAS: LABNUM{x}
STANDARD ALIAS: CARR_LINE_CLNCL_LAB_NUM{x}
TITLE ALIAS: LAB_NUM

COMMENT:
Prior to Version H this field was named:
CWFB_CLNCL_LAB_NUM.

SOURCE:
CWF

LABAMT{x}

Carrier Line Clinical Lab Charge Amount

where { x } ranges from 1 to 13

Fee schedule charge amount applied for the line item clinical laboratory service on the carrier claim (non-

9.2 DIGITS SIGNED

DB2 ALIAS: CLNCL_LAB_CHRG_AMT
SAS ALIAS: LABAMT{x}
STANDARD ALIAS:
TITLE ALIAS: LAB_CHRG{x}

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H this field was named:
CWFB_CLNCL_LAB_CHRG_AMT and the field size was
S9(5)V99.

SOURCE: CWF

Variable Name

Label

PRCGND{x}

Line Processing Indicator Code

where { x } ranges from 1 to 13

The code indicating the reason a line item on the noninstitutional claim was allowed or denied.

DB2 ALIAS: LINE_PRCSG_IND_CD
SAS ALIAS: PRCGND{x}
STANDARD ALIAS: LINE_PRCSG_IND_CD{x}
TITLE ALIAS: PRCSG_IND

CODES:
REFER TO: LINE_PRCSG_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PRCSG_IND_CD.

SOURCE:
CWF

PMTDSW{x}

Line Payment 80%/100% Code

where { x } ranges from 1 to 13

The code indicating that the amount shown in the payment field on the noninstitutional line item represents either 80% or 100% of the allowed charges less any deductible, or 100% limitation of liability only.

COMMON ALIAS: REIMBURSEMENT_IND
DB2 ALIAS: LINE_PMT_80_100_CD
SAS ALIAS: PMTDSW{x}
STANDARD ALIAS: LINE_PMT_80_100_CD{x}
TITLE ALIAS: REINBURSEMENT_IND

CODES:
0 = 80% 1
= 100%
3 = 100% Limitation of liability only

COMMENT:
Prior to Version H this field was named:
CWFB_PMT_80_100_CD.

SOURCE:
CWF

DED_SW{x}

Line Service Deductible Indicator Switch

where { x } ranges from 1 to 13

Switch indicating whether or not the line item service on the noninstitutional claim is subject to a deductible.

DB2 ALIAS: SRVC_DDCTBL_SW
SAS ALIAS: DED_SW
STANDARD ALIAS: LINE_SRVC_DDCTBL_IND_SW
TITLE ALIAS: SRVC_DED_IND

CODES:
0 = Service subject to deductible
1 = Service not subject to deductible

COMMENT:
Prior to Version H this field was named:
CWFB_SRVC_DDCTBL_IND_SW.
SOURCE: CWF

Variable Name

Label

PMTDCD{x}

Line Payment Indicator Code

where { x } ranges from 1 to 13

Code that indicates the payment screen used to determine the allowed charge for the line item service on the noninstitutional claim.

DB2 ALIAS: LINE_PMT_IND_CD
SAS ALIAS: PMTDCD{x}
STANDARD ALIAS: LINE_PMT_IND_CD{x}
TITLE ALIAS: PMT_IND

CODES:
REFER TO: LINE_PMT_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PMT_IND_CD.

SOURCE:
CWF

MTSCNT{x}

Carrier Line Miles/Time/Units/Services Count

where { x } ranges from 1 to 13

The count of the total units associated with services needing unit reporting such as transportation, miles, anesthesia time units, number of services, volume of oxygen or blood units. This is a line item field on the carrier claim (non-DMERC) and is used for both allowed and denied services.

3 DIGITS SIGNED

DB2 ALIAS: LINE_MTUS_CNT
SAS ALIAS: MTSCNT{x}
STANDARD ALIAS: CARR_LINE_MTUS_CNT{x}
TITLE ALIAS: MTUS_CNT

EDIT - RULES:
+999

For CARR_LINE_MTUS_IND_CD equal to 2 (anesthesia time units) there is one implied decimal point.

COMMENT:
Prior to Version H this field was named:
CWFB_MTUS_CNT.

SOURCE:
CWF

Variable Name

Label

MTSIND{x}

where { x } ranges from 1 to 13

Carrier Line Miles/Time/Units/Services Indicator Code

Code indicating the units associated with services needing unit reporting on the line item for the carrier claim (non-DMERC).

DB2 ALIAS: LINE_MTUS_IND_CD
SAS ALIAS: MTSIND{x}
STANDARD ALIAS: CARR_LINE_MTUS_IND_CD{x}
TITLE ALIAS: MTUS_IND

CODES:
0 = Values reported as zero (no allowed activities)
1 = Transportation (ambulance) miles
2 = Anesthesia time units
3 = Services
4 = Oxygen units
5 = Units of blood
6 = Anesthesia base and time units (prior to 1991; from BMAD)

COMMENT:
Prior to Version H this field was named: CWFB_MTUS_IND_CD.

SOURCE:
CWF

LNDGNS{x}

where { x } ranges from 1 to 13

Line Diagnosis Code

The ICD-9-CM code indicating the diagnosis supporting this line item procedure/service on the noninstitutional claim.

DB2 ALIAS: LINE_DGNS_CD
SAS ALIAS: LNDGNS{x}
STANDARD ALIAS: LINE_DGNS_CD{x}
TITLE ALIAS: DGNS_CD

EDIT-RULES:
ICD-9-CM

COMMENT:
Prior to Version H this field was named: CWFB_LINE_DGNS_CD.

SOURCE:
CWF

Variable Name

Label

CLLRT{x}

Carrier Line CLIA Alert Indicator Code

where { x } ranges from 1 to 13

Effective with Version G, the alert code (resulting from CLIA editing) added by CWF as a line item on the carrier claim (non-DMERC).

DB2 ALIAS: CLIA_ALERT_IND_CD

SAS ALIAS: CLLRT{x}

STANDARD ALIAS: CARR_LINE_CLIA_ALERT_IND_CD{x}

TITLE ALIAS: CLIA_ALERT

CODES:

(Effective 9/92 but not stored until 10/93) 0 = No Alert

1 = 77X9

2 = 77XA

3 = 77X5

4 = 77X6

5 = 77X7

6 = 77X8

7 = 77XB

COMMENT:

Prior to Version H this field was named: CWFB_CLIA_ALERT_IND_CD.

SOURCE:

CWF

DMPRC{x}

Line DME Purchase Price Amount

where { x } ranges from 1 to 13

Effective 5/92, the amount representing the lower of fee schedule for purchase of new or used DME, or actual charge. In case of rental DME, this amount represents the purchase cap; rental payments can only be made until the cap is met. This line item field is applicable to non-institutional claims involving DME, prosthetic, orthotic and supply items, immunosuppressive drugs, pen, ESRD and oxygen items referred to as DMEPOS.

9.2 DIGITS SIGNED

DB2 ALIAS: DME_PURC_PRICE_AMT

SAS ALIAS: DMPC{x}

STANDARD ALIAS: LINE_DME_PURC_PRICE_AMT{x}

TITLE ALIAS: DME_PURC_PRICE

EDIT-RULES:

+9(9).99

COMMENT:

Prior to Version H this field was named: CWFB_DME_PURC_PRICE_AMT and the field size was S9(5)V99.

SOURCE:

CWF