

Variable Name

Label

CLM_VAL_CD = '42'
SET NCH_PRMRY_PYR_CD TO 'L' (or prior to 4/97
set code to 'J') WHERE THE CLM_VAL_CD = '47'
CODES:
REFER TO: BENE_PRMRY_PYR_TB
IN THE CODES APPENDIX
COMMENT:
Prior to Version H this field was named:
BENE_PRMRY_PYR_CD.
SOURCE:
NCH

CANCELCD

FI Requested Claim Cancel Reason Code

The reason that an intermediary requested cancelling a
previously submitted institutional claim.
DB2 ALIAS: RQST_CNCL_RSN_CD
SAS ALIAS: CANCELCD
STANDARD ALIAS: FI_RQST_CLM_CNCL_RSN_CD
TITLE ALIAS: CANCEL_CD
CODES:
REFER TO: FI_RQST_CLM_CNCL_RSN_TB
IN THE CODES APPENDIX
COMMENT:
Prior to Version H this field was named:
INTRMDRY_RQST_CLM_CNCL_RSN_CD.
SOURCE:
CWF

ACTIONCD

FI Claim Action Code

The type of action requested by the intermediary to be
taken on an institutional claim.
DB2 ALIAS: FI_CLM_ACTN_CD
SAS ALIAS: ACTIONCD
STANDARD ALIAS: FI_CLM_ACTN_CD
TITLE ALIAS: ACTION_CD
CODES:
REFER TO: FI_CLM_ACTN_TB
IN THE CODES APPENDIX
COMMENT:
Prior to Version H this field was named:
INTRMDRY_CLM_ACTN_CD.
SOURCE:
CWF

Variable Name

Label

PRSTATE

NCH Provider State Code

Effective with Version H, the two position SSA state code where provider facility is located.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service 1991).

DB2 ALIAS: NCH_PRVDR_STATE_CD
SAS ALIAS: PRSTATE
STANDARD ALIAS: NCH_PRVDR_STATE_CD
TITLE ALIAS: PROVIDER_STATE_CD

DERIVATION:
DERIVED FROM:
NCH PRVDR_NUM

DERIVATION RULES:

SET NCH_PRVDR_STATE_CD TO
PRVDR_NUM POS1-2.
FOR PRVDR_NUM POS1-2 EQUAL '55'
SET NCH_PRVDR_STATE_CD TO '05'.
FOR PRVDR_NUM POS1-2 EQUAL '67'
SET NCH_PRVDR_STATE_CD TO '45'.
FOR PRVDR_NUM POS1-2 EQUAL '68'
SET NCH_PRVDR_STATE_CD TO '10'.

CODES:
REFER TO: GEO_SSA_STATE_TB
IN THE CODES APPENDIX
SOURCE:
NCH

AT_UPIN

Claim Attending Physician UPIN Number

On an institutional claim, the unique physician identification number (UPIN) of the physician who would normally be expected to certify and recertify the medical necessity of the services rendered and/or who has primary responsibility for the beneficiary's medical care and treatment (attending physician).

This field is ENCRYPTED for the Limited Data Set Standard View of the HHA files.

COMMON ALIAS: ATTENDING_PHYSICIAN_UPIN
DB2 ALIAS: ATNDG_UPIN
SAS ALIAS: AT_UPIN
STANDARD ALIAS: CLM_ATNDG_PHYSN_UPIN_NUM
TITLE ALIAS: ATTENDING_PHYSICIAN

COMMENT:
Prior to Version H this field was named:
CLM_PRMRY_CARE_PHYSN_IDENT_NUM and
10 positions (6-position UPIN and 4-position
physician surname).

SOURCE:
CWF

Variable Name

Label

OP_UPIN

Claim Operating Physician UPIN Number

On an institutional claim, the unique physician identification number (UPIN) of the physician who performed the principal procedure. This element is used by the provider to identify the operating physician who performed the surgical procedure.

This field is ENCRYPTED for the Limited Data Set Standard View of the HHA files.

DB2 ALIAS: OPRTG_UPIN

SAS ALIAS: OP_UPIN

STANDARD ALIAS: CLM_OPRTG_PHYSN_UPIN_NUM

TITLE ALIAS: OPRTG_UPIN

COMMENT:

Prior to Version H this field was named: CLM_PRNCPAL_PRCDR_PHYSN_NUM and contained 10 positions (6-position UPIN and 4-position physician surname).

NOTE: For HHA and Hospice formats beginning with NCH weekly process date 10/3/97 this field was populated with data. HHA and Hospice claims processed prior to 10/3/97 will contain spaces.

SOURCE:

CWF

OT_UPIN

Claim Other Physician UPIN Number

On an institutional claim, the unique physician identification number (UPIN) of the other physician associated with the institutional claim.

This field is ENCRYPTED for the Limited Data Set Standard View of the HHA files.

DB2 ALIAS: OTHR_UPIN

SAS ALIAS: OT_UPIN

STANDARD ALIAS: CLM_OTHR_PHYSN_UPIN_NUM

TITLE ALIAS: OTH_PHYSN_UPIN

COMMENT:

Prior to Version H this field was named: CLM_OTHR_PHYSN_IDENT_NUM and contained 10 positions (6-position UPIN and 4-position other physician surname).

NOTE: For HHA and Hospice formats beginning with NCH weekly process date 10/3/97 this field was populated with data. HHA and Hospice claims processed prior to 10/3/97 will contain spaces.

SOURCE:

CWF

Variable Name

Label

MCOPDSW

Claim MCO Paid Switch

A switch indicating whether or not a Managed Care Organization (MCO) has paid the provider for an institutional claim.

COBOL ALIAS: MCO_PD_IND
DB2 ALIAS: CLM_MCO_PD_SW
SAS ALIAS: MCOPDSW
STANDARD ALIAS: CLM_MCO_PD_SW
TITLE ALIAS: MCO_PAID_SW

CODES:
1 = MCO has paid the provider for a claim
Blank or 0 = MCO has not paid the provider for a claim

COMMENT:
Prior to Version H this field was named:
CLM_GHO_PD_SW.

SOURCE:
CWF

STUS_CD

Patient Discharge Status Code

The code used to identify the status of the patient as of the CLM_THRU_DT.

COMMON ALIAS:
DISCHARGE_DESTINATION/PATIENT_STATUS
DB2 ALIAS: PTNT_DSCHRG_STUS
SAS ALIAS: STUS_CD
STANDARD ALIAS: PTNT_DSCHRG_STUS_CD
SYSTEM ALIAS: LTCLMST
TITLE ALIAS: PTNT_DSCHRG_STUS_CD

CODES:
REFER TO: PTNT_DSCHRG_STUS_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named: CLM_STUS_CD.

SOURCE:
CWF

DGNS_E

Claim Diagnosis E Code

Effective with Version H, the ICD-9- CM code used to identify the external cause of injury, poisoning, or other adverse affect. Redundantly this field is also stored as the last occurrence of the diagnosis trailer.

NOTE: During the Version H conversion, the data in the last occurrence of the diagnosis trailer was used to populate history.

DB2 ALIAS: CLM_DGNS_E_CD
SAS ALIAS: DGNS_E
STANDARD ALIAS: CLM_DGNS_E_CD
TITLE ALIAS: DGNS_E_CD

SOURCE:
CWF

Variable Name

Label

PPS_IND

Claim PPS Indicator Code

Effective with Version H, the code indicating whether or not the (1) claim is PPS and/or (2) the beneficiary is a deemed insured Medicare Qualified Government Employee (MQGE).

NOTE: Beginning with NCH weekly process date 10/3/97 through 5/29/98, this field was populated with only the PPS indicator. Beginning with NCH weekly process date 6/5/98, this field was additionally populated with the deemed MQGE indicator. Claims processed prior to 10/3/97 will contain spaces.

COBOL ALIAS: PPS_IND
DB2 ALIAS: CLM_PPS_IND_CD
SAS ALIAS: PPS_IND
STANDARD ALIAS: CLM_PPS_IND_CD
TITLE ALIAS: PPS_IND

CODES:
REFER TO: CLM_PPS_IND_TB
IN THE CODES APPENDIX

SOURCE:
CWF

TOT_CHRG

Claim Total Charge Amount

Effective with Version G, the total charges for all services included on the institutional claim.

This field is redundant with revenue center code 0001/total charges.

9.2 DIGITS SIGNED

DB2 ALIAS: CLM_TOT_CHRG_AMT
SAS ALIAS: TOT_CHRG
STANDARD ALIAS: CLM_TOT_CHRG_AMT
TITLE ALIAS: CLAIM_TOTAL_CHARGES

EDIT-RULES:
+9(9).99

COMMENT:
Prior to Version H the size of this field was S9(7)V99.

SOURCE:
CWF

Variable Name

Label

HHDGNCNT

HHA Claim Diagnosis Code Count

The count of the number of diagnosis codes (both principal and other) reported on an HHA claim. The purpose of this count is to indicate how many claim trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: HHA_DGNS_CD_CNT
SAS ALIAS: HHDGNCNT
STANDARD ALIAS: HHA_CLM_DGNS_CD_CNT

EDIT-RULES:
RANGE: 0 TO 10

COMMENT:
Prior to Version H this field was named:
CLM_OTHR_DGNS_CD_CNT and the principal was
not included in the count.

SOURCE:
CWF

HHCONCNT

HHA Claim Related Condition Code Count

The count of the number of condition codes reported on an HHA claim. The purpose of this count is to indicate how many condition code trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: HHA_COND_CD_CNT
SAS ALIAS: HHCONCNT
STANDARD ALIAS: HHA_CLM_RLT_COND_CD_CNT

EDIT-RULES:
RANGE: 0 TO 30

COMMENT:
Prior to Version H this field was named:
CLM_RLT_COND_CD_CNT.

SOURCE:
CWF

HHOCRCNT

HHA Claim Related Occurrence Code Count

The count of the number of occurrence codes reported on an HHA claim. The purpose of this count is to indicate how many occurrence code trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: HHA_RLT_OCRNC_CNT
SAS ALIAS: HHOCRCNT
STANDARD ALIAS: HHA_CLM_RLT_OCRNC_CD_CNT

EDIT-RULES:
RANGE: 0 TO 30

COMMENT:
Prior to Version H this field was named:
CLM_RLT_OCRNC_CD_CNT.

SOURCE:
CWF

Variable Name

Label

HHVALCNT

HHA Claim Value Code Count

The count of the number of value codes reported on an HHA claim. The purpose of the count is to indicate how many value code trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: HHA_CLM_VAL_CD_CNT
SAS ALIAS: HHVALCNT
STANDARD ALIAS: HHA_CLM_VAL_CD_CNT

EDIT-RULES:
RANGE: 0 TO 36

COMMENT:
Prior to Version H this field was named:
CLM_VAL_CD_CNT.

SOURCE:
CWF

HHREVCNT

HHA Revenue Center Code Count

The count of the number of revenue codes reported on an HHA claim. The purpose of the count is to indicate revenue center trailers are present.

2 DIGITS UNSIGNED

DB2 ALIAS: HHA_REV_CNTR_CD_CNT
SAS ALIAS: HHREVCNT
STANDARD ALIAS: HHA_REV_CNTR_CD_I_CNT

EDIT-RULES:
RANGE: 0 TO 45

COMMENT:
Prior to Version H this field was
named: CLM_REV_CNTR_CD_CNT.

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

SOURCE:
CWF

Variable Name

Label

LUPAIND

Claim HHA Low Utilization Payment Adjustment (LUPA)

Effective with Version I, the code used to identify those Home Health PPS claims that have 4 visits or less in a 60-day episode. If an HHA provides 4 visits or less, they will be reimbursed based on a national standardized per visit rate instead of HHRGs.

NOTE: Beginning 10/1/00, this field will be populated with data. Claims processed prior to 10/1/00 will contain spaces.

DB2 ALIAS: HHA_LUPA_IND_CD
SAS ALIAS: LUPAIND
STANDARD ALIAS: CLM_HHA_LUPA_IND_CD
TITLE ALIAS: HHA_TOT_VISITS

CODES:
L = LUPA Claim
blank = Not a LUPA Claim

SOURCE:
CWF

HHA_RFRL

Claim HHA Referral Code

Effective with Version 'I', the codes used to identify the means by which the beneficiary was referred for Home Health Services.

NOTE: Beginning 10/1/00, this field will be populated with data. Claims processed prior to 10/1/00 will contain spaces in this field.

DB2 ALIAS: CLM_HHA_RFRL_CD
SAS ALIAS: HHA_RFRL
STANDARD ALIAS: CLM_HHA_RFRL_CD
SYSTEM ALIAS: LTHRFRL
TITLE ALIAS: HHA_REFERRAL_CODE

CODES:
REFER TO: CLM_HHA_RFRL_TB
IN THE CODES APPENDIX
SOURCE:
CWF

VISITCNT

Claim HHA Total Visit Count

Effective with Version H, the count of the number of HHA visits as derived by CWF.

NOTE1: During the Version H conversion this field was populated with data throughout history (back to service year 1991) using the CWF derivation rule (units associated with revenue center codes 042X, 043X, 044X, 055X, 056X, 057X, 058X, and 059X. Value '999' will be displayed if the sum of the revenue center unit count equals or exceeds '999'.

NOTE2: Effective 7/1/99, all HHA claims received with service from dates 7/1/99 and after will be processed as if the units field contains the 15 minute interval count; and each visit revenue code line item will be counted as ONE visit. This field is calculated correctly; but those users who derive the count themselves will have to revise their routine. NO LONGER IS THE COUNT

Variable Name

Label

DERIVED BY ADDING UP THE UNITS FIELDS
ASSOCIATED
WITH THE HHA VISIT REVENUE CODES.

3 DIGITS SIGNED

DB2 ALIAS: HHA_TOT_VISIT_CNT
SAS ALIAS: VISITCNT
STANDARD ALIAS: CLM_HHA_TOT_VISIT_CNT
TITLE ALIAS: HHA_TOT_VISITS

EDIT -
RULES +999

SOURCE:
CWF

QLFYTHRU

NCH Qualify Stay Through Date

Effective with Version H, the ending date of the beneficiary's qualifying stay (used for internal CWFMQA editing purposes.) For inpatient claims, the date relates to the PPS portion of the inlier for which there is no utilization to benefits. For SNF claims, the date relates to a qualifying stay from a hospital that is at least two days in a row if the source of admission is an 'A', or at least three days in a row if the source of admission is other than 'A'.

For the Limited Data Set Standard View of the HHA files, the beneficiary's qualifying stay through date is coded as the stay through date occurred.

NOTE: During the Version H, conversion this field was populated with data throughout history (back to service year 1991).

8 DIGITS UNSIGNED

DB2 ALIAS: QLFY_STAY_THRU_DT
SAS ALIAS: QLFYTHRU
STANDARD ALIAS: NCH_QLFY_STAY_THRU_DT
TITLE ALIAS: QLFYG_STAY_THRU_DT

EDIT-RULES FOR ENCRYPTED DATA:
CCYMMDD WHERE CCYY
REPRESENTS THE YEAR.

DERIVATION:
DERIVED FROM:
CLM_OCRNC_SPAN_CD
CLM_OCRNC_SPAN_THRU_DT

DERIVATION RULES:
Based on the presence of occurrence code 70
move the related occurrence thru date to
NCH_QLFY_STAY_THRU_DT.

SOURCE:
NCH QA Process

Variable Name

Label

DSCHRGDT

NCH Beneficiary Discharge Date

Effective with Version H, on an inpatient and HHA claim, the date the beneficiary was discharged from the facility or died (used for internal CWFMQA editing purposes.)

For the Limited Data Set Standard View of the HHA files, the beneficiary's discharge date is coded as when the discharge occurred.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991.)

8 DIGITS UNSIGNED

DB2 ALIAS: NCH_BENE_DSCHRG_DT
SAS ALIAS: DSCHRGDT
STANDARD ALIAS: NCH_BENE_DSCHRG_DT
TITLE ALIAS: DISCHARGE_DT

EDIT-RULES FOR ENCRYPTED DATA:
CCYMMDD WHERE CCYY
REPRESENTS THE YEAR.

DERIVATION:
DERIVED FROM:
NCH_PTNT_STUS_IND_CD
CLM_THRU_DT

DERIVATION RULES:
Based on the presence of patient discharge status code not equal to 30 (still patient), move the claim thru date to the NCH_BENE_DSCHRG_DT.

SOURCE:
NCH QA Process

DGNSCD{x}

Claim Diagnosis Code

where {x} ranges from 1 to 10

The ICD -9- CM based code identifying the beneficiary's principal or other diagnosis (including E code).

NOTE:
Prior to Version H, the principal diagnosis code was not stored with the 'OTHER' diagnosis codes. During the Version H conversion the CLM_PRNCPAL_DGNS_CD was added as the first occurrence.

DB2 ALIAS: CLM_DGNS_CD
SAS ALIAS: DGNSCD{x}
STANDARD ALIAS: CLM_DGNS_CD{x}
TITLE ALIAS: DIAGNOSIS

EDIT-RULES:
ICD-9-CM

COMMENT:
Prior to Version H this field was named:
CLM_OTHR_DGNS_CD.

Variable Name

Label

RLTCND{x}

Claim Related Condition Code

where { x } ranges from 1 to 30

The code that indicates a condition relating to an institutional claim that may affect payer processing.

DB2 ALIAS: CLM_RLT_COND_CD
SAS ALIAS: RLTCND{x}
STANDARD ALIAS: CLM_RLT_COND_CD{x}
SYSTEM ALIAS: LTCOND
TITLE ALIAS: RELATED_CONDITION_CD

CODES:

01 THRU 16 = Insurance related
17 THRU 30 = Special condition
31 THRU 35 = Student status codes which are required when a patient is a dependent child over 18 years old
36 THRU 45 = Accommodation
46 THRU 54 = CHAMPUS information
55 THRU 59 = Skilled nursing facility
60 THRU 70 = Prospective payment
71 THRU 99 = Renal dialysis setting
A0 THRU B9 = Special program codes
C0 THRU C9 = PRO approval services
D0 THRU W0 = Change conditions

CODES:

REFER TO: CLM_RLT_COND_TB
IN THE CODES APPENDIX

SOURCE:

CWF

OCRCCD{x}

Claim Related Occurrence Code

where { x } ranges from 1 to 30

The code that identifies a significant event relating to an institutional claim that may affect payer processing. These codes are claim-related occurrences that are related to a specific date.

DB2 ALIAS: CLM_RLT_OCRNC_CD
SAS ALIAS: OCRCCD{x}
STANDARD ALIAS: CLM_RLT_OCRNC_CD{x}
SYSTEM ALIAS: LTOCRNC
TITLE ALIAS: OCCURRENCE_CD

CODES:

01 THRU 09 = Accident
10 THRU 19 = Medical condition
20 THRU 39 = Insurance related
40 THRU 69 = Service related
A1-A3 = Miscellaneous

CODES:

REFER TO: CLM_RLT_OCRNC_TB
IN THE CODES APPENDIX

SOURCE:

CWF

Variable Name

Label

OCRCDT{x}

Claim Related Occurrence Date

where {x} ranges from 1 to 30

The date associated with a significant event related to an institutional claim that may affect payer processing.

For the Limited Data Set Standard View of the HHA files, the claim related occurrence date is coded as the when the related occurrence occurred.

8 DIGITS UNSIGNED

DB2 ALIAS: CLM_RLT_OCRNC_DT
SAS ALIAS: OCRCDT{x}
STANDARD ALIAS: CLM_RLT_OCRNC_DT{x}
TITLE ALIAS: RLT_OCRNC_DT

EDIT-RULES FOR ENCRYPTED DATA:
CCYYMMDD WHERE CCYY
REPRESENTS THE YEAR.

SOURCE:
CWF

VAL_CD{x}

Claim Value Code

where {x} ranges from 1 to 36

The code indicating the value of a monetary condition which was used by the intermediary to process an institutional claim.

DB2 ALIAS: CLM_VAL_CD
SAS ALIAS: VAL_CD
STANDARD ALIAS: CLM_VAL_CD
SYSTEM ALIAS: LTVALUE
TITLE ALIAS: VALUE_CD

CODES:
REFER TO: CLM_VAL_TB
IN THE CODES APPENDIX

SOURCE:
CWF

VALAMT{x}

Claim Value Amount

where {x} ranges from 1 to 36

The amount related to the condition identified in the CLM_VAL_CD which was used by the intermediary to process the institutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: CLM_VAL_AMT
SAS ALIAS: VALAMT{x}
STANDARD ALIAS: CLM_VAL_AMT{x}
TITLE ALIAS: VALUE_AMOUNT

EDIT-RULES:
+9(9).99

SOURCE: CW

Variable Name

Label

RVCNTR{x}

Revenue Center Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

The provider-assigned revenue code for each cost center for which a separate charge is billed (type of ancillary). A cost center is a division or unit within a hospital (e.g., radiology, emergency room, pathology). EXCEPTION: Revenue center code 0001 represents the total of all revenue centers included on the claim.

COBOL ALIAS: REV_CD
DB2 ALIAS: REV_CNTR_CD
SAS ALIAS: RVCNTR{x}
STANDARD ALIAS: REV_CNTR_CD{x}
SYSTEM ALIAS: LTRC
TITLE ALIAS: REVENUE_CENTER_CD

CODES:
REFER TO: REV_CNTR_TB
IN THE CODES APPENDIX

SOURCE:
CWF

REV_DT{x}

Revenue Center Date

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version H, the date applicable to the service represented by the revenue center code. This field may be present on any of the institutional claim types. For home health claims the service date should be present on all bills with from date greater than 3/31/98. With the implementation of outpatient PPS, hospitals will be required to enter line item dates of service for all outpatient services which require a HCPCS.

For the Limited Data Set Standard View of the HHA files, the date applicable to the service represented by the revenue center code is coded as when the service represented by the revenue center code occurred.

NOTE1: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

NOTE2: When revenue center code equals '0022' (SNF PPS) and revenue center HCPCS code not equal to 'AAA00' (default for no assessment), date represents the MDS RAI assessment reference date.

NOTE3: When revenue center code equals '0023' (HHPPS), the date on the initial claim (RAP) must

Variable Name

Label

represent the first date of service in the episode. The final claim will match the '0023' information submitted on the initial claim. The SCIC (significant change in condition) claims may show additional '0023' revenue lines in which the date represents the date of the first service under the revised plan of treatment.

8 DIGITS UNSIGNED

DB2 ALIAS: REV_CNTR_DT
SAS ALIAS: REV_DT
STANDARD ALIAS: REV_CNTR_DT
TITLE ALIAS: REV_CNTR_DATE

EDIT-RULES FOR ENCRYPTED DATA:
CCYMMDD WHERE CCYY
REPRESENTS THE YEAR.

SOURCE:
CWF

APCPPS{x}

Revenue Center APC/HIPPS Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Outpatient PPS (OPPS), the Ambulatory Payment Classification (APC) code used to identify groupings of outpatient services. APC codes are used to calculate payment for services under OPPS.

Effective with Home Health PPS (HHPPS), this field will only be populated with a HIPPS code if the HIPPS code that is stored in the HCPCS field has been downcoded and the new code will be placed in this field.

NOTE1: Under SNF PPS and HHPPS, HIPPS codes are stored in the HCPCS field. **EXCEPTION: if a HHPPS HIPPS code is downcoded the downcoded HIPPS will be stored in this field.

NOTE2: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

DB2 ALIAS: REV_APC_HIPPS_CD
SAS ALIAS: APCPPS{x}
STANDARD ALIAS: REV_CNTR_APC_HIPPS_CD
SYSTEM ALIAS: LTAPC
TITLE ALIAS: APC_HIPPS

CODES:
REFER TO: REV_CNTR_APC_TB
IN THE CODES APPENDIX

SOURCE:
CWF

Variable Name

Label

HCPCSD{x}

Revenue Center HCFA Common Procedure Coding

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

HCFA's Common Procedure Coding System (HCPCS) is a collection of codes that represent procedures, supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs. The codes are divided into three levels, or groups, as described below:

DB2 ALIAS: REV_CNTR_HCPCS_CD
SAS ALIAS: HCPCSD{x}
STANDARD ALIAS: REV_CNTR_HCPCS_CD{x}
SYSTEM ALIAS: LTHIPPS
TITLE ALIAS: HCPCS_CD

CODES:
REFER TO: CLM_HIPPS_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named: HCPCS_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and non-institutional: LINE).

NOTE: When revenue center code = '0022' (SNF PPS) or '0023' (HH PPS), this field contains the Health Insurance PPS (HIPPS) code. The HIPPS code for SNF PPS contains the rate code/assessment type that identifies (1) RUG-III group the beneficiary was classified into as of the RAI MDS assessment reference date and (2) the type of assessment for payment purposes.

The HIPPS code for Home Health PPS identifies (1) the three case-mix dimensions of the HHRG system, clinical, functional and utilization, from which a beneficiary is assigned to one of the 80 HHRG categories and (2) it identifies whether or not the elements of the code were computed or derived. The HHRGs, represented by the HIPPS coding, will be the basis of payment for each episode. For both SNF PPS & HH PPS HIPPS values see CLM_HIPPS_TB.

Level I

Codes and descriptors copyrighted by the American Medical Association's Current Procedural Terminology, Fourth Edition (CPT-4). These are 5 position numeric codes representing physician and nonphysician services.

**** Note: ****

CPT-4 codes including both long and short descriptions shall be used in accordance with the HCFA/AMA agreement. Any other use violates the AMA copyright.

Variable Name

Label

Level II

Includes codes and descriptors copyrighted by the American Dental Association's Current Dental Terminology, Second Edition (CDT-2). These are 5 position alpha-numeric codes comprising the D series. All other level II codes and descriptors are approved and maintained jointly by the alpha-numeric editorial panel (consisting of HCFA, the Health Insurance Association of America, and the Blue Cross and Blue Shield Association). These are 5 position alpha-numeric codes representing primarily items and nonphysician services that are not represented in the level I codes.

Level III

Codes and descriptors developed by Medicare carriers for use at the local (carrier) level. These are 5 position alpha-numeric codes in the W, X, Y or Z series representing physician and nonphysician services that are not represented in the level I or level II codes.

MDCD1_{x}

where { x } ranges from 1 to 45

Revenue Center HCPCS Initial Modifier Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

A first modifier to the procedure code to enable a more specific procedure identification for the claim.

DB2 ALIAS: REV_HCPCS_MDFR_CD

SAS ALIAS: MDCD1_{x}

STANDARD ALIAS: REV_CNTR_HCPCS_INITL_MDFR_CD

TITLE ALIAS: INITIAL_MODIFIER

EDIT-RULES:

Carrier Information File

COMMENT:

Prior to Version H this field was named: HCPCS_INITL_MDFR_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and non-institutional: LINE).

SOURCE:

CWF

Variable Name

Label

MDCD2_{x}

where { x } ranges from 1 to 45

Revenue Center HCPCS Second Modifier Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

A second modifier to the procedure code to make it more specific than the first modifier code to identify the procedures performed on the beneficiary for the claim.

DB2 ALIAS: REV_HCPCS_2ND_CD
SAS ALIAS: MDCD2_{x}
STANDARD ALIAS: REV_CNTR_HCPCS_2ND_MDFR_CD
TITLE ALIAS: SECOND_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
Prior to Version H this field was named: HCPCS_2ND_MDFR_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and non-institutional: LINE).

SOURCE:
CWF

MDCD3_{x}

where { x } ranges from 1 to 45

Revenue Center HCPCS Third Modifier Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version I, a third modifier to the procedure code to make it more specific than the second modifier code to identify the procedures performed on the beneficiary for the claim.

DB2 ALIAS: REV_HCPCS_3RD_CD
SAS ALIAS: MDCD3_{x}
STANDARD ALIAS: REV_CNTR_HCPCS_3RD_MDFR_CD
TITLE ALIAS: THIRD_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

SOURCE:
CWF

Variable Name

Label

MDCD4_{x}

where { x } ranges from 1 to 45

Revenue Center HCPCS Fourth Modifier Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version I, a fourth modifier to the procedure code to make it more specific than the third modifier code to identify the procedures performed on the beneficiary for the claim.

DB2 ALIAS: REV_HCPCS_4TH_CD
SAS ALIAS: MDCD4_{x}
STANDARD ALIAS: REV_CNTR_HCPCS_4TH_MDFR_CD
TITLE ALIAS: FOURTH_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

SOURCE:
CWF

MDCD5_{x}

where { x } ranges from 1 to 45

Revenue Center HCPCS Fifth Modifier Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version I, a fifth modifier to the procedure code to make it more specific than the fourth modifier code to identify the procedures performed on the beneficiary for the claim.

DB2 ALIAS: REV_HCPCS_5TH_CD
SAS ALIAS: MDCD5_{x}
STANDARD ALIAS: REV_CNTR_HCPCS_5TH_MDFR_CD
TITLE ALIAS: FIFTH_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

SOURCE:
CWF

Variable Name

Label

PMTTHD{x}

Revenue Center Payment Method Indicator Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the code used to identify how the service is priced for payment. This field is made up of two pieces of data,
1st position being the service indicator and the
2nd position being the payment indicator.

NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

DB2 ALIAS: REV_PMT_MTHD_CD
SAS ALIAS: PMTTHD{x}
STANDARD ALIAS: REV_CNTR_PMT_MTHD_IND_CD
SYSTEM ALIAS: LTPMTHD
TITLE ALIAS: PMT_MTHD

CODES:
REFER TO: REV_CNTR_PMT_MTHD_IND_TB
IN THE CODES APPENDIX

SOURCE:
CWF

DSCTND{x}

Revenue Center Discount Indicator Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', for all services subject to Outpatient PPS, this code represents a factor that specifies the amount of any APC discount. The discounting factor is applied to a line item with a service indicator (part of the REV_CNTR_PMT_MTHD_IND_CD) of 'T'. The flag is applicable when more than one significant procedure is performed. **If there is no discounting the factor will be 1.0.**

NOTE1: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

DB2 ALIAS: REV_DSCNT_IND_CD
SAS ALIAS: DSCTND{x}
STANDARD ALIAS: REV_CNTR_DSCNT_IND_CD
SYSTEM ALIAS: LTDSCNT
TITLE ALIAS: REV_CNTR_DSCNT_IND_CD

CODES:
DISCOUNTING FORMULAS
1 = 1.0
2 = (1.0+D(U-1))/U
3 = T/U
4 = (1+D)/U
5 = D

Variable Name

Label

6 = TD/U
7 = D(1+D)/U
8 = 2.0/U

SOURCE:
CWF

PCKGND{x}

Revenue Center Packaging Indicator Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', for all services subject to Outpatient PPS, the code used to identify those services that are packaged/bundled with another service.

NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

DB2 ALIAS: REV_PACKG_IND_CD
SAS ALIAS: PCKGND{x}
STANDARD ALIAS: REV_CNTR_PACKG_IND_CD
SYSTEM ALIAS: LTPACKG
TITLE ALIAS: REV_CNTR_PACKG_IND

CODES:
0 = Not packaged
1 = Packaged service (service indicator N)
2 = Packaged as part of partial hospitalization per diem or daily mental health service per diem

SOURCE:
CWF

PRICNG{x}

Revenue Center Pricing Indicator Code

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the code used to identify if there was a deviation from the standard method of calculating payment amount.

NOTE: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

DB2 ALIAS: REV_PRICNG_IND_CD
SAS ALIAS: PRICNG
STANDARD ALIAS: REV_CNTR_PRICNG_IND_CD
SYSTEM ALIAS: LTPRICNG
TITLE ALIAS: REV_CNTR_PRICNG_IND

CODES:
REFER TO: REV_CNTR_PRICNG_IND_TB
IN THE CODES APPENDIX

SOURCE: CWF

Variable Name

Label

OTAF1_{x}

Revenue Center Obligation to Accept As Full (OTAF)

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I' the code used to indicate that the provider was obligated to accept as full payment the amount received from the primary (or secondary) payer.

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

DB2 ALIAS: REV_OTAF1_IND_CD
SAS ALIAS: OTAF1_{x}
STANDARD ALIAS: REV_CNTR_OTAF_1_IND_CD
TITLE ALIAS: REV_CNTR_OTAF_1_IND_CD

EDIT-RULES:

Y = provider is obligated to accept the payment as payment in full for the service.

N or blank = provider is not obligated to accept the payment, or there is no payment by a prior payer.

SOURCE:

CWF

IDENDC{x}

Revenue Center IDE, NDC, UPC Number

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version H, the exemption number assigned by the Food and Drug Administration (FDA) to an investigational device after a manufacturer has been approved by FDA to conduct a clinical trial on that device. HCFA established a new policy of covering certain IDE's which was implemented in claims processing on 10/1/96 (which is NCH weekly process 10/4/96) for service dates beginning 10/1/95. IDE's are always associated with revenue center code '0624'.

NOTE1: Prior to Version H a 'dummy' revenue center code '0624' trailer was created to store IDE's. The IDE number was housed in two fields: HCPCS code and HCPCS initial modifier; the second modifier contained the value 'ID'. There can be up to 7 distinct IDE numbers associated with an '0624' dummy trailer. During the Version H conversion IDE's were moved from the dummy '0624' trailer to this dedicated field.

NOTE2: Effective with Version 'I', this field was renamed to eventually accommodate the National Drug (NDC) and the Universal Product Code (UPC). This field could contain either of these 3 fields (there would never be an instance where more than one would come in on a

Variable Name

Label

claim). The size of this field was expanded to X(24) to accommodate either of the new fields (under Version 'H' it was X(7)). DATA ANAMOLY/LIMITATION: During an CWFMA review an edit revealed the IDE was missing. The problem occurs in claim with an NCH weekly process dates of 6/9/00 through 9/8/00. During processing of the new format the program receives the IDE but then blanked out the data.

DB2 ALIAS: IDE_NDC_UPC_NUM
SAS ALIAS: IDENDC
STANDARD ALIAS: REV_CNTR_IDE_NDC_UPC_NUM
TITLE ALIAS: IDE_NDC_UPC

SOURCE:
CWF

RVUNT{x}

Revenue Center Unit Count

where {x} ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

A quantitative measure (unit) of the number of times the service or procedure being reported was performed to the revenue center/HPCPS code definition as an institutional claim.

Depending on type of service, units are measured by of covered days in a particular accommodation, pints of blood, emergency room visits, clinic visits, dialysis treatments (sessions or days), outpatient therapy visits, and outpatient clinical diagnostic laboratory tests.

NOTE1: When revenue center code = '0022' (SNF PPS) the unit count will reflect the number of covered days for each code and, if applicable, the number of visits for each rehab therapy code.

7 DIGITS SIGNED

DB2 ALIAS: REV_CNTR_UNIT_CNT
SAS ALIAS: RVUNT{x}
STANDARD ALIAS: REV_CNTR_UNIT_CNT
TITLE ALIAS: UNITS

EDIT-RULES:
+9(7)

SOURCE:
CWF

Variable Name

Label

RVRT{x}

where {x} ranges from 1 to 45

Revenue Center Rate Amount

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Charges relating to unit cost associated with the revenue center code. Exception (encounter data only): If plan (e.g. MCO) does not know the actual rate for the accommodations, \$1 will be reported in the field.

NOTE1: For SNF PPS claims (when revenue center code equals '0022'), HCFA has developed a SNF PRICER to compute the rate based on the provider supplied coding for the MDS RUGS III group and assessment type (HIPPS code, stored in revenue center HCPCS code field).

NOTE2: For OP PPS claims, HCFA has developed a PRICER to compute the rate based on the Ambulatory Payment Classification (APC), discount factor, units of service and the wage index.

NOTE3: Under HH PPS (when revenue center code equals '0023'), HCFA has developed a HHA PRICER to compute the rate. On the RAP, the rate is determined using the case mix weight associated with the HIPPS code, adjusting it for the wage index for the beneficiary's site of service, then multiplying the result by 60% or 50%, depending on whether or not the RAP is for a first episode.

On the final claim, the HIPPS code could change the payment if the therapy threshold is not met, or partial episode payment (PEP) adjustment or a significant change in condition (SCIC) adjustment. In cases of SCICs, there will be more than one '0023' revenue center line, each representing the payment made at each case-mix level.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_CNTR_RATE_AMT

SAS ALIAS: RVRT{x}

STANDARD ALIAS: REV_CNTR_RATE_AMT

TITLE ALIAS: CHARGE_PER_UNIT

EDIT-RULES:

+9(9).99

EFFECTIVE-DATE: 10/01/1993

COMMENT:

Prior to Version H the size of this field was:

S9(7)V99.

SOURCE:

CWF

Variable Name

Label

RVBLD{x}

where { x } ranges from 1 to 45

Revenue Center Blood Deductible Amount

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the amount of money for which the intermediary determined the beneficiary is liable for the blood deductible for the line item service.

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_BLOOD_DDCTBL
SAS ALIAS: RVBLD{x}
STANDARD ALIAS: REV_CNTR_BLOOD_DDCTBL_AMT
TITLE ALIAS: BLOOD_DDCTBL_AMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

RVDTBL{x}

where { x } ranges from 1 to 45

Revenue Center Cash Deductible Amount

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I' the amount of cash deductible the beneficiary paid for the line item service.

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_CASH_DDCTBL
SAS ALIAS: RVDTBL{x}
STANDARD ALIAS: REV_CNTR_CASH_DDCTBL_AMT
TITLE ALIAS: CASH_DDCTBL

EDIT-RULES:
+9(9).99

SOURCE:
CWF

Variable Name

Label

WGDJ{x}

Revenue Center Coinsurance/Wage Adjusted

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the amount of coinsurance applicable to the line item service defined by the revenue center and HCPCS codes. For those services subject to Outpatient PPS, the applicable coinsurance is wage adjusted.

NOTE1: This field will have either a zero (for services for which coinsurance is not applicable), a regular coinsurance amount (calculated on either charges or a fee schedule) or if subject to OP PPS the national coinsurance amount will be wage adjusted. The wage adjusted coinsurance is based on the MSA where the provider is located or assigned as a result of a reclassification.

NOTE2: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: ADJSTD_COINSRNC

SAS ALIAS: WGDJ{x}

STANDARD ALIAS:

REV_CNTR_WAGE_ADJSTD_COINS_AMT

TITLE ALIAS: WAGE_ADJSTD_COINS

EDIT-RULES:

+9(9).99

SOURCE:

CWF

Variable Name

Label

RDCDCN{x}

Revenue Center Reduced Coinsurance Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', for all services subject to Outpatient PPS, the amount of coinsurance applicable to particular service (HCPCS) for which the provider has elected to reduce the coinsurance amount.

NOTE1: The reduced coinsurance amount cannot be lower than 20% of the payment rate for the APC line.

NOTE2: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: RDCD_COINSRNC
SAS ALIAS: RDCDCN{x}
STANDARD ALIAS: REV_CNTR_RDCD_COINS_AMT
TITLE ALIAS: REDUCED_COINS

EDIT-RULES:
+9(9).99

SOURCE:
CWF

RVMS1_{x}

Revenue Center 1st Medicare Secondary Payer Paid

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the amount paid by the primary payer when the payer is primary to Medicare (Medicare is secondary or tertiary).

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_MSP1_PD_AMT
SAS ALIAS: RVMS1_{x}
STANDARD ALIAS: REV_CNTR_MSP1_PD_AMT
TITLE ALIAS: MSP PAID AMOUNT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

Variable Name

Label

RVMS2_{x}

Revenue Center 2nd Medicare Secondary Payer Paid

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the amount paid by the secondary payer when two payers are primary to Medicare (Medicare is the tertiary payer).

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_MSP2_PD_AMT
SAS ALIAS: RVMS2_{x}
STANDARD ALIAS: REV_CNTR_MSP2_PD_AMT
TITLE ALIAS: MSP PAID AMOUNT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

RPRPMT{x}

Revenue Center Provider Payment Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the amount paid to the provider for the services reported on the line item.

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_PRVDR_PMT_AMT
SAS ALIAS: RPRPMT{x}
STANDARD ALIAS: REV_CNTR_PRVDR_PMT_AMT
TITLE ALIAS: REV_PRVDR_PMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

Variable Name

Label

RBNPMT{x}

Revenue Center Beneficiary Payment Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version I, the amount paid to the beneficiary for the services reported on the line item.

NOTE: Beginning with NCH weekly process date 7/7/00, this field will be populated with data. Claims processed prior to 7/7/00 will contain spaces in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_BENE_PMT_AMT
SAS ALIAS: RBNPMT{x}
STANDARD ALIAS: REV_CNTR_BENE_PMT_AMT
TITLE ALIAS: REV_BENE_PMT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

PTNRSP{x}

Revenue Center Patient Responsibility Payment Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version I, the amount paid by the beneficiary to the provider for the line item service.

NOTE: Beginning with NCH weekly process date 7/7/00 this field was populated with data. Claims processed prior to 7/7/00 will contain zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_PTNT_RESP_AMT
SAS ALIAS: PTNRSP{x}
STANDARD ALIAS: REV_CNTR_PTNT_RESP_PMT_AMT
TITLE ALIAS: REV_PTNT_RESP

EDIT-RULES:
+9(9).99

SOURCE:
CWF

Variable Name

Label

REVPMT{x}

Revenue Center Payment Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Effective with Version 'I', the line item Medicare payment amount for the specific revenue center.

Under OP PPS, PRICER will compute the standard OPPS payment for a line item based on the payment APC.

Under HH PPS, PRICER will compute/return a line item payment amount for the case-mixed, wage-index adjusted HIPPS code assigned to the '0023' revenue center line. The HIPPS code will be stored in the Revenue Center HCPCS code field.

9.2 DIGITS SIGNED

COMMON ALIAS: REIMBURSEMENT
DB2 ALIAS: REV_CNTR_PMT_AMT
SAS ALIAS: REVPMT
STANDARD ALIAS: REV_CNTR_PMT_AMT
TITLE ALIAS: REIMBURSEMENT

EDIT-RULES:
+9(9).99

SOURCE:
CWF

RVCHRG{x}

Revenue Center Total Charge Amount

where { x } ranges from 1 to 45

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

The total charges (covered and non-covered) for all accommodations and services (related to the revenue code) for a billing period before reduction for the coinsurance amounts and before an adjustment for the cost of services provided. NOTE: For accommodation revenue center total charges must equal the rate times units (days).

EXCEPTIONS:

(1) For SNF RUGS demo claims only (9000 series center codes), this field contains SNF customary accommodation charge, (ie., charges related to the accommodation revenue center code that would have applicable if the provider had not been participating in the demo).

(2) For SNF PPS (non demo claims), when revenue center code = '0022', the total charges will be zero.

(3) For Home Health PPS (RAPs), when revenue center code = '0023', the total charges will equal the dollar amount

Variable Name

Label

for the '0023' line.

(4) For Home Health PPS (final claim), when revenue code = '0023', the total charges will be the sum of the revenue center code lines (other than '0023').

(5) For encounter data, if the plan (e.g. MCO) does not know the actual charges for the accommodations the charges will be \$1 (rate) times units (days).

9.2 DIGITS SIGNED

DB2 ALIAS: REV_TOT_CHRG_AMT

SAS ALIAS: RVCHRG{x}

STANDARD ALIAS: REV_CNTR_TOT_CHRG_AMT

TITLE ALIAS: REVENUE_CENTER_CHARGES

EDIT-RULES:

+9(9).99

COMMENT:

Prior to Version H the size of this field was:
S9(7)V99.

SOURCE:

CWF

RVNCVR{x}

where {x} ranges from 1 to 45

Revenue Center Non-Covered Charge Amount

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

The charge amount related to a revenue center code for services that are not covered by Medicare.

NOTE: Prior to Version H the field size was S9(7)V99 the element was only present on the Inpatient/SNF As of NCH weekly process date 10/3/97 this field was to all institutional claim types.

9.2 DIGITS SIGNED

DB2 ALIAS: REV_NCVR_CHRG_AMT

SAS ALIAS: RVNCVR{x}

STANDARD ALIAS: REV_CNTR_NCVR_CHRG_AMT

TITLE ALIAS:

EDIT-RULES:

+9(9).99

SOURCE:

CWF

Variable Name

Label

RVDDCD{x}

where { x } ranges from 1 to 45

Revenue Center Deductible Coinsurance Code

If there are more than 45 revenue center trailer elements from the source file, then there is one segment for each set of 45 revenue center trailer elements, up to a maximum of 10 segments (total maximum = 450 revenue center trailer elements).

Code indicating whether the revenue center charges are subject to deductible and/or coinsurance.

DB2 ALIAS: DDCTBL_COINSRNC_CD

SAS ALIAS: RVDDCD{x}

STANDARD ALIAS:

TITLE ALIAS: REVENUE_CENTER_DEDUCTIBLE_CD

CODES:

REFER TO: REV_CNTR_DDCTBL_COINSRNC_TB
IN THE CODES APPENDIX

SOURCE:

CWF