

**FINAL RULE: Medicare Program; End-Stage Renal Disease Prospective Payment System, Payment for Renal Dialysis Services Furnished to Individuals with Acute Kidney Injury, End-Stage Renal Disease Quality Incentive Program, Durable Medical Equipment, Prosthetics, Orthotics and Supplies (DMEPOS) Fee Schedule Amounts, DMEPOS Competitive Bidding (CBP) Proposed Amendments, Standard Elements for a DMEPOS Order, and Master List of DMEPOS Items Potentially Subject to a Face-to-Face Encounter and Written Order Prior to Delivery and/or Prior Authorization Requirements**

**TABLE 13: MASTER LIST OF DMEPOS ITEMS POTENTIALLY SUBJECT TO FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO DELIVERY AND/OR PRIOR AUTHORIZATION REQUIREMENTS**

*Originally Published in **Federal Register**/Vol. 84, No. 217/November 8, 2019  
 Updated in **Federal Register**/Vol. 87, No. 09/January 13, 2022  
 Updated in **Federal Register**/Vol. 89, No. 93/May 13, 2024  
 Updated in **Federal Register**/Vol. 91, No. 8/January 13, 2026*

| HCPCS | Description  |
|-------|--|
| A4238 | Supply allowance for adjunctive, non-implanted continuous glucose monitor (CGM), includes all supplies and accessories, 1 month supply = 1 unit of service |
| A4342 | Accessories for patient inserted indwelling intraurethral drainage device with valve, replacement only, each   |
| A4352 | Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each            |
| A4353 | Intermittent urinary catheter, with insertion supplies   |
| A4393 | Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity (1 piece), each  |
| A4408 | Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, with built-in convexity, larger than 4 x 4 inches, each                    |
| A4410 | Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, larger than 4 x 4 inches, each                 |
| A5056 | Ostomy pouch, drainable, with extended wear barrier attached, with filter, (1 piece), each   |
| A5057 | Ostomy pouch, drainable, with extended wear barrier attached, with built in convexity, with filter, (1 piece), each  |

|       |   |
|-------|---|
| A5121 | Skin barrier; solid, 6 x 6 or equivalent, each  |
| A6021 | Collagen dressing, sterile, size 16 sq. in. or less   |
| A6023 | Collagen dressing, sterile, size more than 48 sq. in  |
| A6203 | Composite dressing, sterile, pad size 16 square inch or less, with any size adhesive border, each dressing                    |
| A6214 | Foam dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing              |
| A6219 | Gauze, non-impregnated, sterile, pad size 16 square inch or less, with any size adhesive border, each dressing                |
| A6233 | Gauze, impregnated, hydrogel, for direct wound contact, sterile, pad size more than 48 sq. In., each dressing                 |
| A6238 | Hydrocolloid dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in.               |
| A6242 | Hydrogel dressing, wound cover, sterile, pad size 16 square inch or less, without adhesive border, each dressing              |
| A6251 | Specialty absorptive dressing, wound cover, sterile, pad size 16 square inch, or less, without adhesive border, each dressing |
| A6266 | Gauze, impregnated, other than water, normal saline, or zinc paste, sterile, any width, per linear yard                       |
| A6583 | Gradient compression wrap with adjustable straps, below knee, 30-50 mmhg, each  |
| A6593 | Accessory for gradient compression garment or wrap with adjustable straps, not-otherwise specified                            |
| A7025 | High frequency chest wall oscillation system vest, replacement for use with patient owned equipment, each                     |
| A7030 | Full face mask used with positive airway pressure device, each  |

|       |  |
|-------|--|
| A7031 | Face mask interface, replacement for full face mask, each  |
| E0170 | Commode chair with integrated seat lift mechanism, electric, any type  |
| E0193 | Powered air flotation bed (low air loss therapy)   |
| E0194 | Air fluidized bed  |
| E0250 | Hospital bed, fixed height, with any type side rails, with mattress  |
| E0251 | Hospital bed, fixed height, with any type side rails, without mattress                                       |
| E0255 | Hospital bed, variable height, hi-lo, with any type side rails, with mattress                                |
| E0256 | Hospital bed, variable height, hi-lo, with any type side rails, without mattress                             |
| E0260 | Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress              |
| E0261 | Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress           |
| E0265 | Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress    |
| E0266 | Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress |
| E0277 | Powered pressure-reducing air mattress   |
| E0290 | Hospital bed, fixed height, without side rails, with mattress  |
| E0292 | Hospital bed, variable height, hi-lo, without side rails, with mattress                                      |
| E0293 | Hospital bed, variable height, hi-lo, without side rails, without mattress                                   |

|       |  |
|-------|--|
| E0294 | Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress  |
| E0295 | Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress   |
| E0296 | Hospital bed, total electric (head, foot and height adjustments). Without side rails, with mattress  |
| E0297 | Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress   |
| E0300 | Pediatric crib, hospital grade, fully enclosed, with or without top enclosure  |
| E0301 | Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress |
| E0302 | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress                                 |
| E0303 | Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress    |
| E0304 | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress                                    |
| E0316 | Safety enclosure frame/canopy for use with hospital bed, any type  |
| E0371 | Nonpowered advanced pressure reducing overlay for mattress, standard mattress length and width   |
| E0372 | Powered air overlay for mattress, standard mattress length and width   |
| E0373 | Nonpowered advanced pressure reducing mattress   |
| E0424 | Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing          |
| E0431 | Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing                                   |
| E0433 | Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers,  |

|       |   |
|-------|---|
|       | includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge   |
| E0434 | Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing  |
| E0439 | Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula, or mask, & tubing  |
| E0462 | Rocking bed with or without side rails  |
| E0465 | Home ventilator, any type, used with invasive interface, (for example, tracheostomy tube)   |
| E0466 | Home ventilator, any type, used with non-invasive interface, (for example, mask, chest shell)   |
| E0467 | Home ventilator, multi-function respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components and supplies for all functions |
| E0468 | Home ventilator, dual-function respiratory device, also performs additional function of cough stimulation, includes all accessories, components and supplies for all functions  |
| E0469 | Lung expansion airway clearance, continuous high frequency oscillation, and nebulization device   |
| E0470 | Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)                              |
| E0471 | Respiratory assist device, bi-level pressure capability, with back- up rate feature, used with noninvasive interface, (for example, nasal or facial mask (intermittent assist device with continuous positive airway pressure device))                      |
| E0472 | Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, (for example, tracheostomy tube (intermittent assist device with continuous positive airway pressure device))                              |
| E0482 | Cough stimulating device, alternating positive and negative airway pressure   |
| E0483 | High frequency chest wall oscillation air-pulse generator system, (includes hoses and vest), each   |

|       |  |
|-------|--|
| E0490 | Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, controlled by hardware remote |
| E0500 | Intermittent positive pressure breathing (IPPB) machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source    |
| E0550 | Humidifier, durable for extensive supplemental humidification during IPPB treatments or oxygen delivery  |
| E0562 | Humidifier, heated, used with positive airway pressure device  |
| E0575 | Nebulizer, ultrasonic, large volume  |
| E0600 | Respiratory suction pump, home model, portable or stationary, electric   |
| E0601 | Continuous positive airway pressure (CPAP) device  |
| E0617 | External defibrillator with integrated electrocardiogram analysis  |
| E0618 | Apnea monitor, without recording feature   |
| E0620 | Skin piercing device for collection of capillary blood, laser, each  |
| E0630 | Patient lift, hydraulic or mechanical, includes any seat, sling, strap(s) or pad(s)  |
| E0635 | Patient lift, electric with seat or sling  |
| E0636 | Multi-positional patient support system, with integrated lift, patient accessible controls   |
| E0639 | Patient lift, moveable from room to room with disassembly and reassembly, includes all components/accessories  |
| E0640 | Patient lift, fixed system, includes all components/accessories  |
| E0650 | Pneumatic compressor, non-segmental home model   |

|       |   |
|-------|---|
| E0651 | Pneumatic compressor, segmental home model without calibrated gradient pressure   |
| E0652 | Pneumatic compressor, segmental home model with calibrated gradient pressure  |
| E0656 | Segmental pneumatic appliance for use with pneumatic compressor, trunk  |
| E0657 | Segmental pneumatic appliance for use with pneumatic compressor, chest  |
| E0670 | Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk  |
| E0675 | Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral or bilateral system) |
| E0677 | Non-pneumatic sequential compression garment, trunk   |
| E0680 | Non-pneumatic compression controller with sequential calibrated gradient pressure   |
| E0681 | Non-pneumatic compression controller without calibrated gradient pressure   |
| E0691 | Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area 2 square feet or less                    |
| E0693 | Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, 6 foot panel                                      |
| E0740 | Non-implanted pelvic floor electrical stimulator, complete system   |
| E0743 | External lower extremity nerve stimulator for restless legs syndrome, each  |
| E0744 | Neuromuscular stimulator for scoliosis  |
| E0745 | Neuromuscular stimulator, electronic shock unit   |
| E0747 | Osteogenesis stimulator, electrical, non-invasive, other than spinal applications   |

|              |  |
|--------------|--|
| E0748        | Osteogenesis stimulator, electrical, non-invasive, spinal applications   |
| E0749        | Osteogenesis stimulator, electrical, surgically implanted  |
| E0760        | Osteogenesis stimulator, low intensity ultrasound, non-invasive  |
| <b>E0762</b> | <b>Transcutaneous electrical joint stimulation device system, includes all accessories</b>   |
| E0764        | Functional neuromuscular stimulation, transcutaneous stimulation of sequential muscle groups of ambulation with computer control, used for walking by spinal cord injured, entire system, after completion of training program |
| E0766        | Electrical stimulation device used for cancer treatment, includes all accessories, any type  |
| E0781        | Ambulatory infusion pump, single or multiple channels, electric or battery operated, with administrative equipment, worn by patient  |
| E0782        | Infusion pump, implantable, non-programmable (includes all components, e.g., pump, catheter, connectors, etc.)   |
| E0783        | Infusion pump system, implantable, programmable (includes all components, e.g., pump, catheter, connectors, etc.)  |
| E0784        | External ambulatory infusion pump, insulin   |
| E0785        | Implantable intraspinal (epidural/intrathecal) catheter used with implantable infusion pump, replacement   |
| E0786        | Implantable programmable infusion pump, replacement (excludes implantable intraspinal catheter)  |
| E0791        | Parenteral infusion pump, stationary, single or multi-channel  |
| E0912        | Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, free standing, complete with grab bar  |
| E0983        | Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control   |

|       |  |
|-------|--|
| E0984 | Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, tiller control                                     |
| E0986 | Manual wheelchair accessory, power assist system   |
| E0988 | Manual wheelchair accessory, lever-activated, wheel drive, pair  |
| E1002 | Wheelchair accessory, power seating system, tilt only  |
| E1003 | Wheelchair accessory, power seating system, recline only, without shear reduction  |
| E1004 | Wheelchair accessory, power seating system, recline only, with mechanical shear reduction  |
| E1005 | Wheelchair accessory, power seating system, recline only, with power shear reduction   |
| E1006 | Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction  |
| E1007 | Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction  |
| E1008 | Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction   |
| E1010 | Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair                                       |
| E1012 | Wheelchair accessory, addition to power seating system, center mount power elevating leg rest/platform, complete system, any type, each            |
| E1030 | Wheelchair accessory, ventilator tray, gimbaled  |
| E1035 | Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity up to and including 300 pounds     |
| E1036 | Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient weight capacity greater than 300 pounds |

|       |  |
|-------|--|
| E1037 | Transport chair, pediatric size  |
| E1050 | Fully reclining wheelchair, fixed full length arms, swing away detachable elevating leg rests                        |
| E1060 | Fully reclining wheelchair, detachable arms, desk or full length, swing away detachable elevating leg rests          |
| E1070 | Fully reclining wheelchair, detachable arms (desk or full length) swing away detachable footrest                     |
| E1083 | Hemi-wheelchair, fixed full length arms, swing away detachable elevating leg rest                                    |
| E1084 | Hemi-wheelchair, detachable arms desk or full-length arms, swing away detachable elevating leg rests                 |
| E1087 | High strength lightweight wheelchair, fixed full length arms, swing away detachable elevating leg rests              |
| E1088 | High strength lightweight wheelchair, detachable arms desk or full length, swing away detachable elevating leg rests |
| E1092 | Wide heavy-duty wheelchair, detachable arms (desk or full length), swing away detachable elevating leg rests         |
| E1093 | Wide heavy-duty wheelchair, detachable arms desk or full-length arms, swing away detachable footrests                |
| E1100 | Semi-reclining wheelchair, fixed full length arms, swing away detachable elevating leg rests                         |
| E1110 | Semi-reclining wheelchair, detachable arms (desk or full length) elevating leg rest                                  |
| E1150 | Wheelchair, detachable arms, desk or full-length swing away detachable elevating leg rests                           |
| E1160 | Wheelchair, fixed full length arms, swing away detachable elevating leg rests  |
| E1161 | Manual adult size wheelchair, includes tilt in space   |

|       |   |
|-------|---|
| E1170 | Amputee wheelchair, fixed full length arms, swing away detachable elevating leg rests               |
| E1171 | Amputee wheelchair, fixed full length arms, without footrests or leg rest                           |
| E1172 | Amputee wheelchair, detachable arms (desk or full length) without footrests or leg rest             |
| E1180 | Amputee wheelchair, detachable arms (desk or full length) swing away detachable footrests           |
| E1190 | Amputee wheelchair, detachable arms (desk or full length) swing away detachable elevating leg rests |
| E1195 | Heavy duty wheelchair, fixed full length arms, swing away detachable elevating leg rests            |
| E1200 | Amputee wheelchair, fixed full length arms, swing away detachable footrest                          |
| E1221 | Wheelchair with fixed arm, footrests  |
| E1222 | Wheelchair with fixed arm, elevating leg rests  |
| E1223 | Wheelchair with detachable arms, footrests  |
| E1224 | Wheelchair with detachable arms, elevating leg rests  |
| E1226 | Wheelchair accessory, manual fully reclining back, (recline greater than 80 degrees), each          |
| E1232 | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seating system                 |
| E1233 | Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system                |
| E1234 | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system              |
| E1235 | Wheelchair, pediatric size, rigid, adjustable, with seating system                                  |
| E1236 | Wheelchair, pediatric size, folding, adjustable, with seating system                                |

|       |   |
|-------|---|
| E1237 | Wheelchair, pediatric size, rigid, adjustable, without seating system   |
| E1238 | Wheelchair, pediatric size, folding, adjustable, without seating system   |
| E1240 | Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating leg rest                                    |
| E1270 | Lightweight wheelchair, fixed full length arms, swing away detachable elevating leg rests   |
| E1280 | Heavy duty wheelchair, detachable arms (desk or full length) elevating leg rests  |
| E1295 | Heavy duty wheelchair, fixed full length arms, elevating leg rest   |
| E1296 | Special wheelchair seat height from floor   |
| E1390 | Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate     |
| E1391 | Oxygen concentrator, dual delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate, each |
| E1392 | Portable oxygen concentrator, rental  |
| E1399 | Durable medical equipment, miscellaneous  |
| E1405 | Oxygen and water vapor enriching system with heated delivery  |
| E1406 | Oxygen and water vapor enriching system without heated delivery   |
| E2000 | Gastric suction pump, home model, portable or stationary, electric  |
| E2100 | Blood glucose monitor with integrated voice synthesizer   |
| E2103 | Non-adjunctive, non-implanted continuous glucose monitor or receiver  |

|       |  |
|-------|--|
| E2202 | Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches  |
| E2203 | Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches   |
| E2204 | Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches   |
| E2227 | Manual wheelchair accessory, gear reduction drive wheel, each  |
| E2228 | Manual wheelchair accessory, wheel braking system and lock, complete, each   |
| E2310 | Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware          |
| E2311 | Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware |
| E2312 | Power wheelchair accessory, hand, or chin control interface, mini- proportional remote joystick, proportional, including fixed mounting hardware   |
| E2321 | Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware   |
| E2322 | Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware  |
| E2325 | Power wheelchair accessory, sip, and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swing away mounting hardware   |
| E2327 | Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware   |
| E2328 | Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware   |
| E2329 | Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head   |

|       |   |
|-------|---|
|       | array, and fixed mounting hardware  |
| E2330 | Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware |
| E2341 | Power wheelchair accessory, nonstandard seat frame width, 24-27 inches  |
| E2342 | Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches   |
| E2343 | Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches  |
| E2351 | Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface   |
| E2368 | Power wheelchair component, drive wheel motor, replacement only   |
| E2370 | Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only   |
| E2373 | Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware  |
| E2374 | Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only                          |
| E2375 | Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only  |
| E2376 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only  |
| E2377 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue   |
| E2378 | Power wheelchair component, actuator, replacement only  |
| E2402 | Negative pressure wound therapy electrical pump, stationary or portable   |

|       |  |
|-------|--|
| E2510 | Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access                                 |
| E2606 | Positioning wheelchair seat cushion, width 22 inches or greater, any depth   |
| E2613 | Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware  |
| E2614 | Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware   |
| E2616 | Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware                                   |
| E2620 | Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware                    |
| E2621 | Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware                   |
| E2626 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable  |
| E2627 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type  |
| E2628 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, reclining   |
| E2629 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints)     |
| E2630 | Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support |
| E2631 | Wheelchair accessory, addition to mobile arm support, elevating proximal arm   |
| K0002 | Standard hemi (low seat) wheelchair  |

|       |   |
|-------|---|
| K0003 | Lightweight wheelchair  |
| K0004 | High strength, lightweight wheelchair   |
| K0005 | Ultra lightweight wheelchair  |
| K0006 | Heavy duty wheelchair   |
| K0007 | Extra heavy-duty wheelchair   |
| K0009 | Other manual wheelchair/base  |
| K0010 | Standard - weight frame motorized/power wheelchair  |
| K0011 | Standard - weight frame motorized/power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control and braking                            |
| K0012 | Lightweight portable motorized/power wheelchair   |
| K0455 | Infusion pump used for uninterrupted parenteral administration of medication, (for example, epoprostenol or treprostinol)   |
| K0606 | Automatic external defibrillator, with integrated electrocardiogram analysis, garment type  |
| K0609 | Replacement electrodes for use with automated external defibrillator, garment type only, each   |
| K0730 | Controlled dose inhalation drug delivery system   |
| K0738 | Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing |
| K0800 | Power operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds  |
| K0801 | Power operated vehicle, group 1 heavy duty, patient weight capacity, 301 to 450 pounds  |

|       |   |
|-------|---|
| K0802 | Power operated vehicle, group 1 very heavy duty, patient weight capacity 451 to 600 pounds                                      |
| K0806 | Power operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds                                |
| K0807 | Power operated vehicle, group 2 heavy duty, patient weight capacity 301 to 450 pounds   |
| K0808 | Power operated vehicle, group 2 very heavy duty, patient weight capacity 451 to 600 pounds                                      |
| K0813 | Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds |
| K0814 | Power wheelchair, group 1 standard, portable, captains chair, patient weight capacity up to and including 300 pounds            |
| K0815 | Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds           |
| K0816 | Power wheelchair, group 1 standard, captains chair, patient weight capacity up to and including 300 pounds                      |
| K0820 | Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds     |
| K0821 | Power wheelchair, group 2 standard, portable, captains chair, patient weight capacity up to and including 300 pounds            |
| K0822 | Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds               |
| K0823 | Power wheelchair, group 2 standard, captains chair, patient weight capacity up to and including 300 pounds                      |
| K0824 | Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds                          |
| K0825 | Power wheelchair, group 2 heavy duty, captains chair, patient weight capacity 301 to 450 pounds                                 |
| K0826 | Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds                     |

|       |  |
|-------|--|
| K0827 | Power wheelchair, group 2 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds                                     |
| K0828 | Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more                            |
| K0829 | Power wheelchair, group 2 extra heavy duty, captains chair, patient weight 601 pounds or more  |
| K0835 | Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds   |
| K0836 | Power wheelchair, group 2 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds          |
| K0837 | Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds              |
| K0838 | Power wheelchair, group 2 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds                     |
| K0839 | Power wheelchair, group 2 very heavy duty, single power option sling/solid seat/back, patient weight capacity 451 to 600 pounds          |
| K0840 | Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more       |
| K0841 | Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| K0842 | Power wheelchair, group 2 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds        |
| K0843 | Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds            |
| K0848 | Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds                        |
| K0849 | Power wheelchair, group 3 standard, captains chair, patient weight capacity up to and including 300 pounds                               |

|       |  |
|-------|--|
| K0850 | Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds                                   |
| K0851 | Power wheelchair, group 3 heavy duty, captains chair, patient weight capacity 301 to 450 pounds  |
| K0852 | Power wheelchair, group 3 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds                              |
| K0853 | Power wheelchair, group 3 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds                                     |
| K0854 | Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more                            |
| K0855 | Power wheelchair, group 3 extra heavy duty, captains chair, patient weight capacity 601 pounds or more                                   |
| K0856 | Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds   |
| K0857 | Power wheelchair, group 3 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds          |
| K0858 | Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds                       |
| K0859 | Power wheelchair, group 3 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds                     |
| K0860 | Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds         |
| K0861 | Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| K0862 | Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds            |
| K0863 | Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds       |

|       |  |
|-------|--|
| K0864 | Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more   |
| L0457 | Thoracic-lumbar-sacral orthoses (TLSO), flexible, provides trunk support, thoracic region, rigid posterior panel, and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps and closures, prefabricated, off-the-shelf   |
| L0631 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise  |
| L0635 | Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment  |
| L0636 | Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated   |
| L0637 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| L0638 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated  |
| L0639 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may   |

|       |   |
|-------|---|
|       | include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise  |
| L0640 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated            |
| L0648 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf   |
| L0650 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the- shelf   |
| L0651 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf |
| L0830 | Halo procedure, cervical halo incorporated into Milwaukee type orthosis   |
| L1005 | Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment  |
| L1499 | Spinal orthosis, not otherwise specified  |
| L1680 | Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated  |
| L1681 | Hip orthosis, bilateral hip joints and thigh cuffs, adjustable flexion, extension, abduction control of hip joint, postoperative hip abduction type, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise   |
| L1685 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated   |

|       |   |
|-------|---|
| L1686 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated   |
| L1690 | Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment   |
| L1700 | Legg perthes orthosis, (Toronto type), custom-fabricated  |
| L1710 | Legg perthes orthosis, (Newington type), custom fabricated  |
| L1720 | Legg perthes orthosis, trilateral, (Tchdijan type), custom-fabricated   |
| L1730 | Legg perthes orthosis, (Scottish rite type), custom-fabricated  |
| L1755 | Legg perthes orthosis, (patten bottom type), custom-fabricated  |
| L1832 | Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise   |
| L1834 | Knee orthosis, without knee joint, rigid, custom-fabricated   |
| L1840 | Knee orthosis, de-rotation, medial-lateral, anterior cruciate ligament, custom fabricated   |
| L1843 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial- lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| L1844 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial- lateral and rotation control, with or without varus/valgus adjustment, custom fabricated  |
| L1845 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial- lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| L1846 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric  |

|       |   |
|-------|---|
|       | or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated  |
| L1847 | Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| L1848 | Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, off-the-shelf   |
| L1851 | Knee orthosis (ko), single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial- lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf          |
| L1852 | Knee orthosis (ko), double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial- lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf          |
| L1860 | Knee orthosis, modification of supracondylar prosthetic socket, custom-fabricated (sk)  |
| L1906 | Ankle foot orthosis, multiligamentous ankle support, prefabricated, off-the-shelf   |
| L1907 | Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated   |
| L1932 | Afo, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment  |
| L1940 | Ankle foot orthosis, plastic or other material, custom-fabricated   |
| L1945 | Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom-fabricated   |
| L1950 | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic, custom-fabricated  |
| L1951 | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment   |
| L1960 | Ankle foot orthosis, posterior solid ankle, plastic, custom-fabricated  |
| L1970 | Ankle foot orthosis, plastic with ankle joint, custom-fabricated  |

|       |   |
|-------|---|
| L2000 | Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar AK orthosis), custom-fabricated  |
| L2005 | Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated  |
| L2006 | Knee ankle foot device, any material, single or double upright, swing and stance phase microprocessor control with adjustability, includes all components (e.g., sensors, batteries, charger), any type activation, with or without ankle joint(s), custom fabricated |
| L2010 | Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar AK orthosis), without knee joint, custom-fabricated   |
| L2020 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar AK orthosis), custom- fabricated  |
| L2030 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar AK orthosis), without knee joint, custom fabricated  |
| L2034 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated   |
| L2036 | Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated  |
| L2037 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated  |
| L2038 | Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated   |
| L2050 | Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom-fabricated   |
| L2060 | Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/ belt, custom-fabricated   |
| L2106 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom-fabricated   |
| L2108 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom-fabricated  |

|       |   |
|-------|---|
| L2114 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment        |
| L2116 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment             |
| L2126 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom-fabricated |
| L2128 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom-fabricated                                      |
| L2132 | Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment                       |
| L2134 | Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment                 |
| L2136 | Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment                      |
| L2280 | Addition to lower extremity, molded inner boot  |
| L2350 | Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for PTB AFO orthoses)                     |
| L2510 | Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, molded to patient model                                    |
| L2525 | Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim molded to patient model                      |
| L2526 | Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted                               |
| L2570 | Addition to lower extremity, pelvic control, hip joint, clevis type two position joint, each  |
| L2580 | Addition to lower extremity, pelvic control, pelvic sling   |
| L2624 | Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each                      |

|       |  |
|-------|--|
| L2627 | Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables  |
| L2628 | Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables   |
| L2999 | Lower extremity orthoses, not otherwise specified  |
| L3330 | Lift, elevation, metal extension (skate)   |
| L3671 | Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3674 | Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without non-torsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| L3720 | Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom-fabricated  |
| L3730 | Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom- fabricated   |
| L3740 | Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom-fabricated   |
| L3761 | Elbow orthosis, with adjustable position locking joint(s), prefabricated, off-the-shelf  |
| L3763 | Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3764 | Elbow wrist hand orthosis, includes one or more non-torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3765 | Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment  |
| L3766 | Elbow wrist hand finger orthosis, includes one or more non-torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment  |
| L3900 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, wrist or finger driven, custom-fabricated  |

|       |  |
|-------|--|
| L3901 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, cable driven, custom- fabricated   |
| L3904 | Wrist hand finger orthosis, external powered, electric, custom- fabricated   |
| L3905 | Wrist hand orthosis, includes one or more non-torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3960 | Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment   |
| L3961 | Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment  |
| L3962 | Shoulder elbow wrist hand orthosis, abduction positioning, erbs palsey design, prefabricated, includes fitting and adjustment  |
| L3967 | Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment  |
| L3971 | Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more non-torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3973 | Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more non-torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| L3975 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3976 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3977 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more non- torsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3978 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more non-torsion joints, elastic bands, turnbuckles,   |

|       |  |
|-------|--|
|       | may include soft interface, straps, custom fabricated, includes fitting and adjustment   |
| L3981 | Upper extremity fracture orthosis, humeral, prefabricated, includes shoulder cap design, with or without joints, forearm section, may include soft interface, straps, includes fitting and adjustments                 |
| L4000 | Replace girdle for spinal orthosis (Cervical Thoracic Lumbar Sacral Orthosis (CTLSSO) or Shoulder orthosis (SO))   |
| L4010 | Replace trilateral socket brim   |
| L4020 | Replace quadrilateral socket brim, molded to patient model   |
| L4030 | Replace quadrilateral socket brim, custom fitted   |
| L4130 | Replace pretibial shell  |
| L4631 | Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated |
| L5000 | Partial foot, shoe insert with longitudinal arch, toe filler   |
| L5010 | Partial foot, molded socket, ankle height, with toe filler   |
| L5020 | Partial foot, molded socket, tibial tubercle height, with toe filler   |
| L5050 | Ankle, Symes, molded socket, Sach foot   |
| L5060 | Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot   |
| L5100 | Below knee, molded socket, shin, Sach foot   |
| L5105 | Below knee, plastic socket, joints and thigh lacer, Sach foot  |
| L5150 | Knee disarticulation (or through knee), molded socket, external knee joints, shin, Sach foot   |

|       |   |
|-------|---|
| L5160 | Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, Sach foot   |
| L5200 | Above knee, molded socket, single axis constant friction knee, shin, Sach foot  |
| L5210 | Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks, no ankle joints, each   |
| L5220 | Above knee, short prosthesis, no knee joint ('stubbies'), with articulated ankle/foot, dynamically aligned, each  |
| L5230 | Above knee, for proximal femoral focal deficiency, constant friction knee, shin, Sach foot  |
| L5250 | Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, Sach foot   |
| L5270 | Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, Sach foot   |
| L5280 | Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, Sach foot  |
| L5301 | Below knee, molded socket, shin, Sach foot, endoskeletal system   |
| L5312 | Knee disarticulation (or through knee), molded socket, single axis knee, pylon, Sach foot, endoskeletal system  |
| L5321 | Above knee, molded socket, open end, Sach foot, endoskeletal system, single axis knee   |
| L5331 | Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot  |
| L5341 | Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot   |
| L5400 | Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee                    |
| L5420 | Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change 'AK' or knee disarticulation |

|       |   |
|-------|---|
| L5430 | Immediate post surgical or early fitting, application of initial rigid dressing, incl. Fitting, alignment and suspension, AK or knee disarticulation, each additional cast change and realignment |
| L5460 | Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, above knee  |
| L5500 | Initial, below knee 'PTB' type socket, non-alignable system, pylon, no cover, Sach foot, plaster socket, direct formed  |
| L5505 | Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, Sach foot, plaster socket, direct formed   |
| L5510 | Preparatory, below knee 'PTB' type socket, non-alignable system, pylon, no cover, Sach foot, plaster socket, molded to model  |
| L5520 | Preparatory, below knee 'PTB' type socket, non-alignable system, pylon, no cover, Sach foot, thermoplastic or equal, direct formed  |
| L5530 | Preparatory, below knee 'PTB' type socket, non-alignable system, pylon, no cover, Sach foot, thermoplastic or equal, molded to model  |
| L5535 | Preparatory, below knee 'PTB' type socket, non-alignable system, no cover, Sach foot, refabricated, adjustable open-end socket  |
| L5540 | Preparatory, below knee 'PTB' type socket, non-alignable system, pylon, no cover, Sach foot, laminated socket, molded to model  |
| L5560 | Preparatory, above knee- knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, Sach foot, plaster socket, molded to model  |
| L5570 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, Sach foot, thermoplastic or equal, direct formed                                     |
| L5580 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, Sach foot, thermoplastic or equal, molded to model                                    |
| L5585 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, Sach foot, prefabricated adjustable open-end socket                                  |
| L5590 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, Sach foot, laminated socket, molded to model   |

|       |   |
|-------|---|
| L5595 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, Sach foot, thermoplastic or equal, molded to patient model          |
| L5600 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, Sach foot, laminated socket, molded to patient model                |
| L5610 | Addition to lower extremity, endoskeletal system, above knee, hydracadence system   |
| L5611 | Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4 bar linkage, with friction swing phase control |
| L5613 | Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control  |
| L5614 | Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control   |
| L5615 | Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing and stance phase control                            |
| L5616 | Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control                |
| L5617 | Addition to lower extremity, quick change self-aligning unit, above knee or below knee, each  |
| L5626 | Addition to lower extremity, test socket, hip disarticulation   |
| L5628 | Addition to lower extremity, test socket, hemipelvectomy  |
| L5638 | Addition to lower extremity, below knee, leather socket   |
| L5639 | Addition to lower extremity, below knee, wood socket  |
| L5640 | Addition to lower extremity, knee disarticulation, leather socket   |
| L5642 | Addition to lower extremity, above knee, leather socket   |

|       |   |
|-------|---|
| L5643 | Addition to lower extremity, hip disarticulation, flexible inner socket, external frame   |
| L5644 | Addition to lower extremity, above knee, wood socket  |
| L5645 | Addition to lower extremity, below knee, flexible inner socket, external frame  |
| L5646 | Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket   |
| L5647 | Addition to lower extremity, below knee suction socket  |
| L5648 | Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket   |
| L5649 | Addition to lower extremity, ischial containment/narrow m-l socket  |
| L5650 | Additions to lower extremity, total contact, above knee or knee disarticulation socket  |
| L5651 | Addition to lower extremity, above knee, flexible inner socket, external frame  |
| L5653 | Addition to lower extremity, knee disarticulation, expandable wall socket   |
| L5661 | Addition to lower extremity, socket insert, multi-durometer Symes   |
| L5665 | Addition to lower extremity, socket insert, multi-durometer, below knee   |
| L5671 | Addition to lower extremity, below knee / above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert   |
| L5673 | Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, with or without perforations, with or without breathable material, for use with locking mechanism |
| L5677 | Additions to lower extremity, below knee, knee joints, polycentric, pair  |
| L5679 | Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, with or without perforations, with or   |

|       |  |
|-------|--|
|       | without breathable material, not for use with locking mechanism  |
| L5681 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679)            |
| L5682 | Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded  |
| L5683 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679) |
| L5700 | Replacement, socket, below knee, molded to patient model   |
| L5701 | Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model  |
| L5702 | Replacement, socket, hip disarticulation, including hip joint, molded to patient model   |
| L5703 | Ankle, Symes, molded to patient model, socket without solid ankle cushion heel (Sach) foot, replacement only   |
| L5704 | Custom shaped protective cover, below knee   |
| L5705 | Custom shaped protective cover, above knee   |
| L5706 | Custom shaped protective cover, knee disarticulation   |
| L5707 | Custom shaped protective cover, hip disarticulation  |
| L5711 | Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material   |
| L5716 | Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock  |
| L5718 | Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control   |

|       |   |
|-------|---|
| L5722 | Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control                               |
| L5724 | Addition, exoskeletal knee-shin system, single axis, fluid swing phase control  |
| L5726 | Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control                                    |
| L5728 | Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control   |
| L5780 | Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control                                |
| L5781 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system                    |
| L5782 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty        |
| L5783 | Addition to lower extremity, user adjustable, mechanical, residual limb volume management system (with or without lamination kit) |
| L5785 | Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)                                  |
| L5790 | Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)                                  |
| L5795 | Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)                         |
| L5810 | Addition, endoskeletal knee-shin system, single axis, manual lock   |
| L5811 | Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material   |
| L5812 | Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)                       |
| L5814 | Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock                 |

|       |  |
|-------|--|
| L5816 | Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock   |
| L5818 | Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control   |
| L5822 | Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control   |
| L5824 | Addition, endoskeletal knee-shin system, single axis, fluid swing phase control  |
| L5826 | Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame  |
| L5828 | Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control   |
| L5830 | Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control   |
| L5840 | Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control  |
| L5841 | Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control  |
| L5845 | Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable   |
| L5848 | Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability  |
| L5856 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type |
| L5857 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type       |
| L5858 | Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type      |
| L5859 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)           |

|       |  |
|-------|--|
| L5920 | Addition, endoskeletal system, above knee or hip disarticulation alignable system  |
| L5926 | Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type          |
| L5930 | Addition, endoskeletal system, high activity knee control frame  |
| L5940 | Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)  |
| L5950 | Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)  |
| L5960 | Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)   |
| L5961 | Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control |
| L5962 | Addition, endoskeletal system, below knee, flexible protective outer surface covering system   |
| L5964 | Addition, endoskeletal system, above knee, flexible protective outer surface covering system   |
| L5966 | Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system  |
| L5968 | Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature   |
| L5973 | Endoskeletal ankle foot system, microprocessor-controlled feature, dorsiflexion and/or plantar flexion control, includes power source                    |
| L5976 | All lower extremity prostheses, energy storing foot (seattle carbon copy ii or equal)  |
| L5979 | All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system   |
| L5980 | All lower extremity prostheses, flex foot system   |
| L5981 | All lower extremity prostheses, flex-walk system or equal  |

|       |   |
|-------|---|
| L5982 | All exoskeletal lower extremity prostheses, axial rotation unit   |
| L5984 | All endoskeletal lower extremity prosthesis, axial rotation unit, with or without adjustability   |
| L5986 | All lower extremity prostheses, multi-axial rotation unit (MCP or equal)  |
| L5987 | All lower extremity prosthesis, shank foot system with vertical loading pylon   |
| L5988 | Addition to lower limb prosthesis, vertical shock reducing pylon feature  |
| L5990 | Addition to lower extremity prosthesis, user adjustable heel height   |
| L5991 | Addition to lower extremity prostheses, osseointegrated external prosthetic connector   |
| L6026 | Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self- suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device, excludes terminal device(s) |
| L7366 | Battery charger, twelve volt, each  |
| L7368 | Lithium-ion battery charger, replacement only   |
| L8035 | Custom breast prosthesis, post mastectomy, molded to patient model  |
| V2531 | Contact lens, scleral, gas permeable, per lens (for contact lens modification, see 92325)   |

