

# STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 1999 WYOMING

## LIST OF TABLES

### OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

### FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE 8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE 9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NF RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NF RESIDENTS, BY TOP 10 DRUG GROUP

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY

APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS

### FOR DUAL ELIGIBLE BENEFICIARIES

TABLE 11. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 12. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 13. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 14. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 15. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 16-16D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE 17. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE 18. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NF RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY

APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS

TABLE 1  
OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION  
WYOMING, 1999

Inclusion Criteria (1999)	No. of Dual and Non-dual Eligible Benes (Cell)	No. of Dual Eligible Benes (Cell) <sup>g</sup>
1. Benes who were eligible for Medicaid during at least one month <sup>a</sup>	52,177 (A)	7,961 (E)
2. Benes who had Medicaid pharmacy benefits during at least one month <sup>b</sup>	50,131 (B)	6,068 (F)
3. Benes who had fee-for-service pharmacy benefit coverage during at least one month <sup>c, d, e</sup>	50,131 (C)	6,068 (G)
4. Benes who were all-year nursing facility residents <sup>f</sup>	1,742 (D)	1,668 (H)

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. MAX data element "Eligible Months Count" was used to determine an individual's Medicaid eligibility. All individuals who had a value greater than zero were considered as beneficiaries and counted in Cell A.

b. Counts in Cell B were obtained by excluding from Cell A beneficiaries who never had pharmacy benefit coverage during their Medicaid enrollment in 1999 (based on MAX data element "Eligible Restricted Benefits Flag"). Characteristics of beneficiaries represented by Cell B are shown in Appendix Table A.1.

c. Cell C represents the study population for Tables 2 through 7D. Cell C was obtained by excluding from Cell B beneficiaries who were under MC plans during all months of Medicaid eligibility in 1999, because the MAX files would not include separate prescription drug claims for those beneficiaries. MC plans include HMOs, PHPs, or other MC organizations that provided pharmacy benefits under capitation arrangements. Beneficiaries included are those who were in fee-for-service, PCCM, or PHP plans in selected states. Beneficiaries in PHPs were included if they were in one of 18 states where no PHP in the state provided a pharmacy benefit (see footnote e). For all other states, beneficiaries in PHPs were excluded. For example, if a beneficiary was under fee-for-service, PCCM, or PHPs in one of the 18 states for three months of the year but enrolled in an MC plan for the remaining nine months, only the three months were counted toward the number of benefit months associated with the beneficiary. Therefore, benefit months included represent the benefit months with fee-for-service pharmacy benefits. Beneficiaries and their benefit months included and excluded based on this criterion are shown in Appendix Table A.2.

d. The total Medicaid pharmacy reimbursement for Wyoming in 1999 was \$22,221,832, of which \$13,334 was excluded from our analysis because those claims were made for beneficiaries who were outside the study population or took place during months that were excluded from the analysis.

e. The 18 states where no PHP provided a pharmacy benefit in 1999 were AL, AR, CO, FL, GA, IA, IL, KY, MA, MI, MT, NE, NY, NC, OR, PA, UT, and WI. This list was constructed based on consultation with CMS staff and two CMS documents, which can be found at <http://www.cms.hhs.gov/medicaid/managedcare/mmcms699.asp> and at <http://www.cms.hhs.gov/medicaid/managedcare/mmcms99.asp>.

f. Cell D represents the study population for Tables 8 through 10D. All-year nursing facility residents are the beneficiaries who resided in nursing facilities throughout their enrollment in 1999. These beneficiaries were identified by comparing the number of months during which the MAX files contained at least one claim from nursing facilities to the number of Medicaid eligible months. If the former is greater than or equal to the latter, the beneficiary was considered an all-year resident. If the former is less than the latter but not equal to zero, the beneficiary was considered a part-year resident. Part-year residents were excluded from the analysis because they are likely to be short-term residents and the level and pattern of their pharmacy benefit use may differ substantially from longer-term residents. The number of part-year residents and their benefit months are presented in footnotes to Tables 8 through 10D. Residents of mental hospitals for the aged, inpatient psychiatric facilities for individuals under age 21, or intermediate care facilities for the mentally retarded were excluded from the analysis.

g. Pharmacy benefit use and reimbursement among full dual eligible beneficiaries are presented in Tables 11 through 18. To determine Medicaid-Medicare dual eligibility status, two MAX data elements ("Eligible Medicare Crossover Code -- Annual New Values" and "Eligible Restricted Benefits Flag") were used in combination.

Beneficiaries represented in Cell G, the dual study population, include all dual eligible beneficiaries who had a fee-for-service pharmacy benefit at least during one month in 1999. All benefit months of such dual eligible beneficiaries, of which 1.4 percent were restricted benefit months without a pharmacy benefit in Wyoming, were used in the dual tables.

Characteristics of dual eligible beneficiaries represented by Cell F are shown in Appendix Table A.3, and characteristics of beneficiaries and their benefit months included in Cell F but excluded from Cell G are shown in Appendix Table A.4.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; HMO = health maintenance organization; MAX = Medicaid Analytic Extract; MC = managed care; PCCM = primary care case management; PHP = prepaid health plan.

TABLE 2  
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a,b</sup>  
 WYOMING, 1999

Beneficiary Characteristics	No. of Beneficiaries						No. of Beneficiaries by Age Group					
	All	Aged	Disabled	Adults	Children	Other/Unknown	All	Aged	Disabled	Adults	Children	Other/Unknown
<b>All</b>	<b>50,131</b>	<b>3,616</b>	<b>7,493</b>	<b>10,517</b>	<b>28,505</b>	<b>0</b>	<b>406,322</b>	<b>35,889</b>	<b>78,719</b>	<b>64,746</b>	<b>226,988</b>	<b>0</b>
<b>Age</b>												
5 and younger	13,907	0	283	2	13,622	0	109,708	0	2,870	14	106,824	0
6-14	12,466	0	777	2	11,687	0	105,090	0	8,248	16	96,826	0
15-20	5,278	0	630	1,453	3,195	0	37,661	0	6,511	7,833	23,317	0
21-44	11,764	0	3,132	8,632	0	0	87,132	0	33,242	53,890	0	0
45-64	3,078	0	2,651	427	0	0	30,685	0	27,704	2,981	0	0
65-74	1,099	1,081	18	0	0	0	11,535	11,405	130	0	0	0
75-84	1,213	1,210	2	1	0	0	12,074	12,048	14	12	0	0
85 and older	1,324	1,324	0	0	0	0	12,424	12,424	0	0	0	0
Unknown	2	1	0	0	1	0	13	12	0	0	1	0
<b>Gender</b>												
Female	29,598	2,639	3,975	8,924	14,060	0	236,583	26,289	42,251	55,903	112,140	0
Male	20,522	977	3,518	1,593	14,434	0	169,674	9,600	36,468	8,843	114,763	0
Unknown	11	0	0	0	11	0	65	0	0	0	65	0
<b>Race</b>												
White	38,954	3,127	6,097	8,200	21,530	0	313,380	30,701	64,178	49,870	168,631	0
African American	1,079	34	158	163	724	0	9,266	343	1,565	1,025	6,333	0
Other/unknown	10,098	455	1,238	2,154	6,251	0	83,676	4,845	12,976	13,851	52,004	0
<b>Use of Nursing Facilities</b>												
All year	1,742	1,574	168	0	0	0	17,287	15,540	1,747	0	0	0
Part year	712	580	132	0	0	0	6,290	5,079	1,211	0	0	0
None	47,677	1,462	7,193	10,517	28,505	0	382,745	15,270	75,761	64,746	226,988	0
<b>Maintenance Assistance Status</b>												
Cash	20,959	952	5,240	5,707	9,060	0	173,850	10,646	55,089	34,897	73,218	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty-related	19,516	15	33	3,063	16,405	0	142,065	142	304	16,212	125,407	0
Other/unknown	9,656	2,649	2,220	1,747	3,040	0	90,407	25,101	23,326	13,637	28,343	0
<b>Dual Medicare Status<sup>c</sup></b>												
Full dual, all year	5,877	3,446	2,396	35	0	0	60,767	34,388	26,116	263	0	0
Full dual, part year	191	120	69	2	0	0	1,886	1,175	696	15	0	0
Non-dual, all year	44,063	50	5,028	10,480	28,505	0	343,669	326	51,907	64,468	226,988	0
<b>Managed Care Status</b>												
FFS all year	50,131	3,616	7,493	10,517	28,505	0	406,322	35,889	78,719	64,746	226,988	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

Table 2

All Medicaid Beneficiaries

a. Table 2 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 1999. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. The "Non-dual, all year" group includes beneficiaries who were never dually eligible or dually eligible but never had Medicaid fee-for-service pharmacy benefits. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE 3  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 WYOMING, 1999

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	Mean OTC Drug \$ <sup>c</sup>	No. of Benes
All	65.6 %	9.8	\$443	\$45	\$3,999	11.1 %	\$25	50,131
<b>Age</b>								
5 and younger	65.0	3.5	88	25	1,382	6.3	9	13,907
6-14	57.1	3.7	164	45	1,198	13.7	17	12,466
15-20	61.7	5.1	237	47	2,385	9.9	17	5,278
21-44	66.7	9.5	533	56	5,121	10.4	27	11,764
45-64	76.9	31.3	1,696	54	11,683	14.5	103	3,078
65-74	82.6	41.0	1,792	44	12,374	14.5	106	1,099
75-84	89.3	47.2	1,836	39	15,707	11.7	58	1,213
85 and older	94.4	44.8	1,518	34	18,759	8.1	23	1,324
Unknown	50.0	54.5	1,483	27	16,701	8.9	0	2
<b>Basis of Eligibility</b>								
Aged	89.2	44.6	1,712	38	15,864	10.8	60	3,616
Disabled	75.5	24.1	1,531	64	12,313	12.4	122	7,493
Adults	64.8	5.1	165	32	2,011	8.2	5	10,517
Children	60.3	3.3	98	30	1,042	9.4	3	28,505
Unknown	0.0	0.0	0	0	0	0.0	0	0
<b>Gender</b>								
Female	68.3	11.2	476	42	4,166	11.4	26	29,598
Male	61.6	7.7	395	52	3,760	10.5	25	20,522
Unknown	63.6	2.7	50	18	795	6.3	1	11
<b>Race</b>								
White	68.4	11.0	503	46	4,394	11.4	27	38,954
African American	62.2	7.6	350	46	2,345	14.9	39	1,079
Other/unknown	54.8	5.2	221	42	2,651	8.3	18	10,098
<b>Use of Nursing Facilities</b>								
Entire year	97.1	57.4	2,128	37	25,215	8.4	2	1,742
Part year	94.8	45.4	1,827	40	18,314	10.0	87	712
None	64.0	7.5	361	48	3,010	12.0	25	47,677
<b>Maintenance Assistance Status</b>								
Cash	62.9	9.1	473	52	2,377	19.9	20	20,959
Medically needy	0.0	0.0	0	0	0	0.0	0	0
Poverty related	62.2	3.2	84	26	1,272	6.6	4	19,516
Other/unknown	78.1	24.6	1,103	45	13,031	8.5	81	9,656

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

Table 3

All Medicaid Beneficiaries

a. Table 3 includes beneficiaries represented by Cell C of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Information about OTC drugs appears in this column only. OTC drugs are not part of the reimbursement amount for prescription drugs.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 WYOMING, 1999

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:						Mean \$, All Services	Benes	Bene Mos
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10			
All	1.2	\$55	11.1 %	34.4 %	47.2 %	6.7 %	7.2 %	3.6 %	0.8 %	\$493	50,131	406,322
<b>Age</b>												
5 and younger	0.4	11	6.3	35.0	60.5	3.6	0.9	0.1	0.0	175	13,907	109,708
6-14	0.4	19	13.7	42.9	50.4	4.2	2.3	0.2	0.0	142	12,466	105,090
15-20	0.7	33	9.9	38.3	49.9	6.9	4.1	0.7	0.0	334	5,278	37,661
21-44	1.3	72	10.4	33.3	43.8	10.3	9.4	2.8	0.3	691	11,764	87,132
45-64	3.1	170	14.5	23.1	21.7	12.2	25.1	14.4	3.6	1,172	3,078	30,685
65-74	3.9	171	14.5	17.4	19.1	10.0	26.5	20.0	7.0	1,179	1,099	11,535
75-84	4.7	184	11.7	10.7	12.5	10.5	30.3	28.3	7.7	1,578	1,213	12,074
85 and older	4.8	162	8.1	5.6	12.4	11.7	34.6	30.8	4.9	1,999	1,324	12,424
Unknown	8.4	228	8.9	50.0	0.0	0.0	0.0	50.0	0.0	2,569	2	13
<b>Basis of Eligibility</b>												
Aged	4.5	173	10.8	10.8	14.4	10.8	30.8	26.8	6.5	1,598	3,616	35,889
Disabled	2.3	146	12.4	24.5	31.3	11.9	20.8	9.6	1.9	1,172	7,493	78,719
Adults	0.8	27	8.2	35.2	48.8	9.5	5.3	1.0	0.1	327	10,517	64,746
Children	0.4	12	9.4	39.7	55.0	3.8	1.4	0.1	0.0	131	28,505	226,968
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Gender</b>												
Female	1.4	60	11.4	31.7	47.2	7.4	8.2	4.5	1.0	521	29,598	236,583
Male	0.9	48	10.5	38.4	47.3	5.7	5.8	2.3	0.5	455	20,522	169,674
Unknown	0.5	8	6.3	36.4	63.6	0.0	0.0	0.0	0.0	135	11	65
<b>Race</b>												
White	1.4	63	11.4	31.6	47.7	7.3	8.2	4.3	0.9	546	38,954	313,380
African American	0.9	41	14.9	37.8	49.1	5.5	4.6	2.2	0.7	273	1,079	9,266
Other/unknown	0.6	27	8.3	45.2	45.2	4.4	3.8	1.2	0.2	320	10,098	83,676
<b>Use of Nursing Facilities</b>												
Entire year	5.8	214	8.4	2.9	8.5	8.8	33.7	36.2	9.9	2,541	1,742	17,287
Part year	5.1	207	10.0	5.2	10.7	11.2	34.6	32.0	6.3	2,073	712	6,290
None	0.9	45	12.0	36.0	49.2	6.6	5.8	2.0	0.4	375	47,677	382,745
<b>Maintenance Assistance Status</b>												
Cash	1.1	57	19.9	37.1	43.6	7.8	8.4	2.7	0.4	287	20,959	173,850
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.4	12	6.6	37.8	56.5	4.3	1.3	0.1	0.0	175	19,516	142,065
Other/unknown	2.6	118	8.5	21.9	36.4	9.3	16.4	12.8	3.2	1,392	9,656	90,407

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

Table 4

All Medicaid Beneficiaries

a. Table 4 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 5  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC<sup>a, b, c</sup>  
 WYOMING, 1999

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	\$ per Rx	No. of Rx	Rx \$	No. of Rx	Rx \$
<b>All</b>	<b>1.2</b>	<b>\$55</b>	<b>0.4</b>	<b>\$45</b>	<b>0.2</b>	<b>\$9</b>	<b>0.5</b>	<b>\$8</b>
<b>Age</b>								
5 and younger	0.4	11	0.1	25	0.0	1	0.3	3
6-14	0.4	19	0.2	45	0.0	2	0.2	3
15-20	0.7	33	0.3	47	0.1	7	0.3	5
21-44	1.3	72	0.5	56	0.2	11	0.6	9
45-64	3.1	170	1.2	54	0.5	31	1.3	23
65-74	3.9	171	1.3	44	0.7	33	1.7	29
75-84	4.7	184	1.5	39	1.0	40	2.1	33
85 and older	4.8	162	1.3	34	1.0	36	2.1	32
Unknown	8.4	228	4.2	27	0.8	7	2.7	34
<b>Basis of Eligibility</b>								
Aged	4.5	173	1.4	38	0.9	36	2.0	31
Disabled	2.3	146	0.9	64	0.3	24	0.9	17
Adults	0.8	27	0.3	32	0.1	4	0.4	5
Children	0.4	12	0.1	30	0.0	1	0.2	3
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
<b>Gender</b>								
Female	1.4	60	0.5	42	0.2	11	0.6	9
Male	0.9	48	0.3	52	0.1	8	0.4	7
Unknown	0.5	8	0.1	18	0.0	0	0.3	3
<b>Race</b>								
White	1.4	63	0.5	46	0.2	11	0.6	10
African American	0.9	41	0.3	46	0.1	7	0.4	7
Other/unknown	0.6	27	0.2	42	0.1	4	0.3	4
<b>Use of Nursing Facilities</b>								
Entire year	5.8	214	1.7	37	1.2	45	2.6	41
Part year	5.1	207	1.6	40	1.0	41	2.3	39
None	0.9	45	0.3	48	0.1	7	0.4	7
<b>Maintenance Assistance</b>								
<b>Status</b>								
Cash	1.1	57	0.4	52	0.1	9	0.5	8
Medically needy	0.0	0	0.0	0	0.0	0	0.0	0
Poverty related	0.4	12	0.1	26	0.0	1	0.2	3
Other/unknown	2.6	118	0.9	45	0.5	22	1.1	18

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 5 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

Table 5

All Medicaid Beneficiaries

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 6.0 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
WYOMING, 1999

Therapeutic Category	No. of Rx per Bene Mo among Users				\$ per Bene Mo among Users				Users								
	Total	Patented	Off-Patent	Brand-Name	Total	Patented	Off-Patent	Brand-Name	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos				
														Generic	Brand-Name	Patented	Off-Patent
Anti-infective Agents	0.3	0.1	0.0	0.1	\$10	\$8	\$0	\$2	\$35	\$62	\$34	\$11	62,724	\$2,166,420	23,283	46.4 %	224,073
Biologicals	0.2	0.1	0.0	0.0	149	118	30	1	788	929	1,101	20	471	371,074	244	0.5	2,497
Antineoplastic Agents	0.6	0.4	0.1	0.1	169	154	10	5	300	431	110	42	1,441	431,816	253	0.5	2,561
Endocrine/Metabolic Drugs	0.6	0.3	0.1	0.2	19	13	3	2	32	50	26	12	39,622	1,280,148	7,022	14.0	68,918
Cardiovascular Agents	1.2	0.3	0.3	0.6	37	18	12	7	30	53	35	13	63,560	1,887,865	5,006	10.0	51,239
Respiratory Agents	0.4	0.2	0.0	0.2	13	9	0	4	34	56	31	17	52,894	1,787,655	13,835	27.6	136,181
Gastrointestinal Agents	0.5	0.2	0.1	0.2	39	25	9	5	73	109	86	24	23,818	1,734,110	4,325	8.6	44,414
Genitourinary Agents	0.3	0.2	0.0	0.1	13	10	0	3	37	50	38	18	8,424	309,696	2,538	5.1	24,299
CNS Drugs	0.9	0.4	0.1	0.3	64	44	15	5	72	105	104	16	69,831	5,006,031	7,862	15.7	78,542
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.1	0.3	22	7	6	10	37	36	48	33	8,675	320,273	1,403	2.8	14,255
Miscellaneous Psychological/Neurological Agents	0.5	0.4	0.0	0.1	92	89	0	3	174	209	30	32	895	156,154	164	0.3	1,696
Analgesics and Anesthetics	0.5	0.1	0.1	0.3	17	10	4	4	34	89	62	11	50,173	1,710,512	10,355	20.7	99,660
Neuromuscular Agents	0.7	0.3	0.1	0.3	43	30	7	7	61	108	50	22	31,474	1,918,669	4,289	8.6	44,378
Nutritional Products	0.4	0.0	0.1	0.3	7	0	2	4	18	17	24	15	16,054	282,305	4,729	9.4	42,778
Hematological Agents	0.7	0.1	0.4	0.2	83	64	10	10	119	1,030	24	42	8,976	1,066,888	1,252	2.5	12,863
Topical Products	0.2	0.1	0.0	0.1	6	3	1	2	26	46	35	13	24,504	642,876	10,256	20.5	103,143
Miscellaneous Products	0.3	0.1	0.0	0.1	28	12	10	7	108	116	262	56	1,731	187,716	629	1.3	6,608
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	13	0	0	0	38	0	0	0	24,971	948,290	7,264	14.5	73,610
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	490,238	22,208,498	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 6 includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 1999. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 6.0 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 WYOMING, 1999

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIDEPRESSANTS	\$2,279,668	7,184	14.3 %	72,719	0.5	\$61	\$31
ANTIPSYCHOTICS	2,273,589	2,647	5.3	28,032	0.6	133	81
ANTICONVULSANT	1,552,497	2,871	5.7	30,485	0.7	73	51
ULCER DRUGS	1,439,000	3,983	7.9	41,627	0.4	84	35
ANTIASTHMATIC	977,487	7,168	14.3	72,166	0.3	40	14
ANALGESICS - Narcotic	864,083	10,889	21.7	106,061	0.3	27	8
MISC. HEMATOLOGICAL	791,176	223	0.4	2,344	0.5	665	338
ANTIHYPERTENSIVE	703,156	2,765	5.5	28,749	0.6	39	24
ANALGESICS - ANTI-INFLAMMATORY	699,074	5,494	11.0	56,066	0.3	48	12
ANTIDIABETIC	553,034	1,585	3.2	16,624	0.7	47	33

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

- a. Table 7 includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 1999. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 WYOMING, 1999

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIDEPRESSANTS					ANTIPSYCHOTICS				
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	Mean No. of Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	Mean No. of Mos among Users	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	
<b>All</b>	196,066	\$12,132,764	7,184	14.3 %	72,719	0.5	\$31	2,647	5.3 %	28,032	0.6	\$81			
<b>Female</b>	131,908	7,324,592	5,095	17.2	51,114	0.5	31	1,539	5.2	16,168	0.6	70			
<b>Disabled</b>	57,243	3,850,821	2,025	50.9	22,734	0.5	35	728	18.3	8,190	0.6	97			
5 and younger	295	10,931	3	2.6	36	0.5	14	2	1.8	24	0.8	61			
6-14	1,349	80,178	46	16.1	505	0.5	31	23	8.0	259	0.7	66			
15-20	1,902	127,177	78	29.4	862	0.6	45	38	14.3	408	0.6	77			
21-44	21,788	1,609,833	903	55.4	10,269	0.5	35	388	23.8	4,395	0.6	99			
45-64	31,791	2,018,353	993	59.6	11,047	0.6	36	276	16.6	3,099	0.7	99			
65-74	116	4,319	2	15.4	15	0.7	8	1	7.7	5	0.2	3			
75-84	2	30	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Other Eligibles</b>	74,623	3,471,502	3,070	12.0	28,380	0.5	28	811	3.2	7,978	0.5	44			
5 and younger	2,074	43,417	12	0.2	131	0.2	9	4	0.1	46	0.2	5			
6-14	4,162	193,301	254	4.4	2,530	0.4	26	66	1.1	718	0.5	63			
15-20	4,113	149,132	294	9.4	2,571	0.4	23	71	2.3	657	0.5	44			
21-44	15,913	588,169	1,287	17.8	10,725	0.4	24	151	2.1	1,255	0.3	29			
45-64	1,377	64,749	88	31.1	740	0.5	31	13	4.6	119	0.3	13			
65-74	13,007	714,179	313	44.9	3,385	0.6	32	126	18.1	1,334	0.6	58			
75-84	17,308	910,779	416	46.5	4,319	0.7	34	194	21.7	1,988	0.6	48			
85 and older	16,669	807,776	406	38.7	3,979	0.7	34	186	17.7	1,861	0.5	35			
<b>Male</b>	64,158	4,808,172	2,089	10.2	21,605	0.5	32	1,108	5.4	11,864	0.7	96			
<b>Disabled</b>	32,891	3,333,958	969	27.5	10,761	0.5	36	695	19.8	7,776	0.7	117			
5 and younger	508	32,145	4	2.4	43	0.2	9	1	0.6	12	1.1	148			
6-14	2,825	400,156	105	21.4	1,158	0.5	33	74	15.1	817	0.6	77			
15-20	2,485	213,036	99	27.1	1,064	0.6	42	77	21.1	774	0.8	117			
21-44	13,931	1,750,659	445	29.6	4,953	0.5	34	359	23.9	4,062	0.7	131			
45-64	13,087	934,787	313	31.8	3,507	0.6	37	183	18.6	2,099	0.7	107			
65-74	50	2,810	3	60.0	36	0.7	15	1	20.0	12	0.3	10			
75-84	5	365	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Other Eligibles</b>	31,267	1,474,214	1,120	6.6	10,844	0.5	28	413	2.4	4,088	0.6	55			
5 and younger	3,174	68,639	18	0.3	191	0.3	12	6	0.1	60	0.1	6			
6-14	6,579	297,279	453	7.6	4,478	0.4	23	98	1.7	1,014	0.5	51			
15-20	2,335	135,974	186	12.1	1,716	0.5	31	61	4.0	529	0.7	77			
21-44	2,269	86,896	122	8.6	994	0.4	24	23	1.6	169	0.4	22			
45-64	552	27,320	20	13.9	157	0.3	27	3	2.1	28	0.1	10			
65-74	6,927	388,548	117	30.5	1,277	0.7	36	80	20.8	846	0.7	81			
75-84	5,092	262,331	106	33.4	1,087	0.6	33	88	27.8	910	0.7	46			
85 and older	4,339	207,227	98	35.5	944	0.7	31	54	19.6	532	0.5	30			
<b>Unknown</b>	42	2,269	0	0.0	0	0.0	0	0	0.0	0	0.0	0			

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 7A includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 1999. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mdmb.asp](http://www.Medi-Span.com/products/product_mdmb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANTICONVULSANT					ULCER DRUGS					ANTIASTHMATIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>2,871</b>	<b>5.7 %</b>	<b>30,485</b>	<b>0.7</b>	<b>\$51</b>	<b>3,983</b>	<b>7.9 %</b>	<b>41,627</b>	<b>0.4</b>	<b>\$35</b>	<b>7,168</b>	<b>14.3 %</b>	<b>72,166</b>	<b>0.3</b>	<b>\$14</b>
<b>Female</b>	1,703	5.8	18,084	0.7	47	2,815	9.5	29,406	0.4	34	4,281	14.5	43,254	0.4	15
<b>Disabled</b>	1,067	26.8	12,073	0.7	57	985	24.8	11,102	0.4	37	1,250	31.4	14,039	0.4	20
5 and younger	15	13.2	160	0.6	27	13	11.4	143	0.2	13	32	28.1	361	0.2	6
6-14	60	21.0	637	0.8	57	15	5.2	170	0.2	18	43	15.0	511	0.4	10
15-20	62	23.4	698	0.8	51	35	13.2	387	0.3	16	44	16.6	471	0.4	18
21-44	519	31.8	5,916	0.7	63	350	21.5	3,929	0.4	35	395	24.2	4,481	0.4	15
45-64	410	24.6	4,650	0.7	52	568	34.1	6,443	0.4	41	729	43.8	8,147	0.5	24
65-74	1	7.7	12	0.5	9	3	23.1	18	0.4	12	7	53.8	68	0.3	14
75-84	0	0.0	0	0.0	0	1	100.0	12	0.2	3	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	636	2.5	6,011	0.6	27	1,829	7.1	18,292	0.4	32	3,031	11.8	29,215	0.3	12
5 and younger	18	0.3	172	0.4	13	113	1.7	1,035	0.2	6	653	9.9	6,525	0.2	4
6-14	70	1.2	659	0.5	28	104	1.8	1,074	0.2	9	501	8.7	4,856	0.2	8
15-20	51	1.6	507	0.3	17	126	4.0	1,156	0.2	10	299	9.6	2,610	0.3	9
21-44	203	2.8	1,681	0.4	24	439	6.1	3,973	0.2	17	682	9.5	5,855	0.3	9
45-64	14	4.9	144	0.5	43	23	8.1	225	0.3	21	55	19.4	523	0.3	10
65-74	98	14.1	1,081	0.7	36	272	39.0	3,012	0.5	40	290	41.6	3,260	0.6	27
75-84	103	11.5	1,048	0.7	32	354	39.6	3,820	0.6	46	311	34.8	3,107	0.6	24
85 and older	79	7.5	719	0.7	24	398	38.0	3,997	0.6	48	240	22.9	2,479	0.5	20
<b>Male</b>	1,168	5.7	12,401	0.7	56	1,168	5.7	12,221	0.4	36	2,887	14.1	28,912	0.3	12
<b>Disabled</b>	805	22.9	8,944	0.8	65	517	14.7	5,728	0.4	39	574	16.3	6,202	0.5	20
5 and younger	23	13.6	249	0.7	42	20	11.8	224	0.4	17	56	33.1	631	0.3	9
6-14	121	24.6	1,339	0.7	44	26	5.3	292	0.3	22	81	16.5	929	0.3	10
15-20	93	25.5	1,025	0.7	57	24	6.6	271	0.3	24	40	11.0	441	0.4	14
21-44	374	24.9	4,151	0.8	77	208	13.8	2,322	0.4	41	151	10.1	1,681	0.5	19
45-64	194	19.7	2,180	0.8	61	236	24.0	2,593	0.5	43	246	25.0	2,520	0.6	27
65-74	0	0.0	0	0.0	0	2	40.0	24	0.5	80	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	1	100.0	2	1.0	109	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	363	2.1	3,457	0.6	34	651	3.8	6,493	0.4	33	2,313	13.6	22,710	0.3	10
5 and younger	21	0.3	202	0.5	25	147	2.1	1,312	0.2	7	1,009	14.4	9,840	0.2	4
6-14	88	1.5	816	0.5	23	75	1.3	791	0.1	8	721	12.2	7,350	0.3	12
15-20	55	3.6	509	0.6	45	34	2.2	327	0.1	6	130	8.5	1,202	0.3	8
21-44	43	3.0	354	0.4	21	45	3.2	364	0.4	35	70	4.9	516	0.4	20
45-64	6	4.2	43	0.3	8	16	11.1	146	0.3	35	13	9.0	117	0.2	6
65-74	69	18.0	715	0.8	51	128	33.3	1,412	0.7	52	153	39.8	1,586	0.5	19
75-84	48	15.1	480	0.8	35	98	30.9	1,044	0.6	50	114	36.0	1,156	0.5	19
85 and older	33	12.0	338	0.8	29	108	39.1	1,097	0.6	48	103	37.3	943	0.6	27
<b>Unknown</b>	0	0.0	0	0.0	0	1	7.7	12	1.0	114	0	0.0	0	0.0	0

All Medicaid Beneficiaries

Table 7B

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

- a. Table 7B includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 1999. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANALGESICS - Narcotic				MISC. HEMATOLOGICAL				ANTIHYPERTENSIVE						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>10,889</b>	<b>21.7 %</b>	<b>106,061</b>	<b>0.3</b>	<b>\$8</b>	<b>223</b>	<b>0.4 %</b>	<b>2,344</b>	<b>0.5</b>	<b>\$338</b>	<b>2,765</b>	<b>5.5 %</b>	<b>28,749</b>	<b>0.6</b>	<b>\$25</b>
<b>Female</b>	8,314	28.1	80,346	0.3	8	144	0.5	1,469	0.5	35	1,802	6.1	18,730	0.6	25
<b>Disabled</b>	2,268	57.1	25,656	0.3	10	34	0.9	355	0.4	26	626	15.7	6,911	0.6	24
5 and younger	16	14.0	189	0.1	1	0	0.0	0	0.0	0	4	3.5	41	0.2	2
6-14	29	10.1	332	0.1	1	0	0.0	0	0.0	0	19	6.6	219	0.5	10
15-20	59	22.3	673	0.2	4	0	0.0	0	0.0	0	9	3.4	102	0.3	10
21-44	1,066	65.4	12,166	0.3	9	8	0.5	85	0.2	12	114	7.0	1,252	0.5	23
45-64	1,092	65.5	12,249	0.4	11	23	1.4	242	0.4	30	473	28.4	5,238	0.6	25
65-74	6	46.2	47	0.4	10	3	23.1	28	0.4	30	7	53.8	59	0.4	19
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	6,045	23.6	54,678	0.3	7	110	0.4	1,114	0.5	38	1,176	4.6	11,819	0.7	26
5 and younger	185	2.8	1,932	0.1	2	1	0.0	10	0.3	27	10	0.2	107	0.5	11
6-14	366	6.4	3,730	0.1	1	0	0.0	0	0.0	0	33	0.6	338	0.4	6
15-20	841	27.0	7,117	0.2	1	2	0.1	24	0.1	6	8	0.3	64	0.3	10
21-44	3,001	41.6	25,038	0.2	3	2	0.0	10	0.3	23	106	1.5	857	0.4	16
45-64	107	37.8	927	0.4	7	1	0.4	6	0.3	51	23	8.1	143	0.6	20
65-74	427	61.3	4,704	0.5	18	20	2.9	227	0.5	31	260	37.3	2,802	0.6	25
75-84	527	58.9	5,397	0.5	20	48	5.4	517	0.6	40	372	41.6	3,878	0.7	30
85 and older	591	56.4	5,833	0.5	19	36	3.4	320	0.6	42	364	34.7	3,630	0.8	28
<b>Male</b>	2,575	12.5	25,715	0.3	8	79	0.4	875	0.5	846	963	4.7	10,019	0.6	23
<b>Disabled</b>	911	25.9	10,052	0.3	13	21	0.6	235	0.4	3,046	376	10.7	4,057	0.6	22
5 and younger	16	9.5	179	0.1	1	0	0.0	0	0.0	0	4	2.4	42	0.5	22
6-14	37	7.5	408	0.1	1	2	0.4	24	0.3	9,091	48	9.8	497	0.6	11
15-20	54	14.8	623	0.1	2	1	0.3	12	0.4	8	19	5.2	201	0.5	19
21-44	433	28.8	4,777	0.3	10	4	0.3	48	0.5	10,245	91	6.1	980	0.6	25
45-64	368	37.4	4,049	0.4	20	14	1.4	151	0.4	38	213	21.6	2,325	0.6	24
65-74	1	20.0	12	0.3	6	0	0.0	0	0.0	0	1	20.0	12	0.4	14
75-84	2	200.0	4	0.8	37	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	1,664	9.8	15,663	0.2	5	58	0.3	640	0.6	38	587	3.5	5,962	0.6	24
5 and younger	297	4.2	2,978	0.1	1	1	0.0	11	0.1	65	24	0.3	255	0.3	5
6-14	352	5.9	3,619	0.1	1	0	0.0	0	0.0	0	97	1.6	990	0.6	17
15-20	170	11.1	1,530	0.1	1	0	0.0	0	0.0	0	15	1.0	130	0.6	16
21-44	393	27.7	3,039	0.3	5	1	0.1	4	0.8	67	32	2.3	261	0.4	17
45-64	53	36.8	447	0.5	21	0	0.0	0	0.0	0	14	9.7	107	0.5	24
65-74	171	44.5	1,847	0.5	16	27	7.0	314	0.6	32	160	41.7	1,745	0.7	29
75-84	109	34.4	1,063	0.4	13	16	5.0	159	0.6	41	129	40.7	1,333	0.7	26
85 and older	119	43.1	1,140	0.4	8	13	4.7	152	0.5	45	116	42.0	1,141	0.7	28
<b>Unknown</b>	1	7.7	12	1.4	22	0	0.0	0	0.0	0	0	0.0	0	0.0	0

All Medicaid Beneficiaries

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

- a. Table 7C includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 1999. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY				ANTIDIABETIC							
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Bene Mos	
<b>All</b>	<b>5,494</b>	<b>11.0 %</b>	<b>56,066</b>	<b>0.3</b>	<b>\$13</b>	<b>1,585</b>	<b>3.2 %</b>	<b>16,624</b>	<b>0.7</b>	<b>\$33</b>	<b>50,131</b>	<b>406,322</b>
<b>Female</b>	4,082	13.8	41,464	0.3	13	1,120	3.8	11,853	0.7	33	29,596	236,570
<b>Disabled</b>	1,184	29.8	13,595	0.3	18	524	13.2	5,777	0.7	36	3,975	42,251
5 and younger	13	11.4	149	0.2	2	0	0.0	0	0.0	0	114	1,120
6-14	15	5.2	178	0.3	3	0	0.0	0	0.0	0	286	3,023
15-20	38	14.3	412	0.2	7	2	0.8	22	1.0	22	265	2,794
21-44	489	30.0	5,636	0.2	12	89	5.5	1,018	0.7	30	1,630	17,458
45-64	627	37.6	7,196	0.3	24	431	25.9	4,726	0.7	37	1,666	17,744
65-74	2	15.4	24	0.1	4	2	15.4	11	1.0	34	13	100
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	2,898	11.3	27,869	0.3	11	594	2.3	6,052	0.7	31	25,621	194,319
5 and younger	226	3.4	2,320	0.1	1	1	0.0	10	1.2	62	6,614	52,500
6-14	167	2.9	1,771	0.1	2	14	0.2	156	1.1	31	5,757	47,304
15-20	382	12.3	3,419	0.1	2	6	0.2	45	0.4	11	3,115	20,058
21-44	1,211	16.8	10,455	0.2	4	78	1.1	580	0.8	27	7,213	46,188
45-64	64	22.6	615	0.3	14	17	6.0	130	0.6	42	283	1,980
65-74	249	35.7	2,866	0.4	22	149	21.4	1,652	0.7	36	697	7,366
75-84	284	31.8	3,095	0.4	25	199	22.3	2,142	0.7	30	894	8,997
85 and older	315	30.1	3,328	0.5	26	130	12.4	1,337	0.7	28	1,048	9,926
<b>Male</b>	1,412	6.9	14,602	0.2	11	465	2.3	4,771	0.7	33	20,522	169,674
<b>Disabled</b>	499	14.2	5,586	0.3	17	224	6.4	2,375	0.7	35	3,518	36,468
5 and younger	11	6.5	119	0.2	73	2	1.2	24	0.5	13	169	1,750
6-14	21	4.3	244	0.1	2	2	0.4	15	0.9	21	491	5,225
15-20	26	7.1	297	0.1	2	2	0.5	24	1.2	47	365	3,717
21-44	216	14.4	2,387	0.2	8	70	4.7	721	0.7	26	1,502	15,784
45-64	224	22.7	2,527	0.3	25	148	15.0	1,591	0.8	40	985	9,960
65-74	1	20.0	12	0.2	1	0	0.0	0	0.0	0	5	30
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	2
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	913	5.4	9,016	0.2	8	241	1.4	2,396	0.7	31	17,004	133,206
5 and younger	258	3.7	2,654	0.2	2	7	0.1	69	1.2	41	7,001	54,297
6-14	159	2.7	1,699	0.1	2	11	0.2	124	0.8	48	5,930	49,514
15-20	102	6.7	970	0.1	3	3	0.2	25	2.0	77	1,533	11,092
21-44	151	10.6	1,158	0.2	6	22	1.6	169	0.5	24	1,419	7,702
45-64	25	17.4	229	0.3	13	14	9.7	87	0.5	21	144	1,001
65-74	64	16.7	709	0.4	18	100	26.0	1,081	0.6	28	384	4,039
75-84	77	24.3	777	0.4	25	52	16.4	532	0.8	35	317	3,063
85 and older	77	27.9	820	0.4	22	32	11.6	309	0.7	28	276	2,498
<b>Unknown</b>	0	0.0	0	0.0	0	2	15.4	24	0.5	27	13	78

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

- a. Table 7D includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 1999. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE 8  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 WYOMING, 1999

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>\$214</b>	<b>5.8</b>	<b>1,742</b>	<b>17,287</b>
<b>Age</b>				
0-64	281	6.1	168	1,747
65-74	270	6.4	228	2,363
75-84	228	6.2	505	5,078
85 and older	175	5.3	840	8,087
Unknown	247	9.1	1	12
<b>Gender</b>				
Female	210	5.8	1,248	12,254
Male	225	5.7	494	5,033
Unknown	0	0.0	0	0
<b>Race</b>				
White	216	5.8	1,639	16,177
African American	257	8	9	104
Other/unknown	184	4.7	94	1,006
<b>Basis of Eligibility</b>				
Aged	207	5.7	1,574	15,540
Disabled	281	6.1	168	1,747
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 8 includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their 1999 Medicaid enrollment. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE 9  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>  
 WYOMING, 1999

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx			Total Rx \$			Users				
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	No.	As % of All-Year NF Residents	No. of Bene Mos		
Anti-infective Agents	0.4	0.2	0.0	0.2	\$15	\$13	\$0	\$2	\$42	\$68	\$26	\$10	4,449	\$185,223	1,151	66.1 %	12,067
Biologicals	0.1	0.1	0.0	0.1	2	1	0	1	14	9	0	19	102	1,469	77	4.4	878
Antineoplastic Agents	0.6	0.3	0.1	0.2	121	102	11	8	187	295	93	43	413	77,268	66	3.8	638
Endocrine/Metabolic Drugs	1.1	0.5	0.2	0.5	28	20	2	5	25	41	14	11	8,869	217,337	770	44.2	7,743
Cardiovascular Agents	1.8	0.4	0.6	0.9	42	15	16	10	23	43	28	12	22,253	511,205	1,199	68.8	12,198
Respiratory Agents	0.8	0.3	0.0	0.4	31	17	1	13	39	50	22	32	5,057	196,063	624	35.8	6,415
Gastrointestinal Agents	0.9	0.3	0.2	0.4	53	29	15	9	59	102	76	22	7,457	439,802	795	45.6	8,257
Genitourinary Agents	0.7	0.3	0.0	0.4	26	18	0	7	38	59	33	19	2,702	101,715	373	21.4	3,946
CNS Drugs	1.3	0.6	0.2	0.5	70	49	13	8	55	86	84	14	13,944	767,511	1,071	61.5	11,035
Stimulants/Anti-obesity/Anorexia	0.6	0.0	0.2	0.4	10	0	2	8	17	0	12	20	77	1,346	14	0.8	129
Miscellaneous Psychological/Neurological Agents	0.7	0.6	0.0	0.0	99	99	0	1	145	154	0	17	429	62,412	64	3.7	628
Analgesics and Anesthetics	1.0	0.3	0.1	0.5	37	23	7	7	39	81	56	13	8,885	347,868	918	52.7	9,351
Neuromuscular Agents	1.1	0.3	0.3	0.5	53	23	18	11	48	84	52	24	5,555	263,951	473	27.2	5,017
Nutritional Products	0.8	0.0	0.2	0.5	15	0	6	8	18	14	25	16	5,264	97,113	650	37.3	6,620
Hematological Agents	1.0	0.1	0.6	0.3	28	10	12	5	28	136	20	18	3,905	110,106	382	21.9	3,955
Topical Products	0.5	0.2	0.1	0.2	14	7	3	3	28	42	39	14	4,501	127,153	847	48.6	9,178
Miscellaneous Products	0.3	0.0	0.0	0.3	7	1	1	5	24	32	168	21	371	8,919	119	6.8	1,291
Unknown Therapeutic Category	0.6	0.0	0.0	0.0	21	0	0	0	33	0	0	0	5,727	189,691	850	48.8	9,000
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	99,960	3,706,152	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

- a. Table 9 includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 1999. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003). In Wyoming, 6.0 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Table 9

All Medicaid Beneficiaries

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 WYOMING, 1999

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ULCER DRUGS	\$371,453	675	38.7 %	7,094	0.7	\$76	\$52
ANTIDEPRESSANTS	363,630	872	50.1	9,034	0.8	53	40
ANTIPSYCHOTICS	320,389	531	30.5	5,637	0.7	86	57
ANTIHYPERTENSIVE	203,193	637	36.6	6,603	0.8	37	31
ANALGESICS - Narcotic	197,272	960	55.1	9,639	0.6	35	20
ANALGESICS - ANTI-INFLAMMATORY	138,030	509	29.2	5,413	0.5	52	25
ANTICONVULSANT	136,308	327	18.8	3,397	0.9	44	40
ANTIASTHMATIC	134,304	552	31.7	5,559	0.6	42	24
ANTIPARKINSONIAN	102,851	210	12.1	2,288	0.8	59	45
MINERALS & ELECTROLYTES	93,173	691	39.7	7,052	0.7	19	13

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 10 includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 1999 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup> WYOMING, 1999

Beneficiary Characteristics	All Top 10 Drug Groups					ULCER DRUGS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	No. of Users	Residents	Mean No. of Rx	No. of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Residents	No. of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>42,337</b>	<b>\$2,060,603</b>	<b>675</b>	<b>38.7 %</b>	<b>0.7</b>	<b>7,094</b>	<b>0.7</b>	<b>\$52</b>	<b>872</b>	<b>50.1 %</b>	<b>9,034</b>	<b>0.8</b>	<b>\$40</b>		
<b>Female</b>	29,258	1,380,399	486	39.0	0.7	5,027	0.7	50	643	51.6	6,565	0.8	42		
<b>Disabled</b>	2,487	128,058	26	31.3	0.7	256	0.7	41	58	69.9	623	0.8	51		
64 or younger	2,487	128,058	26	31.3	0.7	256	0.7	41	58	69.9	623	0.8	51		
65-74	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
75-84	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
<b>Other Eligibles</b>	26,728	1,250,607	459	39.4	0.7	4,759	0.7	50	585	50.3	5,942	0.8	41		
64 or younger	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	3,418	195,078	52	42.6	0.7	549	0.7	57	80	65.6	790	0.8	49		
75-84	9,755	474,092	149	40.5	0.6	1,608	0.6	48	215	58.4	2,243	0.8	41		
85 and older	13,555	581,437	258	38.3	0.7	2,602	0.7	50	290	43.0	2,909	0.7	38		
<b>Male</b>	13,079	680,204	189	38.3	0.7	2,067	0.7	59	229	46.4	2,469	0.8	37		
<b>Disabled</b>	2,141	144,816	25	29.4	0.8	264	0.8	70	37	43.5	410	0.8	35		
64 or younger	2,141	144,816	25	29.4	0.8	264	0.8	70	37	43.5	410	0.8	35		
65-74	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
75-84	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
<b>Other Eligibles</b>	10,938	535,388	164	40.1	0.7	1,803	0.7	58	192	46.9	2,059	0.8	37		
64 or younger	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	3,778	198,867	47	44.3	0.9	529	0.9	67	63	59.4	720	0.8	42		
75-84	3,555	170,597	50	36.5	0.7	565	0.7	52	60	43.8	646	0.7	36		
85 and older	3,605	165,924	67	40.4	0.7	709	0.7	56	69	41.6	693	0.8	34		
<b>Unknown</b>	43	1,734	1	100.0	1.0	12	1.0	114	0	0.0	0	0.0	0		

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 10A includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 1999 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANTIPSYCHOTICS					ANTIHYPERTENSIVE					ANALGESICS - Narcotic				
	Users as %					Users as %					Users as %				
	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>531</b>	<b>30.5 %</b>	<b>5,637</b>	<b>0.7</b>	<b>\$57</b>	<b>637</b>	<b>36.6 %</b>	<b>6,603</b>	<b>0.8</b>	<b>\$31</b>	<b>960</b>	<b>55.1 %</b>	<b>9,639</b>	<b>0.6</b>	<b>\$21</b>
<b>Female</b>	347	27.8	3,626	0.6	52	421	33.8	4,299	0.8	31	749	60.1	7,455	0.6	21
<b>Disabled</b>	22	26.5	236	0.9	101	17	20.5	169	1.0	41	56	67.5	597	0.5	16
64 or younger	22	26.5	236	0.9	101	17	20.5	169	1.0	41	56	67.5	597	0.5	16
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	325	27.9	3,390	0.6	48	404	34.7	4,130	0.8	30	692	59.5	6,846	0.6	21
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	55	45.1	572	0.7	75	32	26.2	314	0.8	29	80	65.6	817	0.7	25
75-84	132	35.9	1,377	0.6	48	150	40.8	1,538	0.8	34	229	62.2	2,243	0.7	25
85 and older	138	20.5	1,441	0.6	38	222	32.9	2,278	0.9	28	383	56.8	3,786	0.6	18
<b>Male</b>	184	37.2	2,011	0.7	66	216	43.7	2,304	0.8	31	211	42.7	2,184	0.5	20
<b>Disabled</b>	34	40.0	394	0.8	125	22	25.9	235	0.9	26	29	34.1	269	0.6	67
64 or younger	34	40.0	394	0.8	125	22	25.9	235	0.9	26	29	34.1	269	0.6	67
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	150	36.7	1,617	0.7	52	194	47.4	2,069	0.8	31	182	44.5	1,915	0.5	13
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	45	42.5	504	0.8	79	61	57.5	651	0.8	36	59	55.7	680	0.6	19
75-84	64	46.7	702	0.7	45	61	44.5	676	0.8	26	55	40.1	572	0.5	11
85 and older	41	24.7	411	0.6	30	72	43.4	742	0.8	32	68	41.0	663	0.4	9
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	100.0	12	1.4	22

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 10B includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 1999 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY					ANTICONVULSANT					ANTIASTHMATIC				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>509</b>	<b>29.2 %</b>	<b>5,413</b>	<b>0.5</b>	<b>\$26</b>	<b>327</b>	<b>18.8 %</b>	<b>3,397</b>	<b>0.9</b>	<b>\$40</b>	<b>552</b>	<b>31.7 %</b>	<b>5,559</b>	<b>0.6</b>	<b>\$24</b>
<b>Female</b>	376	30.2	3,993	0.5	26	193	15.5	1,978	0.9	38	357	28.6	3,553	0.6	24
<b>Disabled</b>	29	34.9	327	0.5	22	52	62.7	576	1.1	55	16	19.3	122	0.3	10
64 or younger	29	34.9	327	0.5	22	52	62.7	576	1.1	55	16	19.3	122	0.3	10
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	347	29.8	3,666	0.5	27	141	12.1	1,402	0.9	31	341	29.3	3,431	0.6	24
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	34	27.9	369	0.4	20	34	27.9	367	1.0	37	32	26.2	345	0.6	23
75-84	115	31.3	1,216	0.5	28	54	14.7	543	0.9	38	149	40.5	1,422	0.6	25
85 and older	198	29.4	2,081	0.5	27	53	7.9	492	0.8	21	160	23.7	1,664	0.6	24
<b>Male</b>	133	26.9	1,420	0.5	24	134	27.1	1,419	0.9	43	195	39.5	2,006	0.6	25
<b>Disabled</b>	20	23.5	206	0.4	13	47	55.3	491	1.0	51	23	27.1	238	0.9	31
64 or younger	20	23.5	206	0.4	13	47	55.3	491	1.0	51	23	27.1	238	0.9	31
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	113	27.6	1,214	0.5	25	87	21.3	928	0.8	39	172	42.1	1,768	0.6	24
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	24	22.6	268	0.5	23	36	34.0	371	0.8	47	46	43.4	487	0.6	24
75-84	43	31.4	438	0.5	28	31	22.6	345	0.8	31	56	40.9	596	0.5	16
85 and older	46	27.7	508	0.5	24	20	12.0	212	1.0	35	70	42.2	685	0.7	31
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 10C includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 1999 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 WYOMING, 1999

Beneficiary Characteristics	ANTIPARKINSONIAN										MINERALS & ELECTROLYTES									
	Users as %					Users as %					Users as %					Users as %				
	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean Rx	Mean Rx-\$	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean Rx	Mean Rx-\$	No. of Users	No. of All-Year Residents	No. of Bene Mos among Users	Mean Rx	Mean Rx-\$	All-Year NF Residents	All-Year NF Residents	Bene Mos among All-Year NF Residents		
<b>All</b>	210	12.1 %	2,288	0.8	\$45	691	39.7 %	7,052	0.7	\$13	1,742	17,287								
<b>Female</b>	124	9.9	1,346	0.7	41	504	40.4	5,088	0.7	13	1,247	12,242								
<b>Disabled</b>	5	6.0	60	0.7	11	28	33.7	329	0.7	14	83	853								
64 or younger	5	6.0	60	0.7	11	28	33.7	329	0.7	14	83	853								
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
<b>Other Eligibles</b>	119	10.2	1,286	0.7	43	475	40.8	4,747	0.7	13	1,164	11,389								
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
65-74	28	23.0	328	0.8	57	45	36.9	471	0.5	12	122	1,235								
75-84	42	11.4	451	0.8	47	150	40.8	1,472	0.7	14	368	3,658								
85 and older	49	7.3	507	0.7	30	280	41.5	2,804	0.7	12	674	6,496								
<b>Male</b>	86	17.4	942	0.8	50	187	37.9	1,964	0.7	14	494	5,033								
<b>Disabled</b>	10	11.8	120	0.7	8	21	24.7	219	0.5	12	85	894								
64 or younger	10	11.8	120	0.7	8	21	24.7	219	0.5	12	85	894								
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
<b>Other Eligibles</b>	76	18.6	822	0.8	56	166	40.6	1,745	0.7	14	409	4,139								
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
65-74	22	20.8	228	0.9	52	45	42.5	513	0.9	20	106	1,128								
75-84	31	22.6	347	0.9	63	60	43.8	633	0.6	12	137	1,420								
85 and older	23	13.9	247	0.7	51	61	36.7	599	0.7	11	166	1,591								
<b>Unknown</b>	0	0.0	0	0.0	0	1	100.0	12	1.2	9	1	12								

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table 10D includes the beneficiaries represented by Cell D of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 1999. A total of 712 beneficiaries who were in nursing facilities for part of their enrollment and their 6,290 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 1999. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 1999 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
WYOMING, 1999

Beneficiary Characteristics	No. of Benes					No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
<b>All</b>	<b>50,131</b>	<b>3,616</b>	<b>7,493</b>	<b>10,517</b>	<b>28,505</b>	<b>0</b>	<b>406,322</b>	<b>35,889</b>	<b>78,719</b>	<b>64,746</b>	<b>226,968</b>	<b>0</b>
<b>Age</b>												
5 and younger	13,907	0	283	2	13,622	0	109,708	0	2,870	14	106,824	0
6-14	12,466	0	777	2	11,687	0	105,090	0	8,248	16	96,826	0
15-20	5,278	0	630	1,453	3,195	0	37,661	0	6,511	7,833	23,317	0
21-44	11,764	0	3,132	8,632	0	0	87,132	0	33,242	53,890	0	0
45-64	3,078	0	2,651	427	0	0	30,685	0	27,704	2,981	0	0
65-74	1,099	1,081	18	0	0	0	11,535	11,405	130	0	0	0
75-84	1,213	1,210	2	1	0	0	12,074	12,048	14	12	0	0
85 and older	1,324	1,324	0	0	0	0	12,424	12,424	0	0	0	0
Unknown	2	1	0	0	1	0	13	12	0	0	1	0
<b>Gender</b>												
Female	29,598	2,639	3,975	8,924	14,060	0	236,583	26,289	42,251	55,903	112,140	0
Male	20,522	977	3,518	1,593	14,434	0	169,674	9,600	36,468	8,843	114,763	0
Unknown	11	0	0	0	11	0	65	0	0	0	65	0
<b>Race</b>												
White	38,954	3,127	6,097	8,200	21,530	0	313,380	30,701	64,178	49,870	168,631	0
African American	1,079	34	158	163	724	0	9,266	343	1,565	1,025	6,333	0
Other/unknown	10,098	455	1,238	2,154	6,251	0	83,676	4,845	12,976	13,851	52,004	0
<b>Use of Nursing Facilities</b>												
All year	1,742	1,574	168	0	0	0	17,287	15,540	1,747	0	0	0
Part year	712	580	132	0	0	0	6,290	5,079	1,211	0	0	0
None	47,677	1,462	7,193	10,517	28,505	0	382,745	15,270	75,761	64,746	226,968	0
<b>Maintenance Assistance Status</b>												
Cash	20,959	952	5,240	5,707	9,060	0	173,850	10,646	55,089	34,897	73,218	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	19,516	15	33	3,063	16,405	0	142,065	142	304	16,212	125,407	0
Other/unknown	9,656	2,649	2,220	1,747	3,040	0	90,407	25,101	23,326	13,637	28,343	0
<b>Dual Status<sup>c</sup></b>												
Full dual, all year	5,877	3,446	2,396	35	0	0	60,767	34,388	26,116	263	0	0
Full dual, part year	191	120	69	2	0	0	1,886	1,175	696	15	0	0
Non-dual, all year	44,063	50	5,028	10,480	28,505	0	343,669	326	51,907	64,468	226,968	0
<b>Managed Care Status</b>												
FFS all year	50,131	3,616	7,493	10,517	28,505	0	406,322	35,889	78,719	64,746	226,968	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

a. Table A.1 includes the beneficiaries represented by Cell B of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 1999. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. The "Non-dual, all year" group includes beneficiaries who were never dually eligible or dually eligible but never had pharmacy benefits. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS  
 WYOMING, 1999

	Bene(s) and			Excluded from Cell C of Table 1	
	Bene Mo(s) in Cell B of Table 1 No. of Bene(s)	Bene Mo(s) in Cell C of Table 1 No. of Bene(s)	Bene Mo(s) in Cell D of Table 1 No. of Bene(s)	Bene Mo(s) in Cell E of Table 1 No. of Bene(s)	Bene Mo(s) in Cell F of Table 1 No. of Bene(s)
<b>All</b>	<b>50,131</b>	<b>406,322</b>	<b>50,131</b>	<b>406,322</b>	<b>0</b>
FFS all year	50,131	406,322	50,131	406,322	0
FFS part year, with Rx claims	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0

Source: Data for this table are from the MAX 1999 file for Wyoming, released by CMS in 12/2003. This table was produced on 06/25/2004.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.