

**STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001
FLORIDA**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	No. of Benes						No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	347,701	181,098	165,113	1,462	28	0	3,581,314	1,866,748	1,703,418	10,906	242	0
Age												
5 and younger	22	0	21	0	1	0	218	0	213	0	5	0
6-14	75	0	66	0	9	0	824	0	721	0	103	0
15-20	551	0	524	13	14	0	5,603	0	5,403	104	96	0
21-44	48,068	0	47,081	984	3	0	500,475	0	492,311	8,131	33	0
45-64	59,315	2	59,001	311	1	0	622,090	13	620,010	2,062	5	0
65-74	95,649	66,751	28,765	133	0	0	998,168	688,827	308,810	531	0	0
75-84	85,310	68,382	16,908	20	0	0	888,412	724,679	163,661	72	0	0
85 and older	58,710	45,962	12,747	1	0	0	565,512	453,217	112,289	6	0	0
Unknown	1	1	0	0	0	0	12	12	0	0	0	0
Gender												
Female	227,936	131,292	95,538	1,095	11	0	2,366,744	1,362,902	995,206	8,540	96	0
Male	119,764	49,806	69,574	367	17	0	1,214,561	503,846	708,203	2,366	146	0
Unknown	1	0	1	0	0	9	0	0	9	0	0	0
Race												
White	177,247	83,935	92,460	835	17	0	1,793,612	845,704	941,370	6,368	170	0
African American	66,987	29,806	36,767	409	5	0	697,701	308,832	385,960	2,866	43	0
Other/unknown	103,467	67,357	35,886	218	6	0	1,090,001	712,212	376,088	1,672	29	0
Use of Nursing Facilities^c												
Entire year	46,312	30,330	15,982	0	0	0	438,245	296,884	141,361	0	0	0
Part year	23,373	13,850	9,522	1	0	0	212,642	127,024	85,606	12	0	0
None	278,016	136,918	139,609	1,461	28	0	2,930,427	1,442,840	1,476,451	10,894	242	0
Maintenance Assistance Status												
Cash	190,254	90,767	98,720	764	3	0	2,064,934	990,959	1,069,167	4,794	14	0
Medically needy	895	2	838	55	0	0	8,341	13	7,905	423	0	0
Poverty-related	98,225	60,902	37,147	167	9	0	979,375	605,481	372,608	1,197	89	0
Other/unknown	58,327	29,427	28,408	476	16	0	528,664	270,295	253,738	4,492	139	0
Dual Medicare Status^d												
Full dual, all year	338,007	176,173	160,391	1,415	28	0	3,480,494	1,814,976	1,654,859	10,417	242	0
Full dual, part year	9,694	4,925	4,722	47	0	0	100,820	51,772	48,559	489	0	0
Managed Care Status												
FFS all year	333,425	174,801	157,381	1,221	22	0	3,506,961	1,833,572	1,663,284	9,888	217	0
FFS part year, with Rx claims	9,924	4,148	5,621	152	3	0	56,207	23,915	31,546	729	17	0
FFS part year, no Rx claims	4,352	2,149	2,111	89	3	0	18,146	9,261	8,588	289	8	0

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	83.9 %	40.6	\$2,233	\$56	\$9,487	24.1 %	347,701
Age							
5 and younger	86.4	36.6	5,186	142	45,064	11.5	22
6-14	96.0	56.8	7,971	140	20,931	38.1	75
15-20	71.1	21.0	2,267	108	11,204	20.2	551
21-44	80.6	32.6	3,281	101	9,352	35.1	48,068
45-64	87.4	47.6	3,295	69	9,610	34.3	59,315
65-74	80.0	37.6	1,814	48	5,586	32.5	95,649
75-84	84.2	42.2	1,893	45	9,473	20.0	85,310
85 and older	89.0	42.8	1,764	41	15,803	11.2	58,710
Unknown	100.0	39.0	463	12	46,994	1.0	1
Basis of Eligibility^c							
Aged	82.1	38.2	1,709	45	8,909	19.2	181,098
Disabled	86.0	43.5	2,923	67	10,181	28.7	165,113
Adults	58.8	15.7	1,036	66	2,669	38.8	1,462
Children	64.3	38.0	5,112	135	11,523	44.4	28
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	85.8	43.2	2,136	49	9,462	22.6	227,936
Male	80.2	35.6	2,561	72	9,534	26.9	119,764
Unknown	100.0	1.0	238	238	458	52.0	1
Race							
White	86.4	45.1	2,450	54	11,937	20.5	177,247
African American	80.7	34.1	2,054	60	8,699	23.6	66,987
Other/unknown	81.6	37.1	2,145	58	5,799	37.0	103,467
Use of Nursing Facilities^d							
Entire year	95.5	57.4	2,468	43	30,552	8.1	46,312
Part year	92.2	46.4	2,120	46	18,134	11.7	23,373
None	81.2	37.3	2,265	61	5,251	43.1	278,016
Maintenance Assistance Status							
Cash	82.6	38.4	2,170	57	5,044	43.0	190,254
Medically needy	93.9	63.1	4,990	79	8,884	56.2	895
Poverty related	83.8	40.4	2,222	55	10,821	20.5	98,225
Other/unknown	87.9	47.8	2,711	57	21,740	12.5	58,327

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	3.9	\$222	24.1 %	16.1 %	14.9 %	10.5 %	30.8 %	23.2 %	4.4 %	\$921	347,701	3,581,314
Age												
5 and younger	3.7	523	11.5	13.6	27.3	13.6	22.7	18.2	4.5	4,548	22	218
6-14	5.2	726	38.1	4.0	6.7	9.3	42.7	32.0	5.3	1,905	75	824
15-20	2.1	223	20.2	28.9	29.8	13.6	17.1	9.6	1.1	1,102	551	5,603
21-44	3.1	315	35.1	19.4	23.6	12.2	25.9	15.8	3.2	898	48,068	500,475
45-64	4.5	314	34.3	12.6	14.0	10.3	30.2	26.4	6.5	916	59,315	622,090
65-74	3.6	174	32.5	20.0	15.6	10.6	30.0	20.5	3.4	535	95,649	998,168
75-84	4.1	182	20.0	15.8	12.4	10.0	32.5	24.8	4.5	910	85,310	888,412
85 and older	4.4	183	11.2	11.0	11.2	10.3	34.7	28.1	4.8	1,641	58,710	565,512
Unknown	3.3	39	1.0	0.0	0.0	0.0	100.0	0.0	0.0	3,916	1	12
Basis of Eligibility^c												
Aged	3.7	166	19.2	17.9	14.5	10.7	31.7	21.7	3.5	864	181,098	1,866,748
Disabled	4.2	283	28.7	14.0	15.4	10.3	30.0	24.9	5.4	987	165,113	1,703,418
Adults	2.1	139	38.8	41.2	19.9	10.4	16.1	11.0	1.3	358	1,462	10,906
Children	4.4	592	44.4	35.7	3.6	10.7	25.0	14.3	10.7	1,333	28	242
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	4.2	206	22.6	14.2	13.4	10.5	32.1	25.1	4.7	911	227,936	2,366,744
Male	3.5	253	26.9	19.8	17.8	10.7	28.3	19.6	3.7	940	119,764	1,214,561
Unknown	0.1	26	52.0	0.0	100.0	0.0	0.0	0.0	0.0	51	1	9
Race												
White	4.5	242	20.5	13.6	13.0	9.8	30.8	26.7	6.2	1,180	177,247	1,793,612
African American	3.3	197	23.6	19.3	18.6	12.1	29.4	18.0	2.6	835	66,987	697,701
Other/unknown	3.5	204	37.0	18.4	15.7	10.9	31.9	20.5	2.5	551	103,467	1,090,001
use or nursing Facilities^d												
Entire year	6.1	261	8.1	4.5	6.7	8.4	32.1	36.1	12.2	3,229	46,312	438,245
Part year	5.1	233	11.7	7.8	10.4	9.9	34.2	30.5	7.2	1,993	23,373	212,642
None	3.5	215	43.1	18.8	16.7	11.0	30.3	20.4	2.9	498	278,016	2,930,427
Maintenance Assistance Status												
Cash	3.5	200	43.0	17.4	16.5	10.9	31.5	21.1	2.6	465	190,254	2,064,934
Medically needy	6.8	535	56.2	6.1	6.6	6.9	27.9	38.0	14.4	953	895	8,341
Poverty related	4.1	223	20.5	16.2	15.0	10.9	30.2	22.9	4.7	1,085	98,225	979,375
Other/unknown	5.3	299	12.5	12.1	9.7	8.9	29.6	30.3	9.4	2,399	58,327	528,664

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	3.9	\$222	\$56	1.8	\$164	\$92	0.3	\$14	\$44	1.8	\$44	\$24
Age												
5 and younger	3.7	523	142	1.8	464	260	0.3	15	47	1.6	43	27
6-14	5.2	726	140	2.3	584	252	0.5	67	127	2.3	74	32
15-20	2.1	223	108	1.0	173	175	0.1	24	163	0.9	26	28
21-44	3.1	315	101	1.5	246	165	0.2	19	93	1.4	50	35
45-64	4.5	314	69	2.1	237	113	0.3	18	63	2.1	59	28
65-74	3.6	174	48	1.7	128	75	0.2	9	37	1.6	36	22
75-84	4.1	182	45	1.8	130	72	0.4	12	33	1.9	39	21
85 and older	4.4	183	41	1.8	125	69	0.5	16	32	2.1	42	20
Unknown	3.3	39	12	0.2	10	59	0.0	0	0	3.0	28	9
Basis of Eligibility^d												
Aged	3.7	166	45	1.7	119	71	0.3	11	33	1.7	35	21
Disabled	4.2	283	67	1.9	213	111	0.3	17	56	2.0	53	27
Adults	2.1	139	66	0.9	106	113	0.1	9	80	1.0	24	23
Children	4.4	592	135	1.8	378	204	0.5	156	310	2.0	57	28
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Gender												
Female	4.2	206	49	1.9	151	80	0.3	13	39	1.9	42	22
Male	3.5	253	72	1.6	190	118	0.3	15	57	1.6	47	29
Unknown	0.1	26	238	0.1	26	238	0.0	0	0	0.0	0	0
Race												
White	4.5	242	54	2.0	178	91	0.4	16	41	2.1	47	23
African American	3.3	197	60	1.5	149	100	0.2	11	45	1.5	37	24
Other/unknown	3.5	204	58	1.7	150	89	0.2	12	49	1.6	42	27
Use of Nursing Facilities^e												
Entire year	6.1	261	43	2.5	181	72	0.7	24	33	2.8	56	20
Part year	5.1	233	46	2.1	161	78	0.5	20	37	2.5	51	21
None	3.5	215	61	1.7	161	97	0.2	12	50	1.6	41	25
Maintenance Assistance Status												
Cash	3.5	200	57	1.6	148	90	0.2	11	48	1.6	40	25
Medically needy	6.8	535	79	3.2	416	129	0.4	28	75	3.1	91	29
Poverty related	4.1	223	55	1.8	165	91	0.3	14	42	1.9	43	23
Other/unknown	5.3	299	57	2.3	219	97	0.6	22	39	2.4	58	24

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total No. of Rx			Total Rx \$			Users			
	Total	Patented		Total	Patented		Total	Patented		Total Rx \$	No. Dual	As % of Bene Mos				
		Off-Patent	Brand-Name		Off-Patent	Brand-Name		Off-Patent	Brand-Name			%	Mos			
Anti-infective Agents	0.4	0.3	0.0	\$48	\$46	\$0	\$2	\$121	\$181	\$78	\$16	793,289	\$96,096,738	181,367	52.2	1,996,704
Biologics	0.2	0.1	0.0	232	4	48	180	1261	61	2,444	1,813	13,341	16,819,043	6,506	1.9	72,496
Antineoplastic Agents	0.4	0.1	0.1	75	35	24	15	168	263	172	89	91,810	15,390,628	20,134	5.8	206,211
Endocrine/Metabolic Drugs	0.9	0.5	0.2	38	32	3	3	43	64	17	14	1,308,964	56,501,210	135,811	39.1	1,477,957
Cardiovascular Agents	1.6	0.7	0.1	56	35	2	18	34	53	20	21	3,697,570	127,219,551	212,192	61.0	2,285,437
Respiratory Agents	0.6	0.3	0.0	29	21	1	7	48	61	23	31	805,091	38,468,419	120,437	34.6	1,323,368
Gastrointestinal Agents	0.7	0.3	0.0	47	38	2	8	73	119	83	25	1,040,700	75,620,079	145,555	41.9	1,594,934
Genitourinary Agents	0.4	0.3	0.0	20	18	0	2	51	62	38	18	186,158	9,535,260	43,217	12.4	479,724
CNS Drugs	1.2	0.5	0.1	77	57	6	14	66	110	105	24	2,237,354	148,028,800	177,809	51.1	1,917,096
Stimulants/Anti-obesity/Anorexia	0.5	0.2	0.0	28	16	1	11	53	96	48	34	8,293	443,148	1,433	0.4	15,563
Miscellaneous Psychological/Neurological Agents	0.5	0.5	0.0	58	55	0	3	110	120	45	40	118,605	13,042,469	21,025	6.0	225,451
Analgesics and Anesthetics	0.7	0.3	0.0	40	31	2	7	58	106	81	19	1,329,702	77,096,369	174,581	50.2	1,909,049
Neuromuscular Agents	0.8	0.3	0.1	44	30	4	10	54	103	35	24	760,266	41,080,057	85,939	24.7	939,468
Nutritional Products	0.5	0.0	0.1	9	0	3	6	16	15	24	14	359,898	5,705,141	62,027	17.8	655,722
Hematological Agents	0.6	0.2	0.2	43	35	4	4	67	161	20	18	500,357	33,374,810	71,602	20.6	772,651
Topical Products	0.5	0.2	0.0	18	12	2	4	39	53	44	22	771,045	30,072,029	152,327	43.8	1,691,127
Miscellaneous Products	0.4	0.1	0.0	73	52	9	13	179	392	240	52	43,942	7,861,930	10,350	3.0	107,167
Unknown Therapeutic Category	0.3	0.0	0.0	7	0	0	0	24	0	0	0	55,578	1,308,544	17,503	5.0	194,744
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	14,121,963	793,664,225	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$74,824,884	76,243	21.9 %	824,399	0.6	\$150	\$91
ULCER DRUGS	64,864,582	159,803	46.0	1,770,685	0.5	79	37
ANTIVIRAL	62,649,290	30,944	8.9	348,769	0.5	341	180
ANTIDEPRESSANTS	50,039,404	136,791	39.3	1,484,445	0.6	61	34
ANALGESICS - ANTI-INFLAMMATORY	38,429,819	136,575	39.3	1,546,911	0.4	69	25
ANTIDIABETIC	35,806,960	108,325	31.2	1,181,866	0.6	49	30
ANALGESICS - Narcotic	35,529,277	167,341	48.1	1,827,383	0.4	51	19
ANTIHYPERTENSIVE	34,736,727	147,638	42.5	1,620,960	0.6	37	21
ANTHYPERLIPIDEMIC	34,454,232	74,470	21.4	838,438	0.5	76	41
ANTICONVULSANT	31,436,507	66,360	19.1	727,116	0.7	65	43
Total	462,771,682	1,104,490		12,170,972	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	6,183,813	\$462,771,682	76,243	21.9 %	824,399	0.6	\$91	159,803	46.0 %	1,770,685	0.5	\$37
Female	4,188,453	278,482,703	45,588	20.0	492,600	0.6	79	113,931	50.0	1,267,691	0.5	37
Disabled	2,071,630	155,973,631	26,490	27.7	290,161	0.6	92	50,943	53.3	569,039	0.5	37
5 and younger	70	11,511	0	0.0	0	0.0	0	4	66.7	46	0.7	49
6-14	329	66,100	0	0.0	0	0.0	0	26	78.8	312	0.4	29
15-20	2,151	220,088	49	22.9	544	0.6	86	54	25.2	616	0.4	29
21-44	364,750	37,171,994	7,811	39.0	86,963	0.6	105	7,001	35.0	78,427	0.4	35
45-64	844,277	66,633,346	9,609	28.1	108,318	0.6	100	19,231	56.3	217,296	0.4	39
65-74	459,365	29,167,473	3,735	19.2	41,804	0.6	76	12,704	65.4	145,323	0.4	36
75-84	245,875	14,173,551	2,731	23.1	27,904	0.6	69	7,005	59.4	76,952	0.5	37
85 and older	154,813	8,529,568	2,555	25.9	24,628	0.5	56	4,918	49.8	50,067	0.5	38
Other Eligibles	2,116,804	122,508,854	19,098	14.4	202,439	0.5	61	62,987	47.6	698,640	0.5	36
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	71	10,819	0	0.0	0	0.0	0	3	100.0	36	0.6	39
15-20	64	2,774	0	0.0	0	0.0	0	4	26.7	44	0.4	31
21-44	5,518	494,256	91	11.6	932	0.3	45	143	18.2	1,499	0.3	29
45-64	2,331	179,283	14	7.7	116	0.5	68	59	32.4	518	0.4	34
65-74	666,954	40,305,718	3,813	8.8	41,757	0.5	68	19,710	45.4	222,895	0.4	34
75-84	862,499	49,916,883	7,274	14.5	77,973	0.5	62	25,246	50.5	284,273	0.5	36
85 and older	579,367	31,599,121	7,906	20.8	81,661	0.5	56	17,822	46.9	189,375	0.5	39
Male	1,995,359	184,288,741	30,654	25.6	331,790	0.6	109	45,872	38.3	502,994	0.5	37
Disabled	1,338,736	145,258,956	24,188	34.8	265,183	0.7	119	25,551	36.7	280,086	0.5	38
5 and younger	91	12,220	0	0.0	0	0.0	0	10	66.7	113	0.3	10
6-14	377	47,744	1	3.0	12	0.3	26	21	63.6	237	0.5	41
15-20	2,586	297,957	89	28.7	1,008	0.6	118	54	17.4	593	0.4	32
21-44	483,196	67,141,197	11,733	43.3	131,691	0.7	130	7,255	26.8	81,725	0.4	37
45-64	548,962	59,142,184	8,064	32.5	90,899	0.7	125	10,000	40.3	111,311	0.5	40
65-74	180,155	11,847,945	1,841	19.7	19,242	0.6	87	4,798	51.4	53,324	0.5	36
75-84	86,490	4,843,226	1,571	30.8	14,522	0.6	69	2,284	44.7	22,583	0.5	38
85 and older	36,879	1,926,483	889	31.0	7,809	0.6	56	1,129	39.3	10,200	0.6	38
Other Eligibles	656,623	39,029,785	6,466	12.9	66,607	0.5	65	20,321	40.5	222,908	0.5	34
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	58	11,762	0	0.0	0	0.0	0	4	66.7	48	0.5	32
15-20	102	6,825	0	0.0	0	0.0	0	3	25.0	32	0.8	58
21-44	1,919	153,093	28	13.9	258	0.6	74	47	23.3	439	0.5	46
45-64	1,511	92,622	9	6.8	83	0.4	36	40	30.3	343	0.4	30
65-74	293,652	18,289,902	2,099	9.0	22,542	0.5	75	8,617	36.8	95,669	0.4	33
75-84	255,749	14,828,943	2,672	14.5	27,619	0.5	63	8,067	43.9	89,441	0.5	35
85 and older	103,632	5,646,638	1,658	20.7	16,105	0.5	56	3,543	44.3	36,936	0.5	36
Unknown	20	456	1	50.0	9	0.1	26	1	50.0	12	0.8	13

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ANTIVIRAL					ANTIDEPRESSANTS					ANALGESICS - ANTI-INFLAMMATORY				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	30,944	8.9 %	348,769	0.5	\$180	136,791	39.3 %	1,484,445	0.6	\$34	136,575	39.3 %	1,546,911	0.4	\$25
Female	10,474	4.6	118,080	0.4	123	96,634	42.4	1,052,000	0.6	34	98,997	43.4	1,123,552	0.4	27
Disabled	7,959	8.3	89,754	0.5	151	52,379	54.8	572,884	0.6	36	45,622	47.8	517,677	0.4	26
5 and younger	3	50.0	32	0.7	265	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	12	36.4	143	0.3	365	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	32	15.0	339	0.5	167	70	32.7	790	0.5	31	46	21.5	536	0.2	6
21-44	3,786	18.9	42,426	0.5	168	11,875	59.3	130,156	0.5	38	7,486	37.4	84,117	0.3	18
45-64	3,226	9.4	36,621	0.5	159	21,764	63.7	242,270	0.6	39	17,830	52.2	202,423	0.4	28
65-74	547	2.8	6,254	0.3	75	8,819	45.4	99,885	0.5	31	11,676	60.1	135,460	0.4	28
75-84	204	1.7	2,319	0.1	16	5,330	45.2	55,786	0.6	32	5,396	45.7	61,291	0.4	29
85 and older	149	1.5	1,620	0.1	12	4,521	45.8	43,997	0.6	33	3,188	32.3	33,850	0.4	30
Other Eligibles	2,515	1.9	28,326	0.2	35	44,254	33.4	479,104	0.6	31	53,375	40.3	605,875	0.4	27
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	33.3	12	0.7	671	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	5	33.3	56	0.3	6	2	13.3	24	0.1	3
21-44	60	7.6	602	0.4	145	275	35.0	2,635	0.4	32	206	26.2	2,017	0.3	17
45-64	12	6.6	126	0.4	188	92	50.5	800	0.5	31	68	37.4	632	0.4	22
65-74	933	2.1	10,641	0.2	53	12,490	28.8	139,249	0.5	29	19,263	44.3	219,522	0.3	25
75-84	900	1.8	10,287	0.1	21	17,025	34.0	187,213	0.6	31	21,730	43.5	250,128	0.4	27
85 and older	609	1.6	6,658	0.1	13	14,367	37.8	149,151	0.6	33	12,106	31.9	133,552	0.4	29
Male	20,470	17.1	230,689	0.6	208	40,157	33.5	432,445	0.5	34	37,578	31.4	423,359	0.3	20
Disabled	19,247	27.7	217,117	0.6	214	28,479	40.9	309,086	0.5	35	21,029	30.2	236,292	0.3	19
5 and younger	3	20.0	36	0.2	27	0	0.0	0	0.0	0	1	6.7	12	0.3	8
6-14	13	39.4	153	0.6	210	4	12.1	48	0.5	49	1	3.0	12	0.1	1
15-20	31	10.0	347	0.3	177	54	17.4	628	0.5	34	23	7.4	269	0.2	6
21-44	11,004	40.7	123,276	0.6	211	11,691	43.2	129,588	0.5	36	6,880	25.4	77,473	0.3	13
45-64	7,631	30.7	86,907	0.6	223	10,513	42.3	116,715	0.6	36	8,571	34.5	96,613	0.3	20
65-74	467	5.0	5,374	0.5	172	2,959	31.7	31,936	0.5	31	3,782	40.5	43,458	0.4	23
75-84	77	1.5	820	0.2	55	2,128	41.7	20,052	0.6	35	1,228	24.0	13,137	0.4	25
85 and older	21	0.7	204	0.2	13	1,130	39.4	10,119	0.7	34	543	18.9	5,318	0.5	28
Other Eligibles	1,223	2.4	13,572	0.4	115	11,678	23.3	123,359	0.5	29	16,549	33.0	187,067	0.3	22
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	5	83.3	60	0.4	164	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	1	8.3	12	1.0	72	2	16.7	23	0.7	24	1	8.3	9	0.1	1
21-44	1	0.5	12	0.4	10	85	42.1	745	0.4	26	65	32.2	544	0.3	14
45-64	2	1.5	24	0.2	137	47	35.6	379	0.5	35	51	38.6	450	0.4	27
65-74	755	3.2	8,337	0.4	150	4,337	18.5	47,280	0.5	28	7,898	33.7	89,253	0.3	21
75-84	348	1.9	3,933	0.3	66	4,631	25.2	49,437	0.5	30	6,301	34.3	72,245	0.3	22
85 and older	111	1.4	1,194	0.2	31	2,576	32.2	25,495	0.6	31	2,233	27.9	24,566	0.4	26
Unknown	0	0.0	0	0.0	0	1	50.0	12	0.8	5	0	0.0	0	0.0	0

Table D7B

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ANTIDIABETIC					ANALGESICS - Narcotic					ANTIHYPERTENSIVE				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	108,325	31.2 %	1,181,866	0.6	\$30	167,341	48.1 %	1,827,383	0.4	\$19	147,638	42.5 %	1,620,960	0.6	\$21
Female	76,234	33.4	836,974	0.6	30	116,951	51.3	1,282,737	0.4	17	101,533	44.5	1,119,069	0.6	22
Disabled	35,301	36.9	390,734	0.6	32	64,567	67.6	715,593	0.4	20	40,195	42.1	443,659	0.6	21
5 and younger	0	0.0	0	0.0	0	1	16.7	10	0.1	1	0	0.0	0	0.0	0
6-14	1	3.0	12	0.3	4	4	12.1	46	0.1	1	22	66.7	256	0.5	15
15-20	5	2.3	60	0.2	13	105	49.1	1,193	0.2	8	37	17.3	428	0.4	17
21-44	2,957	14.8	32,647	0.6	33	14,941	74.7	165,499	0.4	25	3,256	16.3	35,900	0.5	18
45-64	14,027	41.1	156,259	0.6	35	28,211	82.6	317,483	0.4	23	14,638	42.9	162,662	0.6	21
65-74	10,988	56.5	124,819	0.6	32	11,413	58.7	129,368	0.3	13	11,655	60.0	132,707	0.6	22
75-84	5,028	42.6	53,946	0.6	28	6,019	51.0	64,419	0.4	13	6,482	54.9	70,570	0.6	22
85 and older	2,295	23.2	22,991	0.7	24	3,873	39.2	37,575	0.5	15	4,105	41.6	41,136	0.6	22
Other Eligibles	40,933	30.9	446,240	0.6	28	52,384	39.6	567,144	0.4	12	61,338	46.3	675,410	0.6	22
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	33.3	12	0.1	1	3	100.0	36	1.2	38
15-20	0	0.0	0	0.0	0	6	40.0	72	0.2	3	4	26.7	48	0.3	16
21-44	69	8.8	635	0.5	30	454	57.8	4,467	0.3	25	66	8.4	647	0.3	10
45-64	64	35.2	559	0.6	40	115	63.2	1,058	0.4	33	56	30.8	479	0.5	16
65-74	15,498	35.7	170,508	0.6	31	16,375	37.7	183,255	0.3	12	20,220	46.5	224,907	0.6	22
75-84	16,875	33.7	186,872	0.6	28	20,124	40.2	221,803	0.4	12	25,130	50.2	281,324	0.6	22
85 and older	8,427	22.2	87,666	0.7	25	15,309	40.3	156,477	0.4	13	15,859	41.8	167,969	0.6	23
Male	32,091	26.8	344,892	0.6	30	50,390	42.1	544,646	0.4	26	46,105	38.5	501,891	0.6	21
Disabled	17,128	24.6	183,906	0.6	32	35,544	51.1	387,381	0.4	31	22,585	32.5	244,501	0.6	21
5 and younger	0	0.0	0	0.0	0	1	6.7	12	0.1	1	4	26.7	48	0.3	7
6-14	0	0.0	0	0.0	0	4	12.1	48	0.1	1	19	57.6	216	0.4	10
15-20	7	2.3	84	0.8	31	89	28.7	1,015	0.2	4	58	18.7	668	0.5	15
21-44	2,800	10.3	30,922	0.6	34	13,976	51.6	155,211	0.4	35	4,362	16.1	48,268	0.5	19
45-64	7,574	30.5	83,094	0.6	34	14,362	57.8	158,341	0.4	35	9,624	38.7	105,845	0.6	21
65-74	4,183	44.8	46,189	0.6	31	4,207	45.1	46,148	0.4	15	5,228	56.0	58,083	0.6	22
75-84	1,886	36.9	17,734	0.7	27	1,923	37.6	18,142	0.5	15	2,313	45.3	22,730	0.6	22
85 and older	678	23.6	5,883	0.7	24	982	34.2	8,464	0.4	11	977	34.0	8,643	0.7	22
Other Eligibles	14,963	29.8	160,986	0.6	28	14,846	29.6	157,265	0.3	12	23,520	46.9	257,390	0.6	21
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	16.7	12	0.1	0	3	50.0	36	0.3	11
15-20	0	0.0	0	0.0	0	2	16.7	18	0.1	1	2	16.7	14	0.9	105
21-44	29	14.4	213	0.4	22	157	77.7	1,265	0.5	40	40	19.8	317	0.5	19
45-64	33	25.0	258	0.7	34	98	74.2	776	0.5	23	58	43.9	520	0.5	17
65-74	7,372	31.4	80,178	0.6	30	6,963	29.7	75,827	0.3	13	10,828	46.2	119,150	0.6	21
75-84	5,678	30.9	61,772	0.6	28	5,147	28.0	54,985	0.3	11	9,133	49.7	101,318	0.6	21
85 and older	1,851	23.1	18,565	0.6	24	2,478	31.0	24,382	0.4	10	3,456	43.2	36,035	0.6	20
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ANTIHYPERLIPIDEMIC					ANTICONVULSANT						
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Benes	No. of Bene Mos
All	74,470	21.4 %	838,438	0.5	\$41	66,360	19.1 %	727,116	0.7	\$43	347,701	3,581,314
Female	52,438	23.0	592,170	0.5	41	40,589	17.8	445,323	0.6	39	227,935	2,366,732
Disabled	22,529	23.6	294,018	0.5	41	25,809	27.0	285,195	0.7	46	95,538	995,206
5 and younger	0	0.0	0	0.0	0	1	16.7	10	1.7	77	6	68
6-14	1	3.0	12	0.9	52	3	9.1	36	0.3	11	33	376
15-20	7	3.3	84	0.2	15	58	27.1	680	0.7	78	214	2,208
21-44	1,778	8.9	19,943	0.5	35	8,057	40.3	89,190	0.7	58	20,013	209,238
45-64	9,754	28.6	109,640	0.5	42	10,961	32.1	122,502	0.7	47	34,161	361,198
65-74	7,191	37.0	82,538	0.5	42	3,582	18.4	40,223	0.6	30	19,435	212,265
75-84	2,828	24.0	31,492	0.6	42	1,950	16.5	20,782	0.6	28	11,800	119,613
85 and older	970	9.8	10,309	0.5	40	1,197	12.1	11,772	0.7	25	9,876	90,240
Other Eligibles	29,909	22.6	338,152	0.5	41	14,780	11.2	160,128	0.6	28	132,397	1,371,526
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	36
15-20	0	0.0	0	0.0	0	1	6.7	12	0.3	3	15	114
21-44	28	3.6	258	0.4	29	153	19.5	1,470	0.4	41	785	6,832
45-64	33	18.1	303	0.5	39	35	19.2	323	0.6	44	182	1,220
65-74	13,119	30.2	147,404	0.5	40	4,537	10.4	50,507	0.6	30	43,439	452,430
75-84	12,769	25.5	146,093	0.5	42	6,134	12.3	67,079	0.6	28	50,010	533,904
85 and older	3,960	10.4	44,094	0.6	41	3,920	10.3	40,737	0.6	25	37,963	376,990
Male	22,032	18.4	246,268	0.5	41	25,771	21.5	281,793	0.7	49	119,764	1,214,561
Disabled	12,250	17.6	136,557	0.6	42	20,505	29.5	226,168	0.7	54	69,574	708,203
5 and younger	0	0.0	0	0.0	0	4	26.7	47	0.8	207	15	145
6-14	0	0.0	0	0.0	0	7	21.2	75	0.3	13	33	345
15-20	8	2.6	92	0.7	42	86	27.7	959	0.7	57	310	3,195
21-44	2,864	10.6	32,432	0.5	37	9,715	35.9	108,839	0.7	61	27,067	283,064
45-64	5,873	23.6	65,816	0.6	43	7,571	30.5	84,286	0.7	53	24,840	258,812
65-74	2,567	27.5	28,989	0.6	45	1,661	17.8	17,989	0.7	34	9,330	96,545
75-84	743	14.5	7,379	0.6	42	1,076	21.1	10,488	0.7	31	5,108	44,048
85 and older	195	6.8	1,849	0.6	40	385	13.4	3,485	0.8	31	2,871	22,049
Other Eligibles	9,782	19.5	109,711	0.5	40	5,266	10.5	55,625	0.6	29	50,190	506,358
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	5
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	6	67
15-20	1	8.3	12	1.0	66	3	25.0	33	0.7	38	12	86
21-44	27	13.4	209	0.5	44	41	20.3	369	0.5	45	202	1,332
45-64	28	21.2	221	0.5	37	23	17.4	209	0.4	35	132	860
65-74	5,286	22.5	59,234	0.5	40	2,301	9.8	24,876	0.6	32	23,445	236,928
75-84	3,680	20.0	41,691	0.5	41	2,008	10.9	21,196	0.6	27	18,392	190,847
85 and older	760	9.5	8,344	0.5	37	890	11.1	8,942	0.7	27	8,000	76,233
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	21

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$261	6.1	46,312	438,245
Age				
0-64	388	7.4	2,721	28,391
65-74	318	7.0	5,806	56,548
75-84	273	6.3	15,297	144,996
85 and older	219	5.5	22,487	208,298
Unknown	39	3.3	1	12
Gender				
Female	253	6.1	33,518	322,376
Male	282	6.1	12,794	115,869
Unknown	0	0.0	0	0
Race				
White	264	6.2	34,507	323,047
African American	247	5.4	6,756	68,128
Other/unknown	260	5.8	5,049	47,070
Basis of Eligibility^c				
Aged	250	5.9	30,330	296,884
Disabled	285	6.4	15,982	141,361
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total # of Rx	Total Rx \$	No.	As % of Dual All-Year NF Residents	No. of Bene Mos			
		Brand-Name	Generic		Brand-Name	Generic		Brand-Name	Generic								
Anti-infective Agents	0.4	0.2	0.0	0.1	\$22	\$19	\$0	\$2	\$56	\$80	\$68	\$15	126,007	\$7,065,825	31,399	67.8 %	321,147
Biologics	0.1	0.1	0.0	0.0	2	1	0	1	19	13	0	32	5,098	96,120	4,607	9.9	51,377
Antineoplastic Agents	0.5	0.1	0.2	0.2	71	17	34	20	146	254	153	102	26,654	3,900,147	5,804	12.5	55,062
Endocrine/Metabolic Drugs	1.0	0.5	0.3	0.3	34	26	4	4	33	55	14	13	204,795	6,714,773	19,959	43.1	199,884
Cardiovascular Agents	1.9	0.5	0.2	1.1	49	24	4	21	26	45	18	19	610,742	16,057,928	33,410	72.1	328,486
Respiratory Agents	0.6	0.3	0.0	0.3	25	14	1	10	39	54	19	30	127,399	5,028,972	19,611	42.3	200,075
Gastrointestinal Agents	0.9	0.4	0.0	0.5	52	37	3	12	61	105	65	26	185,713	11,288,837	21,644	46.7	217,569
Genitourinary Agents	0.6	0.4	0.0	0.2	28	25	0	3	50	63	36	18	47,743	2,400,401	8,145	17.6	84,725
CNS Drugs	1.5	0.9	0.1	0.6	88	70	6	11	59	82	77	20	469,666	27,678,343	31,622	68.3	314,338
Stimulants/Anti-obesity/Anorexia	0.8	0.0	0.1	0.7	17	5	2	11	21	135	23	15	1,699	36,013	201	0.4	2,064
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	80	79	0	0	114	114	60	43	39,490	4,492,914	5,691	12.3	56,486
Analgesics and Anesthetics	1.0	0.5	0.0	0.5	40	33	2	6	41	71	39	12	212,937	8,686,671	21,695	46.8	215,623
Neuromuscular Agents	1.1	0.4	0.2	0.5	54	30	9	15	47	80	36	29	158,481	7,527,285	13,650	29.5	140,408
Nutritional Products	0.7	0.0	0.2	0.5	11	0	4	7	16	14	23	13	113,820	1,775,746	16,736	36.1	166,097
Hematological Agents	0.9	0.2	0.4	0.3	38	29	5	4	41	120	14	11	134,987	5,516,816	14,756	31.9	146,270
Topical Products	0.6	0.2	0.1	0.3	19	11	3	5	33	46	41	19	170,674	5,576,815	28,887	62.4	300,432
Miscellaneous Products	0.2	0.0	0.0	0.2	5	1	0	4	22	49	113	17	9,529	207,350	3,964	8.6	39,088
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	6	0	0	0	21	0	0	0	12,265	257,174	3,785	8.2	39,911
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	2,657,699	114,308,130	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Table D9

Dual Eligible Beneficiaries

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$13,008,505	17,556	37.9 %	180,100	0.6	\$114	\$72
ANTIDEPRESSANTS	10,955,105	27,169	58.7	277,227	0.7	55	40
ULCER DRUGS	10,179,945	21,953	47.4	223,505	0.7	69	46
ANTICONVULSANT	5,113,077	11,675	25.2	122,015	0.9	48	42
ANTIDIABETIC	4,620,171	15,849	34.2	161,073	0.8	36	29
ANTIHYPERTENSIVE	4,587,029	18,322	39.6	183,442	0.7	34	25
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	4,495,840	5,680	12.3	56,576	0.7	114	79
ANALGESICS - Narcotic	4,295,881	21,538	46.5	212,832	0.6	31	20
ANALGESICS - ANTI-INFLAMMATORY	4,192,557	10,905	23.5	115,074	0.6	65	36
ANTINEOPLASTICS	3,900,011	5,883	12.7	55,946	0.5	146	70
Total	65,348,121	156,530		1,587,790	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	No. of Users	Users as %		Mean No. of Rx	Mean No. of Bene Mos among Users	No. of Year NF Residents	No. of Users	Users as %		Mean No. of Rx	Mean No. of Bene Mos among Users	No. of Year NF Residents	No. of Users
				37.9 %	180,100					0.6	\$72				
All	1,098,426	\$65,348,121	17,556	37.9 %	180,100	0.6	\$72	27,169	58.7 %	277,227	0.7	\$40			
Female	798,033	46,849,156	12,067	36.0	125,698	0.6	71	20,057	59.8	206,410	0.7	39			
Disabled	231,831	13,767,853	3,629	37.7	35,744	0.6	75	6,022	62.6	58,570	0.7	41			
64 or younger	45,251	2,921,091	586	49.7	6,463	0.7	94	916	77.6	9,987	0.8	47			
65-74	32,677	1,890,955	465	44.3	4,665	0.7	85	728	69.4	7,162	0.8	43			
75-84	74,299	4,307,053	1,170	38.9	11,205	0.6	74	1,974	65.6	18,846	0.7	41			
85 and older	79,604	4,648,754	1,408	32.2	13,411	0.6	63	2,404	54.9	22,575	0.7	39			
Other Eligibles	566,183	33,081,085	8,438	35.3	89,954	0.6	69	14,034	58.7	147,828	0.7	39			
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	77,766	4,592,224	1,018	45.8	11,226	0.7	86	1,604	72.1	17,497	0.7	43			
75-84	208,924	12,179,292	3,127	41.5	33,636	0.6	72	4,878	64.7	52,091	0.7	39			
85 and older	279,493	16,309,569	4,293	30.4	45,092	0.6	62	7,552	53.4	78,240	0.7	37			
Male	300,393	18,498,965	5,489	42.9	54,402	0.6	76	7,112	55.6	70,817	0.7	40			
Disabled	153,067	9,547,789	2,785	43.7	26,585	0.7	83	3,599	56.5	34,998	0.7	42			
64 or younger	52,694	3,565,266	736	47.8	8,029	0.8	107	995	64.6	10,777	0.7	44			
65-74	29,167	1,792,869	517	46.8	4,861	0.7	88	686	62.1	6,663	0.7	43			
75-84	45,784	2,700,700	924	43.0	8,427	0.7	74	1,167	54.3	10,798	0.8	42			
85 and older	25,422	1,488,954	608	38.7	5,268	0.6	59	751	47.8	6,760	0.7	37			
Other Eligibles	147,326	8,951,176	2,704	42.1	27,817	0.6	69	3,513	54.7	35,819	0.7	39			
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	42,075	2,546,833	678	47.5	7,322	0.7	83	829	58.1	8,916	0.7	41			
75-84	61,406	3,703,120	1,148	44.2	11,810	0.6	67	1,493	57.4	15,223	0.7	39			
85 and older	43,845	2,701,223	878	36.6	8,685	0.6	60	1,191	49.6	11,680	0.7	36			
Unknown	19	218	0	0.0	0	0.0	0	1	100.0	12	0.8	5			

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ULCER DRUGS						ANTICONVULSANT						ANTIDIABETIC					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx
All	21,953	223,505	0.7	11,675	122,015	0.9	15,849	161,073	0.8	15,849	161,073	0.8	15,849	161,073	0.8	15,849	161,073	0.8
Female	16,042	164,679	0.7	7,586	79,660	0.9	10,972	113,246	0.8	10,972	113,246	0.8	10,972	113,246	0.8	10,972	113,246	0.8
Disabled	4,478	43,826	0.7	2,564	26,339	0.9	3,236	32,097	0.8	3,236	32,097	0.8	3,236	32,097	0.8	3,236	32,097	0.8
64 or younger	651	7,077	0.6	836	9,213	1.0	522	5,764	0.9	522	5,764	0.9	522	5,764	0.9	522	5,764	0.9
65-74	578	5,620	0.7	428	4,304	0.9	595	5,974	0.8	595	5,974	0.8	595	5,974	0.8	595	5,974	0.8
75-84	1,422	13,841	0.7	700	7,120	0.8	1,181	11,431	0.8	1,181	11,431	0.8	1,181	11,431	0.8	1,181	11,431	0.8
85 and older	1,827	17,288	0.7	600	5,702	0.8	938	8,928	0.8	938	8,928	0.8	938	8,928	0.8	938	8,928	0.8
Other Eligibles	11,563	120,841	0.7	5,022	53,321	0.8	7,736	81,149	0.8	7,736	81,149	0.8	7,736	81,149	0.8	7,736	81,149	0.8
64 or younger	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
65-74	1,230	13,199	0.7	1,005	11,086	0.9	1,221	13,086	0.8	1,221	13,086	0.8	1,221	13,086	0.8	1,221	13,086	0.8
75-84	3,848	40,590	0.7	2,084	22,326	0.9	3,182	33,906	0.8	3,182	33,906	0.8	3,182	33,906	0.8	3,182	33,906	0.8
85 and older	6,485	67,052	0.7	1,933	19,909	0.8	3,333	34,157	0.8	3,333	34,157	0.8	3,333	34,157	0.8	3,333	34,157	0.8
Male	5,911	58,826	0.7	4,089	42,355	0.9	4,877	47,827	0.8	4,877	47,827	0.8	4,877	47,827	0.8	4,877	47,827	0.8
Disabled	2,823	27,534	0.7	2,387	24,693	0.9	2,434	23,060	0.8	2,434	23,060	0.8	2,434	23,060	0.8	2,434	23,060	0.8
64 or younger	799	8,729	0.7	1,092	12,228	1.0	598	6,269	0.8	598	6,269	0.8	598	6,269	0.8	598	6,269	0.8
65-74	520	5,025	0.7	446	4,436	0.9	544	5,365	0.8	544	5,365	0.8	544	5,365	0.8	544	5,365	0.8
75-84	888	8,331	0.7	596	5,694	0.8	877	7,863	0.8	877	7,863	0.8	877	7,863	0.8	877	7,863	0.8
85 and older	616	5,449	0.7	253	2,335	0.8	415	3,563	0.8	415	3,563	0.8	415	3,563	0.8	415	3,563	0.8
Other Eligibles	3,088	31,292	0.7	1,702	17,662	0.8	2,443	24,767	0.8	2,443	24,767	0.8	2,443	24,767	0.8	2,443	24,767	0.8
64 or younger	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
65-74	769	8,228	0.7	632	6,775	0.9	666	7,057	0.8	666	7,057	0.8	666	7,057	0.8	666	7,057	0.8
75-84	1,257	12,647	0.6	696	7,091	0.8	1,071	10,976	0.7	1,071	10,976	0.7	1,071	10,976	0.7	1,071	10,976	0.7
85 and older	1,062	10,417	0.6	374	3,796	0.8	706	6,734	0.7	706	6,734	0.7	706	6,734	0.7	706	6,734	0.7
Unknown	1	12	0.8	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ANTIHYPERTENSIVE					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANALGESICS - Narcotic				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	18,322	39.6 %	183,442	0.7	\$25	5,660	12.3 %	56,576	0.7	\$80	21,538	46.5 %	212,832	0.6	\$20
Female	12,891	38.5	130,048	0.7	25	4,074	12.2	41,418	0.7	80	16,242	48.5	161,802	0.7	20
Disabled	3,759	39.1	35,648	0.7	25	1,192	12.4	10,872	0.7	85	4,730	49.2	45,763	0.7	21
64 or younger	446	37.8	4,753	0.7	26	59	5.0	637	0.6	127	772	65.4	8,249	0.8	26
65-74	518	49.4	5,025	0.7	25	112	10.7	1,030	0.7	81	606	57.8	5,822	0.8	25
75-84	1,236	41.1	11,638	0.7	25	456	15.2	4,112	0.8	84	1,548	51.5	14,916	0.7	21
85 and older	1,559	35.6	14,232	0.7	25	565	12.9	5,093	0.7	81	1,804	41.2	16,776	0.6	18
Other Eligibles	9,132	38.2	94,400	0.7	25	2,882	12.1	30,546	0.7	78	11,512	48.2	116,039	0.6	20
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	1,086	48.8	11,561	0.7	26	229	10.3	2,469	0.7	86	1,310	58.9	13,669	0.8	30
75-84	3,193	42.3	33,532	0.7	25	1,109	14.7	11,752	0.7	78	3,860	51.2	40,075	0.7	21
85 and older	4,853	34.3	49,307	0.7	25	1,544	10.9	16,325	0.7	77	6,342	44.9	62,295	0.6	17
Male	5,431	42.4	53,394	0.7	25	1,606	12.6	15,158	0.7	79	5,296	41.4	51,030	0.6	19
Disabled	2,655	41.7	25,364	0.8	26	819	12.9	7,202	0.7	80	2,587	40.6	24,583	0.6	23
64 or younger	657	42.6	7,084	0.8	27	71	4.6	765	0.6	95	810	52.6	8,586	0.8	37
65-74	549	49.7	5,315	0.8	26	142	12.9	1,314	0.6	71	457	41.4	4,326	0.6	19
75-84	919	42.8	8,483	0.8	26	354	16.5	3,096	0.7	79	783	36.4	7,026	0.6	16
85 and older	530	33.7	4,482	0.8	24	252	16.0	2,027	0.7	82	537	34.2	4,645	0.5	11
Other Eligibles	2,776	43.2	28,030	0.7	25	787	12.2	7,956	0.7	77	2,709	42.2	26,447	0.6	16
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	737	51.6	7,841	0.8	27	131	9.2	1,399	0.7	78	665	46.6	7,003	0.6	18
75-84	1,174	45.2	11,821	0.7	25	355	13.7	3,607	0.7	78	1,075	41.3	10,509	0.6	18
85 and older	865	36.1	8,368	0.7	23	301	12.5	2,950	0.7	76	969	40.4	8,935	0.5	13
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY						ANTINEOPLASTICS							
	Users as %			Users as %			Users as %			Users as %				
	No. of Users	No. of Bene Mos among Users	Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean Rx \$		
All	10,905	23.5 %	0.6	115,074	0.6	\$36	5,883	12.7 %	0.5	55,946	0.5	\$70	46,312	438,245
Female	8,510	25.4	0.6	90,320	0.6	37	4,487	13.4	0.5	43,024	0.5	64	33,517	322,364
Disabled	2,427	25.2	0.6	24,585	0.6	37	1,190	12.4	0.5	10,924	0.5	72	9,615	85,950
64 or younger	340	28.8	0.6	3,815	0.6	35	128	10.8	0.5	1,348	0.5	155	1,180	12,428
65-74	291	27.7	0.5	3,061	0.5	35	111	10.6	0.5	1,046	0.5	66	1,049	9,391
75-84	757	25.2	0.6	7,652	0.6	38	380	12.6	0.5	3,545	0.5	61	3,007	26,537
85 and older	1,039	23.7	0.6	10,057	0.6	37	571	13.0	0.5	4,985	0.5	59	4,379	37,594
Other Eligibles	6,083	25.4	0.6	65,735	0.6	37	3,297	13.8	0.5	32,100	0.5	61	23,902	236,414
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0
65-74	637	28.6	0.6	7,143	0.6	38	243	10.9	0.5	2,513	0.5	68	2,224	23,028
75-84	2,000	26.5	0.6	21,873	0.6	39	956	12.7	0.5	9,525	0.5	59	7,541	76,301
85 and older	3,446	24.4	0.6	36,719	0.6	36	2,098	14.8	0.5	20,062	0.5	60	14,137	137,085
Male	2,395	18.7	0.5	24,754	0.5	34	1,396	10.9	0.5	12,922	0.5	91	12,794	115,869
Disabled	1,155	18.1	0.5	11,711	0.5	33	596	9.4	0.5	5,433	0.5	93	6,367	55,411
64 or younger	311	20.2	0.5	3,465	0.5	30	129	8.4	0.5	1,433	0.5	107	1,541	15,963
65-74	216	19.5	0.5	2,249	0.5	37	121	11.0	0.5	1,133	0.5	81	1,105	9,755
75-84	361	16.8	0.5	3,543	0.5	31	188	8.7	0.5	1,602	0.5	89	2,149	17,651
85 and older	267	17.0	0.6	2,454	0.6	36	158	10.1	0.5	1,265	0.5	93	1,572	12,042
Other Eligibles	1,240	19.3	0.5	13,043	0.5	35	800	12.4	0.5	7,489	0.5	89	6,427	60,458
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0
65-74	295	20.7	0.6	3,206	0.6	35	160	11.2	0.4	1,649	0.4	66	1,428	14,374
75-84	488	18.8	0.5	5,153	0.5	35	297	11.4	0.5	2,763	0.5	90	2,600	24,507
85 and older	457	19.0	0.6	4,684	0.6	36	343	14.3	0.5	3,077	0.5	100	2,399	21,577
Unknown	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	1	12

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 23,373 beneficiaries who were in nursing facilities for part of their enrollment and their 212,642 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx as % of All Rx \$	Total No. of Benes
			3.7	1,296,542					
All	171,494	49.3 %	3.7	1,296,542	\$119	\$41,499,289	\$32	5.2 %	347,701
Age									
5 and younger	15	68.2	5.5	121	513	11,288	93	9.9	22
6-14	53	70.7	8.8	662	392	29,375	44	4.9	75
15-20	203	36.8	2.3	1,280	82	45,035	35	3.6	551
21-44	19,990	41.6	3.2	152,063	245	11,757,051	77	7.5	48,068
45-64	31,290	52.8	4.5	266,203	210	12,440,040	47	6.4	59,315
65-74	42,474	44.4	3.3	312,567	73	6,938,130	22	4.0	95,649
75-84	43,560	51.1	3.8	324,291	72	6,140,650	19	3.8	85,310
85 and older	33,908	57.8	4.1	239,351	70	4,137,679	17	4.0	58,710
Unknown	1	100.0	4.0	4	41	41	10	8.9	1
Basis of Eligibility^c									
Aged	86,237	47.6	3.4	613,432	64	11,634,844	19	3.8	181,098
Disabled	84,836	51.4	4.1	680,905	180	29,792,243	44	6.2	165,113
Adults	409	28.0	1.4	2,097	30	43,228	21	2.9	1,462
Children	12	42.9	3.9	108	1,035	28,974	268	20.2	28
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Gender									
Female	119,370	52.4	4.0	904,997	87	19,788,532	22	4.1	227,936
Male	52,124	43.5	3.3	391,545	181	21,710,757	55	7.1	119,764
Unknown	0	0.0	0.0	0	0	0	0	0.0	1
Race									
White	94,154	53.1	4.2	747,365	103	18,243,020	24	4.2	177,247
African American	27,087	40.4	2.6	176,242	115	7,694,687	44	5.6	66,987
Other/unknown	50,253	48.6	3.6	372,935	150	15,561,582	42	7.0	103,467
Use of Nursing Facilities^d									
Entire year	29,865	64.5	4.9	228,146	86	3,971,141	17	3.5	46,312
Part year	15,601	66.7	4.4	103,080	89	2,071,033	20	4.2	23,373
None	126,028	45.3	3.5	965,316	128	35,457,115	37	5.6	278,016
Maintenance Assistance Status									
Cash	90,496	47.6	3.7	695,964	113	21,575,827	31	5.2	190,254
Medically needy	595	66.5	6.2	5,543	220	197,245	36	4.4	895
Poverty related	46,949	47.8	3.5	347,963	102	9,986,533	29	4.6	98,225
Other/unknown	33,454	57.4	4.2	247,072	167	9,739,684	39	6.2	58,327

Table D11

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
 - b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
	0.4	\$12	\$32	\$0	\$3	3,581,314
All						
Age						
5 and younger	0.6	52	93	0	33	218
6-14	0.8	36	44	0	0	824
15-20	0.2	8	35	0	2	5,603
21-44	0.3	23	77	0	4	500,475
45-64	0.4	20	47	0	5	622,090
65-74	0.3	7	22	0	3	998,168
75-84	0.4	7	19	0	3	888,412
85 and older	0.4	7	17	0	3	565,512
Unknown	0.3	3	10	0	0	12
Basis of Eligibility^c						
Aged	0.3	6	19	0	3	1,866,748
Disabled	0.4	17	44	0	4	1,703,418
Adults	0.2	4	21	0	2	10,906
Children	0.4	120	268	0	0	242
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.4	8	22	0	4	2,366,744
Male	0.3	18	55	0	3	1,214,561
Unknown	0.0	0	0	0	0	9
Race						
White	0.4	10	24	0	4	1,793,612
African American	0.3	11	44	0	1	697,701
Other/unknown	0.3	14	42	0	4	1,090,001
Use of Nursing Facilities^d						
Entire year	0.5	9	17	0	3	438,245
Part year	0.5	10	20	0	3	212,642
None	0.3	12	37	0	4	2,930,427
Maintenance Assistance Status						
Cash	0.3	10	31	0	4	2,064,934
Medically needy	0.7	24	36	0	8	8,341
Poverty related	0.4	10	29	0	3	979,375
Other/unknown	0.5	18	39	0	3	528,664

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.13
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS^{a,b,c}
 FLORIDA, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	233,290	\$178	\$41,499,289	100.0 %	1,296,542	\$32	100.0 %
Anorexia or weight loss/gain	2,540	206	522,911	1.3	5,656	92	0.4
Fertility drugs	1,362	35	47,002	0.1	1,462	32	0.1
Drugs for cosmetic purposes	1,113	984	1,094,682	2.6	5,848	187	0.5
Cough and cold medications	21,326	102	2,178,505	5.2	50,879	43	3.9
Vitamins and minerals	60,504	92	5,542,831	13.4	346,255	16	26.7
Non-prescription drugs	38,224	83	3,153,970	7.6	159,781	20	12.3
Barbiturates	2,890	69	199,968	0.5	28,047	7	2.2
Benzodiazepines	96,107	128	12,280,283	29.6	663,153	19	51.1
Other Part D Excl Rx Drugs	9,224	1,787	16,479,137	39.7	35,461	465	2.7

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.3
 CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
All	366,919	188,275	177,017	1,597	30	3,871,203	1,978,319	1,879,486	13,117	281	0
Age											
5 and younger	22	0	21	0	1	218	0	213	0	5	0
6-14	75	0	66	0	9	836	0	733	0	103	0
15-20	645	0	618	13	14	7,044	0	6,813	104	127	0
21-44	52,836	0	51,774	1,057	5	571,801	0	562,342	9,419	40	0
45-64	63,308	2	62,940	365	1	683,868	13	681,008	2,841	6	0
65-74	100,611	69,493	30,978	140	0	1,076,406	736,121	339,637	648	0	0
75-84	88,389	70,882	17,486	21	0	934,204	762,678	171,427	99	0	0
85 and older	61,032	47,897	13,134	1	0	596,814	479,495	117,313	6	0	0
Unknown	1	1	0	0	0	12	12	0	0	0	0
Gender											
Female	240,728	136,498	103,054	1,165	11	2,559,638	1,443,434	1,106,250	9,848	106	0
Male	126,190	51,777	73,962	432	19	1,311,556	534,885	773,227	3,269	175	0
Unknown	1	0	1	0	0	9	0	9	0	0	0
Race											
White	184,492	86,230	97,350	895	17	1,902,708	880,544	1,014,479	7,495	190	0
African American	72,840	31,273	41,097	464	6	783,837	331,666	448,464	3,660	47	0
Other/unknown	109,587	70,772	38,570	238	7	1,184,658	766,109	416,543	1,962	44	0
Use of Nursing Facilities^c											
Entire year	46,329	30,339	15,990	0	0	438,799	297,196	141,603	0	0	0
Part year	23,491	13,899	9,590	2	0	217,162	129,477	87,661	24	0	0
None	297,099	144,037	151,437	1,595	30	3,215,242	1,551,646	1,650,222	13,093	281	0
Maintenance Assistance Status											
Cash	205,724	96,138	108,708	875	3	2,285,308	1,069,978	1,208,825	6,491	14	0
Medically needy	895	2	838	55	0	8,727	13	8,230	484	0	0
Poverty related	101,422	62,320	38,921	172	9	1,039,856	632,349	406,104	1,313	90	0
Other/unknown	58,878	29,815	28,550	495	18	537,312	275,979	256,327	4,829	177	0
Dual Status^d											
Full dual, all year	357,225	183,350	172,295	1,550	30	3,767,609	1,925,432	1,829,271	12,625	281	0
Full dual, part year	9,694	4,925	4,722	47	0	103,594	52,887	50,215	492	0	0
Managed Care Status											
FFS all year	333,425	174,801	157,381	1,221	22	3,506,961	1,833,572	1,663,284	9,888	217	0
FFS part year, with Rx claims	9,924	4,148	5,621	152	3	106,631	44,136	61,067	1,399	29	0
FFS part year, no Rx claims	4,352	2,149	2,111	89	3	42,345	20,507	21,119	691	28	0
MC all year, with Rx claims	13	8	5	0	0	135	75	60	0	0	0
MC all year, no Rx claims	19,205	7,169	11,899	135	2	215,131	80,029	133,956	1,139	7	0

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 DUAL ELIGIBLE BENEFICIARIES, FLORIDA, 2001

Beneficiary Characteristics	Bene Mos in Cell F of Table 1		Included in Cell G of Table 1		Excluded from Cell G of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	366,919	3,871,203	347,701	3,581,314	0	289,889
FFS all year	333,425	3,506,961	333,425	3,506,961	0	0
FFS part year, with Rx claims	9,924	106,631	9,924	56,207	0	50,424
FFS part year, with no Rx claims	4,352	42,345	4,352	18,146	0	24,199
MC all year, with Rx claims	13	135	0	0	0	135
MC all year, with no Rx claims	19,205	215,131	0	0	0	215,131

Source: Data for this table are from the MAX 2001 file for Florida, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.