

# STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 GEORGIA

## LIST OF TABLES

### OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

### FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

### FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

**FOR DUAL ELIGIBLE BENEFICIARIES**

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

**SUPPLEMENTAL TABLES**

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

**APPENDIX TABLE**

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2  
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a,b</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
<b>All</b>	<b>157,335</b>	<b>77,812</b>	<b>78,232</b>	<b>1,259</b>	<b>28</b>	<b>4</b>	<b>1,641,556</b>	<b>786,303</b>	<b>847,314</b>	<b>7,641</b>	<b>277</b>	<b>21</b>		
<b>Age</b>														
5 and younger	10	0	9	0	1	0	102	0	90	0	12	0		
6-14	44	0	36	0	8	0	466	0	391	0	75	0		
15-20	324	0	307	7	10	0	3,537	0	3,391	48	98	0		
21-44	23,818	4	22,993	815	6	0	253,706	17	248,360	5,273	56	0		
45-64	31,524	600	30,550	370	1	3	325,504	5,707	317,783	1,985	12	17		
65-74	37,238	21,478	15,698	60	1	1	395,050	215,290	179,441	303	12	4		
75-84	36,740	30,169	6,565	6	0	0	386,809	311,744	75,037	28	0	0		
85 and older	27,636	25,561	2,074	0	1	0	276,378	253,545	22,821	0	12	0		
Unknown	1	0	0	1	0	4	0	0	0	4	0	0		
<b>Gender</b>														
Female	108,445	59,685	47,818	925	13	4	1,148,152	614,981	527,255	5,761	134	21		
Male	48,890	18,127	30,414	334	15	0	493,404	171,322	320,059	1,880	143	0		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Race</b>														
White	73,639	40,488	32,575	562	11	3	744,345	392,992	347,753	3,475	110	15		
African American	64,051	27,588	35,770	677	15	1	684,872	288,323	392,334	4,066	143	6		
Other/unknown	19,645	9,736	9,887	20	2	0	212,339	104,988	107,227	100	24	0		
<b>Use of Nursing Facilities<sup>c</sup></b>														
Entire year	24,556	21,806	2,750	0	0	0	250,169	220,129	30,040	0	0	0		
Part year	11,774	10,389	1,385	0	0	0	109,474	95,172	14,302	0	0	0		
None	121,005	45,617	74,097	1,259	28	4	1,281,913	471,002	802,972	7,641	277	21		
<b>Maintenance Assistance Status</b>														
Cash	95,904	32,415	62,590	895	4	0	1,077,085	364,042	708,085	4,942	16	0		
Medically needy	7,805	3,922	3,883	0	0	0	44,468	23,492	20,976	0	0	0		
Poverty-related	4,621	2,450	1,996	158	13	4	46,963	25,837	19,850	1,126	129	21		
Other/unknown	49,005	39,025	9,763	206	11	0	473,040	372,932	98,403	1,573	132	0		
<b>Dual Medicare Status<sup>d</sup></b>														
Full dual, all year	151,666	74,542	75,857	1,235	28	4	1,583,521	752,322	823,506	7,395	277	21		
Full dual, part year	5,669	3,270	2,375	24	0	0	58,035	33,981	23,808	246	0	0		
<b>Managed Care Status</b>														
FFS all year	157,335	77,812	78,232	1,259	28	4	1,641,556	786,303	847,314	7,641	277	21		
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		

Table D2

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	90.6 %	42.4	\$2,030	\$48	\$9,310	21.8 %	157,335
<b>Age</b>							
5 and younger	90.0	32.4	2,453	76	27,081	9.1	10
6-14	90.9	40.1	3,823	95	12,631	30.3	44
15-20	79.9	20.6	1,429	69	8,160	17.5	324
21-44	83.8	27.6	1,951	71	7,240	27.0	23,818
45-64	90.6	45.3	2,397	53	8,459	28.3	31,524
65-74	90.0	44.2	1,961	44	6,836	28.7	37,238
75-84	93.1	47.3	2,028	43	10,270	19.7	36,740
85 and older	94.4	43.2	1,778	41	14,125	12.6	27,636
Unknown	100.0	12.0	520	43	1,024	50.8	1
<b>Basis of Eligibility<sup>c</sup></b>							
Aged	91.8	43.5	1,880	43	11,378	16.5	77,812
Disabled	89.8	41.8	2,198	53	7,355	29.9	78,232
Adults	71.6	15.5	849	55	2,978	28.5	1,259
Children	75.0	29.7	2,793	94	10,143	27.5	28
Unknown	100.0	12.5	381	31	10,293	3.7	4
<b>Gender</b>							
Female	93.2	46.6	2,121	46	9,428	22.5	108,445
Male	85.1	33.1	1,828	55	9,048	20.2	48,890
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Race</b>							
White	92.2	48.3	2,371	49	11,924	19.9	73,639
African American	89.4	36.4	1,700	47	7,819	21.7	64,051
Other/unknown	89.0	39.8	1,828	46	4,377	41.8	19,645
<b>Use of Nursing Facilities<sup>d</sup></b>							
Entire year	98.4	57.3	2,686	47	26,217	10.2	24,556
Part year	97.2	47.0	2,154	46	16,049	13.4	11,774
None	88.4	38.9	1,885	48	5,224	36.1	121,005
<b>Maintenance Assistance Status</b>							
Cash	90.2	41.4	1,972	48	5,006	39.4	95,904
Medically needy	86.6	27.9	1,486	53	5,946	25.0	7,805
Poverty related	84.5	26.5	1,312	50	6,047	21.7	4,621
Other/unknown	92.7	48.3	2,297	48	18,578	12.4	49,005

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
  - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
  - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Bene Mos	Benes	No.
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				
All	4.1	\$195	21.8 %	9.4 %	16.8 %	12.1 %	33.9 %	23.3 %	4.6 %	\$892	157,335	1,641,556
<b>Age</b>												
5 and younger	3.2	241	9.1	10.0	30.0	10.0	30.0	20.0	0.0	2,655	10	102
6-14	3.8	361	30.3	9.1	20.5	11.4	34.1	22.7	2.3	1,193	44	466
15-20	1.9	131	17.5	20.1	39.5	9.9	23.5	6.8	0.3	748	324	3,537
21-44	2.6	183	27.0	16.2	30.0	13.8	27.1	11.1	1.9	680	23,818	253,706
45-64	4.4	232	28.3	9.4	15.6	11.4	33.1	24.3	6.2	819	31,524	325,504
65-74	4.2	185	28.7	10.0	15.7	11.7	33.7	23.7	5.2	644	37,238	395,050
75-84	4.5	193	19.7	6.9	12.8	11.5	36.0	27.7	5.1	975	36,740	386,809
85 and older	4.3	178	12.6	5.6	13.1	12.7	38.2	26.6	3.8	1,412	27,636	276,378
Unknown	3.0	130	50.8	0.0	0.0	0.0	100.0	0.0	0.0	256	1	4
<b>Basis of Eligibility<sup>c</sup></b>												
Aged	4.3	186	16.5	8.2	14.1	12.0	35.3	25.6	4.8	1,126	77,812	786,303
Disabled	3.9	203	29.9	10.2	19.4	12.1	32.6	21.3	4.4	679	78,232	847,314
Adults	2.5	140	28.5	28.4	23.4	11.7	24.0	11.0	1.6	491	1,259	7,641
Children	3.0	282	27.5	25.0	7.1	14.3	46.4	7.1	0.0	1,025	28	277
Unknown	2.4	73	3.7	0.0	50.0	0.0	50.0	0.0	0.0	1,961	4	21
<b>Gender</b>												
Female	4.4	200	22.5	6.8	14.6	11.9	35.5	25.9	5.3	891	108,445	1,148,152
Male	3.3	181	20.2	14.9	21.6	12.5	30.3	17.7	3.0	897	48,890	493,404
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Race</b>												
White	4.8	235	19.9	7.8	13.0	10.3	33.2	28.6	7.1	1,180	73,639	744,345
African American	3.4	159	21.7	10.6	20.3	13.9	34.7	18.4	2.1	731	64,051	684,872
Other/unknown	3.7	169	41.8	11.0	19.4	13.0	33.6	19.6	3.4	405	19,645	212,339
<b>use or nursing Facilities<sup>d</sup></b>												
Entire year	5.6	264	10.2	1.6	7.6	9.3	35.7	36.5	9.2	2,573	24,556	250,169
Part year	5.1	232	13.4	2.8	10.2	11.6	38.1	31.2	6.2	1,726	11,774	109,474
None	3.7	178	36.1	11.6	19.3	12.7	33.1	19.9	3.5	493	121,005	1,281,913
<b>Maintenance Assistance Status</b>												
Cash	3.7	176	39.4	9.8	19.4	12.9	34.4	20.3	3.3	446	95,904	1,077,085
Medically needy	4.9	261	25.0	13.4	10.0	9.9	32.9	27.0	6.7	1,044	7,805	44,468
Poverty related	2.6	129	21.7	15.5	33.0	13.7	24.0	11.8	2.0	595	4,621	46,963
Other/unknown	5.0	238	12.4	7.3	11.3	10.6	33.9	29.8	7.1	1,925	49,005	473,040

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE D.5  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	4.1	\$195	\$48	1.9	\$147	\$79	0.3	\$14	\$41	1.9	\$34	\$18
<b>Age</b>												
5 and younger	3.2	241	76	1.4	188	138	0.3	11	37	1.5	41	28
6-14	3.8	361	95	1.4	276	198	0.3	26	74	2.0	59	29
15-20	1.9	131	69	0.8	101	122	0.2	11	73	0.9	19	20
21-44	2.6	183	71	1.2	145	120	0.2	14	70	1.2	25	21
45-64	4.4	232	53	2.1	179	86	0.3	16	50	2.0	37	19
65-74	4.2	185	44	2.0	139	71	0.3	12	37	1.9	34	18
75-84	4.5	193	43	2.0	142	71	0.4	13	34	2.1	37	18
85 and older	4.3	178	41	1.8	128	71	0.4	14	33	2.1	36	17
Unknown	3.0	130	43	1.8	118	68	0.0	0	0	1.3	12	9
<b>Basis of Eligibility<sup>d</sup></b>												
Aged	4.3	186	43	1.9	137	72	0.4	14	35	2.0	35	18
Disabled	3.9	203	53	1.8	156	87	0.3	14	48	1.8	33	19
Adults	2.5	140	55	1.2	113	91	0.1	7	51	1.2	20	17
Children	3.0	282	94	1.4	226	161	0.3	34	130	1.3	22	17
Unknown	2.4	73	31	0.7	52	73	0.0	1	10	1.6	20	12
<b>Gender</b>												
Female	4.4	200	46	2.0	151	75	0.4	14	38	2.0	35	18
Male	3.3	181	55	1.4	137	95	0.3	13	47	1.6	31	20
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
<b>Race</b>												
White	4.8	235	49	2.2	176	81	0.4	18	41	2.2	41	19
African American	3.4	159	47	1.5	121	78	0.3	10	39	1.6	28	18
Other/unknown	3.7	169	46	1.7	129	74	0.3	10	40	1.7	30	18
<b>Use of Nursing Facilities<sup>e</sup></b>												
Entire year	5.6	264	47	2.4	193	80	0.6	22	38	2.6	49	19
Part year	5.1	232	46	2.2	169	78	0.5	19	38	2.4	43	18
None	3.7	178	48	1.7	136	79	0.3	12	42	1.7	30	18
<b>Maintenance Assistance Status</b>												
Cash	3.7	176	48	1.7	134	78	0.3	11	41	1.7	30	18
Medically needy	4.9	261	53	2.3	197	88	0.4	20	47	2.2	44	20
Poverty related	2.6	129	50	1.2	99	82	0.2	9	42	1.2	21	18
Other/unknown	5.0	238	48	2.2	176	80	0.5	19	39	2.3	43	19

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users			
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total No. of Rx	Total Rx \$	No. Dual Benes	As % of Bene Mos
Anti-infective Agents	0.3	0.2	0.0	0.1	\$22	\$20	\$0	\$47	\$14	331,006	\$21,400,872	90,046	57.2 %
Biologics	0.4	0.0	0.1	0.3	####	1	351	4,015	3,943	178	638,002	40	0.0
Antineoplastic Agents	0.5	0.2	0.1	0.1	84	51	21	174	256	31,272	5,445,594	6,355	4.0
Endocrine/Metabolic Drugs	0.9	0.6	0.1	0.3	33	29	2	36	52	656,831	23,784,560	65,885	41.9
Cardiovascular Agents	1.7	0.7	0.1	0.9	55	35	3	32	51	1,914,128	61,397,547	104,543	66.4
Respiratory Agents	0.6	0.3	0.0	0.3	23	17	0	6	23	362,220	15,084,767	59,919	38.1
Gastrointestinal Agents	0.7	0.4	0.0	0.3	47	39	2	5	109	507,223	34,033,980	67,369	42.8
Genitourinary Agents	0.4	0.3	0.0	0.1	21	20	0	1	63	99,764	5,222,528	22,214	14.1
CNS Drugs	1.0	0.5	0.1	0.4	73	56	8	9	113	850,903	62,195,956	79,845	50.7
Stimulants/Anti-obesity/Anorexia	0.5	0.2	0.0	0.3	35	24	2	8	125	4,975	349,424	941	0.6
Miscellaneous Psychological/Neurological Agents	0.6	0.6	0.0	0.1	73	72	0	2	127	59,476	6,821,618	8,918	5.7
Analgesics and Anesthetics	0.8	0.3	0.0	0.4	37	29	2	7	92	771,717	36,288,718	90,617	57.6
Neuromuscular Agents	0.8	0.3	0.1	0.4	41	28	4	9	97	376,101	19,880,091	44,063	28.0
Nutritional Products	0.6	0.0	0.2	0.4	9	0	5	4	15	205,635	3,420,503	33,834	21.5
Hematological Agents	0.7	0.2	0.2	0.3	41	31	4	6	142	192,665	11,522,475	26,251	16.7
Topical Products	0.4	0.2	0.0	0.2	15	10	2	3	49	284,824	10,145,689	61,446	39.1
Miscellaneous Products	0.3	0.1	0.0	0.2	49	33	7	9	388	8,538	1,459,102	2,798	1.8
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	5	0	0	0	0	14,420	283,238	4,923	3.1
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	6,671,876	319,374,664	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$32,337,641	34,474	21.9 %	374,797	0.6	\$141	\$86
ULCER DRUGS	30,380,228	69,592	44.2	763,118	0.5	78	40
ANTIDEPRESSANTS	23,704,632	63,221	40.2	685,709	0.6	60	35
ANTIHYPERTENSIVE	18,958,045	76,496	48.6	838,551	0.6	36	23
ANTIDIABETIC	18,184,345	51,976	33.0	567,394	0.7	48	32
ANALGESICS - ANTI-INFLAMMATORY	18,159,750	62,607	39.8	706,696	0.4	65	26
ANALGESICS - Narcotic	16,497,933	104,086	66.2	1,142,668	0.4	39	14
ANTICONVULSANT	15,008,284	31,568	20.1	345,370	0.7	64	43
CALCIUM BLOCKERS	14,938,385	40,496	25.7	444,019	0.7	47	34
ANTHYPERLIPIDEMIC	13,586,181	26,032	16.5	289,668	0.6	74	47
Total	201,755,424	560,548		6,157,990	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>3,373,558</b>	<b>\$201,755,424</b>	<b>34,474</b>	<b>21.9 %</b>	<b>374,797</b>	<b>0.6</b>	<b>\$86</b>	<b>69,592</b>	<b>44.2 %</b>	<b>763,118</b>	<b>0.5</b>	<b>\$40</b>
<b>Female</b>	2,522,400	146,289,498	22,543	20.8	245,330	0.6	78	52,102	48.0	576,174	0.5	40
<b>Disabled</b>	1,216,967	75,036,704	10,494	21.9	119,699	0.6	89	25,197	52.7	286,974	0.5	38
5 and younger	26	1,049	0	0.0	0	0.0	0	2	100.0	18	0.4	19
6-14	286	13,354	0	0.0	0	0.0	0	4	22.2	37	0.6	54
15-20	1,174	69,472	21	16.7	249	0.3	44	28	22.2	331	0.3	14
21-44	184,852	13,970,444	3,459	32.4	39,523	0.6	98	3,999	37.5	45,309	0.4	31
45-64	514,552	33,128,979	4,257	23.0	48,036	0.6	94	10,684	57.8	119,513	0.5	40
65-74	334,283	18,432,247	1,609	14.3	18,715	0.6	78	6,541	57.9	76,368	0.5	39
75-84	142,078	7,442,181	829	15.4	9,530	0.6	58	2,994	55.6	34,783	0.5	39
85 and older	39,716	1,978,978	319	17.4	3,646	0.5	49	945	51.6	10,615	0.6	42
<b>Other Eligibles</b>	1,305,423	71,252,291	12,049	19.9	125,631	0.6	68	26,903	44.4	289,192	0.6	42
5 and younger	5	106	0	0.0	0	0.0	0	1	100.0	12	0.2	4
6-14	9	294	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	158	11,159	2	14.3	24	1.0	125	2	14.3	24	0.6	54
21-44	4,915	335,632	109	17.0	765	0.4	75	119	18.6	954	0.4	35
45-64	13,002	797,889	117	19.8	1,162	0.7	101	262	44.3	2,557	0.5	40
65-74	320,838	17,815,657	2,094	14.6	22,331	0.6	78	6,448	44.9	70,178	0.5	39
75-84	556,710	30,373,367	4,862	20.8	51,340	0.6	69	10,768	46.1	117,672	0.6	43
85 and older	409,786	21,918,187	4,865	22.4	50,009	0.6	61	9,303	42.9	97,795	0.6	44
<b>Male</b>	851,158	55,465,926	11,931	24.4	129,467	0.7	102	17,490	35.8	186,944	0.5	39
<b>Disabled</b>	531,759	37,854,190	8,132	26.7	91,975	0.7	115	10,296	33.9	113,622	0.5	37
5 and younger	35	1,788	0	0.0	0	0.0	0	3	42.9	36	0.4	36
6-14	255	12,892	0	0.0	0	0.0	0	9	50.0	104	0.5	28
15-20	1,654	137,287	40	22.1	456	0.6	106	25	13.8	284	0.4	29
21-44	171,153	14,849,540	4,390	35.6	50,048	0.7	122	3,023	24.5	33,865	0.4	32
45-64	238,455	16,463,488	2,988	24.8	33,361	0.7	116	4,641	38.5	49,717	0.5	40
65-74	92,440	4,941,454	488	11.1	5,571	0.6	74	1,942	44.0	22,105	0.5	39
75-84	23,651	1,231,240	183	15.5	2,084	0.6	65	551	46.6	6,383	0.5	39
85 and older	4,116	216,501	43	17.7	455	0.5	59	102	42.0	1,128	0.5	41
<b>Other Eligibles</b>	319,399	17,611,736	3,799	20.6	37,492	0.6	71	7,194	38.9	73,322	0.6	42
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	20	655	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	58	2,321	1	33.3	12	0.5	37	0	0.0	0	0.0	0
21-44	2,075	135,513	25	13.5	230	0.3	56	52	28.1	430	0.4	44
45-64	6,733	408,516	75	19.6	768	0.6	100	141	36.8	1,311	0.6	41
65-74	124,611	7,029,499	1,193	16.6	12,430	0.6	82	2,595	36.1	26,780	0.5	40
75-84	125,575	6,812,057	1,514	22.2	14,896	0.6	68	2,784	40.8	28,718	0.6	43
85 and older	60,327	3,223,175	991	25.6	9,156	0.6	56	1,622	41.8	16,083	0.6	44
<b>Unknown</b>	10	503	0	0.0	0	0.0	0	2	200.0	8	0.3	20

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mdmb.asp](http://www.Medi-Span.com/products/product_mdmb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTIHYPERTENSIVE					ANTIDIABETIC				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>63,221</b>	<b>40.2 %</b>	<b>685,709</b>	<b>0.6</b>	<b>\$35</b>	<b>76,496</b>	<b>48.6 %</b>	<b>838,551</b>	<b>0.6</b>	<b>\$23</b>	<b>51,976</b>	<b>33.0 %</b>	<b>567,394</b>	<b>0.7</b>	<b>\$32</b>
<b>Female</b>	47,847	44.1	522,886	0.6	35	56,834	52.4	630,162	0.6	23	40,115	37.0	443,336	0.7	32
<b>Disabled</b>	24,452	51.1	276,184	0.5	32	25,459	53.2	289,898	0.6	22	19,843	41.5	225,567	0.6	35
5 and younger	0	0.0	0	0.0	0	3	150.0	36	0.4	12	0	0.0	0	0.0	0
6-14	2	11.1	24	0.5	2	14	77.8	164	0.5	20	1	5.6	12	1.3	56
15-20	38	30.2	451	0.3	21	43	34.1	503	0.5	14	6	4.8	72	0.8	32
21-44	5,989	56.1	67,429	0.5	34	2,423	22.7	27,421	0.5	18	1,881	17.6	21,440	0.6	33
45-64	11,835	64.0	131,644	0.5	34	10,292	55.7	114,632	0.6	21	8,789	47.5	97,705	0.6	36
65-74	4,442	39.4	51,898	0.6	27	8,033	71.2	93,680	0.6	23	6,423	56.9	74,960	0.7	35
75-84	1,703	31.6	19,713	0.6	28	3,564	66.2	41,229	0.6	23	2,263	42.0	25,973	0.7	31
85 and older	443	24.2	5,025	0.6	26	1,087	59.4	12,233	0.7	23	480	26.2	5,405	0.6	25
<b>Other Eligibles</b>	23,395	38.6	246,702	0.6	37	31,374	51.8	340,260	0.7	24	20,271	33.4	217,765	0.7	29
5 and younger	0	0.0	0	0.0	0	1	100.0	12	0.1	1	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	50.0	12	0.7	20	0	0.0	0	0.0	0
15-20	3	21.4	32	0.5	9	7	50.0	81	0.4	14	0	0.0	0	0.0	0
21-44	285	44.5	2,342	0.4	29	88	13.8	781	0.4	15	61	9.5	515	0.5	28
45-64	328	55.5	3,106	0.6	38	284	48.1	2,413	0.6	22	303	51.3	2,736	0.6	30
65-74	5,440	37.9	57,801	0.6	34	8,189	57.1	89,280	0.6	23	6,281	43.8	67,575	0.7	32
75-84	9,325	39.9	99,854	0.6	37	13,160	56.4	145,362	0.7	24	8,857	37.9	96,473	0.7	29
85 and older	8,014	37.0	83,567	0.7	39	9,644	44.5	102,319	0.7	24	4,769	22.0	50,466	0.7	25
<b>Male</b>	15,374	31.4	162,823	0.6	35	19,662	40.2	208,389	0.6	22	11,861	24.3	124,058	0.7	33
<b>Disabled</b>	9,716	31.9	106,275	0.5	33	11,127	36.6	120,420	0.6	22	6,546	21.5	70,311	0.7	35
5 and younger	0	0.0	0	0.0	0	3	42.9	33	0.5	13	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	13	72.2	134	0.6	24	0	0.0	0	0.0	0
15-20	50	27.6	584	0.6	46	44	24.3	503	0.4	13	2	1.1	24	1.1	93
21-44	4,144	33.7	46,097	0.5	33	2,505	20.3	27,031	0.6	20	1,283	10.4	13,884	0.6	35
45-64	4,184	34.7	44,416	0.6	35	5,292	43.9	55,222	0.6	22	3,382	28.0	34,953	0.7	36
65-74	1,014	23.0	11,471	0.5	25	2,519	57.1	28,846	0.6	22	1,546	35.1	17,597	0.6	34
75-84	262	22.2	3,027	0.5	26	636	53.8	7,378	0.6	21	283	23.9	3,282	0.7	33
85 and older	62	25.5	680	0.5	27	115	47.3	1,273	0.7	25	50	20.6	571	0.7	29
<b>Other Eligibles</b>	5,658	30.6	56,548	0.6	38	8,535	46.2	87,969	0.7	23	5,315	28.8	53,747	0.7	29
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	16.7	12	0.3	4	0	0.0	0	0.0	0
15-20	3	100.0	36	0.3	22	2	66.7	24	0.8	25	0	0.0	0	0.0	0
21-44	83	44.9	723	0.3	20	30	16.2	293	0.5	22	29	15.7	254	0.5	30
45-64	147	38.4	1,341	0.6	38	174	45.4	1,578	0.7	22	106	27.7	948	0.7	34
65-74	2,032	28.2	20,838	0.6	38	3,394	47.2	34,981	0.6	23	2,358	32.8	24,036	0.7	31
75-84	2,150	31.5	21,657	0.7	38	3,369	49.3	35,323	0.7	23	2,028	29.7	20,858	0.7	28
85 and older	1,243	32.1	11,953	0.7	39	1,565	40.4	15,758	0.7	23	794	20.5	7,651	0.7	26
<b>Unknown</b>	0	0.0	0	0.0	0	1	100.0	4	0.5	7	1	100.0	4	1.0	42

Table D7B

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE D.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY					ANALGESICS - Narcotic					ANTICONVULSANT				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>62,607</b>	<b>39.8 %</b>	<b>706,696</b>	<b>0.4</b>	<b>\$26</b>	<b>104,086</b>	<b>66.2 %</b>	<b>1,142,668</b>	<b>0.4</b>	<b>\$14</b>	<b>31,568</b>	<b>20.1 %</b>	<b>345,370</b>	<b>0.7</b>	<b>\$44</b>
<b>Female</b>	47,810	44.1	543,083	0.4	27	77,512	71.5	859,770	0.4	14	20,270	18.7	222,574	0.7	40
<b>Disabled</b>	25,211	52.7	291,577	0.4	24	42,195	88.2	480,686	0.4	14	11,789	24.7	132,589	0.6	45
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	5.6	12	0.1	0	10	55.6	120	0.1	1	5	27.8	58	0.8	26
15-20	30	23.8	354	0.1	5	77	61.1	906	0.2	3	29	23.0	331	0.6	63
21-44	4,651	43.6	53,460	0.2	14	9,128	85.5	103,514	0.3	15	3,755	35.2	42,254	0.7	55
45-64	10,223	55.3	116,372	0.4	25	18,128	98.0	203,291	0.4	17	5,403	29.2	59,982	0.6	45
65-74	6,656	59.0	78,597	0.4	27	9,620	85.2	112,578	0.3	11	1,704	15.1	19,843	0.6	33
75-84	2,816	52.3	33,160	0.4	30	4,020	74.7	46,492	0.4	10	731	13.6	8,308	0.6	26
85 and older	834	45.5	9,622	0.5	31	1,212	66.2	13,785	0.4	10	162	8.8	1,813	0.6	26
<b>Other Eligibles</b>	22,598	37.3	251,502	0.5	31	35,316	58.3	379,080	0.4	13	8,481	14.0	89,985	0.7	33
5 and younger	0	0.0	0	0.0	0	1	100.0	12	0.1	1	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	1	7.1	8	0.1	0	6	42.9	55	0.3	24	5	35.7	60	0.7	61
21-44	208	32.5	1,747	0.3	19	446	69.7	3,689	0.4	16	115	18.0	926	0.5	46
45-64	246	41.6	2,154	0.4	31	447	75.6	4,130	0.5	20	143	24.2	1,434	0.8	50
65-74	5,914	41.2	65,895	0.4	27	8,745	61.0	94,826	0.4	12	2,384	16.6	25,563	0.7	37
75-84	9,518	40.8	107,993	0.5	31	14,059	60.2	154,039	0.4	13	3,459	14.8	37,266	0.7	33
85 and older	6,711	30.9	73,705	0.5	34	11,612	53.5	122,329	0.4	13	2,375	11.0	24,736	0.7	29
<b>Male</b>	14,797	30.3	163,613	0.4	21	26,574	54.4	282,898	0.4	17	11,298	23.1	122,796	0.7	49
<b>Disabled</b>	9,674	31.8	108,761	0.3	18	17,946	59.0	195,872	0.4	19	8,230	27.1	91,648	0.7	54
5 and younger	0	0.0	0	0.0	0	1	14.3	9	0.1	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	4	22.2	48	0.1	1	1	5.6	12	0.8	13
15-20	20	11.0	217	0.2	10	69	38.1	801	0.2	3	48	26.5	551	0.6	57
21-44	3,157	25.6	35,795	0.2	11	6,508	52.8	72,127	0.4	19	3,856	31.3	43,431	0.7	59
45-64	4,021	33.3	43,941	0.3	21	7,795	64.6	82,181	0.4	21	3,505	29.1	38,359	0.8	53
65-74	1,897	43.0	22,084	0.4	23	2,700	61.2	30,660	0.4	13	638	14.5	7,209	0.6	29
75-84	493	41.7	5,769	0.4	22	740	62.6	8,609	0.4	12	159	13.5	1,838	0.7	31
85 and older	86	35.4	955	0.4	27	129	53.1	1,437	0.3	9	23	9.5	248	0.7	29
<b>Other Eligibles</b>	5,123	27.7	54,852	0.4	26	8,628	46.7	87,026	0.4	13	3,068	16.6	31,148	0.7	36
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	1	33.3	12	0.2	6	1	33.3	12	0.1	0	1	33.3	12	0.8	15
21-44	58	31.4	508	0.3	20	160	86.5	1,332	0.6	34	30	16.2	255	0.6	44
45-64	106	27.7	975	0.5	29	224	58.5	1,935	0.4	20	106	27.7	1,063	0.7	42
65-74	2,007	27.9	21,551	0.4	24	3,372	46.9	34,428	0.4	15	1,329	18.5	13,809	0.7	39
75-84	1,956	28.6	21,392	0.4	27	3,093	45.3	31,955	0.4	12	1,108	16.2	11,317	0.7	34
85 and older	995	25.7	10,414	0.5	30	1,778	45.9	17,364	0.3	9	494	12.7	4,692	0.7	29
<b>Unknown</b>	1	100.0	4	0.3	33	1	100.0	4	0.3	5	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	CALCIUM BLOCKERS				ANTHYPERLIPIDEMIC				Mean Rx \$	Mean No. of Rx	Users as % of Dual Benes	No. of Users	No. of Bene Mos among Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Bene Mos
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx										
<b>All</b>	<b>40,496</b>	<b>25.7 %</b>	<b>444,019</b>	<b>0.7</b>	<b>\$34</b>	<b>26,032</b>	<b>16.5 %</b>	<b>289,668</b>	<b>\$47</b>	<b>0.6</b>	<b>157,335</b>	<b>1,641,556</b>						
<b>Female</b>	31,299	28.9	347,154	0.7	34	19,735	18.2	222,077	47	0.6	108,444	1,148,148						
<b>Disabled</b>	13,253	27.7	151,089	0.7	34	10,386	21.7	118,476	47	0.6	47,818	527,255						
5 and younger	1	50.0	12	0.5	23	0	0.0	0	0	0.0	2	21						
6-14	10	55.6	100	0.7	38	1	5.6	12	155	0.9	18	188						
15-20	21	16.7	247	0.5	33	4	3.2	39	41	0.4	126	1,373						
21-44	1,091	10.2	12,231	0.6	29	740	6.9	8,388	36	0.5	10,678	116,598						
45-64	4,988	27.0	55,436	0.7	33	4,707	25.5	52,398	46	0.6	18,492	197,253						
65-74	4,410	39.1	51,544	0.7	35	3,556	31.5	41,595	48	0.6	11,288	129,967						
75-84	2,062	38.3	23,886	0.7	35	1,200	22.3	13,961	50	0.7	5,383	61,644						
85 and older	670	36.6	7,633	0.7	33	178	9.7	2,083	44	0.6	1,831	20,211						
<b>Other Eligibles</b>	18,046	29.8	196,065	0.7	33	9,349	15.4	103,601	48	0.7	60,626	620,893						
5 and younger	1	100.0	12	0.1	3	0	0.0	0	0	0.0	1	12						
6-14	1	50.0	12	0.1	5	0	0.0	0	0	0.0	2	24						
15-20	1	7.1	12	0.5	24	1	7.1	12	18	0.3	14	110						
21-44	44	6.9	358	0.4	22	24	3.8	209	39	0.5	640	4,199						
45-64	154	26.1	1,393	0.7	34	135	22.8	1,240	48	0.6	591	4,638						
65-74	4,325	30.1	47,182	0.7	33	3,457	24.1	37,792	46	0.6	14,347	147,330						
75-84	7,618	32.6	84,266	0.8	34	4,339	18.6	48,954	50	0.7	23,346	246,234						
85 and older	5,902	27.2	62,830	0.8	33	1,393	6.4	15,394	46	0.6	21,685	218,346						
<b>Male</b>	9,197	18.8	96,865	0.7	34	6,297	12.9	67,591	46	0.6	48,890	493,404						
<b>Disabled</b>	5,097	16.8	54,974	0.7	34	4,049	13.3	44,064	46	0.6	30,414	320,059						
5 and younger	1	14.3	9	0.2	6	0	0.0	0	0	0.0	7	69						
6-14	13	72.2	152	0.7	42	2	11.1	24	11	0.3	18	203						
15-20	20	11.0	226	0.6	37	4	2.2	45	16	0.3	181	2,018						
21-44	1,044	8.5	11,314	0.6	33	822	6.7	9,121	37	0.5	12,315	131,762						
45-64	2,397	19.9	24,863	0.7	35	2,076	17.2	21,710	47	0.6	12,058	120,530						
65-74	1,252	28.4	14,224	0.7	35	968	22.0	11,093	50	0.7	4,410	49,474						
75-84	316	26.7	3,584	0.7	33	163	13.8	1,906	50	0.7	1,182	13,393						
85 and older	54	22.2	602	0.7	35	14	5.8	165	56	0.7	243	2,610						
<b>Other Eligibles</b>	4,100	22.2	41,891	0.7	34	2,248	12.2	23,527	46	0.6	18,476	173,345						
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0	0.0	0	0						
6-14	3	50.0	23	0.7	27	0	0.0	0	0	0.0	6	51						
15-20	1	33.3	12	0.8	19	0	0.0	0	0	0.0	3	36						
21-44	19	10.3	169	0.7	31	13	7.0	149	30	0.5	185	1,147						
45-64	83	21.7	741	0.7	34	62	16.2	576	42	0.6	383	3,083						
65-74	1,547	21.5	15,927	0.7	34	1,118	15.5	11,622	45	0.6	7,193	68,279						
75-84	1,624	23.8	16,886	0.7	34	859	12.6	9,144	47	0.7	6,829	65,538						
85 and older	823	21.2	8,133	0.8	33	196	5.1	2,036	44	0.6	3,877	35,211						
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0	0.0	1	4						

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>\$264</b>	<b>5.6</b>	<b>24,556</b>	<b>250,169</b>
<b>Age</b>				
0-64	334	6.1	1,876	20,439
65-74	312	6.2	3,521	36,923
75-84	280	5.9	8,381	85,417
85 and older	221	5.1	10,778	107,390
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	260	5.7	18,368	188,741
Male	274	5.5	6,188	61,428
Unknown	0	0.0	0	0
<b>Race</b>				
White	278	6	17,072	171,266
African American	233	4.9	7,196	76,077
Other/unknown	247	5.1	288	2,826
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	258	5.6	21,806	220,129
Disabled	306	5.8	2,750	30,040
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>**  
**DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001**

Therapeutic Category	No. of Rx per Bene Mo among Users										\$ per Bene Mo among Users										Total # of Rx		Total Rx \$		Users								
	Patented					Off-Patent					Generic					Patented					Off-Patent					Generic					No.	As % of Dual All-Year NF Residents	No. of Bene Mos
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic Brand-Name									
Anti-infective Agents	0.3	0.2	0.0	0.1	\$17	\$15	\$0	\$2	\$51	\$76	\$52	\$14	59,847	\$3,046,688	16,597	67.6 %	174,878																
Biologicals	0.1	0.1	0.0	0.0	3	2	0	0	28	29	0	19	9	253	9	0.0	101																
Antineoplastic Agents	0.6	0.1	0.2	0.2	91	39	34	18	161	277	161	85	9,561	1,543,779	1,750	7.1	17,011																
Endocrine/Metabolic Drugs	1.1	0.6	0.1	0.4	35	29	2	4	33	52	15	12	117,540	3,929,875	10,763	43.8	111,647																
Cardiovascular Agents	1.9	0.6	0.2	1.1	51	28	4	19	27	47	24	17	348,427	9,534,016	18,200	74.1	187,030																
Respiratory Agents	0.6	0.2	0.0	0.4	20	12	0	8	35	56	24	22	63,587	2,195,091	10,514	42.8	110,539																
Gastrointestinal Agents	0.9	0.4	0.1	0.5	55	43	3	9	59	107	57	18	112,546	6,675,274	11,599	47.2	120,401																
Genitourinary Agents	0.6	0.4	0.0	0.1	32	29	0	2	55	67	37	17	26,427	1,458,368	4,349	17.7	46,226																
CNS Drugs	1.4	0.8	0.1	0.5	101	82	9	11	74	104	90	22	243,353	17,941,367	17,076	69.5	177,103																
Stimulants/Anti-obesity/Anorexia	0.6	0.1	0.0	0.5	28	17	1	10	45	123	42	22	1,173	52,396	180	0.7	1,863																
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	95	94	0	0	124	126	17	19	26,630	3,289,996	3,440	14.0	34,780																
Analgesics and Anesthetics	0.9	0.4	0.0	0.5	42	35	1	6	46	81	36	14	119,178	5,498,483	12,636	51.5	131,005																
Neuromuscular Agents	1.1	0.4	0.2	0.5	54	31	8	16	50	85	38	30	86,575	4,290,421	7,508	30.6	79,336																
Nutritional Products	0.7	0.0	0.2	0.5	11	0	5	6	16	18	25	12	53,895	862,008	7,440	30.3	76,880																
Hematological Agents	0.9	0.3	0.4	0.3	49	37	7	5	52	131	17	19	58,145	3,033,491	6,078	24.8	62,311																
Topical Products	0.5	0.2	0.1	0.2	17	10	2	4	33	47	43	18	74,979	2,469,909	13,923	56.7	148,879																
Miscellaneous Products	0.2	0.0	0.0	0.2	11	3	0	8	46	95	185	37	2,026	92,478	768	3.1	8,216																
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	6	0	0	0	21	0	0	0	2,331	48,552	745	3.0	7,967																
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,406,229	65,962,445	n.a.	n.a.	n.a.																

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003). In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Table D9

Dual Eligible Beneficiaries

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$9,051,662	9,967	40.6 %	105,779	0.7	\$122	\$86
ANTIDEPRESSANTS	7,111,123	13,380	54.5	142,289	0.8	64	50
ULCER DRUGS	6,161,821	11,185	45.5	118,822	0.7	70	52
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	3,289,996	3,205	13.1	33,235	0.8	124	99
ANTIHYPERTENSIVE	3,143,068	10,152	41.3	106,982	0.8	36	29
ANTICONVULSANT	3,141,654	6,402	26.1	69,059	0.9	52	45
ANALGESICS - ANTI-INFLAMMATORY	2,891,529	6,346	25.8	68,598	0.6	68	42
ANTIDIABETIC	2,773,886	8,056	32.8	85,473	0.8	39	32
ANALGESICS - Narcotic	2,431,199	12,020	48.9	125,773	0.5	36	19
CALCIUM BLOCKERS	2,402,755	5,728	23.3	60,740	0.9	45	40
<b>Total</b>	<b>42,398,693</b>	<b>86,441</b>		<b>916,750</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	
			9,967	40.6 %	77,830										0.7
<b>All</b>	<b>682,162</b>	<b>\$42,398,693</b>	<b>9,967</b>	<b>40.6 %</b>	<b>105,779</b>	<b>0.7</b>	<b>\$66</b>	<b>13,350</b>	<b>54.5 %</b>	<b>142,289</b>	<b>0.8</b>	<b>\$50</b>			
<b>Female</b>	514,680	31,711,394	7,271	39.6	77,830	0.7	83	10,241	55.8	109,558	0.8	50			
<b>Disabled</b>	52,225	3,403,569	805	52.2	9,171	0.7	99	868	56.3	9,771	0.8	55			
64 or younger	27,658	1,836,098	374	49.3	4,214	0.7	106	495	65.2	5,554	0.8	58			
65-74	9,287	622,665	178	71.8	2,073	0.7	109	147	59.3	1,735	0.8	49			
75-84	10,116	625,851	164	50.9	1,853	0.7	86	150	46.6	1,673	0.7	55			
85 and older	5,164	318,955	89	42.0	1,031	0.6	78	76	35.8	809	0.8	46			
<b>Other Eligibles</b>	462,455	28,307,825	6,466	38.4	68,659	0.7	81	9,373	55.7	99,787	0.8	49			
64 or younger	3,846	252,029	48	53.9	559	0.9	133	64	71.9	720	0.8	56			
65-74	67,792	4,309,096	962	53.4	10,531	0.7	99	1,277	70.9	13,700	0.8	54			
75-84	186,711	11,569,862	2,633	44.0	28,195	0.7	85	3,732	62.3	39,788	0.8	50			
85 and older	204,106	12,176,838	2,823	31.5	29,374	0.6	70	4,300	48.1	45,579	0.8	47			
<b>Male</b>	167,482	10,687,299	2,696	43.6	27,949	0.7	92	3,139	50.7	32,731	0.8	51			
<b>Disabled</b>	39,419	2,763,177	632	52.3	7,025	0.8	115	670	55.4	7,399	0.8	54			
64 or younger	31,994	2,274,858	485	51.5	5,369	0.8	120	547	58.1	6,067	0.8	54			
65-74	3,469	239,357	75	64.7	860	0.8	104	57	49.1	608	0.8	60			
75-84	2,725	173,979	53	49.5	580	0.9	99	44	41.1	485	0.7	47			
85 and older	1,231	74,983	19	42.2	216	0.7	82	22	48.9	239	0.7	41			
<b>Other Eligibles</b>	128,063	7,924,122	2,064	41.5	20,924	0.7	84	2,469	49.6	25,332	0.8	50			
64 or younger	2,414	148,694	33	37.9	354	0.7	104	43	49.4	475	0.8	50			
65-74	42,462	2,672,686	614	45.3	6,631	0.7	98	750	55.3	7,969	0.8	52			
75-84	52,143	3,223,468	847	43.1	8,624	0.7	84	1,006	51.2	10,321	0.8	50			
85 and older	31,044	1,879,274	570	36.3	5,315	0.6	66	670	42.6	6,567	0.8	48			
<b>Unknown</b>	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	ULCER DRUGS						MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL						ANTIHYPERTENSIVE						
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %			
	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Mean No. of Rx	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Mean No. of Rx	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Mean No. of Rx	No. of Bene among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>11,185</b>	<b>45.5 %</b>	<b>0.7</b>	<b>\$52</b>	<b>3,205</b>	<b>13.1 %</b>	<b>33,235</b>	<b>0.8</b>	<b>\$99</b>	<b>10,152</b>	<b>41.3 %</b>	<b>106,982</b>	<b>0.8</b>	<b>\$29</b>					
<b>Female</b>	8,436	45.9	0.7	52	2,496	13.6	26,205	0.8	99	7,482	40.7	79,126	0.8	29					
<b>Disabled</b>	758	49.2	0.7	49	92	6.0	1,012	0.7	110	618	40.1	6,784	0.8	30					
64 or younger	372	49.0	0.7	49	34	4.5	360	0.8	149	283	37.3	3,168	0.8	30					
65-74	107	43.1	0.7	47	14	5.6	168	0.8	96	117	47.2	1,323	0.8	31					
75-84	176	54.7	0.7	48	24	7.5	256	0.7	85	140	43.5	1,509	0.8	28					
85 and older	103	48.6	0.7	53	20	9.4	228	0.7	86	78	36.8	784	0.8	30					
<b>Other Eligibles</b>	7,678	45.6	0.7	52	2,404	14.3	25,193	0.8	98	6,864	40.8	72,342	0.8	29					
64 or younger	43	48.3	0.7	45	8	9.0	96	0.8	82	48	53.9	501	0.8	25					
65-74	907	50.4	0.7	51	217	12.0	2,226	0.8	98	852	47.3	9,244	0.8	30					
75-84	2,825	47.2	0.7	53	993	16.6	10,397	0.8	100	2,630	43.9	28,032	0.8	29					
85 and older	3,903	43.6	0.7	52	1,186	13.3	12,474	0.8	98	3,334	37.3	34,565	0.8	28					
<b>Male</b>	2,749	44.4	0.7	52	709	11.5	7,030	0.8	100	2,670	43.1	27,856	0.8	31					
<b>Disabled</b>	570	47.1	0.7	50	45	3.7	475	0.7	93	559	46.2	6,173	0.8	32					
64 or younger	443	47.1	0.7	50	38	4.0	392	0.7	98	434	46.1	4,780	0.8	33					
65-74	61	52.6	0.7	49	2	1.7	24	0.4	55	62	53.4	698	0.6	25					
75-84	47	43.9	0.7	56	3	2.8	35	0.6	82	40	37.4	457	0.8	30					
85 and older	19	42.2	0.7	47	2	4.4	24	0.5	63	23	51.1	238	0.9	40					
<b>Other Eligibles</b>	2,179	43.8	0.7	53	664	13.3	6,555	0.8	100	2,111	42.4	21,683	0.8	30					
64 or younger	35	40.2	0.8	48	5	5.7	51	0.8	100	33	37.9	355	0.8	34					
65-74	597	44.0	0.8	53	135	10.0	1,440	0.8	95	649	47.9	7,005	0.8	31					
75-84	874	44.5	0.7	52	290	14.8	2,859	0.8	104	865	44.0	8,832	0.8	29					
85 and older	673	42.8	0.7	53	234	14.9	2,205	0.8	98	564	35.9	5,491	0.8	29					
<b>Unknown</b>	0	0.0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.
  - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	ANTICONVULSANT					ANALGESICS - ANTI-INFLAMMATORY					ANTIDIABETIC						
	Users as %					Users as %					Users as %						
	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene among Users	Mean No. of Rx
<b>All</b>	<b>6,402</b>	<b>26.1 %</b>	<b>0.9</b>	<b>\$46</b>	<b>0.9</b>	<b>6,346</b>	<b>25.8 %</b>	<b>0.6</b>	<b>\$42</b>	<b>0.6</b>	<b>8,056</b>	<b>32.8 %</b>	<b>0.8</b>	<b>\$33</b>	<b>85,473</b>	<b>0.8</b>	<b>\$33</b>
<b>Female</b>	4,292	23.4	0.9	43	0.9	4,979	27.1	0.6	44	0.6	5,997	32.6	0.8	32	64,161	0.8	32
<b>Disabled</b>	730	47.4	1.0	52	1.0	435	28.2	0.6	38	0.6	628	40.8	0.9	38	7,006	0.9	38
64 or younger	506	66.7	1.0	55	1.0	219	28.9	0.5	35	0.5	307	40.4	0.9	39	3,459	0.9	39
65-74	96	38.7	1.0	47	1.0	67	27.0	0.6	38	0.6	111	44.8	0.9	43	1,275	0.9	43
75-84	99	30.7	0.9	40	0.9	93	28.9	0.7	44	0.7	148	46.0	0.8	34	1,622	0.8	34
85 and older	29	13.7	0.9	48	0.9	56	26.4	0.6	42	0.6	62	29.2	0.8	27	650	0.8	27
<b>Other Eligibles</b>	3,562	21.2	0.8	41	0.8	4,544	27.0	0.6	44	0.6	5,369	31.9	0.8	32	57,155	0.8	32
64 or younger	57	64.0	1.0	52	1.0	31	34.8	0.5	37	0.5	63	70.8	0.8	31	669	0.8	31
65-74	821	45.6	0.9	48	0.9	546	30.3	0.6	42	0.6	960	53.3	0.9	36	10,365	0.9	36
75-84	1,498	25.0	0.8	40	0.8	1,725	28.8	0.6	45	0.6	2,376	39.7	0.8	33	25,406	0.8	33
85 and older	1,186	13.3	0.8	35	0.8	2,242	25.1	0.6	44	0.6	1,970	22.0	0.8	28	20,715	0.8	28
<b>Male</b>	2,110	34.1	0.9	51	0.9	1,367	22.1	0.6	37	0.6	2,059	33.3	0.8	33	21,312	0.8	33
<b>Disabled</b>	715	59.1	1.0	66	1.0	243	20.1	0.5	32	0.5	415	34.3	0.8	35	4,563	0.8	35
64 or younger	631	67.1	1.0	69	1.0	188	20.0	0.6	32	0.6	308	32.7	0.8	35	3,314	0.8	35
65-74	44	37.9	0.9	39	0.9	21	18.1	0.5	32	0.5	53	45.7	0.8	39	619	0.8	39
75-84	29	27.1	0.9	58	0.9	17	15.9	0.5	25	0.5	38	35.5	0.8	29	442	0.8	29
85 and older	11	24.4	0.8	38	0.8	17	37.8	0.5	29	0.5	16	35.6	0.8	42	188	0.8	42
<b>Other Eligibles</b>	1,395	28.0	0.9	43	0.9	1,124	22.6	0.6	38	0.6	1,644	33.0	0.8	33	16,749	0.8	33
64 or younger	39	44.8	0.8	50	0.8	12	13.8	0.5	29	0.5	34	39.1	0.9	28	366	0.9	28
65-74	576	42.5	0.9	47	0.9	320	23.6	0.6	36	0.6	555	40.9	0.9	35	5,908	0.9	35
75-84	543	27.6	0.9	42	0.9	444	22.6	0.6	40	0.6	688	35.0	0.9	32	7,041	0.9	32
85 and older	237	15.1	0.8	35	0.8	348	22.1	0.6	39	0.6	367	23.3	0.8	31	3,434	0.8	31
<b>Unknown</b>	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	ANALGESICS - Narcotic										CALCIUM BLOCKERS															
	Users as %					Users as %					Users as %					Users as %										
	No. of Users	No. of Users	Residents	NF	All-Year	No. of Bene Mos among Users	Mean Rx	Mean Rx-\$	No. of Rx	Mean Rx-\$	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx-\$	No. of Rx	Mean Rx-\$	All-Year NF Residents	Mean No. of Rx	Mean Rx-\$	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx-\$	All-Year NF Residents	Mean No. of Rx	Mean Rx-\$	Bene Mos among All-Year NF Residents	
<b>All</b>	12,020	48.9 %	125,773	0.5	\$19	5,728	23.3 %	60,740	0.9	\$40	250,169															
<b>Female</b>	9,457	51.5	99,803	0.6	20	4,438	24.2	47,353	0.9	39	188,741															
<b>Disabled</b>	734	47.6	8,107	0.6	23	349	22.6	3,947	0.9	43	16,951															
64 or younger	395	52.0	4,392	0.6	24	143	18.8	1,633	0.9	44	8,343															
65-74	108	43.5	1,217	0.6	19	71	28.6	823	0.9	46	2,797															
75-84	133	41.3	1,451	0.6	24	82	25.5	901	0.9	43	3,548															
85 and older	98	46.2	1,047	0.6	21	53	25.0	590	0.9	37	2,263															
<b>Other Eligibles</b>	8,723	51.8	91,696	0.5	20	4,089	24.3	43,406	0.9	39	171,790															
64 or younger	62	69.7	692	0.6	27	28	31.5	310	0.9	38	993															
65-74	1,040	57.7	11,080	0.6	23	504	28.0	5,470	0.9	42	18,855															
75-84	3,233	54.0	34,332	0.6	21	1,561	26.1	16,775	0.9	39	61,737															
85 and older	4,388	49.0	45,592	0.5	17	1,996	22.3	20,851	0.9	38	90,205															
<b>Male</b>	2,563	41.4	25,970	0.5	17	1,290	20.8	13,387	0.9	41	61,428															
<b>Disabled</b>	508	42.0	5,507	0.6	20	225	18.6	2,439	0.9	45	13,089															
64 or younger	430	45.7	4,691	0.6	22	168	17.9	1,822	0.9	48	10,184															
65-74	28	24.1	245	0.4	9	26	22.4	274	0.8	36	1,261															
75-84	32	29.9	360	0.5	12	21	19.6	235	0.8	31	1,151															
85 and older	18	40.0	211	0.6	21	10	22.2	108	0.8	38	493															
<b>Other Eligibles</b>	2,055	41.3	20,463	0.5	17	1,065	21.4	10,948	0.9	40	48,339															
64 or younger	35	40.2	384	0.5	12	19	21.8	204	0.9	54	919															
65-74	601	44.3	6,266	0.5	20	330	24.3	3,631	0.9	43	14,010															
75-84	771	39.3	7,662	0.5	19	409	20.8	4,152	0.9	39	18,981															
85 and older	648	41.2	6,151	0.4	10	307	19.5	2,961	0.9	37	14,429															
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0															

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 11,774 beneficiaries who were in nursing facilities for part of their enrollment and their 109,474 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 GEORGIA, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx as % of All Rx \$	Total No. of Benes
			2.8	444,038					
<b>All</b>	<b>72,908</b>	<b>46.3 %</b>	<b>2.8</b>	<b>444,038</b>	<b>\$54</b>	<b>\$8,431,847</b>	<b>\$19</b>	<b>2.6 %</b>	<b>157,335</b>
<b>Age</b>									
5 and younger	9	90.0	8.5	85	358	3,577	42	14.6	10
6-14	25	56.8	4.2	185	457	20,090	109	11.9	44
15-20	123	38.0	1.8	590	46	15,058	26	3.3	324
21-44	8,231	34.6	1.6	39,180	52	1,248,396	32	2.7	23,818
45-64	14,762	46.8	2.8	87,642	56	1,752,899	20	2.3	31,524
65-74	16,455	44.2	2.7	101,763	52	1,937,786	19	2.7	37,238
75-84	18,365	50.0	3.3	120,169	54	1,979,872	16	2.7	36,740
85 and older	14,938	54.1	3.4	94,424	53	1,474,169	16	3.0	27,636
Unknown	0	0.0	0.0	0	0	0	0	0.0	1
<b>Basis of Eligibility<sup>c</sup></b>									
Aged	38,153	49.0	3.1	240,270	52	4,080,237	17	2.8	77,812
Disabled	34,384	44.0	2.6	202,608	55	4,325,179	21	2.5	78,232
Adults	363	28.8	0.9	1,123	20	25,301	23	2.4	1,259
Children	6	21.4	1.1	32	32	907	28	1.2	28
Unknown	2	50.0	1.3	5	56	223	45	14.6	4
<b>Gender</b>									
Female	54,361	50.1	3.1	336,852	55	5,918,823	18	2.6	108,445
Male	18,547	37.9	2.2	107,186	51	2,513,024	23	2.8	48,890
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
<b>Race</b>									
White	37,765	51.3	3.2	237,579	67	4,963,879	21	2.8	73,639
African American	27,139	42.4	2.5	161,541	40	2,571,571	16	2.4	64,051
Other/unknown	8,004	40.7	2.3	44,918	46	896,397	20	2.5	19,645
<b>Use of Nursing Facilities<sup>d</sup></b>									
Entire year	14,948	60.9	4.6	111,790	78	1,920,654	17	2.9	24,556
Part year	7,781	66.1	3.7	43,226	64	756,568	18	3.0	11,774
None	50,179	41.5	2.4	289,022	48	5,754,625	20	2.5	121,005
<b>Maintenance Assistance Status</b>									
Cash	40,560	42.3	2.5	241,272	48	4,567,101	19	2.4	95,904
Medically needy	3,508	44.9	2.0	15,762	69	538,479	34	4.6	7,805
Poverty related	1,828	39.6	1.8	8,302	35	160,924	19	2.7	4,621
Other/unknown	27,012	55.1	3.6	178,702	65	3,165,343	18	2.8	49,005

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
  - b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
  - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
  - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 GEORGIA, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
	0.3	\$5	\$19	\$0	\$1	1,641,556
<b>All</b>						
<b>Age</b>						
5 and younger	0.8	35	42	1	0	102
6-14	0.4	43	109	0	0	466
15-20	0.2	4	26	0	1	3,537
21-44	0.2	5	32	0	1	253,706
45-64	0.3	5	20	0	2	325,504
65-74	0.3	5	19	0	1	395,050
75-84	0.3	5	16	0	1	386,809
85 and older	0.3	5	16	0	1	276,378
Unknown	0.0	0	0	0	0	4
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.3	5	17	0	1	786,303
Disabled	0.2	5	21	0	1	847,314
Adults	0.1	3	23	0	1	7,641
Children	0.1	3	28	0	1	277
Unknown	0.2	11	45	0	9	21
<b>Gender</b>						
Female	0.3	5	18	0	1	1,148,152
Male	0.2	5	23	0	1	493,404
Unknown	0.0	0	0	0	0	0
<b>Race</b>						
White	0.3	7	21	0	2	744,345
African American	0.2	4	16	0	1	684,872
Other/unknown	0.2	4	20	0	1	212,339
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	0.4	8	17	0	2	250,169
Part year	0.4	7	18	0	2	109,474
None	0.2	4	20	0	1	1,281,913
<b>Maintenance Assistance Status</b>						
Cash	0.2	4	19	0	1	1,077,085
Medically needy	0.4	12	34	0	2	44,468
Poverty related	0.2	3	19	0	1	46,963
Other/unknown	0.4	7	18	0	2	473,040

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE D.13  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS<sup>a,b,c</sup>  
 GEORGIA, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
<b>All</b>	<b>94,697</b>	<b>\$89</b>	<b>\$8,431,847</b>	<b>100.0 %</b>	<b>444,038</b>	<b>\$19</b>	<b>100.0 %</b>
Anorexia or weight loss/gain	1,394	198	275,605	3.3	2,387	115	0.5
Fertility drugs	3	594	1,783	0.0	14	127	0.0
Drugs for cosmetic purposes	519	754	391,563	4.6	2,016	194	0.5
Cough and cold medications	5,042	69	346,097	4.1	6,232	56	1.4
Vitamins and minerals	32,993	102	3,361,143	39.9	201,348	17	45.3
Non-prescription drugs	20,869	47	976,681	11.6	99,105	10	22.3
Barbiturates	2,570	50	128,742	1.5	23,463	5	5.3
Benzodiazepines	25,795	73	1,891,527	22.4	92,241	21	20.8
Other Part D Excl Rx Drugs	5,512	192	1,058,706	12.6	17,232	61	3.9

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 09/2005. This table was produced on 09/19/2006.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

SUPPLEMENTAL TABLE 1  
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES<sup>a, b</sup>  
 GEORGIA, 2001

Total Number of Dual Eligible Beneficiaries 157,335  
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries \$319,374,664  
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary \$2,030

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	14,711	9.4 %	\$0	0.0 %
1-500	31,603	20.1	6,943,950	2.2
501-1,000	21,128	13.4	15,699,947	4.9
1,001-1,500	17,137	10.9	21,291,717	6.7
1,501-2,000	14,399	9.2	25,090,235	7.9
2,001-2,500	11,766	7.5	26,378,035	8.3
2,501-3,000	9,657	6.1	26,458,112	8.3
3,001-3,500	7,641	4.9	24,785,819	7.8
3,501-4,000	6,179	3.9	23,127,169	7.2
4,001-4,500	4,660	3.0	19,754,068	6.2
4,501-5,000	3,944	2.5	18,693,660	5.9
5,001-5,500	2,934	1.9	15,382,662	4.8
5,501-6,000	2,320	1.5	13,315,427	4.2
6,001-6,500	1,777	1.1	11,085,201	3.5
6,501-7,000	1,436	0.9	9,677,676	3.0
7,001-7,500	1,058	0.7	7,664,916	2.4
7,501-8,000	874	0.6	6,766,911	2.1
8,001-8,500	671	0.4	5,539,003	1.7
8,501-9,000	610	0.4	5,329,086	1.7
9,001-9,500	471	0.3	4,354,949	1.4
9,501-10,000	351	0.2	3,423,333	1.1
10,001+	2,008	1.3	28,612,788	9.0

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1A  
 MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65<sup>a, b, c</sup>  
 GEORGIA, 2001

Total Number of Disabled Dual Eligible Beneficiaries, Age < 65    53,895  
 Total Pharmacy Reimbursement for Disabled Dual Eligible Beneficiaries, Age < 65                                      \$120,083,145  
 Mean Pharmacy Reimbursement per Disabled Dual Eligible Beneficiary, Age < 65                                      \$2,228

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Disabled Dual Beneficiaries, Age < 65		Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
		12.1 %	0		
\$0	6,506				0.0 %
1-500	12,528	23.2	0	2,528,029	2.1
501-1,000	6,302	11.7		4,647,253	3.9
1,001-1,500	4,817	8.9		5,967,702	5.0
1,501-2,000	3,920	7.3		6,832,843	5.7
2,001-2,500	3,238	6.0		7,253,905	6.0
2,501-3,000	2,737	5.1		7,501,814	6.2
3,001-3,500	2,200	4.1		7,131,122	5.9
3,501-4,000	1,873	3.5		7,014,005	5.8
4,001-4,500	1,508	2.8		6,396,703	5.3
4,501-5,000	1,314	2.4		6,228,750	5.2
5,001-5,500	1,100	2.0		5,770,343	4.8
5,501-6,000	905	1.7		5,197,382	4.3
6,001-6,500	752	1.4		4,690,311	3.9
6,501-7,000	643	1.2		4,340,707	3.6
7,001-7,500	487	0.9		3,531,528	2.9
7,501-8,000	431	0.8		3,340,354	2.8
8,001-8,500	376	0.7		3,103,533	2.6
8,501-9,000	339	0.6		2,958,563	2.5
9,001-9,500	278	0.5		2,572,508	2.1
9,501-10,000	218	0.4		2,126,877	1.8
10,001+	1,423	2.6		20,948,913	17.4

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

c. This table is limited to dual eligible beneficiaries who were under age 65 and also indicated as disabled in the MAX files. Therefore, dual eligible beneficiaries under age 65 in "adults" or "children" basis-of-eligibility categories in Table D.2 are excluded because they were not classified as disabled in the MAX files. Disabled dual eligible beneficiaries age 65 and older are included in Supplemental Tables 1B through 1E, depending on their age.

SUPPLEMENTAL TABLE 1B

MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER<sup>a, b</sup>  
GEORGIA, 2001

Total Number of Dual Eligible Beneficiaries, Age 65+ Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65+ Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65+	101,614 \$196,678,635 \$1,936
---	-------------------------------------

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 65+ 7.7%	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	7,819		0	0.0%
1-500	18,550	18.3	4,318,340	2.2
501-1,000	14,601	14.4	10,887,836	5.5
1,001-1,500	12,159	12.0	15,122,736	7.7
1,501-2,000	10,380	10.2	18,087,121	9.2
2,001-2,500	8,456	8.3	18,963,997	9.6
2,501-3,000	6,862	6.8	18,798,563	9.6
3,001-3,500	5,396	5.3	17,508,984	8.9
3,501-4,000	4,255	4.2	15,922,811	8.1
4,001-4,500	3,120	3.1	13,221,230	6.7
4,501-5,000	2,605	2.6	12,346,133	6.3
5,001-5,500	1,810	1.8	9,486,470	4.8
5,501-6,000	1,384	1.4	7,940,973	4.0
6,001-6,500	1,007	1.0	6,282,776	3.2
6,501-7,000	781	0.8	5,256,304	2.7
7,001-7,500	557	0.5	4,033,099	2.1
7,501-8,000	431	0.4	3,333,783	1.7
8,001-8,500	289	0.3	2,385,734	1.2
8,501-9,000	266	0.3	2,326,674	1.2
9,001-9,500	186	0.2	1,717,093	0.9
9,501-10,000	132	0.1	1,286,584	0.7
10,001+	568	0.6	7,451,394	3.8

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1C  
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74 <sup>a, b</sup>  
 GEORGIA, 2001

Total Number of Dual Eligible Beneficiaries, Age 65-74                    37,238  
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65-74        \$73,035,341  
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65-74        \$1,961

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 65-74	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	3,736	10.0 %	0	0.0 %
1-500	6,988	18.8	1,557,744	2.1
501-1,000	5,026	13.5	3,742,624	5.1
1,001-1,500	4,121	11.1	5,117,896	7.0
1,501-2,000	3,534	9.5	6,153,435	8.4
2,001-2,500	2,872	7.7	6,443,373	8.8
2,501-3,000	2,402	6.5	6,579,221	9.0
3,001-3,500	1,855	5.0	6,014,710	8.2
3,501-4,000	1,566	4.2	5,865,993	8.0
4,001-4,500	1,130	3.0	4,794,859	6.6
4,501-5,000	959	2.6	4,544,702	6.2
5,001-5,500	636	1.7	3,334,764	4.6
5,501-6,000	510	1.4	2,928,223	4.0
6,001-6,500	380	1.0	2,373,121	3.2
6,501-7,000	324	0.9	2,184,039	3.0
7,001-7,500	266	0.7	1,926,078	2.6
7,501-8,000	184	0.5	1,426,098	2.0
8,001-8,500	137	0.4	1,131,153	1.5
8,501-9,000	143	0.4	1,249,798	1.7
9,001-9,500	87	0.2	803,397	1.1
9,501-10,000	64	0.2	624,580	0.9
10,001+	318	0.9	4,239,533	5.8

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.  
 b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1D

MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84<sup>a, b</sup>  
 GEORGIA, 2001

Total Number of Dual Eligible Beneficiaries, Age 75-84 36,740  
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 75-84 \$74,505,652  
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 75-84 \$2,028

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 75-84	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	2,528	6.9%	0	0.0%
1-500	6,065	16.5	1,434,812	1.9
501-1,000	5,168	14.1	3,855,814	5.2
1,001-1,500	4,449	12.1	5,540,806	7.4
1,501-2,000	3,855	10.5	6,720,638	9.0
2,001-2,500	3,230	8.8	7,233,258	9.7
2,501-3,000	2,592	7.1	7,100,275	9.5
3,001-3,500	2,083	5.7	6,756,616	9.1
3,501-4,000	1,628	4.4	6,091,173	8.2
4,001-4,500	1,205	3.3	5,104,579	6.9
4,501-5,000	1,039	2.8	4,922,276	6.6
5,001-5,500	756	2.1	3,964,164	5.3
5,501-6,000	561	1.5	3,220,783	4.3
6,001-6,500	411	1.1	2,564,008	3.4
6,501-7,000	300	0.8	2,015,309	2.7
7,001-7,500	192	0.5	1,389,358	1.9
7,501-8,000	173	0.5	1,337,838	1.8
8,001-8,500	107	0.3	882,334	1.2
8,501-9,000	88	0.2	770,010	1.0
9,001-9,500	73	0.2	673,298	0.9
9,501-10,000	45	0.1	436,989	0.6
10,001+	192	0.5	2,491,314	3.3

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1E  
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER<sup>a, b</sup>  
 GEORGIA, 2001

Total Number of Dual Eligible Beneficiaries, Age 85+ 27,636  
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 85+ \$49,137,642  
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 85+ \$1,778

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 85+	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	1,555	5.6 %	0	0.0 %
1-500	5,497	19.9	1,325,784	2.7
501-1,000	4,407	15.9	3,289,398	6.7
1,001-1,500	3,589	13.0	4,464,034	9.1
1,501-2,000	2,991	10.8	5,213,048	10.6
2,001-2,500	2,354	8.5	5,287,366	10.8
2,501-3,000	1,868	6.8	5,119,067	10.4
3,001-3,500	1,458	5.3	4,737,658	9.6
3,501-4,000	1,061	3.8	3,965,645	8.1
4,001-4,500	785	2.8	3,321,792	6.8
4,501-5,000	607	2.2	2,879,155	5.9
5,001-5,500	418	1.5	2,187,542	4.5
5,501-6,000	313	1.1	1,791,967	3.6
6,001-6,500	216	0.8	1,345,647	2.7
6,501-7,000	157	0.6	1,056,956	2.2
7,001-7,500	99	0.4	717,663	1.5
7,501-8,000	74	0.3	569,847	1.2
8,001-8,500	45	0.2	372,247	0.8
8,501-9,000	35	0.1	306,866	0.6
9,001-9,500	26	0.1	240,398	0.5
9,501-10,000	23	0.1	225,015	0.5
10,001+	58	0.2	720,547	1.5

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	No. of Benes				No. of Bene Mos							
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
<b>All</b>	<b>157,716</b>	<b>77,994</b>	<b>78,431</b>	<b>1,259</b>	<b>28</b>	<b>4</b>	<b>1,641,094</b>	<b>785,958</b>	<b>847,210</b>	<b>7,629</b>	<b>276</b>	<b>21</b>
<b>Age</b>												
5 and younger	10	0	9	0	1	0	102	0	90	0	12	0
6-14	44	0	36	0	8	0	463	0	388	0	75	0
15-20	325	0	308	7	10	0	3,538	0	3,393	48	97	0
21-44	23,845	4	23,020	815	6	0	253,506	17	248,171	5,262	56	0
45-64	31,682	607	30,701	370	1	3	325,526	5,727	317,786	1,984	12	17
65-74	37,352	21,575	15,715	60	1	1	395,391	215,556	179,516	303	12	4
75-84	36,810	30,236	6,568	6	0	0	386,572	311,500	75,044	28	0	0
85 and older	27,647	25,572	2,074	0	1	0	275,992	253,158	22,822	0	12	0
Unknown	1	0	0	1	0	4	0	0	0	4	0	0
<b>Gender</b>												
Female	108,644	59,794	47,908	925	13	4	1,147,525	614,518	527,097	5,756	133	21
Male	49,072	18,200	30,523	334	15	0	493,569	171,440	320,113	1,873	143	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Race</b>												
White	73,915	40,636	32,703	562	11	3	744,484	392,896	347,990	3,473	110	15
African American	64,147	27,622	35,832	677	15	1	684,371	288,075	392,092	4,056	142	6
Other/unknown	19,654	9,736	9,896	20	2	0	212,239	104,987	107,128	100	24	0
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	24,557	21,807	2,750	0	0	0	250,075	220,125	29,950	0	0	0
Part year	11,775	10,390	1,385	0	0	0	109,336	95,091	14,245	0	0	0
None	121,384	45,797	74,296	1,259	28	4	1,281,683	470,742	803,015	7,629	276	21
<b>Maintenance Assistance Status</b>												
Cash	95,904	32,415	62,590	895	4	0	1,076,897	364,042	707,902	4,937	16	0
Medically needy	8,183	4,102	4,081	0	0	0	46,318	24,266	22,052	0	0	0
Poverty related	4,624	2,452	1,997	158	13	4	46,396	26,050	19,076	1,121	128	21
Other/unknown	49,005	39,025	9,763	206	11	0	471,483	371,600	98,180	1,571	132	0
<b>Dual Status<sup>d</sup></b>												
Full dual, all year	152,047	74,724	76,056	1,235	28	4	1,584,036	752,058	824,288	7,393	276	21
Full dual, part year	5,669	3,270	2,375	24	0	0	57,058	33,900	22,922	236	0	0
<b>Managed Care Status</b>												
FFS all year	157,335	77,812	78,232	1,259	28	4	1,640,486	785,677	846,883	7,629	276	21
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
Unknown	381	182	199	0	0	0	608	281	327	0	0	0



Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2001

Beneficiary Characteristics	Bene Mos in Cell F of Table 1		Included in Cell G of Table 1		Excluded from Cell G of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
<b>All</b>	<b>157,716</b>	<b>1,641,094</b>	<b>157,335</b>	<b>1,641,556</b>	<b>0</b>	<b>608</b>
FFS all year	157,335	1,640,486	157,335	1,641,556	0	0
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0
Unknown	381	608	0	0	0	608

Source: Data for this table are from the MAX 2001 file for Georgia, released by CMS in 08/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.