

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 LOUISIANA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	No. of Benes						No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	109,176	70,623	38,399	150	4	0	1,194,655	759,296	434,004	1,309	46	0
Age												
5 and younger	8	0	7	0	1	0	63	0	51	0	12	0
6-14	24	0	22	0	2	0	276	0	254	0	22	0
15-20	291	0	290	0	1	0	3,337	0	3,325	0	12	0
21-44	17,973	0	17,868	105	0	0	204,284	0	203,368	916	0	0
45-64	20,150	0	20,108	42	0	0	226,678	0	226,297	381	0	0
65-74	26,822	26,727	92	3	0	0	298,419	297,819	588	12	0	0
75-84	24,906	24,899	7	0	0	0	268,401	268,329	72	0	0	0
85 and older	19,002	18,997	5	0	0	0	193,197	193,148	49	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	73,397	53,837	19,471	87	2	0	807,263	584,513	221,969	759	22	0
Male	35,775	16,786	18,924	63	2	0	387,357	174,783	212,000	550	24	0
Unknown	4	0	4	0	0	0	35	0	35	0	0	0
Race												
White	45,491	30,381	15,029	80	1	0	483,453	313,740	169,027	676	10	0
African American	48,827	29,408	19,349	68	2	0	546,119	325,777	219,692	626	24	0
Other/unknown	14,858	10,834	4,021	2	1	0	165,083	119,779	45,285	7	12	0
Use of Nursing Facilities^c												
Entire year	20,795	18,990	1,803	2	0	0	209,166	189,526	19,631	9	0	0
Part year	7,720	6,942	778	0	0	0	75,897	67,813	8,084	0	0	0
None	80,661	44,691	35,818	148	4	0	909,592	501,957	406,289	1,300	46	0
Maintenance Assistance Status												
Cash	71,012	42,615	28,266	131	0	0	806,328	484,852	320,296	1,180	0	0
Medically needy	268	129	136	3	0	0	2,668	1,277	1,363	28	0	0
Poverty-related	2,632	1,345	1,274	10	3	0	28,363	14,440	13,834	55	34	0
Other/unknown	35,264	26,534	8,723	6	1	0	357,296	258,727	98,511	46	12	0
Dual Medicare Status^d												
Full dual, all year	106,224	68,902	37,175	143	4	0	1,161,940	740,393	420,258	1,243	46	0
Full dual, part year	2,952	1,721	1,224	7	0	0	32,715	18,903	13,746	66	0	0
Managed Care Status												
FFS all year	109,176	70,623	38,399	150	4	0	1,194,655	759,296	434,004	1,309	46	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	89.7 %	48.8	\$2,388	\$49	\$10,754	22.2 %	109,176
Age							
5 and younger	75.0	17.5	1,597	91	6,283	25.4	8
6-14	100.0	45.9	6,541	143	20,543	31.8	24
15-20	77.3	20.3	1,806	89	9,489	19.0	291
21-44	79.8	28.7	1,921	67	10,376	18.5	17,973
45-64	88.5	50.6	2,668	53	12,062	22.1	20,150
65-74	90.0	51.5	2,389	46	7,714	31.0	26,822
75-84	93.6	56.1	2,567	46	10,761	23.9	24,906
85 and older	95.0	52.9	2,301	44	14,013	16.4	19,002
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^c							
Aged	92.6	53.5	2,429	45	10,469	23.2	70,623
Disabled	84.4	40.2	2,315	58	11,298	20.5	38,399
Adults	90.7	34.8	1,741	50	5,531	31.5	150
Children	100.0	42.3	7,837	186	14,982	52.3	4
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	92.9	53.6	2,519	47	10,362	24.3	73,397
Male	83.1	38.9	2,119	55	11,558	18.3	35,775
Unknown	75.0	8.3	261	32	7,054	3.7	4
Race							
White	91.2	57.4	2,862	50	14,977	19.1	45,491
African American	88.1	41.2	1,990	48	8,034	24.8	48,827
Other/unknown	90.5	47.5	2,245	47	6,761	33.2	14,858
Use of Nursing Facilities^d							
Entire year	98.1	72.2	3,509	49	24,073	14.6	20,795
Part year	98.3	58.8	2,927	50	17,778	16.5	7,720
None	86.8	41.8	2,047	49	6,648	30.8	80,661
Maintenance Assistance Status							
Cash	88.7	44.1	2,121	48	5,007	42.4	71,012
Medically needy	79.9	35.3	2,056	58	6,697	30.7	268
Poverty related	78.0	25.5	1,242	49	4,526	27.5	2,632
Other/unknown	92.7	60.0	3,014	50	22,822	13.2	35,264

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:						Mean \$, All Services	Benes	Bene Mos
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10			
All	4.5	\$218	22.2 %	10.3 %	16.2 %	10.8 %	29.2 %	25.9 %	7.7 %	\$983	109,176	1,194,655
Age												
5 and younger	2.2	203	25.4	25.0	25.0	12.5	37.5	0.0	0.0	798	8	63
6-14	4.0	569	31.8	0.0	8.3	4.2	70.8	16.7	0.0	1,786	24	276
15-20	1.8	158	19.0	22.7	40.9	13.4	14.8	6.9	1.4	828	291	3,337
21-44	2.5	169	18.5	20.2	31.2	12.3	22.1	11.3	2.9	913	17,973	204,284
45-64	4.5	237	22.1	11.5	15.9	11.1	28.4	24.7	8.4	1,072	20,150	226,678
65-74	4.6	215	31.0	10.0	14.9	10.8	29.7	26.5	8.2	693	26,822	298,419
75-84	5.2	238	23.9	6.4	11.4	10.2	30.6	31.6	9.8	999	24,906	268,401
85 and older	5.2	226	16.4	5.0	10.2	9.6	34.2	33.1	8.0	1,378	19,002	193,197
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility^c												
Aged	5.0	226	23.2	7.4	12.4	10.3	31.2	30.1	8.7	974	70,623	759,296
Disabled	3.6	205	20.5	15.6	23.2	11.6	25.4	18.3	5.8	1,000	38,399	434,004
Adults	4.0	200	31.5	9.3	22.7	18.7	25.3	18.0	6.0	634	150	1,309
Children	3.7	682	52.3	0.0	0.0	25.0	75.0	0.0	0.0	1,303	4	46
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	4.9	229	24.3	7.1	13.8	10.7	31.0	28.6	8.8	942	73,397	807,263
Male	3.6	196	18.3	16.9	21.1	10.9	25.5	20.3	5.4	1,067	35,775	387,357
Unknown	0.9	30	3.7	25.0	50.0	0.0	0.0	0.0	25.0	806	4	35
Race												
White	5.4	269	19.1	8.8	11.6	8.6	27.5	31.7	11.7	1,409	45,491	483,453
African American	3.7	178	24.8	11.9	20.2	12.5	30.1	21.1	4.3	718	48,827	546,119
Other/unknown	4.3	202	33.2	9.5	17.1	11.8	31.0	24.1	6.4	609	14,858	165,083
use of nursing Facilities^d												
Entire year	7.2	349	14.6	1.9	4.0	5.4	27.5	43.0	18.2	2,393	20,795	209,166
Part year	6.0	298	16.5	1.7	8.3	9.1	33.3	36.8	10.8	1,808	7,720	75,897
None	3.7	182	30.8	13.2	20.1	12.3	29.2	20.5	4.6	590	80,661	909,592
Maintenance Assistance Status												
Cash	3.9	187	42.4	11.3	19.6	12.3	29.9	21.8	5.1	441	71,012	806,328
Medically needy	3.5	207	30.7	20.1	19.0	11.2	27.2	16.0	6.3	673	268	2,668
Poverty related	2.4	115	27.5	22.0	30.5	13.9	20.7	10.6	2.3	420	2,632	28,363
Other/unknown	5.9	298	13.2	7.3	8.4	7.5	28.3	35.4	13.2	2,253	35,264	357,296

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.5
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	4.5	\$218	\$49	2.0	\$160	\$78	0.3	\$16	\$45	2.1	\$43	\$21
Age												
5 and younger	2.2	203	91	1.1	181	170	0.2	5	23	0.9	17	18
6-14	4.0	569	143	1.7	483	287	0.4	28	65	1.9	58	31
15-20	1.8	158	89	0.8	123	157	0.1	13	91	0.8	22	26
21-44	2.5	169	67	1.1	127	113	0.2	13	71	1.2	29	24
45-64	4.5	237	53	2.1	176	83	0.3	16	53	2.1	44	21
65-74	4.6	215	46	2.2	159	71	0.3	14	43	2.1	42	20
75-84	5.2	238	46	2.4	173	72	0.4	17	40	2.4	48	20
85 and older	5.2	226	44	2.2	159	73	0.5	18	37	2.5	50	20
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	5.0	226	45	2.3	164	72	0.4	16	40	2.3	46	20
Disabled	3.6	205	58	1.6	153	93	0.3	15	59	1.7	37	22
Adults	4.0	200	50	1.7	149	89	0.3	15	59	2.0	35	17
Children	3.7	682	186	1.9	627	331	0.3	13	43	1.5	42	28
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Gender												
Female	4.9	229	47	2.3	168	74	0.4	16	42	2.2	45	20
Male	3.6	196	55	1.6	143	90	0.3	15	53	1.7	38	22
Unknown	0.9	30	32	0.3	19	60	0.1	5	43	0.5	6	12
Race												
White	5.4	269	50	2.5	197	80	0.4	20	45	2.5	52	21
African American	3.7	178	48	1.7	130	77	0.3	12	45	1.7	35	21
Other/unknown	4.3	202	47	2.0	148	73	0.3	15	47	1.9	38	20
Use of Nursing Facilities^e												
Entire year	7.2	349	49	3.1	249	80	0.6	26	42	3.4	73	21
Part year	6.0	298	50	2.6	213	81	0.5	23	45	2.8	62	22
None	3.7	182	49	1.8	135	77	0.3	13	46	1.7	34	20
Maintenance Assistance Status												
Cash	3.9	187	48	1.8	138	75	0.3	13	46	1.8	36	20
Medically needy	3.5	207	58	1.6	155	100	0.3	15	49	1.7	36	22
Poverty related	2.4	115	49	1.1	84	78	0.2	10	50	1.1	22	20
Other/unknown	5.9	298	50	2.6	215	82	0.5	22	44	2.8	60	22

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users				\$ per Bene Mo among Users				Users								
	Patented		Off-Patent		Patented		Off-Patent		Patented		Off-Patent		As % of Dual Benes	No. of Bene Mos			
	Total	Brand-Name	Generic	Total	Brand-Name	Generic	Total	Brand-Name	Generic	Total No. of Rx	Total Rx \$	No. Dual Benes					
Anti-infective Agents	0.3	0.2	0.0	0.1	\$20	\$17	\$0	\$2	\$60	\$95	\$52	\$15	230,827	\$13,860,958	62,796	57.5 %	706,425
Biologics	0.3	0.1	0.1	0.1	####	24	762	704	4592	305	6,749	5,271	204	936,869	54	0.0	629
Antineoplastic Agents	0.5	0.2	0.1	0.2	71	36	22	13	141	188	162	73	25,289	3,569,303	4,850	4.4	50,430
Endocrine/Metabolic Drugs	0.9	0.6	0.1	0.2	38	32	2	4	41	57	18	15	484,582	20,093,649	47,707	43.7	534,294
Cardiovascular Agents	1.7	0.7	0.1	0.9	61	38	4	19	35	54	31	21	1,403,332	49,091,150	73,079	66.9	810,685
Respiratory Agents	0.7	0.4	0.0	0.2	29	23	0	6	43	56	23	23	384,201	16,679,000	51,369	47.1	578,648
Gastrointestinal Agents	0.7	0.4	0.0	0.3	51	40	3	8	69	109	79	23	400,029	27,455,722	48,517	44.4	537,912
Genitourinary Agents	0.5	0.3	0.0	0.1	25	22	0	3	53	65	35	21	92,859	4,914,417	17,396	15.9	194,931
CNS Drugs	1.1	0.5	0.1	0.6	76	58	6	11	66	110	97	21	708,300	46,919,643	55,725	51.0	616,670
Stimulants/Anti-obesity/Anorexia	0.3	0.2	0.0	0.1	26	22	1	4	76	106	55	28	7,913	603,012	2,040	1.9	23,110
Miscellaneous Psychological/Neurological Agents	0.6	0.5	0.0	0.1	66	62	0	3	106	119	71	33	52,778	5,589,244	7,900	7.2	85,142
Analgesics and Anesthetics	0.8	0.3	0.0	0.4	37	28	2	7	48	84	60	17	541,176	25,921,426	62,102	56.9	699,559
Neuromuscular Agents	0.8	0.3	0.1	0.4	41	27	3	10	51	91	42	24	273,903	13,865,627	30,146	27.6	340,110
Nutritional Products	0.7	0.0	0.2	0.5	17	1	6	9	25	35	33	20	245,204	6,010,145	32,913	30.1	361,686
Hematological Agents	0.7	0.3	0.1	0.3	49	39	3	7	70	153	29	20	202,704	14,090,015	26,071	23.9	285,608
Topical Products	0.5	0.3	0.0	0.2	18	13	2	3	38	51	43	19	247,358	9,521,555	47,007	43.1	530,397
Miscellaneous Products	0.3	0.1	0.0	0.2	46	29	8	9	135	242	225	49	8,940	1,211,109	2,391	2.2	26,123
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	7	0	0	0	22	0	0	0	17,022	378,009	5,021	4.6	56,696
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,326,621	260,710,853	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$24,337,763	25,804	23.6 %	285,655	0.7	\$128	\$85
ULCER DRUGS	23,321,614	47,001	43.1	525,820	0.5	89	44
ANTIDEPRESSANTS	15,825,831	43,902	40.2	487,897	0.6	56	32
ANALGESICS - ANTI-INFLAMMATORY	15,670,511	49,365	45.2	569,318	0.4	71	28
ANTIDIABETIC	14,667,723	39,343	36.0	441,461	0.6	52	33
ANTIHYPERTENSIVE	13,592,117	54,298	49.7	610,207	0.6	36	22
CALCIUM BLOCKERS	11,572,113	29,822	27.3	335,765	0.7	50	34
ANTHYPERLIPIDEMIC	11,067,334	20,753	19.0	238,318	0.6	76	46
ANTICONVULSANT	10,161,926	21,335	19.5	239,555	0.7	61	42
ANALGESICS - Narcotic	9,072,011	67,429	61.8	763,280	0.4	33	12
Total	149,288,943	399,052		4,497,276	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	2,435,253	\$149,288,943	25,804	23.6 %	285,655	0.7	\$85	47,001	43.1 %	525,820	0.5	\$44
Female	1,781,406	105,981,026	15,784	21.5	174,399	0.6	75	34,795	47.4	390,984	0.5	45
Disabled	449,954	29,963,763	5,217	26.8	60,769	0.6	90	8,675	44.6	100,489	0.4	38
5 and younger	10	144	0	0.0	0	0.0	0	1	25.0	3	0.3	6
6-14	105	7,325	0	0.0	0	0.0	0	4	40.0	48	0.3	13
15-20	976	81,252	19	14.7	228	0.4	70	25	19.4	287	0.3	33
21-44	121,372	8,835,211	2,305	29.8	27,161	0.6	94	2,374	30.7	27,788	0.3	32
45-64	326,029	20,958,161	2,877	25.0	33,232	0.6	88	6,236	54.1	72,086	0.4	41
65-74	1,261	72,792	14	26.4	124	0.9	75	32	60.4	241	0.5	39
75-84	99	4,264	0	0.0	0	0.0	0	2	33.3	24	0.5	73
85 and older	102	4,614	2	40.0	24	0.2	25	1	20.0	12	0.9	98
Other Eligibles	1,331,452	76,017,263	10,567	19.6	113,630	0.6	68	26,120	48.4	290,495	0.5	47
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	8	632	0	0.0	0	0.0	0	1	100.0	10	0.3	25
15-20	24	1,366	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	855	53,965	15	23.4	168	0.4	92	21	32.8	221	0.2	16
45-64	432	25,217	2	9.5	24	0.4	122	10	47.6	114	0.4	33
65-74	503,430	29,108,091	2,772	14.8	31,076	0.7	77	9,132	48.9	104,986	0.5	43
75-84	503,170	28,782,399	4,083	21.0	43,878	0.6	68	9,620	49.4	107,051	0.5	47
85 and older	323,533	18,045,593	3,695	23.5	38,484	0.6	59	7,336	46.7	78,113	0.6	51
Male	653,830	43,307,280	10,020	28.0	111,256	0.7	101	12,204	34.1	134,832	0.5	44
Disabled	318,717	23,900,617	6,180	32.7	71,574	0.7	115	5,174	27.3	59,264	0.4	39
5 and younger	1	8	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	131	6,053	0	0.0	0	0.0	0	4	33.3	48	0.4	27
15-20	1,403	136,043	38	23.6	456	0.7	93	29	18.0	341	0.3	37
21-44	131,546	10,891,768	3,262	32.2	38,026	0.7	118	2,170	21.4	25,129	0.4	35
45-64	185,144	12,840,599	2,871	33.4	33,018	0.8	112	2,953	34.4	33,622	0.5	42
65-74	474	25,197	8	20.5	64	0.5	64	17	43.6	114	0.6	47
75-84	18	949	1	100.0	10	0.2	2	1	100.0	10	0.4	44
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	335,113	19,406,663	3,840	22.8	39,682	0.7	74	7,030	41.7	75,568	0.5	47
5 and younger	10	371	0	0.0	0	0.0	0	1	100.0	12	0.5	22
6-14	6	317	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	1,043	57,051	8	19.5	86	0.3	35	14	34.1	158	0.3	38
45-64	300	14,142	0	0.0	0	0.0	0	4	19.0	46	0.5	47
65-74	166,269	9,682,208	1,495	18.6	16,166	0.7	86	3,153	39.1	34,995	0.5	44
75-84	111,509	6,478,891	1,444	26.6	14,778	0.7	72	2,410	44.4	25,864	0.6	48
85 and older	55,976	3,173,683	893	27.1	8,652	0.6	56	1,448	43.9	14,493	0.6	54
Unknown	17	637	0	0.0	0	0.0	0	2	50.0	4	1.0	60

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANALGESICS - ANTI-INFLAMMATORY					ANTIDIABETIC				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$
All	43,902	40.2 %	487,897	0.6	\$32	49,365	45.2 %	569,318	0.4	\$28	39,343	36.0 %	441,461	0.6	\$33
Female	32,413	44.2	361,626	0.6	32	37,308	50.8	431,329	0.4	29	30,420	41.4	342,652	0.6	33
Disabled	10,698	54.9	123,962	0.5	30	10,469	53.8	122,832	0.3	23	7,061	36.3	81,696	0.6	35
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	10.0	12	0.1	2
15-20	33	25.6	392	0.5	31	34	26.4	408	0.2	12	13	10.1	156	0.4	19
21-44	3,659	47.3	42,758	0.5	31	3,287	42.5	38,633	0.2	14	1,108	14.3	12,997	0.5	31
45-64	6,970	60.5	80,531	0.5	30	7,125	61.8	83,579	0.4	27	5,897	51.2	68,196	0.6	35
65-74	33	62.3	249	0.7	36	20	37.7	176	0.5	33	37	69.8	283	0.6	35
75-84	2	33.3	24	0.6	8	2	33.3	24	0.3	8	1	16.7	12	0.4	15
85 and older	1	20.0	8	0.5	4	1	20.0	12	0.1	3	4	80.0	40	0.8	43
Other Eligibles	21,715	40.3	237,664	0.6	33	26,839	49.8	308,497	0.4	31	23,359	43.3	260,956	0.7	33
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	50	78.1	508	0.3	17	38	59.4	399	0.3	12	14	21.9	155	0.5	38
45-64	11	52.4	120	0.5	30	14	66.7	158	0.3	20	12	57.1	142	0.5	27
65-74	7,381	39.5	83,687	0.6	29	10,930	58.5	127,796	0.4	28	10,478	56.1	120,017	0.6	35
75-84	8,069	41.4	87,926	0.6	34	9,911	50.9	114,191	0.4	33	8,727	44.8	96,972	0.7	33
85 and older	6,204	39.5	65,423	0.7	37	5,946	37.9	65,953	0.5	36	4,128	26.3	43,670	0.7	28
Male	11,489	32.1	126,271	0.6	33	12,055	33.7	137,965	0.4	23	8,922	24.9	98,807	0.6	33
Disabled	6,059	32.0	69,196	0.5	32	5,812	30.7	67,512	0.3	17	3,518	18.6	39,978	0.6	34
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	3	25.0	36	1.2	31	1	8.3	12	0.1	1	0	0.0	0	0.0	0
15-20	45	28.0	531	0.5	40	31	19.3	371	0.1	5	2	1.2	24	0.2	21
21-44	2,981	29.4	34,271	0.5	32	2,677	26.4	31,281	0.2	12	943	9.3	10,905	0.6	33
45-64	3,014	35.1	34,248	0.6	32	3,097	36.1	35,789	0.3	21	2,552	29.7	28,884	0.6	34
65-74	15	38.5	100	0.5	23	5	12.8	49	0.5	36	21	53.8	165	0.4	20
75-84	1	100.0	10	0.3	3	1	100.0	10	0.3	22	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	5,430	32.2	57,075	0.6	34	6,243	37.0	70,453	0.4	29	5,404	32.1	58,829	0.6	32
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	46	112.2	492	0.4	19	30	73.2	335	0.3	19	10	24.4	95	0.4	22
45-64	8	38.1	88	0.4	25	14	66.7	148	0.2	12	5	23.8	48	0.3	12
65-74	2,267	28.1	24,814	0.6	33	3,138	38.9	36,299	0.4	27	2,904	36.0	32,608	0.7	34
75-84	1,983	36.5	20,571	0.7	36	1,958	36.1	21,874	0.4	30	1,756	32.3	18,839	0.6	31
85 and older	1,126	34.1	11,110	0.7	36	1,103	33.4	11,797	0.5	33	729	22.1	7,239	0.7	29
Unknown	0	0.0	0	0.0	0	2	50.0	24	0.1	4	1	25.0	2	1.0	22

Table D7B

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTIHYPERTENSIVE					CALCIUM BLOCKERS					ANTIHYPERLIPIDEMIC				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	54,298	49.7 %	610,207	0.6	\$22	29,822	27.3 %	335,765	0.7	\$35	20,753	19.0 %	238,318	0.6	\$46
Female	40,097	54.6	452,625	0.6	23	23,089	31.5	261,103	0.7	35	15,913	21.7	183,202	0.6	47
Disabled	8,359	42.9	96,674	0.6	20	4,293	22.0	49,589	0.6	33	3,848	19.8	44,629	0.5	43
5 and younger	0	0.0	0	0.0	0	1	25.0	12	0.8	11	0	0.0	0	0.0	0
6-14	7	70.0	84	0.3	8	7	70.0	84	0.6	61	1	10.0	12	0.9	69
15-20	17	13.2	196	0.4	12	15	11.6	180	0.5	37	3	2.3	36	0.5	88
21-44	1,545	20.0	17,979	0.5	17	818	10.6	9,505	0.5	31	545	7.0	6,369	0.5	38
45-64	6,747	58.6	78,100	0.6	21	3,428	29.7	39,625	0.6	34	3,288	28.5	38,144	0.6	43
65-74	39	73.6	271	0.7	30	21	39.6	147	0.6	35	11	20.8	68	0.7	60
75-84	2	33.3	24	0.9	29	2	33.3	24	1.0	40	0	0.0	0	0.0	0
85 and older	2	40.0	20	1.0	18	1	20.0	12	0.9	16	0	0.0	0	0.0	0
Other Eligibles	31,738	58.9	355,951	0.6	23	18,796	34.9	211,514	0.7	35	12,065	22.4	138,573	0.6	48
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	100.0	10	0.5	38	0	0.0	0	0.0	0
15-20	3	300.0	36	0.3	18	1	100.0	12	0.6	36	1	100.0	12	0.3	19
21-44	9	14.1	91	0.3	6	4	6.3	33	0.2	11	4	6.3	32	0.2	17
45-64	9	42.9	80	0.5	18	5	23.8	59	0.7	32	6	28.6	56	0.4	33
65-74	12,514	67.0	144,206	0.6	23	6,966	37.3	80,315	0.7	35	5,932	31.8	68,778	0.6	47
75-84	11,791	60.6	132,074	0.6	23	7,132	36.6	80,796	0.7	35	4,638	23.8	53,119	0.6	49
85 and older	7,412	47.2	79,464	0.7	24	4,687	29.9	50,289	0.8	34	1,484	9.5	16,576	0.6	47
Male	14,200	39.7	157,580	0.6	22	6,733	18.8	74,662	0.7	34	4,840	13.5	55,116	0.6	46
Disabled	5,606	29.6	63,694	0.6	20	2,596	13.7	29,332	0.6	35	2,179	11.5	25,137	0.6	45
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	2	16.7	24	0.5	24	6	50.0	72	0.8	42	0	0.0	0	0.0	0
15-20	20	12.4	225	0.4	11	16	9.9	189	0.7	44	4	2.5	46	0.4	39
21-44	1,875	18.5	21,508	0.5	19	818	8.1	9,331	0.6	35	653	6.5	7,642	0.5	39
45-64	3,687	42.9	41,794	0.6	21	1,746	20.3	19,683	0.7	36	1,518	17.7	17,429	0.6	47
65-74	21	53.8	133	0.7	22	10	25.6	57	0.5	24	4	10.3	20	0.5	54
75-84	1	100.0	10	0.4	11	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	8,594	51.0	93,886	0.6	22	4,137	24.6	45,330	0.7	34	2,661	15.8	29,979	0.6	48
5 and younger	1	100.0	12	0.3	9	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	100.0	12	0.1	3	1	100.0	12	0.4	24	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	9	22.0	108	0.5	20	7	17.1	64	0.5	31	4	9.8	48	0.5	23
45-64	10	47.6	98	0.5	15	3	14.3	24	0.3	6	4	19.0	36	0.7	61
65-74	4,317	53.6	48,587	0.6	23	2,072	25.7	23,250	0.7	34	1,650	20.5	18,842	0.6	48
75-84	2,823	52.0	30,468	0.6	22	1,323	24.4	14,485	0.7	34	779	14.3	8,732	0.6	48
85 and older	1,433	43.4	14,601	0.7	22	731	22.2	7,495	0.7	32	224	6.8	2,321	0.6	45
Unknown	1	25.0	2	1.0	34	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTICONVULSANT				ANALGESICS - Narcotic							
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Bene Mos	
All	21,335	19.5 %	239,555	0.7	\$42	67,429	61.8 %	763,280	0.4	\$12	109,176	1,194,655
Female	13,263	18.1	148,992	0.7	38	49,343	67.2	560,752	0.4	11	73,397	807,263
Disabled	5,661	29.1	65,415	0.7	49	16,351	84.0	189,961	0.4	14	19,471	221,969
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	22
6-14	0	0.0	0	0.0	0	3	30.0	36	0.1	1	10	111
15-20	23	17.8	276	0.7	79	63	48.8	747	0.2	3	129	1,479
21-44	2,295	29.6	26,778	0.7	55	5,795	74.9	67,671	0.3	12	7,741	88,852
45-64	3,325	28.9	38,185	0.6	44	10,446	90.7	121,128	0.4	14	11,523	131,025
65-74	14	26.4	132	0.8	51	42	79.2	355	0.5	15	53	369
75-84	2	33.3	24	0.5	11	1	16.7	12	0.3	3	6	62
85 and older	2	40.0	20	0.9	24	1	20.0	12	0.1	2	5	49
Other Eligibles	7,602	14.1	83,577	0.7	31	32,992	61.2	370,791	0.4	10	53,926	585,294
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	10
15-20	0	0.0	0	0.0	0	3	300.0	36	0.1	2	1	12
21-44	24	37.5	267	0.4	27	72	112.5	736	0.3	10	64	556
45-64	2	9.5	18	0.2	3	29	138.1	313	0.3	9	21	193
65-74	2,883	15.4	32,690	0.6	33	13,115	70.2	151,258	0.3	10	18,673	210,373
75-84	2,951	15.2	32,288	0.7	31	11,939	61.3	134,094	0.4	10	19,469	212,608
85 and older	1,742	11.1	18,314	0.7	27	7,834	49.9	84,354	0.4	11	15,697	161,542
Male	8,072	22.6	90,563	0.8	49	18,083	50.5	202,522	0.4	13	35,775	387,357
Disabled	5,401	28.5	62,196	0.8	56	10,022	53.0	115,008	0.4	15	18,924	212,000
5 and younger	0	0.0	0	0.0	0	1	33.3	12	0.1	1	3	29
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	12	143
15-20	36	22.4	423	0.8	101	42	26.1	504	0.2	5	161	1,846
21-44	2,784	27.5	32,238	0.8	57	5,045	49.8	58,375	0.4	15	10,123	114,481
45-64	2,574	30.0	29,485	0.8	54	4,916	57.3	55,986	0.4	16	8,585	95,272
65-74	7	17.9	50	0.6	30	16	41.0	111	0.5	13	39	219
75-84	0	0.0	0	0.0	0	2	200.0	20	0.1	7	1	10
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	2,671	15.9	28,367	0.7	34	8,061	47.8	87,514	0.4	11	16,851	175,357
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
21-44	12	29.3	108	0.6	50	76	185.4	807	0.6	24	41	360
45-64	2	9.5	24	0.1	5	29	138.1	305	0.4	12	21	188
65-74	1,327	16.5	14,506	0.7	37	4,112	51.0	46,228	0.4	11	8,057	87,458
75-84	937	17.3	9,919	0.7	32	2,487	45.8	26,281	0.4	11	5,430	55,721
85 and older	393	11.9	3,810	0.7	29	1,357	41.1	13,893	0.3	10	3,300	31,606
Unknown	0	0.0	0	0.0	0	3	75.0	6	1.0	32	4	35

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
	\$349	7.2	20,795	209,166
All				
Age				
0-64	460	8.0	1,765	19,314
65-74	412	7.9	3,332	34,818
75-84	365	7.5	6,873	68,626
85 and older	286	6.4	8,825	86,408
Unknown	0	0.0	0	0
Gender				
Female	343	7.3	14,812	149,845
Male	363	7.0	5,983	59,321
Unknown	0	0.0	0	0
Race				
White	365	7.6	13,948	138,661
African American	314	6.3	5,444	56,288
Other/unknown	332	7	1,403	14,217
Basis of Eligibility^c				
Aged	338	7.1	18,990	189,526
Disabled	458	7.9	1,803	19,631
Adults	1,030	11.6	2	9
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users										\$ per Bene Mo among Users										Total # of Rx		Total Rx \$		Users								
	Patented					Off-Patent					Generic					Patented					Off-Patent					Generic					No.	As % of Dual All-Year NF Residents	No. of Bene Mos
	Total	Brand-Name	Off-Patent	Brand-Name	Generic	Total	Brand-Name	Off-Patent	Brand-Name	Generic	Total	Brand-Name	Off-Patent	Brand-Name	Generic	Total	Brand-Name	Off-Patent	Brand-Name	Generic	Total Rx \$	No.	As % of Dual All-Year NF Residents	No. of Bene Mos									
Anti-infective Agents	0.3	0.2	0.0	0.1	\$18	\$15	\$0	\$2	\$51	\$42	\$16	\$75	\$42	\$16	52,336	14,284	\$2,656,580	68.7 %	150,037														
Biologicals	0.4	0.0	0.4	0.0	###	0	3,145	0	8,227	0	8,227	0	8,227	0	26	6	213,890	0.0	68														
Antineoplastic Agents	0.6	0.1	0.2	0.2	77	27	33	18	134	160	79	181	160	79	10,054	1,780	1,347,360	8.6	17,490														
Endocrine/Metabolic Drugs	1.1	0.6	0.2	0.3	47	40	3	4	42	17	15	61	17	15	116,477	9,999	4,867,611	48.1	103,669														
Cardiovascular Agents	2.0	0.6	0.2	1.2	61	31	4	25	30	50	23	50	23	20	329,966	15,800	9,749,480	76.0	161,041														
Respiratory Agents	0.8	0.4	0.0	0.4	35	23	1	11	44	56	24	56	24	31	95,708	11,399	4,173,431	54.8	120,287														
Gastrointestinal Agents	1.1	0.5	0.0	0.6	65	47	4	15	60	104	72	104	72	25	135,511	12,017	8,121,098	57.8	124,935														
Genitourinary Agents	0.7	0.5	0.0	0.2	37	33	1	4	54	67	35	67	35	22	37,132	5,062	2,009,742	24.3	53,609														
CNS Drugs	1.6	0.9	0.1	0.6	114	92	8	14	70	103	86	103	86	22	250,072	14,870	17,595,501	71.5	153,690														
Stimulants/Anti-obesity/Anorexia	0.6	0.1	0.0	0.4	27	15	1	11	45	107	41	107	41	25	1,993	336	89,637	1.6	3,328														
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	93	91	0	2	116	119	43	119	43	44	29,455	3,540	3,403,463	17.0	36,610														
Analgesics and Anesthetics	0.9	0.5	0.0	0.4	44	36	2	6	51	80	56	80	56	16	99,203	10,919	5,032,257	52.5	113,229														
Neuromuscular Agents	1.2	0.4	0.1	0.6	57	34	5	18	48	80	40	80	40	28	82,025	6,554	3,959,279	31.5	69,503														
Nutritional Products	0.9	0.0	0.2	0.7	19	1	6	12	20	22	34	22	34	16	98,831	10,214	1,977,648	49.1	105,949														
Hematological Agents	1.0	0.3	0.2	0.5	58	46	3	9	60	145	20	145	20	19	75,761	7,586	4,557,230	36.5	78,086														
Topical Products	0.6	0.3	0.1	0.2	22	15	3	4	38	50	46	50	46	18	77,782	12,608	2,936,536	60.6	134,462														
Miscellaneous Products	0.3	0.1	0.0	0.2	20	8	0	11	64	98	169	98	169	50	2,427	754	155,348	3.6	7,832														
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	8	0	0	0	22	0	0	0	0	0	5,844	1,507	128,033	7.2	16,364														
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,500,603	n.a.	72,974,124	n.a.	n.a.														

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In Louisiana, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$9,496,717	9,699	46.6 %	103,129	0.8	\$116	\$92
ULCER DRUGS	6,780,492	10,372	49.9	108,350	0.7	85	63
ANTIDEPRESSANTS	6,078,306	12,262	59.0	128,264	0.8	59	47
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	3,403,552	3,588	17.3	37,155	0.8	116	92
ANALGESICS - ANTI-INFLAMMATORY	3,325,371	6,825	32.8	73,459	0.6	72	45
ANTIDIABETIC	3,047,224	8,080	38.9	83,995	0.8	47	36
ANTIHYPERTENSIVE	2,817,724	9,528	45.8	98,127	0.8	36	29
ANTICONVULSANT	2,668,283	5,499	26.4	58,722	0.9	51	45
ANTIASTHMATIC	2,212,716	9,042	43.5	94,179	0.5	50	23
CALCIUM BLOCKERS	2,128,932	5,200	25.0	54,087	0.9	45	39
Total	41,959,317	80,095		839,467	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Mean Rx \$	Users as % of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Users as % of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	629,241	\$41,959,317	9,699	\$92	46.6 %	103,129	0.8	\$92	49.9 %	10,372	0.7	\$63
Female	443,307	29,099,394	6,434	85	43.4	68,800	0.8	85	50.2	7,442	0.7	62
Disabled	29,403	2,213,741	482	126	69.2	5,457	0.9	126	57.5	401	0.7	63
64 or younger	28,693	2,173,138	471	127	69.8	5,344	0.9	127	57.6	389	0.7	63
65-74	512	31,745	9	82	75.0	89	0.9	82	75.0	9	0.8	51
75-84	96	4,234	0	0	0.0	0	0.0	0	40.0	2	0.5	73
85 and older	102	4,624	2	25	40.0	24	0.2	25	20.0	1	0.9	98
Other Eligibles	413,904	26,885,653	5,952	82	42.2	63,343	0.8	82	49.9	7,041	0.7	62
64 or younger	0	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0
65-74	76,352	5,178,076	1,165	106	63.2	12,992	0.9	106	54.1	996	0.7	61
75-84	164,438	10,810,220	2,339	83	46.9	24,876	0.8	83	52.2	2,604	0.7	64
85 and older	173,114	10,897,357	2,448	68	33.6	25,475	0.7	68	47.2	3,441	0.7	62
Male	185,934	12,859,923	3,265	106	54.6	34,329	0.8	106	49.0	2,930	0.7	64
Disabled	45,927	3,630,214	902	147	81.6	10,008	1.0	147	49.8	551	0.8	65
64 or younger	45,566	3,608,466	895	147	82.1	9,944	1.0	147	49.7	542	0.8	65
65-74	345	20,929	6	63	40.0	54	0.6	63	53.3	8	0.7	54
75-84	16	819	1	2	100.0	10	0.2	2	100.0	1	0.4	44
85 and older	0	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0
Other Eligibles	140,007	9,229,709	2,363	89	48.5	24,321	0.8	89	48.8	2,379	0.7	63
64 or younger	0	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0
65-74	50,759	3,479,760	852	109	58.2	9,243	0.9	109	46.9	686	0.7	65
75-84	55,213	3,615,368	951	84	50.7	9,737	0.8	84	50.2	943	0.7	62
85 and older	34,035	2,134,581	560	65	36.4	5,341	0.7	65	48.8	750	0.7	62
Unknown	0	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANALGESICS - ANTI-INFLAMMATORY					
	Users as %			Mean		Users as %			Mean		Users as %			Mean		
	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Rx	Rx \$	Residents	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Rx	Rx \$	Residents	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Rx
All	12,262	59.0 %	128,264	0.8	\$47	3,588	17.3 %	37,155	0.8	\$92	6,825	32.8 %	73,459	0.6	\$45	
Female	8,949	60.4	93,931	0.8	47	2,765	18.7	28,965	0.8	92	5,118	34.6	55,365	0.6	46	
Disabled	508	72.9	5,586	0.9	58	37	5.3	420	0.7	87	273	39.2	3,112	0.6	42	
64 or younger	496	73.5	5,480	0.9	58	37	5.5	420	0.7	87	262	38.8	2,992	0.6	43	
65-74	9	75.0	74	0.9	62	0	0.0	0	0.0	0	8	66.7	84	0.7	46	
75-84	2	40.0	24	0.6	8	0	0.0	0	0.0	0	2	40.0	24	0.3	8	
85 and older	1	20.0	8	0.5	4	0	0.0	0	0.0	0	1	20.0	12	0.1	3	
Other Eligibles	8,441	59.8	88,345	0.8	47	2,728	19.3	28,545	0.8	92	4,845	34.3	52,253	0.6	46	
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	1,367	74.2	14,673	0.8	50	289	15.7	3,098	0.8	91	721	39.1	8,126	0.6	45	
75-84	3,366	67.5	35,022	0.8	48	1,115	22.3	11,604	0.8	95	1,880	37.7	20,198	0.6	48	
85 and older	3,708	50.9	38,650	0.8	45	1,324	18.2	13,843	0.8	90	2,244	30.8	23,929	0.6	45	
Male	3,313	55.4	34,333	0.8	47	823	13.8	8,190	0.8	91	1,707	28.5	18,094	0.6	43	
Disabled	703	63.6	7,769	0.8	52	50	4.5	551	0.7	82	310	28.0	3,423	0.6	39	
64 or younger	695	63.8	7,702	0.8	52	49	4.5	539	0.7	82	306	28.1	3,377	0.6	39	
65-74	7	46.7	57	0.6	17	1	6.7	12	0.9	111	3	20.0	36	0.6	49	
75-84	1	100.0	10	0.3	3	0	0.0	0	0.0	0	1	100.0	10	0.3	22	
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Other Eligibles	2,610	53.5	26,564	0.8	46	773	15.8	7,639	0.8	92	1,397	28.6	14,671	0.6	44	
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	832	56.9	8,800	0.8	49	161	11.0	1,637	0.8	86	426	29.1	4,715	0.6	46	
75-84	1,093	58.2	11,168	0.8	46	326	17.4	3,280	0.8	93	527	28.1	5,477	0.6	45	
85 and older	685	44.6	6,596	0.8	42	286	18.6	2,722	0.8	94	444	28.9	4,479	0.6	40	
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTIDIABETIC						ANTIHYPERTENSIVE						ANTICONVULSANT					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx
All	8,080	83,995	0.8	9,528	45.8 %	0.8	98,127	45.8 %	0.8	5,499	26.4 %	58,722	26.4 %	0.9	\$45			
Female	5,848	60,665	0.8	6,664	45.0	0.8	68,680	45.0	0.8	3,469	23.4	37,137	23.4	0.9	43			
Disabled	345	3,712	0.8	316	45.3	0.8	3,455	45.3	0.8	478	68.6	5,401	68.6	1.0	63			
64 or younger	330	3,561	0.9	305	45.2	0.8	3,346	45.2	0.8	470	69.6	5,315	69.6	1.0	63			
65-74	10	83.3	0.7	7	58.3	1.1	65	58.3	1.1	4	33.3	42	33.3	1.0	73			
75-84	1	20.0	12	2	40.0	29	24	40.0	0.9	2	40.0	24	40.0	0.5	11			
85 and older	4	80.0	40	2	40.0	18	20	40.0	1.0	2	40.0	20	40.0	0.9	24			
Other Eligibles	5,503	56,953	0.8	6,348	45.0	0.8	65,225	45.0	0.8	2,991	21.2	31,736	21.2	0.9	39			
64 or younger	0	0.0	0	0	0.0	0	0	0.0	0.0	0	0.0	0	0.0	0.0	0			
65-74	1,183	64.2	0.8	1,017	55.2	0.8	10,820	55.2	0.8	785	42.6	8,643	42.6	0.9	48			
75-84	2,355	47.2	0.8	2,441	48.9	0.8	24,983	48.9	0.8	1,247	25.0	13,170	25.0	0.9	39			
85 and older	1,965	27.0	0.7	2,890	39.7	0.8	29,422	39.7	0.8	959	13.2	9,923	13.2	0.8	31			
Male	2,232	37.3	0.8	2,864	47.9	0.8	29,447	47.9	0.8	2,030	33.9	21,585	33.9	0.9	51			
Disabled	471	42.6	0.8	555	50.2	0.9	6,037	50.2	0.9	739	66.8	8,194	66.8	1.0	65			
64 or younger	457	41.9	0.8	542	49.7	0.9	5,943	49.7	0.9	734	67.3	8,156	67.3	1.0	65			
65-74	14	93.3	0.4	12	80.0	0.8	84	80.0	0.8	5	33.3	38	33.3	0.6	38			
75-84	0	0.0	0.0	1	100.0	0.4	10	100.0	0.4	0	0.0	0	0.0	0.0	0			
85 and older	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0			
Other Eligibles	1,761	36.1	0.8	2,309	47.3	0.8	23,410	47.3	0.8	1,291	26.5	13,391	26.5	0.9	42			
64 or younger	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0			
65-74	679	46.4	0.8	784	53.6	0.8	8,298	53.6	0.8	575	39.3	6,084	39.3	0.9	49			
75-84	709	37.8	0.7	918	48.9	0.8	9,227	48.9	0.8	493	26.3	5,189	26.3	0.8	38			
85 and older	373	24.3	0.8	607	39.5	0.8	5,885	39.5	0.8	223	14.5	2,118	14.5	0.8	34			
Unknown	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0			

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	ANTI-ASTHMATIC					CALCIUM BLOCKERS					Bene Mos among All-Year NF Residents	
	Users as %		No. of Bene Mos among Users		Mean Rx	Users as %		No. of Bene Mos among Users		Mean Rx		
	No. of Users	Residents	No. of Users	NF Residents		No. of Users	Residents	No. of Users	NF Residents			
All	9,042	43.5 %	94,179	0.5	\$24	5,200	25.0 %	54,087	0.9	\$39	20,795	209,166
Female	6,008	40.6	63,512	0.4	22	3,882	26.2	40,532	0.9	39	14,812	149,845
Disabled	320	45.9	3,486	0.5	23	152	21.8	1,648	0.9	43	697	7,665
64 or younger	309	45.8	3,366	0.5	24	146	21.6	1,585	0.8	43	675	7,452
65-74	10	83.3	108	0.3	10	3	25.0	27	0.9	50	12	104
75-84	0	0.0	0	0.0	0	2	40.0	24	1.0	40	5	60
85 and older	1	20.0	12	0.1	3	1	20.0	12	0.9	16	5	49
Other Eligibles	5,688	40.3	60,026	0.4	22	3,730	26.4	38,884	0.9	39	14,115	142,180
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	921	50.0	10,001	0.5	26	543	29.5	5,784	0.9	44	1,842	19,606
75-84	2,162	43.3	22,914	0.5	25	1,391	27.9	14,791	0.9	40	4,990	50,336
85 and older	2,605	35.8	27,111	0.4	19	1,796	24.7	18,309	0.9	36	7,283	72,238
Male	3,034	50.7	30,667	0.5	26	1,318	22.0	13,555	0.9	41	5,983	59,321
Disabled	431	39.0	4,568	0.5	27	267	24.1	2,906	0.9	50	1,106	11,966
64 or younger	421	38.6	4,488	0.5	27	264	24.2	2,888	0.9	50	1,090	11,862
65-74	10	66.7	80	0.4	28	3	20.0	18	0.8	44	15	94
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	10
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	2,603	53.4	26,099	0.5	26	1,051	21.6	10,649	0.9	38	4,877	47,355
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	776	53.0	8,111	0.5	28	370	25.3	3,818	0.9	40	1,463	15,014
75-84	1,010	53.8	10,051	0.5	27	406	21.6	4,165	0.9	38	1,877	18,220
85 and older	817	53.2	7,937	0.5	22	275	17.9	2,666	0.8	36	1,537	14,121
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 7,720 beneficiaries who were in nursing facilities for part of their enrollment and their 75,897 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 LOUISIANA, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx as % of All Rx \$	Total No. of Benes
			4.5	4.5					
All	58,928	54.0 %	4.5	4.5	489,223	\$12,657,067	\$26	4.9 %	109,176
Age									
5 and younger	5	62.5	5.4	4.3	151	1,204	28	9.4	8
6-14	18	75.0	7.3	174	230	5,513	32	3.5	24
15-20	123	42.3	2.4	697	108	31,400	45	6.0	291
21-44	7,386	41.1	2.9	52,462	113	2,034,558	39	5.9	17,973
45-64	10,794	53.6	4.6	93,603	141	2,840,371	30	5.3	20,150
65-74	13,803	51.5	4.2	112,768	104	2,802,845	25	4.4	26,822
75-84	14,608	58.7	5.0	125,449	112	2,779,002	22	4.3	24,906
85 and older	12,191	64.2	5.5	104,027	114	2,162,174	21	4.9	19,002
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility^c									
Aged	40,533	57.4	4.8	341,848	110	7,736,910	23	4.5	70,623
Disabled	18,309	47.7	3.8	146,736	128	4,899,073	33	5.5	38,399
Adults	83	55.3	4.0	602	133	19,993	33	7.7	150
Children	3	75.0	9.3	37	273	1,091	29	3.5	4
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Gender									
Female	42,912	58.5	4.9	360,305	124	9,090,238	25	4.9	73,397
Male	16,014	44.8	3.6	128,914	100	3,566,769	28	4.7	35,775
Unknown	2	50.0	1.0	4	15	60	15	5.8	4
Race									
White	27,407	60.2	5.6	254,244	127	5,788,649	23	4.4	45,491
African American	23,725	48.6	3.6	174,655	110	5,367,819	31	5.5	48,827
Other/unknown	7,796	52.5	4.1	60,324	101	1,500,599	25	4.5	14,858
Use of Nursing Facilities^d									
Entire year	15,386	74.0	7.8	163,112	169	3,516,792	22	4.8	20,795
Part year	5,919	76.7	6.2	48,098	158	1,218,877	25	5.4	7,720
None	37,623	46.6	3.4	278,013	98	7,921,398	28	4.8	80,661
Maintenance Assistance Status									
Cash	34,337	48.4	3.7	259,217	107	7,577,721	29	5.0	71,012
Medically needy	142	53.0	3.5	936	63	16,890	18	3.1	268
Poverty related	1,103	41.9	2.3	6,011	73	191,577	32	5.9	2,632
Other/unknown	23,346	66.2	6.3	223,059	138	4,870,879	22	4.6	35,264

Table D11

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
 - b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 LOUISIANA, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
All	0.4	\$11	\$26	\$0	\$2	1,194,655
Age						
5 and younger	0.7	19	28	0	0	63
6-14	0.6	20	32	0	0	276
15-20	0.2	9	45	0	4	3,337
21-44	0.3	10	39	0	3	204,284
45-64	0.4	13	30	0	3	226,678
65-74	0.4	9	25	0	2	298,419
75-84	0.5	10	22	0	2	268,401
85 and older	0.5	11	21	0	2	193,197
Unknown	0.0	0	0	0	0	0
Basis of Eligibility^c						
Aged	0.5	10	23	0	2	759,296
Disabled	0.3	11	33	0	3	434,004
Adults	0.5	15	33	0	5	1,309
Children	0.8	24	29	0	0	46
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.4	11	25	0	2	807,263
Male	0.3	9	28	0	2	387,357
Unknown	0.1	2	15	0	0	35
Race						
White	0.5	12	23	0	4	483,453
African American	0.3	10	31	0	1	546,119
Other/unknown	0.4	9	25	0	2	165,083
Use of Nursing Facilities^d						
Entire year	0.8	17	22	0	3	209,166
Part year	0.6	16	25	0	3	75,897
None	0.3	9	28	0	2	909,592
Maintenance Assistance Status						
Cash	0.3	9	29	0	2	806,328
Medically needy	0.4	6	18	0	2	2,668
Poverty related	0.2	7	32	0	2	28,363
Other/unknown	0.6	14	22	0	3	357,296

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.13
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS^{a,b,c}
 LOUISIANA, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	86,807	\$146	\$12,657,067	100.0 %	489,223	\$26	100.0 %
Anorexia or weight loss/gain	615	139	85,582	0.7	983	87	0.2
Fertility drugs	7	363	2,542	0.0	10	254	0.0
Drugs for cosmetic purposes	263	890	234,168	1.9	1,481	158	0.3
Cough and cold medications	14,908	81	1,208,572	9.5	37,857	32	7.7
Vitamins and minerals	30,707	123	3,765,943	29.8	210,611	18	43.1
Non-prescription drugs	11,266	58	656,679	5.2	52,517	13	10.7
Barbiturates	2,042	93	190,228	1.5	18,289	10	3.7
Benzodiazepines	21,940	128	2,818,991	22.3	140,498	20	28.7
Other Part D Excl Rx Drugs	5,059	730	3,694,362	29.2	26,977	137	5.5

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

SUPPLEMENTAL TABLE 1
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES^{a, b}
 LOUISIANA, 2001

Total Number of Dual Eligible Beneficiaries 109,176
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries \$260,710,853
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary \$2,388

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	11,215	10.3 %	\$0	0.0 %
1-500	18,024	16.5	4,015,876	1.5
501-1,000	13,002	11.9	9,655,655	3.7
1,001-1,500	10,946	10.0	13,593,013	5.2
1,501-2,000	9,299	8.5	16,229,107	6.2
2,001-2,500	7,992	7.3	17,916,928	6.9
2,501-3,000	6,865	6.3	18,844,841	7.2
3,001-3,500	5,621	5.1	18,245,270	7.0
3,501-4,000	4,813	4.4	18,025,310	6.9
4,001-4,500	3,907	3.6	16,567,868	6.4
4,501-5,000	3,182	2.9	15,075,859	5.8
5,001-5,500	2,595	2.4	13,599,572	5.2
5,501-6,000	2,182	2.0	12,530,953	4.8
6,001-6,500	1,777	1.6	11,070,722	4.2
6,501-7,000	1,482	1.4	9,976,975	3.8
7,001-7,500	1,179	1.1	8,545,065	3.3
7,501-8,000	914	0.8	7,076,628	2.7
8,001-8,500	713	0.7	5,875,919	2.3
8,501-9,000	562	0.5	4,915,609	1.9
9,001-9,500	504	0.5	4,650,957	1.8
9,501-10,000	398	0.4	3,879,143	1.5
10,001+	2,004	1.8	30,419,583	11.7

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1A
 MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65^{a, b, c}
 LOUISIANA, 2001

Total Number of Disabled Dual Eligible Beneficiaries, Age < 65 38,295
 Total Pharmacy Reimbursement for Disabled Dual Eligible Beneficiaries, Age < 65 \$88,695,107
 Mean Pharmacy Reimbursement per Disabled Dual Eligible Beneficiary, Age < 65 \$2,316

Annual Pharmacy Reimbursement per Beneficiary \$0	Number of Beneficiaries	Percent of Disabled Dual Beneficiaries, Age < 65		Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
		15.7 %	0		
1-500	5,998	21.2	0	1,657,649	1.9
501-1,000	8,112	11.1	0	3,140,760	3.5
1,001-1,500	4,267	8.4	0	3,979,248	4.5
1,501-2,000	3,219	6.8	0	4,567,049	5.1
2,001-2,500	2,616	5.6	0	4,812,949	5.4
2,501-3,000	2,150	4.7	0	5,001,554	5.6
3,001-3,500	1,819	3.8	0	4,773,694	5.4
3,501-4,000	1,471	3.4	0	4,931,936	5.6
4,001-4,500	1,317	2.6	0	4,276,660	4.8
4,501-5,000	1,008	2.4	0	4,341,741	4.9
5,001-5,500	916	2.0	0	3,930,972	4.4
5,501-6,000	750	1.8	0	3,876,070	4.4
6,001-6,500	674	1.5	0	3,555,392	4.0
6,501-7,000	570	1.4	0	3,489,772	3.9
7,001-7,500	518	1.1	0	3,121,654	3.5
7,501-8,000	431	0.9	0	2,644,344	3.0
8,001-8,500	342	0.8	0	2,373,375	2.7
8,501-9,000	288	0.6	0	2,100,440	2.4
9,001-9,500	240	0.6	0	2,225,427	2.5
9,501-10,000	241	0.5	0	1,823,336	2.1
10,001+	187	3.0	0	18,071,085	20.4
	1,161				

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

c. This table is limited to dual eligible beneficiaries who were under age 65 and also indicated as disabled in the MAX files. Therefore, dual eligible beneficiaries under age 65 in "adults" or "children" basis-of-eligibility categories in Table D.2 are excluded because they were not classified as disabled in the MAX files. Disabled dual eligible beneficiaries age 65 and older are included in Supplemental Tables 1B through 1E, depending on their age.

SUPPLEMENTAL TABLE 1B
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER^{a, b}
 LOUISIANA, 2001

Total Number of Dual Eligible Beneficiaries, Age 65+ 70,730
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65+ \$171,732,709
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65+ \$2,428

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 65+	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	5,203	7.4 %	0	0.0 %
1-500	9,872	14.0	2,350,083	1.4
501-1,000	8,710	12.3	6,496,430	3.8
1,001-1,500	7,706	10.9	9,587,978	5.6
1,501-2,000	6,673	9.4	11,644,265	6.8
2,001-2,500	5,832	8.2	13,081,572	7.6
2,501-3,000	5,042	7.1	13,832,094	8.1
3,001-3,500	4,144	5.9	13,451,753	7.8
3,501-4,000	3,493	4.9	13,081,910	7.6
4,001-4,500	2,894	4.1	12,269,227	7.1
4,501-5,000	2,265	3.2	10,729,476	6.2
5,001-5,500	1,844	2.6	9,663,170	5.6
5,501-6,000	1,508	2.1	8,654,883	5.0
6,001-6,500	1,207	1.7	7,515,330	4.4
6,501-7,000	964	1.4	6,487,203	3.8
7,001-7,500	747	1.1	5,416,182	3.2
7,501-8,000	571	0.8	4,424,342	2.6
8,001-8,500	422	0.6	3,477,614	2.0
8,501-9,000	321	0.5	2,806,472	1.6
9,001-9,500	262	0.4	2,416,460	1.4
9,501-10,000	210	0.3	2,046,216	1.2
10,001+	840	1.2	12,300,049	7.2

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1C

MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74^{a, b}
 LOUISIANA, 2001

Total Number of Dual Eligible Beneficiaries, Age 65-74 26,822
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65-74 \$64,074,026
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65-74 \$2,389

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 65-74	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	2,670	10.0 %	0	0.0 %
1-500	3,844	14.3	871,921	1.4
501-1,000	3,212	12.0	2,402,276	3.7
1,001-1,500	2,775	10.3	3,451,045	5.4
1,501-2,000	2,395	8.9	4,186,113	6.5
2,001-2,500	2,130	7.9	4,776,070	7.5
2,501-3,000	1,840	6.9	5,047,504	7.9
3,001-3,500	1,478	5.5	4,794,056	7.5
3,501-4,000	1,207	4.5	4,523,520	7.1
4,001-4,500	1,003	3.7	4,251,295	6.6
4,501-5,000	832	3.1	3,943,505	6.2
5,001-5,500	665	2.5	3,480,145	5.4
5,501-6,000	555	2.1	3,184,803	5.0
6,001-6,500	422	1.6	2,625,644	4.1
6,501-7,000	370	1.4	2,492,593	3.9
7,001-7,500	273	1.0	1,982,652	3.1
7,501-8,000	214	0.8	1,659,013	2.6
8,001-8,500	194	0.7	1,597,469	2.5
8,501-9,000	149	0.6	1,302,025	2.0
9,001-9,500	107	0.4	986,381	1.5
9,501-10,000	88	0.3	856,470	1.3
10,001+	399	1.5	5,659,526	8.8

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.
- b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1D
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84^{a, b}
 LOUISIANA, 2001

Total Number of Dual Eligible Beneficiaries, Age 75-84 24,906
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 75-84 \$63,943,349
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 75-84 \$2,567

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 75-84	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	1,588	6.4 %	0	0.0 %
1-500	3,203	12.9	777,651	1.2
501-1,000	2,981	12.0	2,226,140	3.5
1,001-1,500	2,679	10.8	3,336,162	5.2
1,501-2,000	2,335	9.4	4,078,175	6.4
2,001-2,500	2,034	8.2	4,555,742	7.1
2,501-3,000	1,794	7.2	4,919,797	7.7
3,001-3,500	1,505	6.0	4,888,767	7.6
3,501-4,000	1,326	5.3	4,966,660	7.8
4,001-4,500	1,113	4.5	4,720,052	7.4
4,501-5,000	811	3.3	3,840,522	6.0
5,001-5,500	708	2.8	3,711,727	5.8
5,501-6,000	617	2.5	3,543,148	5.5
6,001-6,500	506	2.0	3,150,033	4.9
6,501-7,000	386	1.5	2,595,790	4.1
7,001-7,500	314	1.3	2,276,237	3.6
7,501-8,000	237	1.0	1,836,371	2.9
8,001-8,500	154	0.6	1,271,474	2.0
8,501-9,000	119	0.5	1,040,574	1.6
9,001-9,500	102	0.4	941,320	1.5
9,501-10,000	91	0.4	886,512	1.4
10,001+	305	1.2	4,380,495	6.9

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.
 a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.
 b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1E
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER^{a, b}
 LOUISIANA, 2001

Total Number of Dual Eligible Beneficiaries, Age 85+ 19,002
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 85+ \$43,715,334
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 85+ \$2,301

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 85+	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	947	5.0 %	0	0.0 %
1-500	2,825	14.9	700,511	1.6
501-1,000	2,517	13.2	1,868,014	4.3
1,001-1,500	2,252	11.9	2,800,771	6.4
1,501-2,000	1,943	10.2	3,379,977	7.7
2,001-2,500	1,668	8.8	3,749,760	8.6
2,501-3,000	1,408	7.4	3,864,793	8.8
3,001-3,500	1,161	6.1	3,768,930	8.6
3,501-4,000	960	5.1	3,591,730	8.2
4,001-4,500	778	4.1	3,297,880	7.5
4,501-5,000	622	3.3	2,945,449	6.7
5,001-5,500	471	2.5	2,471,298	5.7
5,501-6,000	336	1.8	1,926,932	4.4
6,001-6,500	279	1.5	1,739,653	4.0
6,501-7,000	208	1.1	1,398,820	3.2
7,001-7,500	160	0.8	1,157,293	2.6
7,501-8,000	120	0.6	928,958	2.1
8,001-8,500	74	0.4	608,671	1.4
8,501-9,000	53	0.3	463,873	1.1
9,001-9,500	53	0.3	488,759	1.1
9,501-10,000	31	0.2	303,234	0.7
10,001+	136	0.7	2,260,028	5.2

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2001.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	No. of Benes				No. of Bene Mos							
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	109,176	70,623	38,399	150	4	0	1,194,655	759,296	434,004	1,309	46	0
Age												
5 and younger	8	0	7	0	1	0	63	0	51	0	12	0
6-14	24	0	22	0	2	0	276	0	254	0	22	0
15-20	291	0	290	0	1	0	3,337	0	3,325	0	12	0
21-44	17,973	0	17,868	105	0	0	204,284	0	203,368	916	0	0
45-64	20,150	0	20,108	42	0	0	226,678	0	226,297	381	0	0
65-74	26,822	26,727	92	3	0	0	298,419	297,819	588	12	0	0
75-84	24,906	24,899	7	0	0	0	268,401	268,329	72	0	0	0
85 and older	19,002	18,997	5	0	0	0	193,197	193,148	49	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	73,397	53,837	19,471	87	2	0	807,263	584,513	221,969	759	22	0
Male	35,775	16,786	18,924	63	2	0	387,357	174,783	212,000	550	24	0
Unknown	4	0	4	0	0	0	35	0	35	0	0	0
Race												
White	45,491	30,381	15,029	80	1	0	483,453	313,740	169,027	676	10	0
African American	48,827	29,408	19,349	68	2	0	546,119	325,777	219,692	626	24	0
Other/unknown	14,858	10,834	4,021	2	1	0	165,083	119,779	45,285	7	12	0
Use of Nursing Facilities^c												
Entire year	20,795	18,990	1,803	2	0	0	209,166	189,526	19,631	9	0	0
Part year	7,720	6,942	778	0	0	0	75,897	67,813	8,084	0	0	0
None	80,661	44,691	35,818	148	4	0	909,592	501,957	406,289	1,300	46	0
Maintenance Assistance Status												
Cash	71,012	42,615	28,266	131	0	0	806,328	484,852	320,296	1,180	0	0
Medically needy	268	129	136	3	0	0	2,668	1,277	1,363	28	0	0
Poverty related	2,632	1,345	1,274	10	3	0	28,363	14,440	13,834	55	34	0
Other/unknown	35,264	26,534	8,723	6	1	0	357,296	258,727	98,511	46	12	0
Dual Status^d												
Full dual, all year	106,224	68,902	37,175	143	4	0	1,161,940	740,393	420,258	1,243	46	0
Full dual, part year	2,952	1,721	1,224	7	0	0	32,715	18,903	13,746	66	0	0
Managed Care Status												
FFS all year	109,176	70,623	38,399	150	4	0	1,194,655	759,296	434,004	1,309	46	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2001

Beneficiary Characteristics	Beneficiary Characteristics			
	Bene Mo(s) in Cell F of Table 1 No. of Benes	Bene Mo(s) in Cell G of Table 1 No. of Benes	Bene Mo(s) in Cell H of Table 1 No. of Benes	Bene Mo(s) in Cell I of Table 1 No. of Benes
All	109,176	1,194,655	109,176	1,194,655
FFS all year	109,176	1,194,655	109,176	1,194,655
FFS part year, with Rx claims	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0
MC all year, with Rx claims	0	0	0	0
MC all year, with no Rx claims	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Louisiana, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.