

**STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001
NEW JERSEY**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	No. of Benes						No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	141,347	74,761	65,955	616	15	0	1,488,329	763,921	721,958	2,311	139	0
Age												
5 and younger	3	0	2	0	1	0	25	0	24	0	1	0
6-14	19	1	16	0	2	0	194	12	169	0	13	0
15-20	175	0	165	2	8	0	1,692	0	1,600	3	89	0
21-44	18,851	0	18,511	336	4	0	200,591	0	199,250	1,305	36	0
45-64	22,861	10	22,670	181	0	0	246,515	83	245,815	617	0	0
65-74	37,165	19,506	17,616	43	0	0	397,210	200,452	196,597	161	0	0
75-84	35,153	29,514	5,619	20	0	0	374,585	310,860	63,643	82	0	0
85 and older	27,119	25,729	1,356	34	0	0	267,513	252,510	14,860	143	0	0
Unknown	1	1	0	0	0	4		4	0	0	0	0
Gender												
Female	95,972	56,773	38,827	365	7	0	1,013,727	584,223	428,003	1,429	72	0
Male	45,375	17,988	27,128	251	8	0	474,602	179,698	293,955	882	67	0
Unknown	0	0	0	0	0	0		0	0	0	0	0
Race												
White	76,012	42,997	32,753	256	6	0	790,794	428,789	360,995	950	60	0
African American	27,658	10,293	17,193	165	7	0	295,270	107,963	186,583	647	77	0
Other/unknown	37,677	21,471	16,009	195	2	0	402,265	227,169	174,380	714	2	0
Use of Nursing Facilities^c												
Entire year	25,022	20,656	4,366	0	0	0	252,648	204,233	48,415	0	0	0
Part year	10,887	8,848	2,034	5	0	0	103,554	82,236	21,291	27	0	0
None	105,438	45,257	59,555	611	15	0	1,132,127	477,452	652,252	2,284	139	0
Maintenance Assistance Status												
Cash	70,224	30,240	39,875	108	1	0	763,617	327,104	436,094	414	5	0
Medically needy	1	0	1	0	0	0	10	0	10	0	0	0
Poverty-related	29,897	13,953	15,899	42	3	0	323,098	148,614	174,300	171	13	0
Other/unknown	41,225	30,568	10,180	466	11	0	401,604	288,203	111,554	1,726	121	0
Dual Medicare Status^d												
Full dual, all year	140,207	73,953	65,633	606	15	0	1,477,002	755,708	718,923	2,232	139	0
Full dual, part year	1,140	808	322	10	0	0	11,327	8,213	3,035	79	0	0
Managed Care Status												
FFS all year	137,390	73,820	63,382	174	14	0	1,467,829	758,634	708,204	853	138	0
FFS part year, with Rx claims	3,208	762	2,206	239	1	0	17,560	4,511	12,163	885	1	0
FFS part year, no Rx claims	749	179	367	203	0	0	2,940	776	1,591	573	0	0

Table D2

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	90.2 %	47.0	\$2,720	\$58	\$16,016	17.0 %	141,347
Age							
5 and younger	66.7	7.0	582	83	2,756	21.1	3
6-14	84.2	54.5	10,969	201	20,139	54.5	19
15-20	70.3	19.2	2,409	126	9,520	25.3	175
21-44	84.6	40.4	3,314	82	14,312	23.2	18,851
45-64	91.5	57.1	3,779	66	17,246	21.9	22,861
65-74	88.9	43.8	2,453	56	10,201	24.0	37,165
75-84	91.5	48.0	2,460	51	16,165	15.2	35,153
85 and older	93.1	46.5	2,113	45	23,981	8.8	27,119
Unknown	0.0	0.0	0	0	882	0.0	1
Basis of Eligibility^c							
Aged	90.2	43.4	2,162	50	16,555	13.1	74,761
Disabled	90.6	51.5	3,374	66	15,526	21.7	65,955
Adults	54.5	7.6	508	67	3,396	15.0	616
Children	53.3	13.9	2,274	163	6,892	33.0	15
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	91.9	48.7	2,675	55	16,216	16.5	95,972
Male	86.7	43.4	2,815	65	15,593	18.1	45,375
Unknown	0.0	0.0	0	0	0	0.0	0
Race							
White	90.9	51.5	2,839	55	20,373	13.9	76,012
African American	88.9	43.9	2,829	65	13,953	20.3	27,658
Other/unknown	89.8	40.2	2,400	60	8,741	27.5	37,677
Use of Nursing Facilities^d							
Entire year	97.3	62.8	2,905	46	37,984	7.6	25,022
Part year	95.4	52.2	2,622	50	24,595	10.7	10,887
None	88.0	42.7	2,686	63	9,917	27.1	105,438
Maintenance Assistance Status							
Cash	89.1	41.6	2,650	64	8,728	30.4	70,224
Medically needy	100.0	75.0	5,790	77	22,124	26.2	1
Poverty related	90.0	44.0	3,001	68	8,772	34.2	29,897
Other/unknown	92.2	58.5	2,636	45	33,684	7.8	41,225

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	4.5	\$258	17.0 %	9.8 %	16.1 %	12.0 %	31.0 %	23.9 %	7.2 %	\$1,521	141,347	1,488,329
Age												
5 and younger	0.8	70	21.1	33.3	0.0	33.3	33.3	0.0	0.0	331	3	25
6-14	5.3	1,074	54.5	15.8	5.3	0.0	42.1	31.6	5.3	1,972	19	194
15-20	2.0	249	25.3	29.7	28.6	11.4	19.4	9.1	1.7	985	175	1,692
21-44	3.8	311	23.2	15.4	24.7	12.0	24.8	16.1	7.1	1,345	18,851	200,591
45-64	5.3	351	21.9	8.5	13.8	10.7	29.5	26.4	11.1	1,599	22,861	246,515
65-74	4.1	230	24.0	11.1	17.6	12.9	31.2	21.8	5.5	955	37,165	397,210
75-84	4.5	231	15.2	8.5	14.4	12.2	32.4	25.6	6.8	1,517	35,153	374,585
85 and older	4.7	214	8.8	6.9	12.5	11.6	34.4	27.8	6.9	2,431	27,119	267,513
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	221	1	4
Basis of Eligibility^c												
Aged	4.3	212	13.1	9.8	15.7	12.6	32.2	23.6	6.0	1,620	74,761	763,921
Disabled	4.7	308	21.7	9.4	16.6	11.3	29.7	24.3	8.6	1,418	65,955	721,958
Adults	2.0	135	15.0	45.5	18.5	8.6	13.6	10.1	3.7	905	616	2,311
Children	1.5	245	33.0	46.7	13.3	0.0	26.7	13.3	0.0	744	15	139
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	4.6	253	16.5	8.1	14.8	12.2	32.2	25.4	7.3	1,535	95,972	1,013,727
Male	4.2	269	18.1	13.3	19.1	11.5	28.4	20.6	7.0	1,491	45,375	474,602
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Race												
White	5.0	273	13.9	9.1	14.0	10.7	30.3	26.4	9.5	1,958	76,012	790,794
African American	4.1	265	20.3	11.1	17.6	12.4	31.1	22.3	5.4	1,307	27,658	295,270
Other/unknown	3.8	225	27.5	10.2	19.5	14.3	32.2	19.8	4.0	819	37,677	402,265
use of nursing Facilities^d												
Entire year	6.2	288	7.6	2.7	7.1	8.2	31.9	35.9	14.2	3,762	25,022	252,648
Part year	5.5	276	10.7	4.6	10.4	10.5	33.8	30.9	9.8	2,586	10,887	103,554
None	4.0	250	27.1	12.0	18.9	13.1	30.5	20.3	5.3	924	105,438	1,132,127
Maintenance Assistance Status												
Cash	3.8	244	30.4	10.9	19.3	13.4	31.1	20.9	4.5	803	70,224	763,617
Medically needy	7.5	579	26.2	0.0	0.0	0.0	0.0	100.0	0.0	2,212	1	10
Poverty related	4.1	278	34.2	10.0	17.8	13.2	32.1	21.7	5.1	812	29,897	323,098
Other/unknown	6.0	271	7.8	7.8	9.5	8.8	30.0	30.4	13.5	3,458	41,225	401,604

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Jersey, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total No. of Rx	Total Rx \$	No. Dual Benes	As % of Benes	No. of Bene Mos		
																Generic	Patented Brand-Name
Anti-infective Agents	0.4	0.2	0.0	0.1	\$36	\$34	\$0	\$2	\$103	\$140	\$65	\$16	302,150	\$30,976,589	76,649	54.2 %	849,700
Biologics	0.1	0.0	0.0	0.1	5	1	1	4	49	15	2,159	69	9,068	446,777	7,975	5.6	90,016
Antineoplastic Agents	0.5	0.2	0.2	0.1	99	51	34	14	185	291	159	95	49,386	9,130,224	9,026	6.4	92,290
Endocrine/Metabolic Drugs	0.9	0.6	0.0	0.4	42	36	1	5	45	66	36	14	577,821	26,144,034	56,283	39.8	617,498
Cardiovascular Agents	1.6	0.7	0.1	0.8	66	40	5	20	40	59	49	24	1,616,148	64,894,320	91,100	64.5	990,430
Respiratory Agents	0.7	0.4	0.0	0.3	33	24	1	8	47	62	44	28	484,349	22,875,065	61,721	43.7	687,276
Gastrointestinal Agents	0.7	0.4	0.1	0.3	58	45	5	9	79	118	86	29	508,244	40,271,613	63,238	44.7	692,105
Genitourinary Agents	0.4	0.3	0.0	0.1	23	20	0	2	54	65	42	23	92,420	5,022,874	19,953	14.1	221,783
CNS Drugs	1.3	0.7	0.1	0.5	97	73	13	11	74	107	100	23	994,300	73,758,671	69,611	49.2	758,029
Stimulants/Anti-obesity/Anorexia	0.4	0.2	0.0	0.1	32	28	1	2	91	116	57	26	7,649	692,244	1,937	1.4	21,812
Miscellaneous Psychological/Neurological Agents	0.5	0.5	0.0	0.0	60	57	0	2	115	121	74	54	53,041	6,121,611	9,421	6.7	102,166
Analgesics and Anesthetics	0.7	0.3	0.1	0.3	44	35	4	5	65	102	75	17	524,000	34,231,945	70,861	50.1	781,670
Neuromuscular Agents	1.2	0.5	0.1	0.6	52	34	4	13	45	71	43	23	432,550	19,355,058	33,843	23.9	372,956
Nutritional Products	0.5	0.0	0.1	0.4	8	1	3	5	16	21	21	13	253,871	3,966,517	43,145	30.5	472,525
Hematological Agents	0.7	0.3	0.1	0.3	70	61	3	5	97	224	22	17	242,550	23,517,152	31,221	22.1	337,468
Topical Products	0.6	0.3	0.1	0.2	24	17	3	4	41	54	44	18	473,690	19,227,768	73,155	51.8	813,419
Miscellaneous Products	0.4	0.2	0.1	0.1	77	50	18	9	197	296	237	61	18,789	3,704,628	4,470	3.2	48,167
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	4	0	0	0	17	0	0	0	7,116	121,584	2,438	1.7	27,545
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	6,647,142	384,458,674	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Jersey, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$40,903,305	36,158	25.6 %	397,684	0.9	\$120	\$103
ULCER DRUGS	35,113,410	66,512	47.1	735,383	0.5	96	48
ANTIDEPRESSANTS	21,744,757	48,171	34.1	524,439	0.6	65	41
ANALGESICS - ANTI-INFLAMMATORY	18,649,871	61,320	43.4	695,949	0.4	76	27
ANTIDIABETIC	18,237,228	46,476	32.9	517,669	0.6	57	35
ANTIHYPERTENSIVE	16,977,455	62,716	44.4	694,909	0.6	42	24
ANTHYPERLIPIDEMIC	16,780,386	29,862	21.1	337,943	0.6	87	50
ANTIVIRAL	16,060,750	8,396	5.9	94,057	0.5	360	171
ANTICONVULSANT	14,511,950	27,892	19.7	307,994	1.0	46	47
CALCIUM BLOCKERS	14,303,040	36,617	25.9	403,574	0.7	53	35
Total	213,282,152	424,120		4,709,601	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ULCER DRUGS						
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	2,834,178	\$213,282,152	36,158	25.6 %	397,684	0.9	\$103	66,512	47.1 %	735,383	0.5	\$48					
Female	1,922,464	138,652,254	22,435	23.4	245,206	0.8	86	48,415	50.4	536,394	0.5	48					
Disabled	949,124	74,892,783	11,957	30.8	136,102	0.9	106	21,273	54.8	243,091	0.5	48					
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
6-14	44	4,251	0	0.0	0	0.0	0	6	75.0	72	0.3	32					
15-20	486	43,656	14	19.4	99	0.6	101	22	30.6	230	0.4	26					
21-44	168,870	15,663,529	3,710	46.6	42,015	0.9	122	2,757	34.6	31,048	0.5	46					
45-64	354,749	28,656,342	4,559	35.1	51,919	1.0	112	7,411	57.1	84,179	0.5	49					
65-74	299,805	21,851,321	2,342	19.3	26,854	0.7	85	7,658	63.0	88,372	0.4	47					
75-84	103,433	7,208,096	1,054	23.6	12,037	0.7	81	2,730	61.0	31,421	0.5	48					
85 and older	21,737	1,465,588	278	23.6	3,178	0.6	64	689	58.4	7,769	0.5	49					
Other Eligibles	973,340	63,759,471	10,478	18.3	109,104	0.6	61	27,142	47.5	293,303	0.5	48					
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
6-14	32	9,062	0	0.0	0	0.0	0	2	100.0	24	0.3	30					
15-20	48	7,375	1	16.7	12	1.1	377	2	33.3	6	0.5	27					
21-44	677	66,190	18	7.8	135	0.7	102	19	8.2	131	0.5	58					
45-64	413	31,431	3	3.7	18	0.4	33	21	25.6	132	0.4	32					
65-74	205,823	14,462,345	1,200	9.3	12,682	0.6	63	5,939	46.0	66,075	0.4	42					
75-84	420,090	27,879,310	3,948	18.1	41,996	0.6	66	11,037	50.5	122,062	0.5	48					
85 and older	346,257	21,303,758	5,308	24.1	54,261	0.6	57	10,122	45.9	104,873	0.6	52					
Male	911,714	74,629,898	13,723	30.2	152,478	1.0	130	18,097	39.9	198,989	0.5	48					
Disabled	639,355	56,999,310	10,921	40.3	124,013	1.1	145	10,276	37.9	115,795	0.5	49					
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
6-14	68	9,143	0	0.0	0	0.0	0	4	50.0	42	0.7	55					
15-20	728	66,305	12	12.9	134	1.4	150	14	15.1	160	0.3	30					
21-44	225,998	23,672,400	5,538	52.5	62,825	1.1	154	2,648	25.1	29,993	0.5	48					
45-64	268,010	23,136,478	4,011	41.4	45,673	1.2	147	4,082	42.1	45,616	0.6	50					
65-74	117,618	8,315,486	1,026	18.8	11,575	0.9	103	2,798	51.2	31,719	0.5	47					
75-84	23,986	1,615,326	284	24.8	3,256	0.8	95	644	56.1	7,329	0.5	47					
85 and older	2,947	184,172	50	28.4	550	0.7	59	86	48.9	936	0.5	42					
Other Eligibles	272,359	17,630,588	2,802	15.4	28,465	0.6	66	7,821	42.9	83,194	0.5	46					
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
6-14	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
15-20	12	354	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
21-44	148	10,406	6	5.5	21	0.5	12	8	7.3	41	0.3	21					
45-64	293	16,084	0	0.0	0	0.0	0	15	13.8	88	0.3	31					
65-74	92,704	6,166,032	602	9.1	6,234	0.7	74	2,454	36.9	26,713	0.4	42					
75-84	126,331	8,126,996	1,287	16.8	13,298	0.7	67	3,579	46.7	38,665	0.5	47					
85 and older	52,871	3,310,716	907	24.4	8,912	0.6	58	1,765	47.5	17,687	0.6	51					
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANALGESICS - ANTI-INFLAMMATORY					ANTIDIABETIC				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx
All	48,171	34.1 %	524,439	\$42	0.6	61,320	43.4 %	695,949	0.4	\$27	46,476	32.9 %	517,669	0.6	\$35
Female	34,847	36.3	378,818	41	0.6	45,112	47.0	513,258	0.4	29	33,074	34.5	369,851	0.6	35
Disabled	17,105	44.1	193,050	42	0.6	22,287	57.4	257,055	0.3	27	16,527	42.6	188,508	0.6	38
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	23	31.9	206	24	0.4	15	20.8	144	0.2	8	0	0.0	0	0.0	0
21-44	4,302	54.0	47,950	48	0.6	3,216	40.4	36,595	0.3	17	1,161	14.6	12,939	0.6	38
45-64	7,156	55.1	80,344	45	0.6	7,855	60.5	89,790	0.3	27	5,881	45.3	66,434	0.6	40
65-74	4,057	33.4	46,725	34	0.5	8,107	66.7	94,412	0.4	30	7,175	59.0	82,564	0.6	37
75-84	1,283	28.7	14,643	35	0.6	2,568	57.4	30,032	0.4	31	2,026	45.3	23,355	0.6	34
85 and older	284	24.1	3,182	37	0.6	526	44.6	6,082	0.4	34	284	24.1	3,216	0.6	28
Other Eligibles	17,742	31.0	185,768	39	0.6	22,825	39.9	256,203	0.4	30	16,547	29.0	181,343	0.6	33
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0	0.0	1	50.0	12	0.1	4	0	0.0	0	0.0	0
15-20	1	16.7	12	39	0.8	1	16.7	5	0.2	1	0	0.0	0	0.0	0
21-44	47	20.3	315	34	0.5	28	12.1	184	0.3	18	13	5.6	80	0.9	38
45-64	18	22.0	99	41	0.5	18	22.0	116	0.4	25	19	23.2	146	0.6	28
65-74	2,871	22.2	31,118	33	0.5	6,639	51.4	74,962	0.3	27	5,020	38.9	55,434	0.6	35
75-84	6,869	31.4	73,395	39	0.6	9,850	45.0	112,389	0.4	31	7,555	34.5	84,217	0.6	33
85 and older	7,936	36.0	80,829	42	0.7	6,288	28.5	68,535	0.5	33	3,940	17.9	41,466	0.7	28
Male	13,324	29.4	145,621	43	0.7	16,208	35.7	182,691	0.3	21	13,402	29.5	147,818	0.6	35
Disabled	9,251	34.1	103,748	45	0.7	10,055	37.1	114,585	0.3	20	7,649	28.2	85,784	0.6	38
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	9	9.7	92	77	0.7	15	16.1	159	0.2	4	1	1.1	12	0.8	20
21-44	4,081	38.7	45,772	48	0.7	2,997	28.4	34,097	0.2	13	1,292	12.2	14,450	0.6	39
45-64	3,605	37.2	40,299	47	0.7	3,926	40.5	44,441	0.3	21	3,205	33.1	35,724	0.6	39
65-74	1,272	23.3	14,425	37	0.6	2,563	46.9	29,484	0.3	24	2,670	48.9	30,134	0.6	37
75-84	240	20.9	2,692	39	0.6	482	42.0	5,598	0.4	27	437	38.1	4,978	0.6	32
85 and older	44	25.0	468	33	0.5	72	40.9	806	0.4	28	44	25.0	486	0.6	35
Other Eligibles	4,073	22.3	41,873	38	0.6	6,153	33.7	68,106	0.3	24	5,753	31.5	62,034	0.6	32
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	19	17.4	54	36	0.6	8	7.3	36	0.3	11	4	3.7	22	0.8	57
45-64	13	11.9	101	11	0.4	13	11.9	78	0.4	17	28	25.7	178	0.4	24
65-74	1,087	16.4	11,656	34	0.6	2,520	37.9	28,063	0.3	23	2,480	37.3	26,888	0.6	33
75-84	1,835	23.9	19,090	38	0.6	2,659	34.7	29,814	0.3	24	2,487	32.5	27,081	0.6	32
85 and older	1,119	30.1	10,972	42	0.7	953	25.6	10,115	0.4	29	754	20.3	7,865	0.7	29
Unknown	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7B

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	ANTIHYPERTENSIVE					ANTIHYPERLIPIDEMIC					ANTIVIRAL				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	62,716	44.4 %	694,909	0.6	\$24	29,862	21.1 %	337,943	0.6	\$50	8,396	5.9 %	94,057	0.5	\$171
Female	44,163	46.0	490,558	0.6	25	21,332	22.2	242,397	0.6	50	3,915	4.1	44,287	0.4	128
Disabled	17,796	45.8	203,067	0.6	24	10,182	26.2	117,143	0.6	50	2,904	7.5	33,049	0.5	161
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	12.5	12	0.3	10	1	12.5	12	0.2	57
15-20	13	18.1	133	0.4	17	4	5.6	43	0.3	30	7	9.7	84	0.2	122
21-44	1,144	14.4	12,841	0.5	19	596	7.5	6,830	0.6	43	1,181	14.8	13,290	0.5	181
45-64	5,816	44.8	65,364	0.6	24	3,574	27.5	40,488	0.6	49	1,279	9.9	14,535	0.5	181
65-74	7,557	62.2	87,035	0.6	25	4,568	37.6	52,941	0.6	51	340	2.8	3,993	0.2	64
75-84	2,669	59.7	30,855	0.6	25	1,285	28.7	15,023	0.6	50	78	1.7	923	0.2	25
85 and older	597	50.6	6,839	0.6	24	154	13.1	1,806	0.5	48	18	1.5	212	0.2	15
Other Eligibles	26,367	46.1	287,491	0.6	25	11,150	19.5	125,254	0.6	50	1,011	1.8	11,238	0.2	31
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	50.0	12	0.3	13	0	0.0	0	0.0	0	3	150.0	36	0.6	225
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	12	5.2	82	0.4	11	5	2.2	43	0.7	61	6	2.6	31	0.9	383
45-64	15	18.3	81	0.7	17	9	11.0	83	0.6	58	4	4.9	24	0.5	160
65-74	6,496	50.3	72,164	0.5	25	4,038	31.3	45,337	0.5	48	264	2.0	2,968	0.2	62
75-84	11,316	51.7	126,198	0.6	25	5,318	24.3	60,330	0.6	52	389	1.8	4,448	0.1	19
85 and older	8,527	38.7	88,954	0.7	25	1,780	8.1	19,461	0.6	48	345	1.6	3,731	0.1	13
Male	18,553	40.9	204,351	0.6	24	8,530	18.8	95,546	0.6	50	4,481	9.9	49,770	0.6	209
Disabled	9,558	35.2	107,272	0.6	24	5,060	18.7	57,217	0.6	50	4,163	15.3	46,239	0.6	220
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	12.5	12	0.1	1	0	0.0	0	0.0	0	1	12.5	12	0.8	373
15-20	13	14.0	148	0.6	28	1	1.1	5	0.2	4	10	10.8	113	0.3	133
21-44	1,754	16.6	19,686	0.6	23	1,035	9.8	11,751	0.6	47	2,139	20.3	23,778	0.6	214
45-64	3,857	39.8	42,901	0.6	24	2,117	21.8	23,800	0.6	51	1,786	18.4	19,689	0.6	240
65-74	3,219	58.9	36,325	0.6	25	1,652	30.2	18,748	0.6	52	203	3.7	2,360	0.4	139
75-84	633	55.2	7,267	0.6	24	242	21.1	2,761	0.6	51	22	1.9	263	0.3	65
85 and older	81	46.0	933	0.6	25	13	7.4	152	0.7	44	2	1.1	24	0.1	7
Other Eligibles	8,995	49.3	97,079	0.6	24	3,470	19.0	38,329	0.5	49	318	1.7	3,531	0.2	62
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	1	25.0	12	1.0	30	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	13	11.9	46	0.5	20	2	1.8	10	0.3	22	5	4.6	14	0.4	127
45-64	19	17.4	95	0.5	18	8	7.3	36	0.3	22	2	1.8	14	0.4	111
65-74	3,497	52.6	38,120	0.5	23	1,610	24.2	17,694	0.5	48	131	2.0	1,495	0.3	92
75-84	4,008	52.3	43,858	0.6	24	1,540	20.1	17,222	0.6	50	127	1.7	1,412	0.2	49
85 and older	1,457	39.2	14,948	0.6	24	310	8.3	3,367	0.5	46	53	1.4	596	0.1	12
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	ANTICONVULSANT					CALCIUM BLOCKERS						
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Bene Mos	
All	27,892	19.7 %	307,994	1.0	\$47	36,617	25.9 %	403,574	0.7	\$35	141,347	1,488,329
Female	17,175	17.9	189,368	0.9	43	27,449	28.6	303,332	0.7	35	95,971	1,013,723
Disabled	10,733	27.6	121,360	1.0	51	10,365	26.7	117,773	0.7	37	38,827	428,003
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
6-14	0	0.0	0	0.0	0	3	37.5	36	0.5	33	8	96
15-20	17	23.6	138	0.7	38	13	18.1	143	0.4	18	72	688
21-44	3,431	43.1	38,363	1.1	66	590	7.4	6,642	0.5	33	7,963	85,463
45-64	4,307	33.2	48,599	1.1	51	3,189	24.6	35,552	0.7	38	12,978	141,276
65-74	2,109	17.4	24,315	0.8	37	4,458	36.7	51,149	0.7	37	12,153	136,750
75-84	747	16.7	8,632	0.8	30	1,681	37.6	19,349	0.7	36	4,472	50,761
85 and older	122	10.3	1,313	0.7	30	431	36.5	4,902	0.7	37	1,180	12,957
Other Eligibles	6,442	11.3	68,008	0.8	29	17,084	29.9	185,559	0.7	35	57,144	585,720
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
6-14	0	0.0	0	0.0	0	1	50.0	12	0.1	4	2	24
15-20	3	50.0	22	1.0	101	0	0.0	0	0.0	0	6	44
21-44	23	10.0	170	0.6	65	13	5.6	50	0.5	31	231	934
45-64	8	9.8	61	0.6	68	8	9.8	36	0.8	40	82	315
65-74	1,207	9.4	13,047	0.7	29	3,728	28.9	41,166	0.6	35	12,907	134,126
75-84	2,841	13.0	30,496	0.8	30	7,305	33.4	81,042	0.7	36	21,870	232,645
85 and older	2,360	10.7	24,212	0.8	27	6,029	27.3	63,253	0.7	33	22,046	217,632
Male	10,717	23.6	118,626	1.2	54	9,168	20.2	100,242	0.7	36	45,375	474,602
Disabled	8,646	31.9	97,340	1.2	58	4,667	17.2	52,121	0.7	38	27,128	293,955
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
6-14	1	12.5	12	0.4	15	3	37.5	30	0.8	72	8	73
15-20	9	9.7	98	1.6	81	16	17.2	165	0.7	38	93	912
21-44	3,963	37.6	44,578	1.2	65	855	8.1	9,526	0.6	41	10,548	113,787
45-64	3,365	34.7	37,919	1.4	58	1,886	19.5	20,903	0.7	38	9,692	104,539
65-74	1,066	19.5	12,016	0.9	39	1,513	27.7	17,039	0.7	37	5,463	59,847
75-84	216	18.8	2,427	1.0	36	342	29.8	3,896	0.7	33	1,147	12,882
85 and older	26	14.8	290	0.7	29	52	29.5	562	0.7	35	176	1,903
Other Eligibles	2,071	11.3	21,286	0.8	32	4,501	24.7	48,121	0.7	33	18,247	180,647
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	48
21-44	6	5.5	37	0.3	35	8	7.3	42	0.5	35	109	407
45-64	9	8.3	50	0.4	24	11	10.1	59	0.5	24	109	385
65-74	628	9.5	6,661	0.8	35	1,575	23.7	17,101	0.6	32	6,642	66,487
75-84	976	12.7	10,189	0.8	32	2,099	27.4	22,659	0.7	34	7,664	78,297
85 and older	452	12.2	4,349	0.8	29	808	21.7	8,260	0.7	32	3,717	35,021
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	4

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$288	6.2	25,022	252,648
Age				
0-64	463	8.2	1,578	17,383
65-74	365	7.3	2,804	29,627
75-84	298	6.4	7,726	79,375
85 and older	239	5.6	12,914	126,263
Unknown	0	0.0	0	0
Gender				
Female	276	6.1	19,569	197,848
Male	329	6.5	5,453	54,800
Unknown	0	0.0	0	0
Race				
White	287	6.3	20,296	202,693
African American	288	5.8	2,983	31,516
Other/unknown	295	6.1	1,743	18,439
Basis of Eligibility^c				
Aged	267	6.0	20,656	204,233
Disabled	375	7.2	4,366	48,415
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx			Total Rx \$			Users				
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	No. of Bene Mos	As % of Dual All-Year NF Residents	
		Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name	Brand-Name		
Anti-infective Agents	0.4	0.2	0.0	0.1	\$19	\$17	\$0	\$2	\$55	\$74	\$44	\$17	58,072	\$3,182,790	15,637	62.5 %	164,873
Biologics	0.1	0.0	0.0	0.1	1	0	0	1	15	15	0	15	4,091	60,769	3,776	15.1	42,159
Antineoplastic Agents	0.6	0.1	0.3	0.2	93	27	46	20	145	210	143	105	19,578	2,842,545	3,156	12.6	30,593
Endocrine/Metabolic Drugs	1.2	0.5	0.0	0.6	35	27	1	7	30	51	67	12	122,509	3,674,309	10,077	40.3	104,394
Cardiovascular Agents	2.0	0.5	0.1	1.4	56	24	3	30	28	44	29	21	364,999	10,059,078	17,614	70.4	180,501
Respiratory Agents	0.8	0.3	0.0	0.5	31	17	0	14	37	54	30	27	83,296	3,095,897	9,339	37.3	98,697
Gastrointestinal Agents	1.1	0.4	0.1	0.6	67	44	6	17	64	104	72	31	137,229	8,716,080	12,559	50.2	129,988
Genitourinary Agents	0.5	0.3	0.0	0.2	26	20	0	5	49	63	38	27	28,412	1,391,582	5,073	20.3	54,226
CNS Drugs	1.6	1.0	0.1	0.5	104	88	6	10	66	90	82	19	252,627	16,713,822	15,468	61.8	160,646
Stimulants/Anti-obesity/Anorexia	0.7	0.3	0.0	0.4	34	28	0	6	51	100	13	15	1,213	61,433	178	0.7	1,785
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	84	84	0	0	114	115	65	49	21,220	2,418,855	2,800	11.2	28,760
Analgesics and Anesthetics	0.9	0.5	0.0	0.4	49	42	2	4	53	83	51	12	91,553	4,874,359	9,779	39.1	100,416
Neuromuscular Agents	1.4	0.4	0.1	0.9	67	33	3	31	46	73	47	33	104,647	4,835,673	6,860	27.4	72,712
Nutritional Products	0.7	0.0	0.2	0.5	10	1	3	6	14	24	18	12	67,335	949,202	8,786	35.1	90,737
Hematological Agents	1.1	0.4	0.3	0.5	74	65	4	5	67	176	14	10	86,883	5,847,839	7,726	30.9	79,381
Topical Products	0.7	0.3	0.1	0.3	22	15	2	5	31	48	38	13	124,563	3,851,115	16,232	64.9	173,006
Miscellaneous Products	0.2	0.1	0.0	0.2	7	2	0	5	30	44	89	26	3,259	98,842	1,357	5.4	14,002
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	6	0	0	0	24	0	0	0	755	18,408	282	1.1	3,132
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,572,241	72,692,598	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In New Jersey, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Table D9

Dual Eligible Beneficiaries

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$8,982,739	9,813	39.2 %	104,573	0.8	\$110	\$86
ULCER DRUGS	7,686,146	11,862	47.4	123,225	0.7	85	62
ANTIDEPRESSANTS	6,233,314	11,732	46.9	121,832	0.8	61	51
ANTICONVULSANT	3,046,011	6,160	24.6	66,172	1.1	41	46
ANTINEOPLASTICS	2,842,545	3,246	13.0	31,500	0.6	145	90
HEMATOPOIETIC AGENTS	2,805,632	3,929	15.7	40,534	0.7	92	69
ANTIHYPERTENSIVE	2,530,020	8,598	34.4	88,803	0.8	34	28
ANALGESICS - ANTI-INFLAMMATORY	2,496,204	5,830	23.3	62,680	0.6	66	40
DERMATOLOGICAL	2,451,787	22,856	91.3	248,647	0.3	33	10
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	2,418,855	2,804	11.2	28,811	0.7	114	84
Total	41,493,253	86,830		916,777	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ULCER DRUGS						
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Users	No. of Bene Mos among Users	Mean Rx \$
			9,813	39.2 %	104,573												
All	606,911	\$41,493,253	9,813	39.2 %	104,573	0.8	\$66	11,862	47.4 %	123,225	0.7	\$62					
Female	459,817	31,040,596	7,394	37.8	78,807	0.8	82	9,112	46.6	94,622	0.7	62					
Disabled	88,048	6,416,608	1,528	57.6	17,485	0.9	112	1,405	53.0	15,628	0.7	62					
64 or younger	28,927	2,231,271	399	54.5	4,474	1.0	135	364	49.7	3,992	0.8	69					
65-74	31,212	2,176,226	563	65.9	6,521	0.9	109	480	56.2	5,382	0.7	61					
75-84	21,532	1,550,020	444	58.7	5,074	0.9	105	405	53.6	4,526	0.7	59					
85 and older	6,377	459,091	122	39.5	1,416	0.8	82	156	50.5	1,728	0.7	58					
Other Eligibles	371,769	24,623,988	5,866	34.7	61,322	0.7	73	7,707	45.6	78,994	0.7	62					
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	23,203	1,617,226	387	47.6	4,015	0.8	93	413	50.8	4,169	0.7	66					
75-84	131,292	8,792,215	2,087	41.0	22,329	0.8	82	2,485	48.8	25,935	0.7	64					
85 and older	217,274	14,214,547	3,392	30.8	34,978	0.7	65	4,809	43.7	48,890	0.7	61					
Male	147,094	10,452,657	2,419	44.4	25,766	0.8	99	2,750	50.4	28,603	0.7	64					
Disabled	61,357	4,480,510	976	56.9	11,008	1.0	127	863	50.3	9,622	0.8	66					
64 or younger	33,448	2,429,528	478	56.5	5,301	1.0	129	442	52.2	4,912	0.8	67					
65-74	20,048	1,467,401	325	55.7	3,732	1.0	129	278	47.7	3,150	0.8	67					
75-84	6,666	500,333	142	59.9	1,635	1.0	128	117	49.4	1,289	0.7	61					
85 and older	1,195	83,248	31	63.3	340	0.8	73	26	53.1	271	0.6	52					
Other Eligibles	85,737	5,972,147	1,443	38.6	14,758	0.7	79	1,887	50.5	18,981	0.7	62					
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	15,605	1,070,579	250	45.1	2,565	0.9	99	262	47.3	2,701	0.8	64					
75-84	39,665	2,701,478	661	40.3	6,873	0.7	80	857	52.3	8,873	0.7	64					
85 and older	30,467	2,200,090	532	34.5	5,320	0.7	67	768	49.7	7,407	0.7	60					
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS						ANTICONVULSANT						ANTINEOPLASTICS								
	Users as %			Mean			Users as %			Mean			Users as %			Mean					
	No. of Users	No. of Bene Users	No. of Bene Mos among Users	No. of Rx	No. of Rx \$	Mean No. of Rx	Residents	Resident-Residents	No. of Users	No. of Bene Users	No. of Bene Mos among Users	No. of Rx	No. of Rx \$	Mean No. of Rx	Residents	Resident-Residents	No. of Users	No. of Bene Users	No. of Bene Mos among Users	No. of Rx	No. of Rx \$
All	11,732	46.9 %	121,832	0.8	\$51	1.1	6,160	24.6 %	66,172	1.1	3,246	13.0 %	31,500	0.6	\$90						
Female	9,364	47.9	97,311	0.8	51	1.1	4,239	21.7	45,490	1.1	2,609	13.3	25,323	0.6	82						
Disabled	1,229	46.4	13,734	0.9	58	1.3	1,298	49.0	14,752	1.3	311	11.7	3,289	0.7	118						
64 or younger	446	60.9	4,940	0.9	64	1.5	543	74.2	6,040	1.5	68	9.3	724	0.6	227						
65-74	428	50.1	4,869	0.9	56	1.3	453	53.0	5,247	1.3	94	11.0	1,004	0.7	86						
75-84	268	35.4	2,965	0.8	52	1.1	255	33.7	2,929	1.1	41	13.0	1,041	0.8	95						
85 and older	87	28.2	960	0.8	53	0.9	47	15.2	536	0.9	51	16.5	520	0.6	76						
Other Eligibles	8,135	48.1	83,577	0.8	50	1.0	2,941	17.4	30,738	1.0	2,298	13.6	22,034	0.6	77						
64 or younger	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0						
65-74	504	62.0	5,101	0.9	51	1.1	281	34.6	2,954	1.1	84	10.3	833	0.7	80						
75-84	2,718	53.4	28,205	0.9	52	1.1	1,271	25.0	13,561	1.1	624	12.3	6,308	0.6	79						
85 and older	4,913	44.6	50,271	0.8	48	0.9	1,389	12.6	14,223	0.9	1,590	14.4	14,893	0.6	76						
Male	2,368	43.4	24,521	0.8	53	1.2	1,921	35.2	20,682	1.2	637	11.7	6,177	0.6	122						
Disabled	731	42.6	8,118	0.9	59	1.4	1,061	61.9	11,982	1.4	147	8.6	1,551	0.6	128						
64 or younger	397	46.9	4,343	1.0	61	1.5	609	72.0	6,847	1.5	65	7.7	689	0.6	145						
65-74	251	43.1	2,877	0.9	56	1.2	333	57.1	3,794	1.2	55	9.4	595	0.7	129						
75-84	67	28.3	725	0.9	64	1.3	106	44.7	1,192	1.3	22	9.3	226	0.5	91						
85 and older	16	32.7	173	0.6	43	0.8	13	26.5	149	0.8	5	10.2	41	0.4	47						
Other Eligibles	1,637	43.8	16,403	0.8	50	1.0	860	23.0	8,700	1.0	490	13.1	4,626	0.6	121						
64 or younger	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0						
65-74	249	44.9	2,523	0.9	53	1.2	204	36.8	2,137	1.2	46	8.3	432	0.6	90						
75-84	789	48.1	8,014	0.8	49	1.0	404	24.6	4,138	1.0	222	13.5	2,118	0.6	113						
85 and older	599	38.8	5,866	0.8	50	0.9	252	16.3	2,425	0.9	222	14.4	2,076	0.6	135						
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0						

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	HEMATOPOIETIC AGENTS						ANTIHYPERTENSIVE						ANALGESICS - ANTI-INFLAMMATORY					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx	No. of Users	No. of Bene among Users	Mean No. of Rx
All	3,929	15.7 %	0.7	40,534	0.7	\$69	8,598	34.4 %	0.8	88,803	0.8	\$29	5,830	23.3 %	0.6	62,680	0.6	\$40
Female	3,000	15.3	0.7	31,006	0.7	66	6,564	33.5	0.8	67,499	0.8	28	4,783	24.4	0.6	51,521	0.6	41
Disabled	390	14.7	0.8	4,277	0.8	101	825	31.1	0.8	9,170	0.8	29	680	25.7	0.6	7,754	0.6	39
64 or younger	125	17.1	0.8	1,345	0.8	142	172	23.5	0.8	1,932	0.8	28	186	25.4	0.6	2,099	0.6	32
65-74	120	14.1	0.7	1,312	0.7	86	310	36.3	0.9	3,477	0.9	33	223	26.1	0.6	2,581	0.6	42
75-84	99	13.1	0.8	1,116	0.8	82	247	32.7	0.8	2,695	0.8	27	194	25.7	0.6	2,218	0.6	42
85 and older	46	14.9	0.7	504	0.7	68	96	31.1	0.7	1,066	0.7	23	77	24.9	0.6	856	0.6	38
Other Eligibles	2,610	15.4	0.7	26,729	0.7	60	5,739	33.9	0.8	58,329	0.8	28	4,103	24.3	0.6	43,767	0.6	42
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0
65-74	133	16.4	0.8	1,320	0.8	78	307	37.8	0.8	3,120	0.8	30	206	25.3	0.6	2,170	0.6	64
75-84	785	15.4	0.7	8,094	0.7	65	1,894	37.2	0.8	19,611	0.8	28	1,322	26.0	0.6	14,236	0.6	42
85 and older	1,692	15.4	0.7	17,315	0.7	56	3,538	32.1	0.8	35,598	0.8	28	2,575	23.4	0.6	27,361	0.6	40
Male	929	17.0	0.8	9,528	0.8	81	2,034	37.3	0.9	21,304	0.9	30	1,047	19.2	0.6	11,159	0.6	34
Disabled	285	16.6	0.8	3,082	0.8	102	629	36.7	0.9	6,990	0.9	31	316	18.4	0.6	3,562	0.6	30
64 or younger	138	16.3	0.9	1,474	0.9	124	319	37.7	0.9	3,503	0.9	30	152	18.0	0.6	1,689	0.6	27
65-74	104	17.8	0.8	1,127	0.8	90	214	36.7	0.9	2,428	0.9	32	112	19.2	0.5	1,273	0.5	29
75-84	28	11.8	0.5	320	0.5	49	75	31.6	0.9	838	0.9	29	43	18.1	0.7	492	0.7	43
85 and older	15	30.6	0.8	161	0.8	85	21	42.9	0.8	221	0.8	32	9	18.4	0.6	108	0.6	40
Other Eligibles	644	17.2	0.8	6,446	0.8	72	1,405	37.6	0.9	14,314	0.9	29	731	19.6	0.6	7,597	0.6	35
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0
65-74	103	18.6	0.8	1,055	0.8	95	259	46.8	0.9	2,739	0.9	30	119	21.5	0.6	1,331	0.6	37
75-84	270	16.5	0.8	2,764	0.8	51	644	39.3	0.9	6,608	0.9	30	313	19.1	0.6	3,264	0.6	34
85 and older	271	17.6	0.8	2,627	0.8	84	502	32.5	0.8	4,967	0.8	28	299	19.4	0.6	3,002	0.6	35
Unknown	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	DERMATOLOGICAL				MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL				All-Year NF Residents	Mean Rx \$	Mean No. of Rx	No. of Bene Mos among Users	Users as % of All-Year NF Residents	Mean No. of Rx	All-Year NF Residents	Bene Mos among All-Year NF Residents
	Users as % of All-Year NF Residents		Users as % of All-Year NF Residents		Users as % of All-Year NF Residents		Users as % of All-Year NF Residents									
	No. of Users	Mean Rx \$	No. of Users	Mean Rx \$	No. of Users	Mean Rx \$	No. of Users	Mean Rx \$								
All	22,856	91.3 %	248,647	0.3	\$10	2,804	11.2 %	28,811	0.7	\$84	25,022	252,648				
Female	17,643	90.2	192,269	0.3	9	2,258	11.5	23,343	0.7	85	19,569	197,848				
Disabled	2,774	104.6	31,598	0.3	11	149	5.6	1,657	0.7	86	2,651	29,401				
64 or younger	942	128.7	10,718	0.3	12	24	3.3	272	0.7	81	732	8,036				
65-74	911	106.7	10,441	0.3	11	51	6.0	564	0.7	92	854	9,570				
75-84	651	86.1	7,407	0.3	9	53	7.0	597	0.8	88	756	8,444				
85 and older	270	87.4	3,032	0.3	9	21	6.8	224	0.6	70	309	3,351				
Other Eligibles	14,869	87.9	160,671	0.3	9	2,109	12.5	21,686	0.7	84	16,918	168,447				
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
65-74	828	101.8	8,907	0.3	10	107	13.2	1,049	0.7	85	813	8,071				
75-84	4,706	92.4	51,965	0.3	9	748	14.7	7,689	0.8	87	5,093	52,205				
85 and older	9,335	84.8	99,799	0.3	9	1,254	11.4	12,948	0.7	83	11,012	108,171				
Male	5,213	95.6	56,378	0.3	12	546	10.0	5,468	0.7	82	5,453	54,800				
Disabled	1,898	110.7	21,587	0.3	13	72	4.2	791	0.7	80	1,715	19,014				
64 or younger	1,065	125.9	12,066	0.4	14	30	3.5	309	0.6	67	846	9,347				
65-74	582	99.8	6,673	0.3	13	28	4.8	329	0.8	87	583	6,526				
75-84	215	90.7	2,446	0.3	7	11	4.6	126	0.7	86	237	2,623				
85 and older	36	73.5	402	0.2	6	3	6.1	27	1.0	105	49	518				
Other Eligibles	3,315	88.7	34,791	0.3	11	474	12.7	4,677	0.7	82	3,738	35,786				
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
65-74	509	91.9	5,522	0.3	14	71	12.8	696	0.7	78	554	5,460				
75-84	1,485	90.5	15,648	0.3	11	208	12.7	2,094	0.7	82	1,640	16,103				
85 and older	1,321	85.6	13,621	0.3	10	195	12.6	1,887	0.7	84	1,544	14,223				
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 10,887 beneficiaries who were in nursing facilities for part of their enrollment and their 103,554 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 NEW JERSEY, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx as % of All Rx \$	Total No. of Benes
			4.3	613,552					
All	77,006	54.5 %	4.3	613,552	\$107	\$15,100,428	\$25	3.9 %	141,347
Age									
5 and younger	2	66.7	1.3	4	14	42	11	2.4	3
6-14	13	68.4	7.6	144	264	5,015	35	2.4	19
15-20	62	35.4	2.5	433	73	12,695	29	3.0	175
21-44	8,983	47.7	4.0	75,851	132	2,489,938	33	4.0	18,851
45-64	13,878	60.7	5.8	132,682	175	4,004,357	30	4.6	22,861
65-74	20,411	54.9	4.0	150,217	95	3,526,051	23	3.9	37,165
75-84	19,479	55.4	4.2	149,063	88	3,093,925	21	3.6	35,153
85 and older	14,178	52.3	3.9	105,158	73	1,968,405	19	3.4	27,119
Unknown	0	0.0	0.0	0	0	0	0	0.0	1
Basis of Eligibility^c									
Aged	38,503	51.5	3.6	271,918	72	5,358,798	20	3.3	74,761
Disabled	38,360	58.2	5.2	341,178	147	9,724,783	29	4.4	65,955
Adults	139	22.6	0.7	443	25	15,701	35	5.0	616
Children	4	26.7	0.9	13	76	1,146	88	3.4	15
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Gender									
Female	54,817	57.1	4.5	434,575	106	10,169,707	23	4.0	95,972
Male	22,189	48.9	3.9	178,977	109	4,930,721	28	3.9	45,375
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Race									
White	40,360	53.1	4.5	343,123	99	7,492,489	22	3.5	76,012
African American	14,995	54.2	4.1	114,264	125	3,443,789	30	4.4	27,658
Other/unknown	21,651	57.5	4.1	156,165	111	4,164,150	27	4.6	37,677
Use of Nursing Facilities^d									
Entire year	13,051	52.2	5.1	127,588	71	1,783,253	14	2.5	25,022
Part year	6,636	61.0	4.3	46,551	74	809,403	17	2.8	10,887
None	57,319	54.4	4.2	439,413	119	12,507,772	28	4.4	105,438
Maintenance Assistance Status									
Cash	39,440	56.2	4.2	297,630	120	8,443,178	28	4.5	70,224
Medically needy	1	100.0	11.0	11	162	162	15	2.8	1
Poverty related	16,284	54.5	4.2	124,385	124	3,716,399	30	4.1	29,897
Other/unknown	21,281	51.6	4.6	191,526	71	2,940,689	15	2.7	41,225

Table D11

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 NEW JERSEY, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
	0.4	\$10	\$25	\$0	\$3	1,488,329
All						
Age						
5 and younger	0.2	2	11	0	0	25
6-14	0.7	26	35	4	0	194
15-20	0.3	8	29	0	1	1,692
21-44	0.4	12	33	0	5	200,591
45-64	0.5	16	30	0	6	246,515
65-74	0.4	9	23	0	3	397,210
75-84	0.4	8	21	0	2	374,585
85 and older	0.4	7	19	0	2	267,513
Unknown	0.0	0	0	0	0	4
Basis of Eligibility^c						
Aged	0.4	7	20	0	2	763,921
Disabled	0.5	13	29	0	5	721,958
Adults	0.2	7	35	0	2	2,311
Children	0.1	8	88	0	0	139
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.4	10	23	0	3	1,013,727
Male	0.4	10	28	0	4	474,602
Unknown	0.0	0	0	0	0	0
Race						
White	0.4	9	22	0	4	790,794
African American	0.4	12	30	0	2	295,270
Other/unknown	0.4	10	27	0	3	402,265
Use of Nursing Facilities^d						
Entire year	0.5	7	14	0	3	252,648
Part year	0.4	8	17	0	2	103,554
None	0.4	11	28	0	4	1,132,127
Maintenance Assistance Status						
Cash	0.4	11	28	0	3	763,617
Medically needy	1.1	16	15	0	0	10
Poverty related	0.4	12	30	0	4	323,098
Other/unknown	0.5	7	15	0	3	401,604

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.13
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS^{a,b,c}
 NEW JERSEY, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	119,297	\$127	\$15,100,428	100.0 %	613,552	\$25	100.0 %
Anorexia or weight loss/gain	7	87	609	0.0	7	87	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	54	19	1,033	0.0	100	10	0.0
Cough and cold medications	32,369	79	2,552,751	16.9	91,970	28	15.0
Vitamins and minerals	42,359	90	3,794,062	25.1	244,696	16	39.9
Non-prescription drugs	8,358	309	2,584,472	17.1	30,521	85	5.0
Barbiturates	1,855	52	96,981	0.6	22,979	4	3.7
Benzodiazepines	28,986	172	4,993,588	33.1	205,276	24	33.5
Other Part D Excl Rx Drugs	5,309	203	1,076,932	7.1	18,003	60	2.9

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
All	145,212	75,608	68,531	1,049	24	1,555,017	778,692	766,813	9,263	249	0
Age											
5 and younger	3	0	2	0	1	25	0	24	0	1	0
6-14	24	1	18	0	5	261	12	193	0	56	0
15-20	197	0	180	4	13	2,128	0	1,955	26	147	0
21-44	20,142	0	19,564	573	5	222,777	0	217,535	5,197	45	0
45-64	23,875	12	23,534	329	0	264,439	107	261,408	2,924	0	0
65-74	38,171	19,900	18,186	85	0	414,691	207,750	206,126	815	0	0
75-84	35,596	29,888	5,684	24	0	381,691	316,921	64,612	158	0	0
85 and older	27,203	25,806	1,363	34	0	269,001	253,898	14,960	143	0	0
Unknown	1	1	0	0	4	0	4	0	0	0	0
Gender											
Female	98,552	57,385	40,557	598	12	1,056,666	594,542	456,821	5,176	127	0
Male	46,660	18,223	27,974	451	12	498,351	184,150	309,992	4,087	122	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
Race											
White	77,367	43,214	33,726	419	8	814,332	432,405	378,291	3,552	84	0
African American	28,788	10,418	18,059	301	10	313,995	109,981	201,313	2,593	108	0
Other/unknown	39,057	21,976	16,746	329	6	426,690	236,306	187,209	3,118	57	0
Use of Nursing Facilities^c											
Entire year	25,022	20,656	4,366	0	0	252,651	204,236	48,415	0	0	0
Part year	10,890	8,848	2,037	5	0	103,725	82,275	21,423	27	0	0
None	109,300	46,104	62,128	1,044	24	1,198,641	492,181	696,975	9,236	249	0
Maintenance Assistance Status											
Cash	72,944	30,915	41,788	238	3	810,001	338,769	469,180	2,027	25	0
Medically needy	1	0	1	0	0	10	0	10	0	0	0
Poverty related	30,634	14,108	16,467	51	8	336,041	151,343	184,291	323	84	0
Other/unknown	41,633	30,585	10,275	760	13	408,965	288,580	113,332	6,913	140	0
Dual Status^d											
Full dual, all year	144,072	74,800	68,209	1,039	24	1,543,405	770,417	763,586	9,153	249	0
Full dual, part year	1,140	808	322	10	0	11,612	8,275	3,227	110	0	0
Managed Care Status											
FFS all year	137,390	73,820	63,382	174	14	1,467,829	758,634	708,204	853	138	0
FFS part year, with Rx claims	3,208	762	2,206	239	1	36,384	8,716	25,299	2,357	12	0
FFS part year, no Rx claims	749	179	367	203	0	7,790	1,827	3,989	1,974	0	0
MC all year, with Rx claims	608	56	490	62	0	6,807	572	5,606	629	0	0
MC all year, no Rx claims	3,257	791	2,086	371	9	36,207	8,943	23,715	3,450	99	0

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

- a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2001. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 DUAL ELIGIBLE BENEFICIARIES, NEW JERSEY, 2001

Beneficiary Characteristics	Bene Mos in Cell F of Table 1		Included in Cell G of Table 1		Excluded from Cell G of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	145,212	1,555,017	141,347	1,488,329	0	66,688
FFS all year	137,390	1,467,829	137,390	1,467,829	0	0
FFS part year, with Rx claims	3,208	36,384	3,208	17,560	0	18,824
FFS part year, with no Rx claims	749	7,790	749	2,940	0	4,850
MC all year, with Rx claims	608	6,807	0	0	0	6,807
MC all year, with no Rx claims	3,257	36,207	0	0	0	36,207

Source: Data for this table are from the MAX 2001 file for New Jersey, released by CMS in 06/2005. This table was produced on 10/04/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.