

**STATISTICAL COMPENDIUM:  
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001  
MISSISSIPPI**

**LIST OF TABLES**

**OVERVIEW OF STUDY POPULATION**

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

**FOR ALL MEDICAID BENEFICIARIES**

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

**FOR ALL NONDUAL BENEFICIARIES**

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

**FOR DUAL ELIGIBLE BENEFICIARIES**

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

**SUPPLEMENTAL TABLES**

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

**APPENDIX TABLE**

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2  
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
<b>All</b>	<b>551,671</b>	<b>1,505</b>	<b>90,740</b>	<b>77,403</b>	<b>381,961</b>	<b>62</b>	<b>5,185,794</b>	<b>12,981</b>	<b>964,143</b>	<b>586,525</b>	<b>3,621,990</b>	<b>155</b>		
<b>Age</b>														
5 and younger	166,605	0	5,300	0	161,297	8	1,528,602	0	55,586	0	1,473,002	14		
6-14	174,926	0	14,297	0	160,621	8	1,754,912	0	162,427	0	1,592,484	21		
15-20	80,619	0	10,550	10,049	60,014	6	747,829	0	114,195	77,314	556,305	15		
21-44	93,341	0	28,699	64,576	29	37	790,538	0	304,165	486,066	219	88		
45-64	33,578	0	30,805	2,771	0	2	338,668	0	315,571	23,092	0	5		
65-74	1,418	509	904	4	0	1	14,778	4,552	10,174	40	0	12		
75-84	758	602	156	0	0	0	6,967	5,257	1,710	0	0	0		
85 and older	426	394	29	3	0	0	3,500	3,172	315	13	0	0		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Gender</b>														
Female	317,112	911	47,710	74,433	194,016	42	2,925,784	7,785	512,884	565,821	1,839,198	96		
Male	234,509	582	43,028	2,970	187,909	20	2,259,795	5,074	451,238	20,704	1,782,720	59		
Unknown	50	12	2	0	36	0	215	122	21	0	72	0		
<b>Race</b>														
White	171,419	732	24,740	26,954	118,968	25	1,498,752	6,028	250,851	184,691	1,057,113	69		
African American	353,336	617	47,619	49,381	255,683	36	3,421,097	5,411	517,402	395,132	2,503,072	80		
Other/unknown	26,916	156	18,381	1,068	7,310	1	265,945	1,542	195,890	6,702	61,805	6		
<b>Use of Nursing Facilities<sup>c</sup></b>														
Entire year	750	193	557	0	0	0	7,853	1,888	5,965	0	0	0		
Part year	453	42	404	5	2	0	4,574	368	4,140	42	24	0		
None	550,468	1,270	89,779	77,398	381,959	62	5,173,367	10,725	954,038	586,483	3,621,966	155		
<b>Maintenance Assistance Status</b>														
Cash	237,231	358	82,894	42,854	111,125	0	2,345,290	3,850	895,526	381,753	1,064,161	0		
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0		
Poverty-related	305,461	802	6,181	32,398	266,080	0	2,774,782	6,378	52,739	196,697	2,518,968	0		
Other/unknown	8,979	345	1,665	2,151	4,756	62	65,722	2,753	15,878	8,075	38,861	155		
<b>Managed Care Status</b>														
FFS all year	551,671	1,505	90,740	77,403	381,961	62	5,185,794	12,981	964,143	586,525	3,621,990	155		
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	66.6 %	7.3	\$372	\$51	\$2,247	16.6 %	551,671
<b>Age</b>							
5 and younger	69.9	5.1	176	35	1,512	11.7	166,605
6-14	56.8	3.7	182	50	1,066	17.1	174,926
15-20	62.1	4.6	220	48	1,931	11.4	80,619
21-44	76.4	10.9	613	56	3,939	15.6	93,341
45-64	85.2	32.0	1,950	61	7,751	25.2	33,578
65-74	75.6	28.5	1,543	54	6,799	22.7	1,418
75-84	64.8	25.1	1,278	51	6,552	19.5	758
85 and older	55.2	23.7	1,222	52	7,432	16.4	426
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Basis of Eligibility<sup>c</sup></b>							
Aged	59.0	24.5	1,298	53	6,327	20.5	1,505
Disabled	80.5	21.5	1,423	66	6,939	20.5	90,740
Adults	75.0	7.0	270	39	2,618	10.3	77,403
Children	61.7	3.9	140	36	1,042	13.4	381,961
Unknown	6.5	1.5	99	64	931	10.6	62
<b>Gender</b>							
Female	69.5	8.2	402	49	2,379	16.9	317,112
Male	62.8	6.0	332	55	2,069	16.0	234,509
Unknown	26.0	11.8	647	55	2,468	26.2	50
<b>Race</b>							
White	70.9	8.9	478	54	2,556	18.7	171,419
African American	64.3	6.0	279	46	1,891	14.8	353,336
Other/unknown	69.0	14.0	922	66	4,952	18.6	26,916
<b>Use of Nursing Facilities<sup>d</sup></b>							
Entire year	98.7	70.4	3,893	55	40,460	9.6	750
Part year	98.0	51.8	3,107	60	35,361	8.8	453
None	66.6	7.2	365	51	2,168	16.8	550,468
<b>Maintenance Assistance Status</b>							
Cash	69.3	10.8	616	57	3,212	19.2	237,231
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	64.7	4.5	176	39	1,417	12.4	305,461
Other/unknown	60.1	9.5	601	63	5,018	12.0	8,979

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
  - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
  - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	0.8	\$40	16.6 %	33.4 %	53.0 %	6.6 %	5.3 %	1.7 %	0.0 %	\$239	551,671	5,185,794
<b>Age</b>												
5 and younger	0.6	19	11.7	30.1	61.4	6.5	1.9	0.1	0.0	165	166,605	1,528,602
6-14	0.4	18	17.1	43.2	52.0	3.2	1.5	0.1	0.0	106	174,926	1,754,912
15-20	0.5	24	11.4	37.9	54.4	5.0	2.3	0.3	0.0	208	80,619	747,829
21-44	1.3	72	15.6	23.6	51.0	11.7	10.7	2.9	0.0	465	93,341	790,538
45-64	3.2	193	25.2	14.8	21.3	14.2	32.0	17.4	0.3	769	33,578	338,668
65-74	2.7	148	22.7	24.4	19.5	13.9	28.0	13.3	0.9	652	1,418	14,778
75-84	2.7	139	19.5	35.2	14.2	12.7	24.1	13.3	0.4	713	758	6,967
85 and older	2.9	149	16.4	44.8	9.2	7.3	25.1	11.3	2.3	905	426	3,500
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Basis of Eligibility<sup>c</sup></b>												
Aged	2.8	151	20.5	41.0	11.8	10.2	23.0	12.7	1.4	734	1,505	12,981
Disabled	2.0	134	20.5	19.5	37.2	13.2	21.0	9.0	0.2	653	90,740	964,143
Adults	0.9	36	10.3	25.0	57.3	10.3	6.3	1.1	0.0	346	77,403	586,525
Children	0.4	15	13.4	38.3	56.1	4.3	1.2	0.0	0.0	110	381,961	3,621,990
Unknown	0.6	40	10.6	93.5	1.6	3.2	1.6	0.0	0.0	372	62	155
<b>Gender</b>												
Female	0.9	44	16.9	30.5	53.8	7.2	6.1	2.3	0.0	258	317,112	2,925,784
Male	0.6	35	16.0	37.2	51.9	5.8	4.1	0.9	0.0	215	234,509	2,259,795
Unknown	2.7	151	26.2	74.0	8.0	2.0	10.0	4.0	2.0	574	50	215
<b>Race</b>												
White	1.0	55	18.7	29.1	53.1	8.2	6.9	2.7	0.1	292	171,419	1,498,752
African American	0.6	29	14.8	35.7	53.9	5.6	3.9	1.0	0.0	195	353,336	3,421,097
Other/unknown	1.4	93	18.6	31.0	41.2	10.0	12.6	5.1	0.1	501	26,916	265,945
<b>Use of Nursing Facilities<sup>d</sup></b>												
Entire year	6.7	372	9.6	1.3	4.5	6.9	29.5	42.7	15.1	3,864	750	7,853
Part year	5.1	308	8.8	2.0	8.4	14.6	36.0	32.7	6.4	3,502	453	4,574
None	0.8	39	16.8	33.4	53.1	6.6	5.2	1.6	0.0	231	550,468	5,173,367
<b>Maintenance Assistance Status</b>												
Cash	1.1	62	19.2	30.7	48.6	8.3	9.1	3.4	0.1	325	237,231	2,345,290
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.5	19	12.4	35.3	57.0	5.2	2.2	0.4	0.0	156	305,461	2,774,782
Other/unknown	1.3	82	12.0	39.9	36.7	9.1	10.0	3.7	0.6	686	8,979	65,722

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.





Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos		
																Brand-Name	Brand-Name
Anti-infective Agents	0.3	0.2	0.0	0.1	\$11	\$9	\$0	\$1	\$42	\$63	\$37	\$12	754,188	\$31,618,373	276,895	50.2 %	2,916,825
Biologics	0.3	0.2	0.0	0.0	209	194	12	2	831	827	2,422	200	6,646	5,524,811	2,614	0.5	26,430
Antineoplastic Agents	0.4	0.2	0.1	0.2	95	71	12	12	218	337	182	74	6,932	1,509,112	1,527	0.3	15,950
Endocrine/Metabolic Drugs	0.3	0.2	0.0	0.1	16	13	1	2	48	67	35	17	278,530	13,359,782	81,609	14.8	857,350
Cardiovascular Agents	0.9	0.4	0.1	0.4	39	27	2	10	43	66	39	22	406,940	17,398,165	41,877	7.6	445,385
Respiratory Agents	0.3	0.2	0.0	0.1	13	10	1	2	41	54	18	25	703,960	28,613,057	212,457	38.5	2,262,455
Gastrointestinal Agents	0.3	0.2	0.0	0.1	28	24	1	3	89	133	117	21	175,038	15,645,926	52,785	9.6	557,564
Genitourinary Agents	0.2	0.1	0.0	0.0	7	7	0	1	40	48	17	17	52,190	2,068,191	28,180	5.1	282,336
CNS Drugs	0.6	0.3	0.0	0.2	55	44	5	6	93	143	121	25	382,517	35,531,312	59,998	10.9	645,663
Stimulants/Anti-obesity/Anorexia	0.4	0.3	0.0	0.1	27	23	1	3	70	83	48	38	63,509	4,464,155	14,734	2.7	163,392
Miscellaneous Psychological/Neurological Agents	0.3	0.1	0.0	0.3	22	13	0	9	64	138	65	36	9,088	578,954	2,359	0.4	26,192
Analgesics and Anesthetics	0.3	0.1	0.0	0.2	10	6	1	3	33	97	45	14	495,482	16,367,992	150,465	27.3	1,584,918
Neuromuscular Agents	0.5	0.2	0.1	0.3	32	25	2	5	60	109	37	19	218,942	13,039,869	37,695	6.8	410,058
Nutritional Products	0.2	0.0	0.1	0.1	5	1	2	2	24	32	30	18	74,116	1,746,266	36,175	6.6	352,156
Hematological Agents	0.3	0.1	0.0	0.1	38	29	2	7	136	257	73	49	50,286	6,832,012	18,099	3.3	178,149
Topical Products	0.2	0.1	0.0	0.1	6	4	0	2	29	46	37	16	316,040	9,259,976	147,575	26.8	1,574,278
Miscellaneous Products	0.2	0.1	0.0	0.1	25	19	4	2	131	160	281	37	9,255	1,212,059	4,484	0.8	48,622
Unknown Therapeutic Category	0.1	0.0	0.0	0.0	3	0	0	0	23	0	0	0	24,203	555,000	15,407	2.8	167,979
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	4,027,862	205,325,012	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$20,109,853	20,719	231,642	0.5	\$176	\$87	
ULCER DRUGS	13,783,074	50,401	536,768	0.2	103	26	
ANTIDEPRESSANTS	12,569,029	45,989	493,551	0.4	72	25	
ANTIASTHMATIC	12,221,651	91,140	996,396	0.2	58	12	
ANTICONVULSANT	10,922,022	21,733	240,197	0.6	81	45	
ANTIHISTAMINES	9,129,971	146,145	1,584,840	0.2	38	6	
ANTIDIABETIC	8,137,104	20,536	225,074	0.5	73	36	
ANALGESICS - Narcotic	7,394,927	132,640	1,389,580	0.2	26	5	
ANALGESICS - ANTI-INFLAMMATORY	7,141,397	91,600	996,018	0.2	42	7	
CEPHALOSPORINS	7,034,745	126,668	1,381,743	0.1	41	5	
Total	108,443,773	747,571	8,075,809	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE<sup>a,b,c</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>1,744,581</b>	<b>\$108,443,773</b>	<b>20,719</b>	<b>3.8 %</b>	<b>231,642</b>	<b>0.5</b>	<b>\$87</b>	<b>50,401</b>	<b>9.1 %</b>	<b>536,768</b>	<b>0.2</b>	<b>\$26</b>
<b>Female</b>	1,120,995	68,084,169	11,294	3.6	126,210	0.5	80	34,661	10.9	371,180	0.3	27
<b>Disabled</b>	615,437	47,908,420	8,934	18.7	101,673	0.5	90	17,021	35.7	193,874	0.3	40
5 and younger	10,100	588,052	19	0.9	222	0.3	31	260	11.8	2,867	0.2	13
6-14	25,599	1,949,393	554	11.4	6,449	0.5	74	443	9.1	5,191	0.2	20
15-20	23,745	1,766,679	543	14.1	6,258	0.6	79	558	14.5	6,496	0.2	18
21-44	200,347	15,698,264	3,894	23.7	43,934	0.5	89	5,548	33.8	63,475	0.3	33
45-64	345,659	27,236,576	3,810	19.5	43,519	0.5	95	9,914	50.6	112,414	0.4	46
65-74	8,746	609,975	89	13.8	1,012	0.8	104	258	39.9	2,958	0.4	42
75-84	1,128	72,912	23	20.4	255	0.6	71	31	27.4	366	0.4	39
85 and older	113	6,569	2	8.3	24	0.3	37	9	37.5	107	0.1	14
<b>Other Eligibles</b>	505,558	20,175,749	2,360	0.9	24,537	0.3	42	17,640	6.5	177,306	0.2	13
5 and younger	124,906	4,128,967	36	0.0	405	0.3	37	3,999	5.0	37,765	0.1	4
6-14	100,689	4,464,148	576	0.7	6,432	0.3	42	3,040	3.7	34,103	0.1	7
15-20	73,273	2,609,206	503	1.2	5,322	0.3	39	2,795	6.5	29,054	0.1	10
21-44	182,738	7,412,099	1,053	1.7	10,379	0.2	38	6,951	11.1	67,620	0.2	20
45-64	15,719	996,265	88	3.8	908	0.3	50	585	25.4	5,821	0.3	33
65-74	2,854	206,853	32	11.1	346	0.8	99	89	31.0	978	0.4	44
75-84	3,256	220,931	39	10.3	393	0.8	78	113	29.8	1,225	0.4	46
85 and older	2,123	137,280	33	13.3	352	0.7	65	68	27.4	740	0.6	53
<b>Male</b>	623,361	40,342,650	9,421	4.0	105,398	0.5	95	15,736	6.7	165,543	0.2	23
<b>Disabled</b>	320,461	27,259,952	7,581	17.6	85,274	0.6	104	7,283	16.9	80,428	0.3	38
5 and younger	15,136	909,437	58	1.9	662	0.4	52	341	11.0	3,821	0.2	12
6-14	49,719	4,092,910	1,633	17.3	19,027	0.5	81	625	6.6	7,375	0.2	18
15-20	31,262	2,718,329	1,110	16.6	12,694	0.5	91	475	7.1	5,463	0.2	23
21-44	98,280	9,479,535	3,036	24.7	33,614	0.6	122	2,154	17.5	23,891	0.3	37
45-64	123,060	9,854,280	1,711	15.2	18,895	0.6	108	3,595	32.0	38,808	0.4	46
65-74	2,681	180,219	31	12.0	360	0.8	97	85	32.9	980	0.4	45
75-84	283	22,154	1	2.3	12	0.9	131	7	16.3	78	0.6	66
85 and older	40	3,088	1	20.0	10	0.4	34	1	20.0	12	0.3	71
<b>Other Eligibles</b>	302,900	13,082,698	1,840	1.0	20,124	0.4	54	8,453	4.4	85,115	0.2	9
5 and younger	146,976	5,197,077	75	0.1	784	0.3	30	4,436	5.4	41,620	0.2	5
6-14	106,146	5,254,020	1,209	1.5	13,467	0.4	50	2,393	3.0	26,785	0.1	6
15-20	31,713	1,474,800	403	1.5	4,360	0.4	60	1,035	3.8	11,105	0.1	12
21-44	9,505	561,200	78	3.4	704	0.3	65	326	14.2	2,845	0.3	35
45-64	3,218	204,459	9	1.9	75	0.4	46	112	23.7	1,099	0.4	44
65-74	2,107	160,655	20	8.9	233	0.9	116	60	26.8	674	0.5	61
75-84	2,062	149,732	28	13.0	319	0.6	106	59	27.3	661	0.5	49
85 and older	1,173	80,755	18	12.2	182	0.7	55	32	21.8	326	0.6	66
<b>Unknown</b>	225	16,954	4	8.0	34	0.6	89	4	8.0	45	0.8	112

Table ND7A

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTIASTHMATIC					ANTICONVULSANT				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx
<b>All</b>	<b>45,989</b>	<b>8.3 %</b>	<b>493,551</b>	<b>\$26</b>	<b>0.4</b>	<b>91,140</b>	<b>16.5 %</b>	<b>996,396</b>	<b>\$12</b>	<b>0.2</b>	<b>21,733</b>	<b>3.9 %</b>	<b>240,197</b>	<b>\$46</b>	<b>0.6</b>
<b>Female</b>	33,776	10.7	359,963	26	0.3	48,115	15.2	524,414	12	0.2	12,849	4.1	141,667	43	0.5
<b>Disabled</b>	19,855	41.6	223,186	30	0.4	16,303	34.2	186,270	18	0.3	9,719	20.4	110,090	48	0.6
5 and younger	26	1.2	282	17	0.2	1,289	58.4	14,733	18	0.2	205	9.3	2,435	44	0.6
6-14	741	15.2	8,649	24	0.4	1,350	27.7	15,887	19	0.3	763	15.6	8,911	57	0.6
15-20	818	21.3	9,347	28	0.4	655	17.0	7,537	14	0.2	643	16.7	7,417	68	0.7
21-44	8,055	49.1	90,558	29	0.4	4,668	28.4	53,503	15	0.2	3,991	24.3	44,777	51	0.6
45-64	10,055	51.4	112,483	32	0.4	8,133	41.5	92,280	21	0.3	4,038	20.6	45,628	41	0.6
65-74	141	21.8	1,639	25	0.5	187	28.9	2,080	16	0.3	67	10.4	784	36	0.7
75-84	17	15.0	204	16	0.3	19	16.8	226	17	0.3	11	9.7	126	13	0.7
85 and older	2	8.3	24	27	0.4	2	8.3	24	6	0.1	1	4.2	12	1.1	1.0
<b>Other Eligibles</b>	13,921	5.2	136,777	19	0.3	31,812	11.8	338,144	9	0.2	3,130	1.2	31,577	26	0.4
5 and younger	77	0.1	868	6	0.2	14,525	18.2	155,820	8	0.2	172	0.2	1,848	19	0.4
6-14	1,739	2.1	19,364	16	0.3	8,259	10.2	92,213	10	0.2	536	0.7	5,885	25	0.4
15-20	2,481	5.8	25,565	18	0.2	3,122	7.3	32,907	8	0.2	495	1.2	5,337	27	0.3
21-44	8,749	14.0	82,430	19	0.3	5,348	8.6	51,364	10	0.2	1,698	2.7	16,319	25	0.3
45-64	711	30.9	6,805	25	0.3	404	17.6	4,156	14	0.2	161	7.0	1,468	32	0.4
65-74	36	12.5	384	26	0.4	68	23.7	773	24	0.4	29	10.1	321	47	0.8
75-84	76	20.1	789	32	0.5	64	16.9	647	21	0.3	24	6.3	243	41	0.6
85 and older	52	21.0	572	37	0.7	22	8.9	264	19	0.4	15	6.0	156	49	0.8
<b>Male</b>	12,209	5.2	133,546	25	0.4	43,020	18.3	471,926	12	0.2	8,882	3.8	98,508	49	0.6
<b>Disabled</b>	8,067	18.7	89,026	28	0.4	10,323	24.0	117,038	20	0.3	7,224	16.8	80,780	54	0.6
5 and younger	38	1.2	440	16	0.2	2,025	65.5	23,261	21	0.3	261	8.4	3,032	43	0.6
6-14	1,576	16.7	18,392	24	0.4	2,681	28.5	31,498	18	0.3	1,442	15.3	16,821	52	0.6
15-20	1,033	15.4	11,842	30	0.4	1,070	16.0	12,390	16	0.3	935	14.0	10,680	58	0.7
21-44	2,639	21.5	28,624	30	0.4	1,437	11.7	16,182	16	0.3	2,660	21.7	29,452	64	0.7
45-64	2,744	24.4	29,302	27	0.4	3,027	27.0	32,766	24	0.4	1,892	16.9	20,417	41	0.6
65-74	33	12.8	378	37	0.5	72	27.9	818	15	0.3	32	12.4	359	40	0.8
75-84	4	9.3	48	30	0.5	9	20.9	99	35	0.5	1	2.3	7	9	0.4
85 and older	0	0.0	0	0	0.0	2	40.0	24	34	0.5	1	20.0	12	9	0.3
<b>Other Eligibles</b>	4,142	2.2	44,520	19	0.3	32,697	17.1	354,888	10	0.2	1,658	0.9	17,728	28	0.4
5 and younger	158	0.2	1,742	6	0.2	19,833	24.3	212,214	9	0.2	260	0.3	2,803	19	0.4
6-14	2,375	3.0	26,409	17	0.3	10,481	13.2	116,690	12	0.2	786	1.0	8,726	27	0.4
15-20	949	3.5	10,196	21	0.3	2,049	7.5	22,667	10	0.2	344	1.3	3,701	30	0.4
21-44	460	20.1	4,138	20	0.3	180	7.9	1,692	15	0.2	180	7.9	1,602	34	0.4
45-64	83	17.5	757	31	0.4	80	16.9	809	16	0.3	38	8.0	338	43	0.5
65-74	49	21.9	559	27	0.5	41	18.3	477	25	0.3	23	10.3	254	51	0.7
75-84	40	18.5	432	34	0.6	19	8.8	194	19	0.3	19	8.8	228	32	0.7
85 and older	28	19.0	287	43	0.6	14	9.5	145	24	0.4	8	5.4	76	17	0.6
<b>Unknown</b>	4	8.0	42	36	0.9	5	10.0	56	43	0.5	2	4.0	22	25	1.2

Table ND7B  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	ANTIHIISTAMINES				ANTIIDIABETIC				ANALGESICS - Narcotic						
	No. of Users	Users as % of All Mos among Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Mos among Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Mos among Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>146,145</b>	<b>26.5 %</b>	<b>1,584,840</b>	<b>0.2</b>	<b>\$6</b>	<b>20,536</b>	<b>3.7 %</b>	<b>225,074</b>	<b>0.5</b>	<b>\$36</b>	<b>132,640</b>	<b>24.0 %</b>	<b>1,389,560</b>	<b>0.2</b>	<b>\$5</b>
<b>Female</b>	85,938	27.1	924,396	0.2	6	15,910	5.0	175,668	0.5	36	97,608	30.8	1,006,183	0.2	5
<b>Disabled</b>	17,775	37.3	204,906	0.2	9	12,713	26.6	144,372	0.5	38	33,304	69.8	379,082	0.3	9
5 and younger	1,054	47.7	12,155	0.1	4	9	0.4	108	0.6	69	270	12.2	3,119	0.1	1
6-14	1,679	34.4	19,787	0.2	8	64	1.3	763	0.4	34	743	15.2	8,755	0.1	2
15-20	1,074	27.9	12,496	0.2	7	118	3.1	1,399	0.5	35	1,438	37.4	16,684	0.2	2
21-44	5,987	36.5	69,165	0.2	8	2,769	16.9	31,705	0.4	34	13,673	83.3	156,011	0.3	8
45-64	7,733	39.5	88,422	0.2	12	9,436	48.2	106,730	0.5	39	16,779	85.7	189,909	0.3	11
65-74	212	32.8	2,456	0.2	11	292	45.2	3,383	0.5	40	347	53.7	3,967	0.3	7
75-84	32	28.3	378	0.2	10	23	20.4	260	0.5	36	47	41.6	555	0.3	5
85 and older	4	16.7	47	0.3	20	2	8.3	24	0.3	18	7	29.2	82	0.2	3
<b>Other Eligibles</b>	68,163	25.3	719,490	0.1	5	3,197	1.2	31,296	0.4	27	64,304	23.9	627,101	0.2	2
5 and younger	28,264	35.5	302,828	0.1	3	27	0.0	275	0.4	16	4,546	5.7	50,605	0.1	1
6-14	18,411	22.6	206,441	0.1	7	205	0.3	2,242	0.5	28	7,600	9.3	85,036	0.1	1
15-20	8,177	19.1	84,534	0.1	5	300	0.7	3,056	0.4	29	13,957	32.6	138,705	0.1	2
21-44	12,541	20.1	117,717	0.2	6	1,925	3.1	18,138	0.4	25	36,459	58.5	335,497	0.2	3
45-64	590	25.7	5,997	0.2	10	531	23.1	5,292	0.5	33	1,424	61.9	13,809	0.2	5
65-74	65	22.6	730	0.3	15	86	30.0	953	0.6	39	104	36.2	1,147	0.3	8
75-84	70	18.5	768	0.2	9	89	23.5	971	0.6	36	139	36.7	1,498	0.4	10
85 and older	45	18.1	475	0.2	11	34	13.7	369	0.6	31	75	30.2	804	0.3	11
<b>Male</b>	60,206	25.7	660,432	0.1	6	4,625	2.0	49,394	0.5	36	35,023	14.9	383,297	0.2	6
<b>Disabled</b>	9,867	22.9	113,224	0.2	8	4,028	9.4	43,420	0.5	37	15,625	36.3	172,555	0.3	11
5 and younger	1,468	47.5	17,084	0.1	4	4	0.1	47	0.2	12	415	13.4	4,862	0.1	1
6-14	3,091	32.8	36,391	0.2	8	27	0.3	311	0.7	56	1,287	13.7	15,190	0.1	2
15-20	1,214	18.1	14,128	0.2	8	78	1.2	891	0.4	31	1,493	22.3	17,089	0.1	3
21-44	1,939	15.8	21,904	0.2	9	885	7.2	9,650	0.5	34	5,569	45.3	61,103	0.3	10
45-64	2,092	18.6	22,984	0.2	11	2,973	26.5	31,813	0.5	38	6,741	60.0	72,944	0.3	17
65-74	55	21.3	642	0.3	13	56	21.7	653	0.5	30	102	39.5	1,179	0.4	13
75-84	7	16.3	79	0.4	22	5	11.6	55	0.4	17	16	37.2	164	0.2	10
85 and older	1	20.0	12	0.2	8	0	0.0	0	0.0	0	2	40.0	24	0.5	6
<b>Other Eligibles</b>	50,339	26.3	547,208	0.1	5	597	0.3	5,974	0.5	33	19,398	10.1	210,742	0.1	2
5 and younger	29,693	36.4	317,647	0.1	4	48	0.1	533	0.4	17	5,525	6.8	61,466	0.1	1
6-14	17,379	21.9	194,120	0.1	7	87	0.1	934	0.5	29	7,570	9.6	84,778	0.1	1
15-20	2,883	10.6	31,682	0.1	6	119	0.4	1,248	0.5	42	4,397	16.2	47,013	0.1	2
21-44	226	9.9	2,125	0.2	7	119	5.2	1,033	0.5	38	1,344	58.6	11,884	0.3	12
45-64	52	11.0	491	0.2	12	100	21.1	895	0.5	32	340	71.9	3,164	0.4	12
65-74	39	17.4	430	0.2	12	54	24.1	567	0.5	31	98	43.8	1,116	0.3	10
75-84	36	16.7	412	0.4	13	44	20.4	495	0.6	35	76	35.2	865	0.3	9
85 and older	31	21.1	301	0.2	9	26	17.7	269	0.5	27	48	32.7	456	0.3	14
<b>Unknown</b>	1	2.0	12	0.2	1	1	2.0	12	0.8	18	9	18.0	100	0.4	30

Table ND7C  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY				CEPHALOSPORINS							
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Benes	No. of Bene Mos
<b>All</b>	<b>91,600</b>	<b>16.6 %</b>	<b>996,018</b>	<b>0.2</b>	<b>\$7</b>	<b>126,668</b>	<b>23.0 %</b>	<b>1,381,743</b>	<b>0.1</b>	<b>\$5</b>	<b>551,671</b>	<b>5,185,794</b>
<b>Female</b>	62,307	19.6	669,126	0.2	8	72,201	22.8	780,960	0.1	5	317,112	2,925,784
<b>Disabled</b>	19,955	41.8	229,980	0.2	18	13,469	28.2	156,260	0.1	5	47,710	512,884
5 and younger	274	12.4	3,207	0.1	2	1,168	52.9	13,422	0.1	6	2,208	22,915
6-14	707	14.5	8,359	0.1	6	1,498	30.7	17,619	0.1	6	4,877	55,425
15-20	1,001	26.0	11,632	0.2	5	1,029	26.7	11,988	0.1	5	3,849	42,099
21-44	6,942	42.3	80,130	0.2	11	4,624	28.2	53,822	0.1	4	16,416	176,808
45-64	10,645	54.4	122,119	0.3	24	4,989	25.5	57,535	0.1	5	19,577	206,785
65-74	330	51.1	3,873	0.3	22	133	20.6	1,551	0.1	4	646	7,340
75-84	50	44.2	588	0.4	26	23	20.4	264	0.1	2	113	1,255
85 and older	6	25.0	72	0.2	16	5	20.8	59	0.2	9	24	257
<b>Other Eligibles</b>	42,352	15.7	439,146	0.1	3	58,732	21.8	624,700	0.1	5	269,402	2,412,900
5 and younger	7,683	9.6	85,598	0.1	2	25,914	32.5	281,702	0.1	5	79,641	728,161
6-14	8,426	10.4	95,549	0.1	2	14,417	17.7	162,266	0.1	5	81,352	807,939
15-20	8,909	20.8	93,294	0.1	2	7,294	17.0	75,840	0.1	4	42,845	378,851
21-44	16,060	25.8	151,778	0.2	5	10,607	17.0	99,758	0.1	4	62,350	470,756
45-64	1,049	45.6	10,389	0.2	15	390	17.0	3,924	0.1	5	2,300	19,387
65-74	77	26.8	885	0.4	30	41	14.3	454	0.1	6	287	2,647
75-84	91	24.0	1,038	0.3	27	41	10.8	460	0.1	4	379	3,233
85 and older	57	23.0	615	0.4	24	28	11.3	296	0.1	5	248	1,926
<b>Male</b>	29,289	12.5	326,844	0.2	5	54,462	23.2	600,733	0.1	5	234,509	2,259,795
<b>Disabled</b>	9,132	21.2	103,543	0.2	12	9,128	21.2	105,244	0.1	6	43,028	451,238
5 and younger	411	13.3	4,812	0.1	3	1,630	52.7	18,814	0.1	6	3,092	32,671
6-14	1,238	13.1	14,643	0.1	2	2,444	25.9	28,810	0.1	6	9,420	107,002
15-20	1,108	16.5	12,765	0.1	2	1,226	18.3	14,290	0.1	5	6,701	72,096
21-44	2,620	21.3	29,555	0.2	9	1,999	16.3	22,852	0.1	5	12,282	127,348
45-64	3,667	32.7	40,730	0.3	21	1,796	16.0	20,101	0.1	6	11,227	108,774
65-74	75	29.1	887	0.3	18	27	10.5	313	0.2	5	258	2,834
75-84	12	27.9	139	0.4	35	6	14.0	64	0.1	20	43	455
85 and older	1	20.0	12	0.3	61	0	0.0	0	0.0	0	5	58
<b>Other Eligibles</b>	20,157	10.5	223,301	0.1	2	45,334	23.7	495,489	0.1	5	191,481	1,808,557
5 and younger	8,127	10.0	89,659	0.1	2	28,634	35.1	309,603	0.1	6	81,655	744,837
6-14	7,412	9.4	84,211	0.1	2	13,315	16.8	149,347	0.1	5	79,256	784,504
15-20	3,809	14.0	41,854	0.1	2	2,972	10.9	32,553	0.1	4	27,218	254,771
21-44	510	22.3	4,486	0.2	10	289	12.6	2,678	0.1	4	2,292	15,617
45-64	152	32.1	1,405	0.3	19	57	12.1	575	0.1	4	473	3,710
65-74	58	25.9	672	0.3	27	16	7.1	188	0.1	5	224	1,924
75-84	61	28.2	707	0.4	37	24	11.1	273	0.1	5	216	1,951
85 and older	28	19.0	307	0.6	44	27	18.4	272	0.2	8	147	1,243
<b>Unknown</b>	4	8.0	48	0.3	16	5	10.0	50	0.2	11	50	215

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>\$372</b>	<b>6.7</b>	<b>750</b>	<b>7,853</b>
<b>Age</b>				
0-64	392	7.0	511	5,455
65-74	413	7.3	65	706
75-84	309	5.8	84	857
85 and older	271	5.7	90	835
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	376	6.8	420	4,469
Male	364	6.6	326	3,344
Unknown	567	10.1	4	40
<b>Race</b>				
White	387	7.2	356	3,616
African American	351	6.2	328	3,501
Other/unknown	396	6.8	66	736
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	318	6.2	193	1,888
Disabled	389	6.9	557	5,965
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos			
		Generic	Generic		Generic	Generic		Generic	Generic								
Anti-infective Agents	0.5	0.3	0.0	0.2	\$32	\$27	\$1	\$4	\$67	\$100	\$72	\$21	2,522	\$168,906	497	66.3 %	5,295
Biologicals	0.1	0.1	0.0	0.0	2	1	0	1	18	16	0	24	260	4,555	219	29.2	2,481
Antineoplastic Agents	0.6	0.1	0.3	0.2	94	21	54	19	169	353	197	87	357	60,413	65	8.7	643
Endocrine/Metabolic Drugs	1.1	0.8	0.1	0.3	50	44	2	5	45	58	19	17	3,562	159,888	297	39.6	3,183
Cardiovascular Agents	1.9	0.6	0.1	1.2	60	33	3	24	31	53	27	20	10,365	324,223	510	68.0	5,371
Respiratory Agents	0.6	0.3	0.0	0.3	30	16	0	14	48	55	18	42	2,343	112,415	354	47.2	3,754
Gastrointestinal Agents	1.2	0.5	0.0	0.6	71	52	4	16	62	111	74	25	4,890	302,446	401	53.5	4,241
Genitourinary Agents	0.6	0.4	0.0	0.2	34	28	1	5	54	71	54	22	1,013	54,644	144	19.2	1,608
CNS Drugs	1.7	0.9	0.1	0.7	144	119	10	15	83	128	94	22	10,341	860,536	559	74.5	5,986
Stimulants/Anti-obesity/Anorexia	0.4	0.2	0.0	0.2	36	29	0	7	95	189	0	31	27	2,574	7	0.9	72
Miscellaneous Psychological/Neurological Agents	0.8	0.7	0.0	0.1	99	97	0	2	124	134	0	27	640	79,155	75	10.0	797
Analgesics and Anesthetics	0.9	0.4	0.0	0.5	44	36	1	7	49	87	44	15	3,368	165,938	353	47.1	3,783
Neuromuscular Agents	1.4	0.5	0.3	0.6	69	44	10	15	49	89	35	24	5,987	291,603	386	51.5	4,229
Nutritional Products	0.8	0.0	0.2	0.6	16	0	5	10	20	22	25	18	1,864	37,384	225	30.0	2,377
Hematological Agents	1.0	0.3	0.1	0.5	68	56	2	10	68	165	20	18	2,652	180,270	257	34.3	2,657
Topical Products	0.5	0.2	0.1	0.2	20	12	4	3	42	57	65	18	2,020	85,172	395	52.7	4,303
Miscellaneous Products	0.4	0.1	0.0	0.3	39	26	0	13	108	239	0	53	189	20,402	47	6.3	524
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	10	0	0	0	24	0	0	0	383	9,240	82	10.9	890
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	52,783	2,919,764	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003). In Mississippi, 0.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$546,193	419	55.9 %	4,611	0.9	\$133	\$118
ULCER DRUGS	266,920	383	51.1	4,079	0.8	87	65
ANTIDEPRESSANTS	248,867	407	54.3	4,349	0.9	65	57
ANTICONVULSANT	232,344	381	50.8	4,208	1.0	54	55
ANTIDIABETIC	140,262	321	42.8	3,435	0.8	50	41
ANTIHYPERTENSIVE	110,276	340	45.3	3,569	0.9	35	31
ANALGESICS - ANTI-INFLAMMATORY	86,001	191	25.5	2,130	0.6	68	40
CALCIUM BLOCKERS	84,094	174	23.2	1,842	0.9	50	46
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	79,266	79	10.5	845	0.8	123	94
ANTIASTHMATIC	73,719	226	30.1	2,434	0.5	62	30
<b>Total</b>	<b>1,867,942</b>	<b>2,921</b>		<b>31,502</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ULCER DRUGS				
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	Users as %			Mean Rx \$	No. of Users	Users as %		
			No. of Rx	Rx \$	No. of Bene Mos among Users			Residents	NF	No. of Bene Mos among Users			Residents	NF	No. of Bene Mos among Users
<b>All</b>	<b>26,027</b>	<b>\$1,867,942</b>	<b>419</b>	<b>55.9 %</b>	<b>4,611</b>	<b>0.9</b>	<b>\$119</b>	<b>353</b>	<b>51.1 %</b>	<b>4,079</b>	<b>0.8</b>	<b>\$65</b>			
<b>Female</b>	15,196	1,127,419	260	61.9	2,912	0.9	128	204	48.6	2,196	0.7	63			
<b>Disabled</b>	12,069	911,116	187	60.5	2,134	0.9	141	152	49.2	1,650	0.7	64			
64 or younger	10,822	816,490	157	57.1	1,804	0.9	146	138	50.2	1,488	0.8	65			
65-74	1,049	81,525	24	96.0	260	1.0	129	10	40.0	114	0.7	66			
75-84	198	13,101	6	66.7	70	0.6	57	4	44.4	48	0.6	44			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Other Eligibles</b>	3,127	216,303	73	65.8	778	0.9	92	52	46.8	546	0.7	59			
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	614	47,486	20	133.3	219	0.9	121	11	73.3	122	0.6	43			
75-84	1,205	87,373	30	63.8	314	0.9	84	13	27.7	130	0.8	69			
85 and older	1,308	81,444	23	46.9	245	0.8	77	28	57.1	294	0.8	61			
<b>Male</b>	10,641	727,400	157	48.2	1,683	0.8	102	176	54.0	1,847	0.8	67			
<b>Disabled</b>	8,428	566,913	113	45.6	1,199	0.9	103	136	54.8	1,436	0.8	69			
64 or younger	8,075	545,478	106	44.9	1,121	0.9	106	130	55.1	1,372	0.8	68			
65-74	349	21,309	7	63.6	78	0.8	56	6	54.5	64	0.6	83			
75-84	4	126	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Other Eligibles</b>	2,213	160,487	44	56.4	484	0.8	100	40	51.3	411	0.8	63			
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	565	38,099	11	84.6	126	1.1	131	10	76.9	108	0.9	45			
75-84	900	74,459	20	76.9	230	0.7	112	16	61.5	172	0.8	66			
85 and older	748	47,929	13	33.3	128	0.8	48	14	35.9	131	0.8	75			
<b>Unknown</b>	190	13,123	2	50.0	16	0.5	62	3	75.0	36	1.0	136			

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS						ANTICONVULSANT						ANTIDIABETIC							
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %				
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx		
<b>All</b>	<b>407</b>	<b>54.3 %</b>	<b>\$57</b>	<b>381</b>	<b>50.8 %</b>	<b>1.0</b>	<b>4,349</b>	<b>0.9</b>	<b>\$57</b>	<b>381</b>	<b>50.8 %</b>	<b>1.0</b>	<b>4,208</b>	<b>1.0</b>	<b>\$55</b>	<b>321</b>	<b>42.8 %</b>	<b>3,435</b>	<b>0.8</b>	<b>\$41</b>
<b>Female</b>	246	58.6	56	209	49.8	1.0	2,657	0.9	56	209	49.8	1.0	2,380	1.0	57	207	49.3	2,259	0.8	42
<b>Disabled</b>	185	59.9	60	176	57.0	1.1	2,026	0.9	60	176	57.0	1.1	2,049	1.1	58	156	50.5	1,716	0.9	44
64 or younger	166	60.4	62	161	58.5	1.1	1,820	0.9	62	161	58.5	1.1	1,869	1.1	60	141	51.3	1,540	0.9	43
65-74	19	76.0	39	13	52.0	0.9	206	0.7	39	13	52.0	0.9	156	0.9	45	13	52.0	156	0.9	44
75-84	0	0.0	0	2	22.2	1.5	0	0.0	23	2	22.2	1.5	24	1.5	23	2	22.2	20	1.1	95
85 and older	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	61	55.0	44	33	29.7	0.9	631	0.8	44	33	29.7	0.9	331	0.9	51	51	45.9	543	0.6	36
64 or younger	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	8	53.3	25	14	93.3	1.0	81	0.6	25	14	93.3	1.0	152	1.0	43	13	86.7	144	0.6	24
75-84	24	51.1	55	10	21.3	0.8	235	0.8	55	10	21.3	0.8	95	0.8	54	22	46.8	236	0.7	45
85 and older	29	59.2	40	9	18.4	1.0	315	0.9	40	9	18.4	1.0	84	1.0	63	16	32.7	163	0.7	34
<b>Male</b>	157	48.2	60	170	52.1	1.0	1,650	0.9	60	170	52.1	1.0	1,806	1.0	53	113	34.7	1,164	0.8	39
<b>Disabled</b>	119	48.0	62	152	61.3	1.0	1,260	0.9	62	152	61.3	1.0	1,616	1.0	55	93	37.5	995	0.8	40
64 or younger	115	48.7	63	145	61.4	1.0	1,218	0.9	63	145	61.4	1.0	1,534	1.0	55	90	38.1	961	0.8	42
65-74	4	36.4	36	7	63.6	1.1	42	1.0	36	7	63.6	1.1	82	1.1	51	3	27.3	34	0.3	9
75-84	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	38	48.7	54	18	23.1	0.9	390	0.9	54	18	23.1	0.9	190	0.9	37	20	25.6	169	0.8	29
64 or younger	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	8	61.5	38	6	46.2	1.2	90	0.7	38	6	46.2	1.2	66	1.2	61	4	30.8	35	1.1	41
75-84	14	53.8	54	6	23.1	0.8	141	1.0	54	6	23.1	0.8	72	0.8	30	10	38.5	102	0.7	31
85 and older	16	41.0	62	6	15.4	0.9	159	0.9	62	6	15.4	0.9	52	0.6	17	6	15.4	32	0.7	8
<b>Unknown</b>	4	100.0	36	2	50.0	1.2	42	0.9	36	2	50.0	1.2	22	1.2	25	1	25.0	12	0.8	18

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	ANTIHYPERTENSIVE					ANALGESICS - ANTI-INFLAMMATORY					CALCIUM BLOCKERS				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene Mos among Residents	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Mos among Residents	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Mos among Residents	Mean No. of Rx	Mean Rx \$	Mean No. of Rx
<b>All</b>	<b>340</b>	<b>45.3 %</b>	<b>0.9</b>	<b>\$31</b>	<b>0.9</b>	<b>191</b>	<b>25.5 %</b>	<b>0.6</b>	<b>\$40</b>	<b>0.6</b>	<b>174</b>	<b>23.2 %</b>	<b>1,842</b>	<b>0.9</b>	<b>\$46</b>
<b>Female</b>	183	43.6	0.9	32	0.9	108	25.7	0.6	37	0.6	91	21.7	933	0.9	45
<b>Disabled</b>	145	46.9	0.9	33	0.9	82	26.5	0.6	38	0.6	67	21.7	706	0.9	46
64 or younger	132	48.0	0.9	32	0.9	73	26.5	0.6	38	0.6	60	21.8	633	0.9	46
65-74	11	44.0	0.9	38	0.9	7	28.0	0.6	35	0.6	4	16.0	48	1.0	59
75-84	2	22.2	1.0	34	2	22.2	0.7	0.7	63	3	3	33.3	25	0.6	24
85 and older	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	38	34.2	0.8	25	0.8	26	23.4	0.6	33	0.6	24	21.6	227	0.9	41
64 or younger	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
65-74	5	33.3	1.0	24	2	13.3	19	0.3	19	2	2	13.3	18	0.9	44
75-84	14	29.8	0.8	18	10	21.3	111	0.5	31	8	8	17.0	83	0.8	39
85 and older	19	38.8	0.9	30	14	28.6	131	0.7	36	14	14	28.6	126	0.9	41
<b>Male</b>	155	47.5	0.9	30	0.9	82	25.2	0.6	45	0.6	81	24.8	885	0.9	48
<b>Disabled</b>	121	48.8	0.9	31	0.9	52	21.0	0.6	43	0.6	60	24.2	653	1.0	51
64 or younger	114	48.3	0.9	31	0.9	52	22.0	0.6	43	0.6	59	25.0	649	1.0	51
65-74	6	54.5	0.9	29	0.9	0	0.0	0.0	0	0.0	1	9.1	4	0.8	59
75-84	1	100.0	1.0	11	0.3	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
85 and older	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	34	43.6	0.8	28	0.8	30	38.5	0.6	49	0.6	21	26.9	232	0.9	38
64 or younger	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
65-74	10	76.9	0.7	24	4	30.8	45	0.4	33	3	3	23.1	33	1.2	44
75-84	10	38.5	0.9	31	15	57.7	164	0.6	54	8	8	30.8	96	0.9	44
85 and older	14	35.9	0.8	29	11	28.2	113	0.8	49	10	10	25.6	103	0.7	31
<b>Unknown</b>	2	50.0	1.0	20	2	25.0	12	0.3	3	2	2	50.0	24	0.1	6

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Boe Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANTIASTHMATIC						
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$		
	No. of Users	No. of Bene Mos among Users	No. of Bene Mos among Users	No. of Bene Mos among Users		No. of Residents	No. of Rx	No. of Residents	No. of Rx			
<b>All</b>	<b>79</b>	<b>10.5 %</b>	<b>845</b>	<b>0.8</b>	<b>\$94</b>	<b>226</b>	<b>30.1 %</b>	<b>2,434</b>	<b>0.5</b>	<b>\$30</b>	<b>750</b>	<b>7,853</b>
<b>Female</b>	52	12.4	562	0.7	94	128	30.5	1,412	0.4	27	420	4,469
<b>Disabled</b>	28	9.1	313	0.8	114	99	32.0	1,126	0.4	29	309	3,394
64 or younger	20	7.3	217	0.8	122	95	34.5	1,080	0.5	30	275	3,013
65-74	7	28.0	84	0.8	90	2	8.0	24	0.1	5	25	284
75-84	1	11.1	12	1.0	124	2	22.2	22	0.2	6	9	97
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	24	21.6	249	0.6	69	29	26.1	286	0.3	18	111	1,075
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	3	20.0	36	0.3	34	4	26.7	44	0.1	11	15	159
75-84	14	29.8	154	0.7	75	15	31.9	122	0.4	24	47	447
85 and older	7	14.3	59	0.6	74	10	20.4	120	0.2	15	49	469
<b>Male</b>	25	7.7	267	0.8	92	93	28.5	966	0.6	34	326	3,344
<b>Disabled</b>	11	4.4	122	0.7	72	78	31.5	796	0.7	38	248	2,571
64 or younger	9	3.8	98	0.7	70	74	31.4	757	0.7	38	236	2,442
65-74	2	18.2	24	0.8	84	4	36.4	39	0.8	40	11	117
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	14	17.9	145	0.9	109	15	19.2	170	0.3	18	78	773
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	2	15.4	21	1.0	122	1	7.7	12	0.2	4	13	134
75-84	6	23.1	65	1.0	118	4	15.4	48	0.1	5	26	289
85 and older	6	15.4	59	0.8	95	10	25.6	110	0.3	26	39	350
<b>Unknown</b>	2	50.0	16	1.0	119	5	125.0	56	0.5	43	4	40

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 453 beneficiaries who were in nursing facilities for part of their enrollment and their 4,574 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 MISSISSIPPI, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene	Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Rx \$	Total No. of Benes
<b>Age</b>								
5 and younger	68,348	41.0	1.0	164,527	2,243,902	14	7.6	166,605
6-14	36,596	20.9	0.4	68,277	1,365,339	20	4.3	174,926
15-20	16,906	21.0	0.4	31,994	1,156,274	36	6.5	80,619
21-44	27,790	29.8	0.9	79,807	2,255,444	28	3.9	93,341
45-64	14,436	43.0	2.1	72,167	2,038,720	28	3.1	33,578
65-74	505	35.6	2.0	2,853	61,381	22	2.8	1,418
75-84	235	31.0	1.8	1,338	25,160	19	2.6	758
85 and older	121	28.4	2.0	857	14,525	17	2.8	426
Unknown	0	0.0	0.0	0	0	0	0.0	0
<b>Basis of Eligibility<sup>c</sup></b>								
Aged	425	28.2	1.8	2,768	53,472	19	2.7	1,505
Disabled	34,143	37.6	1.6	143,712	4,409,671	31	3.4	90,740
Adults	20,848	26.9	0.6	43,296	1,143,125	26	5.5	77,403
Children	109,519	28.7	0.6	232,040	3,554,398	15	6.7	381,961
Unknown	2	3.2	0.1	4	79	20	1.3	62
<b>Gender</b>								
Female	99,321	31.3	0.8	260,127	6,012,707	23	4.7	317,112
Male	65,612	28.0	0.7	161,655	3,147,346	19	4.0	234,509
Unknown	4	8.0	0.8	38	692	18	2.1	50
<b>Race</b>								
White	49,794	29.0	0.8	129,297	3,057,965	24	3.7	171,419
African American	106,143	30.0	0.7	260,409	5,110,839	20	5.2	353,336
Other/unknown	9,000	33.4	1.2	32,114	991,941	31	4.0	26,916
<b>Use of Nursing Facilities<sup>d</sup></b>								
Entire year	472	62.9	6.5	4,847	74,768	15	2.6	750
Part year	307	67.8	4.1	1,856	46,001	25	3.3	453
None	164,158	29.8	0.8	415,117	9,039,976	22	4.5	550,468
<b>Maintenance Assistance Status</b>								
Cash	77,192	32.5	1.0	237,059	5,980,822	25	4.1	237,231
Medically needy	0	0.0	0.0	0	0	0	0.0	0
Poverty related	85,713	28.1	0.6	177,689	2,972,614	17	5.5	305,461
Other/unknown	2,032	22.6	0.8	7,072	207,309	29	3.8	8,979

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 MISSISSIPPI, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$2	\$22	\$0	\$0	5,185,794
<b>Age</b>						
5 and younger	0.1	1	14	0	0	1,528,602
6-14	0.0	1	20	0	0	1,754,912
15-20	0.0	2	36	0	0	747,829
21-44	0.1	3	28	0	0	790,538
45-64	0.2	6	28	0	1	338,668
65-74	0.2	4	22	0	1	14,778
75-84	0.2	4	19	0	1	6,967
85 and older	0.2	4	17	0	1	3,500
Unknown	0.0	0	0	0	0	0
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.2	4	19	0	1	12,981
Disabled	0.1	5	31	0	1	964,143
Adults	0.1	2	26	0	0	586,525
Children	0.1	1	15	0	0	3,621,990
Unknown	0.0	1	20	0	0	155
<b>Gender</b>						
Female	0.1	2	23	0	0	2,925,784
Male	0.1	1	19	0	0	2,259,795
Unknown	0.2	3	18	0	0	215
<b>Race</b>						
White	0.1	2	24	0	0	1,498,752
African American	0.1	1	20	0	0	3,421,097
Other/unknown	0.1	4	31	0	1	265,945
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	0.6	10	15	0	3	7,853
Part year	0.4	10	25	0	2	4,574
None	0.1	2	22	0	0	5,173,367
<b>Maintenance Assistance Status</b>						
Cash	0.1	3	25	0	0	2,345,290
Medically needy	0.0	0	0	0	0	0
Poverty related	0.1	1	17	0	0	2,774,782
Other/unknown	0.1	3	29	0	1	65,722

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.13  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS<sup>a,b,c</sup>  
 MISSISSIPPI, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
<b>All</b>	<b>209,616</b>	<b>\$44</b>	<b>\$9,160,745</b>	<b>100.0 %</b>	<b>421,820</b>	<b>\$22</b>	<b>100.0 %</b>
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	2	50	100	0.0	2	50	0.0
Drugs for cosmetic purposes	57	13	748	0.0	67	11	0.0
Cough and cold medications	116,996	38	4,425,615	48.3	212,087	21	50.3
Vitamins and minerals	14,052	68	952,851	10.4	41,010	23	9.7
Non-prescription drugs	56,114	23	1,289,836	14.1	92,867	14	22.0
Barbiturates	1,863	50	93,801	1.0	11,956	8	2.8
Benzodiazepines	8,402	104	876,086	9.6	37,677	23	8.9
Other Part D Excl Rx Drugs	12,130	125	1,521,708	16.6	26,154	58	6.2

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all non-dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility, those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
<b>All</b>	<b>551,671</b>	<b>1,505</b>	<b>90,740</b>	<b>77,403</b>	<b>381,961</b>	<b>62</b>	<b>12,981</b>	<b>964,143</b>	<b>586,525</b>	<b>3,621,990</b>	<b>155</b>
<b>Age</b>											
5 and younger	166,605	0	5,300	0	161,297	8	0	55,586	0	1,473,002	14
6-14	174,926	0	14,297	0	160,621	8	0	162,427	0	1,592,464	21
15-20	80,619	0	10,550	10,049	60,014	6	0	114,195	77,314	556,305	15
21-44	93,341	0	28,699	64,576	29	37	0	304,165	486,066	219	88
45-64	33,578	0	30,805	2,771	0	2	0	315,571	23,092	0	5
65-74	1,418	509	904	4	0	1	4,552	10,174	40	0	12
75-84	758	602	156	0	0	0	5,257	1,710	0	0	0
85 and older	426	394	29	3	0	0	3,172	315	13	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
<b>Gender</b>											
Female	317,112	911	47,710	74,433	194,016	42	7,785	512,884	565,821	1,839,198	96
Male	234,509	582	43,028	2,970	187,909	20	5,074	451,238	20,704	1,782,720	59
Unknown	50	12	2	0	36	0	122	21	0	72	0
<b>Race</b>											
White	171,419	732	24,740	26,954	118,968	25	6,028	250,851	184,691	1,057,113	69
African American	353,336	617	47,619	49,381	255,683	36	5,411	517,402	395,132	2,503,072	80
Other/unknown	26,916	156	18,381	1,068	7,310	1	1,542	195,890	6,702	61,805	6
<b>Use of Nursing Facilities<sup>c</sup></b>											
Entire year	750	193	557	0	0	0	1,888	5,965	0	0	0
Part year	453	42	404	5	2	0	368	4,140	42	24	0
None	550,468	1,270	89,779	77,398	381,959	62	10,725	954,038	586,483	3,621,966	155
<b>Maintenance Assistance Status</b>											
Cash	237,231	358	82,894	42,854	111,125	0	3,850	895,526	381,753	1,064,161	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0
Poverty related	305,461	802	6,181	32,398	266,080	0	6,378	52,739	196,697	2,518,968	0
Other/unknown	8,979	345	1,665	2,151	4,756	62	2,753	15,878	8,075	38,861	155
<b>Managed Care Status</b>											
FFS all year	551,671	1,505	90,740	77,403	381,961	62	12,981	964,143	586,525	3,621,990	155
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2001

	Benes and			
	Bene Mos in Cell J of Table 1 No. of Benes	Bene Mos No. of Bene Mos	Included in Cell K of Table 1 No. of Benes	Excluded from Cell K of Table 1 No. of Benes
<b>All</b>	<b>551,671</b>	<b>5,185,794</b>	<b>551,671</b>	<b>0</b>
FFS all year	551,671	5,185,794	551,671	0
FFS part year, with Rx claims	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0
MC all year, with Rx claims	0	0	0	0
MC all year, with no Rx claims	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Mississippi, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.