

# STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 NEW MEXICO

## LIST OF TABLES

### OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

### FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

### FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

**FOR DUAL ELIGIBLE BENEFICIARIES**

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

**SUPPLEMENTAL TABLES**

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

**APPENDIX TABLE**

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2  
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
<b>All</b>	<b>220,851</b>	<b>426</b>	<b>10,182</b>	<b>67,234</b>	<b>143,008</b>	<b>1</b>	<b>1,072,359</b>	<b>3,248</b>	<b>71,186</b>	<b>393,670</b>	<b>604,252</b>	<b>3</b>		
<b>Age</b>														
5 and younger	53,592	1	499	0	53,092	0	203,082	4	3,350	0	199,728	0		
6-14	65,254	0	1,103	0	64,151	0	301,689	0	8,679	0	293,010	0		
15-20	32,603	0	929	5,973	25,700	1	147,719	0	6,486	29,813	111,417	3		
21-44	61,164	0	3,116	57,988	60	0	368,348	0	19,665	348,596	87	0		
45-64	7,486	2	4,224	3,260	0	0	44,876	4	29,660	15,212	0	0		
65-74	411	146	254	11	0	0	3,820	1,004	2,771	45	0	0		
75-84	187	137	49	1	0	0	1,627	1,121	505	1	0	0		
85 and older	151	140	8	1	2	0	1,195	1,115	70	3	7	0		
Unknown	3	0	0	0	3	3	0	0	0	0	3	0		
<b>Gender</b>														
Female	137,278	256	5,005	60,609	71,407	1	712,127	1,964	35,858	375,828	298,474	3		
Male	83,567	170	5,176	6,625	71,596	0	360,197	1,284	35,327	17,842	305,744	0		
Unknown	6	0	1	0	5	0	35	0	1	0	34	0		
<b>Race</b>														
White	47,429	141	2,643	17,698	26,946	1	169,991	1,028	12,034	96,956	59,970	3		
African American	4,411	4	218	1,354	2,835	0	12,120	33	858	5,648	5,581	0		
Other/unknown	169,011	281	7,321	48,182	113,227	0	890,248	2,187	58,294	291,066	538,701	0		
<b>Use of Nursing Facilities<sup>c</sup></b>														
Entire year	351	85	266	0	0	0	3,712	875	2,837	0	0	0		
Part year	232	36	193	2	1	0	1,814	297	1,504	7	6	0		
None	220,268	305	9,723	67,232	143,007	1	1,066,833	2,076	66,845	393,663	604,246	3		
<b>Maintenance Assistance Status</b>														
Cash	68,162	213	9,496	25,100	33,353	0	297,024	1,711	67,625	86,393	141,295	0		
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0		
Poverty-related	101,579	4	359	8,205	93,011	0	439,492	24	1,431	33,799	404,238	0		
Other/unknown	51,110	209	327	33,929	16,644	1	335,843	1,513	2,130	273,478	58,719	3		
<b>Managed Care Status</b>														
FFS all year	96,985	354	5,797	37,449	53,384	1	754,814	3,024	56,403	284,996	410,388	3		
FFS part year, with Rx claims	30,295	27	2,091	10,799	17,378	0	93,885	111	7,344	43,246	43,184	0		
FFS part year, no Rx claims	93,571	45	2,294	18,986	72,246	0	223,660	113	7,439	65,428	150,680	0		

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	23.0 %	1.1	\$40	\$37	\$1,950	2.1 %	220,851
<b>Age</b>							
5 and younger	22.4	0.6	13	22	1,785	0.7	53,592
6-14	16.6	0.5	19	36	1,170	1.6	65,254
15-20	23.6	0.9	34	39	2,258	1.5	32,603
21-44	27.8	1.4	52	37	2,006	2.6	61,164
45-64	37.6	6.0	283	47	6,855	4.1	7,486
65-74	51.8	15.0	661	44	13,506	4.9	411
75-84	60.4	19.9	827	42	16,128	5.1	187
85 and older	53.0	20.3	832	41	16,626	5.0	151
Unknown	0.0	0.0	0	0	0	0.0	3
<b>Basis of Eligibility<sup>c</sup></b>							
Aged	51.6	16.4	685	42	12,589	5.4	426
Disabled	45.0	7.4	398	54	11,128	3.6	10,182
Adults	27.3	1.1	34	31	1,596	2.2	67,234
Children	19.3	0.6	16	28	1,432	1.1	143,008
Unknown	0.0	0.0	0	0	0	0.0	1
<b>Gender</b>							
Female	24.4	1.1	40	35	1,880	2.1	137,278
Male	20.7	1.0	41	42	2,066	2.0	83,567
Unknown	66.7	1.3	54	41	2,768	2.0	6
<b>Race</b>							
White	24.5	1.3	54	43	2,271	2.4	47,429
African American	21.2	0.9	33	36	1,981	1.7	4,411
Other/unknown	22.6	1.0	37	36	1,860	2.0	169,011
<b>Use of Nursing Facilities<sup>d</sup></b>							
Entire year	94.9	59.0	2,789	47	54,222	5.1	351
Part year	92.2	39.6	2,104	53	46,673	4.5	232
None	22.8	0.9	34	36	1,820	1.8	220,268
<b>Maintenance Assistance Status</b>							
Cash	25.8	1.7	74	44	2,749	2.7	68,162
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	21.1	0.6	17	28	1,586	1.1	101,579
Other/unknown	23.1	1.2	42	35	1,610	2.6	51,110

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
  - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
  - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos
				77.0 % None	18.4 % More than 0, 1, but 2 or Less	2.5 % More than 2, but 5 or Less	1.6 % More than 2, but 10 or Less	0.4 % More than 5, but 10 or Less			
<b>All</b>	<b>0.2</b>	<b>\$8</b>	<b>2.1 %</b>	<b>18.4 %</b>	<b>2.5 %</b>	<b>1.6 %</b>	<b>0.4 %</b>	<b>0.1 %</b>	<b>\$402</b>	<b>220,851</b>	<b>1,072,359</b>
<b>Age</b>											
5 and younger	0.2	4	0.7	18.7	2.6	1.1	0.1	0.0	471	53,592	203,082
6-14	0.1	4	1.6	13.7	1.9	0.9	0.1	0.0	253	65,254	301,689
15-20	0.2	7	1.5	19.5	2.5	1.4	0.2	0.0	498	32,603	147,719
21-44	0.2	9	2.6	22.6	2.5	2.0	0.5	0.1	333	61,164	368,348
45-64	1.0	47	4.1	18.2	5.7	8.1	4.3	1.3	1,144	7,486	44,876
65-74	1.6	71	4.9	24.1	6.1	11.2	9.0	1.5	1,453	411	3,820
75-84	2.3	95	5.1	21.4	7.5	17.1	14.4	0.0	1,854	187	1,627
85 and older	2.6	105	5.0	16.6	6.6	18.5	9.3	2.0	2,101	151	1,195
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	3	3
<b>Basis of Eligibility<sup>c</sup></b>											
Aged	2.1	90	5.4	17.4	7.7	14.8	10.8	0.9	1,651	426	3,248
Disabled	1.1	57	3.6	23.9	6.1	9.3	4.5	1.3	1,592	10,182	71,186
Adults	0.2	6	2.2	22.7	2.4	1.7	0.4	0.1	273	67,234	393,670
Children	0.1	4	1.1	16.0	2.2	1.0	0.1	0.0	339	143,008	604,252
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	1	3
<b>Gender</b>											
Female	0.2	8	2.1	19.9	2.4	1.6	0.4	0.1	362	137,278	712,127
Male	0.2	10	2.0	15.9	2.6	1.7	0.4	0.1	479	83,567	360,197
Unknown	0.2	9	2.0	66.7	0.0	0.0	0.0	0.0	475	6	35
<b>Race</b>											
White	0.4	15	2.4	17.6	3.4	2.5	0.8	0.2	634	47,429	169,991
African American	0.3	12	1.7	14.6	3.3	2.4	0.7	0.2	721	4,411	12,120
Other/unknown	0.2	7	2.0	18.7	2.2	1.4	0.3	0.1	353	169,011	890,248
<b>Use of Nursing Facilities<sup>d</sup></b>											
Entire year	5.6	264	5.1	9.1	8.3	31.1	33.6	12.8	5,127	351	3,712
Part year	5.1	269	4.5	14.2	8.6	28.0	32.8	8.6	5,969	232	1,814
None	0.2	7	1.8	18.4	2.5	1.6	0.3	0.1	376	220,268	1,066,833
<b>Maintenance Assistance Status</b>											
Cash	0.4	17	2.7	17.9	3.6	3.1	1.0	0.2	631	68,162	297,024
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.1	4	1.1	17.8	2.2	1.0	0.1	0.0	367	101,579	439,492
Other/unknown	0.2	6	2.6	20.4	1.5	0.9	0.2	0.1	245	51,110	335,843

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.5  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	\$ per Rx	No. of Rx	Rx \$	No. of Rx	Rx \$
<b>All</b>	<b>0.2</b>	<b>\$8</b>	<b>0.1</b>	<b>\$37</b>	<b>0.0</b>	<b>\$1</b>	<b>0.1</b>	<b>\$2</b>
<b>Age</b>								
5 and younger	0.2	4	0.0	22	0.0	0	0.1	1
6-14	0.1	4	0.0	36	0.0	0	0.1	1
15-20	0.2	7	0.1	39	0.0	1	0.1	2
21-44	0.2	9	0.1	37	0.0	1	0.1	2
45-64	1.0	47	0.4	47	0.1	5	0.5	9
65-74	1.6	71	0.6	44	0.2	8	0.8	14
75-84	2.3	95	0.9	42	0.2	8	1.1	19
85 and older	2.6	105	1.0	41	0.3	9	1.3	22
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
<b>Basis of Eligibility<sup>d</sup></b>								
Aged	2.1	90	0.8	42	0.3	8	1.1	19
Disabled	1.1	57	0.4	54	0.1	6	0.5	10
Adults	0.2	6	0.1	31	0.0	1	0.1	2
Children	0.1	4	0.0	28	0.0	0	0.1	1
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
<b>Gender</b>								
Female	0.2	8	0.1	35	0.0	1	0.1	2
Male	0.2	10	0.1	42	0.0	1	0.1	2
Unknown	0.2	9	0.1	41	0.0	0	0.1	1
<b>Race</b>								
White	0.4	15	0.1	43	0.0	2	0.2	3
African American	0.3	12	0.1	36	0.0	1	0.2	3
Other/unknown	0.2	7	0.1	36	0.0	1	0.1	2
<b>Use of Nursing Facilities<sup>e</sup></b>								
Entire year	5.6	264	2.0	47	0.8	35	2.7	52
Part year	5.1	269	2.0	53	0.6	23	2.5	50
None	0.2	7	0.1	36	0.0	1	0.1	2
<b>Maintenance Assistance Status</b>								
Cash	0.4	17	0.1	44	0.0	2	0.2	4
Medically needy	0.0	0	0.0	0	0.0	0	0.0	0
Poverty related	0.1	4	0.0	28	0.0	0	0.1	1
Other/unknown	0.2	6	0.1	35	0.0	1	0.1	2

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Mexico, 4.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users				\$ per Bene Mo among Users				Users								
	Patented		Off-Patent		Patented		Off-Patent		Patented		Off-Patent		As % of All Benes	No. of Bene Mos			
	Total	Brand-Name	Generic	Total	Brand-Name	Generic	Total	Brand-Name	Off-Patent	Generic	Total No. of Rx	Total Rx \$			No.		
Anti-infective Agents	0.3	0.1	0.0	0.2	\$7	\$5	\$0	\$2	\$28	\$59	\$26	\$10	33,969	\$950,427	22,217	10.1 %	132,782
Biologics	0.1	0.1	0.0	0.0	41	37	1	3	335	399	479	117	187	62,734	156	0.1	1,534
Antineoplastic Agents	0.4	0.2	0.1	0.1	101	77	15	9	226	414	125	63	470	106,318	153	0.1	1,055
Endocrine/Metabolic Drugs	0.5	0.2	0.1	0.2	18	10	3	4	34	43	33	23	50,999	1,732,548	12,489	5.7	98,976
Cardiovascular Agents	0.8	0.3	0.1	0.4	24	15	2	7	30	47	40	16	13,888	415,805	2,721	1.2	17,232
Respiratory Agents	0.4	0.2	0.0	0.2	13	9	0	3	33	60	25	14	34,370	1,145,428	16,111	7.3	90,883
Gastrointestinal Agents	0.4	0.2	0.0	0.3	28	20	2	6	63	122	77	23	8,530	539,002	3,039	1.4	19,022
Genitourinary Agents	0.3	0.1	0.0	0.1	9	7	0	2	32	45	29	18	2,995	96,273	1,795	0.8	10,592
CNS Drugs	0.8	0.4	0.1	0.3	54	41	6	7	72	115	102	21	24,222	1,737,434	5,691	2.6	31,971
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.0	0.3	24	14	1	8	41	58	35	28	3,222	132,618	1,127	0.5	5,597
Miscellaneous Psychological/Neurological Agents	0.5	0.4	0.0	0.1	72	67	0	4	151	168	24	63	218	32,891	71	0.0	457
Analgesics and Anesthetics	0.3	0.0	0.0	0.3	7	4	1	3	22	107	35	11	25,277	561,388	12,148	5.5	76,857
Neuromuscular Agents	0.7	0.3	0.1	0.4	39	24	6	9	53	94	45	26	12,194	642,264	2,842	1.3	16,333
Nutritional Products	0.3	0.0	0.0	0.2	3	0	1	2	11	16	20	9	7,594	82,586	4,723	2.1	25,549
Hematological Agents	0.6	0.1	0.2	0.3	44	38	3	3	79	303	17	11	2,263	179,043	611	0.3	4,093
Topical Products	0.3	0.1	0.0	0.2	6	3	1	2	22	52	28	13	16,030	360,584	9,645	4.4	64,098
Miscellaneous Products	0.5	0.2	0.2	0.1	108	64	37	7	215	311	239	52	376	80,839	88	0.0	746
Unknown Therapeutic Category	0.1	0.0	0.0	0.0	2	0	0	0	12	0	0	0	403	4,959	328	0.1	3,070
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	237,207	8,863,141	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Mexico, 4.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
CONTRACEPTIVES	\$1,252,214	8,973	79,457	0.5	\$33	\$16	
ANTPSYCHOTICS	869,762	1,464	9,476	0.6	142	92	
ANTIDEPRESSANTS	732,549	4,381	24,580	0.5	63	30	
ANTICONVULSANT	557,116	1,834	11,504	0.7	67	48	
ANTIASTHMATIC	545,583	8,228	50,828	0.3	37	11	
ULCER DRUGS	432,155	2,561	16,123	0.4	74	27	
ANTIHISTAMINES	352,705	8,215	56,481	0.2	31	6	
ANTIDIABETIC	310,706	1,933	13,952	0.5	46	22	
PENICILLINS	297,889	13,327	86,592	0.2	19	3	
ANALGESICS - Narcotic	279,242	7,867	49,459	0.3	21	6	
Total	5,629,921	58,783	398,452	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE<sup>a,b,c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					CONTRACEPTIVES					ANTIPSYCHOTICS				
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	No. of Users	Users as % of All Benes	Mean No. of Rx	No. of Users	Users as % of All Benes	Mean No. of Rx	No. of Users	Users as % of All Benes	Mean No. of Rx	Rx \$
<b>All</b>	<b>131,363</b>	<b>\$5,629,921</b>	<b>8,973</b>	<b>4.1 %</b>	<b>0.5</b>	<b>79,457</b>	<b>4.1 %</b>	<b>0.5</b>	<b>1,464</b>	<b>0.7 %</b>	<b>9,476</b>	<b>0.7 %</b>	<b>0.6</b>	<b>\$92</b>	
<b>Female</b>	90,201	3,562,675	8,964	6.5	0.5	79,398	6.5	0.5	756	0.6	4,765	0.6	0.6	77	
<b>Disabled</b>	20,976	1,305,088	96	1.9	0.4	892	1.9	0.4	427	8.5	3,241	8.5	0.7	95	
5 and younger	183	6,535	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	
6-14	667	47,751	0	0.0	0.0	0	0.0	0.0	25	6.2	202	6.2	0.8	103	
15-20	1,023	77,670	29	8.0	0.4	278	8.0	0.4	32	8.8	251	8.8	0.6	77	
21-44	5,512	356,286	61	4.2	0.4	554	4.2	0.4	161	11.0	1,032	11.0	0.6	91	
45-64	12,041	727,788	6	0.3	0.4	60	0.3	0.4	191	8.1	1,550	8.1	0.7	96	
65-74	1,165	68,383	0	0.0	0.0	0	0.0	0.0	11	6.5	128	6.5	1.1	147	
75-84	367	20,306	0	0.0	0.0	0	0.0	0.0	7	20.0	78	20.0	0.5	65	
85 and older	18	369	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	
<b>Other Eligibles</b>	69,225	2,257,587	8,868	6.7	0.5	78,506	6.7	0.5	329	0.2	1,524	0.2	0.4	39	
5 and younger	6,261	113,154	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	
6-14	6,672	217,060	35	0.1	0.2	252	0.1	0.2	55	0.2	292	0.2	0.5	60	
15-20	8,810	310,049	1,454	7.5	0.4	10,162	7.5	0.4	96	0.5	435	0.5	0.4	41	
21-44	44,588	1,478,138	7,328	13.9	0.5	67,650	13.9	0.5	147	0.3	595	0.3	0.3	26	
45-64	1,657	68,961	51	2.1	0.6	442	2.1	0.6	16	0.7	57	0.7	0.4	18	
65-74	322	16,762	0	0.0	0.0	0	0.0	0.0	2	2.1	24	2.1	0.6	76	
75-84	503	31,216	0	0.0	0.0	0	0.0	0.0	8	9.6	61	9.6	0.2	26	
85 and older	412	22,247	0	0.0	0.0	0	0.0	0.0	5	5.7	60	5.7	0.5	64	
<b>Male</b>	41,152	2,066,660	9	0.0	0.4	59	0.0	0.4	708	0.8	4,711	0.8	0.7	107	
<b>Disabled</b>	16,176	1,189,130	4	0.1	0.4	40	0.1	0.4	440	8.5	3,307	8.5	0.8	119	
5 and younger	549	38,297	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	
6-14	1,554	109,164	0	0.0	0.0	0	0.0	0.0	48	6.9	385	6.9	0.6	104	
15-20	1,229	115,241	0	0.0	0.0	0	0.0	0.0	45	7.9	377	7.9	0.6	142	
21-44	5,004	424,154	2	0.1	0.2	17	0.1	0.2	199	12.1	1,368	12.1	0.8	133	
45-64	6,878	445,414	2	0.1	0.6	23	0.1	0.6	133	7.1	1,017	7.1	0.8	106	
65-74	821	48,212	0	0.0	0.0	0	0.0	0.0	9	10.5	97	10.5	0.6	54	
75-84	141	8,648	0	0.0	0.0	0	0.0	0.0	6	42.9	63	42.9	0.7	81	
85 and older	0	0	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	
<b>Other Eligibles</b>	24,976	877,530	5	0.0	0.3	19	0.0	0.3	268	0.3	1,404	0.3	0.6	78	
5 and younger	8,310	177,045	2	0.0	0.5	4	0.0	0.5	3	0.0	17	0.0	0.8	116	
6-14	9,185	346,280	0	0.0	0.0	0	0.0	0.0	111	0.3	587	0.3	0.6	73	
15-20	3,977	196,852	2	0.0	0.2	13	0.0	0.2	109	0.9	544	0.9	0.7	78	
21-44	1,940	77,074	1	0.0	0.5	2	0.0	0.5	29	0.5	98	0.5	0.4	76	
45-64	508	22,006	0	0.0	0.0	0	0.0	0.0	1	0.1	2	0.1	0.5	8	
65-74	272	16,612	0	0.0	0.0	0	0.0	0.0	6	10.0	57	10.0	0.8	125	
75-84	274	12,864	0	0.0	0.0	0	0.0	0.0	2	3.6	24	3.6	0.3	19	
85 and older	510	28,797	0	0.0	0.0	0	0.0	0.0	7	12.5	75	12.5	0.8	100	
<b>Unknown</b>	10	586	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTICONVULSANT					ANTIASTHMATIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>4,381</b>	<b>2.0 %</b>	<b>24,580</b>	<b>0.5</b>	<b>\$30</b>	<b>1,834</b>	<b>0.8 %</b>	<b>11,504</b>	<b>0.7</b>	<b>\$48</b>	<b>8,228</b>	<b>3.7 %</b>	<b>50,928</b>	<b>0.3</b>	<b>\$11</b>
<b>Female</b>	2,916	2.1	15,742	0.4	28	1,016	0.7	6,175	0.7	48	3,940	2.9	23,448	0.3	10
<b>Disabled</b>	995	19.9	7,155	0.5	32	549	11.0	4,357	0.8	54	624	12.5	5,195	0.4	15
5 and younger	0	0.0	0	0.0	0	6	2.9	34	0.6	44	41	19.7	397	0.2	8
6-14	20	5.0	152	0.5	32	31	7.7	255	0.6	37	55	13.7	606	0.2	10
15-20	48	13.3	386	0.6	47	37	10.2	299	0.7	63	35	9.7	315	0.3	12
21-44	357	24.4	2,172	0.5	33	199	13.6	1,298	0.7	62	137	9.3	885	0.4	17
45-64	539	22.8	4,085	0.5	30	252	10.7	2,211	0.9	52	325	13.8	2,660	0.4	16
65-74	25	14.9	288	0.7	35	19	11.3	200	1.1	49	21	12.5	212	0.2	8
75-84	6	17.1	72	0.5	31	5	14.3	60	1.2	49	10	28.6	120	0.7	31
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	1,921	1.5	8,587	0.4	24	467	0.4	1,818	0.5	31	3,316	2.5	18,253	0.3	9
5 and younger	3	0.0	16	0.2	10	20	0.1	94	0.6	21	1,056	4.0	6,433	0.2	6
6-14	211	0.7	1,197	0.4	21	84	0.3	381	0.6	28	991	3.1	5,474	0.3	10
15-20	354	1.8	1,911	0.4	24	84	0.4	360	0.5	37	469	2.4	2,713	0.3	9
21-44	1,157	2.2	4,519	0.4	24	240	0.5	751	0.5	31	686	1.3	3,015	0.3	11
45-64	151	6.2	533	0.5	29	22	0.9	56	0.5	30	90	3.7	399	0.4	13
65-74	12	12.4	88	0.5	30	6	6.2	59	0.7	39	11	11.3	76	0.3	17
75-84	18	21.7	158	0.5	30	5	6.0	45	0.8	32	10	12.0	107	0.5	27
85 and older	15	17.2	165	0.8	43	6	6.9	72	0.6	34	3	3.4	36	0.4	28
<b>Male</b>	1,465	1.8	8,838	0.5	34	818	1.0	5,329	0.7	50	4,288	5.1	27,380	0.3	11
<b>Disabled</b>	601	11.6	4,336	0.6	39	514	9.9	3,969	0.8	56	476	9.2	4,053	0.4	18
5 and younger	2	0.7	13	0.4	35	17	5.8	168	0.5	109	80	27.5	769	0.3	18
6-14	66	9.4	523	0.5	30	76	10.9	631	0.6	36	96	13.7	1,024	0.3	18
15-20	56	9.9	461	0.5	45	54	9.5	377	0.7	58	53	9.3	457	0.5	16
21-44	216	13.1	1,369	0.6	47	193	11.7	1,312	0.8	56	69	4.2	457	0.3	10
45-64	248	13.3	1,825	0.6	36	156	8.4	1,285	0.9	59	161	8.6	1,148	0.4	19
65-74	12	14.0	136	0.5	20	15	17.4	160	1.0	56	15	17.4	174	0.6	34
75-84	1	7.1	9	0.3	20	3	21.4	36	1.1	24	2	14.3	24	0.9	82
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	864	1.1	4,502	0.5	28	304	0.4	1,360	0.6	30	3,812	4.9	23,327	0.3	10
5 and younger	3	0.0	9	0.6	21	37	0.1	177	0.5	12	1,705	6.3	10,552	0.2	7
6-14	319	1.0	1,867	0.4	25	101	0.3	491	0.6	27	1,612	5.0	10,226	0.3	11
15-20	327	2.6	1,684	0.5	32	96	0.8	387	0.6	40	341	2.8	1,969	0.4	16
21-44	151	2.8	442	0.5	27	46	0.8	141	0.5	27	108	2.0	275	0.5	24
45-64	30	3.6	145	0.5	19	8	0.9	27	0.6	40	25	3.0	95	0.6	24
65-74	11	18.3	99	0.4	18	5	8.3	50	1.2	55	0	0.0	0	0.0	0
75-84	6	10.9	71	0.8	54	5	9.1	40	0.9	24	9	16.4	76	0.3	10
85 and older	17	30.4	185	0.6	35	6	10.7	47	0.7	37	12	21.4	134	0.7	31
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7B  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	ULCER DRUGS					ANTIHISTAMINES					ANTIDIABETIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>2,561</b>	<b>1.2 %</b>	<b>16,123</b>	<b>0.4</b>	<b>\$27</b>	<b>8,215</b>	<b>3.7 %</b>	<b>56,481</b>	<b>0.2</b>	<b>\$6</b>	<b>1,933</b>	<b>0.9 %</b>	<b>13,952</b>	<b>0.5</b>	<b>\$22</b>
<b>Female</b>	1,600	1.2	9,879	0.3	25	4,769	3.5	31,383	0.2	6	1,348	1.0	9,709	0.5	22
<b>Disabled</b>	550	11.0	4,599	0.4	33	518	10.3	4,714	0.3	8	721	14.4	6,519	0.4	22
5 and younger	6	2.9	42	0.2	13	15	7.2	147	0.1	2	0	0.0	0	0.0	0
6-14	4	1.0	48	0.5	68	32	8.0	318	0.2	7	1	0.2	12	0.2	1
15-20	13	3.6	141	0.6	61	29	8.0	262	0.2	7	3	0.8	33	1.3	63
21-44	165	11.3	1,239	0.4	27	170	11.6	1,479	0.3	12	101	6.9	683	0.4	18
45-64	331	14.0	2,768	0.4	32	241	10.2	2,156	0.2	8	552	23.4	5,055	0.5	23
65-74	23	13.7	265	0.6	43	24	14.3	273	0.2	4	58	34.5	666	0.4	18
75-84	7	20.0	84	0.8	61	6	17.1	67	0.1	1	6	17.1	70	0.7	14
85 and older	1	20.0	12	0.1	1	1	20.0	12	0.2	1	0	0.0	0	0.0	0
<b>Other Eligibles</b>	1,050	0.8	5,280	0.3	18	4,251	3.2	26,669	0.2	6	627	0.5	3,190	0.5	23
5 and younger	76	0.3	364	0.2	6	986	3.8	7,002	0.2	3	5	0.0	15	0.5	21
6-14	110	0.3	663	0.2	9	1,280	4.0	8,350	0.2	6	44	0.1	132	0.9	45
15-20	164	0.8	1,020	0.2	9	724	3.7	4,421	0.2	6	28	0.1	88	0.8	35
21-44	557	1.1	2,440	0.3	20	1,169	2.2	6,325	0.2	7	368	0.7	1,872	0.5	22
45-64	93	3.8	348	0.3	26	72	3.0	358	0.3	11	143	5.9	670	0.4	25
65-74	15	15.5	114	0.4	41	3	3.1	36	0.1	2	20	20.6	207	0.6	15
75-84	24	28.9	215	0.6	52	10	12.0	101	0.2	6	17	20.5	182	0.5	19
85 and older	11	12.6	116	0.7	46	7	8.0	76	0.1	4	2	2.3	24	0.6	29
<b>Male</b>	961	1.1	6,244	0.4	30	3,446	4.1	25,098	0.2	7	583	0.7	4,223	0.5	22
<b>Disabled</b>	442	8.5	3,583	0.5	39	352	6.8	3,215	0.3	12	343	6.6	3,076	0.5	21
5 and younger	16	5.5	116	0.4	20	25	8.6	254	0.1	2	1	0.3	1	3.0	106
6-14	19	2.7	203	0.3	22	71	10.1	693	0.2	7	1	0.1	1	1.0	42
15-20	17	3.0	140	0.4	32	48	8.5	420	0.2	13	6	1.1	72	0.4	16
21-44	151	9.2	1,158	0.5	38	94	5.7	789	0.4	16	89	5.4	731	0.5	21
45-64	217	11.6	1,714	0.5	40	99	5.3	897	0.3	14	224	12.0	2,007	0.5	22
65-74	21	24.4	240	0.6	62	13	15.1	138	0.2	11	20	23.3	240	0.7	20
75-84	1	7.1	12	0.2	5	2	14.3	24	0.1	1	2	14.3	24	1.0	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	519	0.7	2,661	0.3	18	3,094	3.9	21,883	0.2	6	240	0.3	1,147	0.6	26
5 and younger	111	0.4	650	0.2	10	1,123	4.2	8,216	0.2	3	2	0.0	14	0.2	17
6-14	111	0.3	680	0.2	7	1,459	4.5	10,614	0.2	7	36	0.1	170	0.7	37
15-20	83	0.7	510	0.2	15	384	3.1	2,504	0.2	10	30	0.2	123	0.7	37
21-44	144	2.6	403	0.5	32	98	1.8	304	0.4	15	79	1.4	264	0.6	25
45-64	37	4.4	152	0.4	25	10	1.2	39	0.3	12	59	7.0	222	0.5	25
65-74	10	16.7	73	0.3	29	5	8.3	51	0.2	9	14	23.3	134	0.4	13
75-84	10	18.2	66	0.5	47	7	12.7	82	0.2	9	11	20.0	116	0.8	22
85 and older	13	23.2	127	0.6	45	8	14.3	73	0.3	4	9	16.1	104	0.6	17
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	22.2	20	0.4	28

Table ND7C  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	PENICILLINS				ANALGESICS - Narcotic				No. of Bene Mos		
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$			
<b>All</b>	<b>13,327</b>	<b>6.0 %</b>	<b>86,592</b>	<b>0.2</b>	<b>7,867</b>	<b>3.6 %</b>	<b>49,459</b>	<b>0.3</b>	<b>\$6</b>	<b>220,851</b>	<b>1,072,359</b>
<b>Female</b>	7,151	5.2	45,947	0.2	5,464	4.0	33,915	0.3	5	137,276	712,125
<b>Disabled</b>	475	9.5	4,595	0.1	1,078	21.5	8,933	0.3	11	5,005	35,858
5 and younger	37	17.8	381	0.1	6	2.9	65	0.1	1	208	1,376
6-14	44	10.9	448	0.1	12	3.0	144	0.1	1	402	3,181
15-20	35	9.7	356	0.1	27	7.5	258	0.2	3	362	2,530
21-44	134	9.1	1,203	0.1	377	25.7	2,788	0.4	8	1,466	9,203
45-64	211	8.9	2,044	0.1	618	26.2	5,244	0.3	13	2,359	17,259
65-74	11	6.5	127	0.1	31	18.5	353	0.3	10	168	1,882
75-84	3	8.6	36	0.1	5	14.3	57	0.2	5	35	373
85 and older	0	0.0	0	0.0	2	40.0	24	0.6	15	5	54
<b>Other Eligibles</b>	6,676	5.0	41,352	0.2	4,386	3.3	24,982	0.2	3	132,271	676,267
5 and younger	2,749	10.5	16,591	0.2	153	0.6	1,283	0.1	1	26,081	98,833
6-14	1,796	5.7	12,011	0.2	361	1.1	2,884	0.1	1	31,615	141,825
15-20	817	4.2	5,310	0.2	849	4.4	5,081	0.2	2	19,314	86,699
21-44	1,209	2.3	6,777	0.2	2,799	5.3	14,554	0.3	4	52,576	334,223
45-64	76	3.1	345	0.3	190	7.9	808	0.4	6	2,418	12,679
65-74	9	9.3	94	0.1	8	8.2	80	0.3	5	97	696
75-84	7	8.4	84	0.1	15	18.1	160	0.5	33	83	663
85 and older	13	14.9	140	0.2	11	12.6	132	0.6	10	87	649
<b>Male</b>	6,174	7.4	40,628	0.2	2,403	2.9	15,544	0.3	7	83,566	360,196
<b>Disabled</b>	431	8.3	4,096	0.1	728	14.1	5,341	0.4	14	5,176	35,327
5 and younger	73	25.1	721	0.2	11	3.8	124	0.1	1	291	1,974
6-14	89	12.7	947	0.1	25	3.6	290	0.1	1	700	5,497
15-20	45	7.9	401	0.1	33	5.8	298	0.1	2	567	3,956
21-44	115	7.0	999	0.1	261	15.8	1,660	0.4	14	1,650	10,462
45-64	97	5.2	884	0.2	374	20.1	2,718	0.4	17	1,865	12,401
65-74	12	14.0	144	0.1	21	24.4	215	0.3	15	86	889
75-84	0	0.0	0	0.0	3	21.4	36	0.2	5	14	132
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	3	16
<b>Other Eligibles</b>	5,743	7.3	36,532	0.2	1,675	2.1	10,203	0.2	3	78,390	324,869
5 and younger	3,186	11.8	19,447	0.2	198	0.7	1,596	0.1	1	27,010	100,882
6-14	1,878	5.8	13,099	0.2	442	1.4	3,459	0.1	1	32,536	151,185
15-20	454	3.7	3,109	0.2	430	3.5	3,010	0.2	2	12,357	54,517
21-44	179	3.3	609	0.3	490	9.0	1,561	0.5	12	5,472	14,460
45-64	33	3.9	153	0.2	86	10.2	319	0.5	15	844	2,537
65-74	5	8.3	39	0.3	11	18.3	79	0.5	9	60	353
75-84	4	7.3	38	0.2	6	10.9	58	0.2	3	55	459
85 and older	4	7.1	38	0.2	12	21.4	121	0.3	7	56	476
<b>Unknown</b>	2	22.2	17	0.2	0	0.0	0	0.0	0	9	38

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>\$264</b>	<b>5.6</b>	<b>351</b>	<b>3,712</b>
<b>Age</b>				
0-64	320	6.5	220	2,287
65-74	222	5.3	41	451
75-84	160	3.7	49	512
85 and older	144	3.6	41	462
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	276	5.7	194	2,104
Male	248	5.4	157	1,608
Unknown	0	0.0	0	0
<b>Race</b>				
White	272	5.8	185	1,931
African American	168	4.9	12	119
Other/unknown	261	5.4	154	1,662
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	147	3.5	85	875
Disabled	300	6.2	266	2,837
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos						
	Users			Users								Total	Patented	Off-Patent	Generic		
	Total	Patented	Off-Patent	Total	Patented	Off-Patent											
Anti-infective Agents	0.3	0.2	0.0	0.1	\$17	\$15	\$0	\$1	\$57	\$90	\$50	\$12	732	\$41,402	225	64.1 %	2,445
Biologicals	0.1	0.0	0.0	0.1	3	0	0	3	29	15	0	33	28	798	24	6.8	242
Antineoplastic Agents	0.7	0.4	0.1	0.2	200	179	13	8	304	437	163	49	58	17,617	8	2.3	88
Endocrine/Metabolic Drugs	1.4	0.7	0.3	0.5	44	32	7	5	31	49	26	10	2,239	69,068	140	39.9	1,562
Cardiovascular Agents	1.6	0.5	0.2	0.9	40	20	6	13	25	44	38	14	2,999	76,469	180	51.3	1,929
Respiratory Agents	0.8	0.3	0.0	0.4	33	19	0	13	42	57	21	31	1,054	44,349	124	35.3	1,357
Gastrointestinal Agents	1.0	0.3	0.1	0.6	58	34	9	16	57	116	73	26	1,709	97,300	159	45.3	1,665
Genitourinary Agents	0.5	0.2	0.0	0.3	20	15	0	5	39	69	32	16	347	13,369	61	17.4	672
CNS Drugs	1.8	0.8	0.1	0.8	124	96	13	15	70	116	96	18	4,565	319,957	238	67.8	2,585
Stimulants/Anti-obesity/Anorexia	0.3	0.0	0.0	0.3	12	6	0	6	36	142	0	21	8	289	2	0.6	24
Miscellaneous Psychological/Neurological Agents	0.5	0.5	0.0	0.0	65	65	0	0	123	124	0	22	79	9,687	13	3.7	149
Analgesics and Anesthetics	0.9	0.3	0.1	0.5	41	28	5	8	47	97	56	16	1,498	69,925	159	45.3	1,689
Neuromuscular Agents	1.7	0.5	0.4	0.7	80	41	17	22	48	77	40	32	3,221	156,205	179	51.0	1,945
Nutritional Products	0.7	0.0	0.3	0.4	12	0	7	5	17	16	22	12	705	11,743	92	26.2	959
Hematological Agents	1.0	0.2	0.5	0.3	50	40	7	3	51	227	14	10	531	26,954	54	15.4	543
Topical Products	0.4	0.1	0.1	0.2	10	5	2	3	25	50	24	15	920	22,984	202	57.5	2,252
Miscellaneous Products	0.1	0.1	0.0	0.1	8	8	0	1	65	104	0	10	12	778	8	2.3	94
Unknown Therapeutic Category	0.1	0.0	0.0	0.0	1	0	0	0	8	0	0	0	6	47	6	1.7	64
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	20,711	978,941	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003). In New Mexico, 4.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$183,441	145	41.3 %	1,626	0.9	\$125	\$113
ANTICONVULSANT	133,650	195	55.6	2,182	1.1	55	61
ANTIDEPRESSANTS	110,726	192	54.7	2,102	0.9	60	53
ULCER DRUGS	83,019	138	39.3	1,475	0.7	76	56
ANTI-DIABETIC	41,415	113	32.2	1,283	0.9	35	32
ANALGESICS - Narcotic	41,258	147	41.9	1,505	0.5	54	27
ANTIHYPERTENSIVE	31,431	89	25.4	963	0.9	36	33
ANTI-ASTHMATIC	27,410	97	27.6	1,031	0.6	44	27
ANALGESICS - ANTI-INFLAMMATORY	23,455	73	20.8	829	0.6	45	28
ANTI-ANXIETY AGENTS	19,348	106	30.2	1,157	0.6	30	17
Total	695,153	1,295		14,153	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup> NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	All Top 10 Drug Groups										ANTIPSYCHOTICS					ANTICONVULSANT				
	No. of Rx	Rx \$	Users as %			Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene Mos among	NF Residents	Users as %	No. of Users	No. of Bene Mos among	NF Residents	Users as %	No. of Users	No. of Bene Mos among	NF Residents	Mean No. of Rx	Mean Rx \$
			145	41.3 %	1,626															
<b>All</b>	<b>11,474</b>	<b>\$695,153</b>	<b>83</b>	<b>42.8</b>	<b>913</b>	<b>0.9</b>	<b>109</b>	<b>107</b>	<b>55.2</b>	<b>1,215</b>	<b>1.1</b>	<b>65</b>	<b>67</b>	<b>69</b>	<b>58</b>	<b>30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Female</b>	6,442	396,054	73	50.7	818	1.0	115	99	68.8	1,119	1.1	67	69	58	30	0	0	0	0	0
<b>Disabled</b>	5,555	348,324	63	53.4	698	0.9	113	82	69.5	917	1.1	69	58	30	0	0	0	0	0	0
64 or younger	4,602	295,560	6	35.3	72	1.5	145	13	76.5	154	1.1	58	57	39	0	0	0	0	0	0
65-74	720	38,684	4	44.4	48	0.7	100	4	44.4	48	1.3	57	57	39	0	0	0	0	0	0
75-84	233	14,080	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
85 and older	0	0	10	20.0	95	0.4	57	8	16.0	96	0.8	37	37	39	0	0	0	0	0	0
<b>Other Eligibles</b>	887	47,730	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
64 or younger	0	0	2	33.3	24	0.6	76	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
65-74	106	4,324	4	19.0	23	0.2	10	3	14.3	36	0.9	35	35	39	0	0	0	0	0	0
75-84	357	19,984	4	17.4	48	0.5	70	5	21.7	60	0.7	39	39	39	0	0	0	0	0	0
85 and older	424	23,422	62	39.5	713	0.9	118	88	56.1	967	1.1	57	57	39	0	0	0	0	0	0
<b>Male</b>	5,032	299,099	58	47.5	665	0.9	118	81	66.4	910	1.1	58	58	39	0	0	0	0	0	0
<b>Disabled</b>	4,515	270,623	49	48.0	557	0.9	127	69	67.6	766	1.1	57	57	39	0	0	0	0	0	0
64 or younger	3,892	237,769	7	50.0	84	0.7	61	10	71.4	120	1.1	67	67	39	0	0	0	0	0	0
65-74	484	26,783	2	33.3	24	1.1	100	2	33.3	24	1.5	30	30	39	0	0	0	0	0	0
75-84	139	6,071	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
85 and older	0	0	4	11.4	48	0.8	114	7	20.0	57	0.9	43	43	39	0	0	0	0	0	0
<b>Other Eligibles</b>	517	28,476	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
64 or younger	0	0	1	25.0	12	0.9	146	2	50.0	14	0.9	60	60	39	0	0	0	0	0	0
65-74	46	3,430	0	0.0	0	0.0	0	2	15.4	15	1.1	20	20	39	0	0	0	0	0	0
75-84	174	8,177	3	16.7	36	0.8	103	3	16.7	28	0.8	46	46	39	0	0	0	0	0	0
85 and older	297	16,869	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0
<b>Unknown</b>	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ULCER DRUGS					ANTIDIABETIC				
	No. of Users	Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Users as % of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Residents	Users as % of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>192</b>	<b>54.7 %</b>	<b>2,102</b>	<b>0.9</b>	<b>\$53</b>	<b>138</b>	<b>39.3 %</b>	<b>1,475</b>	<b>0.7</b>	<b>\$56</b>	<b>113</b>	<b>32.2 %</b>	<b>1,283</b>	<b>0.9</b>	<b>\$32</b>
<b>Female</b>	110	56.7	1,193	0.8	53	78	40.2	832	0.8	57	63	32.5	730	0.9	32
<b>Disabled</b>	88	61.1	987	0.9	54	61	42.4	658	0.8	58	51	35.4	586	1.0	36
64 or younger	76	64.4	845	0.8	54	51	43.2	538	0.8	57	38	32.2	436	1.0	39
65-74	9	52.9	106	1.3	67	6	35.3	72	0.9	56	11	64.7	126	0.8	30
75-84	3	33.3	36	0.2	13	4	44.4	48	1.0	76	2	22.2	24	1.0	15
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	22	44.0	206	0.8	46	17	34.0	174	0.8	51	12	24.0	144	0.7	17
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	2	33.3	24	0.4	18	8	133.3	96	0.7	16
75-84	11	52.4	84	0.6	40	10	47.6	100	0.8	57	4	19.0	48	0.7	19
85 and older	11	47.8	122	0.9	50	5	21.7	50	1.0	56	0	0.0	0	0.0	0
<b>Male</b>	82	52.2	909	0.9	53	60	38.2	643	0.7	56	50	31.8	553	0.9	33
<b>Disabled</b>	64	52.5	697	1.0	56	51	41.8	558	0.7	58	40	32.8	441	1.0	35
64 or younger	60	58.8	649	1.0	56	43	42.2	462	0.6	55	36	35.3	393	0.9	36
65-74	4	28.6	48	1.0	47	7	50.0	84	0.8	79	2	14.3	24	2.5	34
75-84	0	0.0	0	0.0	0	1	16.7	12	0.2	5	2	33.3	24	1.0	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	18	51.4	212	0.7	43	9	25.7	85	0.6	45	10	28.6	112	0.7	24
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	1	25.0	12	0.2	4	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	5	38.5	59	0.9	59	4	30.8	28	0.6	67	5	38.5	56	0.8	27
85 and older	12	66.7	141	0.7	40	5	27.8	57	0.6	34	5	27.8	56	0.6	21
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	ANALGESICS - Narcotic					ANTIHYPERTENSIVE					ANTIASTHMATIC				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx
<b>All</b>	147	1,505	0.5	\$27	0.5	89	963	0.9	\$33	0.9	97	1,031	\$27	0.6	
<b>Female</b>	83	891	0.5	31	0.5	44	491	0.9	34	0.9	44	474	24	0.6	
<b>Disabled</b>	70	743	0.5	30	0.5	31	342	0.8	29	0.8	39	423	25	0.6	
64 or younger	65	685	0.5	32	0.5	26	282	0.8	27	0.8	37	401	25	0.6	
65-74	3	34	0.5	10	0.5	3	36	0.9	24	0.9	2	22	24	0.5	
75-84	2	24	0.1	2	0.1	2	24	1.0	64	1.0	0	0	0	0.0	
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	
<b>Other Eligibles</b>	13	148	0.8	39	0.8	13	149	1.0	46	1.0	5	51	23	0.4	
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	
65-74	0	0	0.0	0	0.0	2	24	0.7	22	0.7	0	0	0	0.0	
75-84	6	64	0.9	76	0.9	6	65	1.1	46	1.1	4	39	9	0.2	
85 and older	7	84	0.7	11	0.7	5	60	1.1	57	1.1	1	12	68	1.0	
<b>Male</b>	64	614	0.5	22	0.5	45	472	0.9	31	0.9	53	557	29	0.6	
<b>Disabled</b>	56	543	0.5	24	0.5	39	413	1.0	33	1.0	41	434	32	0.7	
64 or younger	51	483	0.5	26	0.5	31	317	1.0	35	1.0	33	338	31	0.7	
65-74	5	60	0.2	5	0.2	6	72	1.0	26	1.0	6	72	22	0.5	
75-84	0	0	0.0	0	0.0	2	24	1.1	26	1.1	2	24	82	0.9	
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	
<b>Other Eligibles</b>	8	71	0.3	4	0.3	6	59	0.7	16	0.7	12	123	16	0.3	
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	
65-74	2	14	0.2	4	0.2	1	3	0.7	21	0.7	0	0	0	0.0	
75-84	1	3	0.3	7	0.3	3	35	0.9	17	0.9	5	40	10	0.3	
85 and older	5	54	0.3	4	0.3	2	21	1.1	14	1.1	7	83	20	0.4	
<b>Unknown</b>	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- Benefit Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY					ANTI-ANXIETY AGENTS						
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$		
	No. of Users	No. of Bene Mos among Users	No. of Bene Mos among Users	No. of Bene Mos among Users		No. of Residents	No. of Residents	No. of Rx	No. of Rx			
<b>All</b>	<b>73</b>	<b>20.8 %</b>	<b>829</b>	<b>0.6</b>	<b>\$28</b>	<b>106</b>	<b>30.2 %</b>	<b>1,157</b>	<b>0.6</b>	<b>\$17</b>	<b>351</b>	<b>3,712</b>
<b>Female</b>	44	22.7	515	0.7	31	59	30.4	639	0.6	20	194	2,104
<b>Disabled</b>	34	23.6	402	0.7	32	50	34.7	555	0.6	21	144	1,574
64 or younger	26	22.0	306	0.7	34	43	36.4	471	0.7	23	118	1,264
65-74	5	29.4	60	1.0	36	5	29.4	60	0.4	9	17	202
75-84	3	33.3	36	0.8	12	2	22.2	24	0.2	3	9	108
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	10	20.0	113	0.4	25	9	18.0	84	0.5	15	50	530
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	6	62
75-84	2	9.5	17	0.1	2	2	9.5	10	1.4	35	21	210
85 and older	8	34.8	96	0.5	30	7	30.4	74	0.3	12	23	258
<b>Male</b>	29	18.5	314	0.6	24	47	29.9	518	0.5	13	157	1,608
<b>Disabled</b>	26	21.3	284	0.6	23	40	32.8	445	0.5	14	122	1,263
64 or younger	23	22.5	248	0.6	26	36	35.3	397	0.6	15	102	1,023
65-74	2	14.3	24	0.1	1	3	21.4	36	0.2	5	14	168
75-84	1	16.7	12	0.1	1	1	16.7	12	0.1	1	6	72
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Other Eligibles</b>	3	8.6	30	0.5	41	7	20.0	73	0.3	6	35	345
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	1	25.0	12	0.4	34	1	25.0	12	0.9	21	4	19
75-84	0	0.0	0	0.0	0	2	15.4	15	0.1	1	13	122
85 and older	2	11.1	18	0.6	45	4	22.2	46	0.3	4	18	204
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 232 beneficiaries who were in nursing facilities for part of their enrollment and their 1,814 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NEW MEXICO, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene	Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Rx \$	Total No. of Benes
All	17,079	7.7 %	0.2	40,166	\$420,270	\$10	4.7 %	220,851
<b>Age</b>								
5 and younger	6,124	11.4	0.2	10,424	94,625	9	13.2	53,592
6-14	4,040	6.2	0.1	6,546	61,404	9	5.0	65,254
15-20	1,869	5.7	0.1	3,231	38,636	12	3.5	32,603
21-44	3,464	5.7	0.1	8,601	96,896	11	3.1	61,164
45-64	1,304	17.4	1.1	8,331	99,915	12	4.7	7,486
65-74	134	32.6	3.3	1,350	13,179	10	4.8	411
75-84	82	43.9	4.8	904	8,540	9	5.5	187
85 and older	62	41.1	5.2	779	7,075	9	5.6	151
Unknown	0	0.0	0.0	0	0	0	0.0	3
<b>Basis of Eligibility<sup>c</sup></b>								
Aged	155	36.4	3.8	1,620	15,119	9	5.2	426
Disabled	2,221	21.8	1.4	14,482	189,102	13	4.7	10,182
Adults	3,398	5.1	0.1	5,774	58,350	10	2.5	67,234
Children	11,305	7.9	0.1	18,290	157,699	9	7.1	143,008
Unknown	0	0.0	0.0	0	0	0	0.0	1
<b>Gender</b>								
Female	10,072	7.3	0.2	23,696	239,386	10	4.4	137,278
Male	7,007	8.4	0.2	16,470	180,884	11	5.3	83,567
Unknown	0	0.0	0.0	0	0	0	0.0	6
<b>Race</b>								
White	2,765	5.8	0.2	8,930	110,972	12	4.4	47,429
African American	246	5.6	0.1	654	6,621	10	4.5	4,411
Other/unknown	14,068	8.3	0.2	30,582	302,677	10	4.9	169,011
<b>Use of Nursing Facilities<sup>d</sup></b>								
Entire year	279	79.5	14.1	4,939	58,789	12	6.0	351
Part year	185	79.7	8.8	2,051	23,360	11	4.8	232
None	16,615	7.5	0.2	33,176	338,121	10	4.6	220,268
<b>Maintenance Assistance Status</b>								
Cash	6,969	10.2	0.3	21,751	251,287	12	5.0	68,162
Medically needy	0	0.0	0.0	0	0	0	0.0	0
Poverty related	7,894	7.8	0.1	12,436	109,581	9	6.5	101,579
Other/unknown	2,216	4.3	0.1	5,979	59,402	10	2.8	51,110

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NEW MEXICO, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.0	\$0	\$10	\$0	\$0	1,072,359
<b>Age</b>						
5 and younger	0.1	0	9	0	0	203,082
6-14	0.0	0	9	0	0	301,689
15-20	0.0	0	12	0	0	147,719
21-44	0.0	0	11	0	0	368,348
45-64	0.2	2	12	0	1	44,876
65-74	0.4	3	10	0	1	3,820
75-84	0.6	5	9	0	1	1,627
85 and older	0.7	6	9	0	1	1,195
Unknown	0.0	0	0	0	0	3
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.5	5	9	0	1	3,248
Disabled	0.2	3	13	0	1	71,186
Adults	0.0	0	10	0	0	393,670
Children	0.0	0	9	0	0	604,252
Unknown	0.0	0	0	0	0	3
<b>Gender</b>						
Female	0.0	0	10	0	0	712,127
Male	0.0	1	11	0	0	360,197
Unknown	0.0	0	0	0	0	35
<b>Race</b>						
White	0.1	1	12	0	0	169,991
African American	0.1	1	10	0	0	12,120
Other/unknown	0.0	0	10	0	0	890,248
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	1.3	16	12	1	6	3,712
Part year	1.1	13	11	0	4	1,814
None	0.0	0	10	0	0	1,066,833
<b>Maintenance Assistance Status</b>						
Cash	0.1	1	12	0	0	297,024
Medically needy	0.0	0	0	0	0	0
Poverty related	0.0	0	9	0	0	439,492
Other/unknown	0.0	0	10	0	0	335,843

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.13  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS<sup>a,b,c</sup>  
 NEW MEXICO, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
<b>All</b>	<b>19,685</b>	<b>\$21</b>	<b>\$420,270</b>	<b>100.0 %</b>	<b>40,166</b>	<b>\$10</b>	<b>100.0 %</b>
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	7	10	72	0.0	7	10	0.0
Cough and cold medications	6,060	18	108,430	25.8	7,630	14	19.0
Vitamins and minerals	558	55	30,789	7.3	1,908	16	4.8
Non-prescription drugs	10,974	15	169,738	40.4	25,229	7	62.8
Barbiturates	146	40	5,876	1.4	986	6	2.5
Benzodiazepines	1,505	64	96,714	22.8	3,796	25	9.5
Other Part D Excl Rx Drugs	435	22	9,651	2.3	610	16	1.5

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all non-dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility, those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
NONDUAL BENEFICIARIES, NEW MEXICO, 2001

Beneficiary Characteristics	No. of Benes					No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
<b>All</b>	<b>385,841</b>	<b>984</b>	<b>30,194</b>	<b>79,592</b>	<b>275,070</b>	<b>1</b>	<b>3,599,582</b>	<b>10,137</b>	<b>330,199</b>	<b>648,837</b>	<b>2,610,406</b>	<b>3</b>
<b>Age</b>												
5 and younger	103,249	1	1,423	0	101,825	0	945,483	12	15,624	0	929,847	0
6-14	127,477	0	3,712	0	123,765	0	1,271,090	0	42,018	0	1,229,072	0
15-20	59,017	0	2,832	6,773	49,411	1	539,691	0	31,476	56,846	451,366	3
21-44	77,918	0	9,487	68,368	63	0	662,755	0	102,935	559,717	103	0
45-64	16,290	2	11,854	4,434	0	0	160,029	4	127,863	32,162	0	0
65-74	1,172	378	779	15	0	0	13,207	4,004	9,095	108	0	0
75-84	507	408	98	1	0	0	5,501	4,396	1,104	1	0	0
85 and older	208	195	9	1	3	0	1,823	1,721	84	3	15	0
Unknown	3	0	0	0	3	3		0	0	0	3	0
<b>Gender</b>												
Female	224,074	556	15,691	71,082	136,744	1	2,078,318	5,673	173,180	601,594	1,297,868	3
Male	161,758	427	14,501	8,510	138,320	0	1,521,202	4,458	157,004	47,243	1,312,497	0
Unknown	9	1	2	0	6	0	62	6	15	0	41	0
<b>Race</b>												
White	91,670	226	10,139	21,055	60,249	1	828,627	2,023	108,360	168,902	549,339	3
African American	9,053	6	808	1,863	6,376	0	82,929	58	8,417	14,550	59,904	0
Other/unknown	285,118	752	19,247	56,674	208,445	0	2,688,026	8,056	213,422	465,385	2,001,163	0
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	351	85	266	0	0	0	3,712	875	2,837	0	0	0
Part year	233	36	194	2	1	0	2,156	301	1,835	11	9	0
None	385,257	863	29,734	79,590	275,069	1	3,593,714	8,961	325,527	648,826	2,610,397	3
<b>Maintenance Assistance Status</b>												
Cash	124,558	769	29,251	33,699	60,839	0	1,151,552	8,551	321,477	238,993	582,531	0
Medically needy	0	0	0	0	0	0		0	0	0	0	0
Poverty related	193,746	4	375	8,471	184,896	0	1,833,613	32	3,392	55,256	1,774,933	0
Other/unknown	67,537	211	568	37,422	29,335	1	614,417	1,554	5,330	354,588	252,942	3
<b>Managed Care Status</b>												
FFS all year	96,985	354	5,797	37,449	53,384	1	754,814	3,024	56,403	284,996	410,388	3
FFS part year, with Rx claims	30,295	27	2,091	10,799	17,378	0	286,210	272	20,690	98,337	166,911	0
FFS part year, no Rx claims	93,571	45	2,294	18,986	72,246	0	859,579	369	22,051	159,703	677,456	0
MC all year, with Rx claims	263	0	7	3	253	0	2,117	0	66	26	2,025	0
MC all year, no Rx claims	164,727	558	20,005	12,355	131,809	0	1,696,862	6,472	230,989	105,775	1,353,626	0

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 NONDUAL BENEFICIARIES, NEW MEXICO, 2001

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
<b>All</b>	<b>385,841</b>	<b>3,599,582</b>	<b>220,851</b>	<b>1,072,359</b>	<b>0</b>	<b>2,527,223</b>
FFS all year	96,985	754,814	96,985	754,814	0	0
FFS part year, with Rx claims	30,295	286,210	30,295	93,885	0	192,325
FFS part year, with no Rx claims	93,571	859,579	93,571	223,660	0	635,919
MC all year, with Rx claims	263	2,117	0	0	0	2,117
MC all year, with no Rx claims	164,727	1,696,862	0	0	0	1,696,862

Source: Data for this table are from the MAX 2001 file for New Mexico, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.