

# STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 WASHINGTON

## LIST OF TABLES

### OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

### FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

### FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

**FOR DUAL ELIGIBLE BENEFICIARIES**

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

**SUPPLEMENTAL TABLES**

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

**APPENDIX TABLE**

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2

CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a,b</sup>  
NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
<b>All</b>	<b>648,138</b>	<b>9,348</b>	<b>90,102</b>	<b>192,234</b>	<b>356,454</b>	<b>0</b>	<b>3,879,350</b>	<b>96,275</b>	<b>907,004</b>	<b>1,003,594</b>	<b>1,872,477</b>	<b>0</b>		
<b>Age</b>														
5 and younger	151,027	1	3,797	7	147,222	0	738,693	12	37,170	28	701,483	0		
6-14	160,283	3	9,542	217	150,521	0	951,581	29	103,540	768	847,244	0		
15-20	97,864	5	6,810	32,379	58,670	0	555,111	33	69,557	162,074	323,447	0		
21-44	184,423	5	32,875	151,502	41	0	1,125,699	20	323,512	801,864	303	0		
45-64	45,167	149	36,920	8,098	0	0	411,845	1,488	371,663	38,694	0	0		
65-74	5,562	5,394	146	22	0	0	57,898	56,353	1,418	127	0	0		
75-84	2,514	2,501	8	5	0	0	25,709	25,589	96	24	0	0		
85 and older	1,298	1,290	4	4	0	0	12,814	12,751	48	15	0	0		
Unknown	0	0	0	0	0	0		0	0	0	0	0		
<b>Gender</b>														
Female	394,397	5,877	46,428	164,688	177,404	0	2,361,720	60,767	476,954	888,622	935,377	0		
Male	253,715	3,467	43,658	27,546	179,044	0	1,517,387	35,460	429,882	114,972	937,073	0		
Unknown	26	4	16	0	6	0	243	48	168	0	27	0		
<b>Race</b>														
White	410,089	5,799	68,062	107,344	228,884	0	2,457,689	60,894	688,404	545,086	1,163,305	0		
African American	39,801	314	7,413	10,598	21,476	0	216,987	2,996	71,916	44,942	97,133	0		
Other/unknown	198,248	3,235	14,627	74,292	106,094	0	1,204,674	32,385	146,684	413,566	612,039	0		
<b>Use of Nursing Facilities<sup>c</sup></b>														
Entire year	921	252	666	2	1	0	8,505	2,291	6,189	13	12	0		
Part year	1,690	228	1,423	34	5	0	16,153	2,191	13,745	184	33	0		
None	645,527	8,868	88,013	192,198	356,448	0	3,854,692	91,793	887,070	1,003,397	1,872,432	0		
<b>Maintenance Assistance Status</b>														
Cash	177,216	6,370	78,790	34,652	57,404	0	1,310,831	67,919	790,085	157,766	295,061	0		
Medically needy	2,586	308	2,159	51	68	0	18,907	2,587	15,764	199	357	0		
Poverty-related	226,341	44	59	63,730	162,508	0	1,237,812	423	494	405,441	831,454	0		
Other/unknown	241,995	2,626	9,094	93,801	136,474	0	1,311,800	25,346	100,661	440,188	745,605	0		
<b>Managed Care Status</b>														
FFS all year	326,090	9,324	87,045	113,383	116,338	0	2,544,483	96,115	888,327	660,995	899,046	0		
FFS part year, with Rx claims	107,552	19	2,563	39,829	65,141	0	615,045	125	16,204	199,407	399,309	0		
FFS part year, no Rx claims	214,496	5	494	39,022	174,975	0	719,822	35	2,473	143,192	574,122	0		

Table ND2

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	42.0 %	6.3	\$337	\$53	\$2,393	14.1 %	648,138
<b>Age</b>							
5 and younger	33.0	1.4	45	33	1,556	2.9	151,027
6-14	31.2	1.9	106	55	1,070	9.9	160,283
15-20	36.2	2.5	129	53	1,543	8.4	97,864
21-44	50.8	7.4	426	57	3,113	13.7	184,423
45-64	80.5	38.4	2,063	54	8,081	25.5	45,167
65-74	80.7	28.4	1,228	43	5,939	20.7	5,562
75-84	72.0	24.9	994	40	6,269	15.9	2,514
85 and older	38.1	13.5	511	38	4,588	11.1	1,298
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Basis of Eligibility<sup>c</sup></b>							
Aged	73.5	26.0	1,092	42	5,886	18.5	9,348
Disabled	81.6	31.3	1,919	61	7,848	24.5	90,102
Adults	42.3	2.9	97	33	2,171	4.5	192,234
Children	31.0	1.3	46	34	1,043	4.4	356,454
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Gender</b>							
Female	43.8	6.9	332	49	2,519	13.2	394,397
Male	39.2	5.5	343	63	2,198	15.6	253,715
Unknown	80.8	36.5	1,996	55	5,140	38.8	26
<b>Race</b>							
White	43.8	7.5	417	56	2,573	16.2	410,089
African American	37.9	5.8	296	51	2,609	11.3	39,801
Other/unknown	39.1	4.0	179	45	1,978	9.0	198,248
<b>Use of Nursing Facilities<sup>d</sup></b>							
Entire year	96.5	65.8	3,695	56	53,301	6.9	921
Part year	98.5	74.9	4,527	60	52,204	8.7	1,690
None	41.8	6.1	321	53	2,190	14.6	645,527
<b>Maintenance Assistance Status</b>							
Cash	60.1	16.0	917	58	4,289	21.4	177,216
Medically needy	77.7	29.4	1,905	65	10,901	17.5	2,586
Poverty related	35.0	1.5	42	29	1,439	2.9	226,341
Other/unknown	34.9	3.6	169	48	1,807	9.4	241,995

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
  - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
  - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:						Mean \$, All Services	Benes	Bene Mos
				58.0 % None	29.4 % More than 0, but 1 or Less	4.4 % More than 1, but 2 or Less	4.9 % More than 2, but 5 or Less	2.5 % More than 5, but 10 or Less	0.8 % More than 10			
<b>All</b>	<b>1.1</b>	<b>\$56</b>	<b>14.1 %</b>	<b>58.0 %</b>	<b>29.4 %</b>	<b>4.4 %</b>	<b>4.9 %</b>	<b>2.5 %</b>	<b>0.8 %</b>	<b>\$400</b>	<b>648,138</b>	<b>3,879,350</b>
<b>Age</b>												
5 and younger	0.3	9	2.9	67.0	30.3	1.9	0.8	0.1	0.0	318	151,027	738,693
6-14	0.3	18	9.9	68.8	27.1	2.3	1.5	0.2	0.0	180	160,283	951,581
15-20	0.4	23	8.4	63.8	29.9	3.7	2.2	0.4	0.0	272	97,864	555,111
21-44	1.2	70	13.7	49.2	33.0	6.8	7.1	3.0	0.9	510	184,423	1,125,699
45-64	4.2	226	25.5	19.5	19.4	10.8	24.0	19.1	7.3	886	45,167	411,845
65-74	2.7	118	20.7	19.3	27.7	13.6	25.4	11.5	2.6	571	5,562	57,898
75-84	2.4	97	15.9	28.0	23.4	12.0	23.9	10.6	2.1	613	2,514	25,709
85 and older	1.4	52	11.1	61.9	12.5	5.8	10.9	6.9	2.2	465	1,298	12,814
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Basis of Eligibility<sup>c</sup></b>												
Aged	2.5	106	18.5	26.5	24.6	12.3	23.3	10.8	2.5	572	9,348	96,275
Disabled	3.1	191	24.5	18.4	28.9	11.7	21.7	14.2	5.1	780	90,102	907,004
Adults	0.6	19	4.5	57.7	32.2	5.3	3.7	0.9	0.2	416	192,234	1,003,594
Children	0.3	9	4.4	69.0	28.1	2.0	0.8	0.1	0.0	199	356,454	1,872,477
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Gender</b>												
Female	1.1	56	13.2	56.2	30.4	4.7	5.1	2.7	1.0	421	394,397	2,361,720
Male	0.9	57	15.6	60.8	27.8	4.1	4.7	2.1	0.5	368	253,715	1,517,387
Unknown	3.9	214	38.8	19.2	23.1	3.8	23.1	23.1	7.7	550	26	243
<b>Race</b>												
White	1.3	70	16.2	56.2	29.0	4.9	5.7	3.1	1.1	429	410,089	2,457,689
African American	1.1	54	11.3	62.1	25.3	4.5	5.1	2.2	0.7	479	39,801	216,987
Other/unknown	0.7	29	9.0	60.9	31.0	3.4	3.2	1.2	0.3	326	198,248	1,204,674
<b>Use of Nursing Facilities<sup>d</sup></b>												
Entire year	7.1	400	6.9	3.5	7.8	6.8	24.0	34.5	23.3	5,772	921	8,505
Part year	7.8	474	8.7	1.5	7.7	7.9	24.9	33.4	24.5	5,462	1,690	16,153
None	1.0	54	14.6	58.2	29.5	4.4	4.8	2.3	0.7	367	645,527	3,854,692
<b>Maintenance Assistance Status</b>												
Cash	2.2	124	21.4	39.9	30.6	8.0	12.2	7.0	2.3	580	177,216	1,310,831
Medically needy	4.0	261	17.5	22.3	16.6	11.2	24.9	18.9	6.1	1,491	2,586	18,907
Poverty related	0.3	8	2.9	65.0	31.5	2.4	0.9	0.1	0.0	263	226,341	1,237,812
Other/unknown	0.7	31	9.4	65.1	26.6	3.7	3.1	1.1	0.4	333	241,995	1,311,800

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.





Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Washington, 0.8 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos
	Users			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent					
Anti-infective Agents	0.3	0.1	0.0	\$15	\$13	\$0	393,543	\$20,251,335	156,994	24.2 %	1,384,187
Biologicals	0.2	0.1	0.0	68	59	5	2,942	1,294,207	1,809	0.3	18,992
Antineoplastic Agents	0.6	0.3	0.1	134	111	11	11,521	2,745,522	2,017	0.3	20,496
Endocrine/Metabolic Drugs	0.7	0.4	0.1	28	22	3	391,145	15,712,596	62,057	9.6	570,359
Cardiovascular Agents	1.3	0.6	0.0	44	32	1	505,523	17,281,519	38,544	5.9	392,022
Respiratory Agents	0.5	0.3	0.0	22	18	0	436,362	18,314,130	89,865	13.9	827,482
Gastrointestinal Agents	0.5	0.3	0.0	41	34	2	229,409	17,100,452	42,688	6.6	420,544
Genitourinary Agents	0.3	0.2	0.0	12	10	0	49,315	2,024,409	19,139	3.0	176,019
CNS Drugs	1.1	0.5	0.0	83	64	5	717,349	55,634,649	70,697	10.9	668,787
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.0	40	28	1	64,938	3,711,218	10,095	1.6	93,115
Miscellaneous Psychological/Neurological Agents	0.5	0.4	0.0	129	127	0	3,398	856,855	656	0.1	6,628
Analgesics and Anesthetics	0.6	0.1	0.0	27	18	3	589,497	25,776,634	107,351	16.6	964,978
Neuromuscular Agents	0.8	0.4	0.1	53	44	2	324,921	20,900,140	39,662	6.1	391,518
Nutritional Products	0.3	0.0	0.0	5	0	1	98,824	1,428,339	38,140	5.9	307,514
Hematological Agents	0.6	0.1	0.1	109	86	4	41,401	7,044,748	6,536	1.0	64,633
Topical Products	0.3	0.1	0.0	7	4	0	213,691	5,926,379	87,417	13.5	818,352
Miscellaneous Products	0.5	0.2	0.0	78	56	12	9,342	1,556,361	2,007	0.3	19,861
Unknown Therapeutic Category	0.2	0.0	0.0	9	0	0	12,408	517,184	5,481	0.8	57,447
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	4,095,529	218,076,677	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Washington, 0.8 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$26,734,024	23,672	246,833	0.7	\$154	\$108	
ANTIDEPRESSANTS	23,146,826	67,075	664,180	0.6	63	35	
ANTICONVULSANT	17,988,388	25,622	268,734	0.8	88	67	
ANALGESICS - Narcotic	15,155,668	111,886	1,051,319	0.4	40	14	
ULCER DRUGS	13,152,798	40,619	415,740	0.4	77	32	
ANTIASTHMATIC	9,761,019	59,648	577,694	0.4	45	17	
ANTIVIRAL	7,807,360	6,463	63,091	0.4	298	124	
ANALGESICS - ANTI-INFLAMMATORY	7,464,260	61,253	594,335	0.3	45	13	
ANTIDIABETIC	7,443,423	18,101	189,968	0.7	55	39	
ANTIHYPERTENSIVE	5,608,995	10,490	114,427	0.7	73	49	
Total	134,262,761	424,829	4,186,321	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE<sup>a,b,c</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS						
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>1,917,244</b>	<b>\$134,262,761</b>	<b>23,672</b>	<b>3.7 %</b>	<b>246,833</b>	<b>0.7</b>	<b>\$108</b>	<b>67,075</b>	<b>10.3 %</b>	<b>664,180</b>	<b>0.6</b>	<b>\$35</b>					
<b>Female</b>	1,231,044	79,733,298	13,054	3.3	136,186	0.7	93	45,916	11.6	451,737	0.6	35					
<b>Disabled</b>	924,573	66,904,644	10,477	22.6	114,593	0.7	103	28,911	62.3	314,804	0.6	40					
5 and younger	5,245	381,814	2	0.1	24	0.5	54	13	0.8	151	0.4	11					
6-14	15,087	1,163,783	194	5.9	2,172	0.6	93	389	11.8	4,403	0.6	32					
15-20	17,674	1,368,003	380	13.9	4,019	0.6	80	713	26.1	7,681	0.5	33					
21-44	317,782	24,321,832	5,051	29.5	54,465	0.7	106	11,698	68.2	125,080	0.6	39					
45-64	568,324	39,640,596	4,845	22.5	53,870	0.7	102	16,084	74.6	177,340	0.6	40					
65-74	456	28,335	5	6.0	43	0.4	58	14	16.9	149	0.5	23					
75-84	5	281	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Other Eligibles</b>	306,471	12,828,654	2,577	0.7	21,593	0.4	40	17,005	4.9	136,933	0.4	24					
5 and younger	10,708	266,482	17	0.0	155	0.2	29	28	0.0	272	0.3	8					
6-14	23,189	1,008,929	230	0.3	2,383	0.5	58	1,066	1.4	10,345	0.5	23					
15-20	34,003	1,122,072	451	0.7	3,848	0.3	30	2,528	4.1	21,366	0.3	20					
21-44	157,687	5,804,210	1,425	1.1	10,566	0.3	25	10,863	8.5	81,191	0.4	25					
45-64	19,949	1,032,704	113	2.2	898	0.5	55	1,154	22.8	8,330	0.5	29					
65-74	42,029	2,543,015	206	6.3	2,349	0.7	95	898	27.4	10,366	0.5	25					
75-84	14,474	809,120	77	5.0	833	0.6	63	347	22.4	3,810	0.5	27					
85 and older	4,432	242,122	58	6.1	561	0.6	37	121	12.6	1,253	0.6	24					
<b>Male</b>	685,713	54,499,545	10,615	4.2	110,611	0.8	127	21,152	8.3	212,371	0.6	35					
<b>Disabled</b>	553,752	48,030,262	9,362	21.4	99,630	0.8	134	15,968	36.6	167,343	0.6	38					
5 and younger	7,905	483,621	22	1.0	258	0.5	75	49	2.2	548	0.4	16					
6-14	29,602	2,401,743	712	11.4	7,990	0.6	89	1,079	17.3	12,372	0.6	32					
15-20	26,253	2,500,481	698	17.1	7,549	0.7	129	878	21.5	9,636	0.6	38					
21-44	208,934	20,849,848	5,123	32.6	53,683	0.8	143	6,651	42.3	67,351	0.6	40					
45-64	280,679	21,765,123	2,805	18.3	30,134	0.8	131	7,298	47.6	77,336	0.6	37					
65-74	379	29,446	2	3.2	16	0.2	24	13	20.6	100	0.5	33					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Other Eligibles</b>	131,961	6,469,283	1,253	0.6	10,981	0.5	71	5,184	2.5	45,028	0.5	24					
5 and younger	15,619	473,003	24	0.0	214	0.3	17	64	0.1	579	0.3	14					
6-14	30,195	1,526,010	498	0.7	4,748	0.6	75	1,657	2.2	15,926	0.5	25					
15-20	17,570	861,291	319	1.1	2,753	0.6	83	1,086	3.7	9,598	0.4	27					
21-44	28,697	1,297,299	218	0.9	1,269	0.4	45	1,447	6.3	9,777	0.4	22					
45-64	8,639	474,254	26	0.8	198	0.4	34	331	10.4	2,420	0.4	25					
65-74	22,328	1,351,668	105	4.9	1,115	0.6	85	432	20.3	4,879	0.5	24					
75-84	7,641	421,196	44	4.6	478	0.5	43	137	14.3	1,519	0.4	20					
85 and older	1,272	64,562	19	5.6	206	0.5	43	30	8.9	330	0.6	23					
<b>Unknown</b>	487	29,918	3	11.5	36	2.3	118	7	26.9	72	0.5	15					

Table ND7A

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTICONVULSANT					ANALGESICS - Narcotic					ULCER DRUGS				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>25,622</b>	<b>4.0 %</b>	<b>268,734</b>	<b>0.8</b>	<b>\$67</b>	<b>111,886</b>	<b>17.3 %</b>	<b>1,051,319</b>	<b>0.4</b>	<b>\$14</b>	<b>40,619</b>	<b>6.3 %</b>	<b>415,740</b>	<b>0.4</b>	<b>\$32</b>
<b>Female</b>	15,052	3.8	157,591	0.7	64	78,360	19.9	735,927	0.4	13	27,502	7.0	282,618	0.4	31
<b>Disabled</b>	12,266	26.4	134,721	0.8	69	34,689	74.7	378,286	0.4	21	17,306	37.3	192,689	0.5	37
5 and younger	179	11.3	1,981	0.9	102	169	10.7	1,881	0.1	1	287	18.1	2,987	0.4	22
6-14	576	17.4	6,619	0.9	78	441	13.3	5,170	0.1	2	239	7.2	2,745	0.4	33
15-20	542	19.9	6,126	0.9	82	794	29.1	8,698	0.2	3	300	11.0	3,341	0.3	30
21-44	5,479	32.0	59,192	0.8	71	14,511	84.6	156,387	0.4	18	5,498	32.1	60,486	0.4	32
45-64	5,487	25.4	60,778	0.8	63	18,759	87.0	205,990	0.5	25	10,964	50.8	122,920	0.5	41
65-74	3	3.6	25	0.8	22	13	15.7	136	0.3	6	17	20.5	198	0.5	36
75-84	0	0.0	0	0.0	0	2	33.3	24	0.1	2	1	16.7	12	0.1	13
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	2,786	0.8	22,870	0.5	36	43,671	12.6	357,641	0.3	4	10,196	2.9	89,929	0.3	18
5 and younger	74	0.1	590	0.6	27	1,027	1.4	9,344	0.1	1	425	0.6	3,201	0.3	10
6-14	349	0.5	3,278	0.6	44	2,387	3.2	22,105	0.1	1	599	0.8	5,543	0.2	8
15-20	315	0.5	2,730	0.5	38	7,365	12.0	61,849	0.2	1	1,276	2.1	10,882	0.2	8
21-44	1,542	1.2	11,315	0.5	34	29,148	22.7	228,732	0.3	5	5,236	4.1	42,565	0.2	14
45-64	185	3.7	1,352	0.5	35	1,629	32.2	12,200	0.4	11	649	12.8	5,148	0.4	31
65-74	218	6.6	2,486	0.6	36	1,378	42.0	15,603	0.3	9	1,399	42.6	15,949	0.4	28
75-84	68	4.4	746	0.6	31	542	35.0	5,895	0.3	8	472	30.5	5,262	0.4	32
85 and older	35	3.7	373	0.8	30	195	20.4	1,913	0.4	24	140	14.6	1,479	0.6	38
<b>Male</b>	10,563	4.2	111,064	0.8	71	33,508	13.2	315,205	0.4	18	13,112	5.2	133,065	0.4	33
<b>Disabled</b>	9,088	20.8	97,880	0.8	75	19,959	45.7	208,478	0.4	24	9,060	20.8	97,552	0.5	37
5 and younger	231	10.4	2,505	0.9	80	267	12.1	2,979	0.1	1	320	14.5	3,474	0.5	27
6-14	968	15.5	11,203	0.8	74	736	11.8	8,498	0.1	2	327	5.2	3,824	0.4	34
15-20	845	20.7	9,448	0.9	89	869	21.3	9,525	0.2	3	322	7.9	3,943	0.4	34
21-44	4,136	26.3	43,708	0.8	80	8,184	52.1	83,809	0.4	22	2,959	18.8	31,129	0.4	34
45-64	2,902	18.9	30,953	0.7	63	9,882	64.4	103,538	0.5	30	5,122	33.4	55,394	0.5	39
65-74	6	9.5	63	0.8	66	21	33.3	129	0.7	74	10	15.9	88	0.5	40
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	1,475	0.7	13,184	0.6	44	13,549	6.5	106,727	0.3	6	4,052	1.9	35,513	0.3	22
5 and younger	135	0.2	1,273	0.6	49	1,363	1.8	11,992	0.1	1	610	0.8	4,451	0.3	12
6-14	497	0.7	4,877	0.6	44	2,420	3.2	22,303	0.1	1	492	0.6	4,710	0.2	13
15-20	272	0.9	2,502	0.6	51	2,696	9.1	22,384	0.2	2	373	1.3	3,241	0.2	12
21-44	357	1.5	2,370	0.5	40	5,146	22.3	32,076	0.4	11	1,117	4.8	7,905	0.3	24
45-64	70	2.2	533	0.5	39	824	25.8	5,890	0.4	16	306	9.6	2,291	0.4	32
65-74	103	4.8	1,170	0.6	42	765	35.9	8,445	0.2	6	813	38.2	9,163	0.4	28
75-84	33	3.4	375	0.5	28	278	29.0	3,042	0.2	6	293	30.6	3,247	0.4	29
85 and older	8	2.4	84	0.7	39	57	16.9	595	0.2	3	48	14.2	505	0.5	32
<b>Unknown</b>	7	26.9	79	0.8	26	18	69.2	187	0.5	8	5	19.2	57	0.5	57

Table ND7B  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTI-ASTHMATIC				ANTIVIRAL				ANALGESICS - ANTI-INFLAMMATORY						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>59,648</b>	<b>9.2 %</b>	<b>577,694</b>	<b>0.4</b>	<b>\$17</b>	<b>6,463</b>	<b>1.0 %</b>	<b>63,091</b>	<b>0.4</b>	<b>\$124</b>	<b>61,253</b>	<b>9.5 %</b>	<b>594,335</b>	<b>0.3</b>	<b>\$13</b>
<b>Female</b>	36,705	9.3	358,706	0.4	17	3,997	1.0	38,177	0.3	75	42,873	10.9	416,965	0.3	13
<b>Disabled</b>	19,003	40.9	211,233	0.4	22	2,063	4.4	22,900	0.4	104	18,993	40.9	211,657	0.4	21
5 and younger	500	31.5	5,411	0.3	15	16	1.0	182	0.2	24	99	6.2	1,107	0.2	17
6-14	645	19.5	7,448	0.3	15	47	1.4	535	0.5	108	210	6.4	2,450	0.2	7
15-20	516	18.9	5,807	0.3	13	58	2.1	646	0.3	37	462	16.9	5,106	0.2	7
21-44	6,108	35.6	67,102	0.4	18	1,037	6.0	11,380	0.4	116	7,118	41.5	78,112	0.3	14
45-64	11,230	52.1	125,427	0.5	26	905	4.2	10,157	0.3	95	11,094	51.4	124,780	0.4	26
65-74	4	4.8	38	0.7	17	0	0.0	0	0.0	0	10	12.0	102	0.3	21
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	17,702	5.1	147,473	0.3	10	1,934	0.6	15,277	0.2	33	23,880	6.9	205,308	0.2	6
5 and younger	3,740	5.2	30,758	0.2	6	86	0.1	749	0.1	4	1,321	1.8	11,434	0.1	2
6-14	3,299	4.4	28,807	0.3	10	162	0.2	1,503	0.2	43	1,735	2.3	16,041	0.1	2
15-20	2,479	4.0	20,793	0.2	7	345	0.6	2,756	0.2	14	4,158	6.8	35,510	0.2	2
21-44	6,398	5.0	49,138	0.3	10	1,196	0.9	8,852	0.3	36	13,529	10.5	110,579	0.2	4
45-64	634	12.5	4,998	0.4	20	66	1.3	506	0.4	131	998	19.7	7,500	0.3	13
65-74	756	23.0	8,658	0.4	23	53	1.6	608	0.1	12	1,557	47.4	17,706	0.3	22
75-84	290	18.7	3,223	0.3	14	19	1.2	219	0.2	22	494	31.9	5,554	0.4	20
85 and older	106	11.1	1,098	0.4	21	7	0.7	84	0.1	5	88	9.2	984	0.4	23
<b>Male</b>	22,933	9.0	218,903	0.4	17	2,463	1.0	24,878	0.6	198	18,372	7.2	177,285	0.3	11
<b>Disabled</b>	10,302	23.6	112,206	0.5	22	1,980	4.5	20,647	0.6	224	10,006	22.9	107,364	0.3	15
5 and younger	915	41.4	10,069	0.3	13	31	1.4	337	0.3	41	103	4.7	1,159	0.2	9
6-14	1,201	19.3	13,857	0.3	16	66	1.1	770	0.3	76	295	4.7	3,399	0.1	2
15-20	592	14.5	6,783	0.4	17	28	0.7	306	0.2	16	486	11.9	5,440	0.2	3
21-44	2,383	15.2	25,366	0.4	18	1,136	7.2	11,724	0.6	219	3,797	24.2	39,500	0.3	10
45-64	5,199	33.9	56,034	0.6	28	718	4.7	7,507	0.7	264	5,319	34.7	57,812	0.4	21
65-74	12	19.0	97	0.5	25	1	1.6	3	0.3	23	6	9.5	54	0.6	60
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	12,631	6.0	106,697	0.3	11	483	0.2	4,231	0.3	69	8,366	4.0	69,921	0.2	5
5 and younger	5,304	7.1	42,676	0.2	7	94	0.1	794	0.2	20	1,415	1.9	12,307	0.2	2
6-14	4,187	5.5	36,790	0.3	10	138	0.2	1,286	0.2	39	1,459	1.9	13,370	0.1	1
15-20	1,193	4.0	10,116	0.3	9	71	0.2	635	0.2	47	1,611	5.5	13,528	0.2	2
21-44	814	3.5	5,462	0.3	13	114	0.5	848	0.4	151	2,335	10.1	15,061	0.3	6
45-64	234	7.3	1,615	0.5	22	25	0.8	288	0.5	195	488	15.3	3,532	0.3	10
65-74	562	26.4	6,355	0.6	31	36	1.7	384	0.3	62	771	36.2	8,820	0.3	16
75-84	286	29.9	3,133	0.5	29	5	0.5	56	0.3	10	250	26.1	2,873	0.3	14
85 and older	51	15.1	550	0.4	18	0	0.0	0	0.0	0	37	11.0	430	0.3	18
<b>Unknown</b>	10	38.5	85	0.4	16	3	11.5	36	1.0	347	8	30.8	85	0.2	5

Table ND7C  
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BOE, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTIDIABETIC				ANTIHYPERTENSIVE				Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Benes	No. of Bene Mos
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Bene Mos among Users													
<b>All</b>	<b>18,101</b>	<b>2.8 %</b>	<b>189,968</b>	<b>0.7</b>	<b>\$39</b>	<b>0.7</b>	<b>10,490</b>	<b>1.6 %</b>	<b>\$49</b>	<b>0.7</b>	<b>114,427</b>	<b>648,138</b>	<b>3,879,350</b>								
<b>Female</b>	12,135	3.1	128,341	0.7	39	0.7	6,484	1.6	49	0.7	71,388	394,397	2,361,720								
<b>Disabled</b>	8,626	18.6	96,381	0.7	42	0.7	5,019	10.8	50	0.7	56,300	46,428	476,954								
5 and younger	8	0.5	90	0.7	59	0.7	3	0.2	4	0.2	35	1,585	15,467								
6-14	44	1.3	469	0.9	37	0.9	2	0.1	57	1.2	24	3,304	35,853								
15-20	68	2.5	748	0.8	36	0.8	3	0.1	100	1.2	18	2,727	27,932								
21-44	1,690	9.9	18,951	0.7	40	0.7	727	4.2	44	0.6	8,143	17,147	173,072								
45-64	6,806	31.6	76,025	0.7	43	0.7	4,277	19.8	51	0.7	48,007	21,572	223,660								
65-74	10	12.0	98	1.0	68	1.0	6	7.2	73	0.8	61	83	850								
75-84	0	0.0	0	0.0	0	0.0	1	16.7	7	0.1	12	6	72								
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4	48								
<b>Other Eligibles</b>	3,509	1.0	31,960	0.6	30	0.6	1,465	0.4	44	0.6	15,088	347,969	1,884,766								
5 and younger	25	0.0	186	0.7	25	0.7	3	0.0	8	0.2	25	72,412	346,106								
6-14	144	0.2	1,182	0.9	47	0.9	3	0.0	24	0.5	27	74,665	419,837								
15-20	132	0.2	1,024	0.6	32	0.6	7	0.0	8	0.2	64	61,545	327,161								
21-44	1,369	1.1	10,417	0.5	22	0.5	287	0.2	26	0.4	2,347	128,501	706,533								
45-64	386	7.6	2,877	0.6	30	0.6	187	3.7	34	0.5	1,522	5,057	25,280								
65-74	1,016	30.9	11,456	0.7	34	0.7	722	22.0	49	0.7	8,252	3,283	34,545								
75-84	368	23.8	4,118	0.7	32	0.7	227	14.7	49	0.7	2,548	1,549	15,849								
85 and older	69	7.2	700	0.6	22	0.6	29	3.0	53	0.7	303	957	9,455								
<b>Male</b>	5,963	2.4	61,595	0.7	40	0.7	3,998	1.6	50	0.7	42,949	253,715	1,517,387								
<b>Disabled</b>	4,483	10.3	48,311	0.7	41	0.7	3,121	7.1	52	0.7	34,252	43,658	429,882								
5 and younger	4	0.2	48	0.4	6	0.4	5	0.2	8	0.3	56	2,212	21,703								
6-14	35	0.6	408	0.9	44	0.9	8	0.1	18	0.4	90	6,238	67,687								
15-20	46	1.1	516	0.9	48	0.9	8	0.2	26	0.4	96	4,082	41,622								
21-44	971	6.2	10,378	0.7	39	0.7	614	3.9	44	0.6	6,802	15,721	150,361								
45-64	3,419	22.3	36,892	0.8	42	0.8	2,485	16.2	54	0.7	27,196	15,340	147,917								
65-74	8	12.7	69	0.7	41	0.7	1	1.6	4	0.1	12	63	568								
75-84	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	2	24								
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0								
<b>Other Eligibles</b>	1,480	0.7	13,284	0.7	34	0.7	877	0.4	43	0.6	8,697	210,057	1,087,505								
5 and younger	18	0.0	151	0.9	44	0.9	10	0.0	11	0.2	95	74,813	355,392								
6-14	96	0.1	810	0.8	41	0.8	6	0.0	23	0.3	47	76,075	428,202								
15-20	82	0.3	681	0.9	43	0.9	4	0.0	13	0.1	38	29,509	158,393								
21-44	342	1.5	2,231	0.6	31	0.6	148	0.6	35	0.5	1,091	23,047	95,654								
45-64	273	8.6	1,952	0.6	31	0.6	155	4.9	36	0.5	1,186	3,190	14,902								
65-74	472	22.2	5,295	0.7	37	0.7	417	19.6	48	0.6	4,712	2,129	21,887								
75-84	173	18.1	1,944	0.6	28	0.6	125	13.1	44	0.6	1,390	957	9,764								
85 and older	24	7.1	220	0.6	18	0.6	12	3.6	36	0.4	138	337	3,311								
<b>Unknown</b>	3	11.5	32	1.1	42	1.1	8	30.8	24	0.7	90	26	243								

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001**

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>\$400</b>	<b>7.1</b>	<b>921</b>	<b>8,505</b>
<b>Age</b>				
0-64	448	7.6	663	6,179
65-74	392	7.1	73	691
75-84	251	5.9	105	930
85 and older	182	4.5	80	705
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	384	7.0	525	4,995
Male	423	7.2	396	3,510
Unknown	0	0.0	0	0
<b>Race</b>				
White	403	7.2	719	6,682
African American	510	7.4	58	576
Other/unknown	336	6.5	144	1,247
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	272	5.8	252	2,291
Disabled	448	7.6	666	6,189
Adults	687	10.5	2	13
Children	11	1.2	1	12
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx			Total Rx \$			Users				
	Patented			Off-Patent			Generic			Patented			Off-Patent			Generic	
	Total	Brand-Name	Off-Patent	Brand-Name	Off-Patent	Generic	Total	Brand-Name	Off-Patent	Brand-Name	Off-Patent	Generic	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos
Anti-infective Agents	0.7	0.4	0.0	0.3	\$57	\$51	\$0	\$5	\$82	\$134	\$60	\$16	4,122	\$337,984	607	65.9 %	5,960
Biologicals	0.1	0.1	0.0	0.0	2	1	0	1	17	14	0	21	114	1,965	105	11.4	1,135
Antineoplastic Agents	0.7	0.2	0.2	0.2	230	182	31	17	349	740	185	69	225	78,613	39	4.2	342
Endocrine/Metabolic Drugs	1.3	0.7	0.0	0.5	48	40	1	7	38	57	34	12	4,563	172,448	367	39.8	3,613
Cardiovascular Agents	1.9	0.7	0.1	1.2	54	34	2	18	28	48	31	15	8,796	244,836	475	51.6	4,520
Respiratory Agents	0.9	0.4	0.0	0.5	48	24	0	23	52	66	18	43	2,389	123,466	274	29.8	2,596
Gastrointestinal Agents	1.1	0.5	0.0	0.6	68	53	1	14	62	112	58	23	5,327	327,817	497	54.0	4,811
Genitourinary Agents	0.7	0.3	0.0	0.3	31	22	0	9	45	63	36	26	1,296	57,867	182	19.8	1,855
CNS Drugs	1.7	0.9	0.1	0.8	133	106	7	21	78	122	89	28	10,880	854,034	650	70.6	6,419
Stimulants/Anti-obesity/Anorexia	0.4	0.0	0.1	0.4	10	0	1	9	23	0	18	24	45	1,036	11	1.2	109
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	102	102	0	0	124	124	0	0	134	16,557	16	1.7	162
Analgesics and Anesthetics	1.4	0.6	0.2	0.7	74	51	9	13	52	92	54	19	6,652	345,949	516	56.0	4,702
Neuromuscular Agents	1.6	0.6	0.1	0.9	98	69	4	24	59	109	36	27	8,437	500,211	496	53.9	5,127
Nutritional Products	0.8	0.0	0.1	0.7	25	1	3	21	31	22	34	31	1,968	60,995	266	28.9	2,475
Hematological Agents	1.1	0.2	0.1	0.7	68	55	2	11	65	296	20	15	2,188	141,898	233	25.3	2,072
Topical Products	0.6	0.2	0.0	0.4	21	11	2	9	38	70	45	24	3,076	118,275	537	58.3	5,511
Miscellaneous Products	0.4	0.1	0.0	0.3	26	12	0	14	69	154	0	47	232	16,014	68	7.4	608
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	5	0	0	0	21	0	0	0	137	2,868	59	6.4	597
<b>TOTAL NO. OF RX AND RX \$</b>	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	60,581	3,402,833	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003). In Washington, 0.8 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$464,197	345	37.5 %	3,656	0.9	\$142	\$127
ANTICONVULSANT	413,502	483	52.4	5,110	1.1	72	81
ANTIDEPRESSANTS	311,153	575	62.4	5,890	0.9	62	53
ANALGESICS - Narcotic	285,946	565	61.3	5,172	1.0	53	55
ULCER DRUGS	279,132	439	47.7	4,378	0.8	79	64
ANTI-DIABETIC	125,652	292	31.7	3,021	0.9	44	42
DERMATOLOGICAL	102,750	842	91.4	9,034	0.3	39	11
ANTI-ASTHMATIC	96,007	303	32.9	2,744	0.6	56	35
ANTIVIRAL	79,376	54	5.9	538	0.5	288	148
HEMATOPOIETIC AGENTS	81,745	110	11.9	1,055	0.7	118	77
Total	2,239,460	4,008		40,598	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup> NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTICONVULSANT						
	No. of Rx	Rx \$	No. of Users	Users as % of All-Year Residents	No. of Bene Mos among NF	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All-Year Residents	No. of Bene Mos among NF	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All-Year Residents	No. of Bene Mos among NF	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>31,103</b>	<b>\$2,239,460</b>	<b>345</b>	<b>37.5 %</b>	<b>3,656</b>	<b>0.9</b>	<b>\$127</b>	<b>483</b>	<b>52.4 %</b>	<b>5,110</b>	<b>1.1</b>	<b>\$81</b>					
<b>Female</b>	17,976	1,277,001	201	38.3	2,147	0.9	118	276	52.6	2,914	1.2	83					
<b>Disabled</b>	13,707	1,005,894	138	40.4	1,486	0.9	118	235	68.7	2,470	1.2	86					
64 or younger	13,602	997,975	137	40.5	1,482	0.9	118	233	68.9	2,457	1.2	87					
65-74	105	7,919	1	25.0	4	0.3	6	2	50.0	13	1.4	39					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Other Eligibles</b>	4,269	271,107	63	34.4	661	0.9	119	41	22.4	444	1.1	61					
64 or younger	64	7,807	1	50.0	12	1.3	481	1	50.0	12	1.8	107					
65-74	1,548	111,237	28	68.3	313	1.0	158	19	46.3	228	1.1	69					
75-84	1,555	86,375	18	25.4	171	0.7	96	14	19.7	133	1.2	65					
85 and older	1,102	65,688	16	23.2	165	0.7	43	7	10.1	71	0.7	18					
<b>Male</b>	13,127	962,459	144	36.4	1,509	0.9	140	207	52.3	2,196	1.1	79					
<b>Disabled</b>	11,183	837,992	116	35.8	1,227	1.0	149	187	57.7	1,985	1.1	83					
64 or younger	11,053	830,137	116	36.1	1,227	1.0	149	185	57.6	1,970	1.1	82					
65-74	130	7,855	0	0.0	0	0.0	0	2	66.7	15	1.1	130					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Other Eligibles</b>	1,944	124,467	28	38.9	282	0.8	100	20	27.8	211	0.9	44					
64 or younger	73	7,192	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	808	55,152	14	56.0	139	0.7	123	13	52.0	139	0.9	52					
75-84	946	54,763	11	32.4	116	0.8	64	6	17.6	60	0.8	29					
85 and older	117	7,360	3	27.3	27	0.9	138	1	9.1	12	0.7	27					
<b>Unknown</b>	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS					ANALGESICS - Narcotic					ULCER DRUGS								
	Users as %					Users as %					Users as %								
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$					
<b>All</b>	<b>575</b>	<b>62.4 %</b>	<b>0.9</b>	<b>\$53</b>	<b>0.9</b>	<b>5,890</b>	<b>0.9</b>	<b>52</b>	<b>\$53</b>	<b>1.0</b>	<b>5,172</b>	<b>1.0</b>	<b>56</b>	<b>\$55</b>	<b>4.39</b>	<b>47.7 %</b>	<b>4,378</b>	<b>0.8</b>	<b>\$64</b>
<b>Female</b>	324	61.7	0.9	52	0.9	3,373	0.9	52	52	1.0	3,273	1.0	56	56	247	47.0	2,485	0.8	68
<b>Disabled</b>	237	69.3	0.9	55	0.9	2,485	0.9	55	55	1.1	2,481	1.1	57	57	169	49.4	1,696	0.9	75
64 or younger	232	68.6	0.9	56	0.9	2,433	0.9	56	56	1.1	2,480	1.1	57	57	166	49.1	1,660	0.9	74
65-74	5	125.0	0.5	18	0.5	52	0.5	18	18	2.0	1	2.0	70	70	3	75.0	36	0.7	111
75-84	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	87	47.5	0.8	44	0.8	888	0.8	44	44	0.8	792	0.8	54	54	78	42.6	789	0.8	54
64 or younger	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0
65-74	20	48.8	0.9	56	0.9	236	0.9	56	56	1.0	189	1.0	29	29	17	41.5	195	0.8	56
75-84	37	52.1	0.9	45	0.9	325	0.9	45	45	0.7	345	0.7	41	41	34	47.9	334	0.7	47
85 and older	30	43.5	0.7	34	0.7	327	0.7	34	34	0.7	258	0.7	89	89	27	39.1	260	0.7	60
<b>Male</b>	251	63.4	0.8	54	0.8	2,517	0.8	54	54	1.1	1,899	1.1	54	54	192	48.5	1,893	0.8	58
<b>Disabled</b>	220	67.9	0.8	55	0.8	2,184	0.8	55	55	1.2	1,610	1.2	59	59	161	49.7	1,600	0.8	59
64 or younger	215	67.0	0.8	55	0.8	2,151	0.8	55	55	1.2	1,580	1.2	59	59	160	49.8	1,597	0.8	59
65-74	5	166.7	0.9	57	0.9	33	0.9	57	57	0.6	30	0.6	29	29	1	33.3	3	1.3	22
75-84	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	31	43.1	0.9	45	0.9	333	0.9	45	45	0.5	289	0.5	28	28	31	43.1	293	0.7	51
64 or younger	1	50.0	1.3	80	1.3	12	1.3	80	80	0.5	12	0.5	5	5	0	0.0	0	0.0	0
65-74	16	64.0	0.8	43	0.8	182	0.8	43	43	0.7	105	0.7	26	26	12	48.0	115	0.7	63
75-84	10	29.4	0.9	45	0.9	105	0.9	45	45	0.4	151	0.4	35	35	14	41.2	148	0.7	42
85 and older	4	36.4	1.1	43	1.1	34	1.1	43	43	0.5	21	0.5	5	5	5	45.5	30	0.5	49
<b>Unknown</b>	0	0.0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTIDIABETIC					DERMATOLOGICAL					ANTIASTHMATIC				
	Users as %					Users as %					Users as %				
	No. of Users	Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
<b>All</b>	<b>292</b>	<b>31.7 %</b>	<b>3,021</b>	<b>0.9</b>	<b>\$42</b>	<b>842</b>	<b>91.4 %</b>	<b>9,034</b>	<b>0.3</b>	<b>\$11</b>	<b>303</b>	<b>32.9 %</b>	<b>2,744</b>	<b>0.6</b>	<b>\$35</b>
<b>Female</b>	174	33.1	1,821	0.9	41	507	96.6	5,560	0.3	11	155	29.5	1,458	0.5	27
<b>Disabled</b>	107	31.3	1,117	1.0	47	362	105.8	3,967	0.3	13	104	30.4	994	0.6	33
64 or younger	105	31.1	1,101	1.0	46	356	105.3	3,903	0.3	13	104	30.8	994	0.6	33
65-74	2	50.0	16	0.9	87	6	150.0	64	0.3	16	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	67	36.6	704	0.8	32	145	79.2	1,593	0.3	6	51	27.9	464	0.4	15
64 or younger	1	50.0	12	0.5	23	2	100.0	24	0.1	3	1	50.0	12	1.6	33
65-74	23	56.1	249	0.9	36	29	70.7	339	0.3	8	19	46.3	216	0.3	15
75-84	30	42.3	304	0.9	37	58	81.7	613	0.3	7	16	22.5	108	0.4	8
85 and older	13	18.8	139	0.6	14	56	81.2	617	0.2	5	15	21.7	128	0.5	20
<b>Male</b>	118	29.8	1,200	1.0	42	335	84.6	3,474	0.3	12	148	37.4	1,286	0.7	44
<b>Disabled</b>	83	25.6	854	1.1	50	285	88.0	2,945	0.3	14	106	32.7	904	0.6	27
64 or younger	79	24.6	815	1.1	51	283	88.2	2,939	0.3	13	101	31.5	862	0.6	27
65-74	4	133.3	39	0.9	37	2	66.7	6	0.8	94	5	166.7	42	0.5	23
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Other Eligibles</b>	35	48.6	346	0.7	23	50	69.4	529	0.3	6	42	58.3	382	1.0	84
64 or younger	1	50.0	12	0.5	5	2	100.0	24	0.5	11	2	100.0	24	0.6	21
65-74	15	60.0	142	0.9	28	11	44.0	113	0.3	9	13	52.0	103	1.1	77
75-84	17	50.0	189	0.7	20	34	100.0	367	0.3	5	23	67.6	229	1.1	102
85 and older	2	18.2	3	0.7	17	3	27.3	25	0.1	2	4	36.4	26	0.2	5
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	ANTIVIRAL										HEMATOPOIETIC AGENTS									
	Users as %					Users as %					Users as %					Users as %				
	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	All-Year NF Residents	All-Year NF Residents	All-Year NF Residents	All-Year NF Residents	Bene Mos among All-Year NF Residents
<b>All</b>	<b>54</b>	<b>5.9 %</b>	<b>0.5</b>	<b>\$148</b>	<b>0.5</b>	<b>538</b>	<b>110</b>	<b>11.9 %</b>	<b>0.7</b>	<b>\$78</b>	<b>1,055</b>	<b>0.7</b>	<b>\$78</b>	<b>0.7</b>	<b>921</b>	<b>8,505</b>				
<b>Female</b>	19	3.6	0.5	180	0.5	209	60	11.4	0.6	73	597	0.6	73	0.6	525	4,995				
<b>Disabled</b>	16	4.7	0.6	217	0.6	173	41	12.0	0.7	106	392	0.7	106	0.7	342	3,310				
64 or younger	16	4.7	0.6	217	0.6	173	41	12.1	0.7	106	392	0.7	106	0.7	338	3,281				
65-74	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	4	29				
75-84	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	0				
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	0				
<b>Other Eligibles</b>	3	1.6	0.1	3	0.1	36	19	10.4	0.4	9	205	0.4	9	0.4	183	1,685				
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	2	24				
65-74	0	0.0	0.0	0	0.0	0	6	14.6	0.6	23	65	0.6	23	0.6	41	432				
75-84	0	0.0	0.0	0	0.0	0	4	5.6	0.4	4	32	0.4	4	0.4	71	593				
85 and older	3	4.3	0.1	3	0.1	36	9	13.0	0.4	2	108	0.4	2	0.4	69	636				
<b>Male</b>	35	8.8	0.5	127	0.5	329	50	12.6	0.7	84	458	0.7	84	0.7	396	3,510				
<b>Disabled</b>	30	9.3	0.5	132	0.5	273	45	13.9	0.7	95	402	0.7	95	0.7	324	2,879				
64 or younger	29	9.0	0.5	133	0.5	270	44	13.7	0.7	96	399	0.7	96	0.7	321	2,861				
65-74	1	33.3	0.3	23	0.3	3	1	33.3	0.3	2	3	0.3	2	0.3	3	18				
75-84	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	0				
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	0				
<b>Other Eligibles</b>	5	6.9	0.6	103	0.6	56	5	6.9	0.9	4	56	0.9	4	0.9	72	631				
64 or younger	3	150.0	0.5	149	0.5	36	0	0.0	0.0	0	0	0.0	0	0.0	2	13				
65-74	0	0.0	0.0	0	0.0	0	2	8.0	0.8	3	20	0.8	3	0.8	25	212				
75-84	2	5.9	0.6	21	0.6	20	2	5.9	1.0	6	24	1.0	6	1.0	34	337				
85 and older	0	0.0	0.0	0	0.0	0	1	9.1	1.0	4	12	1.0	4	1.0	11	69				
<b>Unknown</b>	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	0				

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 1,690 beneficiaries who were in nursing facilities for part of their enrollment and their 16,153 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, [http://www.Medi-Span.com/products/product\\_mddb.asp](http://www.Medi-Span.com/products/product_mddb.asp) (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 WASHINGTON, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Rx \$	Total No. of Benes
			Excl Rx	Bene					
<b>All</b>	<b>114,132</b>	<b>17.6 %</b>	<b>0.8</b>	<b>529,353</b>	<b>\$10</b>	<b>\$6,596,396</b>	<b>\$12</b>	<b>3.0 %</b>	<b>648,138</b>
<b>Age</b>									
5 and younger	21,222	14.1	0.3	48,008	3	442,841	9	6.5	151,027
6-14	15,594	9.7	0.2	35,916	3	477,418	13	2.8	160,283
15-20	10,926	11.2	0.3	26,455	4	375,726	14	3.0	97,864
21-44	38,792	21.0	0.9	161,708	11	2,113,461	13	2.7	184,423
45-64	22,977	50.9	4.8	214,829	62	2,801,271	13	3.0	45,167
65-74	3,050	54.8	5.1	28,295	48	267,355	9	3.9	5,562
75-84	1,234	49.1	4.3	10,793	36	90,349	8	3.6	2,514
85 and older	337	26.0	2.6	3,349	22	27,975	8	4.2	1,298
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
<b>Basis of Eligibility<sup>c</sup></b>									
Aged	4,675	50.0	4.6	43,208	42	392,645	9	3.8	9,348
Disabled	42,133	46.8	3.8	343,789	54	4,889,170	14	2.8	90,102
Adults	29,156	15.2	0.4	69,019	3	651,951	9	3.5	192,234
Children	38,168	10.7	0.2	73,337	2	662,630	9	4.1	356,454
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
<b>Gender</b>									
Female	75,427	19.1	0.9	353,493	11	4,262,209	12	3.3	394,397
Male	38,690	15.2	0.7	175,745	9	2,333,302	13	2.7	253,715
Unknown	15	57.7	4.4	115	34	885	8	1.7	26
<b>Race</b>									
White	68,113	16.6	0.8	348,328	12	4,825,774	14	2.8	410,089
African American	6,356	16.0	0.8	30,961	8	316,207	10	2.7	39,801
Other/unknown	39,663	20.0	0.8	150,064	7	1,454,415	10	4.1	198,248
<b>Use of Nursing Facilities<sup>d</sup></b>									
Entire year	655	71.1	7.2	6,645	156	143,828	22	4.2	921
Part year	1,423	84.2	9.8	16,646	162	273,728	16	3.6	1,690
None	112,054	17.4	0.8	506,062	10	6,178,840	12	3.0	645,527
<b>Maintenance Assistance Status</b>									
Cash	54,962	31.0	2.0	350,754	26	4,552,273	13	2.8	177,216
Medically needy	1,168	45.2	3.5	8,937	49	126,803	14	2.6	2,586
Poverty related	27,211	12.0	0.2	54,461	2	441,279	8	4.6	226,341
Other/unknown	30,791	12.7	0.5	115,201	6	1,476,041	13	3.6	241,995

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH  
 BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 WASHINGTON, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$2	\$12	\$0	\$1	3,879,350
<b>Age</b>						
5 and younger	0.1	1	9	0	0	738,693
6-14	0.0	1	13	0	0	951,581
15-20	0.0	1	14	0	0	555,111
21-44	0.1	2	13	0	1	1,125,699
45-64	0.5	7	13	0	2	411,845
65-74	0.5	5	9	0	1	57,898
75-84	0.4	4	8	0	0	25,709
85 and older	0.3	2	8	0	0	12,814
Unknown	0.0	0	0	0	0	0
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.4	4	9	0	1	96,275
Disabled	0.4	5	14	0	2	907,004
Adults	0.1	1	9	0	0	1,003,594
Children	0.0	0	9	0	0	1,872,477
Unknown	0.0	0	0	0	0	0
<b>Gender</b>						
Female	0.1	2	12	0	1	2,361,720
Male	0.1	2	13	0	0	1,517,387
Unknown	0.5	4	8	0	1	243
<b>Race</b>						
White	0.1	2	14	0	1	2,457,689
African American	0.1	1	10	0	0	216,987
Other/unknown	0.1	1	10	0	0	1,204,674
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	0.8	17	22	0	6	8,505
Part year	1.0	17	16	0	4	16,153
None	0.1	2	12	0	0	3,854,692
<b>Maintenance Assistance Status</b>						
Cash	0.3	3	13	0	1	1,310,831
Medically needy	0.5	7	14	0	2	18,907
Poverty related	0.0	0	8	0	0	1,237,812
Other/unknown	0.1	1	13	0	0	1,311,800

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.13  
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS<sup>a,b,c</sup>  
 WASHINGTON, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
<b>All</b>	<b>150,292</b>	<b>\$44</b>	<b>\$6,596,396</b>	<b>100.0 %</b>	<b>529,353</b>	<b>\$12</b>	<b>100.0 %</b>
Anorexia or weight loss/gain	1	920	920	0.0	10	92	0.0
Fertility drugs	2	169	338	0.0	4	85	0.0
Drugs for cosmetic purposes	165	15	2,533	0.0	238	11	0.0
Cough and cold medications	31,619	38	1,199,019	18.2	64,636	19	12.2
Vitamins and minerals	9,417	91	860,895	13.1	44,496	19	8.4
Non-prescription drugs	81,994	25	2,030,400	30.8	286,475	7	54.1
Barbiturates	1,210	53	63,967	1.0	9,009	7	1.7
Benzodiazepines	20,114	101	2,029,570	30.8	107,488	19	20.3
Other Part D Excl Rx Drugs	5,770	71	408,754	6.2	16,997	24	3.2

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all non-dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility, those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

Beneficiary Characteristics	No. of Beneficiaries				No. of Beneficiaries						
	All	Aged	Disabled	Unknown	All	Aged	Disabled	Unknown			
<b>All</b>	<b>920,448</b>	<b>9,350</b>	<b>90,317</b>	<b>233,141</b>	<b>587,640</b>	<b>8,572,413</b>	<b>96,417</b>	<b>924,725</b>	<b>1,786,153</b>	<b>5,765,118</b>	<b>0</b>
<b>Age</b>											
5 and younger	223,109	1	3,832	7	219,269	0	0	40,541	38	2,082,870	0
6-14	275,197	3	9,595	218	265,381	0	0	107,598	869	2,709,096	0
15-20	144,002	5	6,836	34,212	102,949	0	0	71,399	219,639	972,849	0
21-44	218,891	5	32,938	185,907	41	0	0	328,977	1,458,631	303	0
45-64	49,867	149	36,958	12,760	0	0	0	374,648	106,723	0	0
65-74	5,569	5,396	146	27	0	0	0	1,418	205	0	0
75-84	2,515	2,501	8	6	0	0	0	96	33	0	0
85 and older	1,298	1,290	4	4	0	0	0	48	15	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
<b>Gender</b>											
Female	539,075	5,878	46,541	195,979	290,677	0	0	486,918	1,518,467	2,858,397	0
Male	381,344	3,468	43,760	37,161	296,955	0	0	437,639	267,674	2,906,636	0
Unknown	29	4	16	1	8	0	0	168	12	85	0
<b>Race</b>											
White	590,342	5,799	68,212	137,213	379,118	0	0	701,081	1,113,594	3,691,048	0
African American	61,771	315	7,449	15,029	38,978	0	0	74,074	127,657	389,756	0
Other/unknown	268,335	3,236	14,656	80,899	169,544	0	0	149,570	544,902	1,684,314	0
<b>Use of Nursing Facilities<sup>c</sup></b>											
Entire year	922	252	666	3	1	0	0	6,189	14	12	0
Part year	1,697	228	1,423	39	7	0	0	13,815	336	60	0
None	917,829	8,870	88,228	233,099	587,632	0	0	904,721	1,785,803	5,765,046	0
<b>Maintenance Assistance Status</b>											
Cash	222,196	6,372	79,000	44,731	92,093	0	0	807,293	377,027	930,659	0
Medically needy	2,595	308	2,162	56	69	0	0	16,064	275	378	0
Poverty related	353,030	44	59	64,552	288,375	0	0	498	495,460	2,875,530	0
Other/unknown	342,627	2,626	9,096	123,802	207,103	0	0	100,870	913,391	1,958,551	0
<b>Managed Care Status</b>											
FFS all year	326,090	9,324	87,045	113,383	116,338	0	0	888,327	660,995	899,046	0
FFS part year, with Rx claims	107,552	19	2,563	39,829	65,141	0	0	28,731	381,892	683,200	0
FFS part year, no Rx claims	214,496	5	494	39,022	174,975	0	0	5,268	361,732	1,727,705	0
MC all year, with Rx claims	8,157	2	108	3,466	4,581	0	0	1,267	36,867	51,276	0
MC all year, no Rx claims	264,153	0	107	37,441	226,605	0	0	1,132	344,667	2,403,891	0

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 NONDUAL BENEFICIARIES, WASHINGTON, 2001

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
<b>All</b>	<b>920,448</b>	<b>8,572,413</b>	<b>648,138</b>	<b>3,879,350</b>	<b>0</b>	<b>4,693,063</b>
FFS all year	326,090	2,544,483	326,090	2,544,483	0	0
FFS part year, with Rx claims	107,552	1,094,041	107,552	615,045	0	478,996
FFS part year, with no Rx claims	214,496	2,094,765	214,496	719,822	0	1,374,943
MC all year, with Rx claims	8,157	89,434	0	0	0	89,434
MC all year, with no Rx claims	264,153	2,749,690	0	0	0	2,749,690

Source: Data for this table are from the MAX 2001 file for Washington, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.